FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
24	11/3/03	0940	20.0	21.5	5.1	17.5	—	—	—	—	—	—	—	—	12.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
24	11/3/03	0630	28	27	28	45	62	62	60	59	61	64	73	68
24	11/3/03	0935	28	27	28	45	62	62	60	60	61	65	73	68

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
24	11/4/03	0556	ABC	27	26	27	45	6975	3118	2130	—	3425	300	292
24	11/4/03	1213	ABC	27	26	27	45	7815	4210	3220	—	3710	300	293

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
24	11-4-03	1225	17.0	18.5	4.0	16.0	—	—	—	—	—	—	—	—	10.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
24	11-4-03	0556	27	26	27	45	62	62	60	60	62	65	74	70
24	11/4/03	1220	27	26	27	45	60	60	58	57	60	62	70	66

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
24	11/5/03	0630	ABC	27	26	27	45	6985	3260	2110	—	3780	300	282
24	11/5/03	1015	ABC	27	26	27	45	7450	3780	2940	—	4830	300	290

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
24	11-5-03	1025	18.5	19	3.5	15.0	—	—	—	—	—	—	—	—	~~9.5~~
															9.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
24	11/5/03	0630	27	26	27	45	62	62	60	60	61	65	73	69
24	11/5/03	1020	27	26	27	45	60	60	60	59	60	63	71	67

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
24	11/6/03	0620	ABC	27	26	27	45	7390	3425	2660	—	3980	300	292
24	11/6/03	1054	ABC	27	26	27	45	7985	4440	3250	—	4870	300	294

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
24	11/6/03	1105	19.0	21.0	4.5	17.0	—	—	—	—	—	—	—	—	11.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
24	11/6/03	0625	27	26	27	45	60	60	60	58	60	63	72	68
24	11/6/03	1100	27	26	27	45	60	60	58	56	60	62	70	66

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
25	11/10/03	0620	ABC	27	26	27	45	7315	3915	3550	—	4630	300	320
25	11/10/03	1020	ABC	27	26	27	45	8240	4320	3780	—	4815	300	325

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
25	11/10/03	1030	20.0	16.5	10.5	15.0									8.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
25	11/10/03	0625	27	26	27	45	60	60	60	58	60	61	73	68
25	11/10/03	1025	27	26	27	45	60	60	60	57	58	60	71	66

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
25	11/11/03	0600	ABC	27	26	27	45	8080	4600	3610	—	4700	300	325
25	11/11/03	1300	ABC	27	26	27	45	8940	4780	3625	—	4775	300	314

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) PPM	INFLUENT (B) PPM	INFLUENT (C) PPM	INFLUENT (ABC) PPM	P1 INFLUENT PPM	P1 EFFLUENT PPM	P2 INFLUENT PPM	P2 EFFLUENT PPM	S1 INFLUENT PPM	S1 EFFLUENT PPM	S2 INFLUENT PPM	S2 EFFLUENT PPM	EFFLUENT (Total) PPM
25	11/11/03	1310	17.0	17.5	4.0	13.5	—	—	—	—	—	—	—	—	8.5

PRESSURE DATA

PRESSURE READINGS															
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)	
25	11/11/03	0605	27	26	27	45	60	60	60	58	60	62	72	67	
25	11/11/03	1305	27	26	27	45	60	60	57	56	58	60	70	65	

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
25	11/12/03	0630	ABC	27	26	27	45	~~7310~~	~~4350~~	~~2420~~	—		300	320
								7310	4350	2420	—	4310		
25	11/12/03	1200	ABC	27	26	27	45	8070	4370	3160	—	4610	300	312

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
25	11/12/03	1220	19.0	15.0	10.5	14.0									7.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
25	11/12/03	0635	27	26	27	45	60	60	59	57	60	62	72	68
25	11/12/03	1205	27	26	27	45	60	60	58	56	59	61	70	66

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
25	11-13-03	0620	ABC	27	26	27	45	6985	3375	2340	—	3910	300	335
25	11-13-03	1000	ABC	27	26	27	45	8240	4330	3260	—	5110	300	330

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
25	11/13/03	1015	14.0	16.0	3.0	12.5	—	—	—	—	—	—	—	—	7.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
25	11-13-03	0620	27	26	27	45	62	62	61	60	62	65	74	70
25	11/13/03	1005	27	26	27	45	61	61	60	60	60	64	73	69

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
26	11/17/03	0700	ABC	27	26	27	45	7110	3480	2070	—	3030	312	330
26	11/17/03	1100	ABC	27	26	27	45	8515	4880	3510	—	4920	312	320

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
26	11/17/03	1120	14.0	18.5	10.5	14.0									8.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
26	11/17/03	0705	27	26	27	45	62	62	60	60	62	65	74	69
26	11/17/03	1105	27	26	27	45	60	60	58	58	60	63	70	65

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Readin
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
26	11/18/03	0730	ABC	28	27	27	45	7520	3780	2650	—	4580	312	320
26	11/18/03	1120	ABC	28	27	27	45	8940	5050	3975	—	5115	300	310

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
26	11/18/03	1130	15.0	16.0	7.5	12.0									8.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
26	11/18/03	0735	28	27	27	45	62	62	60	60	62	65	74	69
26	11/18/03	1125	28	27	27	45	60	60	58	58	59	61	70	65

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
26	11/19/03	0630	ABC	27	26	26	45	7130	3580	2250	—	3985	310	330
26	11/19/03	1005	ABC	28	27	27	45	8810	4470	3875	—	5015	310	320

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
26	11/19/03	1015	11.0	16.0	10.5	12.0									8.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
26	11/19/03	0635	27	26	26	45	60	60	59	58	60	63	71	67
26	11/19/03	1010	28	27	27	45	60	60	59	58	59	61	70	66

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
26	11/20/03	0630	ABC	27	26	26	45	7220	3520	2350	—	3985	312	330
26	11/20/03	1105	ABC	27	26	26	45	8760	4925	3880	—	5075	300	310

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
26	11/20/03	1115	12.0	18.5	8.0	13.0									7.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
26	11/20/03	0635	27	26	26	45	60	60	59	58	60	62	72	67
26	11/20/03	1110	27	26	26	45	60	60	58	58	59	61	70	65

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
27	11/24/03	0655	ABC	27	26	26	45	6785	3195	2030	—	3520	312	330
27	11/24/03	1105	ABC	27	26	26	45	7520	4160	3130	—	4980	300	320

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
27	11/24/03	1130	20.0	16.5	10.0	14.5									5.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
27	11/24/03	0700	27	26	26	45	61	62	60	60	62	65	73	68
27	11/24/03	1110	27	26	26	45	60	60	59	58	58	62	70	65