



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 19, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127


Dear Yu,

This package contains samples in our Service ID 02-3690 and your project is 00HW019 JPL.
Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr, Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

APCL Analytical Report

Service ID #: 801-023690 Received: 07/02/02
 Collected by: MES/TAM Extracted: N/A
 Collected on: 07/02/02 Tested: 07/03-08/02
 Reported: 07/09/02

Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-21	MW-21-1	MW-21-2	MW-21-3
				02-03690-1	02-03690-2	02-03690-3	02-03690-4
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	7.7	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	1.4	<0.5	1
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	0.4J	-	-
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	0.6	1.6	2.0
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	12.0	0.5	0.9
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-21-4	MW-21-5	SB-1	TB-1
				02-03690-5	02-03690-6	02-03690-7	02-03690-8
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	-	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BROMODICHLOROMETHANE	524.2	µg/L	0.5	-	0.4J	-	-
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1.6	2.3	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	1	2.4	-	-
METHYLENE CHLORIDE	524.2	µg/L	1	-	0.4J	-	0.6J

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-21-4	MW-21-5	SB-1	TB-1
				02-03690-5	02-03690-6	02-03690-7	02-03690-8
TETRACHLOROETHENE	524.2	µg/L	0.5	6.2	15.1	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	0.8	<0.5	<0.5
1,1,2-TRICHLORO-1,1,2,2-TETRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

(a) MDL reported.

Respectfully submitted,


Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3690



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3690

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-1	02-03690-8
MW-21-5	02-03690-6
MW-21-4	02-03690-5
MW-21-3	02-03690-4
ER-21	02-03690-1
MW-21-2	02-03690-3
MW-21-1	02-03690-2
SB-1	02-03690-7

2. Analytical Methodology

Samples are analyzed by EPA methods

314.0 (Perchlorate, low level),

524.2 (Volatile Organic Compounds),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None


6. Anomaly

(1) 524.2:

Methylene Chloride was detected in the Method Blank of batch 02G3007 on 07/03/02 at 1.1 $\mu\text{g/L}$. It was also detected in some field samples at lower level due to lab contamination.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: **SOTA ENVIR. TECH., INC.** Contact: **MIKE SAYRE** Tel #: **858-485-8100** Fax #: **858-485-0812**

Address: **16835 W. BERNARDO DR. #212** City: **SAN DIEGO** State: **CA** Zip code: **92127**

Bill to: **SOTA** Analysis Items

Project Name/Code **JPL** Job # **00HW019** P.O. #

Project Address **PASADENA, CALIFORNIA** APCL Quotation #

Due Date: Regular Rush: ___ days ___ hours Sampled by: **MES/TAM**

Field Sample ID No.	Sample Description	Date Collected	Time Collected	Sample Matrix	Preservation	# of Containers	Analysis	Items	Remarks
TB-1	TRIP BLANK	7/2/02	1001	WATER	HCl	2			EPA LEVEL IV
MW-21-5	MW-21-5		1058		HCl	3			QA/QL
MW-21-5	MW-21-5		1058		-	1			3690
MW-21-4	MW-21-4		1122		HCl	3			
MW-21-4	MW-21-4		1122		-	1			
MW-21-3	MW-21-3		1145		HCl	3			
MW-21-3	MW-21-3		1145		-	1			
ER-21	EQUIP. RINSE		1202		HCl	3			
ER-21	EQUIP. RINSE		1202		-	1			
MW-21-2	MW-21-2		1209		HCl	3			
MW-21-2	MW-21-2		1209		-	1			
MW-21-1	MW-21-1		1245		HCl	3			
MW-21-1	MW-21-1		1245		-	1			
SB-1	SOURCE BLANK		1235		HCl	2			

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA ___ (E, C or D); Other ___ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # ___ Temperature: Room Cold (___ °C).

Relinquished by *[Signature]* Date/Time **7/2/02 11655** Received by *[Signature]* Date/Time **7/10/02 1655**

Relinquished by *[Signature]* Date/Time **7/2/02 11755** Received by *[Signature]* Date/Time **7/13/02 10830**

APCL USE ONLY Service # Note:

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3690** Client Name/Project: Soia Environmental

1. Sample Arrival

Date/Time Received 7/2/02 1:55 Date/Time Opened 7/3/02 8:30 By (name): Paul Kous

Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Richard Strat

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: MES
 Project ID? Analyses Clear? Hold Samples? #on Hold _____ # Received 8
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK? _____
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None

Temp °C 2.3°C
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).

Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: 5 days Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Paul K Date: 2 Jul 2002 Time: 8:13 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Sample Login: Check List

02-03690 (1288_ 374) (4858100_ 374)

07/03/02

Part 1: General Information

<input type="checkbox"/> Company Information	Name:	<i>SOTA Environmental</i>
	Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/> Project Information	Project Description:	<i>JPL</i>
	Project #:	<i>00HW019</i>
<input type="checkbox"/> Billing Information	P.O. #:	
	Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
	Lab Project ID:	<i>2002_0002</i>
	Client Database #:	<i>01</i>
<input type="checkbox"/> Receiving Information	Who Received Sample?	<i>Paul Kou</i>
	Receiving Date/Time:	<i>07/02/02 1655</i>
	COC No.	
<input type="checkbox"/> Shipping Information	Shipping Company	<i>APCL pick up</i>
	Packing Information:	<i>Cooler/Ice Chester</i>
	Cooler Temperature:	<i>2.3 °C</i>
<input type="checkbox"/> Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/> Sampling Information	Sampling Person:	
	Sampling Company:	<i>Client</i>
<input type="checkbox"/> Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/> QC Option:		<i>NEESA D</i>
<input type="checkbox"/> Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Cont- Matrix	Preser- tainer	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected numddy	Hold ?	Composite Group	TAT Days
1	TB-1	524.2	02-03690-8	W	V	C 40	2	G	070202	N	0	7 <input type="checkbox"/>
2	MW-21-5	524.2	02-03690-6- α	W	V	C 40	3	G	070202	N	0	7 <input type="checkbox"/>
	MW-21-5	Perchl	02-03690-6- β	W	P	500	1	G	070202	N	0	7 <input type="checkbox"/>
3	MW-21-4	524.2	02-03690-5- α	W	V	C 40	3	G	070202	N	0	7 <input type="checkbox"/>
	MW-21-4	Perchl	02-03690-5- β	W	P	500	1	G	070202	N	0	7 <input type="checkbox"/>
4	MW-21-3	524.2	02-03690-4- α	W	V	C 40	3	G	070202	N	0	7 <input type="checkbox"/>
	MW-21-3	Perchl	02-03690-4- β	W	P	500	1	G	070202	N	0	7 <input type="checkbox"/>
5	ER-21	524.2	02-03690-1- α	W	V	C 40	3	G	070202	N	0	7 <input type="checkbox"/>
	ER-21	Perchl	02-03690-1- β	W	P	500	1	G	070202	N	0	7 <input type="checkbox"/>
6	MW-21-2	524.2	02-03690-3- α	W	V	C 40	3	G	070202	N	0	7 <input type="checkbox"/>
	MW-21-2	Perchl	02-03690-3- β	W	P	500	1	G	070202	N	0	7 <input type="checkbox"/>
7	MW-21-1	524.2	02-03690-2- α	W	V	C 40	3	G	070202	N	0	7 <input type="checkbox"/>
	MW-21-1	Perchl	02-03690-2- β	W	P	500	1	G	070202	N	0	7 <input type="checkbox"/>
8	SB-1	524.2	02-03690-7	W	V	C 40	2	G	070202	N	0	7 <input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input type="checkbox"/> 7196	Chromium (VI)
	<input checked="" type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO_4^{--}), by IC
	<input type="checkbox"/> 300.0/SM4500NO3	Nitrate (NO_3^-) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl^- by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 22, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3698 and your project is 00HW019 JPL.
Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,



Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr. Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023698
 Collected by: MES/TAM
 Collected on: 07/03/02
 Received: 07/03/02
 Extracted: N/A
 Tested: 07/03-08/02
 Reported: 07/09/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-18 02-03698-1	MW-18-2 02-03698-2	MW-18-3 02-03698-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.4J	1.9
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.4J
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-18-4 02-03698-4	MW-18-5 02-03698-5	TB-2 02-03698-6
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	31.3	<4	-
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	7.8	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1.8	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	0.5J
TETRACHLOROETHENE	524.2	µg/L	0.5	4.6	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	3.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-18 02-03698-1	MW-18-2 02-03698-2	MW-18-3 02-03698-3	MW-18-4 02-03698-4
CHROMIUM (VI)	7196A	mg/L	0.01	<0.01	<0.01	0.010	<0.01

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3698



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3698

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-2	02-03698-6
ER-18	02-03698-1
MW-18-5	02-03698-5
MW-18-4	02-03698-4
MW-18-3	02-03698-3
MW-18-2	02-03698-2

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196A (Chromium (VI)),

314.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log


None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,



Kevin Xie, Ph.D.,
QA/QC Director

Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
Project Name/Code: JPL Job # 00HW019 P.O. #
Project Address: PASADENA, CALIFORNIA APCL Quotation #
Due Date: Regular Rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items										Remarks	
							VOLs (524.2)	PERCHLORATE (314.0)	TOTAL Cr (200.8)	Cr VI (7196)								
TB-2	TRIP BLANK	7/3/02	0745	WATER	HCl	2	X	X	X	X								EPA LEVEL IV
ER-18	EQUIP. RINSE		0755		HCl	3	X	X	X	X								QA/QC
					HNO ₃	1			X	X								
					-	1			X	X								
MW-18-5	MW-18-5		0814		HCl	9	X	X	X	X								MS/MSD
MW-18-5	MW-18-5		0814		-	1			X	X								
MW-18-4	MW-18-4		0850		HCl	3	X	X	X	X								
					HNO ₃	1			X	X								
					-	1			X	X								
MW-18-3	MW-18-3		0922		HCl	3	X	X	X	X								
					HNO ₃	1			X	X								
					-	1			X	X								
MW-18-2	MW-18-2		0958		HCl	3	X	X	X	X								
					HNO ₃	1			X	X								
					-	1			X	X								

3698

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: Intact, Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/3/02 1147 Received by [Signature] Date/Time 7/2/02 1141
Relinquished by _____ Date/Time _____ Received by _____ Date/Time _____

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3098**

Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/3/02 1147 Date/Time Opened 7/3/02 1147 By (name): Kerry Chan
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl:

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: M.S. 7/3/02
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 6
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK?
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 4.0
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH < 2 pH > 12
If Not, pH = _____ Preserved by: Client APCL Third Party

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____

Received/Checked by: Kerry Chan Date: 3 Jul 2002 Time: 8:18 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Sample Login: Check List

02-03698 (1288_ 375) (4858100_ 375)

07/03/02

Part 1: General Information

<input type="checkbox"/> Company Information	Name:	<i>SOTA Environmental</i>
	Address:	<i>16835 W. Bernardo Dr, Ste. 212, San Diego, CA 92127</i>
<input type="checkbox"/> Project Information	Project Description:	<i>JPL</i>
	Project #:	<i>00HW019</i>
<input type="checkbox"/> Billing Information	P.O. #:	
	Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212, San Diego, CA 92127</i>
	Lab Project ID:	<i>2002.0002</i>
	Client Database #:	<i>01</i>
<input type="checkbox"/> Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
	Receiving Date/Time:	<i>07/03/02 1147</i>
	COC No.	
<input type="checkbox"/> Shipping Information	Shipping Company	<i>by Client</i>
	Packing Information:	<i>Cooler/Ice Chester</i>
	Cooler Temperature:	<i>4.0 °C</i>
<input type="checkbox"/> Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/> Sampling Information	Sampling Person:	
	Sampling Company:	<i>Client</i>
<input type="checkbox"/> Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/> QC Option:		<i>NEESA D</i>
<input type="checkbox"/> Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmmddyy	Hold ?	Composite Group	TAT Days	
1	FB-2	VOC	02-03698-6	W	V	C	40	2	G	070302	N	0	7	<input type="checkbox"/>
2	ER-18	VOC	02-03698-1- α	W	V	C	40	3	G	070302	N	0	7	<input type="checkbox"/>
	ER-18	Perch/CRVI	02-03698-1- β	W	P		500	1	G	070302	N	0	7	<input type="checkbox"/>
3	MW-18-5	VOC	02-03698-5- α	W	V	C	40	9	G	070302	N	0	7	<input type="checkbox"/>
	MW-18-5	Perch	02-03698-5- β	W	P		500	1	G	070302	N	0	7	<input type="checkbox"/>
4	MW-18-4	VOC	02-03698-4- α	W	V	C	40	3	G	070302	N	0	7	<input type="checkbox"/>
	MW-18-4	Perch/CRVI	02-03698-4- β	W	P		500	1	G	070302	N	0	7	<input type="checkbox"/>
5	MW-18-3	VOC	02-03698-3- α	W	V	C	40	3	G	070302	N	0	7	<input type="checkbox"/>
	MW-18-3	Perch/CRVI	02-03698-3- β	W	P		500	1	G	070302	N	0	7	<input type="checkbox"/>
6	MW-18-2	VOC	02-03698-2- α	W	V	C	40	3	G	070302	N	0	7	<input type="checkbox"/>
	MW-18-2	Perch/CRVI	02-03698-2- β	W	P		500	1	G	070302	N	0	7	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input type="checkbox"/> 7196	Chromium (VI)
	<input type="checkbox"/> 800.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO_4^{--}), by IC
	<input type="checkbox"/> 300.0/SM4500NO $_3$	Nitrate (NO_3^-) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl^- by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
--------	--------------------------------------	---------------	----------------	--------	-------	----------	--------	----	---	----	----	----



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 29, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3731 and your project is 00HW019 JPL water from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to: SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr, Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023731
Received: 07/08/02
Collected by: MES/TAM
Extracted: N/A
Collected on: 07/08/02
Tested: 07/08-15/02
Reported: 07/15/02
Sample Description: Water from Pasadena, CA
Project Description: 00HW019 JPL

Analysis of Water Samples

Table with 8 columns: Component Analyzed, Method, Unit, PQL, ER-12, MW-12-1, MW-12-2, MW-12-3. Rows include Dilution Factor, PERCHLORATE, and various Volatile Organic Compounds.

Table with 8 columns: Component Analyzed, Method, Unit, PQL, MW-12-4, MW-12-5, MW-12-3D, TB-3. Rows include Dilution Factor, PERCHLORATE, and various Volatile Organic Compounds.

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result	
				ER-12 02-03731-1	MW-12-1 02-03731-2
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-12-2 02-03731-3	MW-12-3 02-03731-4	MW-12-3D 02-03731-7
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr, Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023731 Received: 07/08/02
 Collected by: MES/TAM Extracted: N/A
 Collected on: 07/08/02 Tested: 07/08-15/02
 Reported: 07/15/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-12	MW-12-1	MW-12-2	MW-12-3
				02-03731-1	02-03731-2	02-03731-3	02-03731-4
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.73 ^(a)	<0.73	<0.73	<0.73	<0.73
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	0.4J	0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	3.4
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.54 ^(a)	<0.54	<0.54	<0.54	<0.54
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-12	MW-12-1	MW-12-2	MW-12-3
				02-03731-1	02-03731-2	02-03731-3	02-03731-4
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1	<1
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-12-4	MW-12-5	MW-12-3D	TB-3
				02-03731-5	02-03731-6	02-03731-7	02-03731-8
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.73 ^(a)	<0.73	<0.73	<0.73	<0.73
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	2.7	0.7	1.2	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.9	<0.5	3.9	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.54 ^(a)	<0.54	<0.54	<0.54	<0.54
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-12-4	MW-12-5	MW-12-3D	TB-3
				02-03731-5	02-03731-6	02-03731-7	02-03731-8
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	1	0.9J
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	0.6	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result	
				ER-12	MW-12-1
				02-03731-1	02-03731-2
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-12-2 02-03731-3	MW-12-3 02-03731-4	MW-12-3D 02-03731-7
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

(a) MDL reported.

Respectfully submitted,


Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3731



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3731

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-3	02-03731-8
MW-12-5	02-03731-6
MW-12-4	02-03731-5
MW-12-3	02-03731-4
MW-12-3D	02-03731-7
ER-12	02-03731-1
MW-12-2	02-03731-3
MW-12-1	02-03731-2

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

314.0 (Perchlorate).

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None


6. Anomaly

(1) 314.0:

A foreign sample was used for MS/MSD of batch 02W3475 on 07/15/02. The recovery of Perchlorate in MS was 74%, slightly lower than the control limit of 75-125%.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job # 00HW019 P.O. # _____

Project Address PASADENA, CA APCL Quotation # _____

Due Date: regular rush: _____ days _____ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
							VOCs (514.7)	PERCHLORATE (314.0)	TOTAL Cr (200.8)	Cr VI (719.6)	
TB-3	TRIP BLANK	7/8/02	905	WATER	HCl	2	X				EPA LEVEL IV
MW-12-5	MW-12-5		1020		HCl	3	X				QA/QC
MW-12-5	MW-12-5		1020		-	1	X				
MW-12-4	MW-12-4		1054		HCl	3	X				
MW-12-4	MW-12-4		1054		-	1	X				
MW-12-3	MW-12-3		1123		HCl	3	X				
					-	1	X				
					HNO ₃	1	X				
MW-12-3D	MW-12-3 DUP				HCl	3	X				
					-	1	X				
					HNO ₃	1	X				
ER-12	EQUIP. RINSATE		1136		HCl	3	X				
					-	1	X				
					HNO ₃	1	X				
MW-12-2	MW-12-2		1215		HCl	3	X				

3731

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for _____ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (____ °C).

Relinquished by [Signature] Date/Time 7/8/02 11:00 Received by [Signature] Date/Time 7/8/02 11:00

Relinquished by [Signature] Date/Time 7/8/02 11:50 Received by [Signature] Date/Time 7/8/02 11:50

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 2 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-8100

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job # 00HW019 P.O. # _____

Project Address PASADENA, CALIFORNIA APCL Quotation # _____

Due Date: Regular Rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
							VOCs (524.2)	PERCHLORATE (314.0)	Cr VI (7196)	Total Cr (200.8)	
MW-12-2	MW-12-2	7/8/02	1215	WATER	-	1	X	X			EPA LEVEL II QA/QC
MW-12-2	MW-12-2		1215		HNO ₃	1			X		
MW-12-1	MW-12-1		1239		HCl	3	X				
MW-12-1	MW-12-1				-	1	X	X			
MW-12-1	MW-12-1				HNO ₃	1			X		
<div style="font-size: 2em; font-weight: bold; opacity: 0.5;">3731</div>											

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA ___ (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/8/02 11:00 Received by [Signature] Date/Time 7/8/02 16:00

Relinquished by [Signature] Date/Time 7/8/02 16:50 Received by [Signature] Date/Time 7/8/02 16:50

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3731** Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/8/02 1650 Date/Time Opened 7/8/02 1650 By (name): Verny Chan
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: KayA

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: MS 7/8/02
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 8
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK?
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.9
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Verny Chan Date: 8 Jul 2002 Time: 8:30 a.m.

* HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03731 (1288_ 376) (4858100_ 376)

07/09/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
		Lab Project ID:	<i>2002_0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>07/08/02 1650</i>
		COC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.9 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	TB-3	VOC	02-03731-8	W	V	C	40	2	G	070802	N	0	6	<input type="checkbox"/>
2	MW-12-5	VOC	02-03731-6- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	MW-12-5	Perch	02-03731-6- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>
3	MW-12-4	VOC	02-03731-5- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	MW-12-4	Perch	02-03731-5- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>
4	MW-12-3	VOC	02-03731-4- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	MW-12-3	CRVI/Perch	02-03731-4- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>
5	MW-12-3D	VOC	02-03731-7- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	MW-12-3D	CRVI/Perch	02-03731-7- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>
6	ER-12	VOC	02-03731-1- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	ER-12	CRVI/Perch	02-03731-1- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>
7	MW-12-2	VOC	02-03731-3- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	MW-12-2	CRVI/Perch	02-03731-3- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>
8	MW-12-1	VOC	02-03731-2- α	W	V	C	40	3	G	070802	N	0	6	<input type="checkbox"/>
	MW-12-1	CRVI/Perch	02-03731-2- β	W	P		500	1	G	070802	N	0	6	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input checked="" type="checkbox"/> 7196	Chromium (VI)
	<input checked="" type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO ₄ ⁻), by IC
	<input type="checkbox"/> 300.0/SM4500NON	Nitrate (NO ₃ ⁻) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl ⁻ by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 29, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3740 and your project is 00HW019 JPL water from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,



Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr, Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023740 Received: 07/09/02
 Collected by: MES/TAM Extracted: N/A
 Collected on: 07/09/02 Tested: 07/10/02
 Reported: 07/15/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-19 02-03740-1	MW-19-1 02-03740-2	MW-19-2 02-03740-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.9
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.5J
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	0.6J	0.5J	0.8J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	1.0
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	1.7
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-19-3 02-03740-4	MW-19-4 02-03740-5	MW-19-5 02-03740-6	TB-4 02-03740-7
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BROMODICHLOROMETHANE	524.2	µg/L	0.5	-	0.5J	-	-
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.8	3.8	0.8	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	0.6J	0.5J	0.6J	1
TETRACHLOROETHENE	524.2	µg/L	0.5	2.2	<0.5	4.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	1.1	0.3J	0.6	<0.5

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-19-3 02-03740-4	MW-19-4 02-03740-5	MW-19-5 02-03740-6	TB-4 02-03740-7
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Laurin
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3740



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3740

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-4	02-03740-7
MW-19-5	02-03740-6
MW-19-4	02-03740-5
MW-19-3	02-03740-4
ER-19	02-03740-1
MW-19-2	02-03740-3
MW-19-1	02-03740-2

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

314.0 (Perchlorate).

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None


6. Anomaly

(1) 314.0:

Sample MW-19-4 was used for MS/MSD of batch 02W3475 on 07/15/02. The recovery of Perchlorate in MS was 74%, slightly lower than the control limit of 75-125%.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,



Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

Chain of Custody

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Please Print in pen Page 1 of 1

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job # 00HW019 P.O. #

Project Address PASADENA, CALIFORNIA APCL Quotation #

Due Date: regular rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
							VDLs (524.2)	PERCHLORATE (314.0)	Cr VI (7196)	ISOL Cr (200.8)	
TB-4	TRIP BLANK	7/9/02	0710	WATER	HCl	2	X	X	X	X	EPA LEVEL IV QA/QC
MW-19-5	MW-19-5		0750		HCl	3	X	X	X	X	
MW-19-5	MW-19-5		0750		-	1	X	X	X	X	
MW-19-4	MW-19-4		0821		HCl	4	X	X	X	X	MS/MSD
MW-19-4	MW-19-4		0821		-	2	X	X	X	X	MS/MSD
MW-19-3	MW-19-3		0855		HCl	3	X	X	X	X	
MW-19-3	MW-19-3		0855		-	1	X	X	X	X	
ER-19	EQUIP. RINSATE		0905		HCl	3	X	X	X	X	
ER-19	EQUIP. RINSATE		0905		-	1	X	X	X	X	
MW-19-2	MW-19-2		0918		HCl	3	X	X	X	X	
MW-19-2	MW-19-2		0918		-	1	X	X	X	X	
MW-19-1	MW-19-1		0941		HCl	3	X	X	X	X	
MW-19-1	MW-19-1		0941		-	1	X	X	X	X	

3710

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/9/02 11:00 Received by [Signature] Date/Time 7/9/02 11:00

Relinquished by [Signature] Date/Time 7/9/02 11:35 Received by [Signature] Date/Time 7/9/02 1 12:35

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL Service ID: **3740** Client Name/Project: Seta Environmental

1. Sample Arrival

Date/Time Received 7/9/02 1236P Date/Time Opened 7/9/02 1236P By (name): Kenny Chan
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Ray A.

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: M.S. 7/9/02
 Project ID? Analyses Clear? Hold Samples? #on Hold _____ # Received 7
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK? _____
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.9
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kenny Chan Date: 9 Jul 2002 Time: 7:52 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03740 (1288_ 377) (4858100_ 377)

07/09/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
		Lab Project ID:	<i>2002_0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>07/09/02 1236</i>
		CDC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.9 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmdyy	Hold ?	Composite Group	TAT Days	
1	TB-4	524.2	02-03740-7	W	V	C	40	2	G	070902	N	0	7	<input type="checkbox"/>
2	MW-19-5	524.2	02-03740-6- α	W	V	C	40	3	G	070902	N	0	7	<input type="checkbox"/>
	MW-19-5	Perchl	02-03740-6- β	W	P		500	1	G	070902	N	0	7	<input type="checkbox"/>
3	MW-19-4	524.2	02-03740-5- α	W	V	C	40	9	G	070902	N	0	7	<input type="checkbox"/>
	MW-19-4	Perchl	02-03740-5- β	W	P		500	2	G	070902	N	0	7	<input type="checkbox"/>
4	MW-19-3	524.2	02-03740-4- α	W	V	C	40	3	G	070902	N	0	7	<input type="checkbox"/>
	MW-19-3	Perchl	02-03740-4- β	W	P		500	1	G	070902	N	0	7	<input type="checkbox"/>
5	ER-19	524.2	02-03740-1- α	W	V	C	40	3	G	070902	N	0	7	<input type="checkbox"/>
	ER-19	Perchl	02-03740-1- β	W	P		500	1	G	070902	N	0	7	<input type="checkbox"/>
6	MW-19-2	524.2	02-03740-3- α	W	V	C	40	3	G	070902	N	0	7	<input type="checkbox"/>
	MW-19-2	Perchl	02-03740-3- β	W	P		500	1	G	070902	N	0	7	<input type="checkbox"/>
7	MW-19-1	524.2	02-03740-2- α	W	V	C	40	3	G	070902	N	0	7	<input type="checkbox"/>
	MW-19-1	Perchl	02-03740-2- β	W	P		500	1	G	070902	N	0	7	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input type="checkbox"/> 7196	Chromium (VI)
	<input checked="" type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO_4^{--}), by IC
	<input type="checkbox"/> 300.0/SM4500NO ₃	Nitrate (NO_3^-) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl^- by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 31, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3782 and your project is 00HW019 JPL from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr, Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023782 Received: 07/10/02
 Collected by: MES/TAM Extracted: N/A
 Collected on: 07/10/02 Tested: 07/11-16/02
 Reported: 07/16/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-20 02-03782-1	MW-20-1 02-03782-2	MW-20-2 02-03782-3	MW-20-3 02-03782-4
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	E314	µg/L	4	<4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BROMODICHLOROMETHANE	524.2	µg/L	0.5	-	-	0.6	-
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.7	3.2	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	0.6J	0.6J	0.8J	1
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-20-4 02-03782-5	MW-20-5 02-03782-6	MW-20-4D 02-03782-7	TB-5 02-03782-8
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
PERCHLORATE	E314	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	1	1	1	0.9J
STYRENE	524.2	µg/L	0.5	-	0.5J	-	-
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-20-4	MW-20-5	MW-20-4D	TB-5
				02-03782-5	02-03782-6	02-03782-7	02-03782-8
1,1,2-TRICHLORO-1,1,2-TRIFLUOROETHANE	524.2	$\mu\text{g/L}$	0.5	<0.5	<0.5	<0.5	<0.5


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "N": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3782



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3782

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-5	02-03782-8
MW-20-5	02-03782-6
MW-20-4	02-03782-5
MW-20-4D	02-03782-7
ER-20	02-03782-1
MW-20-3	02-03782-4
MW-20-2	02-03782-3
MW-20-1	02-03782-2

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

E314 (Perchlorate),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None


6. Anomaly

(1) 524.2:

Methylene Chloride was detected in the Method Blank in the amount of 1.7 µg/L. Similar levels of Methylene Chloride were also detected in the most field samples due to lab contamination.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
 Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDS DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
 Project Name/Code: JPL Job #: 04HW019 P.O. #
 Project Address: PASADENA, CALIFORNIA APCL Quotation #
 Due Date: regular rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks	
							VOLs (524.2)	PERCHLORATE (314.0)	Cr VI (7196)	TOTAL Cr (200.8)		
TB-5	TRIP BLANK	7/10/02	0938	WATER	HCl	2	X					EPA LEVEL IV
MW-20-5	MW-20-5		1028		HCl	3	X					QA/QC
					-	1	X	X				
					HNO ₃	1			X			
MW-20-4	MW-20-4		1112		HCl	3	X					
					-	1	X	X				
					HNO ₃	1			X			
MW-20-4D	MW-20-4 DUPL.				HCl	3	X					
					-	1	X	X				
					HNO ₃	1			X			
ER-20	EQUIP. RINSATE		1123		HCl	3	X					
					-	1	X	X				
					HNO ₃	1			X			
MW-20-3	MW-20-3		1352		HCl	3	X					
MW-20-3	MW-20-3		1352		-	1	X	X				

8782

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/10/02 11628 Received by [Signature] Date/Time 7/10/02 11628

Relinquished by [Signature] Date/Time 7/10/02 11740 Received by [Signature] Date/Time 7/10/02 11740

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 2 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
Project Name/Code: JPL Job # 00HW019 P.O. #
Project Address: PASADENA, CALIFORNIA APCL Quotation #
Due Date: regular rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks	
							VOCs (5242)	PERCHLORATE (314.D)	Cr VI (7196)	TOTAL Cr (200.8)		
MW-20-3	MW-20-3	7/10/02	1352	WATER	HNO ₃	1						EPA LEVEL IV QA/QC
MW-20-2	MW-20-2		1423		HCl	3	X					
					-	1	X	X				
					HNO ₃	1				X		
MW-20-1	MW-20-1		1452		HCl	3	X					
					-	1	X	X				
					HNO ₃	1				X		

3782

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA ___ (E, C or D); Other ___ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # ___ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/10/02 11628 Received by [Signature] Date/Time 7/10/02 1740

Relinquished by [Signature] Date/Time 7/10/02 1740 Received by [Signature] Date/Time 7/10/02 1740

APCL USE ONLY Service # ___ Note: ___

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL Service ID: **3782**

Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/10/02 1740 Date/Time Opened 7/10/02 1740 By (name): Kenny Chan

Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Richard S.

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: M. L. S. 7/10/02
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 19
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK? _____
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.9

(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).

Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____

Received/Checked by: Kenny Chan Date: 10 Jul 2002 Time: 8:13 a.m.

* HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03782 (1288_ 378) (4858100_ 378)

07/11/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
		Lab Project ID:	<i>2002-0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>07/10/02 1740</i>
		COC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.9 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmmddyy	Hold ?	Composite TAT		
												Group	Days	
1	TB-5	524.2	02-03782-8	W	V	C	40	2	G	071002	N	0	7	<input type="checkbox"/>
2	MW-20-5	524.2	02-03782-6- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	MW-20-5	CRVI/Perch	02-03782-6- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>
3	MW-20-4	524.2	02-03782-5- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	MW-20-4	CRVI/Perch	02-03782-5- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>
4	MW-20-4D	524.2	02-03782-7- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	MW-20-4D	CRVI/Perch	02-03782-7- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>
5	ER-20	524.2	02-03782-1- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	ER-20	CRVI/Perch	02-03782-1- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>
6	MW-20-3	524.2	02-03782-4- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	MW-20-3	CRVI/Perch	02-03782-4- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>
7	MW-20-2	524.2	02-03782-3- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	MW-20-2	CRVI/Perch	02-03782-3- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>
8	MW-20-1	524.2	02-03782-2- α	W	V	C	40	3	G	071002	N	0	7	<input type="checkbox"/>
	MW-20-1	CRVI/Perch	02-03782-2- β	W	P		500	1	G	071002	N	0	7	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:

- 524.2 Volatile Organic Compounds
- 7196 Chromium (VI)
- 300.0 Perchlorate, low level
- 200.7/6010 Sodium, Na, by ICP
- 200.7/6010 Potassium, K, by ICP
- 200.7/6010 Calcium, Ca, by ICP
- 200.7/6010 Magnesium, Mg, by ICP
- 200.7/6010 Iron, Fe, by ICP
- 300.0 Sulfate (SO_4^{--}), by IC
- 300.0/SM4500NO₃ Nitrate (NO_3^-) as N by IC
- 300.0 Chloride Cl^- by IC
- SM2320B Carbonate
- SM2320B Bicarbonate
- 9040/150.1 pH
- 160.1 Solids, Total Dissolved (TDS)
- 206.2/7060 Arsenic, As, by GFAA
- 310.1 Alkalinity

PAH-SIM PAH (NOAA)

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
1	TB-5	524.2	02-03782-8	W	X							<input checked="" type="checkbox"/>
2	MW-20-5	524.2	02-03782-6- α	W	X							<input type="checkbox"/>
	MW-20-5	CRVI/Perch	02-03782-6- β	W		X	X					<input type="checkbox"/>
3	MW-20-4	524.2	02-03782-5- α	W	X							<input type="checkbox"/>
	MW-20-4	CRVI/Perch	02-03782-5- β	W		X	X					<input type="checkbox"/>
4	MW-20-4D	524.2	02-03782-7- α	W	X							<input type="checkbox"/>
	MW-20-4D	CRVI/Perch	02-03782-7- β	W		X	X					<input type="checkbox"/>
5	ER-20	524.2	02-03782-1- α	W	X							<input type="checkbox"/>
	ER-20	CRVI/Perch	02-03782-1- β	W		X	X					<input type="checkbox"/>
6	MW-20-3	524.2	02-03782-4- α	W	X							<input type="checkbox"/>
	MW-20-3	CRVI/Perch	02-03782-4- β	W		X	X					<input type="checkbox"/>
7	MW-20-2	524.2	02-03782-3- α	W	X							<input type="checkbox"/>
	MW-20-2	CRVI/Perch	02-03782-3- β	W		X	X					<input type="checkbox"/>
8	MW-20-1	524.2	02-03782-2- α	W	X							<input type="checkbox"/>
	MW-20-1	CRVI/Perch	02-03782-2- β	W		X	X					<input type="checkbox"/>

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	SO4	NO3	CL	CARBONATE	BICARBON	PH	TDS	AS
1	TB-5	524.2	02-03782-8	W								<input type="checkbox"/>
2	MW-20-5	524.2	02-03782-6- α	W								<input type="checkbox"/>
	MW-20-5	CRVI/Perch	02-03782-6- β	W								<input type="checkbox"/>
3	MW-20-4	524.2	02-03782-5- α	W								<input type="checkbox"/>
	MW-20-4	CRVI/Perch	02-03782-5- β	W								<input type="checkbox"/>
4	MW-20-4D	524.2	02-03782-7- α	W								<input type="checkbox"/>
	MW-20-4D	CRVI/Perch	02-03782-7- β	W								<input type="checkbox"/>
5	ER-20	524.2	02-03782-1- α	W								<input type="checkbox"/>
	ER-20	CRVI/Perch	02-03782-1- β	W								<input type="checkbox"/>
6	MW-20-3	524.2	02-03782-4- α	W								<input type="checkbox"/>
	MW-20-3	CRVI/Perch	02-03782-4- β	W								<input type="checkbox"/>
7	MW-20-2	524.2	02-03782-3- α	W								<input type="checkbox"/>
	MW-20-2	CRVI/Perch	02-03782-3- β	W								<input type="checkbox"/>
8	MW-20-1	524.2	02-03782-2- α	W								<input type="checkbox"/>
	MW-20-1	CRVI/Perch	02-03782-2- β	W								<input type="checkbox"/>

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	ALKALIN	SIM
1	TB-5	524.2	02-03782-8	W		<input type="checkbox"/>
2	MW-20-5	524.2	02-03782-6- α	W		<input type="checkbox"/>
	MW-20-5	CRVI/Perch	02-03782-6- β	W		<input type="checkbox"/>
3	MW-20-4	524.2	02-03782-5- α	W		<input type="checkbox"/>

	MW-20-4	CRVI/Perch	02-03782-5- β	W	<input type="checkbox"/>
4	MW-20-4D	524.2	02-03782-7- α	W	<input type="checkbox"/>
	MW-20-4D	CRVI/Perch	02-03782-7- β	W	<input type="checkbox"/>
5	ER-20	524.2	02-03782-1- α	W	<input type="checkbox"/>
	ER-20	CRVI/Perch	02-03782-1- β	W	<input type="checkbox"/>
6	MW-20-3	524.2	02-03782-4- α	W	<input type="checkbox"/>
	MW-20-3	CRVI/Perch	02-03782-4- β	W	<input type="checkbox"/>
7	MW-20-2	524.2	02-03782-3- α	W	<input type="checkbox"/>
	MW-20-2	CRVI/Perch	02-03782-3- β	W	<input type="checkbox"/>
8	MW-20-1	524.2	02-03782-2- α	W	<input type="checkbox"/>
	MW-20-1	CRVI/Perch	02-03782-2- β	W	<input type="checkbox"/>

- Client's Requirement: **PLEASE RUN MS/MSD ON ~~SAMPLE #~~**
 IF ENOUGH SAMPLE
 FOR 8270SIM, PLEASE INCLUDE 1,4-DIOXANE

Login By En-Yu Paul Kou

Check By *PK*



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 30, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3797 and your project is 00HW019 JPL.
Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr. Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023797
 Collected by: MES/TAM
 Collected on: 07/11/02
 Received: 07/11/02
 Extracted: N/A
 Tested: 07/12-16/02
 Reported: 07/18/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-17 02-03797-1	MW-17-2 02-03797-2	MW-17-3 02-03797-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	< 4	< 4	3.8J
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	1
CHLOROFORM	524.2	µg/L	0.5	< 0.5	< 0.5	2.0
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	1.2
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-17-4 02-03797-4	MW-17-5 02-03797-5	TB-6 02-03797-6
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	< 4	< 4	-
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	0.7	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	0.7J
TETRACHLOROETHENE	524.2	µg/L	0.5	0.4J	< 0.5	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	4.6	2.3	< 0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-17	MW-17-2	MW-17-3	MW-17-4
				02-03797-1	02-03797-2	02-03797-3	02-03797-4
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3797



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/00HW019

For SOTA Environmental

APCL Service No: 02-3797

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-6	02-03797-6
MW-17-5	02-03797-5
MW-17-4	02-03797-4
ER-17	02-03797-1
MW-17-3	02-03797-3
MW-17-2	02-03797-2

2. Analytical Methodology

Samples are analyzed by EPA methods
524.2 (Volatile Organic Compounds),
7196 (Chromium (VI)),
E314 (Perchlorate, low level).

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log


None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,



Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen

Page 1 of 1

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92120 92127

Bill to: SOTA

Project Name/Code: JPL Job # 00HW019 P.O. # _____

Project Address: PASADENA, CALIFORNIA APCL Quotation # _____

Due Date: regular rush: _____ days _____ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected	Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
						VOLs (524.2)	PERCHLORATE (314.0)	Cr VI (7196)	TOTAL Cr (200.8)	
TB-60	TRIP BLANK	7/11/02 0905	WATER	HCl	2	X	X	X	X	EPA LEVEL IV QA/QC
MW-17-5	MW-17-5	1043		HCl	3	X	X	X	X	
MW-17-5	MW-17-5	1043		—	1	X	X	X	X	
MW-17-4	MW-17-4	1124		HCl	9	X	X	X	X	MS/MSD
				—	2	X	X	X	X	
				HNO ₃	2	X	X	X	X	
ER-17	EQUIP. RINSATE	1102		HCl	3	X	X	X	X	
				—	1	X	X	X	X	
				HNO ₃	1	X	X	X	X	
MW-17-3	MW-17-3	1224		HCl	3	X	X	X	X	
				—	1	X	X	X	X	
				HNO ₃	1	X	X	X	X	
MW-17-2	MW-17-2	1253		HCl	3	X	X	X	X	
				—	1	X	X	X	X	
				HNO ₃	1	X	X	X	X	

3797

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for _____ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact, Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (____ °C).

Relinquished by [Signature] Date/Time 7/11/02 11600 Received by [Signature] Date/Time 7-11-02 11600

Relinquished by [Signature] Date/Time 7/11/02 11700 Received by [Signature] Date/Time 7/11/02 11700

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL Service ID **3797** Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/11/02 17:00 Date/Time Opened 7/11/02 17:00 By (name): Kenneth Chan
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Richard

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: Mike Z. 7/11/02
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 0
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK?
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.1
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kenneth Chan Date: 11 Jul 2002 Time: 8:17 a.m.

* HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Sample Login: Check List

02-03797 (1288_ 379) (4858100_ 379)

07/12/02

Part 1: General Information

<input type="checkbox"/> Company Information	Name:	<i>SOTA Environmental</i>
	Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/> Project Information	Project Description:	<i>JPL</i>
	Project #:	<i>00HW019</i>
<input type="checkbox"/> Billing Information	P.O. #:	
	Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
	Lab Project ID:	<i>2002.0002</i>
	Client Database #:	<i>01</i>
<input type="checkbox"/> Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
	Receiving Date/Time:	<i>07/11/02 1700</i>
	COC No.	
<input type="checkbox"/> Shipping Information	Shipping Company	<i>APCL pick up</i>
	Packing Information:	<i>Cooler/Ice Chester</i>
	Cooler Temperature:	<i>3.7 °C</i>
<input type="checkbox"/> Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/> Sampling Information	Sampling Person:	
	Sampling Company:	<i>Client</i>
<input type="checkbox"/> Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/> QC Option:		<i>NEESA D</i>
<input type="checkbox"/> Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol. ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days
1	TB-6 ✓	524.2	02-03797-6	W	V	C	40	2	G	071102	N	0	7 <input type="checkbox"/>
2	MW-17-5 ✓	524.2	02-03797-5- α	W	V	C	40	3	G	071102	N	0	7 <input type="checkbox"/>
	MW-17-5	Perch	02-03797-5- β	W	P		500	1	G	071102	N	0	7 <input type="checkbox"/>
3	MW-17-4 ✓	524.2	02-03797-4- α	W	V	C	40	9	G	071102	N	0	7 <input type="checkbox"/>
	MW-17-4	Perch/CRVI	02-03797-4- β	W	P		500	2	G	071102	N	0	7 <input type="checkbox"/>
4	ER-17 ✓	524.2	02-03797-1- α	W	V	C	40	3	G	071102	N	0	7 <input type="checkbox"/>
	ER-17	Perch/CRVI	02-03797-1- β	W	P		500	1	G	071102	N	0	7 <input type="checkbox"/>
5	MW-17-3 ✓	524.2	02-03797-3- α	W	V	C	40	3	G	071102	N	0	7 <input type="checkbox"/>
	MW-17-3	Perch/CRVI	02-03797-3- β	W	P		500	1	G	071102	N	0	7 <input type="checkbox"/>
6	MW-17-2 ✓	524.2	02-03797-2- α	W	V	C	40	3	G	071102	N	0	7 <input type="checkbox"/>
	MW-17-2	Perch/CRVI	02-03797-2- β	W	P		500	1	G	071102	N	0	7 <input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input type="checkbox"/> 524.2	Volatile Organic Compounds
	<input checked="" type="checkbox"/> 7196	Chromium (VI)
	<input type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO ₄ ⁻), by IC
	<input type="checkbox"/> 300.0/SM4500NO ₃	Nitrate (NO ₃ ⁻) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl ⁻ by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
--------	--------------------------------------	---------------	----------------	--------	-------	----------	--------	----	---	----	----	----



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 30, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127


Dear Yu,

This package contains samples in our Service ID 02-3811 and your project is 00HW019 JPL from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,



Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr. Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023811 Received: 07/12/02
 Collected by: MES/TAM Extracted: N/A
 Collected on: 07/12/02 Tested: 07/12-16/02
 Reported: 07/16/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-14	MW-14-1	MW-14-2	MW-14-3
				02-03811-1	02-03811-2	02-03811-3	02-03811-4
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	E314	µg/L	4	<4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS				1	1	1	1
Dilution Factor							
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.6	0.6
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	0.8	0.5J	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.8	0.6
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	5.9	1.1
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-14-4	MW-14-5	MW-14-4D	TB-7
				02-03811-5	02-03811-6	02-03811-7	02-03811-8
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	-	<0.01	-
Dilution Factor				1	1	1	1
PERCHLORATE	E314	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS				1	1	1	1
Dilution Factor							
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	-	0.5J
TETRACHLOROETHENE	524.2	µg/L	0.5	0.4J	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-14-4	MW-14-5	MW-14-4D	TB-7
				02-03811-5	02-03811-6	02-03811-7	02-03811-8
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.


"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

^(a) MDL reported.

Respectfully submitted,



Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3811



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3811

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-7	02-03811-8
MW-14-5	02-03811-6
MW-14-4	02-03811-5
MW-14-4D	02-03811-7
MW-14-3	02-03811-4
MW-14-2	02-03811-3
ER-14	02-03811-1
MW-14-1	02-03811-2

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

E314 (Perchlorate),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log


None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job # 00HW019 P.O. # _____

Project Address PASADENA, CALIFORNIA APCL Quotation # _____

Due Date: Regular rush: _____ days _____ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items										Remarks		
							VOLs (524.2)	PERCALORATE (314.0)	CrVI (7196)	TOTAL-Cr (200.8)									
TB-7	TRIP BLANK	7/12/02	0720	WATER	HCl	2	X	X	X	X									EPA LEVEL IV QA/QC
MW-14-5	MW-14-5		0753		HCl	3	X	X	X	X									
MW-14-5	MW-14-5		0753		-	1	X	X	X	X									
MW-14-4	MW-14-4		0832		HCl	3	X	X	X	X									
					-	1	X	X	X	X									
MW-14-4D	MW-14-4 DUPL.				HNO ₃	1	X	X	X	X									
					HCl	3	X	X	X	X									
					-	1	X	X	X	X									
					HNO ₃	1	X	X	X	X									
MW-14-3	MW-14-3		0925		HCl	3	X	X	X	X									
					-	1	X	X	X	X									
					HNO ₃	1	X	X	X	X									
MW-14-2	MW-14-2		0952		HCl	3	X	X	X	X									
					-	1	X	X	X	X									
					HNO ₃	1	X	X	X	X									

3811

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for _____ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (____ °C).

Relinquished by [Signature] Date/Time 7/12/02/1147 Received by [Signature] Date/Time 7/12/02/1147

Relinquished by _____ Date/Time / Received by _____ Date/Time /

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
 Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 2 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
 Project Name/Code JPL Job # 00HW019 P.O. #
 Project Address PASADENA, CALIFORNIA APCL Quotation #
 Due Date: regular rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
							NDLs (524.2)	PERCHLORATE (314.0)	CrVI (7196)	TOTAL Cr (200.8)	
ER-14	EQUIP. RINSEATE	7/2/02	0812	WATER	HCl	3	X	X	X	X	EPA LEVEL IV QA/QC
					HNO ₃	1	X	X	X		
MW-14-1	MW-14-1		1021		HCl	3	X	X	X		
					HNO ₃	1	X	X	X		

3811

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA ___ (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/2/02 / 1147 Received by [Signature] Date/Time 7/2/02 / 1147
 Relinquished by _____ Date/Time _____ Received by _____ Date/Time _____

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3811** Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/12/02 1147 Date/Time Opened 7/12/02 1147 By (name): Kevin Chen
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl:

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: Mike S. 7/12/02
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 8
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK?
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.7
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kevin Chen Date: 12 Jul 2002 Time: 9:27 a.m.

* HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Sample Login: Check List

02-03811 (1288_ 381) (4858100_ 381)

07/12/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr. Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>16835 W. Bernardo Dr. Ste. 212 ,San Diego ,CA 92127</i>
		Lab Project ID:	<i>2002_0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>07/12/02 1147</i>
		COC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.7 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol, ml Am. g	# of Replica	Condition G. L. B	Collected umddy	Hold ?	Composite Group	TAT Days
1	TB-7	524.2	02-03811-8	W	V	C	40	2	G	071202	N	0	7 <input type="checkbox"/>
2	MW-14-5	524.2	02-03811-6- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	MW-14-5	Perch	02-03811-6- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>
3	MW-14-4	524.2	02-03811-5- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	MW-14-4	Perch/CRVI	02-03811-5- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>
4	MW-14-4D	524.2	02-03811-7- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	MW-14-4D	Perch/CRVI	02-03811-7- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>
5	MW-14-3	524.2	02-03811-4- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	MW-14-3	Perch/CRVI	02-03811-4- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>
6	MW-14-2	524.2	02-03811-3- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	MW-14-2	Perch/CRVI	02-03811-3- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>
7	ER-14	524.2	02-03811-1- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	ER-14	Perch/CRVI	02-03811-1- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>
8	MW-14-1	524.2	02-03811-2- α	W	V	C	40	3	G	071202	N	0	7 <input type="checkbox"/>
	MW-14-1	Perch/CRVI	02-03811-2- β	W	P		500	1	G	071202	N	0	7 <input type="checkbox"/>

Part 3: Analysis Information

Test Items:

- ~~524.2~~ Volatile Organic Compounds
- 7196 Chromium (VI)
- 300.0 Perchlorate, low level
- 200.7/6010 Sodium, Na, by ICP
- 200.7/6010 Potassium, K, by ICP
- 200.7/6010 Calcium, Ca, by ICP
- 200.7/6010 Magnesium, Mg, by ICP
- 200.7/6010 Iron, Fe, by ICP
- 300.0 Sulfate (SO_4^{--}), by IC
- 300.0/SM4500NON Nitrate (NO_3^-) as N by IC
- 300.0 Chloride Cl^- by IC
- SM2320B Carbonate
- SM2320B Bicarbonate
- 9040/150.1 pH
- 160.1 Solids, Total Dissolved (TDS)
- 206.2/7060 Arsenic, As, by GFAA
- 310.1 Alkalinity



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 30, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127


Dear Yu,

This package contains samples in our Service ID 02-3847 and your project is 00HW019 JPL.
Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:
 SOTA Environmental
 Attention: Yu Zeng
 16835 W. Bernardo Dr. Ste. 212
 San Diego CA 92127
 Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023847 Received: 07/15/02
 Collected by: MES/TAM Extracted: N/A
 Collected on: 07/15/02 Tested: 07/16-19/02
 Reported: 07/22/02
 Sample Description: Water from Pasadena, CA
 Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-11	MW-11-1	MW-11-2
				02-03847-1	02-03847-2	02-03847-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.7	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-11-3	MW-11-4	TB-8
				02-03847-4	02-03847-5	02-03847-6
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	0.5J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-11 02-03847-1	MW-11-1 02-03847-2	MW-11-2 02-03847-3	MW-11-3 02-03847-4
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

I: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3847



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3847

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-8	02-03847-6
MW-11-4	02-03847-5
MW-11-3	02-03847-4
ER-11	02-03847-1
MW-11-2	02-03847-3
MW-11-1	02-03847-2

2. Analytical Methodology

Samples are analyzed by EPA methods
524.2 (Volatile Organic Compounds),
7196 (Chromium (VI)),
E314 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log


None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
 Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen

Page 1 of 1

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code: JPL Job # CDHW019 P.O. # _____

Project Address: PASADENA, CALIFORNIA APCL Quotation # _____

Due Date: regular rush: _____ days _____ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks	
							VOCs (524.2)	PERCHLORATE (314.0)	Cr. IL (7196)	TOTAL Cr. (200.8)		
TB-8	TRIP BLANK	7/15/02	1005	WATER	HCl	2	X					EPA LEVEL IV QA/QC
MW-11-4	MW-11-4		1043		HCl	3	X					
MW-11-4	MW-11-4		1043		-	1	X					
MW-11-3	MW-11-3		1123		HCl	9	X					MS/MSD
					-	2	X	X				
					HNO ₃	2			X			
ER-11	EQUIP. RINSEATE		1142		HCl	3	X					
					-	1	X	X				
					HNO ₃	1			X			
MW-11-2	MW-11-2		1129		HCl	3	X					3847
			1219		-	1	X	X				
			1219		HNO ₃	1			X			
MW-11-1	MW-11-1		1244		HCl	3	X					
					-	1	X	X				
					HNO ₃	1			X			

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for _____ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (____ °C).

Relinquished by [Signature] Date/Time 7/15/02 11607 Received by [Signature] Date/Time 7/15/02 11607

Relinquished by [Signature] Date/Time 7/15/02 11710 Received by [Signature] Date/Time 7/15/02 11710

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3847** Client Name/Project: Sota Environment

1. Sample Arrival

Date/Time Received 7/15/02 1710 Date/Time Opened 7/15/02 1710 By (name): Kenny Chan
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Boya

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: 7/15/02 Mike Sarge
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received _____
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK? _____
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.8
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kenny Chan Date: 15 Jul 2002 Time: 8:22 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03847 (1288_ 382) (4858100_ 382)

07/16/02

Part I: General Information

<input type="checkbox"/> Company Information	Name:	<i>SOTA Environmental</i>
	Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/> Project Information	Project Description:	<i>JPL</i>
	Project #:	<i>00HW019</i>
<input type="checkbox"/> Billing Information	P.O. #:	
	Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
	Lab Project ID:	<i>2002.0002</i>
	Client Database #:	<i>01</i>
<input type="checkbox"/> Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
	Receiving Date/Time:	<i>07/15/02 1710</i>
	COC No.	
<input type="checkbox"/> Shipping Information	Shipping Company	<i>APCL pick up</i>
	Packing Information:	<i>Cooler/Ice Chester</i>
	Cooler Temperature:	<i>3.8 °C</i>
<input type="checkbox"/> Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/> Sampling Information	Sampling Person:	
	Sampling Company:	<i>Client</i>
<input type="checkbox"/> Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/> QC Option:		<i>NEESA D</i>
<input type="checkbox"/> Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont- tainer	Preser- vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected muddyy	Hold ?	Composite Group	TAT Days	
1	TB-8	VOC	02-03847-6	W	V	C	40	2	G	071502	N	0	6	<input type="checkbox"/>
2	MW-11-4	VOC	02-03847-5- α	W	V	C	40	3	G	071502	N	0	6	<input type="checkbox"/>
	MW-11-4	Perch	02-03847-5- β	W	P		500	1	G	071502	N	0	6	<input type="checkbox"/>
3	MW-11-3	VOC	02-03847-4- α	W	V	C	40	9	G	071502	N	0	6	<input type="checkbox"/>
	MW-11-3	Perch/CRVI	02-03847-4- β	W	P		500	2	G	071502	N	0	6	<input type="checkbox"/>
4	ER-11	VOC	02-03847-1- α	W	V	C	40	3	G	071502	N	0	6	<input type="checkbox"/>
	ER-11	Perch/CRVI	02-03847-1- β	W	P		500	1	G	071502	N	0	6	<input type="checkbox"/>
5	MW-11-2	VOC	02-03847-3- α	W	V	C	40	3	G	071502	N	0	6	<input type="checkbox"/>
	MW-11-2	Perch/CRVI	02-03847-3- β	W	P		500	1	G	071502	N	0	6	<input type="checkbox"/>
6	MW-11-1	VOC	02-03847-2- α	W	V	C	40	3	G	071502	N	0	6	<input type="checkbox"/>
	MW-11-1	Perch/CRVI	02-03847-2- β	W	P		500	1	G	071502	N	0	6	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:

- 524.2 Volatile Organic Compounds
- 7196 Chromium (VI)
- 300.0 Perchlorate, low level
- 200.7/6010 Sodium, Na, by ICP
- 200.7/6010 Potassium, K, by ICP
- 200.7/6010 Calcium, Ca, by ICP
- 200.7/6010 Magnesium, Mg, by ICP
- 200.7/6010 Iron, Fe, by ICP
- 300.0 Sulfate (SO_4^{--}), by IC
- 300.0/SM4500NO Nitrate (NO_3^-) as N by IC
- 300.0 Chloride Cl^- by IC
- SM2320B Carbonate
- SM2320B Bicarbonate
- 9040/150.1 pH
- 160.1 Solids, Total Dissolved (TDS)
- 206.2/7060 Arsenic, As, by GFAA
- 310.1 Alkalinity
- PAH-SIM PAH (NOAA)

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
--------	--------------------------------------	---------------	----------------	--------	-------	----------	--------	----	---	----	----	----