



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 31, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127


Dear Yu,

This package contains samples in our Service ID 02-3852 and your project is 00HW019 JPL from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr, Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023852 Received: 07/16/02
Collected by: MES/TAM Extracted: N/A
Collected on: 07/16/02 Tested: 07/16-19/02
Reported: 07/23/02
Sample Description: Water from Pasadena, CA
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-22	FB-1	MW-22-1	MW-22-2
				02-03852-1	02-03852-2	02-03852-3	02-03852-4
Dilution Factor				1	1	1	1
PERCHLORATE	E314	µg/L	4	<4	-	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.6	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.6	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	1	1	1	1
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	2.9	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-22-3	MW-22-4	MW-22-3D	TB-9
				02-03852-5	02-03852-6	02-03852-7	02-03852-8
Dilution Factor				1	1	1	1
PERCHLORATE	E314	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	1	-	1	0.8J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-22 02-03852-1	MW-22-1 02-03852-3	MW-22-2 02-03852-4
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3852



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA./00HW019

For SOTA Environmental

APCL Service No: 02-3852

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-9	02-03852-8
MW-22-4	02-03852-6
ER-22	02-03852-1
MW-22-3	02-03852-5
MW-22-3D	02-03852-7
FB-1	02-03852-2
MW-22-2	02-03852-4
MW-22-1	02-03852-3

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

E314 (Perchlorate),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None


6. Anomaly

(1) 524.2:

Methylene Chloride was detected in the Method Blank in the amount of 1.6 $\mu\text{g/L}$. Similar levels of Methylene Chloride were also detected in the most field samples due to lab contamination.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



APCL

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen

Page 1 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code: JPL Job # 00HW019 P.O. # _____

Project Address: PASADENA, CALIFORNIA APCL Quotation # _____

Due Date: Regular Rush: _____ days _____ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Collected	Time Collected	Sample Matrix	Preservation	# of Containers	Analysis Items										Remarks	
							VOLs (524.2)	PERCHLORATE (514.0)	Cr-VI (7196)	TOTAL Cr (200.8)								
TB-9	TRIP BLANK	7/16/02	0705	WATER	HCl	2	X	X	X	X								EPA LEVEL III QA/QC
MW-22-4	MW-22-4		0721		-	1	X	X	X	X								
ER-22	EQUIP. RINSE		0733		HCl	3	X	X	X	X								
					-	1	X	X	X	X								
					HNO ₃	1												
MW-22-3	MW-22-3		0749		HCl	3	X	X	X	X								
MW-22-3	MW-22-3				-	1	X	X	X	X								
MW-22-3D	MW-22-3 DUPL.				HCl	3	X	X	X	X								
MW-22-3D	MW-22-3 DUPL.				-	1	X	X	X	X								
FB-1	FIELD BLANK		0749		HCl	2	X	X	X	X								
MW-22-2	MW-22-2		0818		HCl	3	X	X	X	X								
					-	1	X	X	X	X								
					HNO ₃	1												
MW-22-1	MW-22-1		0846		HCl	3	X	X	X	X								
MW-22-1	MW-22-1		0846		-	1	X	X	X	X								

3852

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for _____ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (____ °C).

Relinquished by [Signature] Date/Time 7/16/02 12:06 Received by [Signature] Date/Time 7/16/02 12:04

Relinquished by [Signature] Date/Time 7/16/02 11:30 Received by [Signature] Date/Time 7/16/02 11:30

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Applied P & Ch Laboratory

13760 Magnolia Ave., Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID: 3852 Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/16/02 1:30 Date/Time Opened 7/16/02 1:30 By (name): Kenneth Chan
Custody Transfer: [] Client [] Golden State [] UPS [] US Mail [] FedEx [] APCL Empl: Roy A.

2. Chain-of-Custody (CoC)

[x] With Samples? [] Faxed? [] Client has Copy? [] Signed, dated? By: Mike Gwyne 7/16/02
[] Project ID? [x] Analyses Clear? [] Hold Samples? #on Hold # Received 9
[] CoC/Docs Zip-Locked under lid? [] Compos.#: [x] #Samples OK?
[] Discrepancies? [] Client notified? [] Response (attach docs):

3. Shipping Container/Cooler

[x] Cooler Used? # of 1 Cooled by: [x] Ice [] Blue Ice [] Dry Ice [] None
Temp °C 3.7
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? [] Absent [] Intact [] Tampered?

4. Sample Preservation

[] pH <2 [] pH >12
If Not, pH = Preserved by: [] Client [] APCL [] Third Party

5. Holding-time Requirements

[] pH 24hr [] BACT 6/24hr [x] CrVI 24hr [] NO3- 48hr [] BOD 48hr
[] Cl2 ASAP [] Turbidity 48hr [] DO ASAP [] Fe(II) ASAP
[] HT Expired? [] Client notified?

6. Sample Container Condition

[x] Intact? [] Broken? [] Documented? Number:
Type: [x] plastic [] glass [] Tube: brass/SS [] Tedlar Bag
[x] Quantity OK? [] Leaking? [] Anomaly?
[] Caps tight? [] Air Bubbles? [] Anomaly?
Labels: [x] Unique ID? [x] Date/Time [] Preserved?

7. Turn Around Time

[] RUSH TAT: [x] Std (7-10 days) [] Not Marked

8. Sample Matrix

[] Drinking H2O [x] Other Liq [] Soil [] Wipe [] Polymer [] Air [] Other:
[] Ground H2O [] Sludge [] Filter [] Oil/Petro [] Paint [] W. Water [] Extract [] Unknown

9. Pre-Login Check List Completed & OK?

[x] ALL OK? (if not, attach docs) [] Client Contact? (Name:) Date/Time:
Received/Checked by: Kenneth Chan Date: 16 Jul 2002 Time: 7:55 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03852 (1288_ 383) (4858100_ 383)

07/16/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
		Lab Project ID:	<i>2002_0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>07/16/02 1300</i>
		CDC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.7 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-ainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days
1	TB-9 ✓	VOC	02-03852-8	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
2	MW-22-4 ✓	Perchl	02-03852-6	W	P		500	1	G	071602	N	0	7 <input type="checkbox"/>
3	ER-22 ✓	VOC	02-03852-1-α	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
	ER-22	Perch/CRVI	02-03852-1-β	W	P		500	1	G	071602	N	0	7 <input type="checkbox"/>
4	MW-22-3 ✓	VOC	02-03852-5-α	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
	MW-22-3	Perch/CRVI	02-03852-5-β	W	P		500	1	G	071602	N	0	7 <input type="checkbox"/>
5	MW-22-3D ✓	VOC	02-03852-7-α	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
	MW-22-3D	Perch/CRVI	02-03852-7-β	W	P		500	1	G	071602	N	0	7 <input type="checkbox"/>
6	FB-1 ✓	VOC	02-03852-2	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
7	MW-22-2 ✓	VOC	02-03852-4-α	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
	MW-22-2	Perch/CRVI	02-03852-4-β	W	P		500	1	G	071602	N	0	7 <input type="checkbox"/>
8	MW-22-1 ✓	VOC	02-03852-3-α	W	V	C	40	3	G	071602	N	0	7 <input type="checkbox"/>
	MW-22-1	Perch/CRVI	02-03852-3-β	W	P		500	1	G	071602	N	0	7 <input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input checked="" type="checkbox"/> 196	Chromium (VI)
	<input checked="" type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO ₄ ²⁻), by IC
	<input type="checkbox"/> 300.0/SM4500NOM	Nitrate (NO ₃ ⁻) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl ⁻ by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NDAA)

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
1	TB-9	VOC	02-03852-8	W	X ✓							<input type="checkbox"/>
2	MW-22-4	Perchl	02-03852-6	W			X ✓					<input type="checkbox"/>
3	ER-22	VOC	02-03852-1-α	W	X ✓							<input type="checkbox"/>
	ER-22	Perch/CRVI	02-03852-1-β	W		X ✓	X ✓					<input type="checkbox"/>
4	MW-22-3	VOC	02-03852-5-α	W	X -							<input type="checkbox"/>
	MW-22-3	Perch/CRVI	02-03852-5-β	W			X ✓					<input type="checkbox"/>
5	MW-22-3D	VOC	02-03852-7-α	W	X -							<input type="checkbox"/>
	MW-22-3D	Perch/CRVI	02-03852-7-β	W			X ✓					<input type="checkbox"/>
6	FB-1	VOC	02-03852-2	W	X ✓							<input type="checkbox"/>
7	MW-22-2	VOC	02-03852-4-α	W	X -							<input type="checkbox"/>
	MW-22-2	Perch/CRVI	02-03852-4-β	W		X -	X ✓					<input type="checkbox"/>
8	MW-22-1	VOC	02-03852-3-α	W	X -							<input type="checkbox"/>
	MW-22-1	Perch/CRVI	02-03852-3-β	W		X ✓	X ✓					<input type="checkbox"/>

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	SO4	NO3	CL	CARBONATE	BICARBON	PH	TDS	AS
1	TB-9	VOC	02-03852-8	W								<input type="checkbox"/>
2	MW-22-4	Perchl	02-03852-6	W								<input type="checkbox"/>
3	ER-22	VOC	02-03852-1-α	W								<input type="checkbox"/>
	ER-22	Perch/CRVI	02-03852-1-β	W								<input type="checkbox"/>
4	MW-22-3	VOC	02-03852-5-α	W								<input type="checkbox"/>
	MW-22-3	Perch/CRVI	02-03852-5-β	W								<input type="checkbox"/>
5	MW-22-3D	VOC	02-03852-7-α	W								<input type="checkbox"/>
	MW-22-3D	Perch/CRVI	02-03852-7-β	W								<input type="checkbox"/>
6	FB-1	VOC	02-03852-2	W								<input type="checkbox"/>
7	MW-22-2	VOC	02-03852-4-α	W								<input type="checkbox"/>
	MW-22-2	Perch/CRVI	02-03852-4-β	W								<input type="checkbox"/>
8	MW-22-1	VOC	02-03852-3-α	W								<input type="checkbox"/>
	MW-22-1	Perch/CRVI	02-03852-3-β	W								<input type="checkbox"/>

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	ALKALIN	SIM
1	TB-9	VOC	02-03852-8	W		<input type="checkbox"/>
2	MW-22-4	Perchl	02-03852-6	W		<input type="checkbox"/>
3	ER-22	VOC	02-03852-1-α	W		<input type="checkbox"/>
	ER-22	Perch/CRVI	02-03852-1-β	W		<input type="checkbox"/>
4	MW-22-3	VOC	02-03852-5-α	W		<input type="checkbox"/>
	MW-22-3	Perch/CRVI	02-03852-5-β	W		<input type="checkbox"/>
5	MW-22-3D	VOC	02-03852-7-α	W		<input type="checkbox"/>
	MW-22-3D	Perch/CRVI	02-03852-7-β	W		<input type="checkbox"/>
6	FB-1	VOC	02-03852-2	W		<input type="checkbox"/>
7	MW-22-2	VOC	02-03852-4-α	W		<input type="checkbox"/>

	MW-22-2	Perch/CRVI	02-03852-4-β	W	<input type="checkbox"/>
8	MW-22-1	VOC	02-03852-3-α	W	<input type="checkbox"/>
	MW-22-1	Perch/CRVI	02-03852-3-β	W	<input type="checkbox"/>

- Client's Requirement: **PLEASE RUN ~~MS/MSD ON SAMPLE #~~**
- IF ENOUGH SAMPLE**
- FOR 8270SIM, PLEASE INCLUDE 1,4-DIOXANE**

Login By En-Yu Paul Kou

Check By DX



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 31, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3885 and your project is 00HW019 JPL from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr, Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023885 Received: 07/17/02
Collected by: MES/TAM Extracted: N/A
Collected on: 07/17/02 Tested: 07/18-19/02
Reported: 07/24/02
Sample Description: Water from Pasadena, CA
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-3 02-03885-1	MW-3-2 02-03885-2	MW-3-3 02-03885-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	2.3
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	0.6J	0.5J	0.6J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.5J
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-3-4 02-03885-4	MW-3-5 02-03885-5	MW-3-4D 02-03885-6	TB-10 02-03885-7
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	0.6J	-	0.6J	1
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result	
				ER-3 02-03885-1	MW-3-2 02-03885-2
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-3-3 02-03885-3	MW-3-4 02-03885-4	MW-3-4D 02-03885-6
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3885



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3885

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-10	02-03885-7
MW-3-5	02-03885-5
MW-3-4	02-03885-4
MW-3-4D	02-03885-6
MW-3-3	02-03885-3
MW-3-2	02-03885-2
ER-3	02-03885-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

314.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,



Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
 Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen

Page 1 of 2

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job # 00HW019 P.O. # _____

Project Address PASADENA, CALIFORNIA APCL Quotation # _____

Due Date: Regular rush: _____ days _____ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
							VOCs (524.2)	PERCHLORATE (3140)	Cr VI (7196)	Total Cr (200.8)	
TB-10	TRIP BLANK	7/17/02	0855	WATER	HCl	2	X				EPA LEVEL IV
MW-3-5	MW-3-5		0933		-	1	X	X			QA/QC
MW-3-4	MW-3-4		1008		HCl	3	X	X			3885
					-	1	X	X			
					HNO ₃	1			X		
MW-3-4D	MW-3-4 DUPL.				HCl	3	X	X			
					-	1	X	X			
					HNO ₃	1			X		
MW-3-3	MW-3-3		1447		HCl	3	X	X			
					-	1	X	X			
					HNO ₃	1			X		
MW-3-2	MW-3-2		1513		HCl	3	X	X			
					HNO ₃	1			X		
					-	1	X	X			

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other _____ (Please specify)

Sample Disposal: Return Disposal by APCL Hold for _____ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (____ °C).

Relinquished by [Signature] Date/Time 7/17/02 11725 Received by [Signature] Date/Time 7/17/02 11725

Relinquished by [Signature] Date/Time 7/17/02 1630 Received by [Signature] Date/Time 7/18/02 1083

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: 02-3585 Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 7/17/02 1725 Date/Time Opened 7/18/02 0830 By (name): Paul Key

Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: A. Wood

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: MES
 Project ID? Analyses Clear? Hold Samples? #on Hold _____ # Received 7
 CoC/Docs Zip-Locked under lid? Compos.#: _____ #Samples OK? _____
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 2.4°C
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: 5 day Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Paul Key Date: 17 Jul 2002 Time: 8:41 a.m.

* HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Sample Login: Check List

02-03885 (1288_ 384) (4858100_ 384)

07/18/02

Part 1: General Information

-
- | | | | |
|--------------------------|--------------------------|----------------------|--|
| <input type="checkbox"/> | Company Information | Name: | <i>SOTA Environmental</i> |
| | | Address: | <i>16835 W. Bernardo Dr, Ste. 212, San Diego, CA 92127</i> |
| <input type="checkbox"/> | Project Information | Project Description: | <i>JPL</i> |
| | | Project #: | <i>00HW019</i> |
| <input type="checkbox"/> | Billing Information | P.O. #: | |
| | | Bill Address: | <i>16835 W. Bernardo Dr, Ste. 212, San Diego, CA 92127</i> |
| | | Lab Project ID: | <i>2002_0002</i> |
| | | Client Database #: | <i>01</i> |
| <input type="checkbox"/> | Receiving Information | Who Received Sample? | <i>Paul Kou</i> |
| | | Receiving Date/Time: | <i>07/17/02 1725</i> |
| | | COC No. | |
| <input type="checkbox"/> | Shipping Information | Shipping Company | <i>APCL pick up</i> |
| | | Packing Information: | <i>Cooler/Ice Chester</i> |
| | | Cooler Temperature: | <i>2.4 °C</i> |
| <input type="checkbox"/> | Container Information | Container Provider: | <i>Client</i> |
| <input type="checkbox"/> | Sampling Information | Sampling Person: | |
| | | Sampling Company: | <i>Client</i> |
| <input type="checkbox"/> | Turn-Around-Time Option: | | <i>Rush 5 working day(s)</i> |
| <input type="checkbox"/> | QC Option: | | <i>NEESA D</i> |
| <input type="checkbox"/> | Disposal Option: | | <i>Not specify</i> |
-

005 10

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Cont- Matrix	Preser- tainer	Vol. ml Am. g	# of Replica	Condition G, L, B	Collected muddyy	Hold ?	Composite Group	TAT Days		
1	TB-10 ✓	524.2	02-03885-7	W	V	C	40	2	G	071702	N	0	7	<input type="checkbox"/>
2	MW-3-5 ✓	Perchl	02-03885-5	W	P		500	1	G	071702	N	0	7	<input type="checkbox"/>
3	MW-3-4 ✓	524.2	02-03885-4-α	W	V	C	40	3	G	071702	N	0	7	<input type="checkbox"/>
	MW-3-4	CRVI/Perch	02-03885-4-β	W	P		500	1	G	071702	N	0	7	<input type="checkbox"/>
4	MW-3-4D ✓	524.2	02-03885-6-α	W	V	C	40	3	G	071702	N	0	7	<input type="checkbox"/>
	MW-3-4D	CRVI/Perch	02-03885-6-β	W	P		500	1	G	071702	N	0	7	<input type="checkbox"/>
5	MW-3-3 ✓	524.2	02-03885-3-α	W	V	C	40	3	G	071702	N	0	7	<input type="checkbox"/>
	MW-3-3	CRVI/Perch	02-03885-3-β	W	P		500	1	G	071702	N	0	7	<input type="checkbox"/>
6	MW-3-2 ✓	524.2	02-03885-2-α	W	V	C	40	3	G	071702	N	0	7	<input type="checkbox"/>
	MW-3-2	CRVI/Perch	02-03885-2-β	W	P		500	1	G	071702	N	0	7	<input type="checkbox"/>
7	ER-3 ✓	524.2	02-03885-1-α	W	V	C	40	3	G	071702	N	0	7	<input type="checkbox"/>
	ER-3	CRVI/Perch	02-03885-1-β	W	P		500	1	G	071702	N	0	7	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:

- 524.2 Volatile Organic Compounds
- 7196 Chromium (VI)
- 300.0 Perchlorate, low level
- 200.7/6010 Sodium, Na, by ICP
- 200.7/6010 Potassium, K, by ICP
- 200.7/6010 Calcium, Ca, by ICP
- 200.7/6010 Magnesium, Mg, by ICP
- 200.7/6010 Iron, Fe, by ICP
- 300.0 Sulfate (SO₄²⁻), by IC
- 300.0/SM4500NOM Nitrate (NO₃⁻) as N by IC
- 300.0 Chloride Cl⁻ by IC
- SM2320B Carbonate
- SM2320B Bicarbonate
- 9040/150.1 pH
- 160.1 Solids, Total Dissolved (TDS)
- 206.2/7060 Arsenic, As, by GFAA
- 310.1 Alkalinity
- PAH-SIM PAH (NOAA)

Seq. Client's Sample ID Sample APCL

05 4



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

July 31, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3905 and your project is 00HW019 JPL from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr, Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023905 Received: 07/18/02
Collected by: MES/TAM Extracted: N/A
Collected on: 07/18/02 Tested: 07/18-23/02
Reported: 07/25/02
Sample Description: Water from Pasadena, CA
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-23-4 02-03905-1	MW-23-2 02-03905-2	MW-23-3 02-03905-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-23 02-03905-4	MW-23-5 02-03905-5	MW-23-1 02-03905-7
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-23-4 02-03905-1	MW-23-2 02-03905-2
CHROMIUM (VI)		7196	mg/L	0.01	<0.01
VOLATILE ORGANIC COMPOUNDS					
Dilution Factor				1	1
CARBON TETRACHLORIDE		524.2	µg/L	0.5	<0.5
CHLOROFORM		524.2	µg/L	0.5	0.6
1,1-DICHLOROETHANE		524.2	µg/L	0.5	<0.5
1,2-DICHLOROETHANE		524.2	µg/L	0.5	<0.5
1,1-DICHLOROETHENE		524.2	µg/L	0.5	<0.5
METHYLENE CHLORIDE		524.2	µg/L	1	0.5J
TETRACHLOROETHENE		524.2	µg/L	0.5	0.6
TRICHLOROETHENE		524.2	µg/L	0.5	0.8
1,1,1,2-TETRACHLORO-2,2-DIFLUOROETHANE		524.2	µg/L	0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-23-3 02-03905-3	ER-23 02-03905-4	MW-23-1 02-03905-7
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-23-3	ER-23	MW-23-1
				02-03905-3	02-03905-4	02-03905-7
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.6
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.4J
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	0.5J	0.5J	0.5J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	1
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.9
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result
				TB-11
				02-03905-6
VOLATILE ORGANIC COMPOUNDS				
Dilution Factor				1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	4.4
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

 Dominic Lau
 Laboratory Director
 Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3905



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino, CA 91710

Telephone (909)590-1828

Fax (909)590-1498

Case Narrative

Project: JPL/Pasadena, CA/00HW019

For SOTA Environmental

APCL Service No: 02-3905

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-11	02-03905-6
MW-23-5	02-03905-5
MW-23-4	02-03905-1
ER-23	02-03905-4
MW-23-3	02-03905-3
MW-23-2	02-03905-2
MW-23-1	02-03905-7

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

E314 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None


6. Anomaly

(1) 524.2:

Methylene Chloride in the amount of 0.6 µg/L was detected in the Method Blank of batch 02G3239. Similar levels of Methylene Chloride were also detected in the field samples due to lab contamination.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



APCL

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen

Page 1 of 2

Client: SOTA ENVIR. TECH., INC. Contact: Mike Sayre Tel #: 858-485-8100 Fax #: 858-485-0812
 Address: 16835 W. BERNARDO DR. City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
 Project Name/Code: JPL Job # 00HW019 P.O. #
 Project Address: PASADENA, CALIFORNIA APCL Quotation #
 Due Date: regular rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected	Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
						VOLs (524.2)	PERCHLORATE (314.0)	Cr VI (7196)	Total Cr (200.8)	
TB-11	TRIP BLANK	7/18/02 0657	WATER	HCl	2	X				EPA LEVEL IV QA/QC
MW-23-5	MW-23-5	0723		-	1		X			
MW-23-4	MW-23-4	0749		-	2		X	X		MS/MSD
MW-23-4	MW-23-4	0749		HNO ₃	2			X		MS/MSD
ER-23	EQUIP. RINSATE	0811		HCl	3	X				
				-	1		X			
				HNO ₃	1			X		
MW-23-3	MW-23-3	0839		HCl	3	X				3005
				-	1		X			
				HNO ₃	1			X		
MW-23-2	MW-23-2	0900		HCl	3	X				
				-	1		X			
				HNO ₃	1			X		
MW-23-1	MW-23-1	0949		HCl	3	X				
MW-23-1	MW-23-1	0949		-	1		X			

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by [Signature] Date/Time 7/18/02 1105 Received by [Signature] Date/Time 7-18-02 1105
 Relinquished by [Signature] Date/Time 7/18/02 1127 Received by [Signature] Date/Time 7/18/02 1527

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3905** Client Name/Project: Sta Environmental

1. Sample Arrival

Date/Time Received 7/18/02 1327 Date/Time Opened 7/18/02 1327 By (name): Kenny Chin
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Richard S

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: Mike Squire 7/18/02
 Project ID? Analyses Clear? Hold Samples? #on Hold _____ # Received 1
 CoC/Docs Zip-Locked under lid? Compos. #: _____ #Samples OK? _____
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.7
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kenny Chin Date: 18 Jul 2002 Time: 8:41 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03905 (1288_ 386) (4858100_ 386)

07/18/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127</i>
		Lab Project ID:	<i>2002_0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>07/18/02 1327</i>
		COC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.7 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Container	Preservative	Vol. ml Am. g	# of Replica	Condition G, L, B	Collected mmdyy	Hold ?	Composite Group	TAT Days	
1	TB-11	VOC	02-03905-6	W	V	C	40	2	G	071802	N	0	7	<input type="checkbox"/>
2	MW-23-5	Perch	02-03905-5	W	V	C	500	1	G	071802	N	0	7	<input type="checkbox"/>
3	MW-23-4	CRVI/Perch	02-03905-4	W	P		500	2	G	071802	N	0	7	<input type="checkbox"/>
4	ER-23	VOC	02-03905-4- α	W	V	C	40	3	G	071802	N	0	7	<input type="checkbox"/>
	ER-23	CRVI/Perch	02-03905-4- β	W	P		500	1	G	071802	N	0	7	<input type="checkbox"/>
5	MW-23-3	VOC	02-03905-3- α	W	V	C	40	3	G	071802	N	0	7	<input type="checkbox"/>
	MW-23-3	CRVI/Perch	02-03905-3- β	W	P		500	1	G	071802	N	0	7	<input type="checkbox"/>
6	MW-23-2	VOC	02-03905-2- α	W	V	C	40	3	G	071802	N	0	7	<input type="checkbox"/>
	MW-23-2	CRVI/Perch	02-03905-2- β	W	P		500	1	G	071802	N	0	7	<input type="checkbox"/>
7	MW-23-1	VOC	02-03905-7- α	W	V	C	40	3	G	071802	N	0	7	<input type="checkbox"/>
	MW-23-1	CRVI/Perch	02-03905-7- β	W	P		500	1	G	071802	N	0	7	<input type="checkbox"/>

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input checked="" type="checkbox"/> 7196	Chromium (VI)
	<input checked="" type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO_4^{--}), by IC
	<input type="checkbox"/> 300.0/SM4500NO3	Nitrate (NO_3^-) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl^- by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
--------	--------------------------------------	---------------	----------------	--------	-------	----------	--------	----	---	----	----	----



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

August 1, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-3938 and your project is 00HW019 JPL from Pasadena, CA. Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,



Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

APCL Analytical Report

Submitted to:

SOTA Environmental

Attention: Yu Zeng

16835 W. Bernardo Dr, Ste. 212

San Diego CA 92127

Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-023938

Collected by: MES/TAM

Collected on: 07/19/02

Received: 07/19/02

Extracted: N/A

Tested: 07/19-23/02

Reported: 07/26/02

Sample Description: Water from Pasadena, CA

Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				ER-24 02-03938-1	MW-24-1 02-03938-2	MW-24-2 02-03938-3	MW-24-3 02-03938-4
Dilution Factor				1	100	10	1
PERCHLORATE	314.0	µg/L	4	< 4	1,230	246	< 4

Component Analyzed	Method	Unit	PQL	Analysis Result		
				ER-24 02-03938-1	MW-24-1 02-03938-2	MW-24-2 02-03938-3
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	< 0.01
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	21.6	10.6
CHLOROFORM	524.2	µg/L	0.5	< 0.5	9.3	4.6
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	0.7	0.7
TETRACHLOROETHENE	524.2	µg/L	0.5	< 0.5	1.3	< 0.5
TRICHLOROETHENE	524.2	µg/L	0.5	< 0.5	5.9	1.7
1,1,1,2-TETRACHLORO-2,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-24-3 02-03938-4	MW-24-4 02-03938-5	TB-12 02-03938-6
CHROMIUM (VI)	7196	mg/L	0.01	< 0.01	< 0.01	-
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	-	< 0.5
CHLOROFORM	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	-	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	-	< 0.5

APCL Analytical Report


Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-24-3 02-03938-4	MW-24-4 02-03938-5	TB-12 02-03938-6
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	0.7J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	-	<0.5
1,1,2-TRICHLORO-1,1,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	-	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3938



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/00HW019

For SOTA Environmental

APCL Service No: 02-3938

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-12	02-03938-6
MW-24-4	02-03938-5
MW-24-3	02-03938-4
ER-24	02-03938-1
MW-24-2	02-03938-3
MW-24-1	02-03938-2

2. Analytical Methodology

Samples are analyzed by EPA methods
524.2 (Volatile Organic Compounds),
7196 (Chromium (VI)),
300.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log


None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,



Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
Project Name/Code: JPL Job # 00HW019 P.O. #
Project Address: PASADENA, CALIFORNIA APCL Quotation #
Due Date: regular rush: ___ days ___ hours Sampled by: MES/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items										Remarks								
							VOCs (524.2)	PERCHLORATE (314.0)	Cr VI (7196)	TOTAL Cr (200.8)															
TB-12	TRIP BLANK	7/19/02	0840	WATER	HCl	2	X																EPA LEVEL BY QA/QC		
MW-24-4	MW-24-4		0911		--	1																			
MW-24-4	MW-24-4		0911		HNO ₃	1																			
MW-24-3	MW-24-3		0944		HCl	9	X																	M5/MSD	
					--	2																			
					HNO ₃	2																			
ER-24	ER-24		0956		HCl	3	X																		
					HNO ₃	1																			
					--	1																			
MW-24-2	MW-24-2		1040		HCl	3	X																		
					--	1																			
					HNO ₃	1																			
MW-24-1	MW-24-1		1106		HCl	3	X																		
					HNO ₃	1																			
					--	1																			

8938

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C)

Relinquished by [Signature] Date/Time 7/19/02 11234 Received by [Signature] Date/Time 7/19/02 11234

Relinquished by [Signature] Date/Time 1 Received by [Signature] Date/Time 1

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL Service ID: **3938**

Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received: 7/19/02 1234 Date/Time Opened: 7/19/02 1234 By (name): Kenny Chan
 Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: M. McSweeney 7/19/02
 Project ID? Analyses Clear? Hold Samples? # on Hold: # Received: 6
 CoC/Docs Zip-Locked under lid? Compos #: #Samples OK?
 Discrepancies? Client notified? Response (attach docs):

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
 Temp °C: 3.6
 (Cooler temperature measured from temp blank if present, otherwise measured from the cooler)
 Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH < 2 pH > 12
 If Not, pH = Preserved by: Client APCL Third Party

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^V 24hr NO₃ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number:
 Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
 Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other:
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name:) Date/Time:
 Received/Checked by: Kenny Chan Date: 19 Jul 2002 Time: 8:56 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Sample Login: Check List

02-03938 (1288_ 387) (4858100_ 387)

07/19/02

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>SOTA Environmental</i>
		Address:	<i>16835 W. Bernardo Dr. Ste. 212 San Diego, CA 92127</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>IPL</i>
		Project #:	<i>00HW019</i>
<input type="checkbox"/>	Billing Information	P.G. #:	
		Bill Address:	<i>16835 W. Bernardo Dr. Ste. 212 San Diego, CA 92127</i>
		Lab Project ID:	<i>2002.0002</i>
		Client Database #:	<i>01</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kcany Chan</i>
		Receiving Date/Time:	<i>07/19/02 1234</i>
		COC No.	
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>by Client</i>
		Packing Information:	<i>Cooler/Ice Chests</i>
		Cooler Temperature:	<i>3.6 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Rush 5 working day(s)</i>
<input type="checkbox"/>	QC Option:		<i>NEESA D</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Container	Preservative	Vol. ml Amt. g	# of Replica	Condition G, L, B	Collected mmmddyy	Hold?	Composite Group	TAT Days	
1	TR-12	524.2	02-03938-6	W	V	C	40	2	G	071902	N	0	7	<input type="checkbox"/>
2	MW-24-4	CRVI	02-03938-7	W	P		500	1	G	071902	N	0	7	<input type="checkbox"/>
3	MW-24-3	524.2	02-03938-1 <i>α</i>	W	V	C	40	9	G	071902	N	0	7	<input type="checkbox"/>
	MW-24-3	CRVI/Perch	02-03938-1 <i>β</i>	W	P		500	2	G	071902	N	0	7	<input type="checkbox"/>
4	TR-21	524.2	02-03938-1 <i>α</i>	W	V	C	40	3	G	071902	N	0	7	<input type="checkbox"/>
	TR-21	CRVI/Perch	02-03938-1 <i>β</i>	W	P		500	1	G	071902	N	0	7	<input type="checkbox"/>
5	MW-24-2	524.2	02-03938-3 <i>α</i>	W	V	C	40	3	G	071902	N	0	7	<input type="checkbox"/>
	MW-24-2	CRVI/Perch	02-03938-3 <i>β</i>	W	P		500	1	G	071902	N	0	7	<input type="checkbox"/>
6	MW-24-1	524.2	02-03938-2 <i>α</i>	W	V	C	40	3	G	071902	N	0	7	<input type="checkbox"/>
	MW-24-1	CRVI/Perch	02-03938-2 <i>β</i>	W	P		500	1	G	071902	N	0	7	<input type="checkbox"/>

Part 3: Analysis Information

Test Items	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input checked="" type="checkbox"/> 7196	Chromium (VI)
	<input checked="" type="checkbox"/> 800.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO ₄ ²⁻), by IC
	<input type="checkbox"/> 300.0/SM4500NO ₃	Nitrate (NO ₃ ⁻) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl ⁻ by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 206.2/7060	Arsenic, As, by CFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)

Seq #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE	
1	TR-12	524.2	02-03938-6	W	X								<input type="checkbox"/>

2	MW-24-4	CR VI	02-03938-5	W		X						<input type="checkbox"/>
3	MW-24-3	524.2	02-03938-4- α	W	X							<input type="checkbox"/>
	MW-24-3	CRVI/Perch	02-03938-4- β	W		X		X				<input type="checkbox"/>
1	ER-24	524.2	02-03938-1- α	W	X							<input type="checkbox"/>
	ER-24	CRVI/Perch	02-03938-1- β	W		X		X				<input type="checkbox"/>
	MW-24-2	524.2	02-03938-3- α	W	X							<input type="checkbox"/>
	MW-24-2	CRVI/Perch	02-03938-3- β	W		X		X				<input type="checkbox"/>
6	MW-24-1	524.2	02-03938-2- α	W	X							<input type="checkbox"/>
	MW-24-1	CRVI/Perch	02-03938-2- β	W		X		X				<input type="checkbox"/>

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	SO4	NO3	CL	CARBONATE	BICARBON	PH	TDS	AS
1	TB-12	524.2	02-03938-6	W								<input type="checkbox"/>
2	MW-24-4	CR VI	02-03938-5	W								<input type="checkbox"/>
3	MW-24-3	524.2	02-03938-4- α	W								<input type="checkbox"/>
	MW-24-3	CRVI/Perch	02-03938-4- β	W								<input type="checkbox"/>
4	ER-24	524.2	02-03938-1- α	W								<input type="checkbox"/>
	ER-24	CRVI/Perch	02-03938-1- β	W								<input type="checkbox"/>
5	MW-24-2	524.2	02-03938-3- α	W								<input type="checkbox"/>
	MW-24-2	CRVI/Perch	02-03938-3- β	W								<input type="checkbox"/>
6	MW-24-1	524.2	02-03938-2- α	W								<input type="checkbox"/>
	MW-24-1	CRVI/Perch	02-03938-2- β	W								<input type="checkbox"/>

Seq. #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	ALKALIN	SIM
1	TB-12	524.2	02-03938-6	W		<input type="checkbox"/>
2	MW-24-4	CR VI	02-03938-5	W		<input type="checkbox"/>
3	MW-24-3	524.2	02-03938-4- α	W		<input type="checkbox"/>
	MW-24-3	CRVI/Perch	02-03938-4- β	W		<input type="checkbox"/>
4	ER-24	524.2	02-03938-1- α	W		<input type="checkbox"/>
	ER-24	CRVI/Perch	02-03938-1- β	W		<input type="checkbox"/>
5	MW-24-2	524.2	02-03938-3- α	W		<input type="checkbox"/>
	MW-24-2	CRVI/Perch	02-03938-3- β	W		<input type="checkbox"/>
6	MW-24-1	524.2	02-03938-2- α	W		<input type="checkbox"/>
	MW-24-1	CRVI/Perch	02-03938-2- β	W		<input type="checkbox"/>

Client's Requirement: PLEASE RUN MS/MSD ON SAMPLE #4
 IF ENOUGH SAMPLE
 FOR 8270SIM, PLEASE INCLUDE 1,4-DIOXANE

Login By En-Yu Paul Kou



A P C L

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

August 21, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127


Dear Yu,

This package contains samples in our Service ID 02-3990 and your project is 001HW019 JPL.
Enclosed please find:

- (1) One original report.
- (2) One original Chain of Custody.
- (3) One diskette containing EDD Deliverable.
- (4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,


Kevin Xie, Ph.D.,

QA/QC Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
15835 W. Bernardo Dr. Ste. 212
San Diego, CA 92127
Tel: (858) 485-8100 Fax: (858) 485-0812

Service ID #: 801-023990 Received: 07/23/02
Collected by: MES/TAM Extracted: N/A
Collected on: 07/23/02 Tested: 07/24-26/02
Reported: 07/31/02

Sample Description: Water
Project Description: 00HW019 - JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-13	MW-16	MW-13D	1B-11
				02-03990-1	02-03990-2	02-03990-3	02-03990-4
CHROMIUM (VI)	7196	mg/L	0.01	0.010	<0.01	0.010	
Dilution Factor				10	50	10	1
PERCHLORATE	314.0	µg/L	4	206	1,510	205	
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	1.2	4.5	1.3	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.7	5.4	0.8	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	4.9	3.6	3.6	1.7
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	2.1	1.7	2.1	<0.5
1,1,1-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. - : Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-3990



Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Case Narrative

Project: JPL/00HW019

For SOTA Environmental

APCL Service No: 02-3990

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
FB-14	02-03990-4
MW-16	02-03990-2
MW-13	02-03990-1
MW-13D	02-03990-3

2. Analytical Methodology

Samples are analyzed by EPA methods
524.2 (Volatile Organic Compounds),
7196 (Chromium (VI)).

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log


None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,


Kevin Xie, Ph.D.,
QA/QC Director
Applied P & Ch Laboratory



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: SOTA ENVIR. TECH., INC. Contact: MIKE SAYRE Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. BERNARDO DR. #212 City: SAN DIEGO State: CA Zip code: 92127

Bill to: SOTA
Project Name/Code: JPL Job # 004W019 P.O. #
Project Address: PASADENA, CALIFORNIA APCL Quotation #
Due Date: Regular Rush: ___ days ___ hours Sampled by: MRS/TAM

Field Sample ID No.	Sample Description	Date Time Collected		Sample Matrix	Preservation	# of Containers	Analysis Items				Remarks
							VOCS (524.2)	PERCHLORATE (814.0)	Cr VI (7196)	TOTAL Cr (200.0)	
TB-14	TRIP BLANK	7/23/02	0946	WATER	HCl	2	X	X	X	X	EPA LEVEL IV QA/QC
MW-16	MW-16		1125		HCl	3	X	X	X	X	3990
					-	1	X	X	X	X	
					HNO ₃	1	X	X	X	X	
MW-13	MW-13		1325		HCl	3	X	X	X	X	
					-	1	X	X	X	X	
					HNO ₃	1	X	X	X	X	
MW-13D	MW-13 DUPL.				HCl	3	X	X	X	X	
					-	1	X	X	X	X	
					HNO ₃	1	X	X	X	X	

QC Requirement: Regular; QA/QC Report; WIP; Raw Data; Extended Raw Data CLP; ACE AFCEE NEESA (E, C or D); Other (Please specify)

Sample Disposal: Return Disposal by APCL Hold for ___ days after receiving date. If not specified, samples will be discarded 45 days after samples are received.

Sample Conditions: Intact; Broken. Cooler Seal: Intact; Broken; None. Tag # _____ Temperature: Room Cold (___ °C).

Relinquished by: [Signature] Date/Time 7/23/02 11422 Received by: [Signature] Date/Time 7/23/02 11422

Relinquished by: [Signature] Date/Time 7/23/02 1727 Received by: [Signature] Date/Time 7/23/02 1727

APCL USE ONLY Service # _____ Note: _____

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Sample Receiving Checklist

APCL ServiceID: **3990** Client Name/Project: Sta Environmental

1. Sample Arrival

Date/Time Received 7/23/02 1727 Date/Time Opened 7/23/02 1725 By (name) Kenny Chan
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Emp Richard Stinson

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: Mike Gayle
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 4
 CoC/Docs Zip-Locked under lid? Compos.# _____ #Samples OK?
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 3.6
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler)
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH < 2 pH > 12
If Not, pH = _____ Preserved by: Client APCL Third Party

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HI Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kenny Chan Date: 23 Jul 2002 Time: 8:55 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous

Applied P & Ch Laboratory

13760 Maguolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-03990 (1288_ 389) (4858100 389)

07/24/02

Part 1: General Information

- | | | | |
|--------------------------|--------------------------|----------------------|---|
| <input type="checkbox"/> | Company Information | Name: | <i>SOES Environmental</i> |
| | | Address: | <i>16835 W. Bernardo Dr., Ste. 212, San Diego, CA 92127</i> |
| <input type="checkbox"/> | Project Information | Project Description: | <i>IPL</i> |
| | | Project #: | <i>00HW019</i> |
| <input type="checkbox"/> | Bill to Information | P.O. #: | |
| | | Bill Address: | <i>16835 W. Bernardo Dr., Ste. 212, San Diego, CA 92127</i> |
| | | Lab Project ID: | <i>2002-0002</i> |
| | | Client Database #: | <i>01</i> |
| <input type="checkbox"/> | Receiving Information | Who Received Sample? | <i>Kenny Chan</i> |
| | | Receiving Date/Time: | <i>07/23/02 17:27</i> |
| | | COC No. | |
| <input type="checkbox"/> | Shipping Information | Shipping Company | <i>APCL pick up</i> |
| | | Packing Information: | <i>Cooler/Ice Chester</i> |
| | | Cooler Temperature: | <i>3.6 °C</i> |
| <input type="checkbox"/> | Container Information | Container Provider: | <i>Client</i> |
| <input type="checkbox"/> | Sampling Information | Sampling Person: | <i>MES/TAM</i> |
| | | Sampling Company: | <i>Client</i> |
| <input type="checkbox"/> | Turn-Around-Time Option: | | <i>Rush 5 working day(s)</i> |
| <input type="checkbox"/> | QC Option: | | <i>NEESA D</i> |
| <input type="checkbox"/> | Disposal Option: | | <i>Not specify</i> |

Part 2: Sample Information

Seq #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Container	Preservative	Volume Amt. g	# of Replicas	Condition G, L, B	Collected mnddy	Hold ?	Composite Group	TAI Days
1	TB-14	VOC	02-03990-4	W	V	C	40	2	G	072302	N	0	7
2	MW-16	VOC	02-03990-2- α	W	V	C	40	3	G	072302	N	0	7
	MW-16	CRVI/Perch	02-03990-2- β	W	P		500	1	G	072302	N	0	7
3	MW-13	VOC	02-03990-1- α	W	V	C	40	3	G	072302	N	0	7
	MW-13	CRVI/Perch	02-03990-1- β	W	P		500	1	G	072302	N	0	7
4	MW-13D	VOC	02-03990-3- α	W	V	C	40	3	G	072302	N	0	7
	MW-13D	CRVI/Perch	02-03990-3- β	W	P		500	1	G	072302	N	0	7

Part 3: Analysis Information

Test Items:	<input checked="" type="checkbox"/> 524.2	Volatile Organic Compounds
	<input checked="" type="checkbox"/> 7196	Chromium (VI)
	<input checked="" type="checkbox"/> 300.0	Perchlorate, low level
	<input type="checkbox"/> 200.7/6010	Sodium, Na, by ICP
	<input type="checkbox"/> 200.7/6010	Potassium, K, by ICP
	<input type="checkbox"/> 200.7/6010	Calcium, Ca, by ICP
	<input type="checkbox"/> 200.7/6010	Magnesium, Mg, by ICP
	<input type="checkbox"/> 200.7/6010	Iron, Fe, by ICP
	<input type="checkbox"/> 300.0	Sulfate (SO_4^{2-}), by IC
	<input type="checkbox"/> 300.0/SM4500.NOM	Nitrate (NO_3^-) as N by IC
	<input type="checkbox"/> 300.0	Chloride Cl^- by IC
	<input type="checkbox"/> SM2320B	Carbonate
	<input type="checkbox"/> SM2320B	Bicarbonate
	<input type="checkbox"/> 9040/150.1	pH
	<input type="checkbox"/> 160.1	Solids, Total Dissolved (TDS)
	<input type="checkbox"/> 200.2/7060	Arsenic, As, by GFAA
	<input type="checkbox"/> 310.1	Alkalinity
	<input type="checkbox"/> PAH-SIM	PAH (NOAA)

Seq #	Client's Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE
1	TB-14	VOC	02-03990-4	W	X							
2	MW-16	VOC	02-03990-2- α	W	X							
	MW-16	CRVI/Perch	02-03990-2- β	W		X	X					
3	MW-13	VOC	02-03990-1- α	W	X							

