

Level C Data Package Deliverables

Wet Chemistry



Applied P & Ch Laboratory

Wet Analysis Results for Method 7196

Client Name: GEOFON, Inc. Project No: 04-4428.10 Anal. Method 7196
 Project ID: JPL Service ID: 36034 Collected by: JR

Component Name: Chromium (VI)

CAS No: 1333-82-0

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-6034-1	DUPE-2-4-Q03	Water	11/07/03	11/07/03	11/07/03	03W5092	mg/L	0.01	<0.01	U
03-6034-2	MW-6	Water	11/07/03	11/07/03	11/07/03	03W5092	mg/L	0.01	<0.01	U
03-6034-3	MW-13	Water	11/07/03	11/07/03	11/07/03	03W5092	mg/L	0.01	0.020	
03-6034-4	MW-15	Water	11/07/03	11/07/03	11/07/03	03W5092	mg/L	0.01	<0.01	U
03W5092-MB-01	03W5092-MB-01	Water	11/07/03	11/07/03	11/07/03	03W5092	mg/L	0.01	<0.01	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

Applied P & Ch Laboratory
Wet Analysis Results for Method 314.0

Client Name: GEOFON, Inc. Project No: 04-4428.10 Anal. Method 314.0
Project ID: JPL Service ID: 36034 Collected by: JR

Component Name: Perchlorate
CAS No:

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-6034-1	DUPE-2-4-Q03	Water	11/07/03	11/07/03	11/11/03	03W5120	µg/L	4	<4	U
03-6034-2	MW-6	Water	11/07/03	11/07/03	11/11/03	03W5120	µg/L	4	3.6	B
03-6034-3	MW-13	Water	11/07/03	11/07/03	11/11/03	03W5120	µg/L	20	223	
03-6034-4	MW-15	Water	11/07/03	11/07/03	11/11/03	03W5120	µg/L	4	<4	U
03W5120-MB-01	03W5120-MB-01	Water	11/11/03	11/11/03	11/11/03	03W5120	µg/L	4	<4	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

FORM-3

Applied P & Ch Laboratory

Lab Control Spike/Lab Control Spike Duplicate Recovery for Method 314.0

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 36034
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03W5120	
LCS Filename: -	Date Analyzed: 111103	Time Analyzed:
LCSD Filename: -	Date Analyzed: 111103	Time Analyzed:

Spiked Components	Unit	Spike Added	Concentration		LCS Rec% #	QC Limit, % REC
			Unspiked	LCS		
PERCHLORATE	µg/L	25	0	28.8	115	80-120
# of Out-of-control					0	

Spiked Components	Unit	Spike Added	LCSD Concentration	LCSD Rec% #	RPD% #	QC Limit, %	
						RPD	REC
PERCHLORATE	µg/L	25	28.7	115	0	20	80-120
# of Out-of-control				0	0		

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits

D - Spiked components diluted out

Comments: _____

FORM-3

Applied P & Ch Laboratory

Matrix Spike/Matrix Spike Duplicate Recovery for Method 314.0

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 36034
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03W5120	
MS Filename: -	Date Analyzed: 111103	Time Analyzed:
MSD Filename: -	Date Analyzed: 111103	Time Analyzed:
MS Sample No: MW-13	Sample Lab ID: 03-6034-3	

Spiked Components	Unit	Spike Added	Concentration		MS Rec% #	QC Limit, % REC
			Unspiked	MS		
PERCHLORATE	µg/L	25	223	251	110	75-125
# of Out-of-control					0	

Spiked Components	Unit	Spike Added	MSD Concentration	MSD Rec% #	RPD% #		QC Limit, % RPD REC
PERCHLORATE	µg/L	25	263	159 *	5 *		20 75-125
# of Out-of-control				1	0		

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits D - Spiked components diluted out

Comments: _____

FORM-3

Applied P & Ch Laboratory

Lab Control Spike/Lab Control Spike Duplicate Recovery for Method 7196

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 36034
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03W5092	
LCS Filename: -	Date Analyzed: 110703	Time Analyzed: 16:00
LCSD Filename: -	Date Analyzed: 110703	Time Analyzed: 16:00

Spiked Components	Unit	Spike Added	Concentration		LCS Rec% #	QC Limit, % REC
			Unspiked	LCS		
CHROMIUM (VI)	mg/L	0.25	0	0.234	94	80-115
# of Out-of-control					0	

Spiked Components	Unit	Spike Added	LCSD Concentration	LCSD Rec% #	RPD% #	QC Limit, %	
						RPD	REC
CHROMIUM (VI)	mg/L	0.25	0.244	98	4	19	80-115
# of Out-of-control				0	0		

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits

D - Spiked components diluted out

Comments: _____

FORM-3

Applied P & Ch Laboratory

Matrix Spike/Matrix Spike Duplicate Recovery for Method 7196

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 36034
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03W5092	
MS Filename: -	Date Analyzed: 110703	Time Analyzed: 16:00
MSD Filename: -	Date Analyzed: 110703	Time Analyzed: 16:00
MS Sample No: MW-13	Sample Lab ID: 03-6034-3	

Spiked Components	Unit	Spike Added	Concentration		MS Rec% #	QC Limit, % REC
			Unspiked	MS		
CHROMIUM (VI)	mg/L	0.25	0.020	0.225	82	78-115
# of Out-of-control					0	

Spiked Components	Unit	Spike Added	MSD Concentration	MSD Rec% #	RPD% #	QC Limit, %	
						RPD	REC
CHROMIUM (VI)	mg/L	0.25	0.242	89	8	19	78-115
# of Out-of-control				0	0		

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits

D - Spiked components diluted out

Comments: _____

6A
INITIAL CALIBRATION DATA

Lab Name: Applied P & Ch Lab Contract: 36034

Analysis: Chromium (VI) Calibration Date: 07/28/2003

Concentration (mg/L)	0.000	0.0125	0.025	0.125	0.250	0.50
Absorbance	0.000	0.007	0.017	0.107	0.212	0.420

$A = -0.001 + 0.846C$

A=Absorbance

C=Concentration (mg/L)

r= 0.9999

FORM-7
 Applied P & Ch Laboratory
CCV Recovery for Wet Analysis

Client Name: GEOFON, Inc.
 Case No:
 Project ID: JPL

Contract No.:
 SAS No.:
 Project No.: 04-4428.10

Lab Code: APCL
 Service ID: 36034

#	Component Name	Method	Batch No.	Unit	Expected	Test Result	Rec. %	Dev. %	Flag	Control Limit, %	Test Date
1	Perchlorate	314.0	03W5120	µg/L	50	57.0	114	14	✓	85-115	11/11/2003
	Perchlorate	314.0	03W5120	µg/L	50	57.3	115	15	✓	85-115	11/11/2003
	Perchlorate	314.0	03W5120	µg/L	50	57.1	114	14	✓	85-115	11/11/2003
	Perchlorate	314.0	03W5120	µg/L	50	57.1	114	14	✓	85-115	11/11/2003
2	Chromium (VI)	7196	03W5092	mg/L	0.25	0.248	99	-1	✓	90-110	11/07/2003
	Chromium (VI)	7196	03W5092	mg/L	0.25	0.248	99	-1	✓	90-110	11/07/2003

Chromium (VI)

Test Date: 11/7/03 Analyst: *ww*

[Holding Time: 24 hours!!]

Test Time: 16:20 SOP: G-22

Batch # 03W5092 Matrix: *W*

Lot #	Reagent	Water	Diphenylcazide solution			Calibration results	Note
Calibration	STD Lot #	$C_{std} \times V_{std} / V_f = C_i$			A_i	$RF_i = A_i / C_i$	Cal. Code:
STD-1	W-	x	/	=	mg/L		Least Square [RF]=
STD-2	W-	x	/	=	mg/L		Average RF=
STD-3	W-	x	/	=	mg/L		C.C.= (≥ 0.995)
STD-4	W-	x	/	=	mg/L		RSD= (% $\leq 15\%$)
STD-5	W-	x	/	=	mg/L		Ref. page 0.9PPP
STD-6	W-	x	/	=	mg/L		

Analysis Type	Sample ID or Lot #	Samp. Amnt X_0 (g or mL)	Dilu./Ext $X/X_0 = f_1$	Treat. Ratio $V/X = f_2$	540 nm A	Concentration $C' = A/RF$	C (Sample) $C = f_1 f_2 C'$	Anomaly Note
CCV	Lot: W-7757	Expected Conc.: x	/	= 0.25 mg/L	0.209	0.2482 mg/L	REC.	90-110 %
Method Blank	Bl. Lot: 7118		$X_0 = 1$	95.0/ =	0.000	mg/L	0.001 ppm	
LCS1	Bl. Lot: 7118		$X_0 = 1$	95.0/ =	0.197	mg/L	0.2346 ppm	
Sample-1	6034-1		$X_0 = 1$	95.0/ =	0.000	mg/L	0.001 ppm	
MS on S-1	-3		$X_0 = 1$	95.0/ =	0.189	mg/L	0.2246 ppm	
MSD on S-1	-3		$X_0 = 1$	95.0/ =	0.194	mg/L	0.2305 ppm	0.2423
Sample 2	-2		$X_0 = 1$	95.0/ =	0.005	mg/L	0.007 ppm	
Sample 3	-3		$X_0 = 1$	95.0/ =	0.016	mg/L	0.020 ppm	
Sample 4	-4		$X_0 = 1$	95.0/ =	0.002	mg/L	0.004 ppm	
Sample 5			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 6			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 7			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 8			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 9			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 10			$X_0 = 1$	95.0/ =		mg/L	ppm	
Blank	Lot:		$X_0 = 1$	95.0/ =	0.205	mg/L	0.2435 ppm	
LCS2	Bl. Lot:		$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 11			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 12			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 13			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 14			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 15			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 16			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 17			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 18			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 19			$X_0 = 1$	95.0/ =		mg/L	ppm	
Sample 20			$X_0 = 1$	95.0/ =	0.209	mg/L	0.2432 ppm	

Type	STD/Lot #	$C_{STD} (\mu\text{g/mL}) \times V_{STD} (\text{mL}) / X (\text{g or mL}) = T$	Spike Rec. %	Ctl Limit (W/S)	PQL/MDL (in ppm)
MS	W-7757	x / = 6.2 ppm	88.9% <i>ww</i>	80-120 %/80-120 %	PQL(w) 0.01
MSD	W-	x / = ppm	84.2%	PQL(s) 0.05
LCS	W-	x / = ppm	%	80-120 %/80-120 %	MDL(w) 0.005
LCSd	W-7853	x / = ppm	%	MDL(s) 0.025

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chromium (VI) (7196) Worksheet

Batch # PZ Matrix: W. 885 [Holding Time: 24 hours!!]

Test Date: 7/28/03 Analyst: PC

Lot #: Reagent Water Al 7/28/03
Diphenylcazide solution

Test Time: _____ SOP: G

Calibration	STD Lot #	$C_{std} \times V_{std} / V_f = C_i$	A _i	RF _i = A _i / C _i	Calibration results	Note
STD-1	W- <u>7257</u>	x / = 0.00 mg/L	0.000		Least Square [RF]=	Cal. Code:
STD-2	W-	x / = 0.015 mg/L	0.007		Average RF=	
STD-3	W-	x / = 0.025 mg/L	0.017		C.C. <u>0.999</u> (> 0.995)	
STD-4	W-	x / = 0.10 mg/L	0.107		RSD= % (< 15%)	
STD-5	W-	x / = 0.20 mg/L	0.212		Ref. page	
STD-6	W-	x / = 0.50 mg/L	0.420			

$A = -0.001 + 0.846C$

Analysis Type	Sample ID or Lot #	Samp. Amnt X ₀ (g or mL)	Dilu./Ext X/X ₀ = f ₁	Treat. Ratio V/X = f ₂	540 nm A	Concentration C' = A/RF	C (Sample) C = f ₁ f ₂ C'	Anom: Note
CCV	Lot: W- <u>7853</u>	Expected Conc.: x	1	= 0.15 mg/L	0.218	0.259 mg/L	REC. %	90-110
Method Blank	Bl. Lot:		1/X ₀ =	95.0/ =	0.000	0.000 mg/L	ppm	
LCS1	Bl. Lot:		1/X ₀ =	95.0/ =	0.210	0.250 mg/L	ppm	
Sample-1	<u>4177-37</u>	1ml → 100ml X ₀ = 1	95.0/ =	2	0.290	0.689 mg/L	ppm	
MS on S-1	<u>37</u>	0.5ml → 100ml X ₀ =	95.0/ =	2	0.287	0.682 mg/L	ppm	report
MSD on S-1	<u>4175-15</u>	10.0g → 500mg X ₀ = 5	95.0/ =	10	0.050	3.04 mg/L	ppm	report
Sample 2	<u>15</u>	4	1/X ₀ =	95.0/ =	0.247	2.94 mg/L	ppm	report
Sample 3			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 4			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 5			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 6			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 7			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 8			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 9			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 10			1/X ₀ =	95.0/ =		mg/L	ppm	
Blank	Lot:		1/X ₀ =	95.0/ =		mg/L	ppm	
LCS2	Bl. Lot:		1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 11			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 12			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 13			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 14			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 15			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 16			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 17			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 18			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 19			1/X ₀ =	95.0/ =		mg/L	ppm	
Sample 20			1/X ₀ =	95.0/ =		mg/L	ppm	
MTX Dup.	<u>aloying...</u>		1/X ₀ =	95.0/ =	0.248	0.259 mg/L	ppm	

Type	STD Lot #	$C_{STD} (\mu\text{g/mL}) \times V_{STD} (\text{mL}) / X (\text{g or mL}) = T$	Spike Rec.	Ctl Limit (W/S)	PQL/MDL (in ppm)
MS	W-	x / = ppm	%	80-120 %/80-120 %	PQL(w) 0.01
MSD	W-	x / = ppm	%	PQL(s) 0.05
LCS	W-	x / = ppm	%	80-120 %/80-120 %	MDL(w) 0.005
LCSD	W-	x / = ppm	%	MDL(s) 0.025

APCL Perchlorate Analysis Report

Sample Name : 6034-01 F=1

Data File Name : C:\DATA\03W5120K\6034-01_019.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 3:26:34 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
--------	----------------	----------------	--------------	-----------	-------------



APCL Perchlorate Analysis Report

Sample Name : 6034-02 F=1

Data File Name : C:\DATA\03W5120K\6034-02_020.DXD

Method File Name : C:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 3:44:59 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.48	3.64	6177.40	379.30



APCL Perchlorate Analysis Report

Sample Name : 6034-03 F=5

Data File Name : C:\DATA\03W5120K\6034-03A_026.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 5:40:40 PM

System Operator : C.W and W.W

Dilution Factor : 5.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.43	223.48	75853.10	3961.06



APCL Perchlorate Analysis Report

Sample Name : 6034-03 f=1

Data File Name : C:\DATA\03W5120K\6034-03_012.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 1:01:21 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.43	265.46	450495.70	23636.80



for reference



APCL Perchlorate Analysis Report

Sample Name : 6034-04 f=1

Data File Name : C:\DATA\03W5120K\6034-04_021.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 4:03:25 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
--------	----------------	----------------	--------------	-----------	-------------



APCL Perchlorate Analysis Report

Sample Name : 6034-03 MS 25PPB F=5 ~~W8033B~~ *ww 11/11/03*
Data File Name : C:\DATA\03W5120K\W5120K M02_017.DXD

Method File Name : C:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 2:33:49 PM

System Operator : C.W and W.W

Dilution Factor : 5.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.48	250.92	85164.20	4642.19



Rec 109.76%



APCL Perchlorate Analysis Report

MSD 25 ppb ww 11/11/03

Sample Name : 6034-03 MS 15 PPB F=5 W8033B ww 11/11/03

Data File Name : C:\DATA\03W5120K\W5120K M02_A017.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 2:56:50 PM

System Operator : C.W and W.W

Dilution Factor : 5.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.43	263.28	89360.05	4803.35



Rec 159.207



Line	Sample	Sample Type	Level	Method	Data File	Volume	Dilution	Weight
1	##03w5120k ipc 25ppb w8032	Sample		e314-011.met	c:\data\03w5120k\w5120k ipc25ppb	1	1	1
2	ccv 50ppb w8082	Sample		e314-011.met	c:\data\03w5120k\w5120k q01	1	1	1
3	lcs 25ppb w8087	Sample		e314-011.met	c:\data\03w5120k\w5120k l01	1	1	1
4	Lcsd 25PPB W8257	Sample		e314-011.met	c:\data\03w5120k\w5120k j01	1	1	1
5	ICCS-4ppb w8088	Sample		e314-011.met	c:\data\03w5120k\w5120k iccs 4ppb	1	1	1
6	mb	Sample		e314-011.met	c:\data\03w5120k\w5120k k01	1	1	1
7	5975-01 f=1	Sample		e314-011.met	c:\data\03w5120k\5975-01	1	1	1
8	5975-02 f=1	Sample		e314-011.met	c:\data\03w5120k\5975-02	1	1	1
9	5975-03 f=1	Sample		e314-011.met	c:\data\03w5120k\5975-03	1	1	1
10	6002-02 f=1	Sample		e314-011.met	c:\data\03w5120k\6002-02	1	1	1
11	6002-04 f=1	Sample		e314-011.met	c:\data\03w5120k\6002-04	1	1	1
12	6034-03 f=1	Sample		e314-011.met	c:\data\03w5120k\6034-03	1	1	1
13	ccv 50ppb w8082	Sample		e314-011.met	c:\data\03w5120k\w5120k q02	1	1	1
14	ccb	Sample		e314-011.met	c:\data\03w5120k\w5120k ccb	1	1	1
15	6002-02 ms 25ppb f=1	Sample		e314-011.met	c:\data\03w5120k\w5120k m01	1	1	1
16	6002-02 msd 25ppb f=1	Sample		e314-011.met	c:\data\03w5120k\w5120k n01	1	1	1
17	6034-03 MS 25PPB F=5	Sample		e314-011.met	c:\data\03w5120k\w5120k m02	1	5	1
18	6034-03 MSD 25PPB F=5	Sample		e314-011.met	c:\data\03w5120k\w5120k n02	1	5	1
19	6034-01 F=1	Sample		e314-011.met	c:\data\03w5120k\6034-01	1	1	1
20	6034-02 F=1	Sample		e314-011.met	c:\data\03w5120k\6034-02	1	1	1
21	6034-04 f=1	Sample		e314-011.met	c:\data\03w5120k\6034-04	1	1	1
22	6047-01 F=1	Sample		e314-011.met	c:\data\03w5120k\6047-01	1	1	1
23	6047-02 F=1	Sample		e314-011.met	c:\data\03w5120k\6047-02	1	1	1
24	CCV 50PPB W8082	Sample		e314-011.met	c:\data\03w5120k\w5120k q03	1	1	1
25	6047-03 F=1	Sample		e314-011.met	c:\data\03w5120k\6047-03	1	1	1
26	6034-03 F=5	Sample		e314-011.met	c:\data\03w5120k\6034-03a	1	5	1
27	6047-02 F=50	Sample		e314-011.met	c:\data\03w5120k\6047-02a	1	50	1
28	6047-03 F=25	Sample		e314-011.met	c:\data\03w5120k\6047-03a	1	25	1
29	CCV 50PPB W8082	Sample		e314-011.met	c:\data\03w5120k\w5120k q04	1	1	1
30		Sample		aastopcl.met		1	1	1
31	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w01	1	1	1
32	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w02	1	1	1
33	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w03	1	1	1
34	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w04	1	1	1
35	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w05	1	1	1
36	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w06	1	1	1
37	MDL 4PPB WATER	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-w07	1	1	1
38	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s01	1	5	1
39	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s02	1	5	1
40	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s03	1	5	1
41	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s04	1	5	1
42	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s05	1	5	1
43	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s06	1	5	1
44	MDL 20PPB SOIL	Sample		e314-011.met	c:\data\03w5120k\w5120k mdl-s07	1	5	1
45		Sample		aastopcl.met		1	1	1

Analyst W. W
Date 11/11/03
Instrument IC-C

Line	Int. Std.	Comment
1	1	
2	1	
3	1	
4	1	
5	1	
6	1	
7	1	
8	1	
9	1	
10	1	
11	1	
12	1	
13	1	
14	1	
15	1	
16	1	
17	1	
18	1	
19	1	
20	1	
21	1	
22	1	
23	1	
24	1	
25	1	
26	1	
27	1	
28	1	
29	1	
30	1	
31	1	
32	1	
33	1	
34	1	
35	1	
36	1	
37	1	
38	1	
39	1	
40	1	
41	1	
42	1	
43	1	
44	1	
45	1	
46	1	
47	1	
48	1	
49	1	
50	1	
51	1	
52	1	
53	1	
54	1	
55	1	
56	1	
57	1	
58	1	
59	1	
60	1	
61	1	
62	1	
63	1	
64	1	
65	1	
66	1	
67	1	
68	1	
69	1	
70	1	
71	1	
72	1	
73	1	
74	1	
75	1	
76	1	
77	1	
78	1	
79	1	
80	1	
81	1	
82	1	
83	1	
84	1	
85	1	
86	1	
87	1	
88	1	
89	1	
90	1	
91	1	
92	1	
93	1	
94	1	
95	1	
96	1	
97	1	
98	1	
99	1	
100	1	

fault Method Path: C:\PEAKNET\METHOD
 fault Data Path: C:\DATA\03W5052K
 mment:

APCL Perchlorate Analysis Report

Sample Name : CCV 50PPB W8082

Data File Name : C:\DATA\03W5120K\W5120K Q04_029.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 6:36:10 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.52	57.14	96962.20	5284.08



APCL Perchlorate Analysis Report

Sample Name : CCV 50PPB W8082

Data File Name : C:\DATA\03W5120K\W5120K Q03_024.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 4:58:43 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.47	57.07	96858.40	5391.93



APCL Perchlorate Analysis Report

Sample Name : mb

Data File Name : C:\DATA\03W5120K\W5120K K01_006.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 11:10:27 AM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
--------	----------------	----------------	--------------	-----------	-------------



APCL Perchlorate Analysis Report

Sample Name : ccv 50ppb w8082

Data File Name : C:\DATA\03W5120K\W5120K Q02_013.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 1:19:48 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.50	57.28	97215.60	5249.22



APCL Perchlorate Analysis Report

Sample Name : ccv 50ppb w8082

Data File Name : C:\DATA\03W5120K\W5120K Q01_002.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 9:35:40 AM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.75	57.04	96799.05	4979.23



APCL Perchlorate Analysis Report

Sample Name : Lcsd 25PPB W8257

Data File Name : C:\DATA\03W5120K\W5120K J01_004.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 10:12:37 AM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.73	28.73	48764.10	2496.33



APCL Perchlorate Analysis Report

Sample Name : lcs 25ppb w8087

Data File Name : C:\DATA\03W5120K\W5120K L01_003.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 9:54:08 AM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.73	28.76	48806.00	2444.69



APCL Perchlorate Analysis Report

Sample Name : ICCS 4ppb w8088

Data File Name : C:\DATA\03W5120KW5120K ICCS 4PPB_005.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 10:52:01 AM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.87	3.87	6560.20	347.65



APCL Perchlorate Analysis Report

Sample Name : ccb

Data File Name : C:\DATA\03W5120K\W5120K CCB_014.DXD

Method File Name : c:\peaknet\method\e314-011.met


Date Time Collected : 11/11/2003 1:38:18 PM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
--------	----------------	----------------	--------------	-----------	-------------



APCL Perchlorate Analysis Report

Sample Name : ##03w5120k ipc 25ppb w8032

Data File Name : C:\DATA\03W5120K\W5120K IPC25PPB_001.DXD

Method File Name : c:\peaknet\method\314-011.met


Date Time Collected : 11/11/2003 9:16:21 AM

System Operator : C.W and W.W

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
1	perchlorate	12.63	26.59	45131.75	1994.45



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Analysis Anomaly Record

Batch #: 03W 5/20 Method: 314.0 Matrix: W Date: 11/11/03

Samples Involved: 6034-3

• Anomaly for MS/MSD/MD

- 1. MS/MSD out of control limit, sample matrix interference suspected
- 2. MS or MSD out of control limit, but \overline{MS} is O.K.
- 3. One of MS/MSD, and \overline{MS} out of control limit, but not enough sample for re-analysis
- 4. Not enough sample for MS/MSD, LCS/LCSD may be used
- 5. Spiked samples contain high concentration of analytes ($>4 \times$ spiked concentration)
- 6. MS/MSD out of control limit, but post spike is O.K.
- 7. MS/MSD out of control limit, due to the heterogenous matrix
- 8. MS/MSD out of control limit, due to the very special matrix
- 9. Not enough sample for matrix duplicate (MD)

• Anomaly for Holding time (HT)

- 10. HT has been exceeded when received, authorized by the Client to carry on with the analyses
- 11. Extraction HT was passed, authorized by the Client to carry on with the analyses
- 12. Analysis HT was passed, authorized by the Client to carry on with the analyses

• Surrogates Anomaly

- 13. Surrogate recovery out of control limit (see Level-1 Part III), sample matrix interference suspected
- 14. Surrogate recovery out of control limit (see Level-1 Part III), but not enough sample for re-analysis
- 15. Surrogate recovery out of control limit, due to very special matrix
- 16. Surrogate diluted out (for highly contaminated samples)
- 17. Lower surrogate recovery due to cleanup process

• Chromatogram Pattern Anomaly

- 18. Not a typical gasoline chromatogram pattern
- 19. Not a typical diesel chromatogram pattern
- 20. Not a typical diesel chromatogram pattern, but similar to heavy-oil or motor oil
- 21. Not a typical kerosene chromatogram pattern
- 22. Not a typical jet fuel chromatogram pattern
- 23. Not a complete PCB chromatogram pattern, interference/degradation suspected

• Other anomaly


Problem Description: _____

Reason: _____

Analyst: WV Date: 11/11/03

Note: _____

1. Component: perchlorate
Standard: External Fit Type: Linear
Origin: Force Calibration: Area
 $r^2 = 0.999492$
Amt = 0.0005893 * Resp + 0



Calibration : 7 points , 0, 2, 10, 25, 50, 75, 100 ppb

Analyst C. W
Date 03/12/03
Instrument IC-10

APCL Perchlorate Analysis Report

Sample Name : cal standard 2ppb W7827a

Data File Name : C:\DATA\E314-011\std-2pb_002.DXD

Method File Name : C:\PEAKNET\METHOD\314-011.met


Date Time Collected : 03/12/2003 6:13:12 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
8	perchlorate	11.62	1.92	2910	164



APCL Perchlorate Analysis Report

Sample Name : cal standard 10ppb W7827c

Data File Name : C:\DATA\E314-011\std-10pb_004.DXD

Method File Name : C:\PEAKNET\METHOD\314-011.met


Date Time Collected : 03/12/2003 6:48:21 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
7	perchlorate	11.70	11.16	16917	879



APCL Perchlorate Analysis Report

Sample Name : icb

Data File Name : C:\DATA\E314-011\ICB_010.DXD

Method File Name : c:\PeakNet\method\E314-011.met


Date Time Collected : 03/12/2003 8:33:51 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
--------	----------------	----------------	--------------	-----------	-------------



APCL Perchlorate Analysis Report

Sample Name : cal standard 75ppb W7827f

Data File Name : C:\DATA\E314-011\std-75pb_007.DXD

Method File Name : C:\PEAKNET\METHOD\E314-011.met


Date Time Collected : 03/12/2003 7:41:05 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
7	perchlorate	11.62	83.23	126224	6553



APCL Perchlorate Analysis Report

Sample Name : Cal blank

Data File Name : C:\data\E314-011\Mb_001.DXD

Method File Name : c:\peaknet\method\e314-011.met


Date Time Collected : 03/12/2003 5:55:39 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
--------	----------------	----------------	--------------	-----------	-------------



APCL Perchlorate Analysis Report

Sample Name : cal standard 50ppb W7827e

Data File Name : C:\DATA\E314-011\std-50pb_006.DXD

Method File Name : C:\PEAKNET\METHOD\E314-011.met


Date Time Collected : 03/12/2003 7:23:30 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
8	perchlorate	11.67	54.89	83240	4320



APCL Perchlorate Analysis Report

Sample Name : ICV 50 ppb w7828a

Data File Name : C:\DATA\E314-011\icv-50pb_009.DXD

Method File Name : C:\PEAKNET\METHOD\E314-011.met


Date Time Collected : 03/12/2003 8:16:15 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
8	perchlorate	11.65	49.49	83990	4321




APCL Perchlorate Analysis Report

Sample Name : cal standard 100ppb W7827g
Data File Name : C:\DATA\E314-011\std-100pb_008.DXD

Method File Name : C:\PEAKNET\METHOD\314-011.met
Date Time Collected : 03/12/2003 7:58:39 PM
System Operator : wei wang
Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
8	perchlorate	11.62	113.21	171686	8927



APCL Perchlorate Analysis Report

Sample Name : cal standard 25ppb W7827d

Data File Name : C:\DATA\E314-011\std-25pb_005.DXD

Method File Name : C:\PEAKNET\METHOD\314-011.met


Date Time Collected : 03/12/2003 7:05:54 PM

System Operator : wei wang

Dilution Factor : 1.00

Peak Information : All Components

Peak #	Component Name	Retention Time	Amount (ppb)	Peak Area	Peak Height
8	perchlorate	11.60	26.84	40702	2125



Line	Sample	Sample Type	Level	Method	Data File	Volume	Dilution
1	Cal blank	Sample		e314-011.met	c:\data\314-011\mb_001.dxd	1	1
2	cal standard 2ppb W7827a	Sample		e314-011.met	c:\data\314-011\std-2pb_002.dxd	1	1
3	cal standard 4ppb W7827b	Sample		e314-011.met	c:\data\314-011\std-4pb_003.dxd	1	1
4	cal standard 10ppb W7827c	Sample		e314-011.met	c:\data\314-011\std-10pb_004.dxd	1	1
5	cal standard 25ppb W7827d	Sample		e314-011.met	c:\data\314-011\std-25pb_005.dxd	1	1
6	cal standard 50ppb W7827e	Sample		e314-011.met	c:\data\314-011\std-50pb_006.dxd	1	1
7	cal standard 75ppb W7827f	Sample		e314-011.met	c:\data\314-011\std-75pb_007.dxd	1	1
8	cal standard 100ppb W7827g	Sample		e314-011.met	c:\data\314-011\std-100pb_008.dxd	1	1
9	ICV 50 ppb w7828a	Sample		e314-011.met	c:\data\314-011\icv-50pb_009.dxd	1	1
10	icb	Sample		e314-011.met	c:\data\314-011\icb_010.dxd	1	1
11	anion 100pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-100_011.dxd	1	1
12	anion 200pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-200_012.dxd	1	1
13	anion 300pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-300_013.dxd	1	1
14	anion 400pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-400_014.dxd	1	1
15	anion 500pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-500_015.dxd	1	1
16	anion 600pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-600_016.dxd	1	1
17	anion 800pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-800_017.dxd	1	1
18	anion 1000pm each ,25pb CLO4	Sample		e314-011.met	c:\data\314-011\mct-1000_018.dxd	1	1
19	anion 400pm each 2pb	Sample		e314-011.met	c:\data\314-011\ipc-2pb_019.dxd	1	1
20	anion 400pm each 4pb	Sample		e314-011.met	c:\data\314-011\ipc-4pb_020.dxd	1	1
21	anion 400pm each 25pb	Sample		e314-011.met	c:\data\314-011\ipc-25pb_021.dxd	1	1
22	ICV 50 ppb	Sample		e314-011.met	c:\data\314-011\ccv-50pb	1	1
23	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-02_023.dxd	1	1
24	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-03_024.dxd	1	1
25	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-04	1	1
26	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-05	1	1
27	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-06	1	1
28	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-07	1	1
29	MDL 4pb	Sample		e314-011.met	c:\data\314-011\mdl-08	1	1
30	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
31	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
32	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
33	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
34	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
35	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
36	IDP and IDA 25pb	Sample		e314-011.met	c:\data\314-011\idap-25pb	1	1
37	MCT anion 800pm each, 25pbCLO4	Sample		e314-011.met	c:\data\314-011\ipc-25pb	1	1
38	MCT anion 800pm each, 25pbCLO4	Sample		e314-011.met	c:\data\314-011\ipc-25pb	1	1
39	MCT anion 800pm each, 4pbCLO4	Sample		e314-011.met	c:\data\314-011\ipc-4pb	1	1
40	MCT anion 800pm each, 4pbCLO4	Sample		e314-011.met	c:\data\314-011\ipc-4pb	1	1
41	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s01	1	5
42	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s02	1	5
43	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s03	1	5
44	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s04	1	5
45	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s05	1	5
46	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s06	1	5
47	MDL 20pb soil	Sample		e314-011.met	c:\data\314-011\mdl-s07	1	5
48	standard 25ppb W7827d	Sample		e314-011.met	c:\data\314-011\std-25pb	1	1
49	anion 100pm each,4pb CLO4	Sample		e314-011.met	c:\data\314-011\am-100-4pb	1	1
50	anion 200pm each ,4pb CLO4	Sample		e314-011.met	c:\data\314-011\am-200-4pb	1	1
51	anion 300pm each ,4pb CLO4	Sample		e314-011.met	c:\data\314-011\am-300-4pb	1	1
52	anion 100pm each,2pb CLO4	Sample		e314-011.met	c:\data\314-011\am-100-2pb	1	1
53	anion 200pm each,2pb CLO4	Sample		e314-011.met	c:\data\314-011\am-200-2pb	1	1
54	anion 300pm each,2pb CLO4	Sample		e314-011.met	c:\data\314-011\am-300-2pb	1	1
55	1982-01 B S.C 4450us/cm	Sample		e314-011.met	c:\data\314-011\1982-01	1	1
56	1982-01 B S.C 4450us/cm	Sample		e314-011.met	c:\data\314-011\1982-01	1	2
57	1982-02 f=10	Sample		e314-011.met	c:\data\314-011\1982-02_057.dxd	1	10
58		Sample		aastopcl.met		1	1

Line Weight Int. Std. Comment

1	1	1	
2	1	1	
3	1	1	
4	1	1	
5	1	1	
6	1	1	
7	1	1	
8	1	1	
9	1	1	
10	1	1	
11	1	1	
12	1	1	
13	1	1	
14	1	1	
15	1	1	
16	1	1	
17	1	1	
18	1	1	
19	1	1	
20	1	1	
21	1	1	
22	1	1	
23	1	1	
24	1	1	
25	1	1	
26	1	1	
27	1	1	
28	1	1	
29	1	1	
30	1	1	
31	1	1	
32	1	1	
33	1	1	
34	1	1	
35	1	1	
36	1	1	
37	1	1	
38	1	1	
39	1	1	
40	1	1	
41	1	1	
42	1	1	
43	1	1	
44	1	1	
45	1	1	
46	1	1	
47	1	1	
48	1	1	
49	1	1	
50	1	1	
51	1	1	
52	1	1	
53	1	1	
54	1	1	
55	1	1	
56	1	1	
57	1	1	
58	1	1	

Default Method Path: C:\PEAKNET\METHOD
Default Data Path: C:\DATA\03W1286K
Comment:
Remark:

Condition information:

1. Column

Separator column: AS16 4mm
Guard column: AS16 4mm

2. Eluent: NaOH 38mM

3. Flow rate: 1.2mL/min

4. Suppressor: ASRS-ULTRA 4mm

5. Detector: CD20

6. Analyst: Charles Wu and Wei Wang

7. Date: 03 / 12 / 2003

8. Instrument: IC-K DX-500 Dionex



Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel. (909) 590-1828 Fax (909) 590-1498

November 11, 2003

GEOFON, Inc.
Attention: Brad Shojaee
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765

Dear Brad,

This package contains samples in our Service ID 03-5772 and your project : 04-4428.10 JPL
Enclosed please find:

- (1) Original analytical report.
- (2) Original Chain of Custody.
- (3) One diskette containing EDD deliverable.
- (4) One original Level C Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Regina Kirakozova', written over the typed name.

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

GEOFON, Inc.

Attention: Brad Shojaee

22632 Golden Spring Dr Ste 270

Diamond Bar CA 91765

Tel: (909)396-7662 Fax: (909)396-1455

APCL Analytical Report

Service ID #: 801-035772

Collected by: JR

Collected on: 10/22/03

Received: 10/22/03

Extracted: N/A

Tested: 10/22-28/03

Reported: 10/30/03

Sample Description: Water from MW-11,22.

Project Description: 04-4428.10 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-1-10-22-03	MW-11-1	MW-11-2	MW-11-3
				03-05772-1	03-05772-2	03-05772-3	03-05772-4
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	2J	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	1.4
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	0.4J
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				EB-1-10-22-03	MW-11-1	MW-11-2	MW-11-3
				03-05772-1	03-05772-2	03-05772-3	03-05772-4
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	2J
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-11-4 03-05772-5	MW-11-5 03-05772-6	MW-22-1 03-05772-7	MW-22-2 03-05772-8
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	2.2J	2.4J
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROPFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-11-4	MW-11-5	MW-22-1	MW-22-2
				03-05772-5	03-05772-6	03-05772-7	03-05772-8
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.9	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-22-3	MW-22-4	MW-22-5	TB-1-10-22-03
				03-05772-9	03-05772-10	03-05772-11	03-05772-12
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	2.6J	<4	<4	-

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-22-3 03-05772-9	MW-22-4 03-05772-10	MW-22-5 03-05772-11	TB-1-10-22-03 03-05772-12
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	0.7J
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	3.2	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	1.0	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-22-3	MW-22-4	MW-22-5	TB-1-10-22-03
				03-05772-9	03-05772-10	03-05772-11	03-05772-12
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	3J	2J	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5


PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


 Dominic Lau
 Laboratory Director
 Applied P & Ch Laboratory

Level C Data Package Deliverables

General Information

Project: 04-4428.10 JPL

APCL Service ID: 03-5772



Applied P & Ch Laboratory

13760 Magnolia Ave. Chino, CA 91710

Telephone (909)590-1828

Fax (909)590-1498

Case Narrative

Project: JPL/MW-11,22./04-4428.10

For GEOFON, Inc.

APCL Service No: 03-5772

1. Sample Identification

The sample identifications are listed in the following table:

GEOFON, Inc. Sample ID	APCL Sample ID
MW-11-5	03-05772-6
MW-11-4	03-05772-5
MW-11-3	03-05772-4
MW-11-2	03-05772-3
MW-11-1	03-05772-2
TB-1-10-22-03	03-05772-12
EB-1-10-22-03	03-05772-1
MW-22-5	03-05772-11
MW-22-4	03-05772-10
MW-22-3	03-05772-9
MW-22-2	03-05772-8
MW-22-1	03-05772-7

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

7196 (Chromium (VI)),

314.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,



Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory



INCORPORATED
 22632 GOLDEN SPRINGS DR., SUITE 270
 DIAMOND BAR, CA 91765 • (909) 396-7662 • FAX (909) 396-1455

CHAIN-OF-CUSTODY RECORD

LABORATORY COPY

MW-11

0020

GEOPON, LAB COORDINATOR Sweet Business SPC Gold Hqs. - 4003 PROJECT CONTACT Band Shapes PROJECT ADDRESS 4800 East Gate Dr. PROJECT MANAGER Tony Ford		LAB COORDINATOR'S PHONE 396 7662 PROJECT LOCATION MW-11 PROJECT PHONE NUMBER 396 7662 CITY, STATE AND ZIP CODE Pasadena, CA PROJECT MANAGER'S PHONE 909 396 7662		LAB COORDINATOR'S FAX 909 396 1455 PROJECT NUMBER 09-4428.10 PROJECT FAX 909 396 1455 CLIENT US Navy SUSTIV PROJECT MANAGER'S FAX 909 396 1455		LABORATORY SERVICE ID LABORATORY PHONE 909 590 1828 LABORATORY ADDRESS 13760 Magnolia Ave. CITY, STATE AND ZIP CODE Chino, CA 91716		LABORATORY CONTACT Kenny Chan LABORATORY FAX 909 590 1498 MAIL REPORT (COMPANY NAME) Geofon RECIPIENT NAME Tony Ford ADDRESS 22632 Golden Springs Dr. CITY, STATE AND ZIP CODE Diamond Bar, CA 91765		
Item	Sample Identifier	Matrix	Date	Time	Preserved	# of Cont.	QC Level	T.A.T	Analyses	Comments
1	MW-11-5	W	10/24/09	0718	5	TIT	Normal		521.2 (Cr) (5) 314.0 (Cl) (4) 200.8 (Cu) 719.4 (Pb) (1)	
2	MW-11-4			0810	5					
3	MW-11-3			0817						
4	MW-11-2			0910						
5	MW-11-1			0932						
6	7B-1-10-22-03				3					
7	7B-1-10-22-03			0900	5					
8										
9										
10										

5772

SAMPLES COLLECTED BY: SN
 RELINQUISHED BY:
 COURIER AND AIR BILL NUMBER:
 RECEIVED BY:
 DATE: 10-22-09 1305
 TIME: 10:21:05 1405
 COOL DR. TEMPERATURE UPON RECEIPT:
 SAMPLE'S CONDITION UPON RECEIPT:

Distribution: White - Laboratory (To be returned with Analytical Report); Goldenrod - Project File; Yellow - Project Data Manager



GEOFON
INCORPORATED

22632 GOLDEN SPRINGS DR., SUITE 270
DIAMOND BAR, CA 91765 • (909) 396-7662 • FAX (909) 396-1455

CHAIN-OF-CUSTODY RECORD

LABORATORY COPY

MUS-22

Dele

GEOFON LAB COORDINATOR		LAB COORDINATOR'S PHONE		LAB COORDINATOR'S FAX		LABORATORY SERVICE ID		LABORATORY CONTACT		MAIL REPORT (COMPANY NAME)			
Scott Bummer		909 396 7662		909 396 1455		KENNY CHAM		GEOFON		GEOFON			
PROJECT NAME:		PROJECT LOCATION		PROJECT NUMBER		LABORATORY PHONE		LABORATORY FAX		SIGNMENT NAME			
SPL GWS HON-1003		MUS-22		04-4428.10		909 590 1828		909 590 1498		TONY FORD			
PROJECT CONTACT		PROJECT PHONE NUMBER		PROJECT FAX		LABORATORY ADDRESS		ADDRESS					
Brend Skopac		909 396 7662		909 396 1455		13710 Magnolia Ave.		22632 Golden Springs Dr. Suite 270					
PROJECT ADDRESS		CITY, STATE AND ZIP CODE		CLIENT		CITY, STATE AND ZIP CODE		CITY, STATE AND ZIP CODE					
4800 Oak Grove Av.		Pasadena, CA		US Navy SUSTIV		China, CA 91710		Diamond Bar, CA 91765					
PROJECT MANAGER		PROJECT MANAGER'S PHONE		PROJECT MANAGER'S FAX									
Tony Ford		909 396 7662		909 396 1455									
Item	Sample Identifier	Matrix	Date	Time Preserved	# of Cont.	QC Level	T.A.T	Analyses				Comments	
1	MUS-22-5	W	10/21	1021	5	III	Normal	529.2 (VPS)	34.0 (C104)	208.8 (total C)	71.9 (total C)		
2	MUS-22-4		10/11										
3	MUS-22-3		11/00										
4	MUS-22-2		11/20										
5	MUS-22-1	V	11/40	V	V	V	V	X	X	X	X		
6													
7													
8													
9													
10													
SAMPLES COLLECTED BY: SN		COURIER AND AIR BILL NUMBER:		RECEIVED BY:		DATE		TIME		COOLER TEMPERATURE UPON RECEIPT		SAMPLE'S CONDITION UPON RECEIPT	
				Kenny Cham		10-22-03		1304					
				Tony Ford		10-22-03		1404					

5772

Distribution: White - Laboratory (To be returned with Analytical Report); Goldenrod - Project File; Yellow - Project Data Manager

Sample Receiving Checklist

APCL ServiceID: **5772** Client Name/Project: Geoson / JPL

1. Sample Arrival

Date/Time Received 10/22/03 1425 Date/Time Opened 10/22/03 1425 By (name): Kevin Chen
Custody Transfer: Client Golden State UPS US Mail FedEx APCL Empl: Adam Wood

2. Chain-of-Custody (CoC)

With Samples? Faxed? Client has Copy? Signed, dated? By: _____
 Project ID? Analyses Clear? Hold Samples? # on Hold _____ # Received 12
 CoC/Docs Zip-Locked under lid? Compos.#: _____ #Samples OK?
 Discrepancies? Client notified? Response (attach docs): _____

3. Shipping Container/Cooler

Cooler Used? # of 1 Cooled by: Ice Blue Ice Dry Ice None
Temp °C 34
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? Absent Intact Tampered?

4. Sample Preservation

pH <2 pH >12
If Not, pH = _____ Preserved by: Client APCL Third Party _____

5. Holding-time Requirements

pH 24hr BACT 6/24hr Cr^{VI} 24hr NO₃⁻ 48hr BOD 48hr
 Cl₂ ASAP Turbidity 48hr DO ASAP Fe(II) ASAP
 HT Expired? Client notified?

6. Sample Container Condition

Intact? Broken? Documented? Number: _____
Type: plastic glass Tube: brass/SS Tedlar Bag
 Quantity OK? Leaking? Anomaly?
 Caps tight? Air Bubbles? Anomaly?
Labels: Unique ID? Date/Time Preserved?

7. Turn Around Time

RUSH TAT: _____ Std (7-10 days) Not Marked

8. Sample Matrix

Drinking H₂O Other Liq Soil Wipe Polymer Air Other: _____
 Ground H₂O Sludge Filter Oil/Petro Paint W. Water Extract Unknown

9. Pre-Login Check List Completed & OK?

ALL OK? (if not, attach docs) Client Contact? (Name: _____) Date/Time: _____
Received/Checked by: Kevin Chen Printed: 22 Oct 2003 7:28 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

03-05772 (0470_ 175) (2202777_ 175)

10/22/03

Part 1: General Information

<input type="checkbox"/>	Company Information	Name:	<i>GEOFON, Inc.</i>
		Address:	<i>22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765</i>
<input type="checkbox"/>	Project Information	Project Description:	<i>JPL</i>
		Project #:	<i>04-4428.10</i>
<input type="checkbox"/>	Billing Information	P.O. #:	
		Bill Address:	<i>22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765</i>
		Lab Project ID:	
		Client Database #:	<i>3</i>
<input type="checkbox"/>	Receiving Information	Who Received Sample?	<i>Kenny Chan</i>
		Receiving Date/Time:	<i>10/22/03 1425</i>
		COC No.	<i>0060 0066</i>
<input type="checkbox"/>	Shipping Information	Shipping Company	<i>APCL pick up</i>
		Packing Information:	<i>Cooler/Ice Chester</i>
		Cooler Temperature:	<i>3.4 °C</i>
<input type="checkbox"/>	Container Information	Container Provider:	<i>Client</i>
<input type="checkbox"/>	Sampling Information	Sampling Person:	<i>JR</i>
		Sampling Company:	<i>Client</i>
<input type="checkbox"/>	Turn-Around-Time Option:		<i>Normal</i>
<input type="checkbox"/>	QC Option:		<i>NEESA C</i>
<input type="checkbox"/>	Disposal Option:		<i>Not specify</i>

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Cont- Matrix	Preser- tainer	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days
1	MW-11-5	VOC	03-05772-6- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-11-5	CrVI	03-05772-6- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
2	MW-11-4	VOC	03-05772-5- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-11-4	CrVI	03-05772-5- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
3	MW-11-3	VOC	03-05772-4- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-11-3	CrVI	03-05772-4- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
4	MW-11-2	VOC	03-05772-3- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-11-2	CrVI	03-05772-3- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
5	MW-11-1	VOC	03-05772-2- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-11-1	CrVI	03-05772-2- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
6	TB-1-10-22-03	VOC	03-05772-12	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
7	EB-1-10-22-03	VOC	03-05772-1- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	EB-1-10-22-03	CrVI	03-05772-1- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
8	MW-22-5	VOC	03-05772-11- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-22-5	CrVI	03-05772-11- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
9	MW-22-4	VOC	03-05772-10- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-22-4	CrVI	03-05772-10- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
10	MW-22-3	VOC	03-05772-9- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-22-3	CrVI	03-05772-9- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
11	MW-22-2	VOC	03-05772-8- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-22-2	CrVI	03-05772-8- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>
12	MW-22-1	VOC	03-05772-7- α	W	V	C 40	3	G	102203	N	0	9 <input type="checkbox"/>
	MW-22-1	CrVI	03-05772-7- β	W	P	500	1	G	102203	N	0	9 <input type="checkbox"/>

Part 3: Analysis Information

- Test Items:
- 524.2 Volatile Organic Compounds
 - 7196A Chromium (VI)
 - 314.0/300.0 Perchlorate, low level
 - 300.0 Chloride Cl^- by IC
 - 300.0 Sulfate (SO_4^{--}), by IC
 - 300.0/SM4500NO $_3$ Nitrate (NO_3^-) as N by IC
 - SM2320B Carbonate
 - SM2320B Bicarbonate
 - 9040B/150.1 pH
 - 160.1 Solids, Total Dissolved (TDS)
 - 200.7/6010B Sodium, Na, by ICP
 - 200.7/6010B Calcium, Ca, by ICP

Level C Data Package Deliverables

Volatile Organics



Applied P & Ch Laboratory

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/28/2003
Project ID: JPL	Service ID: 35772	Collected by:
Sample ID: 03G4620-MB-01	Lab Sample ID: 03G4620-MB-01	Received Date: 10/28/2003
Sample Type: Method Blank	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4620	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: G4620K01	Prep. No: -	Anal. Time: 14:20
Methanol Vol. -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	0.5	J
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROETHANE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROETHANE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROETHANE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	4-BROMO-FLUOROBENZENE (BFB)	460-00-4	70-129	98
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	94
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	94
4	TOLUENE-Ds	2037-26-5	73-129	104
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	102
2	1,4-DICHLOROBENZENE-D4	3855-82-1	50-200	108
3	FLUOROBENZENE	462-06-6	50-200	109
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/28/2003
Project ID: JPL	Service ID: 35772	Collected by:
Sample ID: 03G4617-MB-01	Lab Sample ID: 03G4617-MB-01	Received Date: 10/28/2003
Sample Type: Method Blank	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: G4617K01	Prep. No: -	Anal. Time: 02:28
Methanol Vol. -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	4-BROMO-FLUOROBENZENE (BFB)	460-00-4	70-129	97
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	94
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	93
4	TOLUENE-D8	2037-26-5	73-129	105
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	108
2	1,4-DICHLOROBENZENE-D4	3855-82-1	50-200	114
3	FLUOROBENZENE	462-06-6	50-200	118
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: EB-1-10-22-03	Lab Sample ID: 03-5772-1	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4620	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-01	Prep. No: -	Anal. Time: 15:12
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	2	J
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2,2-TRICHLORO-1,1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	93	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	94	
4	TOLUENE-D8	2037-26-5		73-129	106	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	99	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	105	
3	FLUOROBENZENE	462-06-6		50-200	106	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-11-1	Lab Sample ID: 03-5772-2	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-02	Prep. No: -	Anal. Time: 02:54
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2-TRICHLORO-1,2,2,2-TETRACHLOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129	95
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	95
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	94
4	TOLUENE-D8	2037-26-5	73-129	105
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	109
2	1,4-DICHLOROETHANE-D4	3855-82-1	50-200	116
3	FLUOROBENZENE	462-06-6	50-200	118
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-11-2	Lab Sample ID: 03-5772-3	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-03	Prep. No: -	Anal. Time: 03:20
Methanol Vol. -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129	96
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	95
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	95
4	TOLUENE-D8	2037-26-5	73-129	105
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	109
2	1,4-DICHLOROBENZENE-D4	3855-82-1	50-200	115
3	FLUOROBENZENE	462-06-6	50-200	118
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-11-3	Lab Sample ID: 03-5772-4	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-04	Prep. No: -	Anal. Time: 03:46
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	1.4	
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	0.4	J
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	2	J
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129	98
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	93
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	94
4	TOLUENE-D8	2037-26-5	73-129	106
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	108
2	1,4-DICHLOROENZENE-D4	3855-82-1	50-200	113
3	FLUOROBENZENE	462-06-6	50-200	118
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-11-4	Lab Sample ID: 03-5772-5	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-05	Prep. No: -	Anal. Time: 04:12
Methanol Vol. -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2-TRICHLORO-1,1,2,2-TETRACHLOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	95	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	96	
4	TOLUENE-D8	2037-26-5		73-129	105	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	108	
2	1,4-DICHLOROENZENE-D4	3855-82-1		50-200	114	
3	FLUOROBENZENE	462-06-6		50-200	116	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-11-5	Lab Sample ID: 03-5772-6	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-06	Prep. No: -	Anal. Time: 04:38
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2,2-TRICHLORO-1,1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	96	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	94	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	95	
4	TOLUENE-D8	2037-26-5		73-129	106	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROENZENE-D5	3114-55-4		50-200	107	
2	1,4-DICHLOROENZENE-D4	3855-82-1		50-200	114	
3	FLUOROBENZENE	462-06-6		50-200	116	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-22-1	Lab Sample ID: 03-5772-7	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-07	Prep. No: -	Anal. Time: 05:04
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	0.9	
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129	96
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	96
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	94
4	TOLUENE-D8	2037-26-5	73-129	106
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	107
2	1,4-DICHLOROETHANE-D4	3855-82-1	50-200	113
3	FLUOROBENZENE	462-06-6	50-200	116
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-22-2	Lab Sample ID: 03-5772-8	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-08	Prep. No: -	Anal. Time: 05:30
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	< 0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	< 0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	< 0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	< 0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	< 0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	< 0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	< 0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	< 0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	< 0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	< 10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	< 0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	< 0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	< 0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	< 0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	< 0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	< 0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	< 0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	< 0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	< 0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	< 0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	< 0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	< 0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	< 0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	< 0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	< 0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	< 0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	< 0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	< 0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	< 0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	< 0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	< 0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	< 0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	< 0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	< 0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	< 0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	< 0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	< 0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	< 0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	< 0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates

		Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129	97
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129	93
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122	94
4	TOLUENE-D8	2037-26-5	73-129	107
# of out-of-control			0	

Internal Standard

		Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4	50-200	106
2	1,4-DICHLOROBENZENE-D4	3855-82-1	50-200	113
3	FLUOROBENZENE	462-06-6	50-200	117
# of out-of-control			0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-22-3	Lab Sample ID: 03-5772-9	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-09	Prep. No: -	Anal. Time: 05:56
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROETHANE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROETHANE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROETHANE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	98	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	94	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	96	
4	TOLUENE-D8	2037-26-5		73-129	107	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	105	
2	1,4-DICHLOROETHANE-D4	3855-82-1		50-200	111	
3	FLUOROBENZENE	462-06-6		50-200	113	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-22-4	Lab Sample ID: 03-5772-10	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-10	Prep. No: -	Anal. Time: 06:22
Methanol Vol. -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	<10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	3.2	
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	1.0	
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	3	J
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	92	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	93	
4	TOLUENE-D8	2037-26-5		73-129	109	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROENZENE-D5	3114-55-4		50-200	103	
2	1,4-DICHLOROENZENE-D4	3855-82-1		50-200	111	
3	FLUOROBENZENE	462-06-6		50-200	113	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: MW-22-5	Lab Sample ID: 03-5772-11	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4617	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-11	Prep. No: -	Anal. Time: 06:48
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	< 0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	< 0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	< 0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	< 0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	< 0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	< 0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	< 0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	< 0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	< 0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	< 10	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	< 0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	< 0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	< 0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	< 0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	< 0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	< 0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	< 0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	< 0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	< 0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	< 0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	< 0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	< 0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	< 0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	< 0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	< 0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	< 0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	< 0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	< 0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	< 0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	< 0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	< 0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	< 0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	< 0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	< 0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	< 0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	< 0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	< 0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	< 0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	< 0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	2	J
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2,2-TRICHLORO-1,1,2,2-TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	94	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	94	
4	TOLUENE-D8	2037-26-5		73-129	107	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	106	
2	1,4-DICHLOROETHANE-D4	3855-82-1		50-200	113	
3	FLUOROBENZENE	462-06-6		50-200	115	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

Applied P & Ch Laboratory
Organic Analysis Results for Method 524.2

Client Name: GEOFON, Inc.	Project No: 04-4428.10	Collection Date: 10/22/2003
Project ID: JPL	Service ID: 35772	Collected by: JR
Sample ID: TB-1-10-22-03	Lab Sample ID: 03-5772-12	Received Date: 10/22/2003
Sample Type: Field Sample	Sample Matrix: Water	Moisture %: -
Anal. Method: 524.2	Prep. Method: 5030	Instrument ID: GC/MS: A
Batch No: 03G4620	Prep. Date: 10/28/03	Anal. Date: 10/28/03
Data File Name: 5772-12	Prep. No: -	Anal. Time: 14:46
Methanol Vol: -	Sample Amount: 25 mL	Dilution Factor: 1
Test Level: Low	Sparge Size: 25 mL	Heated Purge: (Y/N) N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
8	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
9	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
10	2-BUTANONE	78-93-3	µg/L	10	0.7	J
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	0.5	<0.5	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLTOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	METHYLENE CHLORIDE	75-09-2	µg/L	0.5	<0.5	U
42	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
43	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	1,1,2-TRICHLORO-1,1,2,2-TETRACHLOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
Surrogates				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	91	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	92	
4	TOLUENE-D8	2037-26-5		73-129	106	
# of out-of-control					0	
Internal Standard				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	99	
2	1,4-DICHLOROENZENE-D4	3855-82-1		50-200	105	
3	FLUOROBENZENE	462-06-6		50-200	107	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank
D - Diluted

FORM-2C

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 524.2

Client Name: GEOFON, Inc.

Contract No:

Lab Code: APCL

Case No:

SAS No:

SDG Number: 035772

Project ID: JPL

Project No: 04-4428.10

Sample Matrix: Water

Batch No: 03G4620

#	Client Sample No	Lab Sample ID	S1 % #	S2 % #	S3 % #	S4 % #	TOT OUT
1	03G4620-LCS-01	03G4620-LCS-01	96	91	92	97	0
2	MW-23-2MS	03-5792-9MS	92	84	88	95	0
3	MW-23-2MSD	03-5792-9MSD	94	90	92	97	0
4	03G4620-MB-01	03G4620-MB-01	98	94	94	104	0
5	TB-1-10-22-03	03-5772-12	97	91	92	106	0
6	EB-1-10-22-03	03-5772-1	97	93	94	106	0
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

QC Control Limit

S1 = 1-BROMO-4-FLUOROBENZENE (4-BROMOFL	70-129
S2 = 1,2-DICHLOROETHANE-D4	70-129
S3 = DIBROMOFLUOROMETHANE	70-122
S4 = TOLUENE-D8	73-129

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits D - Surrogate diluted out I - Matrix Interference

FORM-2C

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 524.2

Client Name: GEOFON, Inc.
 Case No:
 Project ID: JPL

Contract No:
 SAS No:
 Project No: 04-4428.10
 Batch No: 03G4617

Lab Code: APCL
 Service ID: 035772
 Sample Matrix: Water

#	Client Sample No	Lab Sample ID	S1 % #	S2 % #	S3 % #	S4 % #	TOT OUT
1	03G4617-LCS-01	03G4617-LCS-01	96	91	92	95	0
2	MW-11-2MS	03-5772-3MS	98	92	94	97	0
3	MW-11-2MSD	03-5772-3MSD	98	91	94	98	0
4	03G4617-MB-01	03G4617-MB-01	97	94	93	105	0
5	MW-11-1	03-5772-2	95	95	94	105	0
6	MW-11-2	03-5772-3	96	95	95	105	0
7	MW-11-3	03-5772-4	98	93	94	106	0
8	MW-11-4	03-5772-5	97	95	96	105	0
9	MW-11-5	03-5772-6	96	94	95	106	0
10	MW-22-1	03-5772-7	96	96	94	106	0
11	MW-22-2	03-5772-8	97	93	94	107	0
12	MW-22-3	03-5772-9	98	94	96	107	0
13	MW-22-4	03-5772-10	97	92	93	109	0
14	MW-22-5	03-5772-11	97	94	94	107	0
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

QC Control Limit

S1 = 1-BROMO-4-FLUOROBENZENE (4-BROMOFL) 70-129
 S2 = 1,2-DICHLOROETHANE-D4 70-129
 S3 = DIBROMOFLUOROMETHANE 70-122
 S4 = TOLUENE-D8 73-129

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits D - Surrogate diluted out I - Matrix Interference

FORM-3C

Applied P & Ch Laboratory

Lab Control Spike/Lab Control Spike Duplicate Recovery for Method 524.2

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 35772
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03G4620	
LCS Filename: G4620L01	Date Analyzed: 102803	Time Analyzed: 11:07
LCSID Filename: -	Date Analyzed: -	Time Analyzed: -

Spiked Components	Unit	Spike Added	Concentration		LCS Rec% #	QC Limit, % REC
			Unspiked	LCS		
BENZENE	µg/L	20	0	18.6	93	65-120
CHLOROBENZENE	µg/L	20	0	19.0	95	65-134
1,1-DICHLOROETHENE	µg/L	20	0	21.0	105	65-127
TOLUENE	µg/L	20	0	18.3	92	65-134
TRICHLOROETHENE	µg/L	20	0	19.6	98	67-122
# of Out-of-control					0	

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits D - Spiked components diluted out

Comments: _____

FORM-3C

Applied P & Ch Laboratory

Matrix Spike/Matrix Spike Duplicate Recovery for Method 524.2

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 35772
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03G4620	
MS Filename: G4620M01	Date Analyzed: 102803	Time Analyzed: 11:32
MSD Filename: G4620N01	Date Analyzed: 102803	Time Analyzed: 11:58
MS Sample No: MW-23-2	Sample Lab ID: 03-5792-9	

Spiked Components	Unit	Spike Added	Concentration		MS Rec% #	QC Limit, % REC
			Unspiked	MS		
BENZENE	µg/L	20	0	18.3	92	65-121
CHLOROBENZENE	µg/L	20	0	18.4	92	65-134
1,1-DICHLOROETHENE	µg/L	20	0	21.2	106	65-127
TOLUENE	µg/L	20	0	18.1	91	65-134
TRICHLOROETHENE	µg/L	20	0.5	20.0	98	65-125
# of Out-of-control					0	

Spiked Components	Unit	Spike Added	MSD Concentration	MSD Rec% #	RPD% #	QC Limit, %	
						RPD	REC
BENZENE	µg/L	20	18.5	93	1	28	65-121
CHLOROBENZENE	µg/L	20	18.6	93	1	35	65-134
1,1-DICHLOROETHENE	µg/L	20	20.2	101	5	31	65-127
TOLUENE	µg/L	20	18.2	91	0	35	65-134
TRICHLOROETHENE	µg/L	20	19.9	97	1	30	65-125
# of Out-of-control				0	0		

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits

D - Spiked components diluted out

Comments: _____

FORM-3C

Applied P & Ch Laboratory

Lab Control Spike/Lab Control Spike Duplicate Recovery for Method 524.2

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 35772
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03G4617	
LCS Filename: G4617L01	Date Analyzed: 102703	Time Analyzed: 22:33
LCSID Filename: -	Date Analyzed: -	Time Analyzed: -

Spiked Components	Unit	Spike Added	Concentration		LCS Rec% #	QC Limit, % REC
			Unspiked	LCS		
BENZENE	µg/L	20	0	18.3	92	65-120
CHLORO BENZENE	µg/L	20	0	18.4	92	65-134
1,1-DICHLOROETHENE	µg/L	20	0	20.4	102	65-127
TOLUENE	µg/L	20	0	17.9	90	65-134
TRICHLOROETHENE	µg/L	20	0	19.4	97	67-122
# of Out-of-control					0	

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits

D - Spiked components diluted out

Comments: _____

FORM-3C

Applied P & Ch Laboratory

Matrix Spike/Matrix Spike Duplicate Recovery for Method 524.2

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 35772
Project ID: JPL	Project No: 04-4428.10	Sample Matrix: Water
	Batch No: 03G4617	
MS Filename: G4617M01	Date Analyzed: 102703	Time Analyzed: 23:25
MSD Filename: G4617N01	Date Analyzed: 102703	Time Analyzed: 23:53
MS Sample No: MW-11-2	Sample Lab ID: 03-5772-3	

Spiked Components	Unit	Spike Added	Concentration		MS Rec% #	QC Limit, % REC
			Unspiked	MS		
BENZENE	µg/L	20	0	18.7	94	65-121
CHLOROBENZENE	µg/L	20	0	18.8	94	65-134
1,1-DICHLOROETHENE	µg/L	20	0	20.6	103	65-127
TOLUENE	µg/L	20	0	18.3	92	65-134
TRICHLOROETHENE	µg/L	20	0	19.6	98	65-125
# of Out-of-control					0	

Spiked Components	Unit	Spike Added	MSD Concentration	MSD Rec% #	RPD% #	QC Limit, %	
						RPD	REC
BENZENE	µg/L	20	18.8	94	0	28	65-121
CHLOROBENZENE	µg/L	20	18.8	94	0	35	65-134
1,1-DICHLOROETHENE	µg/L	20	19.6	98	5	31	65-127
TOLUENE	µg/L	20	18.7	94	2	35	65-134
TRICHLOROETHENE	µg/L	20	19.9	100	2	30	65-125
# of Out-of-control				0	0		

Column to be used to flag recovery and RPD values:

* - Values outside of contract required QC Limits

D - Spiked components diluted out

Comments: _____

FORM-4C

Applied P & Ch Laboratory

Method Blank Summary for Method 524.2

Client Name: GEOFON, Inc.

Contract No:

Lab Code: APCL

Case No:

SAS No:

Service ID: 35772

Project ID: JPL

Project No: 04-4428.10

Analysis Date: 10/28/03

Sample Matrix: Water

Analysis Time: 14:20

Sample ID: 03G4620-MB-01

Batch No: 03G4620

Instrument ID: GC/MS: A

Lab Sample ID: 03G4620-MB-01

Data File Name: G4620K01

GC Column: HP-VOC

Heated Purge: (Y/N) N

Column ID: 0.20 mm

This Method Blank applies to the following samples and QC samples:

#	Client Sample No	Lab Sample ID	Sample Type	Data Filename	Analysis Date	Analysis Time
1	03G4620-LCS-01	03G4620-LCS-01	Lab Control Spike	G4620L01	10/28/03	11:07
2	MW-23-2MS	03-5792-9MS	Matrix Spike	G4620M01	10/28/03	11:32
3	MW-23-2MSD	03-5792-9MSD	Matrix Spike Duplicate	G4620N01	10/28/03	11:58
4	TB-1-10-22-03	03-5772-12	Field Sample	5772-12	10/28/03	14:46
5	EB-1-10-22-03	03-5772-1	Field Sample	5772-01	10/28/03	15:12
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						

FORM-4C

Applied P & Ch Laboratory


Method Blank Summary for Method 524.2

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 35772
Project ID: JPL	Project No: 04-4428.10	Analysis Date: 10/28/03
Sample ID: 03G4617-MB-01	Sample Matrix: Water	Analysis Time: 02:28
Lab Sample ID: 03G4617-MB-01	Batch No: 03G4617	Instrument ID: GC/MS: A
	Data File Name: G4617K01	GC Column: HP-VOC
	Heated Purge: (Y/N) N	Column ID: 0.20 mm

This Method Blank applies to the following samples and QC samples:

#	Client Sample No	Lab Sample ID	Sample Type	Data Filename	Analysis Date	Analysis Time
1	03G4617-LCS-01	03G4617-LCS-01	Lab Control Spike	G4617L01	10/27/03	22:33
2	MW-11-2MS	03-5772-3MS	Matrix Spike	G4617M01	10/27/03	23:25
3	MW-11-2MSD	03-5772-3MSD	Matrix Spike Duplicate	G4617N01	10/27/03	23:53
4	MW-11-1	03-5772-2	Field Sample	5772-02	10/28/03	02:54
5	MW-11-2	03-5772-3	Field Sample	5772-03	10/28/03	03:20
6	MW-11-3	03-5772-4	Field Sample	5772-04	10/28/03	03:46
7	MW-11-4	03-5772-5	Field Sample	5772-05	10/28/03	04:12
8	MW-11-5	03-5772-6	Field Sample	5772-06	10/28/03	04:38
9	MW-22-1	03-5772-7	Field Sample	5772-07	10/28/03	05:04
10	MW-22-2	03-5772-8	Field Sample	5772-08	10/28/03	05:30
11	MW-22-3	03-5772-9	Field Sample	5772-09	10/28/03	05:56
12	MW-22-4	03-5772-10	Field Sample	5772-10	10/28/03	06:22
13	MW-22-5	03-5772-11	Field Sample	5772-11	10/28/03	06:48
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						

Data File : C:\MSDCHEM\1\DATA\03G4612\G4612P01.D
 Vial: 1
 Acq On : 21 Oct 2003 9:14 am
 Operator: zou
 Sample : ##03g4565,w 50ng
 Inst : GCMS-A
 Misc :
 Multiplr: 1.00
 MS Integration Params: Lscint.p
 Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2



Spectrum Information: Average of 12.736 to 12.748 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result
50	95	15	40	17.0	11745	PASS
75	95	30	60	45.0	31162	PASS
95	95	100	100	100.0	69181	PASS
96	95	5	9	6.6	4558	PASS
173	174	0.00	2	0.5	275	PASS
174	95	50	100	87.4	60456	PASS
175	174	5	9	7.7	4634	PASS
176	174	95	101	98.1	59312	PASS
177	176	5	9	7.0	4135	PASS

5A
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name : APPLIED P & CH LAB Contract: _____
 Lab Code: _____ Case No.: _____ SAS No.: _____ SDG No.: 035772
 Lab File ID: G 3415 P01 BFB Injection Date: 10/21/03
 Instrument ID: GCMS-A BFB Injection Time: 0914
 GC Column: HP-VOC ID: 0.20 (mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	17.0
75	30.0 - 60.0% of mass 95	45.0
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.4 (0.5)1
174	50.0 - 100.0% of mass 95	87.4
175	5.0 - 9.0% of mass 174	6.7 (7.7)1
176	95.0 - 101.0% of mass 174	85.7 (98.1)1
177	5.0 - 9.0% of mass 176	6.0 (7.0)2

1-Value is % mass 174

2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD0003	3-A0003	3-A0003.D	10/21/03	1005
02	VSTD002	3-0002	3-0002.D	10/21/03	1031
03	VSTD010	3-0010	3-0010.D	10/21/03	1056
04	VSTD020	3-0020	3-0020.D	10/21/03	1122
05	VSTD040	3-0040	3-0040.D	10/21/03	1147
06	VSTD060	3-0060	3-0060.D	10/21/03	1214
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

INITIAL CALIBRATION SUMMARY

Method File e524a003
 Last Calibration Update Mon Oct 27 13:56:31 2003

Level 1 File Name	3-A0003.D	Level 1 ID	3
Level 2 File Name	3-002.D	Level 2 ID	2
Level 3 File Name	3-0010.D	Level 3 ID	10
Level 4 File Name	3-0020.D	Level 4 ID	20
Level 5 File Name	3-0040.D	Level 5 ID	40
Level 6 File Name	3-0060.D	Level 6 ID	60
Level 7 File Name	3-0020.D	Level 7 ID	cc

Compound Name	Level 1 Response	Level 2 Response	Level 3 Response	Level 4 Response	Level 5 Response	Level 6 Response	Level 7 Response	Coeff X ⁿ 0	Coeff X ⁿ 1 / ave RF	Coeff X ⁿ 2	R ² / RSD
1 Fluorobenzene	920067	916201	919392	955116	907151	1006211	-1	0.0000	0.2011	0.0000	0.1330
3 di-Cl-di-F-methane	6437	39097	199979	303885	731076	1099511	-1	0.0000	0.1997	0.0000	0.0704
4 Chloromethane	6136	37417	181676	348991	739859	1132557	-1	0.0000	0.1997	0.0000	0.0704
2 F114	1527	19306	101058	155932	367886	551592	-1	0.0028	0.0932	0.0000	0.9919
5 vinyl chloride	4876	33446	161213	285451	640709	982033	-1	0.0000	0.1705	0.0000	0.0717
6 bromomethane	2539	18408	87613	168214	383891	601141	-1	0.0000	0.0969	0.0000	0.0659
7 chloroethane	2197	17752	90280	159905	376464	536590	-1	0.0000	0.0918	0.0000	0.1013
8 tri-Cl-F-methane	8394	56082	277768	461283	1030751	1532166	-1	0.0000	0.2819	0.0000	0.0992
91 Acetonitrile X10	10689	82041	382813	794170	1713507	2428244	-1	0.0000	0.0431	0.0000	0.0662
9 acrolein X10	5645	40130	201945	381523	807796	1232252	-1	0.0000	0.0212	0.0000	0.0467
11 acetone X10	-1	64324	288996	538495	1267205	1816586	-1	0.0000	0.0319	0.0000	0.0947
12 ethyl ether X5	13693	93915	436367	874255	1704647	2654028	-1	0.0000	0.0950	0.0000	0.0552
13 11-dichloroethane	6637	46215	229524	410040	877445	1367991	-1	0.0000	0.2376	0.0000	0.0605
14 Iodomethane	3461	29384	183879	356970	751141	1123042	-1	0.0038	0.1913	0.0000	0.9951
15 F-113	4492	28088	146108	224035	516639	784890	-1	0.0000	0.1441	0.0000	0.1231
16 acrylonitrile X10	10574	78358	419836	794346	1709905	2532493	-1	0.0000	0.0429	0.0000	0.0731
17 carbon disulfide	13839	85463	420250	772812	1671671	2561651	-1	0.0000	0.4524	0.0000	0.0750
94 Isopropyl AlcoholX10	331	1284	1238	28714	240070	128634	-1	0.0000	0.0020	0.0000	1.1427
18 methylene chloride	10278	48191	203033	407143	804880	1192483	-1	0.0203	0.2012	0.0000	0.9947
19 t-12-di-Cl-ethene	6615	45733	217854	407874	774111	1126298	-1	0.0000	0.2233	0.0000	0.1039
20 t-Bu-Me-ether	9529	70095	362056	751228	1592599	2437498	-1	0.0000	0.3929	0.0000	0.0773
95 Tert butyl alcoholX10	1332	4624	88338	76985	452680	251872	-1	0.0000	0.0066	0.0000	0.6496

94 allyl chloride	10689	82041	426268	794170	1724483	2428244	-1	0.0000	0.4409	0.0000	0.0706
21 11-dichloroethane	10035	71189	342138	689918	1398310	2101878	-1	0.0000	0.3698	0.0000	0.0415
97 propionitrile	103	3119	18745	29270	62391	109975	-1	0.0000	0.0176	0.0000	0.1055
22 c-12-di-Cl-ethene	6459	46844	225560	436935	845644	1210430	-1	0.0000	0.2329	0.0000	0.0801
23 22-Dichloropropane	5693	38859	218612	456844	979998	1513030	-1	0.0000	0.2360	0.0000	0.1011
24 Br-Cl-methane	3294	23046	109590	215148	438926	655419	-1	0.0000	0.1177	0.0000	0.0523
25 chloroform	13164	80631	375460	741683	1492648	2229387	-1	0.0000	0.4157	0.0000	0.0920
26 tetrahydrofuranX5	4044	28808	169729	317711	726346	1114014	-1	0.0000	0.0346	0.0000	0.1155
98 Diisopropyl ether	16931	136442	688556	1387177	2723439	4088155	-1	0.0000	0.7101	0.0000	0.0772
27 Di-Br-F-Me (surr)	6137	45047	218874	439096	880145	1314263	-1	0.0000	0.2348	0.0000	0.0481
99 ETBE	9591	74005	411030	879689	1934215	2984281	-1	0.0000	0.4477	0.0000	0.1468
29 1,2-Di-Cl-Et-d4 (S1)	5167	39287	192209	385356	801084	1206050	-1	0.0000	0.2091	0.0000	0.0418
30 12-dichloroethane	2318	14864	77221	146461	303955	463659	-1	0.0000	0.0811	0.0000	0.0434
32 vinyl acetate X5	36279	291623	1683396	3463521	7301957	11062661	-1	0.0000	0.3465	0.0000	0.1412
92 Nitro Methane(X10)	1574	10571	358371	95786	134103	298076	-1	0.0000	0.0117	0.0000	1.3083
33 2-butanoneMEK X10	14739	98541	459782	956754	2014463	3034414	-1	0.0000	0.0522	0.0000	0.0453
93 Ethyl Acetate x2	6463	37342	237607	465630	1199719	1687653	-1	0.0000	0.1292	0.0000	0.1682
34 111-trichloroethane	9393	63933	333945	629233	1352461	2070811	-1	0.0000	0.3496	0.0000	0.0454
35 11-Di-Cl-propene	6749	49362	260487	484228	1020849	1516179	-1	0.0000	0.2639	0.0000	0.0625
36 benzene	23536	167998	811668	1581767	3067808	4519766	-1	0.0000	0.8457	0.0000	0.0673
37 CC14	9052	59763	312695	555550	1228562	1842053	-1	0.0000	0.3215	0.0000	0.0608

Compound Name	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Coeff X^0	Coeff X^1 / ave RF	Coeff X^2	R^2 / RSD
	Response	Response	Response	Response	Response	Response	Response				
100 Isobutyl alcoholx10	2932	21047	112031	247109	552842	880424	-1	-----	-----	-----	-----
38 thiophene	10222	83170	428533	868274	1718044	2554816	-1	0.0000	0.4403	0.0000	0.0870
39 12-di-Cl-propane	4815	37555	178169	370946	752605	1124998	-1	0.0000	0.1935	0.0000	0.0628
40 trichloroethene	7696	50098	255616	501517	1020048	1520360	-1	0.0000	0.2710	0.0000	0.0423
41 dibromomethane	3770	26033	124373	247759	508912	747601	-1	0.0000	0.1346	0.0000	0.0506
101 TAME	7879	59032	335735	716981	1622049	2525816	-1	-0.0345	0.4304	0.0000	0.9963
42 Br-di-Cl-methane	9392	56733	274489	546104	1129675	1703118	-1	0.0000	0.3046	0.0000	0.0694
43 Me-methacrylate	1457	14747	87065	188318	435160	662734	-1	-0.0095	0.1138	0.0000	0.9946
44 2-ClEt-VI-ether10	4887	45249	275793	591932	1294105	1950851	-1	-0.0367	0.0357	0.0000	0.9955
45 c-13-di-Cl-propene	6769	54923	293425	608486	1252896	1891415	-1	0.0000	0.3069	0.0000	0.1096
46 t-1,3-dichloropropene	5153	40425	231011	505285	1067475	1638452	-1	-0.0097	0.2792	0.0000	0.9968
47 Chlorobezene-d5	745928	732691	724575	731811	659336	705610	-1	0.0000	1.0000	0.0000	0.0000

Compound Name	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Coeff X ^{v0}	Coeff X ^{v1} / ave RF	Coeff X ^{v2}	R ^{v2} / RSD
	Response	Response	Response	Response	Response	Response	Response				
48 112-tri-Cl-Et	4896	31570	158039	308164	644393	936372	-1	0.0000	0.2214	0.0000	0.0533
49 13-di-Cl-propane	7569	48826	251096	479955	958048	1392110	-1	0.0000	0.3397	0.0000	0.0396
50 Et methacrylate	2785	29334	189197	404574	897662	1374874	-1	-0.0430	0.3345	0.0000	0.9960
51 di-Br-Cl-methane	7359	44728	219307	430191	895491	1332246	-1	0.0000	0.3141	0.0000	0.0548
52 bromoform	4029	26611	127022	257402	537161	813031	-1	0.0000	0.1848	0.0000	0.0599
53 1,4-dichlorobutane-2	7248	52525	270048	530472	1118631	1708578	-1	0.0000	0.3742	0.0000	0.0947
54 MIBK	2727	20267	114402	244409	567049	883730	-1	-0.0334	0.2144	0.0000	0.9947
55 toluene-d8	22176	162055	811859	1597728	3175057	4699033	-1	0.0000	1.1038	0.0000	0.0617
56 toluene	32453	204349	957684	1867212	3679239	5453434	-1	0.0000	1.3542	0.0000	0.0513
57 2-hexanone X5	8296	70148	400071	806303	1789801	2714840	-1	-0.0660	0.1318	0.0000	0.9958
58 12-dibromoethane	4393	32436	159989	322735	683020	1029927	-1	0.0000	0.2269	0.0000	0.0954
59 tetra-Cl-ethene	8603	59173	281865	498130	1001817	1436032	-1	0.0000	0.3728	0.0000	0.0719
60 chlorobenzene	21200	144953	676974	1307160	2492370	3536493	-1	0.0000	0.9241	0.0000	0.0576
61 1112-tetra-Cl-Et	7365	51367	249086	487380	969491	1437439	-1	0.0000	0.3439	0.0000	0.0403
62 1,4-Dichlorobenzene-d4	436784	441685	431820	433290	398842	428493	-1	0.0000	1.0000	0.0000	0.0000
63 1-chlorohexane	3125	20185	105292	181129	379300	546400	-1	0.0000	0.2284	0.0000	0.0636
64 Et-Bz	31613	225200	1128701	2162672	4307205	6378701	-1	0.0000	2.5420	0.0000	0.0404
65 m/p-Xylenes X2	51588	364290	1753788	3322945	6407191	9314343	-1	0.0000	1.9663	0.0000	0.0463
66 styrene	19899	158986	755749	1448349	2712603	3842415	-1	0.0000	1.6558	0.0000	0.0748
67 o-xylene	25030	181225	888564	1715323	3289680	4761198	-1	0.0000	1.9855	0.0000	0.0445
68 1122-Tetra-Cl-Et	4786	35408	176142	333638	679431	1005365	-1	0.0000	0.3960	0.0000	0.0524
69 123-tri-Cl-Pr	1463	11857	58506	111098	231129	345542	-1	0.0000	0.1315	0.0000	0.0844
70 4-Br-1-F-Bz (S3)	9236	60769	292727	571173	1114624	1638683	-1	0.0000	0.6776	0.0000	0.0376
71 isopropylbenzene	31809	228075	1204677	2257352	4576796	6821750	-1	0.0000	2.6544	0.0000	0.0592
72 bromobenzene	8279	62596	299551	577972	1123002	1610222	-1	0.0000	0.6719	0.0000	0.0539
92 t-1,4-dichloro-2-butene	370	3850	26890	58909	138278	214154	-1	-0.0139	0.0860	0.0000	0.9950
73 n-propylbenzene	9091	70513	355352	656540	1290074	1877926	-1	0.0000	0.7686	0.0000	0.0653
74 2-Cl-Toluene	7570	61543	297725	558317	1084812	1601091	-1	0.0000	0.6518	0.0000	0.0707
75 4-Cl-Toluene	9182	64367	296683	566381	1062470	1497703	-1	0.0000	0.6698	0.0000	0.0750
76 135-tri-Me-Benzene	28727	213694	1063069	2008540	3906361	5670674	-1	0.0000	2.3409	0.0000	0.0517
77 4-Iso-Pr-toluene	31720	226621	1149787	2111126	4215398	6174914	-1	0.0000	2.5215	0.0000	0.0463
78 124-tri-Me-Benzene	29971	222021	1078747	2103275	4147713	6124395	-1	0.0000	2.4513	0.0000	0.0448
79 tert-butylbenzene	24279	177466	929162	1736357	3598467	5289165	-1	0.0000	2.0550	0.0000	0.0671

C:\RPT\ical-voc.xls

80 13-DCB	19447	131664	611576	1176380	2227519	3166301	-1	0.0000	1.3960	0.0000	0.0684
81 sec-butylbenzene	38627	268975	1387531	2530666	5231475	7732088	-1	0.0000	3.0688	0.0000	0.0475
82 14-DCB	21754	133604	619366	1184125	2334471	3417867	-1	0.0000	1.4610	0.0000	0.0806
83 Cl-benzyl	871	5857	44122	106539	268318	431461	-1	-0.0412	0.1731	0.0000	0.9920
84 12-DCB	17721	121367	559240	1055514	2046326	2953834	-1	0.0000	1.2785	0.0000	0.0657
85 n-butylbenzene	8164	59910	307483	567085	1127859	1586385	-1	0.0000	0.6659	0.0000	0.0599
86 12-dlB-2-Cl-Pra	1032	7477	40003	83208	177685	276212	-1	0.0000	0.0951	0.0000	0.1330
87 124-tri-Cl-Bz	9169	66792	354819	702123	1402301	2085639	-1	0.0000	0.7963	0.0000	0.0771
88 naphthalene	11079	87277	545491	1159824	2506296	3927146	-1	-0.1762	1.5623	0.0000	0.9976
89 hx-Cl-butadiene	6445	40287	205532	360400	746186	1096494	-1	0.0000	0.4557	0.0000	0.0644
90 123-Tri-Cl-Bz	7754	57941	307963	600915	1229181	1798500	-1	0.0000	0.6874	0.0000	0.0870

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 13:56:31 2003
 Response via : Initial Calibration

Calibration Files
 .3 =3-A0003.D 2 =3-002.D 10 =3-0010.D
 20 =3-0020.D 40 =3-0040.D 60 =3-0060.D

Compound	.3	2	10	20	40	60	Avg	%RSD
1) I 1 Fluorobenzene	0.233	0.213	0.218	0.159	0.201	0.182	0.201	13.30
2) 3 di-Cl-di-F-m	0.222	0.204	0.198	0.183	0.204	0.188	0.200	7.04
3) P 4 Chloromethan	0.055	0.105	0.110	0.082	0.101	0.091	0.091	22.20
4) 2 F114	0.177	0.183	0.175	0.149	0.177	0.163	0.171	7.17
5) C 5 vinyl chlori	0.092	0.100	0.095	0.088	0.106	0.100	0.097	6.59
6) 6 bromomethane	0.080	0.097	0.098	0.084	0.104	0.089	0.092	10.13
7) 7 chloroethane	0.304	0.306	0.302	0.241	0.284	0.254	0.282	9.92
8) 8 tri-Cl-F-met	0.045	0.042	0.042	0.042	0.047	0.040	0.043	6.62
9) 91 Acetonitrile	0.020	0.022	0.022	0.020	0.022	0.020	0.021	4.67
10) 9 acrolein	0.035	0.031	0.028	0.028	0.035	0.030	0.032	9.47
11) 11 acetone X	0.099	0.103	0.095	0.092	0.094	0.088	0.095	5.52
12) 12 ethyl ether	0.240	0.252	0.250	0.215	0.242	0.227	0.238	6.05#
13) M, C13 11-dichloroe	0.125	0.160	0.200	0.187	0.207	0.186	0.178	16.98
14) 14 Iodomethane	0.163	0.153	0.159	0.117	0.142	0.130	0.144	12.31
15) 15 F-113	0.038	0.043	0.046	0.042	0.047	0.042	0.043	7.31
16) 16 acrylonitril	0.501	0.466	0.457	0.405	0.461	0.424	0.452	7.50
17) 17 carbon disul	0.001	0.001	0.000	0.002	0.007	0.002	0.002	114.27
18) 94 Isopropyl Al	0.372	0.263	0.221	0.213	0.222	0.198	0.248	26.04
19) 18 methylene ch	0.240	0.250	0.237	0.214	0.213	0.187	0.223	10.39
20) 19 t-12-di-Cl-e	0.345	0.383	0.394	0.393	0.439	0.404	0.393	7.73
21) 20 t-Bu-Me-ethe	0.003	0.010	0.004	0.004	0.012	0.004	0.007	64.96
22) 95 Tert butyl a	0.448	0.464	0.464	0.416	0.475	0.402	0.441	7.06
23) 94 allyl chlori	0.364	0.389	0.372	0.361	0.385	0.348	0.370	4.15
24) P 21 11-dichloroe	0.234	0.017	0.020	0.015	0.017	0.018	0.018	10.55
25) 97 propionitril	0.206	0.256	0.245	0.229	0.233	0.200	0.233	8.01
26) 22 c-12-di-Cl-e	0.206	0.212	0.238	0.239	0.270	0.251	0.236	10.11
27) 23 22-Dichlorop	0.119	0.126	0.119	0.113	0.121	0.109	0.118	5.23
28) 24 Br-Cl-methan								

Y 2

0.990

0.995

0.995

(#) = Out of Range
 E524A003.M

Mon Oct 27 13:57:06 2003

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & G Lab** EPA 524.2
 Last Update : Mon Oct 27 13:56:31 2003
 Response via : Initial Calibration

Calibration Files
 .3 =3-A0003.D 2 =3-002.D 10 =3-0010.D
 20 =3-0020.D 40 =3-0040.D 60 =3-0060.D

Compound	.3	2	10	20	40	60	Avg	%RSD
29) C 25 chloroform	0.477	0.440	0.408	0.388	0.411	0.369	0.416	9.20
30) 26 tetrahydrofu	0.029	0.031	0.037	0.033	0.040	0.037	0.035	11.55
31) 98 Disopropyl	0.613	0.745	0.749	0.726	0.751	0.677	0.710	7.72
32) S 27 Di-Br-F-Me (0.246	0.238	0.230	0.243	0.218	0.235	0.235	4.81
33) 99 ETBE	0.347	0.404	0.447	0.461	0.533	0.494	0.448	14.68
34) S 29 1,2-Di-Cl-Et	0.214	0.209	0.202	0.221	0.221	0.200	0.209	4.18
35) 30 12-dichloroe	0.084	0.081	0.084	0.077	0.084	0.077	0.081	4.34
36) 32 vinyl acetat	0.263	0.318	0.366	0.363	0.402	0.366	0.346	14.12
37) 92 Nitro Methan	0.006	0.039	0.005	0.005	0.004	0.005	0.012	130.83
38) 33 2-butanoneME	0.053	0.054	0.050	0.050	0.056	0.050	0.052	4.53
39) 93 Ethyl Acetat	0.117	0.102	0.129	0.122	0.165	0.140	0.129	16.82
40) 34 111-trichlor	0.340	0.349	0.363	0.329	0.373	0.343	0.350	4.54
41) 35 11-Di-Cl-pro	0.245	0.269	0.283	0.253	0.281	0.251	0.264	6.25
42) M 36 benzene	0.853	0.917	0.883	0.828	0.845	0.749	0.846	6.73
43) 37 CCl4	0.328	0.326	0.340	0.291	0.339	0.305	0.321	6.08
44) 100 Isobutyl a1	0.011	0.011	0.012	0.013	0.015	0.015	0.013	13.92
45) 38 thiophene	0.370	0.454	0.466	0.455	0.473	0.423	0.440	8.70
46) C 39 12-di-Cl-pro	0.174	0.205	0.194	0.194	0.207	0.186	0.194	6.28#
47) M 40 trichloroeth	0.279	0.273	0.278	0.263	0.281	0.252	0.271	4.23
48) 41 dibromometha	0.137	0.142	0.135	0.130	0.140	0.124	0.135	5.06
49) 101 TAME	0.285	0.322	0.365	0.375	0.447	0.418	0.369	16.15
50) 42 Br-di-Cl-met	0.340	0.310	0.299	0.286	0.311	0.282	0.305	6.94
51) 43 Me-methacryl	0.053	0.080	0.095	0.099	0.120	0.110	0.093	25.59
52) 44 2-ClEt-Vi-et	0.018	0.025	0.030	0.031	0.036		0.028	24.68
53) 45 c-13-di-Cl-p	0.245	0.300	0.319	0.319	0.345	0.313	0.307	10.96
54) 46 t-1,3-dichlo	0.187	0.221	0.251	0.265	0.294	0.271	0.248	15.58
55) I 47 Chlorobezene-d5	0.219	0.215	0.218	0.211	0.244	0.221	0.221	5.33
56) 48 112-tri-Cl-E								

0.994
 0.993
 0.994
 0.994

(#) = Out of Range
 E524A003.M Mon Oct 27 13:57:07 2003

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 13:56:31 2003
 Response via : Initial Calibration

Calibration Files
 .3 =3-A0003.D 2 =3-002.D 10 =3-0010.D
 20 =3-0020.D 40 =3-0040.D 60 =3-0060.D

Compound	.3	2	10	20	40	60	Avg	%RSD
57) 49 1,3-di-Cl-pro	0.338	0.333	0.347	0.328	0.363	0.329	0.340	3.96
58) 50 Et methacryl	0.124	0.200	0.261	0.276	0.340	0.325	0.255	31.77
59) 51 di-Br-Cl-met	0.329	0.305	0.303	0.294	0.340	0.315	0.314	5.48
60) 52 bromoform	0.180	0.182	0.175	0.176	0.204	0.192	0.185	5.99
61) 53 1,4-dichloro	0.324	0.358	0.373	0.362	0.424	0.404	0.374	9.47
62) 54 MIBK	0.122	0.138	0.158	0.167	0.215	0.209	0.168	22.23
63) 55 toluene-d8	0.991	1.106	1.120	1.092	1.204	1.110	1.104	6.17
64) 56 toluene	1.450	1.395	1.322	1.276	1.395	1.288	1.354	5.13
65) 57 2-hexanone X	0.074	0.096	0.110	0.110	0.136	0.128	0.109	20.41
66) 58 1,2-dibromet	0.196	0.221	0.221	0.221	0.259	0.243	0.227	9.54
67) 59 tetra-Cl-eth	0.384	0.404	0.389	0.340	0.380	0.339	0.373	7.19
68) 60 chlorobenzen	0.947	0.989	0.934	0.893	0.945	0.835	0.924	5.76
69) 61 1,1,1,2-tetra-C	0.329	0.351	0.344	0.333	0.368	0.340	0.344	4.03
70) 62 1,4-Dichlorobenzen	-----ISTD-----							
71) 63 1-chlorohexa	0.238	0.228	0.244	0.209	0.238	0.213	0.228	6.36
72) 64 Et-Bz	2.413	2.549	2.614	2.496	2.700	2.481	2.542	4.04#
73) 65 m/p-Xylenes	1.968	2.062	2.031	1.917	2.008	1.811	1.966	4.63
74) 66 styrene	1.519	1.800	1.750	1.671	1.700	1.495	1.656	7.48
75) 67 o-xylene	1.910	2.052	2.058	1.979	2.062	1.852	1.985	4.45
76) 68 1,1,2,2-Tetra-C	0.365	0.401	0.408	0.385	0.426	0.391	0.396	5.24
77) 69 1,2,3-tri-Cl-P	0.112	0.134	0.135	0.128	0.145	0.134	0.131	8.44
78) 70 4-Br-1-F-Bz	0.705	0.688	0.678	0.659	0.699	0.637	0.678	3.76
79) 71 isopropylben	2.428	2.582	2.790	2.605	2.869	2.653	2.654	5.92
80) 72 bromobenzene	0.632	0.709	0.694	0.667	0.704	0.626	0.672	5.39
81) 81) 92 t-1,4-dichlo	0.028	0.044	0.062	0.068	0.087	0.083	0.062	36.62
82) 82) 73 n-propylbenz	0.694	0.798	0.823	0.758	0.809	0.730	0.769	6.53
83) 83) 74 2-Cl-Toluene	0.578	0.697	0.689	0.644	0.680	0.623	0.652	7.07
84) 75 4-Cl-Toluene	0.701	0.729	0.687	0.654	0.666	0.583	0.670	7.50

0.993

0.994

0.992

0.995

(#) = Out of Range
 E524A003.M Mon Oct 27 13:57:07 2003

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 13:56:31 2003
 Response via : Initial Calibration

Calibration Files
 .3 =3-A0003.D 2 =3-002.D 10 =3-0010.D
 20 =3-0020.D 40 =3-0040.D 60 =3-0060.D

Compound	.3	2	10	20	40	60	Avg	%RSD
85) 76 135-tri-Me-B	2.192	2.419	2.462	2.318	2.449	2.206	2.341	5.17
86) 77 4-iso-Pr-tol	2.421	2.565	2.663	2.436	2.642	2.402	2.522	4.63
87) 78 124-tri-Me-B	2.287	2.513	2.498	2.427	2.600	2.382	2.451	4.48
88) 79 tert-butylbe	1.853	2.009	2.152	2.004	2.256	2.057	2.055	6.71
89) 80 13-DCB	1.484	1.490	1.416	1.357	1.396	1.232	1.396	6.84
90) 81 sec-butylben	2.948	3.045	3.213	2.920	3.279	3.007	3.069	4.75
91) 82 14-DCB	1.660	1.512	1.434	1.366	1.463	1.329	1.461	8.06
92) 83 Cl-benzyl	0.066	0.066	0.102	0.123	0.168	0.168	0.116	39.76
93) 84 12-DCB	1.352	1.374	1.295	1.218	1.283	1.149	1.278	6.57
94) 85 n-butylbenze	0.623	0.678	0.712	0.654	0.707	0.621	0.666	5.99
95) 86 12-diBr-2-Cl	0.079	0.085	0.093	0.096	0.111	0.107	0.095	13.30
96) 87 124-tri-Cl-B	0.700	0.756	0.822	0.810	0.879	0.811	0.796	7.71
97) 88 naphthalene	0.845	0.988	1.263	1.338	1.571	1.528	1.256	23.09
98) 89 hx-Cl-butadi	0.492	0.456	0.476	0.416	0.468	0.426	0.456	6.44
99) 90 123-Tri-Cl-B	0.592	0.656	0.713	0.693	0.770	0.700	0.687	8.70


0.989
 0.997

(#) = Out of Range
 E524A003.M

Mon Oct 27 13:57:08 2003

Data File : C:\MSDCHEM\1\DATA\03G4620\G4620P01.D
 Acq On : 28 Oct 2003 10:16 am
 Sample : ##03g4620,w
 Misc :
 MS Integration Params: Lscint.p
 Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P &h Lab** EPA 524.2

Vial: 1
 Operator: zou
 Inst : GCMS-A
 Multiplr: 1.00



Spectrum Information: Average of 12.723 to 12.742 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result
50	95	15	40	20.8	174784	PASS
75	95	30	60	52.7	443210	PASS
95	95	100	100	100.0	841168	PASS
96	95	5	9	6.9	57958	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	74.7	628048	PASS
175	174	5	9	7.9	49902	PASS
176	174	95	101	95.2	598016	PASS
177	176	5	9	6.9	41233	PASS

FORM-5C

Applied P & Ch Laboratory

Volatile Organic Instrument Performance Check for Method 524.2

Bromofluorobenzene (BFB), Part II

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 035772
Project ID: JPL	BFB Inj. Date: <u>10/28/03</u>	Batch No: 03G4620
	BFB Inj. Time: <u>10:16</u>	Sequence No: 03G4620
Project No: 04-4428.10	Instrument ID: A	GC Column: HP-VOC
Data File Name: G4620P01	Heated Purge: (Y/N) N	Column ID: 0.20 mm

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

#	Client Sample No	Lab Sample ID	Data File Name	Date Analyzed	Time Analyzed
1	03G4620-CCV-01	03G4620-CCV-01	G4620Q01	10/28/03	10:41
2	03G4620-LCS-01	03G4620-LCS-01	G4620L01	10/28/03	11:07
3	MW-23-2MS	03-5792-9MS	G4620M01	10/28/03	11:32
4	MW-23-2MSD	03-5792-9MSD	G4620N01	10/28/03	11:58
5	03G4620-MB-01	03G4620-MB-01	G4620K01	10/28/03	14:20
6	TB-1-10-22-03	03-5772-12	5772-12	10/28/03	14:46
7	EB-1-10-22-03	03-5772-1	5772-01	10/28/03	15:12
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					

Continuing Calibration Concentration Summary

Data File G4620Q01
Method File E524A003

<u>Compound Name</u>	<u>Amount</u>	<u>Actual</u>	<u>Units</u>	<u>%Dev</u>	<u>Target Response</u>
1 Fluorobenzene	10	10.00	ppb	0.00	719080
3 di-Cl-di-F-methane	20	20.83	ppb	4.15	301252
4 Chloromethane	20	16.95	ppb	15.24	243461
2 F114	20	20.63	ppb	3.16	140262
5 vinyl chloride	20	19.43	ppb	2.85	238268
6 bromomethane	20	17.37	ppb	13.15	120977
7 chloroethane	20	19.28	ppb	3.61	127300
8 tri-Cl-F-methane	20	23.02	ppb	15.12	466768
91 Acetonitrile X10	200	192.17	ppb	3.91	595388
9 acrolein X10	200	200.14	ppb	0.07	304536
11 acetone X10	200	253.86	ppb	26.93	583192
12 ethyl ether X5	100	101.28	ppb	1.28	691916
13 11-dichloroethene	20	22.16	ppb	10.79	378524
14 Iodomethane	20	12.88	ppb	35.59	179929
15 F-113	20	24.66	ppb	23.32	255574
16 acrylonitrile X10	200	184.74	ppb	7.63	569881
17 carbon disulfide	20	20.99	ppb	4.97	682950
94 Isopropyl Alcoholx10	200	366.58	ppb	83.29	53970
18 methylene chloride	20	19.03	ppb	4.85	289873
19 t-12-di-Cl-ethene	20	19.48	ppb	2.60	312758
20 t-Bu-Me-ether	20	21.02	ppb	5.08	593788
95 Tert butyl alcoholx10	200	372.56	ppb	86.28	175792
94 allyl chloride	20	18.78	ppb	6.11	595388
21 11-dichloroethane	20	19.29	ppb	3.54	513007
97 propionitrile	20	19.39	ppb	3.06	24577
22 c-12-di-Cl-ethene	20	19.43	ppb	2.84	325413
23 22-Dichloropropane	20	25.01	ppb	25.03	424346
24 Br-Cl-methane	20	18.31	ppb	8.43	155058
25 chloroform	20	18.54	ppb	7.31	554174
26 tetrahydrofuranX5	100	97.66	ppb	2.34	243303
98 Diisopropyl ether	20	19.75	ppb	1.27	1008302
27 Di-Br-F-Me (surr)	20	19.24	ppb	3.80	324840
99 ETBE	20	22.59	ppb	12.93	727107
29 1,2-Di-Cl-Et-d4 (S1)	20	18.78	ppb	6.09	282465
30 12-dichloroethane	20	18.97	ppb	5.17	110548
32 vinyl acetate X5	100	105.54	ppb	5.54	2629680
92 Nitro Methane(x10)	200	97.51	ppb	51.24	81894
33 2-butanoneMEK X10	200	219.73	ppb	9.87	824384
93 Ethyl Acetate x2	40	37.33	ppb	6.67	346819
34 111-trichloroethane	20	21.48	ppb	7.42	540069
35 11-Di-Cl-propene	20	22.55	ppb	12.77	427952
36 benzene	20	19.26	ppb	3.72	1171050
37 CCl4	20	22.42	ppb	12.10	518263

<u>Compound Name</u>	<u>Amount</u>	<u>Actual</u>	<u>Units</u>	<u>%Dev</u>	<u>Target Response</u>
100 Isobutyl alcoholx10	200	212.78	ppb	6.39	196484
38 thiophene	20	19.88	ppb	0.58	629498
39 12-di-Cl-propane	20	19.10	ppb	4.51	265775
40 trichloroethene	20	20.44	ppb	2.22	398334
41 dibromomethane	20	18.84	ppb	5.80	182384
101 TAME	20	19.53	ppb	2.37	579511
42 Br-di-Cl-methane	20	18.31	ppb	8.46	401028
43 Me-methacrylate	20	18.81	ppb	5.94	147039
44 2-ClEt-Vi-ether10	200	174.58	ppb	12.71	422347
45 c-13-di-Cl-propene	20	20.47	ppb	2.33	451611
46 t-1,3-dichloropropene	20	19.66	ppb	1.70	387669
47 Chlorobezene-d5	10	10.00	ppb	0.00	535659
48 112-tri-Cl-Et	20	19.22	ppb	3.88	227988
49 13-di-Cl-propane	20	19.26	ppb	3.72	350349
50 Et methacrylate	20	19.04	ppb	4.79	318190

<u>Compound Name</u>	<u>Amount</u>	<u>Actual</u>	<u>Units</u>	<u>%Dev</u>	<u>Target Response</u>
51 di-Br-Cl-methane	20	19.04	ppb	4.80	320384
52 bromoform	20	19.38	ppb	3.11	191766
53 1,4-dichlorobutane-2	20	19.36	ppb	3.22	387991
54 MIBK	20	18.54	ppb	7.28	195046
55 toluene-d8	20	20.60	ppb	3.01	1218163
56 toluene	20	19.51	ppb	2.45	1415257
57 2-hexanone X5	100	102.93	ppb	2.93	691365
58 12-dibromoethane	20	19.61	ppb	1.94	238329
59 tetra-Cl-ethene	20	21.81	ppb	9.07	435579
60 chlorobenzene	20	20.03	ppb	0.14	991316
61 1112-tetra-Cl-Et	20	19.76	ppb	1.21	364004
62 1,4-Dichlorobenzene-d4	10	10.00	ppb	0.00	319037
63 1-chlorohexane	20	23.10	ppb	15.48	168254
64 Et-Bz	20	21.02	ppb	5.10	1704808
65 m/p-Xylenes X2	40	41.92	ppb	4.79	2629483
66 styrene	20	20.77	PPB	3.85	1097238
67 o-xylene	20	20.85	ppb	4.27	1320977
68 1122-Tetra-Cl-Et	20	19.35	ppb	3.27	244411
69 123-tri-Cl-Pr	20	19.98	ppb	0.10	83805
70 4-Br-1-F-Bz (S3)	20	20.16	ppb	0.81	435869
71 isopropylbenzene	20	21.91	ppb	9.53	1855138
72 bromobenzene	20	21.01	ppb	5.05	450363
92 t-1,4-dichloro-2-butene	20	19.20	ppb	4.01	48233
73 n-propylbenzene	20	22.39	ppb	11.96	549102
74 2-Cl-Toluene	20	21.27	ppb	6.34	442260
75 4-Cl-Toluene	20	20.90	ppb	4.48	446511
76 135-tri-Me-Benzene	20	21.57	ppb	7.87	1611194
77 4-iso-Pr-toluene	20	22.30	ppb	11.50	1793978
78 124-tri-Me-Benzene	20	21.19	ppb	5.96	1657320
79 tert-butylbenzene	20	22.44	ppb	12.22	1471510
80 13-DCB	20	20.56	ppb	2.82	915853
81 sec-butylbenzene	20	22.28	ppb	11.39	2181087

82 14-DCB	20	19.98	ppb	0.08	931458
83 Cl-benzyl	20	21.32	ppb	6.58	104572
84 12-DCB	20	20.27	ppb	1.37	826949
85 n-butylbenzene	20	22.95	ppb	14.76	487621
86 12-diBr-2-Cl-Pra	20	20.60	ppb	2.98	62521
87 124-tri-Cl-Bz	20	22.64	ppb	13.18	575109
88 naphthalene	20	25.06	ppb	25.28	1192657
89 hx-Cl-butadiene	20	23.14	ppb	15.69	336358
90 123-Tri-Cl-Bz	20	22.85	ppb	14.25	501098

Average D % 9.3083057

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4620\G4620Q01.D
 Acq On : 28 Oct 2003 10:41 am
 Sample : F=1
 Misc :
 MS Integration Params: Lscint.p

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P &h Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AVGRF	CCRF	%Dev	Area#	Dev(min)
1 I	1.000	1.000	0.0	75	0.00
2	0.201	0.209	-4.0	99	0.00
3 p	0.200	0.169	15.5	70	0.00
4	0.091	0.098	-7.7	90	0.00
5 C	0.171	0.166	2.9	83	0.00
6	0.097	0.084	13.4	72	0.00
7	0.092	0.089	3.3	80	0.00
8	0.282	0.325	-15.2	101	0.00
9	0.043	0.041	4.7	75	0.00
10	0.021	0.021	0.0	80	0.00
11	0.032	0.041	-28.1#	108	-0.02
12	0.095	0.096	-1.1	79	0.00
13 M, C	0.238	0.263	-10.5	92	0.00
14	0.178	0.125	29.8#	50	0.00
15	0.144	0.178	-23.6#	114	0.00
16	0.043	0.040	7.0	72	0.00
17	0.452	0.475	-5.1	88	0.00
18	0.002	0.004	-100.0#	188	-0.12
19	0.248	0.202	18.5	71	0.00
20	0.223	0.217	2.7	77	0.00
21	0.393	0.413	-5.1	79	0.00
22	0.007	0.012	-71.4#	228#	-0.07
23	0.441	0.414	6.1	75	0.00
24 p	0.370	0.357	3.5	74	0.00
25	0.018	0.017	5.6	84	-0.02
26	0.233	0.226	3.0	74	0.00

(#) = Out of Range
 G4620Q01.D E524A003.M Wed Oct 29 11:25:12 2003

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4620\G4620Q01.D
 Acq On : 28 Oct 2003 10:41 am
 Sample : F=1
 Misc :
 MS Integration Params: Lscint.p
 Operator: zou
 Inst : GCMS-A
 Multiplr: 1.00

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRF	CCRF	%Dev	Area#	Dev (min)		
27	23	22-Dichloropropane	0.236	0.295	-25.0#	93	0.00
28	24	Br-Cl-methane	0.118	0.108	8.5	72	0.00
29	C	25 chloroform	0.416	0.385	7.5	75	0.00
30		26 tetrahydrofuranX5	0.035	0.034	2.9	77	-0.01
31	S	98 Disopropyl ether	0.710	0.701	1.3	73	0.00
32	S	27 Di-Br-F-Me (surr)	0.235	0.226	3.8	74	0.00
33		99 ETBE	0.448	0.506	-12.9	83	0.00
34	S	29 1,2-Di-Cl-Et-d4 (SI)	0.209	0.196	6.2	73	0.00
35		30 12-dichloroethane	0.081	0.077	4.9	75	0.00
36		32 vinyl acetate X5	0.346	0.366	-5.8	76	0.00
37		92 Nitro Methane(X10)	0.012	0.006	50.0#	85	-0.03
38		33 2-butanoneMEK X10	0.052	0.057	-9.6	86	-0.01
39		93 Ethyl Acetate x2	0.129	0.121	6.2	74	0.00
40		34 111-trichloroethane	0.350	0.376	-7.4	86	0.00
41	M	35 11-Di-Cl-propene	0.264	0.298	-12.9	88	0.00
42	M	36 benzene	0.846	0.814	3.8	74	0.00
43		37 CCl4	0.321	0.360	-12.1	93	0.00
44		100 Isobutyl alcoholX10	0.013	0.014	-7.7	80	0.00
45	C	38 thiophene	0.440	0.438	0.5	72	0.00
46	C	39 12-di-Cl-propane	0.194	0.185	4.6	72	0.00
47	M	40 trichloroethene	0.271	0.277	-2.2	79	0.00
48		41 dibromomethane	0.135	0.127	5.9	74	0.00
49		101 TAME	0.369	0.403	-9.2	81	0.00
50		42 Br-di-Cl-methane	0.305	0.279	8.5	73	0.00
51		43 Me-methacrylate	0.093	0.102	-9.7	78	0.00
52		44 2-ClEt-Vl-ether10	0.028	0.029	-3.6	71	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4620\G4620Q01.D Vial: 2
 Acq On : 28 Oct 2003 10:41 am Operator: zou
 Sample : f=1 Inst : GCMS-A
 Misc : Multiplr: 1.00
 MS Integration Params: Lscint.p

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRRF	CCRF	%Dev Area%	Dev(min)				
53	45	C-13-di-Cl-propene	0.307	0.314	-2.3	74	0.00	
54	46	t-1,3-dichloropropene	0.248	0.270	-8.9	77	0.00	
55	I	47	Chlorobezene-d5	1.000	1.000	0.0	73	0.00
56		48	112-tri-Cl-Et	0.221	0.213	3.6	74	0.00
57		49	13-di-Cl-propane	0.340	0.327	3.8	73	0.00
58		50	Et methacrylate	0.255	0.297	-16.5	79	0.00
59		51	di-Br-Cl-methane	0.314	0.299	4.8	74	0.00
60	P	52	bromoform	0.185	0.179	3.2	75	0.00
61		53	1,4-dichlorobutane-2	0.374	0.362	3.2	73	0.00
62		54	MIBK	0.168	0.182	-8.3	80	0.00
63	S	55	toluene-d8	1.104	1.137	-3.0	76	0.00
64	M,C	56	toluene	1.354	1.321	2.4	76	0.00
65		57	2-hexanone X5	0.109	0.129	-18.3	86	0.00
66		58	12-dibromoethane	0.227	0.222	2.2	74	0.00
67		59	tetra-Cl-ethene	0.373	0.407	-9.1	87	0.00
68	M,P	60	chlorobenzene	0.924	0.925	-0.1	76	0.00
69		61	1112-tetra-Cl-Et	0.344	0.340	1.2	75	0.00
70	I	62	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	74	0.00
71		63	1-chlorohexane	0.228	0.264	-15.8	93	0.00
72	C	64	Et-Bz	2.542	2.672	-5.1	79	0.00
73		65	m/p-Xylenes X2	1.966	2.060	-4.8	79	0.00
74		66	styrene	1.656	1.720	-3.9	76	0.00
75		67	o-xylene	1.985	2.070	-4.3	77	0.00
76	P	68	1122-Tetra-Cl-Et	0.396	0.383	3.3	73	0.00

(#) = Out of Range
 G4620Q01.D E524A003.M Wed Oct 29 11:25:13 2003

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4620\G4620Q01.D Vial: 2
 Acq On : 28 Oct 2003 10:41 am Operator: zou
 Sample : F=1 Inst : GCMS-A
 Misc : Multiplr: 1.00
 MS Integration Params: Lscint.p

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration


Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRRF	CCRF	%Dev	Area	% Dev	(min)
77	69	123-tri-Cl-Pr	0.131	0.131	0.0	75
78	S	70 4-Br-1-F-Bz (S3)	0.678	0.683	-0.7	76
79		71 Isopropylbenzene	2.654	2.907	-9.5	82
80		72 bromobenzene	0.672	0.706	-5.1	78
81		92 t-1,4-dichloro-2-butene	0.062	0.076	-22.6#	82
82		73 n-propylbenzene	0.769	0.861	-12.0	84
83		74 2-Cl-Toluene	0.652	0.693	-6.3	79
84		75 4-Cl-Toluene	0.670	0.700	-4.5	79
85		76 135-tri-Me-Benzene	2.341	2.525	-7.9	80
86		77 4-iso-Pr-toluene	2.522	2.812	-11.5	85
87		78 124-tri-Me-Benzene	2.451	2.597	-6.0	79
88		79 tert-butylbenzene	2.055	2.306	-12.2	85
89		80 13-DCB	1.396	1.435	-2.8	78
90		81 sec-butylbenzene	3.069	3.418	-11.4	86
91		82 14-DCB	1.461	1.460	0.1	79
92		83 Cl-benzyl	0.116	0.164	-41.4#	98
93		84 12-DCB	1.278	1.296	-1.4	78
94		85 n-butylbenzene	0.666	0.764	-14.7	86
95		86 12-diBr-2-Cl-Pra	0.095	0.098	-3.2	75
96		87 124-tri-Cl-Bz	0.796	0.901	-13.2	82
97		88 naphthalene	1.256	1.869	-48.8#	103
98		89 hx-Cl-butadiene	0.456	0.527	-15.6	93
99		90 123-Tri-Cl-Bz	0.687	0.785	-14.3	83

(#) = Out of Range SPPC's out = 0 CCC's out = 0
 G4620Q01.D E524A003.M Wed Oct 29 11:25:14 2003

Data File : C:\MSDCHEM\1\DATA\03G4617\G4617P01.D
 Acq On : 27 Oct 2003 9:42 pm
 Sample : ##03g4617,w
 Misc :
 MS Integration Params: Lscint.p
 Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P &ch Lab** EPA 524.2

Vial: 1
 Operator: zou
 Inst : GCMS-A
 Multiplr: 1.00



AutoFind: Scans 1801, 1802, 1803; Background Corrected with Scan 1794

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result
50	95	15	40	16.2	37934	PASS
75	95	30	60	43.9	102952	PASS
95	95	100	100	100.0	234389	PASS
96	95	5	9	6.8	16024	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	88.7	207786	PASS
175	174	5	9	7.7	16074	PASS
176	174	95	101	96.3	200021	PASS
177	176	5	9	6.6	13138	PASS

FORM-5C

Applied P & Ch Laboratory

Volatile Organic Instrument Performance Check for Method 524.2

Bromofluorobenzene (BFB), Part II

Client Name: GEOFON, Inc.	Contract No:	Lab Code: APCL
Case No:	SAS No:	Service ID: 035772
Project ID: JPL	BFB Inj. Date: <u>10/27/03</u>	Batch No: 03G4617
	BFB Inj. Time: <u>21:42</u>	Sequence No: 03G4617
Project No: 04-4428.10	Instrument ID: A	GC Column: HP-VOC
Data File Name: G4617P01	Heated Purge: (Y/N) N	Column ID: 0.20 mm

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS AND STANDARDS:

#	Client Sample No	Lab Sample ID	Data File Name	Date Analyzed	Time Analyzed
1	03G4617-CCV-01	03G4617-CCV-01	G4617Q01	10/27/03	22:08
2	03G4617-LCS-01	03G4617-LCS-01	G4617L01	10/27/03	22:33
3	MW-11-2MS	03-5772-3MS	G4617M01	10/27/03	23:25
4	MW-11-2MSD	03-5772-3MSD	G4617N01	10/27/03	23:53
5	03G4617-MB-01	03G4617-MB-01	G4617K01	10/28/03	02:28
6	MW-11-1	03-5772-2	5772-02	10/28/03	02:54
7	MW-11-2	03-5772-3	5772-03	10/28/03	03:20
8	MW-11-3	03-5772-4	5772-04	10/28/03	03:46
9	MW-11-4	03-5772-5	5772-05	10/28/03	04:12
10	MW-11-5	03-5772-6	5772-06	10/28/03	04:38
11	MW-22-1	03-5772-7	5772-07	10/28/03	05:04
12	MW-22-2	03-5772-8	5772-08	10/28/03	05:30
13	MW-22-3	03-5772-9	5772-09	10/28/03	05:56
14	MW-22-4	03-5772-10	5772-10	10/28/03	06:22
15	MW-22-5	03-5772-11	5772-11	10/28/03	06:48
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					

Continuing Calibration Concentration Summary

Data File g4617q01

Method File e524a003

<u>Compound Name</u>	<u>Amount</u>	<u>Actual</u>	<u>Units</u>	<u>%Dev</u>	<u>Target Response</u>
1 Fluorobenzene	10	10.00	ppb	0.00	671581
3 di-Cl-di-F-methane	20	19.95	ppb	0.23	269525
4 Chloromethane	20	17.86	ppb	10.69	239570
2 F114	20	21.55	ppb	7.76	136758
5 vinyl chloride	20	19.28	ppb	3.61	220782
6 bromomethane	20	18.90	ppb	5.48	122970
7 chloroethane	20	18.87	ppb	5.67	116352
8 tri-Cl-F-methane	20	21.91	ppb	9.54	414820
91 Acetonitrile X10	200	180.02	ppb	9.99	520888
9 acrolein X10	200	184.75	ppb	7.62	262551
11 acetone X10	200	168.07	ppb	15.96	360612
12 ethyl ether X5	100	94.51	ppb	5.49	603063
13 11-dichloroethene	20	20.76	ppb	3.79	331166
14 Iodomethane	20	14.84	ppb	25.79	193228
15 F-113	20	22.85	ppb	14.26	221149
16 acrylonitrile X10	200	178.01	ppb	11.00	512832
17 carbon disulfide	20	19.41	ppb	2.97	589618
94 Isopropyl Alcoholx10	200	171.63	ppb	14.19	23599
18 methylene chloride	20	18.67	ppb	6.65	265849
19 t-12-di-Cl-ethene	20	19.25	ppb	3.76	288613
20 t-Bu-Me-ether	20	19.80	ppb	1.02	522344
95 Tert butyl alcoholx10	200	243.45	ppb	21.72	107282
94 allyl chloride	20	17.59	ppb	12.04	520888
21 11-dichloroethane	20	18.80	ppb	6.01	466860
97 propionitrile	20	17.16	ppb	14.21	20314
22 c-12-di-Cl-ethene	20	18.83	ppb	5.86	294466
23 22-Dichloropropane	20	21.89	ppb	9.45	346916
24 Br-Cl-methane	20	18.18	ppb	9.08	143781
25 chloroform	20	18.41	ppb	7.93	514068
26 tetrahydrofuranX5	100	85.61	ppb	14.39	199189
98 Diisopropyl ether	20	18.85	ppb	5.73	899184
27 Di-Br-F-Me (surr)	20	18.92	ppb	5.41	298318
99 ETBE	20	20.72	ppb	3.58	622856
29 1,2-Di-Cl-Et-d4 (S1)	20	18.75	ppb	6.27	263300
30 12-dichloroethane	20	19.16	ppb	4.22	104270
32 vinyl acetate X5	100	99.63	ppb	0.37	2318375
92 Nitro Methane(x10)	200	83.10	ppb	58.45	65181
33 2-butanoneMEK X10	200	176.84	ppb	11.58	619628
93 Ethyl Acetate x2	40	32.99	ppb	17.53	286215
34 111-trichloroethane	20	21.20	ppb	5.98	497654
35 11-Di-Cl-propene	20	21.49	ppb	7.43	380732
36 benzene	20	18.77	ppb	6.14	1066201
37 CCl4	20	22.37	ppb	11.87	483000

<u>Compound Name</u>	<u>Amount</u>	<u>Actual</u>	<u>Units</u>	<u>%Dev</u>	<u>Target Response</u>
100 Isobutyl alcoholx10	200	197.06	ppb	1.47	169950
38 thiophene	20	19.35	ppb	3.23	572202
39 12-di-Cl-propane	20	18.42	ppb	7.92	239344
40 trichloroethene	20	19.94	ppb	0.28	362934
41 dibromomethane	20	18.86	ppb	5.72	170472
101 TAME	20	18.18	ppb	9.11	502263
42 Br-di-Cl-methane	20	18.47	ppb	7.67	377771
43 Me-methacrylate	20	17.03	ppb	14.85	123703
44 2-ClEt-Vi-ether10	200	158.16	ppb	20.92	355049
45 c-13-di-Cl-propene	20	19.69	ppb	1.57	405703
46 t-1,3-dichloropropene	20	18.66	ppb	6.69	343340
47 Chlorobezene-d5	10	10.00	ppb	0.00	506009
48 112-tri-Cl-Et	20	18.31	ppb	8.45	205121
49 13-di-Cl-propane	20	18.76	ppb	6.18	322517
50 Et methacrylate	20	17.04	ppb	14.82	266614

<u>Compound Name</u>	<u>Amount</u>	<u>Actual</u>	<u>Units</u>	<u>%Dev</u>	<u>Target Response</u>
51 di-Br-Cl-methane	20	18.57	ppb	7.17	295127
52 bromoform	20	19.20	ppb	3.98	179525
53 1,4-dichlorobutane-2	20	18.74	ppb	6.29	354862
54 MIBK	20	15.72	ppb	21.40	153619
55 toluene-d8	20	19.86	ppb	0.68	1109507
56 toluene	20	18.75	ppb	6.25	1284784
57 2-hexanone X5	100	82.47	ppb	17.53	516601
58 12-dibromoethane	20	18.91	ppb	5.43	217123
59 tetra-Cl-ethene	20	21.13	ppb	5.65	398557
60 chlorobenzene	20	19.28	ppb	3.61	901400
61 1112-tetra-Cl-Et	20	19.53	ppb	2.37	339801
62 1,4-Dichlorobenzene-d4	10	10.00	ppb	0.00	305432
63 1-chlorohexane	20	21.63	ppb	8.13	150832
64 Et-Bz	20	19.93	ppb	0.37	1547131
65 m/p-Xylenes X2	40	40.15	ppb	0.36	2411028
66 styrene	20	20.00	PPB	0.02	1011643
67 o-xylene	20	19.90	ppb	0.51	1206663
68 1122-Tetra-Cl-Et	20	18.43	ppb	7.83	222962
69 123-tri-Cl-Pr	20	19.26	ppb	3.71	77331
70 4-Br-1-F-Bz (S3)	20	19.44	ppb	2.80	402351
71 isopropylbenzene	20	20.98	ppb	4.90	1700963
72 bromobenzene	20	20.06	ppb	0.28	411577
92 t-1,4-dichloro-2-butene	20	17.22	ppb	13.89	40987
73 n-propylbenzene	20	21.50	ppb	7.51	504786
74 2-Cl-Toluene	20	20.36	ppb	1.82	405409
75 4-Cl-Toluene	20	19.88	ppb	0.62	406585
76 135-tri-Me-Benzene	20	20.64	ppb	3.22	1475972
77 4-iso-Pr-toluene	20	21.31	ppb	6.57	1641563
78 124-tri-Me-Benzene	20	20.48	ppb	2.41	1533552
79 tert-butylbenzene	20	21.48	ppb	7.42	1348534
80 13-DCB	20	19.74	ppb	1.30	841715
81 sec-butylbenzene	20	21.34	ppb	6.69	2000127

82 14-DCB	20	18.96	ppb	5.20	846034
83 Cl-benzyl	20	15.73	ppb	21.33	70603
84 12-DCB	20	19.21	ppb	3.96	750056
85 n-butylbenzene	20	21.80	ppb	8.98	443323
86 12-diBr-2-Cl-Pra	20	19.25	ppb	3.74	55946
87 124-tri-Cl-Bz	20	21.23	ppb	6.15	516345
88 naphthalene	20	18.93	ppb	5.35	849510
89 hx-Cl-butadiene	20	22.03	ppb	10.17	306653
90 123-Tri-Cl-Bz	20	21.29	ppb	6.45	446960

Average D % 7.3846354

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4617\G4617Q01.D Vial: 2
 Acq On : 27 Oct 2003 10:08 pm Operator: zou
 Sample : F=1 Inst : GCMS-A
 Misc : Multiplr: 1.00
 MS Integration Params: Lscint.p

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AVGRF	CCRF	%Dev	Area%	Dev(min)
1 I Fluorobenzene	1.000	1.000	0.0	70	0.00
2 di-Cl-di-F-methane	0.201	0.201	0.0	89	0.00
3 p Chloromethane	0.200	0.178	11.0	69	0.00
4 F114	0.091	0.102	-12.1	88	0.00
5 C vinyl chloride	0.171	0.164	4.1	77	0.00
6 bromomethane	0.097	0.092	5.2	73	0.00
7 chloroethane	0.092	0.087	5.4	73	0.00
8 tri-Cl-F-methane	0.282	0.309	-9.6	90	0.00
9 Acetonitrile X10	0.043	0.039	9.3	66	0.00
10 acrolein X10	0.021	0.020	4.8	69	0.00
11 acetone X10	0.032	0.027	15.6	67	-0.01
12 ethyl ether X5	0.095	0.090	5.3	69	0.00
13 M, C 13 11-dichloroethene	0.238	0.247	-3.8	81	0.00
14 Iodomethane	0.178	0.144	19.1	54	0.00
15 F-113	0.144	0.165	-14.6	99	0.00
16 acrylonitrile X10	0.043	0.038	11.6	65	0.00
17 carbon disulfide	0.452	0.439	2.9	76	0.00
18 Isopropyl AlcoholX10	0.002	0.002	0.0	82	-0.08
19 methylene chloride	0.248	0.198	20.2#	65	0.00
20 t-12-di-Cl-ethene	0.223	0.215	3.6	71	0.00
21 t-Bu-Me-ether	0.393	0.389	1.0	70	0.00
22 Tert butyl alcoholX10	0.007	0.008	-14.3	139	-0.04
23 allyl chloride	0.441	0.388	12.0	66	0.00
24 P 21 11-dichloroethane	0.370	0.348	5.9	68	0.00
25 propionitrile	0.018	0.015	16.7	69	0.00
26 c-12-di-Cl-ethene	0.233	0.219	6.0	67	0.00

(#) = Out of Range
 G4617Q01.D E524A003.M Tue Oct 28 10:45:28 2003

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4617\G4617Q01.D
 Acq On : 27 Oct 2003 10:08 pm
 Sample : f=1
 Misc :
 MS Integration Params: Lscint.p
 Vial: 2
 Operator: zou
 Inst : GCMS-A
 Multiplr: 1.00

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Sch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AVGRF	CCRF	%Dev Area	Dev(min)
27 22-Dichloropropane	0.236	0.258	-9.3	76
28 24 Br-Cl-methane	0.118	0.107	9.3	67
29 C 25 chloroform	0.416	0.383	7.9	69
30 26 tetrahydrofuranX5	0.035	0.030	14.3	63
31 98 Disopropyl ether	0.710	0.669	5.8	65
32 S 27 Di-Br-F-Me (surr)	0.235	0.222	5.5	68
33 99 ETBE	0.448	0.464	-3.6	71
34 S 29 1,2-Di-Cl-Et-d4 (S1)	0.209	0.196	6.2	68
35 30 12-dichloroethane	0.081	0.078	3.7	71
36 32 vinyl acetate X5	0.346	0.345	0.3	67
37 92 Nitro Methane (X10)	0.012	0.005	58.3#	68
38 33 2-butanoneMEK X10	0.052	0.046	11.5	65
39 93 Ethyl Acetate X2	0.129	0.107	17.1	61
40 34 111-trichloroethane	0.350	0.371	-6.0	79
41 35 11-Di-Cl-propene	0.264	0.283	-7.2	79
42 M 36 benzene	0.846	0.794	6.1	67
43 37 CCl4	0.321	0.360	-12.1	87
44 100 Isobutyl alcoholX10	0.013	0.013	0.0	69
45 38 thiophene	0.440	0.426	3.2	66
46 C 39 12-di-Cl-propane	0.194	0.178	8.2	65
47 M 40 trichloroethene	0.271	0.270	0.4	72
48 41 dibromomethane	0.135	0.127	5.9	69
49 101 TAME	0.369	0.374	-1.4	70
50 42 Br-di-Cl-methane	0.305	0.281	7.9	69
51 43 Me-methacrylate	0.093	0.092	1.1	66
52 44 2-ClEt-Vi-ether10	0.028	0.026	7.1	60

(#) = Out of Range
 G4617Q01.D E524A003.M Tue Oct 28 10:45:28 2003

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4617\G4617Q01.D
 Acq On : 27 Oct 2003 10:08 pm
 Sample : F=1
 Misc :
 MS Integration Params: Lscint.p

Vial: 2
 Operator: zou
 Inst : GCMS-A
 Multiplr: 1.00

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P &Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvgRRF	CCRF	%Dev Area	Dev(min)			
53	45	C-13-di-Cl-propene	0.307	0.302	1.6	67	0.00
54	46	t-1,3-dichloropropene	0.248	0.256	-3.2	68	0.00
55	I	47 Chlorobezene-d5	1.000	1.000	0.0	69	0.00
56		48 112-tri-Cl-Et	0.221	0.203	8.1	67	0.00
57		49 13-di-Cl-propane	0.340	0.319	6.2	67	0.00
58		50 Et methacrylate	0.255	0.263	-3.1	66	0.00
59		51 di-Br-Cl-methane	0.314	0.292	7.0	69	0.00
60	P	52 bromoform	0.185	0.177	4.3	70	0.00
61		53 1,4-dichlorobutane-2	0.374	0.351	6.1	67	0.00
62		54 MIBK	0.168	0.152	9.5	63	0.00
63	s	55 toluene-d8	1.104	1.096	0.7	69	0.00
64	M,C	56 toluene	1.354	1.270	6.2	69	0.00
65		57 2-hexanone X5	0.109	0.102	6.4	64	0.00
66		58 12-dibromoethane	0.227	0.215	5.3	67	0.00
67		59 tetra-Cl-ethene	0.373	0.394	-5.6	80	0.00
68	M,P	60 chlorobenzene	0.924	0.891	3.6	69	0.00
69		61 1112-tetra-Cl-Et	0.344	0.336	2.3	70	0.00
70	I	62 1,4-Dichlorobenzene-d4	1.000	1.000	0.0	70	0.00
71		63 1-chlorohexane	0.228	0.247	-8.3	83	0.00
72	C	64 Et-Bz	2.542	2.533	0.4	72	0.00
73		65 m/p-Xylenes X2	1.966	1.973	-0.4	73	0.00
74		66 styrene	1.656	1.656	0.0	70	0.00
75		67 o-xylene	1.985	1.975	0.5	70	0.00
76	P	68 1122-Tetra-Cl-Et	0.396	0.365	7.8	67	0.00

(#) = Out of Range

G4617Q01.D E524A003.M Tue Oct 28 10:45:29 2003

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\03G4617\G4617Q01.D Vial: 2
 Acq On : 27 Oct 2003 10:08 pm Operator: zou
 Sample : F=1 Inst : GCMS-A
 Misc : Multiplr: 1.00
 MS Integration Params: Lscint.p

Method : C:\MSDCHEM\1\METHODS\E524A003.M (RTE Integrator)
 Title : **Applied P & Ch Lab** EPA 524.2
 Last Update : Mon Oct 27 14:05:06 2003
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

Compound	AvGRF	CCRF	%Dev	Area%	Dev(min)		
77	69	123-tri-Cl-Pr	0.131	0.127	3.1	70	0.00
78	70	4-Br-1-F-Bz (S3)	0.678	0.659	2.8	70	0.00
79	71	isopropylbenzene	2.654	2.785	-4.9	75	0.00
80	72	bromobenzene	0.672	0.674	-0.3	71	0.00
81	92	t-1,4-dichloro-2-butene	0.062	0.067	-8.1	70	0.00
82	73	n-propylbenzene	0.769	0.826	-7.4	77	0.00
83	74	2-Cl-Toluene	0.652	0.664	-1.8	73	0.00
84	75	4-Cl-Toluene	0.670	0.666	0.6	72	0.00
85	76	135-tri-Me-Benzene	2.341	2.416	-3.2	73	0.00
86	77	4-iso-Pr-toluene	2.522	2.687	-6.5	78	0.00
87	78	124-tri-Me-Benzene	2.451	2.510	-2.4	73	0.00
88	79	tert-butylbenzene	2.055	2.208	-7.4	78	0.00
89	80	13-DCB	1.396	1.378	1.3	72	0.00
90	81	sec-butylbenzene	3.069	3.274	-6.7	79	0.00
91	82	14-DCB	1.461	1.385	5.2	71	0.00
92	83	Cl-benzy1	0.116	0.116	0.0	66	0.00
93	84	12-DCB	1.278	1.228	3.9	71	0.00
94	85	n-butylbenzene	0.666	0.726	-9.0	78	0.00
95	86	12-diBr-2-Cl-Pra	0.095	0.092	3.2	67	0.00
96	87	124-tri-Cl-Bz	0.796	0.845	-6.2	74	0.00
97	88	naphthalene	1.256	1.391	-10.7	73	0.00
98	89	hx-Cl-butadiene	0.456	0.502	-10.1	85	0.00
99	90	123-Tri-Cl-Bz	0.687	0.732	-6.6	74	0.00

(#) = Out of Range SPPC's out = 0 CCC's out = 0
 G4617Q01.D E524A003.M Tue Oct 28 10:45:29 2003

FORM-8C

Applied P & Ch Laboratory

Internal Standard Area and RT Summary for Method 524.2

Client Name: GEOFON, Inc. Contract No: Lab Code: APCL
 Case No: SAS No: Service ID: 035772
 Project ID: JPL Project No: 04-4428.10 Sample Matrix: Water
 CCV Data File: G4620Q01 Instrument ID: A
 Batch No: 03G4620

#	Client Sample No	Lab Sample ID	Analysis Date & Time	IS-1		IS-2		IS-3	
				Area #	RT #	Area #	RT #	Area #	RT #
12 Hour CCV STD			10/28/03 10:41	719080	7.64	535659	11.54	319037	13.84
CCV Upper Limit				1438160	8.14	1071318	12.04	638074	14.34
CCV Lower Limit				359540	7.14	267829	11.04	159518	13.34
1	03G4620-LCS-01	03G4620-LCS-01	10/28/03 11:07	707187	7.64	535857	11.54	318568	13.84
2	MW-23-2MS	03-5792-9MS	10/28/03 11:32	711011	7.64	542013	11.54	321093	13.84
3	MW-23-2MSD	03-5792-9MSD	10/28/03 11:58	717762	7.64	543055	11.54	329848	13.84
4	03G4620-MB-01	03G4620-MB-01	10/28/03 14:20	780726	7.65	547023	11.54	344427	13.84
5	TB-1-10-22-03	03-5772-12	10/28/03 14:46	766274	7.65	528216	11.54	335235	13.85
6	EB-1-10-22-03	03-5772-1	10/28/03 15:12	761004	7.65	528671	11.54	334722	13.85
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									

IS-1 = FLUOROBENZENE
 IS-2 = CHLOROBENZENE-D5
 IS-3 = 1,4-DICHLOROBENZENE-D4

Area Upper Limit = +100% of CCV internal standard area
 Area Lower Limit = - 50% of CCV internal standard area
 RT Upper Limit = +0.50 minutes of CCV internal standard RT
 RT Lower Limit = - 0.50 minutes of CCV internal standard RT

Column used to flag values outside QC limits with an asterisk.
 * Values outside of QC limits

FORM-8C

Applied P & Ch Laboratory

Internal Standard Area and RT Summary for Method 524.2

Client Name: GEOFON, Inc. Contract No: Lab Code: APCL
Case No: SAS No: Service ID: 035772
Project ID: JPL Project No: 04-4428.10 Sample Matrix: Water
CCV Data File: G4617Q01 Instrument ID: A
Batch No: 03G4617

#	Client Sample No	Lab Sample ID	Analysis Date & Time	IS-1		IS-2		IS-3	
				Area #	RT #	Area #	RT #	Area #	RT #
12 Hour CCV STD			10/27/03 22:08	671581	7.65	506009	11.54	305432	13.84
CCV Upper Limit				1343162	8.15	1012018	12.04	610864	14.34
CCV Lower Limit				335790	7.15	253004	11.04	152716	13.34
1	03G4617-LCS-01	03G4617-LCS-01	10/27/03 22:33	690922	7.65	531627	11.54	309907	13.84
2	MW-11-2MS	03-5772-3MS	10/27/03 23:25	694212	7.65	527450	11.54	309990	13.84
3	MW-11-2MSD	03-5772-3MSD	10/27/03 23:53	700133	7.65	529966	11.55	309560	13.84
4	03G4617-MB-01	03G4617-MB-01	10/28/03 02:28	793859	7.64	544812	11.54	349327	13.85
5	MW-11-1	03-5772-2	10/28/03 02:54	791002	7.64	553661	11.55	354474	13.84
6	MW-11-2	03-5772-3	10/28/03 03:20	791494	7.65	553051	11.55	351736	13.84
7	MW-11-3	03-5772-4	10/28/03 03:46	789403	7.64	546672	11.54	344808	13.84
8	MW-11-4	03-5772-5	10/28/03 04:12	780761	7.64	545667	11.54	349527	13.85
9	MW-11-5	03-5772-6	10/28/03 04:38	781368	7.64	541442	11.54	347246	13.84
10	MW-22-1	03-5772-7	10/28/03 05:04	776897	7.65	539542	11.54	346511	13.84
11	MW-22-2	03-5772-8	10/28/03 05:30	783147	7.64	536151	11.54	346033	13.84
12	MW-22-3	03-5772-9	10/28/03 05:56	758638	7.64	531294	11.55	340189	13.85
13	MW-22-4	03-5772-10	10/28/03 06:22	760017	7.65	519193	11.54	339554	13.84
14	MW-22-5	03-5772-11	10/28/03 06:48	772821	7.65	534494	11.54	343734	13.85
15									
16									
17									
18									
19									
20									
21									
22									

IS-1 = FLUOROBENZENE

IS-2 = CHLOROBENZENE-D5

IS-3 = 1,4-DICHLOROBENZENE-D4

Area Upper Limit = +100% of CCV internal standard area

Area Lower Limit = - 50% of CCV internal standard area

RT Upper Limit = +0.50 minutes of CCV internal standard RT

RT Lower Limit = - 0.50 minutes of CCV internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits

Applied P & C Laboratory

1760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

VOC Analysis General Logbook

Sequence # 0794620 Batch # 0794620 Matrix: W Date: 10-28-03 Analyst: Zou
 Lot #: IS/Surrogate: GC-1 57161/657762 (Methanol(mark-M): _____) PEG (mark-PEG): _____ Defoaming(mark-DF): _____

Calib. + Ini. Batch Initial Batch; Middle Batch; Final Batch. Internal Study Datafile Path: _____

Op. #	Type	Sample ID	Method	V/X=f ₁	V _f /V _i =f ₂	V _{ppg} /V _{inj} =f ₃	F	A-#	Datafile	Note	pH
4361	SP	4620P01	524A	25.5 = 1	/ =	/ =	1		4620P01	10-28-03 10-16AM	5.0
4362	CW	Q01	003	/ =	/ =	/ =			Q01	6.1-1.57.54	
4363	W	L01		/ =	/ =	/ =			L01		
4364	M	M01		/ =	/ =	/ =			M01	5.592-09 C2	
4365	MSD	N01		/ =	/ =	/ =			N01	5.592-09 ↓	
4366	MB	F01		/ =	/ =	/ =			F01		
4367	Sample	5792-12		/ =	/ =	/ =			5792-12		2.2
4368		01		/ =	/ =	/ =			01		
4369		5792-13		/ =	/ =	/ =			5792-13	tb	
4370		09		/ =	/ =	/ =			09	M	
4371		01		/ =	/ =	/ =			01		
4372		02		/ =	/ =	/ =			02		
4373		03		/ =	/ =	/ =			03		
4374		04		/ =	/ =	/ =			04		
4375		05		/ =	/ =	/ =			05		
4376		06		/ =	/ =	/ =			06		
4377		07		/ =	/ =	/ =			07		
4378		08		/ =	/ =	/ =			08		
4379		10		/ =	/ =	/ =			10		
4380		11		/ =	/ =	/ =			11		
4381		12		/ =	/ =	/ =			12		
4382	✓	5835-08	✓	✓	✓	✓	✓		5835-08	tb	↓
4383				/ =	/ =	/ =					
4384				/ =	/ =	/ =					
4385				/ =	/ =	/ =					
4386				/ =	/ =	/ =					
4387				/ =	/ =	/ =					
4388				/ =	/ =	/ =					
4389				/ =	/ =	/ =					
4390				/ =	/ =	/ =					
4391				/ =	/ =	/ =					
4392				/ =	/ =	/ =					

Type	Op #	STD Lot #	C _{std} (ng/μL) × V _{std} (μL) / X(g or mL) = T	Op #	STD Lot #	C _{std} (ng/μL) × V _{std} (μL) / X(g or mL) = T
LCS/LCSD	4363	GC-	x / X = ppb		GC-	x / X = ppb
MS/MSD	4764/4265	GC-1575	200 x 2.5 / X = 20 ppb		GC-	x / X = ppb

Footnote/Anomaly:

VOC Analysis General Logbook

Sequence # 0364617 Batch # 0364617 Matrix: W Date: 10-27-03 Analyst: Zou
 Lot #: IS/Surrogate: GC-1514/1515 Methanol(mark-M): _____ PEG (mark-PEG): _____ Defoaming(mark-DF): _____

Calib. + Ini. Batch Initial Batch; Middle Batch; Final Batch. Internal Study Datafile Path: _____

Op. #	Type	Sample ID	Method	$V/X=f_1$	$V_j/V_i=f_2$	$V_{peg}/V_{inj}=f_3$	F	A-#	Datafile	Note	pH
4329	SP	64617P01	E524A	25/25=1	/ =	/ =	1		64617P01	10-27-03 at 4:42pm	5.0mg
4330	CV	201	003	/ =	/ =	/ =			201	GC 1514/1515	
4331	LY	L01		/ =	/ =	/ =			L01		
4332	MY	M01		/ =	/ =	/ =			M01	9-5772-03	<
4333	MSD	K01		/ =	/ =	/ =			K01	9-5772-03	<
4334	MB	K01		/ =	/ =	/ =			K01		
4335	sample	5772-02		/ =	/ =	/ =			5772-02		<
4336		03		/ =	/ =	/ =			03		
4337		04		/ =	/ =	/ =			04		
4338		05		/ =	/ =	/ =			05		
4339		06		/ =	/ =	/ =			06		
4340		07		/ =	/ =	/ =			07		
4341		08		/ =	/ =	/ =			08		
4342		09		/ =	/ =	/ =			09		
4343		10		/ =	/ =	/ =			10		
4344		11		/ =	/ =	/ =			11		
4345		5783-01		/ =	/ =	/ =			5783-01		
4346		02		/ =	/ =	/ =			02		
4347		03		/ =	/ =	/ =			03		
4348	✓	04	✓	✓	✓	✓	✓		04		
4349				/ =	/ =	/ =					
4350				/ =	/ =	/ =					
4351				/ =	/ =	/ =					
4352				/ =	/ =	/ =					
4353				/ =	/ =	/ =					
4354				/ =	/ =	/ =					
4355				/ =	/ =	/ =					
4356				/ =	/ =	/ =					
4357				/ =	/ =	/ =					
4358				/ =	/ =	/ =					
4359				/ =	/ =	/ =					
4360				/ =	/ =	/ =					

Type	Op #	STD Lot #	$C_{std}(ng/\mu L) \times V_{std}(\mu L) / X(g \text{ or } mL) = T$	Op #	STD Lot #	$C_{std}(ng/\mu L) \times V_{std}(\mu L) / X(g \text{ or } mL) = T$
LCS/LCSD	4371	GC-	$200 \times 2.5 / X =$ ppb	GC-		$x / X =$ ppb
MS/MSD	4372/4373	GC-15755	$200 \times 2.5 / X = 20$ ppb	GC-		$x / X =$ ppb

Footnote/Anomaly:

Applied P & Ch Laboratory
3760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

VOC Analysis General Logbook

Sequence # 0364612 Batch # 0364612 Matrix: W Date: 10/21/03 Analyst: Edie
Lot #: IS/Surrogate: GC15114/15115 Methanol(mark-M): _____ PEG (mark-PEG): _____ Defoaming(mark-DF): _____

Calib. + Ini. Batch Initial Batch; Middle Batch; Final Batch. Internal Study Datafile Path: _____

Op. #	Type	Sample ID	Method	$V_1/X=f_1$	$V_1/V_i=f_2$	$V_{spg}/V_{inj}=f_3$	F	A-#	Datafile	Note	pH
4201	S?	64612 P01	ES24A	25/25 = 1	/ =	/ =	/		64612 P01	10/21/03 gc 15731	
4202	Calib	3-A003	003	/ =	/ =	/ =			3-A003		
4203		3-002		/ =	/ =	/ =			3-002		
4204		3-0010		/ =	/ =	/ =			3-0010		
4205		3-0020		/ =	/ =	/ =			3-0020		
4206		3-0040		/ =	/ =	/ =			3-0040		
4207		3-0060		/ =	/ =	/ =			3-0060		
4208	ICV	ICV		/ =	/ =	/ =			ICV	gc 15732	
4209				/ =	/ =	/ =					
4210				/ =	/ =	/ =					
4211				/ =	/ =	/ =					
4212				/ =	/ =	/ =					
4213				/ =	/ =	/ =					
4214				/ =	/ =	/ =					
4215				/ =	/ =	/ =					
4216				/ =	/ =	/ =					
4217				/ =	/ =	/ =					
4218				/ =	/ =	/ =					
4219				/ =	/ =	/ =					
4220				/ =	/ =	/ =					
4221				/ =	/ =	/ =					
4222				/ =	/ =	/ =					
4223				/ =	/ =	/ =					
4224				/ =	/ =	/ =					
4225				/ =	/ =	/ =					
4226				/ =	/ =	/ =					
4227				/ =	/ =	/ =					
4228				/ =	/ =	/ =					
4229				/ =	/ =	/ =					
4230				/ =	/ =	/ =					
4231				/ =	/ =	/ =					
4232				/ =	/ =	/ =					

Type	Op #	STD Lot #	$C_{std}(ng/\mu L) \times V_{std}(\mu L) / X(g \text{ or mL}) = T$	Op #	STD Lot #	$C_{std}(ng/\mu L) \times V_{std}(\mu L) / X(g \text{ or mL}) =$
LCS/LCSD		GC-	x /X= ppb		GC-	x /X= ppb
MS/MSD		GC-	x /X= ppb		GC-	x /X= ppt

Footnote/Anomaly: