



Technical Memorandum

2005 Groundwater Monitoring Summary (Including Fourth Quarter 2005 Sampling Event) National Aeronautics and Space Administration, Jet Propulsion Laboratory, Pasadena, California

FINAL

January 13, 2006

This technical memorandum summarizes the groundwater monitoring results for 2005, including the results of the fourth quarter 2005 groundwater sampling event completed as part of the long-term groundwater monitoring program at the National Aeronautics and Space Administration (NASA) Jet Propulsion Laboratory (JPL). Quarterly groundwater sampling events were conducted during January/February (first quarter); April/May (second quarter); July/September (third quarter); and October/November (fourth quarter) of 2005.

INTRODUCTION

During the October/November 2005 sampling event, groundwater samples were collected from 25 JPL monitoring wells (MWs), both on- and off-facility, and analyzed for volatile organic compounds (VOCs), total chromium, hexavalent chromium [Cr(VI)], and perchlorate. During 2005, groundwater samples were also analyzed for lead, arsenic, total dissolved solids (TDS), pH, *n*-nitrosodimethylamine (NDMA), *n*-nitrosodi-*n*-propylamine (NDPA), 1,4-dioxane, 1,2,3-trichloropropane (1,2,3-TCP), explosives (including 2,4,6-trinitrotoluene [TNT] and royal demolition explosive [RDX]). Confirmatory perchlorate analyses were performed during the January/February 2005 and April/May 2005 events on select wells using a liquid chromatography/mass spectrometry/mass spectrometry (LC/MS/MS) method. New multi-port wells MW-25 and MW-26 were added to the groundwater monitoring program during January/February 2005 and April/May 2005, respectively. Well MW-2 has not been sampled since it was replaced with well MW-14.

In March 2005, NASA began full-scale operation of a groundwater treatment system located in the vicinity of MW-7. The treatment system is designed to extract groundwater from the area within the JPL facility which has historically contained the highest concentrations of perchlorate and VOCs (i.e., the source area). The groundwater is treated at an aboveground treatment facility to remove perchlorate and VOCs, filtered to remove residual solids, and then reinjected at a location north (i.e., upgradient) of wells MW-7 and MW-24. During 2005, operation of the OU-1 groundwater treatment system appears to have resulted in a significant reduction of chemicals of interest in wells MW-7 and MW-24, which are located within the treatment zone. Additional details regarding chemical concentrations in these wells are discussed later in this memorandum.

All groundwater samples were shipped to Applied Physics and Chemistry Laboratory (APCL) in Chino, California or Severn Trent Laboratory (STL) in Sacramento, California for chemical analysis. Both APCL and STL are certified by the DHS. Sample collection procedures and sample analyses were conducted in accordance with the approved *Work Plan for Performing a Remedial Investigation/Feasibility Study*¹. During the October/November 2005 event, no data were rejected for

¹ Ebasco. 1993. *Work Plan for Performing a Remedial Investigation/Feasibility Study*, National Aeronautics and Space Administration Jet Propulsion Laboratory, Pasadena, California. December.

non-compliance with method requirements during the course of validation, and no data were qualified as unusable.

Table 1 summarizes analytical results for VOCs and perchlorate and Table 2 summarizes analytical results for metals. Table 3 summarizes VOC and perchlorate concentrations in production wells located near the JPL facility. Figure 1 shows the location of all JPL monitoring wells.

In addition, several figures are included in this technical memorandum to show the chemical concentrations detected in samples collected from the JPL monitoring wells during the October/November 2005 sampling event. Figure 2 shows the concentration of carbon tetrachloride in groundwater, and Figure 3 shows the horizontal and vertical extent of carbon tetrachloride along a transect extending from MW-24 to MW-20. Figure 4 shows the concentration of trichloroethene (TCE) in groundwater, and Figure 5 shows the horizontal and vertical extent of TCE in the groundwater. Figure 6 shows the concentration of tetrachloroethene (PCE) in the groundwater. Figure 7 shows the concentration of perchlorate in the groundwater, and Figure 8 shows the horizontal and vertical extent of perchlorate from wells along a transect extending from MW-16 to MW-20.

Figure 9 shows the groundwater elevation contours and groundwater flow directions.

For this technical memorandum, the groundwater monitoring wells have been grouped into four categories:

- On-facility source area wells (MW-7, MW-13, MW-16, and MW-24);
- Other on-facility wells (MW-6, MW-8, MW-11, MW-22, and MW-23);
- Perimeter off-facility wells (MW-1, MW-2, MW-3, MW-4, MW-5, MW-9, MW-10, MW-12, MW-14, and MW-15); and
- Off-facility wells (MW-17, MW-18, MW-19, MW-20, MW-21, MW-25, and MW-26).

ON-FACILITY SOURCE AREA WELLS

On-facility source area wells consist of wells which historically have contained the highest concentration of site-related chemicals. This group of wells is located within the JPL facility (on-facility) and consists of monitoring wells MW-7, MW-13, MW-16, and MW-24.

PERCHLORATE ANALYTICAL RESULTS

During the October/November 2005 sampling event, concentrations of perchlorate in excess of the DHS Notification Level (6.0 µg/L [micrograms per liter]) were reported in samples collected from all on-facility source area wells (MW-7, MW-13, MW-16, and MW-24 [Screens 1 and 2]). Throughout 2005, perchlorate concentrations increased in wells MW-13 and MW-16, which are located outside the treatment zone of the OU-1 groundwater treatment system. In 2005, perchlorate concentrations also fluctuated in well MW-13 from a low of 222.0 µg/L to a high of 1,410 µg/L. Perchlorate concentrations in samples collected from MW-16 have been increasing since October/November 2004 (322 µg/L), with a detected concentration of 13,100 µg/L during the fourth quarter 2005. The increase in the perchlorate concentration in these source area wells may be attributed to changes in groundwater flow patterns associated with the OU-1 groundwater treatment system or to the increased groundwater recharge associated with a record of 54.4 inches of rainfall recorded in Pasadena during the 2004-2005 rainy season.

Concentrations of perchlorate decreased in well MW-24 (Screen 1) from 683 µg/L to 104 µg/L and MW-24 (Screen 2) from 79.1 µg/L to 71.5 µg/L between the third and fourth quarter events, respectively. In addition, perchlorate concentrations in MW-7 continued on a decreasing trend during 2005 from 4,680 µg/L (January/February 2005) to 32.3 µg/L (October/November 2005). The decrease in chemical concentrations observed in wells MW-24 and MW-7 is likely a result of operation of the OU-1 groundwater treatment system.

VOC ANALYTICAL RESULTS

Concentrations of carbon tetrachloride in excess of the state maximum contaminant level (MCL) (0.5 µg/L) were reported in samples from MW-13, MW-16, and MW-24 (Screen 2) during the October/November 2005 sampling event. The highest concentration of carbon tetrachloride was reported in MW-16 at 17.6 µg/L. The carbon tetrachloride concentration in MW-16 has been increasing since October/November 2004 from nondetect to the current concentration of 17.6 µg/L. This increase is consistent with increasing perchlorate concentrations in the same well and may be attributed either to changes in the groundwater flow patterns associated with the OU-1 groundwater treatment system or to record rainfall resulting in increased recharge.

During 2005, carbon tetrachloride concentrations in MW-7 continued on a decreasing trend since January/February 2003 (122.0 µg/L) to nondetect levels in October/November 2005. Carbon tetrachloride concentrations in MW-24 (Screens 1 and 2) generally have been decreasing since January/February 2005. The carbon tetrachloride concentration in MW-24 (Screen 1) decreased from 10.0 µg/L in January/February 2005 to nondetect levels in October/November 2005. The carbon tetrachloride concentrations in MW-24 (Screen 2) fluctuated during 2005 from 4.4 µg/L (January/February 2005) to 0.5 J µg/L (a J-value is a concentration that is reported between the practical quantitation limit [PQL] and the method detection limit [MDL]). During the October/November 2005 event, the carbon tetrachloride concentration in MW-24 (Screen 2) was 1.8 µg/L. The decrease in VOC concentrations in MW-7 and MW-24 is likely a result of operation of the OU-1 groundwater treatment system.

During the fourth quarter, TCE was detected in two source area wells: in MW-16 at 2.4 µg/L; and in well MW-13 at 13.4 µg/L, which exceeds the state and federal MCL (5.0 µg/L). The TCE concentrations in these wells decreased from last quarter; however, the TCE concentrations in both MW-13 and MW-16 generally increased over the four quarters of 2005.

During the fourth quarter, PCE was detected in well MW-16 at 7.3 µg/L, which exceeds the state and federal MCL (5.0 µg/L). PCE concentrations have been increasing in MW-16 since January/February 2005 (0.3 J µg/L).

During the fourth quarter, 1,1-dichloroethene (1,1-DCE) was detected in well MW-16 at 2.1 µg/L; however, the state MCL (6.0 µg/L) was not exceeded.

OTHER NOTABLE RESULTS

During the fourth quarter, hexavalent chromium [Cr(VI)] was detected in MW-13 at 0.013 mg/L (milligrams per liter); however, the state MCL (0.05 mg/L) was not exceeded. Cr(VI) concentrations in MW-13 have decreased since October/November 2004, when it was detected at 0.048 mg/L.

During 2005, the total chromium concentration in MW-13 exceeded the state MCL (50 µg/L) in January/February (50.9 µg/L) and October/November (89.9 µg/L).

OTHER ON-FACILITY WELLS

This well group consists of monitoring wells MW-6, MW-8, MW-11, MW-22, and MW-23. These wells are located outside the source area.

PERCHLORATE ANALYTICAL RESULTS

None of the other on-facility wells had perchlorate concentrations in excess of the DHS Notification Level (6.0 µg/L) during the October/November 2005 event. Perchlorate was detected in MW-23 (Screen 2) at 4.2 µg/L, a slight increase from the third quarter concentration of 2.9 J µg/L. Perchlorate concentrations in MW-23 (Screen 2) have fluctuated from a high of 6.9 µg/L in February 2004 to nondetect levels in October/November 2004, with a fourth quarter 2005 concentration of 4.2 µg/L. The perchlorate concentration in MW-6 has remained fairly stable since April/May 2005 with a concentration of 3.3 J µg/L during October/November 2005. MW-22 (Screens 1, 2, and 3) had perchlorate concentrations of 2.0 J µg/L, 1.8 J µg/L, and 2.5 J µg/L, respectively, which have remained relatively stable since April/May 2005.

VOC ANALYTICAL RESULTS

During the fourth quarter, TCE was not detected in any of the other on-facility wells.

During the fourth quarter, PCE was detected in well MW-6 at 1.6 µg/L, and in MW-23 (Screen 1) at 1.1 µg/L; however, none of the wells had concentrations exceeding the state and federal MCL (5.0 µg/L) during 2005.

OTHER NOTABLE RESULTS

During July/September 2005, concentrations of 1,2,3-TCP in excess of the DHS notification level (0.005 µg/L) were reported in MW-12 (Screens 3, 4, and 5) at 0.018 µg/L, 0.023 µg/L, and 0.014 µg/L, respectively.

During 2005, hexavalent chromium was not detected in any of the other on-facility wells.

PERIMETER OFF-FACILITY WELLS

The perimeter off-facility wells are located beyond the JPL fence line (off-facility) along the perimeter of the property. This group of wells consists of MW-1, MW-2, MW-3, MW-4, MW-5, MW-9, MW-10, MW-12, MW-14, and MW-15.

PERCHLORATE ANALYTICAL RESULTS

During October/November 2005, concentrations of perchlorate in excess of the DHS Notification Level (6.0 µg/L) were reported in samples collected from MW-3 (Screen 2) and MW-10. Perchlorate in MW-3 (Screen 2) increased slightly from the third to fourth quarters

(32.2 µg/L to 44.1 µg/L), but concentrations generally have decreased since January/February 2005 when a concentration of 139.0 µg/L was detected. Perchlorate in MW-10 decreased between the third and fourth quarters (from 110.0 µg/L to 57.0 µg/L); however, concentrations in MW-10 have fluctuated in this well from nondetect in October/November 2004 to 110.0 µg/L during July/September 2005. Perchlorate concentrations in MW-14 (Screen 3) generally have decreased since October/November 2004 (18.5 µg/L); however, the concentrations remained unchanged between the July/September 2005 and October/November 2005 sampling events (4.9 µg/L and 4.9 µg/L, respectively).

VOC ANALYTICAL RESULTS

During the fourth quarter, concentrations of carbon tetrachloride in excess of the state MCL (0.5 µg/L) were reported in samples in wells MW-3 (Screen 2) at 0.7 µg/L and MW-12 (Screen 4) at 1.4 µg/L. The carbon tetrachloride concentrations in MW-12 (Screen 4) have fluctuated during the past year with a high of 2.8 µg/L (January/February 2005) and a low of 0.6 µg/L (April/May 2005).

During 2005, TCE was detected in MW-4 (Screen 2), MW-10, and MW-14 (Screens 2 and 3). Only MW-10 contained a TCE concentration that exceeded the state and federal MCL (5.0 µg/L). The concentration of TCE in MW-10 increased from 5.1 µg/L in July/September 2005 to 22.9 µg/L in October/November 2005. Increases in VOCs may be associated with record rainfall resulting in increased recharge to the groundwater.

OTHER NOTABLE RESULTS

Cr(VI) was detected in MW-10 in April/May 2005 (0.011 mg/L) and July/September 2005 (0.014 mg/L); however, it was at nondetect levels in October/November 2005. Cr(VI) also was detected in MW-15 during April/May 2005 at 0.0090 mg/L, but was not detected in July/September 2005 and October/November 2005. Neither of the wells contained concentrations that exceeded the state MCL (0.05 mg/L).

OFF-FACILITY WELLS

The off-facility wells consist of monitoring wells MW-17, MW-18, MW-19, MW-20, MW-21, MW-25, and MW-26.

PERCHLORATE ANALYTICAL RESULTS

During the fourth quarter, concentrations of perchlorate in excess of the DHS Notification Level (6.0 µg/L) were reported in samples collected from three off-facility wells (MW-17 [Screens 2 and 3], MW-18 [Screens 3 and 4], and MW-25 [Screens 2, 3, and 4]). Perchlorate in MW-17 (Screen 2) increased from July/September 2005 (9.7 µg/L) to 11.7 µg/L in October/November 2005, but remained relatively stable during 2005. Perchlorate concentrations in MW-17 (Screen 3) have decreased since January/February 2005 with a current concentration of 76.8 µg/L (October/November 2005). Perchlorate concentrations in MW-20 (October/November 2005), located downgradient of MW-17, were all nondetect during 2005 except for MW-20 (Screen 1), which contained an estimated concentration of 2.1 µg/L which is below the DHS Notification Level.

Perchlorate increased slightly in MW-18 (Screen 3) from 5.7 µg/L during July/September 2005 to 7.7 µg/L during October/November 2005. An increasing trend has been observed in MW-18 (Screen 3) since January/February 2005 when it was reported at nondetect levels. Perchlorate concentrations in MW-18 (Screen 4) decreased from April/May 2005 (12.6 µg/L) to October/November 2005 (9.3 µg/L). Perchlorate in MW-19 (Screens 3, 4, and 5) remained relatively consistent between the July/September 2005 and October/November 2005 events, and decreased slightly in MW-19 (Screen 2) between July/September 2005 and October/November 2005 (from 6.7 µg/L to 4.6 µg/L, which is below the DHS Notification Level). Approximately 12 months after well MW-25 was installed, the perchlorate concentrations in Screens 1 through 5 were 5.9 µg/L, 12.5 µg/L, 8.5 µg/L, 6.8 µg/L, and <4.0 µg/L, respectively. Perchlorate concentrations in MW-25 (Screens 1, 2, 3, and 4) all decreased slightly from the previous quarter, but remained relatively consistent over the past year. No concentrations of perchlorate have been detected in MW-26 (Screens 1 and 2) since it was first sampled in April/May 2005.

VOC ANALYTICAL RESULTS

During the fourth quarter, concentrations of carbon tetrachloride in excess of the state MCL (0.5 µg/L) were reported in wells MW-17 (Screen 3) and MW-18 (Screens 3 and 4). Carbon tetrachloride in MW-17 (Screen 3) increased from 3.7 µg/L in July/September 2005 to 5.2 µg/L during October/November 2005, and has had concentrations in excess of the state MCL during all four quarters of 2005. Carbon tetrachloride concentrations in MW-17 (Screen 2) decreased from 0.6 µg/L (July/September 2005) to nondetect in October/November 2005. Carbon tetrachloride in MW-18 (Screens 3 and 4) increased from 1.2 µg/L to 3.5 µg/L and 1.7 µg/L to 5.1 µg/L, respectively, from the July/September 2005 event to the October/November 2005 event. Carbon tetrachloride concentrations in MW-18 (Screens 3 and 4) have been in excess of the state MCL during all four quarters of 2005.

During the fourth quarter, TCE was detected in four off-facility wells (MW-17 [Screens 2, 3, and 4], MW-18 [Screens 3 and 4], MW-19 [Screens 2 and 5], and MW-21 [Screens 1, 2, and 3]); however, none of the wells contained concentrations exceeding the state and federal MCL (5.0 µg/L). TCE concentrations in MW-18 (Screens 3 and 4) increased between the July/September 2005 and October/November 2005 events from nondetect and 0.3 µg/L to 0.6 µg/L and 1.3 µg/L, respectively. TCE concentrations in MW-19 (Screens 2 and 5) both increased from nondetect to 0.6 µg/L and 0.4 µg/L, respectively.

During the fourth quarter, PCE was detected in four off-facility wells; however, none of the wells had concentrations that exceed the state and federal MCL (5.0 µg/L). PCE concentrations increased slightly in MW-17 (Screens 2 and 3), MW-18 (Screens 3 and 4), MW-19 (Screens 2, 3, 4, and 5), and MW-20 (Screens 1, 2, 3, and 4) between the third and fourth quarters. PCE concentrations decreased slightly in MW-20 (Screen 5) between July/September 2005 and October/November 2005.

During the fourth quarter, 1,1-DCA was detected in well MW-21 (Screen 1); however, the state MCL (5.0 µg/L) was not exceeded. Except for MW-21 (Screen 1), 1,1-DCA was not detected in any of the other off-facility wells during 2005.

OTHER NOTABLE RESULTS

During the fourth quarter, Cr(VI) was detected in MW-18 (Screen 3) at 0.005 J $\mu\text{g/L}$, which does not exceed the state MCL (0.05 mg/L).

Also, during July/September 2005, a concentration of 1,2,3-TCP was reported in MW-18 (Screens 4) at 0.037 $\mu\text{g/L}$, which is above the DHS notification level of 0.005 $\mu\text{g/L}$.

ALL WELL CATEGORIES (OTHER RESULTS)

Total chromium, a naturally occurring metal, was detected in samples collected from all 25 wells during the October/November 2005 sampling event. The state MCL (50 $\mu\text{g/L}$) was exceeded in MW-13; however none of the other wells had concentrations that exceeded the state MCL.


During the January/February 2005 and April/May 2005 sampling events, confirmatory perchlorate analyses were performed on select samples to evaluate the potential for false positive detections using ion chromatography (IC) by U.S. Environmental Protection Agency (EPA) Method 314.0. In general, perchlorate results using the IC method and the LC/MS/MS method (EPA Method 8321a) were comparable. Based on the results of this comparison, no additional confirmation analyses were conducted, and perchlorate results using EPA Method 314.0 were considered valid.


Elevated groundwater levels were observed in nearly every JPL monitoring well with an average increase of nearly 22 feet. Although groundwater levels during the October/November 2005 event remained elevated above normal levels for this time of year, the levels had decreased an average of 12 feet from the historical highs observed during the April/May 2005 event. Groundwater level measurements collected during the October/November 2005 event indicate that groundwater gradients and flow directions are generally consistent with previous observations (see Figure 9).

ATTACHMENTS

Attachments to this technical memorandum include the following:

- Attachment 1: Quality Assurance/Quality Control Summary
- Attachment 2: Data Validation Reports (Summary Sheets)
- Attachment 3: Laboratory Analytical Reports (Summary Sheets)
- Attachment 4: Field Logs
- Attachment 5: Water Level Measurements.







DESIGNED BY JH	Battelle		
DRAWN BY DS	Figure 2. Carbon Tetrachloride in Groundwater, October-November 2005		
CHECKED BY DC	JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05

NW


SE




Note: Concentrations are Reported in $\mu\text{g/L}$



Primary: CCL4_05oct_nov_sect_axis.unsliced.faces
 Active Edit: GW_05apr_may_allCOCs_post_sect.pdat
 Z exag: 3.0



DESIGNED BY JH	Battelle		
DRAWN BY DS	Figure 3. Horizontal and Vertical Extent of Carbon Tetrachloride in Groundwater, October/November 2005		
CHECKED BY DC	JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05



MW-24
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

MW-16
1: 2.4

MW-7
1: 0.5 U/0.5 U

MW-8
1: 0.5 U

MW-15
1: 0.5 U

MW-1
1: 0.5 U

MW-11
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

MW-12
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

MW-18
1: 0.5 U
2: 0.5 U
3: 0.6
4: 1.3
5: 0.5 U

MW-3
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U/0.5 U
5: 0.5 U

LFWC#2
NA

LCID#6
ND

MW-13
1: 13.4

MW-6
1: 0.5 U

VWC#4
0.50

VWC#1
0.70

LCID#1
ND

MW-14
1: 0.5 U/0.5 U
2: 4.9
3: 0.8
4: 0.5 U
5: 0.5 U

MW-22
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

MW-23
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

MW-21
1: 0.8
2: 0.4 J
3: 0.7
4: 0.5 U
5: 0.5 U

MW-10
1: 22.9

MW-5
1: 0.5 U

MW-4
1: 0.5 U
2: 1.0
3: 0.5 U
4: 0.5 U/0.5 U
5: 0.5 U

MW-19
1: 0.5 U
2: 0.6
3: 0.5 U
4: 0.5 U
5: 0.4 J/0.3 J

MW-17
1: 0.5 U
2: 1.5
3: 2.0/2.0
4: 0.9
5: 0.5 U

MW-20
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

MW-26
1: 0.5 U
2: 0.5 U/0.5 U

MW-25
1: 0.5 U
2: 0.5 U
3: 0.5 U
4: 0.5 U
5: 0.5 U

DESIGNED BY JH	Battelle					
DRAWN BY DS				Figure 4. Trichloroethene (TCE) in Groundwater, October-November 2005		
CHECKED BY DC				JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05			

NE



SW

MW-24


MW-13

MW-10


MW-21




Note: Concentrations are Reported in $\mu\text{g/L}$




Primary: TCE_05oct_nov_sect_axis.faces
 Active Edit: GW_05apr_may_allCOCs_post_sect.pdat
 Z exag: 3.0



DESIGNED BY JH	Battelle		
DRAWN BY DS	Figure 5. Horizontal and Vertical Extent of Trichloroethene in Groundwater, October/November 2005		
CHECKED BY DC	JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05



DESIGNED BY JH	Battelle		
DRAWN BY DS			
CHECKED BY DC	JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05





EXPLANATION

- JPL Facility Boundary
- Municipal Production Well
- Deep Multi-Port Monitoring Well Location
- Shallow Monitoring Well Location
- Approximate Location of Thrust Fault
- Concentration Contour Line (µg/L)
- A—A'** Cross-Section Transect
- NA Not Analyzed

Notes:
 Concentrations Reported in µg/L Highlighted
 Concentrations Exceed the Interim Action Level – California Dept. of Health Services (6.0 µg/L)

DESIGNED BY JH	Battelle		
DRAWN BY DS	Figure 7. Perchlorate in Groundwater, October-November 2005		
CHECKED BY DC	JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05





EXPLANATION

- JPL Facility Boundary
- Municipal Production Well
- Deep Multi-Port Monitoring Well Location
- Shallow Monitoring Well Location
- Approximate Location of Thrust Fault
- Groundwater Elevation Contour (ft msl)
- Groundwater Flow Direction

DESIGNED BY JH	Battelle		
DRAWN BY DS	Figure 9. Groundwater Elevation Contours and Flow Directions, October-November 2005		
CHECKED BY DC	JPL — PASADENA, CA		
	G486090-21	JPLCONTAMSEPT0503.CDR	10/05

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-1	April/May 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	2.0J
MW-1	Oct/Nov 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	April/May 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	April/May 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	April/May 2005	DUPE-2-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	April/May 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	4.0J
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	April/May 2004	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	April/May 2004	DUPE-1-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	April/May 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	July/Sept 2005	MW-3-1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA NDPA	0.0005J 0.002U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	April/May 2003	MW-3-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-Pentanone	3.0J
MW-3 Screen 2	April/May 2003	DUPE-5-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	4-Methyl-2-Pentanone	3.0J
MW-3 Screen 2	July/Aug 2003	MW-3-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9 J		
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6 J		
MW-3 Screen 2	Feb 2004	MW-3-2	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.3		
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	10.4		
MW-3 Screen 2	April/May 2004	MW-3-2	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.5 J		
MW-3 Screen 2	July/Aug 2004	MW-3-2	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5		
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	1.7 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	46.6		
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	4.3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	139.0		
MW-3 Screen 2	April/May 2005	MW-3-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	89.3		
MW-3 Screen 2	July/Sept 2005	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.2	m,p-xylene NDMA NDPA	0.4J 0.0076 0.002U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	44.1		
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-3 Screen 3	April/May 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	4-Methyl-2-Pentanone	3.0J
MW-3 Screen 3	July/Aug 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-3 Screen 3	Feb 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-3 Screen 3	April/May 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-3 Screen 3	July/Aug 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methyl-tert-butyl Ether Toluene	0.6 0.4J 0.3J
MW-3 Screen 3	July/Aug 2004	DUPE-4-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methyl-tert-butyl Ether Toluene	0.7 0.3J 0.4J
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	April/May 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	July/Sept 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene NDMA NDPA	0.4J 0.002U 0.002U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	April/May 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	3.0J
MW-3 Screen 4	July/Aug 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	April/May 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 4	July/Aug 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	April/May 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.81 J		
MW-3 Screen 4	July/Sept 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene NDMA NDPA	0.6J 0.002J 0.002U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	April/May 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone Styrene Ethylbenzene	4.0J 0.4J 0.7
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone Ethylbenzene Styrene	5.0J 1.3 0.8
MW-3 Screen 5	April/May 2004	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	April/May 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J		
MW-3 Screen 5	July/Sept 2005	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA NDPA	0.002U 0.002U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-4 Screen 1	April/May 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	July/Aug 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	July/Aug 2003	DUPE-3-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Feb 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J		
MW-4 Screen 1	April/May 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	July/Aug 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene Toluene	0.7 0.6
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m/p-xylene	0.4J 1.3
MW-4 Screen 1	April/May 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	July/Sept 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	0.5 U	1.2	0.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-4 Screen 2	April/May 2003	MW-4-2	0.5 U	0.4 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6		
MW-4 Screen 2	July/Aug 2003	MW-4-2	0.5 U	0.7	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 J	9.0		
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	0.5 U	0.6	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.3 J		
MW-4 Screen 2	Feb 2004	MW-4-2	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-4 Screen 2	April/May 2004	MW-4-2	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4 Screen 2	April/May 2004	DUPE-3-2Q04	0.5 U	1.3	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-4 Screen 2	July/Aug 2004	MW-4-2	0.5 U	1.0	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	0.5 U	0.9	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	0.5 U	1.0	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	0.5 U	1.4	1.1	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-4 Screen 2	April/May 2005	MW-4-2	0.5 U	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9		
MW-4 Screen 2	July/Sept 2005	MW-4-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	Methylene Chloride	1.2U
MW-4 Screen 2	July/Sept 2005	DUPE-3-3Q05	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	Methylene Chloride	1.2U
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	0.5 U	1.0	0.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Toluene	2.3 0.4J
MW-4 Screen 3	April/May 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Chloromethane Toluene Ethylbenzene	1.8 0.3J 1.9
MW-4 Screen 3	July/Aug 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	4.5 0.5J 0.6
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	3.7 0.5J 0.5

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-4 Screen 3	Feb 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	4.6 0.4J 0.6
MW-4 Screen 3	April/May 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	4.1 0.6 0.5
MW-4 Screen 3	July/Aug 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	3.7 0.5 0.6
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	3.6 0.6 0.6
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene m/p-xylene	4.3 0.7 0.5 0.5J
MW-4 Screen 3	April/May 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Toluene m/p-xylene	1.8 0.4J 0.4J
MW-4 Screen 3	July/Sept 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methylene Chloride m/p-xylene Styrene	1.9 1.2U 0.6 0.4J
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	2.8 0.6 0.5J
MW-4 Screen 4	April/May 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	April/May 2003	DUPE-1-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone Chloroethane Chloromethane	3.0J 2.0 4J
MW-4 Screen 4	April/May 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	April/May 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	April/May 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	2.0J
MW-4 Screen 5	April/May 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.3J
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-4 Screen 5	April/May 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2003	MW-5	1.6	14.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.4	25.2		
MW-5	April/May 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-5	July/Aug 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb 2004	MW-5	0.4 J	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	34.2		
MW-5	April/May 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	July/Aug 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	July/Aug 2004	DUPE-5-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2004	MW-5	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	0.8
MW-5	Jan/Feb 2005	DUPE-5-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	0.7
MW-5	April/May 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	July/Sept 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-5	July/Sept 2005	DUPE-8-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-5	Oct/Nov 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 2003	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.4 J	3.8 J		
MW-6	April/May 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.7	0.5 U	0.5 J	2.3 J	4-Methyl-2-Pentanone	4.0J
MW-6	July/Aug 2003	MW-6	0.5 U	0.5 U	2.3	0.7	0.5 U	0.5 U	0.5 U	0.3 J	2.9 J		
MW-6	Oct/Nov 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.8	0.5 U	0.3 J	3.6 J		
MW-6	Feb 2004	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.5 J	4.0 U		
MW-6	April/May 2004	MW-6	0.5 U	0.5 U	2.1	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	July/Aug 2004	MW-6	0.5 U	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	Trichlorofluoromethane	0.4J
MW-6	Oct/Nov 2004	MW-6	0.5 U	0.5 U	3.8	1.1	0.5 U	0.7	0.5 U	0.3 J	4.0 U		
MW-6	Jan/Feb 2005	MW-6	0.5 U	0.5	3.4	1.1	0.5 U	1.5	0.5 U	0.5	4.3	Methylene Chloride	0.6
MW-6	April/May 2005	MW-6	0.5 U	0.3 J	2.1	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.9 J		
MW-6	April/May 2005	DUPE-8-2Q05	0.5 U	0.5 U	2.2	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.1 J		
MW-6	July/Sept 2005	MW-6	0.5 U	0.5 U	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Trichlorofluoromethane Methylene Chloride	1.5 1.2U
MW-6	Oct/Nov 2005	MW-6	0.5 U	0.5 U	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-7	Jan/Feb 2003	MW-7	102.0	4.4	11.8	0.5 U	0.5 U	6.1	4.2	12.9	5200.0		
MW-7	Jan/Feb 2003	DUPE-6-1Q03	122.0	4.8	13.5	0.5 U	0.5 U	6.4	4.2	12.3	6190.0		
MW-7	April/May 2003	MW-7	73.7	8.1	9.9	0.5 U	0.5 U	4.2	3.6	10.0	5560.0	4-Methyl-2-Pentanone Methylene Chloride	6.0J 2.3
MW-7	July/Aug 2003	MW-7	40.4	4.5	4.9	0.5 U	0.5 U	2.2	2.2	6.8	1920.0 J		
MW-7	Oct/Nov 2003	MW-7	42.0	5.0	7.2	0.5 U	0.5 U	3.2	2.4	9.9	2400.0 J		
MW-7	Feb 2004	MW-16	94.7	8.2	30.2	0.5 U	0.5 U	10.5	8.6	26.3	7690.0		
MW-7	April/May 2004	MW-7	62.7 J	6.8	15.6	0.5 U	0.5 U	7.6	5.8	15.9	4680.0	Bromodichloromethane Toluene	0.4J 0.8

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-7	April/May 2004	DUPE-7-2Q04	65.1	7.1	16.3	0.5 U	0.5 U	7.9	6.0	16.3	4430.0	Bromodichloromethane Toluene	0.4J 0.8
MW-7	July/Aug 2004	MW-7	58.0	6.3	15.0	0.5 U	0.5 U	5.5	5.0	16.2	3760		
MW-7	Oct/Nov 2004	MW-7	51.4	8.7	34.7	0.5 U	0.5 U	8.0	9.0	17.7	4810	Toluene	0.5
MW-7	Jan/Feb 2005	MW-7	57.3	9.3	15.8	0.5 U	0.5 U	7.6	6.0	12.5	4680	Methylene Chloride	0.9
MW-7	April/May 2005	MW-7	7.6	3.3	1.4	0.5 U	0.5 U	0.5 U	0.5 U	2.8	155		
MW-7	July/Sept 2005	MW-7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	87	Methylene Chloride	1.2U
MW-7	Oct/Nov 2005	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.1	Toluene	1.8
MW-7	Oct/Nov 2005	DUPE-8-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.3	Toluene	1.9
MW-8	Jan/Feb 2003	MW-8	4.3	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	45.0		
MW-8	April/May 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-Pentanone	5.0J
MW-8	July/Aug 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7	J	
MW-8	Oct/Nov 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.2	J	
MW-8	Oct/Nov 2003	DUPE-7-4-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.2	J	
MW-8	Feb 2004	MW-8	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	32.6		
MW-8	April/May 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-8	July/Aug 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.4		
MW-8	Oct/Nov 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.6		
MW-8	Jan/Feb 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	Methylene Chloride 0.5J
MW-8	Jan/Feb 2005	DUPE-6-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	Methylene Chloride 0.5
MW-8	April/May 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-8	July/Sept 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	J	Methylene Chloride 1.2U
MW-8	Oct/Nov 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	Toluene 0.4J
MW-9	April/May 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	4-Methyl-2-Pentanone 5.0J
MW-9	Oct/Nov 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	J	
MW-9	April/May 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-9	Oct/Nov 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-9	April/May 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-9	April/May 2005	DUPE-3-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-9	Oct/Nov 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	U	
MW-10	Jan/Feb 2003	MW-10	0.5 U	2.5	1.3	0.5 J	0.5 U	0.5 U	0.5 U	0.5	3.5	J	
MW-10	April/May 2003	MW-10	0.2 J	11.2	1.3	0.8	0.5 U	0.5 U	0.5 U	1.1	17.5		4-Methyl-2-Pentanone 6.0J
MW-10	July/Aug 2003	MW-10	0.3 J	12.3	0.9	0.6	0.5 U	0.5 U	0.5 U	1.3	43.6	J	
MW-10	Oct/Nov 2003	MW-10	0.5 U	10.8	1.5	0.9	0.5 U	0.5 U	0.5 U	1.2	21.9	J	
MW-10	Feb 2004	MW-10	0.5 U	4.9	1.7	0.8	0.5 U	0.5 U	0.5 U	0.9	5.1		
MW-10	April/May 2004	MW-10	0.5 U	13.4	2.0	1.1	0.5 U	0.5 U	0.5 U	1.3	13.5		
MW-10	July/Aug 2004	MW-10	0.5 U	14.6	1.5	0.9	0.5 U	0.5 U	0.5 U	1.3	25.3		
MW-10	July/Aug 2004	DUPE-6-3Q04	0.5 U	16.6	1.8	1.0	0.5 U	0.5 U	0.5 U	1.4	25.5		
MW-10	Oct/Nov 2004	MW-10	0.5 U	4.8	2.2	1.0	0.5 U	0.5 U	0.5 U	1.0	4.0	U	Toluene 0.4J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	0.5 U	4.5	2.2	0.9	0.5 U	0.5 U	0.5 U	0.9	4.0	U	Toluene 0.4J
MW-10	Jan/Feb 2005	MW-10	1.3	17.5	1.5	0.8	0.5 U	0.5 U	0.5 U	1.4	71.6		Methylene Chloride 0.7

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-10	April/May 2005	MW-10	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.8	Bromodichloromethane	0.4J
MW-10	April/May 2005	DUPE-9-2Q05	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.1	Bromodichloromethane	0.5J
MW-10	July/Sept 2005	MW-10	0.5	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	108.0	Methylene Chloride	1.2U
MW-10	July/Sept 2005	DUPE-7-3Q05	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	110.0	Methylene Chloride	1.2U
MW-10	Oct/Nov 2005	MW-10	0.7	22.9	1.3	0.3 J	0.5 U	0.5 U	0.5 U	2.6	57.0		
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J		
MW-11 Screen 1	April/May 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	6.0J
MW-11 Screen 1	July/Aug 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Feb 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	April/May 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	July/Aug 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	April/May 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	July/Sept 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride m/p-xylene	1.2U 0.5
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.0
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J		
MW-11 Screen 2	April/May 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	6.0J
MW-11 Screen 2	July/Aug 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Feb 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	April/May 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	July/Aug 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.4J
MW-11 Screen 2	April/May 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.4J
MW-11 Screen 2	July/Sept 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-11 Screen 2	July/Sept 2005	DUPE-4-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J		
MW-11 Screen 3	April/May 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	6.0J
MW-11 Screen 3	July/Aug 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone Chloroethane Chloromethane	2.0J 1.4 0.4J
MW-11 Screen 3	Feb 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	April/May 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	April/May 2004	DUPE-5-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-11 Screen 3	July/Aug 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl Ether Styrene	0.4J 0.3J
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p xylenes	0.4J
MW-11 Screen 3	April/May 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	April/May 2005	DUPE-7-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	July/Sept 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride m/p-xylene	1.2U 0.5
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-11 Screen 4	April/May 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	7.0J
MW-11 Screen 4	July/Aug 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	0.3J
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Feb 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Feb 2004	DUPE-5-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	April/May 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	July/Aug 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	July/Aug 2004	DUPE-3-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	April/May 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	July/Sept 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-11 Screen 4	Oct/Nov 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	April/May 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	7.0J
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	April/May 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	0.6
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	April/May 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3J
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	1,3-Dichloropropane	0.6
MW-12 Screen 1	April/May 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	8.0J
MW-12 Screen 1	July/Aug 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Feb 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	April/May 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	July/Aug 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-12 Screen 1	April/May 2005	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	July/Sept 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride 1,2,3-Trichloropropane**	1.2U 0.005U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	0.5J
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	1,3-Dichloropropane	0.5
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	1,3-Dichloropropane	0.6
MW-12 Screen 2	April/May 2003	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	4-Methyl-2-Pentanone	5.0J
MW-12 Screen 2	July/Aug 2003	MW-12-2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J		
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Feb 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	April/May 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	July/Aug 2004	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	m/p-xylene	0.3J
MW-12 Screen 2	April/May 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-12 Screen 2	July/Sept 2005	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	Methylene Chloride 1,2,3-Trichloropropane**	1.4U 0.005U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	0.6
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	1.8 J		
MW-12 Screen 3	April/May 2003	MW-12-3	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.8 J		
MW-12 Screen 3	April/May 2003	DUPE-6-2Q03	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	3.4 J	4-Methyl-2-Pentanone	4.0J
MW-12 Screen 3	July/Aug 2003	MW-12-3	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.8 J		
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U		
MW-12 Screen 3	Feb 2004	MW-12-3	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12 Screen 3	April/May 2004	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U		
MW-12 Screen 3	July/Aug 2004	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	2.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	4.0 U		
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	m/p-xylene	0.4J
MW-12 Screen 3	April/May 2005	MW-12-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.6 J		
MW-12 Screen 3	July/Sept 2005	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J	Methylene Chloride 1,2,3-Trichloropropane**	1.3U 0.018
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	Methylene Chloride	1.1
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.9 J		
MW-12 Screen 4	April/May 2003	MW-12-4	1.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.6 J		
MW-12 Screen 4	July/Aug 2003	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6		
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8 J		
MW-12 Screen 4	Feb 2004	MW-12-4	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-12 Screen 4	April/May 2004	MW-12-4	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.4		
MW-12 Screen 4	April/May 2004	DUPE-4-2Q04	2.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.5		
MW-12 Screen 4	July/Aug 2004	MW-12-4	3.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J		
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.6		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-12 Screen 4	Jan/Feb 2005	MW-12-4	2.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	m/p-xylene	0.5J
MW-12 Screen 4	April/May 2005	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	m/p-xylene	0.3J
MW-12 Screen 4	July/Sept 2005	MW-12-4	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	Methylene Chloride 1,2,3-Trichloropropane**	1.3U 0.023
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	Methylene Chloride	0.7
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-12 Screen 5	April/May 2003	MW-12-5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J	4-Methyl-2-Pentanone	7.0J
MW-12 Screen 5	July/Aug 2003	MW-12-5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Feb 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Feb 2004	DUPE-6-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	April/May 2004	MW-12-5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-12 Screen 5	July/Aug 2004	MW-12-5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Jan/Feb 2005	MW-12-5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J		
MW-12 Screen 5	April/May 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-12 Screen 5	July/Sept 2005	MW-12-5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	Methylene Chloride 1,2,3-Trichloropropane**	1.2U 0.014
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride Styrene m/p-xylene	1.1 0.5J 0.5J
MW-13	Jan/Feb 2003	MW-13	0.8	1.2	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	68.1		
MW-13	April/May 2003	MW-13	1.3	9.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	1.5	147.0	4-Methyl-2-Pentanone	5.0J
MW-13	July/Aug 2003	MW-13	1.0	20.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	159.0 J	Bromodichloromethane Chlorodibromomethane	0.4J 0.8
MW-13	Oct/Nov 2003	MW-13	1.5	9.0	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.7	223.0 J		
MW-13	Feb 2004	MW-13	0.8	1.0	1.1	0.7	0.5 U	0.5 U	0.5 U	0.7	112.0		
MW-13	April/May 2004	MW-13	1.4	7.4	1.2	0.6	0.5 U	0.5 U	0.5 U	1.7	205.0	1,4-Dioxane	5.3
MW-13	July/Aug 2004	MW-13	2.0	15.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	296		
MW-13	Oct/Nov 2004	MW-13	0.4 J	1.4	1.3	0.9	0.5 U	0.5 U	0.5 U	0.8	51.5	1,2,3-Trichlorobenzene Trichlorofluoromethane	0.3J 0.3J
MW-13	Jan/Feb 2005	MW-13	2.2	5.0	1.1	0.7	0.5 U	0.5 U	0.5 U	1.1	222.0	Methylene Chloride Trichlorofluoromethane	0.7 0.3J

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-13	April/May 2005	MW-13	1.2	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.8	609	1,4-Dioxane Bromodichloromethane	8.4 0.5
MW-13	July/Sept 2005	MW-13	1.4	14.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	402	Chlorodibromomethane Bromodichloromethane Methylene Chloride Trichlorofluoromethane	0.3J 0.5J 1.1U 1.3
MW-13	Oct/Nov 2005	MW-13	2.9	13.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	1410	Bromodichloromethane Toluene Trichlorofluoromethane	0.3J 13.5 0.4J
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	0.5 U	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.4 J	1.9 J	Methylene Chloride	0.5J
MW-14 Screen 1	April/May 2003	MW-14-1	0.5 U	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.8 J		
MW-14 Screen 1	July/Aug 2003	MW-14-1	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.8 J	Methylene Chloride	0.5J
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	0.5 U	0.5 U	0.4 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-14 Screen 1	Feb 2004	MW-14-1	0.5 U	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	2.3 J		
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	April/May 2004	MW-14-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-14 Screen 1	July/Aug 2004	MW-14-1	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	0.5 UJ	0.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	0.5 U	2.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	April/May 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	2-butanone	0.7J
MW-14 Screen 1	July/Sept 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J	Methylene Chloride	1.2U
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	Methylene Chloride	0.4J
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	Methylene Chloride	0.3J
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	0.5 U	6.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.6	2.6 J		
MW-14 Screen 2	April/May 2003	MW-14-2	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.3 J		
MW-14 Screen 2	July/Aug 2003	MW-14-2	0.5 U	1.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	5.4	Methylene Chloride	0.4J
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	0.5 U	4.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7 J		
MW-14 Screen 2	Feb 2004	MW-14-2	0.5 U	5.9	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 2	April/May 2004	MW-14-2	0.5 U	4.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7 J		
MW-14 Screen 2	July/Aug 2004	MW-14-2	0.5 U	4.6	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	9.3		
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	0.5 UJ	5.2 J	0.6 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	4.0 U		
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	0.5 U	10.4	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	trans-1,2-dichloroethene m,p-xylene	0.3J 0.3J
MW-14 Screen 2	April/May 2005	MW-14-2	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	Bromodichloromethane	0.4J
MW-14 Screen 2	July/Sept 2005	MW-14-2	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	Methylene Chloride Trans-1,2-Dichloroethene	1.2U 2.1
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	0.5 U	4.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.1 J		
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	0.5 U	1.1	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	2.9 J		
MW-14 Screen 3	April/May 2003	MW-14-3	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.7		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-14 Screen 3	April/May 2003	DUPE-2-2Q03	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.4		
MW-14 Screen 3	July/Aug 2003	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Methylene Chloride	0.3J
MW-14 Screen 3	July/Aug 2003	DUPE-4-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	Methylene Chloride	0.8
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	0.5 U	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	7.2 J		
MW-14 Screen 3	Feb 2004	MW-14-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 3	April/May 2004	MW-14-3	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.6		
MW-14 Screen 3	July/Aug 2004	MW-14-3	0.5 U	1.0	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	7.3		
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	0.5 UJ	1.1 J	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	18.5		
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	0.5 U	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 3	April/May 2005	MW-14-3	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2		
MW-14 Screen 3	July/Sept 2005	MW-14-3	0.5 U	1.0	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.9	Methylene Chloride	1.2U
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.9		
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-14 Screen 4	April/May 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J		
MW-14 Screen 4	July/Aug 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J		
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4 J		
MW-14 Screen 4	Feb 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	April/May 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0		
MW-14 Screen 4	July/Aug 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7		
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-14 Screen 4	Jan/Feb 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	April/May 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J		
MW-14 Screen 4	April/May 2005	DUPE-4-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5 J	2-butanone	0.9J
MW-14 Screen 4	July/Sept 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J	Methylene Chloride	1.2U
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	April/May 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	July/Aug 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Feb 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	April/May 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	July/Aug 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	July/Aug 2004	DUPE-1-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.5
												m,p-xylenes	6.6
												o-xylene	1.2
												Toluene	0.9

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-xylene o-xylene Toluene	1.3 5.7 1.1 0.7
MW-14 Screen 5	Jan/Feb 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-xylene	0.3J 0.8
MW-14 Screen 5	April/May 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	m/p-xylene	0.6
MW-14 Screen 5	July/Sept 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	April/May 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone Methylene Chloride	4.0J 2.6
MW-15	Oct/Nov 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2003	DUPE-2-4-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	April/May 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	April/May 2004	DUPE-6-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2005	MW-15	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-15	April/May 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-15	July/Sept 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	Methylene Chloride	1.4U
MW-15	July/Sept 2005	DUPE-9A-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J	Methylene Chloride	1.3U
MW-15	Oct/Nov 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-16	Jan/Feb 2003	MW-16	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	97.2		
MW-16	April/May 2003	MW-16	2.9	1.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	3.8	1810.0	4-Methyl-2-Pentanone	4.0J
MW-16	July/Aug 2003	MW-16	1.9	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1520.0 J	Chlorodibromomethane	0.4J
MW-16	Oct/Nov 2003	MW-16	3.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1360.0 J		
MW-16	Feb 2004	MW-16	1.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	1630.0		
MW-16	April/May 2004	MW-16	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	929.0	1,4-Dioxane	3.1
MW-16	July/Aug 2004	MW-16	4.0	1.0	0.5	0.5 U	0.5 U	1.3	0.5 U	5.1	833		
MW-16	Oct/Nov 2004	MW-16	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	322		
MW-16	Jan/Feb 2005	MW-16	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2100	Methylene Chloride	0.9
MW-16	Jan/Feb 2005	DUPE-7-1Q05	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2110	Methylene Chloride	0.6
MW-16	April/May 2005	MW-16	3.1	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4750	Bromodichloromethane 1,4-Dioxane	0.4J 5.0
MW-16	July/Sept 2005	MW-16	11.2	2.6	5.3	0.5 U	0.5 U	2.6	0.5 U	9.7	13000		
MW-16	Oct/Nov 2005	MW-16	17.6	2.4	7.3	0.5 U	0.5 U	2.1	0.5 U	10.8	13100		
MW-17 Screen 1	April/May 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	April/May 2004	MW-17-1	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 UJ		
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-17 Screen 1	April/May 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	July/Sept 2005	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	July/Sept 2005	DUPE-11-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.4 J		
MW-17 Screen 2	April/May 2003	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4-Methyl-2-Pentanone	5.0J
MW-17 Screen 2	July/Aug 2003	MW-17-2	0.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.9 J		
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	1.0	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	15.7 J		
MW-17 Screen 2	Feb 2004	MW-17-2	0.7	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.2		
MW-17 Screen 2	April/May 2004	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5 J		
MW-17 Screen 2	July/Aug 2004	MW-17-2	1.0	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.0		
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	0.5 J	3.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.0	14.2		
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	1.5	4.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.6		
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	1.6	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	10.6		
MW-17 Screen 2	April/May 2005	MW-17-2	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.2	m,p-xylene	0.3J
MW-17 Screen 2	July/Sept 2005	MW-17-2	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	9.7	Methylene Chloride	1.2U
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.7		
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	13.1	3.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U	1,1,2-Trichlorotrifluoroethane	0.5J
MW-17 Screen 3	April/May 2003	MW-17-3	6.4	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	126.0	4-Methyl-2-Pentanone	3.0J
MW-17 Screen 3	July/Aug 2003	MW-17-3	13.0	3.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.6	209.0 J		
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	11.0	3.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6	199.0 J		
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	13.7	3.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.1	193.0 J		
MW-17 Screen 3	Feb 2004	MW-17-3	9.6	3.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	162.0		
MW-17 Screen 3	April/May 2004	MW-17-3	4.7	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.0 UJ		
MW-17 Screen 3	July/Aug 2004	MW-17-3	9.7	3.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.7	109		
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	14.9 J	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	133		
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	9.4	3.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.3	76.2		
MW-17 Screen 3	April/May 2005	MW-17-3	2.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	96.5		
MW-17 Screen 3	July/Sept 2005	MW-17-3	3.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.4	m,p-xylene Methylene Chloride	0.4J 1.2U
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	5.2	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	76.7		
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	4.9	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.8		
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-17 Screen 4	April/May 2003	MW-17-4	0.5 U	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	6.5	4-Methyl-2-Pentanone	4.0J
MW-17 Screen 4	July/Aug 2003	MW-17-4	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Feb 2004	MW-17-4	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-17 Screen 4	April/May 2004	MW-17-4	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 UJ		
MW-17 Screen 4	July/Aug 2004	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	0.5 UJ	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	0.5 UJ	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.3J
MW-17 Screen 4	April/May 2005	MW-17-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.4J
MW-17 Screen 4	July/Sept 2005	MW-17-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	April/May 2003	MW-17-5	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	4-Methyl-2-Pentanone	3.0J
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	April/May 2004	MW-17-5	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	April/May 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	July/Sept 2005	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	April/May 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	4.0J
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	April/May 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	April/May 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	July/Sept 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride 1,2,3-Trichloropropane	1.2U 0.005U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	April/May 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	4.0J
MW-18 Screen 2	July/Aug 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Feb 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	April/May 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 2	July/Aug 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	April/May 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	April/May 2005	DUPE-1-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	July/Sept 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3,-Trichloropropane** m,p-xylene	0.005U 0.3J
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0 U		
MW-18 Screen 3	April/May 2003	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.3 J	4-Methyl-2-Pentanone	4.0J
MW-18 Screen 3	July/Aug 2003	MW-18-3	0.5 U	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.5	1.3 J		
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-18 Screen 3	Feb 2004	MW-18-3	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18 Screen 3	April/May 2004	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.7 J		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-18 Screen 3	July/Aug 2004	MW-18-3	0.7	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	6.4		
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	5.2		
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	2.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18 Screen 3	April/May 2005	MW-18-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.3		
MW-18 Screen 3	July/Sept 2005	MW-18-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	5.7	1,2,3,-Trichloropropane** m,p-xylene	0.005U 0.4J
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	3.5	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.7		
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	6.7	2.6	4.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	24.6		
MW-18 Screen 4	April/May 2003	MW-18-4	2.4	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	23.9	4-Methyl-2-Pentanone	7.0J
MW-18 Screen 4	April/May 2003	DUPE-7-2Q03	2.4	0.9	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.8	4-Methyl-2-Pentanone	6.0J
MW-18 Screen 4	July/Aug 2003	MW-18-4	3.3	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.0	15.0		
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	3.4	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.2 J		
MW-18 Screen 4	Feb 2004	MW-18-4	3.1	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0		
MW-18 Screen 4	April/May 2004	MW-18-4	2.1	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	8.1 J		
MW-18 Screen 4	July/Aug 2004	MW-18-4	4.0	1.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	13.9		
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	6.4	1.5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0		
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	8.3	2.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.3	10.2		
MW-18 Screen 4	April/May 2005	MW-18-4	2.4	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	12.6	m/p-xylene	0.3J
MW-18 Screen 4	July/Sept 2005	MW-18-4	1.7	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	10.2	1,2,3,-Trichloropropane**	0.037
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	5.1	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	9.3		
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	April/May 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-18 Screen 5	July/Aug 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Feb 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	April/May 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	July/Aug 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene o-xylene m/p-xylene	0.7 0.9 3.0
MW-18 Screen 5	April/May 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.5
MW-18 Screen 5	July/Sept 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3,-Trichloropropane** m,p-xylene	0.005U 0.4J
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	April/May 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	July/Aug 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	April/May 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-19 Screen 1	July/Aug 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	July/Aug 2004	DUPE-2-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	April/May 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	July/Sept 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl Ether Benzene	0.6J 0.6
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	0.5 U	1.1	2.0	0.4 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-19 Screen 2	April/May 2003	MW-19-2	0.5 U	0.4 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.3		
MW-19 Screen 2	July/Aug 2003	MW-19-2	0.5 U	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J	Bromodichloromethane Chlorodibromomethane	0.4J 0.6
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	0.5 U	0.3 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.4 J	Bromodichloromethane Chlorodibromomethane	0.5 0.4J
MW-19 Screen 2	Feb 2004	MW-19-2	0.5 U	0.5 J	1.6	0.4 J	0.5 U	0.5 U	0.5 U	1.2	6.8	Bromodichloromethane Chlorodibromomethane	0.7 1.3
MW-19 Screen 2	April/May 2004	MW-19-2	0.5 U	0.3 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.5	Bromodichloromethane	0.4J
MW-19 Screen 2	July/Aug 2004	MW-19-2	0.5 U	0.5	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.9	7.1	Bromodichloromethane Chlorodibromomethane cis-1,2-Dichloroethene	0.4J 0.4 J 0.3J
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	0.5 UJ	0.3 J	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.0	8.0	Bromodichloromethane Chlorodibromomethane	0.5J 0.6
MW-19 Screen 2	Jan/Feb 2005	MW-19-2	0.5 U	0.5 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.5 0.6
MW-19 Screen 2	April/May 2005	MW-19-2	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	7.0	Bromodichloromethane	0.6
MW-19 Screen 2	July/Sept 2005	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.7	m,p-xylene	0.4J
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	0.5 U	0.6	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.6	Bromodichloromethane	0.3J
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	0.5 U	0.5 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 3	April/May 2003	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-19 Screen 3	July/Aug 2003	MW-19-3	0.5 U	0.4 J	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Chlorodibromomethane	0.4J
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	0.5 U	0.3 J	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.1 J		
MW-19 Screen 3	Feb 2004	MW-19-3	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	Chlorodibromomethane	0.9
MW-19 Screen 3	Feb 2004	DUPE-2-1Q04	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.3	Chlorodibromomethane	0.9
MW-19 Screen 3	April/May 2004	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-19 Screen 3	July/Aug 2004	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7		
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	0.5 UJ	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.8		
MW-19 Screen 3	Jan/Feb 2005	MW-19-3	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene	0.6
MW-19 Screen 3	April/May 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	July/Sept 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-19 Screen 4	April/May 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-19 Screen 4	July/Aug 2003	MW-19-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-19 Screen 4	July/Aug 2003	DUPE-1-3Q03	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-19 Screen 4	Feb 2004	MW-19-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.5 J		
MW-19 Screen 4	April/May 2004	MW-19-4	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-19 Screen 4	July/Aug 2004	MW-19-4	0.5 U	0.4 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	m,p-xylene Toluene	0.7 0.6
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	0.5 UJ	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 4	Jan/Feb 2005	MW-19-4	0.5 U	0.4 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 4	April/May 2005	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J		
MW-19 Screen 4	July/Sept 2005	MW-19-4	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.0 J	m,p-xylene	0.8
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.4 J		
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	0.5 U	0.4 J	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	April/May 2003	MW-19-5	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 5	July/Aug 2003	MW-19-5	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	0.5 U	0.3 J	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 5	Feb 2004	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	April/May 2004	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	July/Aug 2004	MW-19-5	0.5 U	0.4 J	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	0.5 UJ	0.3 J	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	Jan/Feb 2005	MW-19-5	0.5 U	0.5	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene	0.3J
MW-19 Screen 5	April/May 2005	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	July/Sept 2005	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	Bromodichloromethane	0.4J
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	0.5 U	0.4 J	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J		
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	0.5 U	0.3 J	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-20 Screen 1	April/May 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	April/May 2003	DUPE-3-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	July/Aug 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.5 J		
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.1 J	4-Methyl-2-Pentanone Chloroethane Chloromethane	3.0J 2.2 0.9
MW-20 Screen 1	Feb 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	April/May 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	July/Aug 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2		
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene	0.4J

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-20 Screen 1	April/May 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	July/Sept 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	Methylene Chloride	1.3U
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J		
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-20 Screen 2	April/May 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	4-Methyl-2-Pentanone	3.0J
MW-20 Screen 2	July/Aug 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	Bromodichloromethane	0.3J
MW-20 Screen 2	Feb 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-20 Screen 2	April/May 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-20 Screen 2	July/Aug 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene	0.4J
MW-20 Screen 2	April/May 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-20 Screen 2	July/Sept 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride m,p-xylene	1.3U 0.5J
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	April/May 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	4.0J
MW-20 Screen 3	July/Aug 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	July/Aug 2003	DUPE-2-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Feb 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-20 Screen 3	April/May 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	July/Aug 2004	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene	0.3J
MW-20 Screen 3	April/May 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	July/Sept 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J	Methylene Chloride	1.3U
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	April/May 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	124.0		
MW-20 Screen 4	July/Aug 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Feb 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	April/May 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	July/Aug 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-xylene	0.4J
MW-20 Screen 4	April/May 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	July/Sept 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J	Methylene Chloride	1.3U

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone	3.0J
MW-20 Screen 5	April/May 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.6
MW-20 Screen 5	July/Aug 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.5J
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4J
MW-20 Screen 5	Feb 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	April/May 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4J
MW-20 Screen 5	July/Aug 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4J
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene m,p-xylene	0.5 0.5
MW-20 Screen 5	April/May 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	July/Sept 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J	Methylene Chloride	1.3U
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride Styrene	0.4J 0.3J
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	0.5 U	3.6	0.7	0.5	0.5 U	0.5 U	0.5 U	1.0	3.1		
MW-21 Screen 1	April/May 2003	MW-21-1	0.5 U	0.7	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	3.6 J		
MW-21 Screen 1	July/Aug 2003	MW-21-1	0.5 U	11.0	1.0	0.7	0.5 U	0.5 U	0.5 U	1.7	5.2		
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	6.5		
MW-21 Screen 1	Feb 2004	MW-21-1	0.5 U	1.2	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	5.7		
MW-21 Screen 1	April/May 2004	MW-21-1	0.5 U	0.9	0.4 J	0.6	0.5 U	0.5 U	0.5 U	0.7	5.6		
MW-21 Screen 1	July/Aug 2004	MW-21-1	0.5 U	4.2	0.5	0.6	0.5 U	0.5 U	0.5 U	0.8	5.1		
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	0.5 U	1.5	0.5	0.6	0.5 U	0.5 U	0.5 U	0.7	7.3		
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	0.5 U	0.7	0.5	0.9	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 1	April/May 2005	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 1	July/Sept 2005	MW-21-1	0.5 U	0.8	0.5 U	0.5 J	0.5 U	0.5 J	0.5 U	0.5	3.6 J	Bromodichloromethane	0.4J
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	0.5 U	0.8	0.3 J	0.7	0.5 U	0.5 U	0.5 U	0.6	4.1		
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	0.5 U	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	April/May 2003	MW-21-2	0.5 U	0.4 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-21 Screen 2	July/Aug 2003	MW-21-2	0.5 U	0.5 J	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J		
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	0.5 U	0.3 J	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.7 J		
MW-21 Screen 2	Feb 2004	MW-21-2	0.5 U	0.6	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.5	cis-1,2-Dichloroethene	0.3J
MW-21 Screen 2	April/May 2004	MW-21-2	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	cis-1,2-Dichloroethene	0.3J
MW-21 Screen 2	July/Aug 2004	MW-21-2	0.5 U	1.0	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	0.5 U	1.1	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.9 J	cis-1,2-Dichloroethene	0.6
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	0.5 U	0.8	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	April/May 2005	MW-21-2	0.5 U	0.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	cis-1,2-dichloroethene	0.4J
MW-21 Screen 2	July/Sept 2005	MW-21-2	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.2 J	cis-1,2-DCE	0.4J
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	0.5 U	0.4 J	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.9 J	Chlorodibromomethane cis-1,2-Dichloroethane	2.6 0.7

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	0.5 U	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	cis-1,2-Dichloroethane	0.3J
MW-21 Screen 3	April/May 2003	MW-21-3	0.5 U	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J		
MW-21 Screen 3	July/Aug 2003	MW-21-3	0.5 U	1.0	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.7 J	Chlorodibromomethane cis-1,2-Dichloroethane	0.4J 0.4J
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	0.5 U	0.7	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6 J		
MW-21 Screen 3	Feb 2004	MW-21-3	0.5 U	1.3	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2		
MW-21 Screen 3	April/May 2004	MW-21-3	0.5 U	1.0	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.3	cis-1,2-Dichloroethane	0.3J
MW-21 Screen 3	July/Aug 2004	MW-21-3	0.5 U	1.4	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethane	0.6
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	0.5 U	1.5	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.9	cis-1,2-Dichloroethane trans-1,2-Dichloroethane	0.6 0.4J
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	0.5 U	1.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethane trans-1,2-Dichloroethane	0.6 0.3J
MW-21 Screen 3	April/May 2005	MW-21-3	0.5 U	0.8	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 3	July/Sept 2005	MW-21-3	0.5 U	0.9	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.1	3.0 J	Bromodichloromethane m,p-xylene	0.4J 0.4J
MW-21 Screen 3	July/Sept 2005	DUPE-2-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	3.2 J		
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	0.5 U	0.7	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.9 J	cis-1,2-Dichloroethane	0.5J
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	0.5 U	0.3 J	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethane	0.7
MW-21 Screen 4	April/May 2003	MW-21-4	0.5 U	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.9	2.1 J	cis-1,2-Dichloroethane	0.8
MW-21 Screen 4	July/Aug 2003	MW-21-4	0.5 U	1.0	15.4	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2.7 J	Bromodichloromethane Chlorodibromomethane cis-1,2-Dichloroethane	0.5 0.7 2.2
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	0.5 U	0.5 J	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.4 J	Chlorodibromomethane cis-1,2-Dichloroethane	0.3J 1.3
MW-21 Screen 4	Feb 2004	MW-21-4	0.5 U	0.4 J	5.0	0.5 U	0.5 U	0.5 U	0.5 U	2.8	3.5 J	Chlorodibromomethane cis-1,2-Dichloroethane	1 1.1
MW-21 Screen 4	April/May 2004	MW-21-4	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.2	cis-1,2-Dichloroethane	0.7
MW-21 Screen 4	July/Aug 2004	MW-21-4	0.5 U	0.3 J	4.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	cis-1,2-Dichloroethane	1.2
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	0.5 U	0.5	7.4	0.5 U	0.5 U	0.5 U	0.5 U	2.7	3.8 J	Chlorodibromomethane cis-1,2-Dichloroethane	0.4J 1.4
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	0.5 U	0.6	8.7	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	cis-1,2-Dichloroethane m,p-xylene	1.6 0.5J
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	0.5 U	0.6	9.3	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	cis-1,2-Dichloroethane m/p-xylenes	1.8 0.5
MW-21 Screen 4	April/May 2005	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	Bromodichloromethane cis-1,2-dichloroethane	0.5J 0.8
MW-21 Screen 4	July/Sept 2005	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	2.7	2.0 J	cis-1,2-DCE	0.8
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	0.5 U	0.5 U	4.8	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.2 J	cis-1,2-dichloroethane m,p-xylene	1.0 0.5J
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	0.5 U	0.7	9.6	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	cis-1,2-Dichloroethane	2.0
MW-21 Screen 5	April/May 2003	MW-21-5	0.5 U	0.6	12.3	0.5 U	0.5 U	0.5 U	0.5 U	2.7	2.7 J	cis-1,2-Dichloroethane	1.7

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)
MW-21 Screen 5	July/Aug 2003	MW-21-5	0.5 U	1.0	20.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.6 J	cis-1,2-Dichloroethane 2.5
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	0.5 U	0.5 J	8.8	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.6 J	cis-1,2-Dichloroethane 1.4
MW-21 Screen 5	Feb 2004	MW-21-5	0.5 U	0.6	9.0	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.3	cis-1,2-Dichloroethane 1.5
MW-21 Screen 5	April/May 2004	MW-21-5	0.5 U	0.5 J	6.4	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.6 J	
MW-21 Screen 5	July/Aug 2004	MW-21-5	0.5 U	0.5	8.5	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	cis-1,2-Dichloroethane 1.7
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	0.5 U	0.6	8.4	0.5 U	0.5 U	0.5 U	0.5 U	3.9	6.2	cis-1,2-Dichloroethane 1.4 Ethylbenzene 2.9 m,p-xylene 11.2 o-xylene 1.9 Toluene 1.7
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	0.5 U	0.6	9.0	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0 U	cis-1,2-Dichloroethane m/p-xylenes 1.5 1.0
MW-21 Screen 5	April/May 2005	MW-21-5	0.5 U	0.3 J	4.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	Bromodichloromethane cis-1,2-dichloroethane m/p-xylene 0.4J 1.1 0.4J
MW-21 Screen 5	July/Sept 2005	MW-21-5	0.5 U	0.5 U	4.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	3.3 J	m,p-xylene 0.3J
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	0.5 U	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.3 J	cis-1,2-dichloroethane 0.6
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	0.5 U	0.3 J	2.0	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-22 Screen 1	April/May 2003	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	4-Methyl-2-Pentanone 3.0J
MW-22 Screen 1	July/Aug 2003	MW-22-1	0.5 U	0.3 J	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	4-Methyl-2-Pentanone 0.4J
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	
MW-22 Screen 1	Feb 2004	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	April/May 2004	MW-22-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	July/Aug 2004	MW-22-1	0.5 U	0.3 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	Methylene Chloride 0.7
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	0.5 UJ	0.3 J	1.9	0.5 U	0.4 J	0.5 U	0.5 U	0.5 J	4.0 U	1,2-Dichloroethane 0.4J
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	0.5 U	0.4 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.0	
MW-22 Screen 1	April/May 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J	
MW-22 Screen 1	July/Sept 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	Methylene Chloride 1.2U
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 J	
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	
MW-22 Screen 2	April/May 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J	4-Methyl-2-Pentanone 5.0J
MW-22 Screen 2	July/Aug 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	4-Methyl-2-Pentanone 0.6J
MW-22 Screen 2	July/Aug 2003	DUPE-5-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	4-Methyl-2-Pentanone 0.4J
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	
MW-22 Screen 2	Feb 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	April/May 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	July/Aug 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J	Methylene Chloride 0.8
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride m,p-xylene 0.6 0.5

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-22 Screen 2	April/May 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-22 Screen 2	July/Sept 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	Methylene Chloride	1.2U
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		
MW-22 Screen 3	April/May 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	4-Methyl-2-Pentanone	6.0J
MW-22 Screen 3	July/Aug 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	4-Methyl-2-Pentanone Chloroethane	2.0J 2.0
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-22 Screen 3	Feb 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	April/May 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	July/Aug 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	0.7
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-22 Screen 3	April/May 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-22 Screen 3	April/May 2005	DUPE-5-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J		
MW-22 Screen 3	July/Sept 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	Methylene Chloride	1.2U
MW-22 Screen 3	July/Sept 2005	DUPE-5-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J	Methylene Chloride	1.2U
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 J		
MW-22 Screen 4	April/May 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	9.0J
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone Chloroethane Chloromethane	3.0J 3.2 1.0
MW-22 Screen 4	April/May 2004	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	April/May 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.89 J		
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	April/May 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	2.0J
MW-22 Screen 5	April/May 2004	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	April/May 2004	DUPE-2-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	April/May 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	0.5 U	1.5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.9 J		
MW-23 Screen 1	April/May 2003	MW-23-1	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9 J	4-Methyl-2-Pentanone	4.0J
MW-23 Screen 1	July/Aug 2003	MW-23-1	0.5 U	0.3 J	1.5	0.5	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J		
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.1 J	4-Methyl-2-Pentanone Chloroethane Chloromethane	2.0J 2.7 0.6
MW-23 Screen 1	Feb 2004	MW-23-1	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.5		
MW-23 Screen 1	April/May 2004	MW-23-1	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)
MW-23 Screen 1	July/Aug 2004	MW-23-1	0.5 U	0.8	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.4 J	
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	0.5 U	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	0.5 U	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	m/p-xylene 0.7
MW-23 Screen 1	April/May 2005	MW-23-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-23 Screen 1	July/Sept 2005	MW-23-1	0.5 U	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	Methylene Chloride 1.3U
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J	
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.4 J	
MW-23 Screen 2	April/May 2003	MW-23-2	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.8 J	4-Methyl-2-Pentanone 3.0J
MW-23 Screen 2	July/Aug 2003	MW-23-2	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7	Methylene Chloride 0.6
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	0.5 U	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.4 J	4-Methyl-2-Pentanone 3.0J Chloroethane 2.3 Chloromethane 0.6
MW-23 Screen 2	Feb 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.9	
MW-23 Screen 2	April/May 2004	MW-23-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.4	
MW-23 Screen 2	July/Aug 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9 J	
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	0.5 U	0.5 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	0.5 U	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.6	m/p-xylene 0.4J
MW-23 Screen 2	April/May 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7 J	
MW-23 Screen 2	July/Sept 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	Methylene Chloride 1.3U
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.2	
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	
MW-23 Screen 3	April/May 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone 3.0J
MW-23 Screen 3	July/Aug 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone 2.0J Chloroethane 2.3 Chloromethane 0.6
MW-23 Screen 3	Feb 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 3	April/May 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 3	July/Aug 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene 0.4J
MW-23 Screen 3	April/May 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	
MW-23 Screen 3	July/Sept 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	Methylene Chloride 1.3U
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J	
MW-23 Screen 4	April/May 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone 5.0J
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone 2.0J Chloromethane 0.5
MW-23 Screen 4	April/May 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Jan/Feb 2005	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	NA	

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-23 Screen 4	April/May 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-23 Screen 4	July/Sept 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.2U
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	April/May 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	3.0J
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	April/May 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene Vinyl Chloride	0.4J 0.6
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3J
MW-23 Screen 5	April/May 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3J
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	4.7	1.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	2.4	257.0		
MW-24 Screen 1	April/May 2003	MW-24-1	7.5	2.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2	854.0	4-Methyl-2-Pentanone	4.0J
MW-24 Screen 1	July/Aug 2003	MW-24-1	22.1	4.8	1.5	0.5 U	0.5 U	0.8	0.5 U	10.2	2450.0	4-Methyl-2-Pentanone Methylene Chloride	0.3J 0.4J
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	19.1	3.7	1.6	0.5 U	0.5 U	0.7	0.5 U	6.8	2760.0 J		
MW-24 Screen 1	Feb 2004	MW-24-1	6.7	1.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1120.0		
MW-24 Screen 1	April/May 2004	MW-24-1	8.3	1.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2240.0	1,4-Dioxane	3.2
MW-24 Screen 1	July/Aug 2004	MW-24-1	16.7	2.4	1.7	0.5 U	0.5 U	0.5 U	0.5 U	5.9	2170 J		
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	7.8	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4880		
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	10.0	1.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1050.0		
MW-24 Screen 1	April/May 2005	MW-24-1	8.9	0.4 J	2.8	0.5 U	0.5 U	0.7	0.5 U	4.8	4090	1,4-Dioxane	2.2
MW-24 Screen 1	July/Sept 2005	MW-24-1	0.9	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	683		
MW-24 Screen 1	July/Sept 2005	DUPE-1-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	670		
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	104		
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	8.9	1.3	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	2.8	106.0		
MW-24 Screen 2	April/May 2003	MW-24-2	8.9	1.6	0.3 J	0.5 U	0.5 U	0.5	0.5 U	3.8	195.0	4-Methyl-2-Pentanone	4.0J
MW-24 Screen 2	April/May 2003	DUPE-4-2Q03	4.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	199.0	4-Methyl-2-Pentanone Methylene Chloride	5.0J 2.5
MW-24 Screen 2	July/Aug 2003	MW-24-2	4.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	148.0	Methylene Chloride	0.3J
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	155.0 J		
MW-24 Screen 2	Feb 2004	MW-24-2	3.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	107.0		
MW-24 Screen 2	April/May 2004	MW-24-2	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	110.0		
MW-24 Screen 2	July/Aug 2004	MW-24-2	4.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	99.7 J		
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	4.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	56.2		
MW-24 Screen 2	April/May 2005	MW-24-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	87.5		
MW-24 Screen 2	July/Sept 2005	MW-24-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	79.1		
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	71.5		
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-24 Screen 3	April/May 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-24 Screen 3	July/Aug 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Feb 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	April/May 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	July/Aug 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.4J
MW-24 Screen 3	April/May 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	July/Sept 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	April/May 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	April/May 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jan/Feb 2005	MW-24-4	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 4	April/May 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	July/Sept 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	April/May 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-Pentanone	5.0J
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	April/May 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	April/May 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	July/Sept 2005	MW-24-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24 Screen 5	July/Sept 2005	DUPE-10-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.3J
MW-25 Screen 1	April/May 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		
MW-25 Screen 1	July/Sept 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.7		
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	Methylene Chloride	0.6
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.5J
MW-25 Screen 2	April/May 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-25 Screen 2	April/May 2005	DUPE-6-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.4		
MW-25 Screen 2	July/Sept 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.4		
MW-25 Screen 2	Oct/Nov 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5	Methylene Chloride	0.9
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5	m/p-xylene	0.7
MW-25 Screen 3	April/May 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.4		
MW-25 Screen 3	July/Sept 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.3		
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	Methylene Chloride	0.7
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3	m/p-xylene	0.7
MW-25 Screen 4	April/May 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		

TABLE 1
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

(All concentrations reported in micrograms per liter)
 Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Carbon Tetra-chloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds (including 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP)	
MW-25 Screen 4	July/Sept 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8	Methylene Chloride	1.0
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-xylene o-xylene Toluene	0.6 1.3 0.4J 0.4J
MW-25 Screen 5	April/May 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	July/Sept 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	April/May 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.4J
MW-26 Screen 1	July/Sept 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.4U
MW-26 Screen 1	July/Sept 2005	DUPE-6-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.4U
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	April/May 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m/p-xylene	0.3J
MW-26 Screen 2	July/Sept 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene Chloride	1.4U
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	Bromodichloromethane Chlorodibromomethane Chloromethane Methylene Chloride	2.1 1.5 0.3J 1.2
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	Bromodichloromethane Chlorodibromomethane Methylene Chloride	1.9 1.3 1.4
California Maximum Contaminant Level (MCL)			0.5	5.0	5.0	5.0	0.5	6.0	1200.0	100.0	6.0*		
EPA Region IX Maximum Contaminant Level			5.0	5.0	5.0	NE	5.0	7.0	NE	100.0	NE		
<p>Notes</p> <p>DUPE Field Duplicate</p> <p>J Indicates an estimated value.</p> <p>NA Not Analyzed</p> <p>NE Not established</p> <p>U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.</p> <p>UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.</p> <p>* Notification Level - California Department of Health Services</p> <p>** EPA Method 504.1 used for 1,2,3-Trichloropropane (1,2,3-TCP) analysis</p>													

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-1	April/May 2003	MW-1	5.0 U	0.2 J	2.4	0.01 U
MW-1	Oct/Nov 2003	MW-1	NA	NA	2.4 J	0.01 U
MW-1	April/May 2004	MW-1	2.3 U	0.01 J	10	0.01 U
MW-1	Oct/Nov 2004	MW-1	NA	NA	13.9	0.01 U
MW-1	April/May 2005	MW-1	1.6 J	0.26 J	6.0	0.01 U
MW-1	April/May 2005	DUPE-2-2Q05	5.0 U	0.26 J	6.7	0.01 U
MW-1	Oct/Nov 2005	MW-1	NA	NA	8.6	0.01 U
MW-3 Screen 1	April/May 2003	MW-3-1	5.0 U	1.0 U	2.1	0.01 U
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	NA	NA	1.8 UJ	0.01 U
MW-3 Screen 1	April/May 2004	MW-3-1	5.0 UJ	0.12 U	7.6	0.01 U
MW-3 Screen 1	April/May 2004	DUPE-1-2Q04	5.0 UJ	0.001 J	8.2	0.01 U
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	NA	NA	12.9 J	0.01 U
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	NA	NA	13.0 J	0.01 U
MW-3 Screen 1	April/May 2005	MW-3-1	1.5 J	0.058 J	5.6	0.01 U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	NA	NA	6.0	0.01 U
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	NA	NA	2.4	0.01 U
MW-3 Screen 2	April/May 2003	MW-3-2	5.0 U	1.0 U	1.6	0.01 U
MW-3 Screen 2	April/May 2003	DUPE-5-2Q03	5.0 U	1.0 U	1.9	0.01 U
MW-3 Screen 2	July/Aug 2003	MW-3-2	NA	NA	2.4 J	0.01 U
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	NA	NA	1.6 UJ	0.01 U
MW-3 Screen 2	Feb 2004	MW-3-2	NA	NA	12.0	0.01 U
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	NA	NA	3.5	0.01 U
MW-3 Screen 2	April/May 2004	MW-3-2	5.0 UJ	0.12 U	7.3	0.01 U
MW-3 Screen 2	July/Aug 2004	MW-3-2	NA	NA	8.8	0.01 U
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	NA	NA	9.0 J	0.01 U
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	NA	NA	8.7	0.01 U
MW-3 Screen 2	April/May 2005	MW-3-2	5.0 U	0.062 J	5.2	0.01 U
MW-3 Screen 2	July/Sept 2005	MW-3-2	NA	NA	9.8	0.01 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	NA	NA	6.5	0.01 U
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	NA	NA	2.0	0.01 U
MW-3 Screen 3	April/May 2003	MW-3-3	5.0 U	1.0 U	0.8 J	0.01 U
MW-3 Screen 3	July/Aug 2003	MW-3-3	NA	NA	2.0 J	0.01 U
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	NA	NA	2.0 UJ	0.01 U
MW-3 Screen 3	Feb 2004	MW-3-3	NA	NA	2.6	0.01 U
MW-3 Screen 3	April/May 2004	MW-3-3	4.8 UJ	0.12 U	4.8	0.01 U
MW-3 Screen 3	July/Aug 2004	MW-3-3	NA	NA	7.2	0.01 U
MW-3 Screen 3	July/Aug 2004	DUPE-4-3Q04	NA	NA	7.4	0.01 U
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	NA	NA	7.1 J	0.01 U
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	NA	NA	5.7	0.01 U
MW-3 Screen 3	April/May 2005	MW-3-3	1.1 J	0.052 J	5.5	0.01 U
MW-3 Screen 3	July/Sept 2005	MW-3-3	NA	NA	6.9	0.01 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	NA	NA	5.8	0.01 U
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	NA	NA	2.3	0.01 U
MW-3 Screen 4	April/May 2003	MW-3-4	5.0 U	1.0 U	1.7	0.01 U
MW-3 Screen 4	July/Aug 2003	MW-3-4	NA	NA	1.8 J	0.01 U
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	NA	NA	1.9 UJ	0.01 U
MW-3 Screen 4	Feb 2004	MW-3-4	NA	NA	4.8	0.01 U
MW-3 Screen 4	April/May 2004	MW-3-4	3.7 UJ	0.014 U	7.6	0.01 U
MW-3 Screen 4	July/Aug 2004	MW-3-4	NA	NA	6.6	0.01 U
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	NA	NA	7.7 J	0.01 U
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	NA	NA	8.6	0.01 U
MW-3 Screen 4	April/May 2005	MW-3-4	2.0 J	0.11 J	6.0	0.01 U
MW-3 Screen 4	July/Sept 2005	MW-3-4	NA	NA	6.9	0.01 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	NA	NA	7.2	0.01 U
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	NA	NA	6.9	0.01 U
MW-3 Screen 5	April/May 2003	MW-3-5	4.3 J	1.0 U	0.5 J	0.01 U
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	NA	NA	0.7 UJ	0.01 U
MW-3 Screen 5	April/May 2004	MW-3-5	6.4 UJ	0.14 J	4.9	0.01 U
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	NA	NA	2.8 J	0.01 U
MW-3 Screen 5	April/May 2005	MW-3-5	2.1 J	0.055 J	4.9	0.01 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	NA	NA	6.3	0.01 U
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	NA	NA	2.2	0.01 U
MW-4 Screen 1	April/May 2003	MW-4-1	5.0 U	1.0 U	3.4 J	0.01 U
MW-4 Screen 1	July/Aug 2003	MW-4-1	NA	NA	2.7 J	0.01 U
MW-4 Screen 1	July/Aug 2003	DUPE-3-3-Q03	NA	NA	2.5 J	0.01 U
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	NA	NA	2.6	0.01 U
MW-4 Screen 1	Feb 2004	MW-4-1	NA	NA	4.4	0.01 U
MW-4 Screen 1	April/May 2004	MW-4-1	5.0 UJ	0.33 J	0.6 UJ	0.006 J
MW-4 Screen 1	July/Aug 2004	MW-4-1	NA	NA	0.8 U	0.01 U
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	NA	NA	12.4 J	0.01 U
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	NA	NA	0.20	0.01 U
MW-4 Screen 1	April/May 2005	MW-4-1	5.0 U	0.031 J	4.9	0.01 U
MW-4 Screen 1	July/Sept 2005	MW-4-1	NA	NA	4.9	0.01 U
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	NA	NA	6.1	0.01 U
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	NA	NA	4.8	0.01 U
MW-4 Screen 2	April/May 2003	MW-4-2	5.0 U	1.0 U	6.4 J	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-4 Screen 2	July/Aug 2003	MW-4-2	NA	NA	5.2 J	0.01 U
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	NA	NA	3.7	0.01 U
MW-4 Screen 2	Feb 2004	MW-4-2	NA	NA	6.7	0.01 U
MW-4 Screen 2	April/May 2004	MW-4-2	5.0 UJ	0.27 UJ	3.8 J	0.004 J
MW-4 Screen 2	April/May 2004	DUPE-3-2Q04	5.0 UJ	0.082 UJ	4.3 J	0.006 J
MW-4 Screen 2	July/Aug 2004	MW-4-2	NA	NA	13.9	0.007 J
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	NA	NA	15.6 J	0.01 U
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	NA	NA	13.5 J	0.01 U
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	NA	NA	13.7	0.01 U
MW-4 Screen 2	April/May 2005	MW-4-2	1.0 J	0.050 J	7.3	0.01 U
MW-4 Screen 2	July/Sept 2005	MW-4-2	NA	NA	9.0	0.01 U
MW-4 Screen 2	July/Sept 2005	DUPE-3-3Q05	NA	NA	11.7	0.01 U
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	NA	NA	12.6	0.01 U
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	NA	NA	4.3	0.01 U
MW-4 Screen 3	April/May 2003	MW-4-3	5.0 U	1.0 U	3.8 J	0.01 U
MW-4 Screen 3	July/Aug 2003	MW-4-3	NA	NA	0.4 U	0.01 U
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	NA	NA	0.4 U	0.01 U
MW-4 Screen 3	Feb 2004	MW-4-3	NA	NA	0.3 UJ	0.01 U
MW-4 Screen 3	April/May 2004	MW-4-3	5.0 UJ	0.43 J	0.21 UJ	0.01 U
MW-4 Screen 3	July/Aug 2004	MW-4-3	NA	NA	1.0	0.01 U
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	NA	NA	0.6 UJ	0.01 U
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	NA	NA	0.12 J	0.01 U
MW-4 Screen 3	April/May 2005	MW-4-3	1.3 J	0.34 J	0.49 J	0.01 U
MW-4 Screen 3	July/Sept 2005	MW-4-3	NA	NA	0.67 J	0.01 U
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	NA	NA	0.90 J	0.01 U
MW-4 Screen 4	April/May 2003	MW-4-4	5.0 U	1.0 U	3.5 J	0.01 U
MW-4 Screen 4	April/May 2003	DUPE-1-2Q03	5.0 U	1.0 U	2.8 J	0.01 U
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	NA	NA	2.4	0.01 U
MW-4 Screen 4	April/May 2004	MW-4-4	5.0 UJ	0.31 J	1.1 UJ	0.01 U
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	NA	NA	10.6 J	0.01 U
MW-4 Screen 4	April/May 2005	MW-4-4	1.5 J	0.044 J	3.8	0.01 U
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	NA	NA	8.5	0.01 U
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	NA	NA	7.8	0.01 U
MW-4 Screen 5	April/May 2003	MW-4-5	5.0 U	1.0 U	3.0 J	0.01 U
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	NA	NA	3.5 J	0.01 U
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4-Q03	NA	NA	5.6	0.01 U
MW-4 Screen 5	April/May 2004	MW-4-5	5.0 UJ	0.23 UJ	6.6 J	0.01 U
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	NA	NA	9.3 J	0.01 U
MW-4 Screen 5	April/May 2005	MW-4-5	1.1 J	0.061 J	3.2	0.01 U
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	NA	NA	8.9	0.01 U
MW-5	Jan/Feb 2003	MW-5	NA	NA	6.8	0.01 U
MW-5	April/May 2003	MW-5	5.0 U	1.0 U	3.1 J	0.01 U
MW-5	July/Aug 2003	MW-5	NA	NA	3.1 J	0.01 U
MW-5	Oct/Nov 2003	MW-5	NA	NA	2.8 J	0.01 U
MW-5	Feb 2004	MW-5	NA	NA	5.1	0.01 U
MW-5	April/May 2004	MW-5	5.0 U	0.12 J	1.9	0.01 U
MW-5	July/Aug 2004	MW-5	NA	NA	10.9 J	0.01 U
MW-5	July/Aug 2004	DUPE-5-3Q04	NA	NA	11.6 J	0.01 U
MW-5	Oct/Nov 2004	MW-5	NA	NA	11.7 J	0.01 U
MW-5	Jan/Feb 2005	MW-5	NA	NA	4.5	0.01 U
MW-5	Jan/Feb 2005	DUPE-5-1Q05	NA	NA	5.6	0.01 U
MW-5	April/May 2005	MW-5	5.0 U	0.028 J	7.7	0.01 U
MW-5	July/Sept 2005	MW-5	NA	NA	6.4 J	0.01 U
MW-5	July/Sept 2005	DUPE-8-3Q05	NA	NA	6.2 J	0.01 U
MW-5	Oct/Nov 2005	MW-5	NA	NA	6.2 J	0.01 U
MW-6	Jan/Feb 2003	MW-6	NA	NA	6.4	0.01 U
MW-6	April/May 2003	MW-6	5.0 U	1.0 U	7.1 J	0.01 U
MW-6	July/Aug 2003	MW-6	NA	NA	6.6 J	0.01 U
MW-6	Oct/Nov 2003	MW-6	NA	NA	9.9 J	0.01 U
MW-6	Feb 2004	MW-6	NA	NA	10.0	0.01 U
MW-6	April/May 2004	MW-6	2.0 U	0.18	7.8	0.01 U
MW-6	July/Aug 2004	MW-6	NA	NA	28.4 J	0.01 U
MW-6	Oct/Nov 2004	MW-6	NA	NA	21.0 J	0.01 U
MW-6	Jan/Feb 2005	MW-6	NA	NA	20.0	0.01 U
MW-6	April/May 2005	MW-6	1.9 J	0.030 J	13.6	0.01 U
MW-6	April/May 2005	DUPE-8-2Q05	2.0 J	0.034 J	13.0	0.01 U
MW-6	July/Sept 2005	MW-6	NA	NA	13.8 J	0.01 U
MW-6	Oct/Nov 2005	MW-6	NA	NA	13.0 J	0.01 U
MW-7	Jan/Feb 2003	MW-7	NA	NA	7.4	0.01 U
MW-7	Jan/Feb 2003	DUPE-6-1Q03	NA	NA	7.3	0.01 U
MW-7	April/May 2003	MW-7	5.0 U	1.0 U	4.9	0.01 U
MW-7	July/Aug 2003	MW-7	NA	NA	4.6 J	0.01 U
MW-7	Oct/Nov 2003	MW-7	NA	NA	5.0 J	0.01 U
MW-7	Feb 2004	MW-16	NA	NA	5.7	0.01 U
MW-7	April/May 2004	MW-7	5.0 U	0.46	11.2	0.01 U
MW-7	April/May 2004	DUPE-7-2Q04	5.0 U	0.51	11.7	0.01 U
MW-7	July/Aug 2004	MW-7	NA	NA	8.7 J	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-7	Oct/Nov 2004	MW-7	NA	NA	11.2 J	0.01 U
MW-7	Jan/Feb 2005	MW-7	NA	NA	7.6	0.01 U
MW-7	April/May 2005	MW-7	2.1 J	0.053 J	11.5	0.01 U
MW-7	July/Sept 2005	MW-7	NA	NA	9.1 J	0.01 U
MW-7	Oct/Nov 2005	MW-7	NA	NA	7.8	0.01 U
MW-7	Oct/Nov 2005	DUPE-8-4Q05	NA	NA	8.2	0.01 U
MW-8	Jan/Feb 2003	MW-8	NA	NA	9.4	0.01 U
MW-8	April/May 2003	MW-8	2.0 J	1.0 U	1.4 J	0.01 U
MW-8	July/Aug 2003	MW-8	NA	NA	3.6 J	0.01 U
MW-8	Oct/Nov 2003	MW-8	NA	NA	1.5 UJ	0.008 J
MW-8	Oct/Nov 2003	DUPE-7-4-Q03	NA	NA	1.8 UJ	0.01 U
MW-8	Feb 2004	MW-8	NA	NA	4.0	0.01 U
MW-8	April/May 2004	MW-8	5.0 U	0.024 U	6	0.01 U
MW-8	July/Aug 2004	MW-8	NA	NA	9.8 J	0.01 U
MW-8	Oct/Nov 2004	MW-8	NA	NA	8.5 J	0.01 U
MW-8	Jan/Feb 2005	MW-8	NA	NA	8.4	0.01 U
MW-8	Jan/Feb 2005	DUPE-6-1Q05	NA	NA	8.5	0.01 U
MW-8	April/May 2005	MW-8	1.7 J	0.025 J	7.3	0.01 U
MW-8	July/Sept 2005	MW-8	NA	NA	9.1	0.01 U
MW-8	Oct/Nov 2005	MW-8	NA	NA	9.5	0.01 U
MW-9	April/May 2003	MW-9	2.1 J	0.5 J	4.3	0.01 U
MW-9	Oct/Nov 2003	MW-9	NA	NA	5.5 J	0.01 U
MW-9	April/May 2004	MW-9	5.0 U	1.9	9.2	0.01 U
MW-9	Oct/Nov 2004	MW-9	NA	NA	14.5	0.01 U
MW-9	April/May 2005	MW-9	1.2 J	0.65 J	2.3	0.01 U
MW-9	April/May 2005	DUPE-3-2Q05	5.0 U	0.55 J	2.1	0.01 U
MW-9	Oct/Nov 2005	MW-9	NA	NA	4.5	0.01 U
MW-10	Jan/Feb 2003	MW-10	NA	NA	11.0	0.01 U
MW-10	April/May 2003	MW-10	5.0 U	0.2 J	8.1 J	0.01 U
MW-10	July/Aug 2003	MW-10	NA	NA	11.0 J	0.01 U
MW-10	Oct/Nov 2003	MW-10	NA	NA	7.6 J	0.01 U
MW-10	Feb 2004	MW-10	NA	NA	24.0	0.01 U
MW-10	April/May 2004	MW-10	5.0 U	0.009 U	21.3	0.01 U
MW-10	July/Aug 2004	MW-10	NA	NA	24.2 J	0.01 U
MW-10	July/Aug 2004	DUPE-6-3Q04	NA	NA	23.8 J	0.01 U
MW-10	Oct/Nov 2004	MW-10	NA	NA	17.0 J	0.004 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	NA	NA	16.7 J	0.01 U
MW-10	Jan/Feb 2005	MW-10	NA	NA	20.0	0.01 U
MW-10	April/May 2005	MW-10	5.0 U	0.031 J	7.3	0.011
MW-10	April/May 2005	DUPE-9-2Q05	5.0 U	0.025 J	22.2	0.011
MW-10	July/Sept 2005	MW-10	NA	NA	25.4 J	0.014
MW-10	July/Sept 2005	DUPE-7-3Q05	NA	NA	24.6 J	0.01 U
MW-10	Oct/Nov 2005	MW-10	NA	NA	25.4	0.01 U
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	NA	NA	2.6	0.01 U
MW-11 Screen 1	April/May 2003	MW-11-1	5.0 U	1.0 U	1.3	0.01 U
MW-11 Screen 1	July/Aug 2003	MW-11-1	NA	NA	2.0 J	0.01 U
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	NA	NA	2.0 J	0.01 U
MW-11 Screen 1	Feb 2004	MW-11-1	NA	NA	3.7	0.01 U
MW-11 Screen 1	April/May 2004	MW-11-1	5.0 U	0.027 U	7.4	0.01 U
MW-11 Screen 1	July/Aug 2004	MW-11-1	NA	NA	10.1	0.01 U
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	NA	NA	9.4 J	0.01 U
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	NA	NA	7.6	0.01 U
MW-11 Screen 1	April/May 2005	MW-11-1	5.0 U	0.068 J	9.8	0.01 U
MW-11 Screen 1	July/Sept 2005	MW-11-1	NA	NA	6.7	0.01 U
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	NA	NA	7.7	0.01 U
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	NA	NA	2.3	0.01 U
MW-11 Screen 2	April/May 2003	MW-11-2	5.0 U	1.0 U	0.8 J	0.01 U
MW-11 Screen 2	July/Aug 2003	MW-11-2	NA	NA	1.5 J	0.01 U
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	NA	NA	1.0 UJ	0.01 U
MW-11 Screen 2	Feb 2004	MW-11-2	NA	NA	3.4	0.01 U
MW-11 Screen 2	April/May 2004	MW-11-2	5.0 U	0.12 U	5.7	0.01 U
MW-11 Screen 2	July/Aug 2004	MW-11-2	NA	NA	9.1	0.01 U
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	NA	NA	8.4 J	0.01 U
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	NA	NA	6.0	0.01 U
MW-11 Screen 2	April/May 2005	MW-11-2	5.0 U	0.044 J	8.7	0.01 U
MW-11 Screen 2	July/Sept 2005	MW-11-2	NA	NA	6.9	0.01 U
MW-11 Screen 2	July/Sept 2005	DUPE-4-3Q05	NA	NA	7.8	0.01 U
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	NA	NA	8.7	0.01 U
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	NA	NA	2.3	0.01 U
MW-11 Screen 3	April/May 2003	MW-11-3	5.0 U	1.0 U	1.5	0.01 U
MW-11 Screen 3	July/Aug 2003	MW-11-3	NA	NA	2.3 J	0.01 U
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	NA	NA	3.4 J	0.01 U
MW-11 Screen 3	Feb 2004	MW-11-3	NA	NA	4.0	0.01 U
MW-11 Screen 3	April/May 2004	MW-11-3	5.0 U	0.055 U	1.1 U	0.01 U
MW-11 Screen 3	April/May 2004	DUPE-5-2Q04	5.0 U	0.049 U	0.65 U	0.005 J
MW-11 Screen 3	July/Aug 2004	MW-11-3	NA	NA	9.6	0.01 U
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	NA	NA	9.1 J	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	NA	NA	1.9 J	0.01 U
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	NA	NA	6.1	0.01 U
MW-11 Screen 3	April/May 2005	MW-11-3	5.0 U	0.11 J	7.6	0.01 U
MW-11 Screen 3	April/May 2005	DUPE-702Q05	5.0 U	0.055 J	8.1	0.01 U
MW-11 Screen 3	July/Sept 2005	MW-11-3	NA	NA	5.0	0.01 U
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	NA	NA	5.6	0.01 U
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	NA	NA	NA	0.01 U
MW-11 Screen 4	April/May 2003	MW-11-4	5.0 U	1.0 U	0.3 J	0.01 U
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	NA	NA	0.8 UJ	0.01 U
MW-11 Screen 4	April/May 2004	MW-11-4	5.0 U	0.005 J	2.2	0.004 J
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	NA	NA	5.2 J	0.01 U
MW-11 Screen 4	Jan/Feb 2005	MW-11-4	NA	NA	NA	NA
MW-11 Screen 4	April/May 2005	MW-11-4	5.0 U	0.091 J	3.8	0.01 U
MW-11 Screen 4	July/Sept 2005	MW-11-4	NA	NA	2.7	0.01 U
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	NA	NA	3.6	0.01 U
MW-11 Screen 5	April/May 2003	MW-11-5	5.0 U	1.0 U	1.1	0.01 U
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	NA	NA	1.5 J	0.01 U
MW-11 Screen 5	April/May 2004	MW-11-5	5.0 U	0.099 U	0.73 U	0.004 J
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	NA	NA	1.8 J	0.01 U
MW-11 Screen 5	April/May 2005	MW-11-5	5.0 U	0.33 J	5.7	0.01 U
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	NA	NA	5.1	0.01 U
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	NA	NA	5.5	0.01 U
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	NA	NA	6.0	0.01 U
MW-12 Screen 1	April/May 2003	MW-12-1	5.0 U	1.0 U	9.7	0.01 U
MW-12 Screen 1	July/Aug 2003	MW-12-1	NA	NA	8.0 J	0.01 U
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	NA	NA	8.1 J	0.01 U
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4-Q03	NA	NA	8.4 J	0.01 U
MW-12 Screen 1	Feb 2004	MW-12-1	NA	NA	9.5	0.01 U
MW-12 Screen 1	April/May 2004	MW-12-1	5.0 U	0.043 U	2.6	0.004 J
MW-12 Screen 1	July/Aug 2004	MW-12-1	NA	NA	11.7	0.01 U
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	NA	NA	14.6 J	0.01 U
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	NA	NA	7.1	0.01 U
MW-12 Screen 1	April/May 2005	MW-12-1	5.0 U	0.029 J	6.8	0.01 U
MW-12 Screen 1	July/Sept 2005	MW-12-1	NA	NA	10.1	0.01 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	NA	NA	8.1	0.01 U
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	NA	NA	3.8	0.01 U
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	NA	NA	4.0	0.01 U
MW-12 Screen 2	April/May 2003	MW-12-2	5.0 U	1.0 U	2.9	0.01 U
MW-12 Screen 2	July/Aug 2003	MW-12-2	NA	NA	3.8 J	0.01 U
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	NA	NA	2.9 J	0.01 U
MW-12 Screen 2	Feb 2004	MW-12-2	NA	NA	4.4	0.01 U
MW-12 Screen 2	April/May 2004	MW-12-2	5.0 U	0.12 U	10.9	0.01 U
MW-12 Screen 2	July/Aug 2004	MW-12-2	NA	NA	12.0	0.01 U
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	NA	NA	13.1 J	0.01 U
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	NA	NA	7.1	0.01 U
MW-12 Screen 2	April/May 2005	MW-12-2	5.0 U	0.036 J	6.6	0.01 U
MW-12 Screen 2	July/Sept 2005	MW-12-2	NA	NA	10.2	0.01 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	NA	NA	9.7	0.01 U
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	NA	NA	2.5	0.01 U
MW-12 Screen 3	April/May 2003	MW-12-3	5.0 U	1.0 U	1.3	0.01 U
MW-12 Screen 3	April/May 2003	DUPE-6-2Q03	5.0 U	1.0 U	1.3	0.01 U
MW-12 Screen 3	July/Aug 2003	MW-12-3	NA	NA	2.4 J	0.01 U
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	NA	NA	1.6 UJ	0.01 U
MW-12 Screen 3	Feb 2004	MW-12-3	NA	NA	0.7 U	0.01 U
MW-12 Screen 3	April/May 2004	MW-12-3	5.0 U	0.014 U	6.2	0.01 U
MW-12 Screen 3	July/Aug 2004	MW-12-3	NA	NA	6.5	0.01 U
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	NA	NA	8.8 J	0.01 U
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	NA	NA	5.1	0.01 U
MW-12 Screen 3	April/May 2005	MW-12-3	5.0 U	0.068 J	5.1	0.01 U
MW-12 Screen 3	July/Sept 2005	MW-12-3	NA	NA	6.7	0.01 U
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	NA	NA	6.0	0.01 U
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	NA	NA	NA	0.01 U
MW-12 Screen 4	April/May 2003	MW-12-4	5.0 U	1.0 U	1.3	0.01 U
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	NA	NA	2.8 J	0.01 U
MW-12 Screen 4	April/May 2004	MW-12-4	5.0 U	0.12 U	9	0.01 U
MW-12 Screen 4	April/May 2004	DUPE-4-2Q04	5.0 U	0.001 J	8.2	0.004 J
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	NA	NA	12.1 J	0.01 U
MW-12 Screen 4	Oct/Nov 2004	Dupe-4-4Q04	NA	NA	12.8 J	0.01 U
MW-12 Screen 4	Jan/Feb 2005	MW-12-4	NA	NA	NA	NA
MW-12 Screen 4	Jan/Feb 2005	DUPE-8-1Q05	NA	NA	NA	NA
MW-12 Screen 4	April/May 2005	MW-12-4	5.0 U	0.016 J	5.5	0.01 U
MW-12 Screen 4	July/Sept 2005	MW-12-4	NA	NA	10.1	0.01 U
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	NA	NA	6.4	0.01 U
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	NA	NA	NA	0.01 U
MW-12 Screen 5	April/May 2003	MW-12-5	5.0 U	1.0 U	1.2	0.01 U
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	NA	NA	4.7 J	0.01 U
MW-12 Screen 5	April/May 2004	MW-12-5	5.0 U	0.048 U	1.8	0.005 J

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	NA	NA	3.8 J	0.01 U
MW-12 Screen 5	Jan/Feb 2005	MW-12-5	NA	NA	NA	NA
MW-12 Screen 5	April/May 2005	MW-12-5	5.0 U	0.034 J	5.4	0.01 U
MW-12 Screen 5	July/Sept 2005	MW-12-5	NA	NA	9.9	0.01 U
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	NA	NA	7.4	0.01 U
MW-13	Jan/Feb 2003	MW-13	NA	NA	90.0	0.055
MW-13	April/May 2003	MW-13	5.0 U	1.0 U	16.0 J	0.024
MW-13	July/Aug 2003	MW-13	NA	NA	8.5 J	0.01 U
MW-13	Oct/Nov 2003	MW-13	NA	NA	18.0 J	0.020
MW-13	Feb 2004	MW-13	NA	NA	63.0	0.052
MW-13	April/May 2004	MW-13	5.0 U	0.12 U	31.5	0.024
MW-13	July/Aug 2004	MW-13	NA	NA	26.1 J	0.011
MW-13	Oct/Nov 2004	MW-13	NA	NA	55.1 J	0.048
MW-13	Jan/Feb 2005	MW-13	NA	NA	50.9	0.032
MW-13	April/May 2005	MW-13	1.3 J	0.039 J	25.7	0.020
MW-13	July/Sept 2005	MW-13	NA	NA	31.7	0.024
MW-13	Oct/Nov 2005	MW-13	NA	NA	89.9	0.013
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	NA	NA	3.5	0.01 U
MW-14 Screen 1	April/May 2003	MW-14-1	5.0 U	1.0 U	4.6 J	0.01 U
MW-14 Screen 1	July/Aug 2003	MW-14-1	NA	NA	3.9 J	0.01 U
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	NA	NA	0.0 UJ	0.01 U
MW-14 Screen 1	Feb 2004	MW-14-1	NA	NA	4.4	0.01 U
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	NA	NA	5.3	0.01 U
MW-14 Screen 1	April/May 2004	MW-14-1	5.0 UJ	0.12 U	15	0.01 U
MW-14 Screen 1	July/Aug 2004	MW-14-1	NA	NA	12.8 J	0.01 U
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	NA	NA	13.5 J	0.01 U
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	NA	NA	12.0	0.01 U
MW-14 Screen 1	April/May 2005	MW-14-1	1.8 J	0.10 J	8.3	0.01 U
MW-14 Screen 1	July/Sept 2005	MW-14-1	NA	NA	11.5	0.01 U
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	NA	NA	10.8	0.01 U
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	NA	NA	11.9	0.01 U
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	NA	NA	3.7	0.01 U
MW-14 Screen 2	April/May 2003	MW-14-2	5.0 U	1.0 U	4.4 J	0.01 U
MW-14 Screen 2	July/Aug 2003	MW-14-2	NA	NA	1.9 J	0.01 U
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	NA	NA	2.3 J	0.01 U
MW-14 Screen 2	Feb 2004	MW-14-2	NA	NA	2.9	0.01 U
MW-14 Screen 2	April/May 2004	MW-14-2	2.6 UJ	0.12 U	11	0.01 U
MW-14 Screen 2	July/Aug 2004	MW-14-2	NA	NA	6.9 J	0.01 U
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	NA	NA	10.7 J	0.01 U
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	NA	NA	10.7	0.01 U
MW-14 Screen 2	April/May 2005	MW-14-2	5.0 U	0.087 J	7.6	0.01 U
MW-14 Screen 2	July/Sept 2005	MW-14-2	NA	NA	10.4	0.01 U
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	NA	NA	9.8	0.01 U
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	NA	NA	3.6	0.01 U
MW-14 Screen 3	April/May 2003	MW-14-3	5.0 U	1.0 U	3.2 J	0.01 U
MW-14 Screen 3	April/May 2003	DUPE-2-2Q03	5.0 U	1.0 U	2.6 J	0.01 U
MW-14 Screen 3	July/Aug 2003	MW-14-3	NA	NA	3.6 J	0.01 U
MW-14 Screen 3	July/Aug 2003	DUPE-4-3-Q03	NA	NA	3.4 J	0.01 U
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	NA	NA	2.7 J	0.01 U
MW-14 Screen 3	Feb 2004	MW-14-3	NA	NA	3.9	0.01 U
MW-14 Screen 3	April/May 2004	MW-14-3	2.9 UJ	0.12 U	10.1	0.01 U
MW-14 Screen 3	July/Aug 2004	MW-14-3	NA	NA	5.2 J	0.01 U
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	NA	NA	8.6 J	0.01 U
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	NA	NA	8.6	0.01 U
MW-14 Screen 3	April/May 2005	MW-14-3	1.1 J	0.15 J	5.6	0.01 U
MW-14 Screen 3	July/Sept 2005	MW-14-3	NA	NA	8.6	0.01 U
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	NA	NA	9.1	0.01 U
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	NA	NA	NA	0.01 U
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	NA	NA	NA	0.01 U
MW-14 Screen 4	April/May 2003	MW-14-4	5.0 U	1.0 U	3.8 J	0.01 U
MW-14 Screen 4	July/Aug 2003	MW-14-4	NA	NA	1.6 J	0.01 U
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	NA	NA	3.7 J	0.01 U
MW-14 Screen 4	April/May 2004	MW-14-4	5.0 UJ	0.12 U	9.2	0.01 U
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	NA	NA	8.4 J	0.01 U
MW-14 Screen 4	Jan/Feb 2005	MW-14-4	NA	NA	NA	NA
MW-14 Screen 4	April/May 2005	MW-14-4	5.0 U	0.13 J	6.3	0.01 U
MW-14 Screen 4	April/May 2005	DUPE-4-2Q05	5.0 U	0.043 J	6.9	0.01 U
MW-14 Screen 4	July/Sept 2005	MW-14-4	NA	NA	9.8	0.01 U
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	NA	NA	8.1	0.01 U
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	NA	NA	NA	0.01 U
MW-14 Screen 5	April/May 2003	MW-14-5	5.0 U	1.0 U	2.1 J	0.01 U
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	NA	NA	1.8 UJ	0.01 U
MW-14 Screen 5	April/May 2004	MW-14-5	3.2 UJ	0.12 U	5.8	0.01 U
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	NA	NA	4.5 J	0.01 U
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	NA	NA	6.3 J	0.01 U
MW-14 Screen 5	Jan/Feb 2005	MW-14-5	NA	NA	NA	NA
MW-14 Screen 5	April/May 2005	MW-14-5	3.0 J	0.040 J	3.9	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-14 Screen 5	July/Sept 2005	MW-14-5	NA	NA	7.6	0.01 U
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	NA	NA	5.1	0.01 U
MW-15	Jan/Feb 2003	MW-15	NA	NA	6.3	0.01 U
MW-15	April/May 2003	MW-15	2.1 J	0.2 J	3.9 J	0.01 U
MW-15	July/Aug 2003	MW-15	NA	NA	3.9 J	0.01 U
MW-15	July/Aug 2003	Dupe-6-3-Q03	NA	NA	3.6 J	0.01 U
MW-15	Oct/Nov 2003	MW-15	NA	NA	3.4 J	0.01 U
MW-15	Oct/Nov 2003	DUPE-2-4-Q03	NA	NA	3.4 J	0.01 U
MW-15	Feb 2004	MW-15	NA	NA	1.3	0.01 U
MW-15	April/May 2004	MW-15	3.2 U	0.036 J	12.1	0.01 U
MW-15	April/May 2004	DUPE-6-2Q04	5.0 U	0.049 J	11.6	0.01 U
MW-15	July/Aug 2004	MW-15	NA	NA	12.6 J	0.01 U
MW-15	Oct/Nov 2004	MW-15	NA	NA	21.0	0.01 U
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	NA	NA	12.0	0.01 U
MW-15	Jan/Feb 2005	MW-15	NA	NA	10.0	0.01 U
MW-15	April/May 2005	MW-15	1.5 J	0.49 J	5.7	0.0090 J
MW-15	July/Sept 2005	MW-15	NA	NA	9.9 J	0.01 U
MW-15	July/Sept 2005	DUPE-9-3Q05	NA	NA	6.9 J	0.01 U
MW-15	Oct/Nov 2005	MW-15	NA	NA	7.7 J	0.01 U
MW-16	Jan/Feb 2003	MW-16	NA	NA	7.2	0.01 U
MW-16	April/May 2003	MW-16	5.0 U	1.0 U	4.5 J	0.01 U
MW-16	July/Aug 2003	MW-16	NA	NA	2.7 J	0.01 U
MW-16	Oct/Nov 2003	MW-16	NA	NA	3.3 J	0.01 U
MW-16	Feb 2004	MW-7	NA	NA	8.2	0.01 U
MW-16	April/May 2004	MW-16	1.7 U	0.12 U	9.2	0.01 U
MW-16	July/Aug 2004	MW-16	NA	NA	9.1 J	0.01 U
MW-16	Oct/Nov 2004	MW-16	NA	NA	11.6 J	0.01 U
MW-16	Jan/Feb 2005	MW-16	NA	NA	14.9	0.01 U
MW-16	Jan/Feb 2005	DUPE-7-1Q05	NA	NA	14.4	0.01 U
MW-16	April/May 2005	MW-16	1.6 J	0.032 J	7.3	0.01 U
MW-16	July/Sept 2005	MW-16	NA	NA	38.0 J	0.01 U
MW-16	Oct/Nov 2005	MW-16	NA	NA	7.6 J	0.01 U
MW-17 Screen 1	April/May 2003	MW-17-1	5.0 U	1.0 U	2.9	0.01 U
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	NA	NA	2.1 J	0.01 U
MW-17 Screen 1	April/May 2004	MW-17-1	5.0 U	0.12 U	7.3	0.01 U
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	NA	NA	8.9 J	0.01 U
MW-17 Screen 1	April/May 2005	MW-17-1	5.0 U	0.023 J	5.1	0.01 U
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	NA	NA	5.8	0.01 U
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	NA	NA	2.1	0.01 U
MW-17 Screen 2	April/May 2003	MW-17-2	5.0 U	0.1 J	2.0	0.01 U
MW-17 Screen 2	July/Aug 2003	MW-17-2	NA	NA	2.6 J	0.01 U
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	NA	NA	2.8 J	0.01 U
MW-17 Screen 2	Feb 2004	MW-17-2	NA	NA	3.2	0.01 U
MW-17 Screen 2	April/May 2004	MW-17-2	5.0 U	0.009 U	7.6	0.01 U
MW-17 Screen 2	July/Aug 2004	MW-17-2	NA	NA	10.0	0.01 U
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	NA	NA	11.8 J	0.01 U
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	NA	NA	7.6	0.01 U
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	NA	NA	8.1	0.01 U
MW-17 Screen 2	April/May 2005	MW-17-2	5.0 U	0.032 J	8.6	0.01 U
MW-17 Screen 2	July/Sept 2005	MW-17-2	NA	NA	9.6	0.01 U
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	NA	NA	8.8	0.01 U
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	NA	NA	3.8	0.01 U
MW-17 Screen 3	April/May 2003	MW-17-3	5.0 U	0.2 J	3.0	0.01 U
MW-17 Screen 3	July/Aug 2003	MW-17-3	NA	NA	4.0 J	0.01 U
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	NA	NA	3.8 J	0.01 U
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4-Q03	NA	NA	3.7 J	0.01 U
MW-17 Screen 3	Feb 2004	MW-17-3	NA	NA	3.6	0.01 U
MW-17 Screen 3	April/May 2004	MW-17-3	2.5 J	0.001 J	8.1	0.01 U
MW-17 Screen 3	July/Aug 2004	MW-17-3	NA	NA	10.3	0.01 U
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	NA	NA	10.2 J	0.006 J
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	NA	NA	7.2	0.01 U
MW-17 Screen 3	April/May 2005	MW-17-3	5.0 U	0.097 J	3.1	0.01 U
MW-17 Screen 3	July/Sept 2005	MW-17-3	NA	NA	10.8	0.01 U
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	NA	NA	11.0	0.01 U
DUPE-1-4Q05	Oct/Nov 2005	MW-17-3	NA	NA	9.1	0.01 U
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	NA	NA	2.5	0.01 U
MW-17 Screen 4	April/May 2003	MW-17-4	2.2 J	0.2 J	2.2	0.01 U
MW-17 Screen 4	July/Aug 2003	MW-17-4	NA	NA	1.9 J	0.01 U
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	NA	NA	1.5 UJ	0.01 U
MW-17 Screen 4	Feb 2004	MW-17-4	NA	NA	2.1	0.01 U
MW-17 Screen 4	April/May 2004	MW-17-4	3.9 J	0.14	5.6	0.01 U
MW-17 Screen 4	July/Aug 2004	MW-17-4	NA	NA	5.7	0.01 U
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	NA	NA	6.1 J	0.01 U
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	NA	NA	3.7	0.01 U
MW-17 Screen 4	April/May 2005	MW-17-4	5.0 U	0.052 J	3.7	0.01 U
MW-17 Screen 4	July/Sept 2005	MW-17-4	NA	NA	6.1	0.01 U
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	NA	NA	4.6	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)		Lead (ug/L) (200.8)		Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-17 Screen 5	April/May 2003	MW-17-5	3.2	J	0.6	J	1.6	0.01 U
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	NA		NA		1.7 UJ	0.01 U
MW-17 Screen 5	April/May 2004	MW-17-5	12.0	J	73.3		8.3	0.01 U
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	NA		NA		2.2 J	0.01 U
MW-17 Screen 5	April/May 2005	MW-17-5	5.0	U	1.7		0.56 J	0.01 U
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	NA		NA		0.73 J	0.01 U
MW-18 Screen 1	April/May 2003	MW-18-1	5.0	UJ	1.0	U	0.4 UJ	0.01 U
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	NA		NA		1.5 U	0.01 U
MW-18 Screen 1	April/May 2004	MW-18-1	5.0	U	0.12	U	8.4 J	0.01 U
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	NA		NA		10.6 J	0.01 U
MW-18 Screen 1	April/May 2005	MW-18-1	5.9		0.098	J	5.9	0.01 U
MW-18 Screen 1	July/Sept 2005	MW-18-1	NA		NA		8.2	0.01 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	NA		NA		4.6	0.01 U
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	NA		NA		3.6	0.01 U
MW-18 Screen 2	April/May 2003	MW-18-2	5.0	UJ	1.0	U	1.0 UJ	0.01 U
MW-18 Screen 2	July/Aug 2003	MW-18-2	NA		NA		2.1 J	0.01 U
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	NA		NA		1.9 U	0.01 U
MW-18 Screen 2	Feb 2004	MW-18-2	NA		NA		3.5	0.01 U
MW-18 Screen 2	April/May 2004	MW-18-2	5.0	U	0.12	U	9.3 J	0.01 U
MW-18 Screen 2	July/Aug 2004	MW-18-2	NA		NA		4.6 J	0.01 U
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	NA		NA		11.9 J	0.01 U
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	NA		NA		5.1	0.01 U
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	NA		NA		6.9	0.01 U
MW-18 Screen 2	April/May 2005	MW-18-2	4.4	J	0.086	J	6.6	0.01 U
MW-18 Screen 2	April/May 2005	DUPE-1-2Q05	3.7	J	0.064	J	7.6	0.01 U
MW-18 Screen 2	July/Sept 2005	MW-18-2	NA		NA		7.7	0.01 U
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	NA		NA		6.2	0.01 U
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	NA		NA		7.8	0.01 U
MW-18 Screen 3	April/May 2003	MW-18-3	5.0	UJ	1.0	U	5.4 J	0.01 U
MW-18 Screen 3	July/Aug 2003	MW-18-3	NA		NA		5.9 J	0.01 U
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	NA		NA		5.9	0.01 U
MW-18 Screen 3	Feb 2004	MW-18-3	NA		NA		8.6	0.01 U
MW-18 Screen 3	April/May 2004	MW-18-3	5.0	U	0.12	U	15.5 J	0.01 U
MW-18 Screen 3	July/Aug 2004	MW-18-3	NA		NA		9.3 J	0.01 U
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	NA		NA		19.2 J	0.01 U
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	NA		NA		10.8	0.01 U
MW-18 Screen 3	April/May 2005	MW-18-3	6.5		0.082	J	11.7	0.01 U
MW-18 Screen 3	July/Sept 2005	MW-18-3	NA		NA		11.8	0.01 U
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	NA		NA		14.0	0.005 J
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	NA		NA		4.1	0.01 U
MW-18 Screen 4	April/May 2003	MW-18-4	5.0	UJ	0.1	J	2.0 J	0.01 U
MW-18 Screen 4	April/May 2003	DUPE-7-2Q03	5.0	UJ	0.1	J	2.2 J	0.01 U
MW-18 Screen 4	July/Aug 2003	MW-18-4	NA		NA		2.7 J	0.01 U
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	NA		NA		2.6 U	0.01 U
MW-18 Screen 4	Feb 2004	MW-18-4	NA		NA		5.4	0.01 U
MW-18 Screen 4	April/May 2004	MW-18-4	5.0	U	0.12	U	6.9 J	0.01 U
MW-18 Screen 4	July/Aug 2004	MW-18-4	NA		NA		5.4 J	0.01 U
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	NA		NA		12.9 J	0.01 U
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	NA		NA		7.0	0.01 U
MW-18 Screen 4	April/May 2005	MW-18-4	3.6	J	0.036	J	7.4	0.01 U
MW-18 Screen 4	July/Sept 2005	MW-18-4	NA		NA		7.0	0.01 U
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	NA		NA		7.0	0.01 U
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	NA		NA		NA	0.01 U
MW-18 Screen 5	April/May 2003	MW-18-5	5.0	UJ	1.0	U	0.4 UJ	0.01 U
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	NA		NA		1.0 U	0.01 U
MW-18 Screen 5	April/May 2004	MW-18-5	5.0	U	0.12	U	6.1 J	0.01 U
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	NA		NA		9.0 J	0.01 U
MW-18 Screen 5	Jan/Feb 2005	MW-18-5	NA		NA		NA	U
MW-18 Screen 5	April/May 2005	MW-18-5	3.6	J	0.035	J	4.3	0.01 U
MW-18 Screen 5	July/Sept 2005	MW-18-5	NA		NA		6.9	0.01 U
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	NA		NA		4.2	0.01 U
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	NA		NA		NA	0.01 U
MW-19 Screen 1	April/May 2003	MW-19-1	5.0	U	1.0	U	1.7 J	0.01 U
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	NA		NA		1.2 U	0.01 U
MW-19 Screen 1	April/May 2004	MW-19-1	5.0	U	0.23		0.58 U	0.01 U
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	NA		NA		0.2 U	0.01 U
MW-19 Screen 1	Jan/Feb 2005	MW-19-1	NA		NA		NA	U
MW-19 Screen 1	April/May 2005	MW-19-1	1.7	J	0.033	J	2.5	0.01 U
MW-19 Screen 1	July/Sept 2005	MW-19-1	NA		NA		6.3	0.01 U
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	NA		NA		5.9	0.01 U
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	NA		NA		NA	0.01 U
MW-19 Screen 2	April/May 2003	MW-19-2	5.0	U	1.0	U	4.2 J	0.01 U
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	NA		NA		4.0	0.01 U
MW-19 Screen 2	April/May 2004	MW-19-2	5.0	U	0.001	J	10	0.01 U
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	NA		NA		5.1	0.01 U
MW-19 Screen 2	Jan/Feb 2005	MW-19-2	NA		NA		NA	U
MW-19 Screen 2	April/May 2005	MW-19-2	1.8	J	0.027	J	4.3	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-19 Screen 2	July/Sept 2005	MW-19-2	NA	NA	14.1	0.01 U
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	NA	NA	11.1	0.01 U
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	NA	NA	NA	0.01 U
MW-19 Screen 3	April/May 2003	MW-19-3	5.0 U	1.0 U	5.0 J	0.01 U
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	NA	NA	4.3 J	0.01 U
MW-19 Screen 3	April/May 2004	MW-19-3	5.0 U	0.12 U	10.7	0.01 U
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	NA	NA	15.8	0.01 U
MW-19 Screen 3	Jan/Feb 2005	MW-19-3	NA	NA	NA	NA
MW-19 Screen 3	Jan/Feb 2005	DUPE-2-1Q05	NA	NA	NA	NA
MW-19 Screen 3	April/May 2005	MW-19-3	4.3 J	0.032 J	4.8	0.01 U
MW-19 Screen 3	July/Sept 2005	MW-19-3	NA	NA	9.8	0.01 U
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	NA	NA	9.2	0.01 U
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	NA	NA	NA	0.01 U
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	NA	NA	NA	0.01 U
MW-19 Screen 4	April/May 2003	MW-19-4	5.0 U	1.0 U	2.4 J	0.01 U
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	NA	NA	2.4 U	0.01 U
MW-19 Screen 4	April/May 2004	MW-19-4	5.0 U	0.12 U	7.3	0.01 U
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	NA	NA	10.7	0.01 U
MW-19 Screen 4	Jan/Feb 2005	MW-19-4	NA	NA	NA	NA
MW-19 Screen 4	April/May 2005	MW-19-4	3.1 J	0.019 J	3.2	0.01 U
MW-19 Screen 4	July/Sept 2005	MW-19-4	NA	NA	10.1	0.01 U
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	NA	NA	8.3	0.01 U
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	NA	NA	NA	0.01 U
MW-19 Screen 5	April/May 2003	MW-19-5	5.0 U	1.0 U	2.5 J	0.01 U
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	NA	NA	1.8 U	0.01 U
MW-19 Screen 5	April/May 2004	MW-19-5	5.0 U	0.12 U	5.4	0.01 U
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	NA	NA	9.0	0.01 U
MW-19 Screen 5	Jan/Feb 2005	MW-19-5	NA	NA	NA	NA
MW-19 Screen 5	April/May 2005	MW-19-5	4.1 J	0.077 J	3.6	0.01 U
MW-19 Screen 5	July/Sept 2005	MW-19-5	NA	NA	9	0.01 U
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	NA	NA	6.5	0.01 U
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	NA	NA	6.7	0.01 U
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	NA	NA	2.8	0.01 U
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	NA	NA	2.5	0.01 U
MW-20 Screen 1	April/May 2003	MW-20-1	5.0 U	1.0 U	2.4 J	0.01 U
MW-20 Screen 1	April/May 2003	DUPE-3-2Q03	5.0 U	1.0 U	2.1 J	0.01 U
MW-20 Screen 1	July/Aug 2003	MW-20-1	NA	NA	1.8 J	0.01 U
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	NA	NA	1.9 J	0.01 U
MW-20 Screen 1	Feb 2004	MW-20-1	NA	NA	3.2	0.01 U
MW-20 Screen 1	April/May 2004	MW-20-1	5.0 U	0.12 U	6.6 J	0.01 U
MW-20 Screen 1	July/Aug 2004	MW-20-1	NA	NA	10.5	0.01 U
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	NA	0.016 U	7.0 J	0.01 U
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	NA	NA	3.5	0.01 U
MW-20 Screen 1	April/May 2005	MW-20-1	5.0 U	0.031 J	4.8	0.01 U
MW-20 Screen 1	July/Sept 2005	MW-20-1	NA	NA	7.0	0.01 U
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	NA	NA	8.0	0.01 U
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	NA	NA	2.2	0.01 U
MW-20 Screen 2	April/May 2003	MW-20-2	5.0 U	1.0 U	2.1 J	0.01 U
MW-20 Screen 2	July/Aug 2003	MW-20-2	NA	NA	1.5 J	0.01 U
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	NA	NA	1.3 UJ	0.01 U
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4-Q03	NA	NA	1.4 UJ	0.01 U
MW-20 Screen 2	Feb 2004	MW-20-2	NA	NA	2.6	0.01 U
MW-20 Screen 2	April/May 2004	MW-20-2	5.0 U	0.12 U	5.1 J	0.01 U
MW-20 Screen 2	July/Aug 2004	MW-20-2	NA	NA	0.9	0.01 U
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	NA	0.120 U	5.6 J	0.01 U
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	NA	NA	4.2	0.01 U
MW-20 Screen 2	April/May 2005	MW-20-2	5.0 U	0.0090 J	3.8	0.01 U
MW-20 Screen 2	July/Sept 2005	MW-20-2	NA	NA	6.3	0.01 U
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	NA	NA	6.0	0.01 U
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	NA	NA	1.7 U	0.01 U
MW-20 Screen 3	April/May 2003	MW-20-3	5.0 U	1.0 U	4.2 J	0.01 U
MW-20 Screen 3	July/Aug 2003	MW-20-3	NA	NA	4.0 J	0.01 U
MW-20 Screen 3	July/Aug 2003	DUPE-2-3-Q03	NA	NA	4.0 J	0.01 U
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	NA	NA	2.9 J	0.01 U
MW-20 Screen 3	Feb 2004	MW-20-3	NA	NA	4.2	0.01 U
MW-20 Screen 3	April/May 2004	MW-20-3	2.5 J	0.12 U	10.5 J	0.01 U
MW-20 Screen 3	July/Aug 2004	MW-20-3	NA	NA	12.7	0.01 U
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	NA	0.120 U	10.4 J	0.01 U
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	NA	NA	5.5	0.01 U
MW-20 Screen 3	April/May 2005	MW-20-3	5.0 U	0.014 J	5.3	0.01 U
MW-20 Screen 3	July/Sept 2005	MW-20-3	NA	NA	11.6	0.01 U
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	NA	NA	8.8	0.01 U
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	NA	NA	2.4	0.01 U
MW-20 Screen 4	April/May 2003	MW-20-4	5.0 U	1.0 U	2.2 J	0.01 U
MW-20 Screen 4	July/Aug 2003	MW-20-4	NA	NA	1.9 J	0.01 U
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	NA	NA	1.6 J	0.01 U
MW-20 Screen 4	Feb 2004	MW-20-4	NA	NA	2.7	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-20 Screen 4	April/May 2004	MW-20-4	5.0 U	0.12 U	6.5 J	0.01 U
MW-20 Screen 4	July/Aug 2004	MW-20-4	NA	NA	6.2	0.01 U
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	NA	0.018 U	5.0 J	0.01 U
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	NA	NA	3.8	0.01 U
MW-20 Screen 4	April/May 2005	MW-20-4	5.0 U	0.050 J	1.9	0.01 U
MW-20 Screen 4	July/Sept 2005	MW-20-4	NA	NA	5.8	0.01 U
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	NA	NA	5.7	0.01 U
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	NA	NA	2.7	0.01 U
MW-20 Screen 5	April/May 2003	MW-20-5	5.0 U	1.0 U	1.7 J	0.01 U
MW-20 Screen 5	July/Aug 2003	MW-20-5	NA	NA	1.6 J	0.01 U
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	NA	NA	1.3 UJ	0.01 U
MW-20 Screen 5	Feb 2004	MW-20-5	NA	NA	2.8	0.01 U
MW-20 Screen 5	April/May 2004	MW-20-5	5.0 U	0.12 U	4.5 J	0.01 U
MW-20 Screen 5	July/Aug 2004	MW-20-5	NA	NA	6.8	0.01 U
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	NA	0.014 U	5.2 J	0.01 U
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	NA	NA	3.6	0.01 U
MW-20 Screen 5	April/May 2005	MW-20-5	4.6 J	0.032 J	3.4	0.01 U
MW-20 Screen 5	July/Sept 2005	MW-20-5	NA	NA	4.7	0.01 U
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	NA	NA	5.2	0.01 U
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	NA	NA	4.8	0.01 U
MW-21 Screen 1	April/May 2003	MW-21-1	5.0 U	1.0 U	3.5 J	0.01 U
MW-21 Screen 1	July/Aug 2003	MW-21-1	NA	NA	3.8 J	0.01 U
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	NA	NA	3.0 J	0.01 U
MW-21 Screen 1	Feb 2004	MW-21-1	NA	NA	5.1	0.01 U
MW-21 Screen 1	April/May 2004	MW-21-1	5.0 U	0.12 U	10.9	0.01 U
MW-21 Screen 1	July/Aug 2004	MW-21-1	NA	NA	5.3 J	0.01 U
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	NA	NA	14.1 J	0.01 U
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	NA	NA	6.8	0.01 U
MW-21 Screen 1	April/May 2005	MW-21-1	2.7 J	0.056 J	5.7	0.01 U
MW-21 Screen 1	July/Sept 2005	MW-21-1	NA	NA	7.9	0.01 U
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	NA	NA	8.3	0.01 U
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	NA	NA	6.7	0.01 U
MW-21 Screen 2	April/May 2003	MW-21-2	5.0 U	1.0 U	4.8 J	0.01 U
MW-21 Screen 2	July/Aug 2003	MW-21-2	NA	NA	4.2 J	0.01 U
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	NA	NA	4.5 J	0.01 U
MW-21 Screen 2	Feb 2004	MW-21-2	NA	NA	5.0	0.01 U
MW-21 Screen 2	April/May 2004	MW-21-2	5.0 U	0.013 J	11.7	0.01 U
MW-21 Screen 2	July/Aug 2004	MW-21-2	NA	NA	7.8 J	0.01 U
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	NA	NA	20.8 J	0.01 U
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	NA	NA	9.8	0.01 U
MW-21 Screen 2	April/May 2005	MW-21-2	5.0 U	0.093 J	5.0	0.01 U
MW-21 Screen 2	July/Sept 2005	MW-21-2	NA	NA	11.3	0.01 U
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	NA	NA	12.5	0.01 U
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	NA	NA	5.9	0.01 U
MW-21 Screen 3	April/May 2003	MW-21-3	5.0 U	1.0 U	3.7 J	0.01 U
MW-21 Screen 3	July/Aug 2003	MW-21-3	NA	NA	3.7 J	0.01 U
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	NA	NA	4.1 J	0.01 U
MW-21 Screen 3	Feb 2004	MW-21-3	NA	NA	4.4	0.01 U
MW-21 Screen 3	April/May 2004	MW-21-3	5.0 U	0.12 U	12.2	0.01 U
MW-21 Screen 3	July/Aug 2004	MW-21-3	NA	NA	8.2 J	0.01 U
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	NA	NA	18.4 J	0.01 U
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	NA	NA	8.8	0.01 U
MW-21 Screen 3	April/May 2005	MW-21-3	4.2 J	0.058 J	0.85 J	0.01 U
MW-21 Screen 3	July/Sept 2005	MW-21-3	NA	NA	12.9	0.01 U
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	NA	NA	12.2	0.01 U
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	NA	NA	4.7	0.01 U
MW-21 Screen 4	April/May 2003	MW-21-4	2.2 J	1.0 U	3.8 J	0.01 U
MW-21 Screen 4	July/Aug 2003	MW-21-4	NA	NA	4.0 J	0.01 U
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	NA	NA	4.3 J	0.01 U
MW-21 Screen 4	Feb 2004	MW-21-4	NA	NA	5.3	0.01 U
MW-21 Screen 4	April/May 2004	MW-21-4	5.0 U	0.12 U	8.3	0.01 U
MW-21 Screen 4	July/Aug 2004	MW-21-4	NA	NA	6.9 J	0.01 U
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	NA	NA	16.5 J	0.01 U
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	NA	NA	7.2	0.01 U
MW-21 Screen 4	Jan/Feb 2005	Dupe-1-1Q05	NA	NA	8.4	0.01 U
MW-21 Screen 4	April/May 2005	MW-21-4	3.5 J	0.052 J	5.6	0.01 U
MW-21 Screen 4	July/Sept 2005	MW-21-4	NA	NA	9.4	0.01 U
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	NA	NA	9.7	0.01 U
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	NA	NA	5.7	0.01 U
MW-21 Screen 5	April/May 2003	MW-21-5	5.0 U	1.0 U	2.7 J	0.01 U
MW-21 Screen 5	July/Aug 2003	MW-21-5	NA	NA	2.9 J	0.01 U
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	NA	NA	4.0 J	0.01 U
MW-21 Screen 5	Feb 2004	MW-21-5	NA	NA	5.0	0.01 U
MW-21 Screen 5	April/May 2004	MW-21-5	5.0 U	0.026 J	8.3	0.01 U
MW-21 Screen 5	July/Aug 2004	MW-21-5	NA	NA	6.0 J	0.01 U
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	NA	NA	12.7 J	0.01 U
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	NA	NA	5.6	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-21 Screen 5	April/May 2005	MW-21-5	2.1 J	0.069 J	5.5	0.01 U
MW-21 Screen 5	July/Sept 2005	MW-21-5	NA	NA	9.2	0.01 U
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	NA	NA	9.5	0.01 U
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	NA	NA	4.1	0.01 U
MW-22 Screen 1	April/May 2003	MW-22-1	5.0 U	1.0 U	1.9 J	0.01 U
MW-22 Screen 1	July/Aug 2003	MW-22-1	NA	NA	4.2 J	0.01 U
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	NA	NA	3.0 J	0.01 U
MW-22 Screen 1	Feb 2004	MW-22-1	NA	NA	6.8	0.01 U
MW-22 Screen 1	April/May 2004	MW-22-1	5.0 UJ	0.02 U	10.3	0.01 U
MW-22 Screen 1	July/Aug 2004	MW-22-1	NA	NA	7.3 J	0.01 U
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	NA	NA	18.8 J	0.01 U
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	NA	NA	0.31	0.01 U
MW-22 Screen 1	April/May 2005	MW-22-1	5.0 U	0.15 J	5.7	0.01 U
MW-22 Screen 1	July/Sept 2005	MW-22-1	NA	NA	9.6	0.01 U
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	NA	NA	10.8	0.01 U
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	NA	NA	3.5	0.01 U
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	NA	NA	3.2	0.01 U
MW-22 Screen 2	April/May 2003	MW-22-2	5.0 U	1.0 U	0.6 UJ	0.01 U
MW-22 Screen 2	July/Aug 2003	MW-22-2	NA	NA	2.7 J	0.01 U
MW-22 Screen 2	July/Aug 2003	DUPE-5-3-Q03	NA	NA	2.5 J	0.01 U
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	NA	NA	0.9 UJ	0.01 U
MW-22 Screen 2	Feb 2004	MW-22-2	NA	NA	4.7	0.01 U
MW-22 Screen 2	April/May 2004	MW-22-2	5.0 UJ	0.12 U	7.6	0.01 U
MW-22 Screen 2	July/Aug 2004	MW-22-2	NA	NA	9.8 J	0.01 U
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	NA	NA	13.4 J	0.01 U
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	NA	NA	4.6	0.01 U
MW-22 Screen 2	April/May 2005	MW-22-2	5.0 U	0.11 J	4.7	0.01 U
MW-22 Screen 2	July/Sept 2005	MW-22-2	NA	NA	7.2	0.01 U
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	NA	NA	9.2	0.01 U
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	NA	NA	3.6	0.01 U
MW-22 Screen 3	April/May 2003	MW-22-3	5.0 U	1.0 U	0.8 UJ	0.01 U
MW-22 Screen 3	July/Aug 2003	MW-22-3	NA	NA	2.9 J	0.01 U
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	NA	NA	3.2 J	0.01 U
MW-22 Screen 3	Feb 2004	MW-22-3	NA	NA	6.6	0.01 U
MW-22 Screen 3	April/May 2004	MW-22-3	5.0 UJ	0.12 U	8.5	0.01 U
MW-22 Screen 3	July/Aug 2004	MW-22-3	NA	NA	10.0 J	0.01 U
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	NA	NA	13.2 J	0.01 U
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	NA	NA	4.8	0.01 U
MW-22 Screen 3	April/May 2005	MW-22-3	5.0 U	0.043 J	5.0	0.01 U
MW-22 Screen 3	April/May 2005	DUPE-5-2Q05	5.0 U	0.054 J	5.3	0.01 U
MW-22 Screen 3	July/Sept 2005	MW-22-3	NA	NA	8.2	0.01 U
MW-22 Screen 3	July/Sept 2005	DUPE-5-3Q05	NA	NA	7.7	0.01 U
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	NA	NA	9.2	0.01 U
MW-22 Screen 4	April/May 2003	MW-22-4	5.0 U	1.0 U	2.4 J	0.01 U
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	NA	NA	3.1 J	0.01 U
MW-22 Screen 4	April/May 2004	MW-22-4	3.0 UJ	0.12 U	8.1	0.01 U
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	NA	NA	12.6 J	0.01 U
MW-22 Screen 4	April/May 2005	MW-22-4	5.0 U	0.10 J	3.1	0.01 U
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	NA	NA	9.1	0.01 U
MW-22 Screen 5	April/May 2003	MW-22-5	5.0 U	1.0 U	1.0 UJ	0.01 U
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	NA	NA	0.7 UJ	0.01 U
MW-22 Screen 5	April/May 2004	MW-22-5	2.7 UJ	0.017 U	2.6 J	0.004 J
MW-22 Screen 5	April/May 2004	DUPE-2-2Q04	5.0 UJ	0.039 U	4.6 J	0.004 J
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	NA	NA	7.0 J	0.01 U
MW-22 Screen 5	April/May 2005	MW-22-5	5.0 U	0.067 J	2.0	0.01 U
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	NA	NA	4.0	0.01 U
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	NA	NA	3.4	0.01 U
MW-23 Screen 1	April/May 2003	MW-23-1	5.0 U	1.0 U	4.4	0.01 U
MW-23 Screen 1	July/Aug 2003	MW-23-1	NA	NA	4.2 J	0.01 U
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	NA	NA	4.6 J	0.01 U
MW-23 Screen 1	Feb 2004	MW-23-1	NA	NA	8.1	0.01 U
MW-23 Screen 1	April/May 2004	MW-23-1	5.0 U	0.024 U	11.9	0.01 U
MW-23 Screen 1	July/Aug 2004	MW-23-1	NA	NA	15.2	0.01 U
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	NA	NA	16.4 J	0.01 U
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	NA	NA	6.5	0.01 U
MW-23 Screen 1	April/May 2005	MW-23-1	5.0 U	0.041 J	1.3	0.01 U
MW-23 Screen 1	July/Sept 2005	MW-23-1	NA	NA	0.91 J	0.01 U
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	NA	NA	11.1	0.01 U
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	NA	NA	3.8	0.01 U
MW-23 Screen 2	April/May 2003	MW-23-2	5.0 U	1.0 U	2.9	0.01 U
MW-23 Screen 2	July/Aug 2003	MW-23-2	NA	NA	3.9 J	0.01 U
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	NA	NA	3.5 J	0.01 U
MW-23 Screen 2	Feb 2004	MW-23-2	NA	NA	5.9	0.01 U
MW-23 Screen 2	April/May 2004	MW-23-2	2.5 U	0.004 J	9.8	0.005 J
MW-23 Screen 2	July/Aug 2004	MW-23-2	NA	NA	14.1	0.01 U
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	NA	NA	14.1 J	0.01 U
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	NA	NA	5.0	0.01 U

TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-23 Screen 2	April/May 2005	MW-23-2	5.0 U	0.024 J	6.0	0.01 U
MW-23 Screen 2	July/Sept 2005	MW-23-2	NA	NA	10.7	0.01 U
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	NA	NA	9.3	0.01 U
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	NA	NA	3.9	0.01 U
MW-23 Screen 3	April/May 2003	MW-23-3	5.0 U	1.0 U	3.7	0.01 U
MW-23 Screen 3	July/Aug 2003	MW-23-3	NA	NA	3.5 J	0.01 U
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	NA	NA	4.2 J	0.01 U
MW-23 Screen 3	Feb 2004	MW-23-3	NA	NA	5.2	0.01 U
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	NA	NA	5.0	0.01 U
MW-23 Screen 3	April/May 2004	MW-23-3	5.0 U	0.12 U	8.3	0.004 J
MW-23 Screen 3	July/Aug 2004	MW-23-3	NA	NA	11.2	0.01 U
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	NA	NA	11.8 J	0.01 U
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	NA	NA	4.8	0.01 U
MW-23 Screen 3	April/May 2005	MW-23-3	5.0 U	0.036 J	3.1	0.01 U
MW-23 Screen 3	July/Sept 2005	MW-23-3	NA	NA	10.6	0.01 U
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	NA	NA	8.3	0.01 U
MW-23 Screen 4	Jan/Feb 2003	MW-23-4	NA	NA	2.5	0.01 U
MW-23 Screen 4	April/May 2003	MW-23-4	5.0 U	1.0 U	2.2	0.01 U
MW-23 Screen 4	July/Aug 2003	MW-23-4	NA	NA	2.6 J	0.01 U
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	NA	NA	2.6 J	0.01 U
MW-23 Screen 4	Feb 2004	MW-23-4	NA	NA	3.3	0.01 U
MW-23 Screen 4	April/May 2004	MW-23-4	3.3 U	0.005 J	6.7	0.004 J
MW-23 Screen 4	July/Aug 2004	MW-23-4	NA	NA	7.9	0.01 U
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	NA	NA	9.9 J	0.01 U
MW-23 Screen 4	Jan/Feb 2005	MW-23-4	NA	NA	2.9	0.01 U
MW-23 Screen 4	April/May 2005	MW-23-4	5.0 U	0.019 J	4.2	0.01 U
MW-23 Screen 4	July/Sept 2005	MW-23-4	NA	NA	8.4	0.01 U
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	NA	NA	7.2	0.01 U
MW-23 Screen 5	April/May 2003	MW-23-5	3.2 J	0.6 J	1.7	0.01 U
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	NA	NA	1.8 UJ	0.01 U
MW-23 Screen 5	April/May 2004	MW-23-5	4.0 U	1.2	7.1	0.004 J
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	NA	NA	9.2 J	0.01 U
MW-23 Screen 5	April/May 2005	MW-23-5	5.0 U	0.81 J	3.3	0.01 U
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	NA	NA	5.7	0.01 U
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	NA	NA	4.9	0.01 U
MW-24 Screen 1	April/May 2003	MW-24-1	5.0 U	1.0 U	5.7	0.01 U
MW-24 Screen 1	July/Aug 2003	MW-24-1	NA	NA	3.0	0.01 U
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	NA	NA	4.0	0.01 U
MW-24 Screen 1	Feb 2004	MW-24-1	NA	NA	5.8	0.01 U
MW-24 Screen 1	April/May 2004	MW-24-1	2.0 U	0.024 J	7.9	0.01 U
MW-24 Screen 1	July/Aug 2004	MW-24-1	NA	NA	11.2	0.01 U
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	NA	NA	4.3 J	0.01 U
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	NA	NA	12.0	0.01 U
MW-24 Screen 1	April/May 2005	MW-24-1	5.0 U	0.13 J	6.1	0.01 U
MW-24 Screen 1	July/Sept 2005	MW-24-1	NA	NA	9.8	0.01 U
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	NA	NA	9.3 J	0.01 U
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	NA	NA	2.4	0.01 U
MW-24 Screen 2	April/May 2003	MW-24-2	5.0 U	1.0 U	2.3	0.01 U
MW-24 Screen 2	April/May 2003	DUPE-4-2Q03	5.0 U	1.0 U	2.0	0.01 U
MW-24 Screen 2	July/Aug 2003	MW-24-2	NA	NA	2.0	0.01 U
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	NA	NA	2.7 U	0.01 U
MW-24 Screen 2	Feb 2004	MW-24-2	NA	NA	2.3	0.01 U
MW-24 Screen 2	April/May 2004	MW-24-2	3.5 U	0.12 U	6.2	0.01 U
MW-24 Screen 2	July/Aug 2004	MW-24-2	NA	NA	9.2	0.01 U
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	NA	NA	7.9 J	0.01 U
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	NA	NA	8.8	0.01 U
MW-24 Screen 2	April/May 2005	MW-24-2	5.0 U	0.028 J	4.7	0.01 U
MW-24 Screen 2	July/Sept 2005	MW-24-2	NA	NA	7.9	0.01 U
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	NA	NA	9.2 J	0.01 U
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	NA	NA	2.5	0.01 U
MW-24 Screen 3	April/May 2003	MW-24-3	4.4 J	1.0 U	2.2	0.01 U
MW-24 Screen 3	July/Aug 2003	MW-24-3	NA	NA	1.3	0.01 U
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	NA	NA	1.7 U	0.01 U
MW-24 Screen 3	Feb 2004	MW-24-3	NA	NA	3.6	0.01 U
MW-24 Screen 3	April/May 2004	MW-24-3	4.3 U	0.012 J	5.1	0.01 U
MW-24 Screen 3	July/Aug 2004	MW-24-3	NA	NA	7.3	0.01 U
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	NA	NA	7.2 J	0.01 U
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	NA	NA	8.2	0.01 U
MW-24 Screen 3	April/May 2005	MW-24-3	5.0 U	0.046 J	3.6	0.01 U
MW-24 Screen 3	July/Sept 2005	MW-24-3	NA	NA	6.4	0.01 U
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	NA	NA	7.7 J	0.01 U
MW-24 Screen 4	Jan/Feb 2003	MW-24-4	NA	NA	1.5	0.01 U
MW-24 Screen 4	April/May 2003	MW-24-4	5.0 U	1.0 U	0.3 J	0.01 U
MW-24 Screen 4	July/Aug 2003	MW-24-4	NA	NA	0.7 J	0.01 U
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	NA	NA	1.2 U	0.01 U
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	NA	NA	1.1 U	0.01 U
MW-24 Screen 4	Feb 2004	MW-24-4	NA	NA	1.5	0.01 U

**TABLE 2
SUMMARY OF METALS DETECTED DURING THE
LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM
BEGINNING JANUARY 2003**

Shaded values exceed State or Federal MCLs or action levels.

Sample Location	Sampling Event	Sample Number	Arsenic (ug/L) (200.9)	Lead (ug/L) (200.8)	Total Chromium (ug/L) (200.8)	Hexavalent Chromium (mg/L) (7196)
MW-24 Screen 4	April/May 2004	MW-24-4	2.2 U	0.12 U	4.3	0.01 U
MW-24 Screen 4	July/Aug 2004	MW-24-4	NA	NA	6.2	0.01 U
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	NA	NA	4.9 J	0.01 U
MW-24 Screen 4	Jan/Feb 2005	MW-24-4	NA	NA	7.3	0.01 U
MW-24 Screen 4	April/May 2005	MW-24-4	5.0 U	0.077 J	2.6	0.01 U
MW-24 Screen 4	July/Sept 2005	MW-24-4	NA	NA	5.0	0.01 U
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	NA	NA	5.3 J	0.01 U
MW-24 Screen 5	April/May 2003	MW-24-5	2.7 J	1.0 U	4.1	0.01 U
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	NA	NA	3.7	0.01 U
MW-24 Screen 5	April/May 2004	MW-24-5	3.8 U	0.12 U	7.6	0.01 U
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	NA	NA	9.7 J	0.01 U
MW-24 Screen 5	April/May 2005	MW-24-5	5.0 U	0.077 J	5.6	0.01 U
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	NA	NA	9.8 J	0.01 U
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	5.0 U	0.045 J	4.4	0.01 U
MW-25 Screen 1	April/May 2005	MW-25-1	5.0 U	0.097 J	4.2	0.01 U
MW-25 Screen 1	July/Sept 2005	MW-25-1	NA	NA	6.9	0.01 U
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	NA	NA	9.7	0.01 U
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	5.0 U	0.090 J	0.96	0.01 U
MW-25 Screen 2	April/May 2005	MW-25-2	5.0 U	0.060 J	3.2	0.01 U
MW-25 Screen 2	April/May 2005	DUPE-6-2Q05	5.0 U	0.053 J	3.5	0.01 U
MW-25 Screen 2	July/Sept 2005	MW-25-2	NA	NA	5.2	0.01 U
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	NA	NA	6.3	0.01 U
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	5.0 U	0.012 J	5.2	0.01 U
MW-25 Screen 3	April/May 2005	MW-25-3	5.0 U	0.057 J	6.5	0.01 U
MW-25 Screen 3	July/Sept 2005	MW-25-3	NA	NA	8.5	0.01 U
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	NA	NA	10.2	0.01 U
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	5.0 U	0.026 J	5.3	0.01 U
MW-25 Screen 4	April/May 2005	MW-25-4	5.0 U	0.073 J	6.6	0.01 U
MW-25 Screen 4	July/Sept 2005	MW-25-4	NA	NA	9.1	0.01 U
MW-24 Screen 4	Oct/Nov 2005	MW-25-4	NA	NA	10.4	0.01 U
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	5.0 U	0.12 U	2.2	0.01 U
MW-25 Screen 5	April/May 2005	MW-25-5	5.0 U	0.020 J	3.3	0.01 U
MW-25 Screen 5	July/Sept 2005	MW-25-5	NA	NA	6.4	0.01 U
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	NA	NA	7.3	0.01 U
MW-26 Screen 1	April/May 2005	MW-26-1	3.6 J	0.023 J	7.1	0.01 U
MW-26 Screen 1	July/Sept 2005	MW-26-1	NA	NA	13.2	0.01 U
MW-26 Screen 1	July/Sept 2005	DUPE-6-3Q05	NA	NA	15	0.01 U
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	NA	NA	12	0.01 U
MW-26 Screen 2	April/May 2005	MW-26-2	1.3 J	1.0 U	11.1	0.01 U
MW-26 Screen 2	July/Sept 2005	MW-26-2	NA	NA	12.7	0.01 U
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	NA	NA	12.8	0.01 U
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	NA	NA	11.9	0.01 U
California Maximum Contaminant Level (MCL)			50.0	15.0*	50.0	0.05 ⁽¹⁾
EPA Region IX Maximum Contaminant Level			50.0	15.0*	100.0	NE
Notes						
DUPE	Field Duplicate					
J	Indicates an estimated value.					
MCL	Maximum Contaminant Level					
ug/L	Micrograms per liter					
mg/L	Milligrams per liter					
NTU	Nephelometric Turbidity Unit					
NA	Not analyzed for this metal during this quarter.					
NE	Not established					
U	Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.					
UJ	Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.					
*	Interim Action Level - California Department of Health Services					
(1)	As of January 6, 2004, hexavalent chromium is regulated under the 50-ug/L MCL for total chromium. DHS will be adopting an MCL that is specific for hexavalent chromium (DHS, 2004).					

TABLE 3
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE REPORTED IN
MUNICIPAL PRODUCTION WELLS NEAR JPL DURING THE MOST RECENT SAMPLING EVENT

(All Concentrations Are Reported in Micrograms per Liter
 Shaded Values Exceed the State or Federal MCLs or the Action Levels

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Lincoln Avenue Water Company	Well #3	9/13/2005	23.00	2.90	0.62	2.90
	Well #3	9/20/2005	25.00	NA	NA	NA
	Well #3	9/27/2005	26.00	2.10	0.00	2.60
	Well #3	10/4/2005	33.00	3.00	0.64	3.20
	Well #3	10/11/2005	28.00	NA	NA	NA
	Well #3	10/18/2005	38.00	NA	NA	NA
	Well #3	10/25/2005	27.00	NA	NA	NA
	Well #5	9/13/2005	4.70	0.51	0.60	4.60
	Well #5	9/20/2005	5.50	NA	NA	NA
	Well #5	9/27/2005	5.70	0.00	0.00	3.30
La Canada Irrigation Dist.	Well #5	10/4/2005	6.60	0.52	0.57	4.10
	Well #5	10/11/2005	6.00	NA	NA	NA
	Well #5	10/18/2005	9.00	NA	NA	NA
	Well #5	10/25/2005	6.20	NA	NA	NA
	Well #1	9/26/2005	NA	NA	0.00	0.00
Las Flores Water Company	Well #6	9/26/2005	NA	NA	0.00	0.00
	Well #2	9/6/2005	6.40	NA	2.10	NA
	Well #2	9/12/2005	5.40	NA	1.90	NA
	Well #2	9/19/2005	5.80	NA	1.90	NA
	Well #2	9/26/2005	6.30	NA	2.00	NA
	Well #2	10/3/2005	7.00	NA	1.90	NA
	Well #2	10/10/2005	7.00	NA	1.90	NA
	Well #2	10/17/2005	7.00	NA	1.70	NA
	Well #2	10/24/2005	6.80	NA	1.40	NA
	Well #4	9/6/2005	0.00	NA	NA	NA
Rubio Canon Land & Water Association	Well #4	10/3/2005	4.00	NA	NA	NA
	Well #7	9/6/2005	0.00	NA	NA	NA
	Well #7	10/3/2005	0.00	NA	NA	NA
Valley Water Company	Well #1	9/6/2005	NA	0.50	2.50	0.60
	Well #1	10/4/2005	NA	0.50	2.70	0.70
	Well #4	9/6/2005	NA	0.50	0.70	0.50
	Well #4	10/4/2005	NA	0.50	0.80	0.50
California Maximum Contaminant Level (MCL)			6.0 ⁽¹⁾	0.5	5.0	5.0
EPA Region IX Maximum Contaminant Level			NE	5.0	5.0	5.0

Notes
 (1) Interim Action Level - California Department of Health Service;
 NE Not Established
 NA Sample not analyzed for specified analyte
 Source California Department of Health Services Drinking Water Program, California Drinking Water Data, January 4, 2005
 U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit