

ATTACHMENT 4: FIELD LOGS

This attachment contains the groundwater sample collection field logs for the relatively shallow standpipe monitoring wells (MW-5 through MW-8, MW-10, MW-13, MW-15, and MW-16), as well as the field data sheets for the Westbay™ multiport wells (MW-3, MW-4, MW-11, MW-12, MW-14, and MW-17 through MW-26). Groundwater sample collection for the 1st Quarter 2010 sampling event was conducted by Battelle and Insight Environmental, Inc.

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-5

Battelle
The Business of Innovation

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-18-10
 Weather: Sunny / Cool

505 King Avenue
Columbus, Ohio 43201

PURGE VOLUME CALCULATION (casing volume):

$$\left(\frac{140.0' - 50.36'}{\text{TD (feet)}} \right) \times \frac{4^2}{\text{WL (feet)}} \times \frac{3}{\text{D (inches)}} \times 0.0408 = \frac{175.55}{\text{\# Vols}} \times \text{Calculated Purge Volume} = \text{Gallons}$$

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ Pump - Type: 2" Grundfos

Depth in feet (BTOC): 125'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
1028									Start
1033	50.61	17.5	6.53	0.457	0.90	5.32	16.90	88	
1038	50.61	35	6.54	0.460	0.73	5.37	16.89	73	
1046	50.60	63	6.59	0.464	0.41	4.42	17.05	57	3.5 GPM
1057	50.60	101.5	6.63	0.460	0.20	4.53	17.04	46	
1104	50.59	126	6.64	0.460	0.14	4.67	17.04	63	
1114	50.58	161	6.65	0.458	0.13	4.51	17.04	59	
1118	50.58	175	6.67	0.455	0.12	4.56	17.04	64	
1130		217							Stop

Total Purge Volume: 217 (Gallons) / 58.517

Total Discharge: 3.71 (Casing Volumes)

Approx. Purge Rate: 3.5 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 1028 Purge time start: _____
Meters: AED MP20, Dakton T-100 300 Hz

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank

Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 125'

Original	Duplicate	Blank	Other (Trip/Source/_____)
Sample ID: <u>MW-5</u>	Sample ID: <u>DUPE-6-1Q10</u>	Type: _____	Type: _____
Sample Time: <u>1119</u>	Sample Time: <u>1119</u>	Sample ID: _____	Sample ID: _____
No. of Containers: <u>Alpha 5</u>	No. of Containers: <u>Alpha-5</u>	Sample Time: _____	Sample Time: _____
<u>CAS-1</u>	<u>CAS-1</u>	No. of Containers: _____	No. of Containers: _____

ORIGINAL FIELD RECORD

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-6

Battelle

The Business of Innovation

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-15-10
 Weather: Sunny / Warm

505 King Avenue
 Columbus, Ohio 43201

PURGE VOLUME CALCULATION (casing volume):

$(\underline{245} - \underline{171.75}) \times \frac{4^2}{4} \times \underline{3} \times 0.0408 = \underline{143.45}$ Gallons
TD (feet) WL (feet) D (inches) # Vols Calculated Purge Volume

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ X Pump - Type: 2" Grundfos dedicated Depth in feet (BTOC): 230'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
<u>1348</u>									<u>Start</u>
<u>1355</u>	<u>172.76</u>	<u>21</u>	<u>6.61</u>	<u>1.24</u>	<u>13.21</u>	<u>10.29</u>	<u>20.68</u>	<u>144</u>	<u>3.0 GPM</u>
<u>1405</u>	<u>172.80</u>	<u>51</u>	<u>6.64</u>	<u>1.245</u>	<u>6.31</u>	<u>10.59</u>	<u>20.60</u>	<u>134</u>	<u>3.0 GPM</u>
<u>1415</u>	<u>172.83</u>	<u>81</u>	<u>6.65</u>	<u>1.212</u>	<u>2.26</u>	<u>9.60</u>	<u>20.65</u>	<u>131</u>	
<u>1425</u>	<u>172.84</u>	<u>111</u>	<u>6.65</u>	<u>1.255</u>	<u>1.85</u>	<u>9.55</u>	<u>20.67</u>	<u>132</u>	
<u>1435</u>	<u>172.85</u>	<u>141</u>	<u>6.64</u>	<u>1.212</u>	<u>1.26</u>	<u>9.00</u>	<u>20.66</u>	<u>140</u>	
<u>1456</u>		<u>204</u>							<u>Stop</u>

Total Purge Volume: 204 (Gallons) / 47,8176
 Total Discharge: 4.266 (Casing Volumes)
 Approx. Purge Rate: 3 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 1348 Purge time start: 1456
Meters: QED MP 20, Oakton T-100 - Purge Water Heavily Aerated

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank
 Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 230'

<u>Original</u>	<u>Duplicate</u> MS/MSD	<u>Blank</u>	<u>Other (Trip/Source/)</u>
Sample ID: <u>MW-6</u>	Sample ID: <u>MW-6-MS/MSD</u>	Type: _____	Type: _____
Sample Time: <u>1440</u>	Sample Time: <u>1440</u>	Sample ID: _____	Sample ID: _____
No. of Containers: <u>5-Alpha</u> <u>1-CAS</u>	No. of Containers: <u>5-Alpha</u> <u>1-CAS</u>	Sample Time: _____	Sample Time: _____
		No. of Containers: _____	No. of Containers: _____

ORIGINAL FIELD RECORD

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-7

Battelle
The Business of Innovation

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-15-10
 Weather: Sunny/cool

505 King Avenue
Columbus, Ohio 43201

PURGE VOLUME CALCULATION (casing volume):

$$\left(\frac{275}{\text{TD (feet)}} - \frac{199.25}{\text{WL (feet)}} \right) \times \frac{4^2}{\text{D (inches)}} \times \frac{3}{\text{\# Vols}} \times 0.0408 = \frac{148.35}{\text{Calculated Purge Volume}} \text{ Gallons}$$

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ X Pump - Type: 2" Grundfos dedicated

Depth in feet (BTOC): 265'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
0825	199.25			water to	surface				
0835	199.41	16.5	6.99	0.644	0.86	1.89	23.72	125	
0840	199.42	33	7.03	0.645	0.48	1.63	23.80	116	
0845	199.42	49.5	7.03	0.645	0.35	1.57	23.82	114	
0850	199.43	66	7.03	0.645	0.35	1.55	23.82	116	
0855	199.42	82.5	7.03	0.646	0.30	1.53	23.82	119	
0900	199.42	99	7.04	0.646	0.15	1.53	23.84	129	
0910	199.57	132	7.03	0.646	0.17	1.43	23.88	117	
0915	199.59	150	7.03	0.646	0.16	1.42	23.88	116	

Total Purge Volume: 160 (Gallons)

Total Discharge: 3.24 (Casing Volumes)

Approx. Purge Rate: 3.3 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 0825 Stop Purge time stop: 0924

Meters: QEDMP20, Oakton T-100

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank

Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 265'

<u>Original</u>	<u>Duplicate</u>	<u>Blank</u>	<u>Other (Trip/Source/)</u>
Sample ID: <u>MW-7</u>	Sample ID: _____	Type: _____	Type: _____
Sample Time: <u>0915</u>	Sample Time: _____	Sample ID: _____	Sample ID: _____
No. of Containers: <u>5-Alpha</u> <u>1-CAS</u>	No. of Containers: _____	Sample Time: _____	Sample Time: _____
		No. of Containers: _____	No. of Containers: _____

ORIGINAL FIELD RECORD

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-8

Battelle

The Business of Innovation

505 King Avenue
Columbus, Ohio 43201

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-17-10
 Weather: Sunny / cool

PURGE VOLUME CALCULATION (casing volume):

$(205.00' - 122.30') \times 4^2 \times 3 \times 0.0408 = 161.96$ Gallons
 TD (feet) WL (feet) D (inches) # Vols Calculated Purge Volume

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ Pump - Type: 2" Grundfos

Depth in feet (BTOC): 195'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
1115	122.39		6.98	0.561	0.99	6.64	19.04	107	Start
1121	122.38	20.4	6.96	0.585	0.44	5.83	19.11	115	
1126	122.39	37.4	6.97	0.598	0.30	5.80	19.08	116	
1132	122.39	57.8	6.97	0.600	0.23	5.88	19.08	117	3.46GPM
1137	122.39	74.8	6.98	0.597	0.18	5.90	19.11	118	
1145	122.39	102.0	6.98	0.595	0.13	5.83	19.07	120	
1153	122.39	129.2	6.98	0.596	0.11	5.94	19.06	121	
1203	122.39	163.2	6.99	0.599	0.10	5.63	19.11	122	
1209		183.6							Stop

Total Purge Volume: 183.6 (Gallons) 53.98656
 Total Discharge: 3.46 (Casing Volumes)
 Approx. Purge Rate: 3.4 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 1115 Purge time start: 1209
Meters: RED MP20, Dakton F100 Change

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank
 Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 195'

<u>Original</u>	<u>Duplicate</u>	<u>Blank</u>	<u>Other (Trip/Source/)</u>
Sample ID: <u>MW-8</u>	Sample ID: _____	Type: _____	Type: _____
Sample Time: <u>1208</u>	Sample Time: _____	Sample ID: _____	Sample ID: _____
No. of Containers: <u>Alpha-5</u>	No. of Containers: _____	Sample Time: _____	Sample Time: _____
<u>CAS-1</u>	No. of Containers: _____	No. of Containers: _____	No. of Containers: _____

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-10

Battelle
The Business of Innovation

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-17-10
 Weather: Sunny / Warm

505 King Avenue
Columbus, Ohio 43201

PURGE VOLUME CALCULATION (casing volume):

$(155.0' - 71.97') \times 4^2 \times 3 \times 0.0408 = 162.60$ Gallons
TD (feet) WL (feet) D (inches) # Vols Calculated Purge Volume

PURGE METHOD

PUMP INTAKE SETTING

Bailer – Type: _____ Pump – Type: 2" Grundfos

Depth in feet (BTOC): 140.0'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
1340	71.97								Start
1345	72.13	22.5	6.73	1.325	0.89	8.00	20.27	110	
1352	72.13	54	6.75	1.318	0.46	7.34	20.25	112	
1405	72.13	112.5	6.75	1.310	0.23	6.83	20.31	112	4.5 GPM
1409	72.13	130.5	6.74	1.302	0.16	7.21	20.27	103	
1417	72.13	166.5	6.95	1.312	0.11	7.05	20.29	107	
1421									Stop

Total Purge Volume: 184.5 (Gallons) / 54, 201984
 Total Discharge: 3.40 (Casing Volumes)
 Approx. Purge Rate: 4.5 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 1340 Purge time start: 1421
Notes: SED MP20, Oaktan T-100

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank
 Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 140'

Original	Duplicate	Blank	Other (Trip/Source/)
Sample ID: <u>MW-10</u>	Sample ID: _____	Type: _____	Type: _____
Sample Time: <u>1420</u>	Sample Time: _____	Sample ID: _____	Sample ID: _____
No. of Containers: <u>Alpha-5</u>	No. of Containers: _____	Sample Time: _____	Sample Time: _____
<u>CAS-1</u>		No. of Containers: _____	No. of Containers: _____

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-13

Battelle
The Business of Innovation

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-16-10
 Weather: Sunny / Warm

505 King Avenue
Columbus, Ohio 43201

PURGE VOLUME CALCULATION (casing volume):

$(\underline{235} - \underline{169.53}) \times \frac{4^2}{4} \times \underline{3} \times 0.0408 = \underline{128.22}$ Gallons
TD (feet) WL (feet) D (inches) # Vols Calculated Purge Volume

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ X Pump - Type: 2" Grundfos *delicated*

Depth in feet (BTOC): 220'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
1207									start
1210	169.57	9.3	6.80	0.901	1.60	10.60	21.54	119	
1217	169.59	31	6.79	0.889	0.80	10.35	21.54	116	3.1
1229	169.58	68.2	6.81	0.887	0.64	10.39	21.52	117	
1239	169.57	99.2	6.81	0.883	0.31	10.07	21.52	118	
1243	169.57	111.6	6.82	0.886	0.39	10.44	21.49	107	
1249	169.57	130.2	6.82	0.888	0.07	10.33	21.51	115	
1255									stop

Total Purge Volume: 148.8 (Gallons) / 42.74
 Total Discharge: 348 (Casing Volumes)
 Approx. Purge Rate: 3.1 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 1207 Purge time stop: 1255
Motors: QED MP20, Dakton T-100

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank
 Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 220'

<u>Original</u>	<u>Duplicate</u>	<u>Blank</u>	<u>Other (Trip/Source/)</u>
Sample ID: <u>MW-13</u>	Sample ID: _____	Type: _____	Type: _____
Sample Time: <u>1250</u>	Sample Time: _____	Sample ID: _____	Sample ID: _____
No. of Containers: <u>Alpha-5</u>	No. of Containers: _____	Sample Time: _____	Sample Time: _____
<u>CAS-1</u>	No. of Containers: _____	No. of Containers: _____	No. of Containers: _____

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-15

Battelle
The Business of Innovation
505 King Avenue
Columbus, Ohio 43201

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: D. Lora
 Date: 2-18-10
 Weather: Sunny / Warm

PURGE VOLUME CALCULATION (casing volume):

$$\left(\frac{74.00}{\text{TD (feet)}} - \frac{31.53}{\text{WL (feet)}} \right) \times \frac{4^2}{\text{D (inches)}} \times \frac{3}{\text{\# Vols}} \times 0.0408 = \frac{83.17}{\text{Calculated Purge Volume}} \text{ Gallons}$$

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ Pump - Type: 2" Grundfos

Depth in feet (BTOC): 54.00'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
1348									Start
1350	33.01	6.4	7.19	0.584	0.80	3.32	16.47	60	
1355	32.77	22.4	7.29	0.584	0.81	3.28	16.38	58	3.2
1404	32.72	51.2	7.30	0.584	0.82	3.12	16.42	56	
1412	32.73	76.8	7.30	0.585	0.54	3.13	16.41	58	
1414	32.73	83.2	7.30	0.583	0.51	3.14	16.41	59	
1418		96							Stop

Total Purge Volume: 96 (Gallons) / 27.72

Total Discharge: 3.46 (Casing Volumes)

Approx. Purge Rate: 3.2 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: _____ Purge time start: _____

Motors: QED MP 20, Daktan T-100 257 Hz

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank

Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): _____

<u>Original</u>	<u>Duplicate</u>	<u>Blank</u>	<u>Other (Trip/Source/_____)</u>
Sample ID: <u>MW-15</u>	Sample ID: <u>DUPE-7-1Q10</u>	Type: _____	Type: _____
Sample Time: <u>1416</u>	Sample Time: <u>1416</u>	Sample ID: _____	Sample ID: _____
No. of Containers: <u>Alpha-1</u>	No. of Containers: <u>Alpha-1</u>	Sample Time: _____	Sample Time: _____
<u>CAS-1</u>	<u>CAS-1</u>	No. of Containers: _____	No. of Containers: _____

GROUNDWATER COLLECTION AND SAMPLE LOG

WELL ID# MW-16

Battelle
The Business of Innovation

Project Name: Quarterly Monitoring at JPL, Pasadena, CA.
 Project No: G005862-2
 Contract No: _____
 Sampled By: David Loera
 Date: 2-15-10
 Weather: Sunny / Warm

505 King Avenue
Columbus, Ohio 43201

PURGE VOLUME CALCULATION (casing volume):

$(\underline{285} - \underline{123.64}) \times \frac{4^2}{4} \times 3 \times 0.0408 = \underline{120.17}$ Gallons
TD (feet) WL (feet) D (inches) # Vols Calculated Purge Volume

PURGE METHOD

PUMP INTAKE SETTING

Bailer - Type: _____ X Pump - Type: 2" Grundfos dedicated Depth in feet (BTOC): 265'

FIELD PARAMETER MEASUREMENT

Time	Depth to Water (feet)	Total Discharge (Gallons)	pH	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	ORP (mV)	Comments
<u>1044</u>									<u>Water at top</u>
<u>1049</u>	<u>223.71</u>	<u>12.5</u>	<u>7.05</u>	<u>0.667</u>	<u>0.15</u>	<u>1.57</u>	<u>23.54</u>	<u>122</u>	<u>2.5 GPM</u>
<u>1059</u>	<u>223.71</u>	<u>37.5</u>	<u>7.04</u>	<u>0.668</u>	<u>0.10</u>	<u>1.26</u>	<u>23.73</u>	<u>122</u>	<u>2.1 GPM</u>
<u>1110</u>	<u>223.69</u>	<u>60.6</u>	<u>7.04</u>	<u>0.668</u>	<u>0.10</u>	<u>1.33</u>	<u>24.67</u>	<u>116</u>	
<u>1120</u>	<u>223.69</u>	<u>81.6</u>	<u>7.04</u>	<u>0.668</u>	<u>0.09</u>	<u>1.26</u>	<u>24.80</u>	<u>113</u>	<u>2.36 GPM</u>
<u>1130</u>	<u>223.69</u>	<u>104.6</u>	<u>7.04</u>	<u>0.667</u>	<u>0.09</u>	<u>1.31</u>	<u>23.62</u>	<u>121</u>	
<u>1137</u>	<u>223.69</u>	<u>120.7</u>	<u>7.05</u>	<u>0.667</u>	<u>0.09</u>	<u>1.35</u>	<u>23.60</u>	<u>119</u>	
<u>1143</u>		<u>134.5</u>							

Total Purge Volume: 134.5 (Gallons)
 Total Discharge: 3.36 (Casing Volumes)
 Approx. Purge Rate: 2.3 (GMP)

OBSERVATIONS DURING PUMPING

NOTES: (well condition, color, clarity, odor): Purge start at: 1044 Purge time start: 1143
Meters: RED MP20, Oaktan F100

RECHARGE BEHAVIOR: Fast recharging
 Slow recharging (80% recharge did not occur after two hours)

WATER DISPOSAL

Purge water storage: polytank
 Purge Water disposal: OU1 System-Battelle-JPL

WELL SAMPLING

Sample Depth in feet (BTOC): 265

<u>Original</u>	<u>Duplicate</u>	<u>Blank</u>	<u>Other (Trip/Source/_____)</u>
Sample ID: <u>MW</u>	Sample ID: _____	Type: _____	Type: _____
Sample Time: <u>1140</u>	Sample Time: _____	Sample ID: _____	Sample ID: _____
No. of Containers: <u>5-Alpha</u>	No. of Containers: _____	Sample Time: _____	Sample Time: _____
<u>1-GAS</u>	No. of Containers: _____	No. of Containers: _____	No. of Containers: _____



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-4
 Sampling Zone No.: 3101
 Depth (ft): 513, 392, 322, 240, 150
 Beginning of Session: 14.11 psia
 End of Session: 14.08 psia

Start Time: 7:50
 Finish Time: 9:05

Date: 2/9/10
 Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks								Water Quality Parameters						
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In		Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen
3	1	✓	✓	✓	✓	✓	✓	✓	✓	66.48	✓	120.56	✓	120.55	✓	✓	66.51	710	5.45	3.60	42.3	9.32	15.2	-37
2	1	✓	✓	✓	✓	✓	✓	✓	✓	30.69	✓	85.10	✓	85.12	✓	✓	30.74	832	5.48	6.23	0.101	9.81	15.1	124
1	1	✓	✓	✓	✓	✓	✓	✓	✓	14.19	✓	49.72	✓	49.72	✓	✓	14.22	902	6.02	9.21	48.6	10.16	13.5	33

Notes:
 port 5: NOT SAMPLED port 4: NOT SAMPLED port 3: CLEAR, STRONG ODOR
 port 2: CLEAR, SLIGHT ODOR port 1: CLEAR, NO ODOR

Total Volume:



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-3
Sampling Zone No.: 4+0-2
Depth (ft): ~~683, 558, 346, 252, 178~~
Beginning of Session: 14.09 psia
End of Session: 14.07 psia

Start Time: 1010
Finish Time: 1140

Date: 2/9/10
Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks								Water Quality Parameters								
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In	Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)	ORP	
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	207.93	✓	212.35	✓	212.35	✓	✓	207.97	1035	6.41	6.06	44.1	10.77	13.3	-21	
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	114.08	✓	122.65	✓	122.67	✓	✓	114.06	1117	6.87	1.17	38.2	11.08	14.5	-52	
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	73.12	✓	81.72	✓	81.72	✓	✓	73.13	1137	6.81	2.77	55.6	9.73	14.3	11	

Notes: port 5: NOT SAMPLED port 4: CLEAR, STRONG ODOOR port 3: CLEAR, SLIGHT ODOOR
port 2: CLEAR, NO ODOOR port 1: NOT SAMPLED

Total Volume:



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-11
 Sampling Zone No.: 4th
 Depth (ft): 524, 429, 259, 149
 Beginning of Session: 14.17 psia
 End of Session: 14.19 psia

Start Time: 925
 Finish Time: 1140

Date: 2/11/10
 Page: 1 of 1

Water Pressure Inside Casing: _____

Port #	Run #	Surface Function Checks						Position Sampler		Sample Collection Checks								Water Quality Parameters							
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe In	Arm In	Deactivate Set Arm	Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (°C)
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	187.65	✓	186.75	✓	186.56	✓	✓	187.65	950	6.72	0.73	24.0	8.99	17.5	-21
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	147.12	✓	144.13	✓	144.05	✓	✓	147.12	1016	6.71	1.83	42.0	9.70	17.1	36
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	74.87	✓	71.77	✓	71.73	✓	✓	74.87	1047	6.72	0.69	46.7	9.64	17.6	31
1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	26.46	✓	29.70	✓	29.71	✓	✓	26.47	1115	6.68	0.57	62.4	9.88	17.5	53
1	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	26.42	✓	29.70	✓	29.71	✓	✓	26.42	1135	6.87	0.62	63.4	9.83	17.2	48

DJHEK

> 1

Notes:

port 5: NOT SAMPLED port 4: CLEAR, NO ODR port 3: CLEAR, NO ODR
 port 2: CLEAR, NO ODR port 1: CLEAR, NO ODR

Total Volume: _____



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-12
Sampling Zone No.: 5+01
Depth (ft): 548, 436, 323, 243, 140
Beginning of Session: 14.10 psia
End of Session: 14.09 psia

Start Time: 930
Finish Time: 1135

Date: 2/15/10
Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler Deactivate Set Arm Locate Port	Sample Collection Checks								Water Quality Parameters						
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In		Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (°C)
5	1	✓	✓	✓	✓	✓	✓	✓	✓	217.24	✓	208.87	✓	208.86	✓	✓	217.25	951	5.42	1.42	49.5	9.87	20.6	34
4	1	✓	✓	✓	✓	✓	✓	✓	✓	169.46	✓	162.75	✓	162.64	✓	✓	169.47	1017	5.57	0.50	49.0	10.31	20.6	39
3	1	✓	✓	✓	✓	✓	✓	✓	✓	119.67	✓	114.17	✓	114.18	✓	✓	119.68	1040	5.86	1.73	42.0	10.33	21.1	28
2	1	✓	✓	✓	✓	✓	✓	✓	✓	84.71	✓	79.94	✓	79.93	✓	✓	84.71	1103	5.97	1.43	56.2	10.55	21.3	36
1	1	✓	✓	✓	✓	✓	✓	✓	✓	40.23	✓	39.91	✓	39.91	✓	✓	40.24	1131	6.28	13.0	38.5	10.15	21.5	51

Notes:

port 5: CLEAR, SLIGHT ODOR port 4: CLEAR, NO ODOR port 3: CLEAR, NO ODOR
port 2: CLEAR, SLIGHT ODOR port 1: CLEAR, NO ODOR

Total Volume:



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-14
Sampling Zone No.: 5 to 1
Depth (ft): 540, 456, 382, 277, 207
Beginning of Session: 13.96 psia
End of Session: 13.97 psia

Start Time: 738
Finish Time: 1005

Date: 2/3/10
Page: 1 of 1

Water Pressure Inside Casing: _____

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks								Water Quality Parameters							
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In	Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)	ORP
5	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	187.84	✓	180.02	✓	182.01	✓	✓	187.83	800	3.90	0.93	38.1	8.54	15.0	-19
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	152.23	✓	143.60	✓	143.59	✓	✓	152.22	831	5.04	0.22	70.1	11.41	15.9	-70
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	119.45	✓	111.49	✓	111.49	✓	✓	119.44	859	5.49	2.19	0.119	9.05	17.4	33
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	73.61	✓	65.77	✓	65.75	✓	✓	73.64	917	6.01	1.04	0.132	9.61	17.7	32
1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	43.01	✓	35.40	✓	35.40	✓	✓	43.04	959	6.55	3.80	0.128	9.50	18.5	12

Notes:

port 5: CLEAR, SLIGHT ODOIR port 4: CLEAR, SLIGHT ODOIR port 3: CLEAR, NO ODOIR
port 2: CLEAR, NO ODOIR port 1: CLEAR, NO ODOIR

Total Volume: _____



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-17
Sampling Zone No.: 4 to 2
Depth (ft): 726, 582, 468, 370, 250
Beginning of Session: 14.05 psia
End of Session: 14.10 psia

Start Time: 735
Finish Time: 920

Date: 2/5/10
Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks								Water Quality Parameters							
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In		Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoc Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	180.85	✓	181.26	✓	181.22	✓	✓	180.90	810	5.24	0.34	41.2	10.54	13.8	-103
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	131.47	✓	129.14	✓	129.14	✓	✓	131.47	846	5.70	0.94	72.6	10.11	13.6	-85
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	88.86	✓	88.96	✓	88.96	✓	✓	88.86	915	5.85	0.81	92.0	10.11	13.5	-69

Notes:
port 5: NOT SAMPLED port 4: CLEAR, NO ODOR port 3: CLEAR, NO ODOR
port 2: CLEAR, NO ODOR port 1: NOT SAMPLED

Total Volume:



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-18
Sampling Zone No.: 5+2
Depth (ft): 684, 564, 424, 330, 270
Beginning of Session: 13.99 psia
End of Session: 14.01 psia

Start Time: 800
Finish Time: 1005

Date: 2/4/10
Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Arm out	Sample Collection Checks							Water Quality Parameters									
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In			Deactivate Set Arm Locate Port	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)	ORP	
5	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	159.09	✓	209.20	✓	209.19	✓	✓	159.12	823	5.49	0.78	38.2	9.02	15.3	-109		
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	109.29	✓	157.41	✓	157.42	✓	✓	109.31	905	5.78	1.56	44.7	8.95	16.3	-81		
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	46.82	✓	97.73	✓	97.72	✓	✓	46.83	935	5.74	0.45	52.4	9.21	16.0	-56		
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	14.20	✓	55.22	✓	55.24	✓	✓	14.22	1002	5.99	1.47	52.2	9.33	16.1	-44		

Notes: port 5: CLEAR, SLIGHT ODOR port 4: CLEAR, NO ODOR port 3: CLEAR, SLIGHT ODOR
port 2: CLEAR, NO ODOR port 1: NOT SAMPLED

Total Volume:



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-19
Sampling Zone No.: 5+01
Depth (ft): 498, 444, 392, 314, 242
Beginning of Session: 14.17 psia
End of Session: 14.14 psia

Start Time: 735
Finish Time: 925

Date: 2/12/10
Page: 1 of 1

Water Pressure Inside Casing: _____

Table with columns: Port #, Run #, Surface Function Checks (Shoe Out, Vacuum Check Valve Closed, Valve Open, Evacuate Container, Valve Closed, Shoe in, Arm in, Deactivate Set Arm, Locate Port), Position Sampler (Arm out), Sample Collection Checks (Pressure in MP, Shoe Out, Zone Pressure, Oper. Valve, Zone Pressure, Close Valve, Shoe in, Pressure in MP), Water Quality Parameters (Time, PH, Turb. (NTU), Cond (mmhos), Dissolved Oxygen, Temp. (cC), ORP). Rows 1-5 contain data for ports 5, 4, 3, 2, 1.

Notes:
port 5: CLEAN, NO ODOR
port 4: CLEAN, NO ODOR
port 3: CLEAN, NO ODOR
port 2: CLEAN, NO ODOR
port 1: CLEAN, NO ODOR

Total Volume: _____



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-20
Sampling Zone No.: 5 to 1
Depth (ft): 900, 700, 562, 392, 230
Beginning of Session: 14.06 psia
End of Session: 14.07 psia

Start Time: 726
Finish Time: 950

Date: 2/8/10
Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler		Sample Collection Checks							Water Quality Parameters								
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe In	Arm In	Deactivate Set Arm	Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)	ORP
5	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	322.67	✓	326.50	✓	326.51	✓	✓	322.65	756	5.76	0.90	336	9.28	13.2	-216	
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	235.96	✓	241.10	✓	241.07	✓	✓	235.98	824	6.26	1.10	29.9	9.09	14.3	-281	
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	176.73	✓	179.18	✓	179.19	✓	✓	176.71	857	6.42	0.45	41.4	8.92	15.5	-160	
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	102.35	✓	105.22	✓	105.23	✓	✓	102.36	922	6.01	0.54	65.6	9.26	15.6	-137	
1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	31.93	✓	34.38	✓	34.38	✓	✓	31.93	947	6.11	0.71	44.9	9.37	16.1	-124	

Notes:
 port 5: CLEAR, VERY STRONG H₂S ODOR | port 4: CLEAR, STRONG H₂S ODOR | port 3: CLEAR, SLIGHT H₂S ODOR
 port 2: CLEAR, SLIGHT ODOR | port 1: CLEAR, SLIGHT ODOR

Total Volume:



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-21
 Sampling Zone No.: 5 to 1
 Depth (ft): 372, 310, 240, 161, 90
 Beginning of Session: 14.08 psia
 End of Session: 14.03 psia

Start Time: 745
 Finish Time: 1005

Date: 2/26
 Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks									Water Quality Parameters					
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In		Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen
5	1	✓	✓	✓	✓	✓	✓	✓	✓	128.02	✓	154.25	✓	154.24	✓	✓	128.01	805	4.93	0.51	0.099	9.09	14.2	31
4	1	✓	✓	✓	✓	✓	✓	✓	✓	100.91	✓	127.37	✓	127.89	✓	✓	100.95	828	5.47	2.02	777	9.52	14.7	-91
3	1	✓	✓	✓	✓	✓	✓	✓	✓	70.82	✓	97.48	✓	97.47	✓	✓	70.83	856	6.01	0.70	0.125	9.51	15.4	13
2	1	✓	✓	✓	✓	✓	✓	✓	✓	36.33	✓	63.18	✓	63.19	✓	✓	36.34	924	6.27	0.38	0.141	9.67	16.1	16
1	1	✓	✓	✓	✓	✓	✓	✓	✓	14.11	✓	31.65	✓	31.66	✓	✓	14.12	959	6.50	0.73	0.135	10.07	16.6	26

Notes:
 port 5: CLEAR, NO ODOR port 4: CLEAR, NO ODOR port 3: CLEAR, NO ODOR
 port 2: CLEAR, NO ODOR port 1: CLEAR, NO ODOR

Total Volume:



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-22
 Sampling Zone No.: 3 to 1
 Depth (ft): 588, 487, 389, 329, 245
 Beginning of Session: 14.15 psia
 End of Session: 14.17 psia

Start Time: 730
 Finish Time: 845

Date: 2/1/10
 Page: 1 of 1

Water Pressure Inside Casing: _____

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks									Water Quality Parameters						
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In		Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (°C)
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	115.63	✓	142.41	✓	112.39	✓	✓	115.61	753	5.26	0.37	70.1	8.50	14.4	30
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	89.57	✓	86.30	✓	86.30	✓	✓	89.56	815	5.59	0.70	60.1	9.34	14.4	31
1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	52.65	✓	48.81	✓	48.81	✓	✓	52.63	840	5.68	6.04	0.18	8.11	14.2	166

Notes:
 port 5: NOT SAMPLED port 4: NOT SAMPLED port 3: CLEAR, NO ODOR
 port 2: CLEAR, NO ODOR port 1: CLEAR, NO ODOR

Total Volume: _____



Groundwater Sampling Multi-Port Well Field Data Sheet

JPL Pasadena
Contract # Battelle

Well ID: MW-23
 Sampling Zone No.: 4 to 1
 Depth (ft): 542, 445, 319, 254, 174
 Beginning of Session: 14.06 psia
 End of Session: 14.08 psia

Start Time: 755
 Finish Time: 940

Date: 2/10/10
 Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Arm out	Sample Collection Checks							Water Quality Parameters							
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In			Deactivate Set Arm Locate Port	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	pH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (°C)
4	1	✓	✓	✓	✓	✓	✓	✓	✓	163.50	✓	163.59	✓	163.56	✓	✓	163.49	812	5.32	0.80	43.4	10.25	14.7	24	
3	1	✓	✓	✓	✓	✓	✓	✓	✓	109.05	✓	110.08	✓	110.08	✓	✓	109.05	838	5.57	3.26	39.1	12.03	13.6	29	
2	1	✓	✓	✓	✓	✓	✓	✓	✓	82.85	✓	81.87	✓	81.87	✓	✓	80.84	858	5.58	0.73	0.99	9.29	15.2	156	
1	1	✓	✓	✓	✓	✓	✓	✓	✓	46.31	✓	47.29	✓	47.27	✓	✓	46.28	933	5.80	3.46	0.128	9.06	16.9	163	

Notes:
 port 5: NOT SAMPLED port 4: CLEAR, STRONG ODOUR port 3: CLEAR, SLIGHT ODOUR
 port 2: CLEAR, NO ODOUR port 1: CLEAR, NO ODOUR

Total Volume:



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-24
 Sampling Zone No.: 4 no 1
 Depth (ft): 678, 554, 435, 373, 279
 Beginning of Session: 14.05 psia
 End of Session: 14.07 psia

Start Time: 0743
 Finish Time: 1009

Date: 02/16/10
 Page: 1 of 1

Water Pressure Inside Casing: _____

Port #	Run #	Surface Function Checks								Position Sampler	Sample Collection Checks								Water Quality Parameters							
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In	Deactivate Set Arm Locate Port		Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)	ORP
15/MSD	4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	179.77	✓	171.38	✓	171.38	✓	✓	179.77	806	5.62	0.92	30.0	8.56	19.0	-176
	3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	127.93	✓	120.97	✓	120.97	✓	✓	127.96	830	5.89	0.41	27.1	8.61	19.8	-172
	2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	101.05	✓	94.27	✓	94.27	✓	✓	101.06	853	5.92	0.93	27.5	9.06	20.3	-121
150-5-W-10	1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	60.48	✓	54.39	✓	54.38	✓	✓	60.47	0932	5.97	27.5	7.24	9.45	20.6	90
	1	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	60.47	✓	54.41	✓	54.37	✓	✓	60.47	1003	6.39	3.02	21.1	6.90	21.4	34

Notes:

port 5: LOT SAMPLES port 4: CLEAN, STRONG ODR port 3: CLEAN, STRONG ODR
 port 2: CLEAN, STRONG ODR port 1: CLEAN STRONG ODR / CLEAN STRONG ODR

Total Volume: _____

GSB: 0925



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-25
 Sampling Zone No.: 5 to 1
 Depth (ft): 713, 633, 503, 423, 358
 Beginning of Session: 14.15 psia
 End of Session: 14.18 psia

Start Time: 0813
 Finish Time: 1035

Date: 04/17/10
 Page: 1 of 1

Water Pressure Inside Casing:

Port #	Run #	Surface Function Checks							Position Sampler	Sample Collection Checks							Water Quality Parameters								
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe in	Arm In		Deactivate Set Arm Locate Port	Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)
5	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	207.18	✓	212.54	✓	212.54	✓	✓	207.19	838	5.39	0.52	40.9	8.94	19.3	-275
4	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	172.62	✓	178.80	✓	178.79	✓	✓	172.63	905	5.74	2.69	33.0	9.13	20.0	-55
3	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	116.24	✓	123.23	✓	123.24	✓	✓	116.24	0930	5.71	0.42	25.9	9.83	20.7	-9
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	82.86	✓	88.51	✓	88.51	✓	✓	82.88	1005	5.96	1.39	22.5	11.45	20.7	37
1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	53.05	✓	59.94	✓	59.94	✓	✓	53.06	1032	6.72	10.37	82.1	9.75	20.5	56

MS/MSD

Notes:
 port 5: CLEAR, STRONG ODR port 4: CLEAR, SLIGHT ODR port 3: CLEAR, SLIGHT ODR
 port 2: CLEAR, FAINT ODR port 1: CLEAR, FAINT ODR

Total Volume:

LB: 1023



Groundwater Sampling
Multi-Port Well Field Data Sheet

JPL Pasadena
Contract #: Battelle

Well ID: MW-26
Sampling Zone No.: 201
Depth (ft): 215.135
Beginning of Session: 14.09 psia
End of Session: 14.88 psia

Start Time: 1118
Finish Time: 1205

Date: 2/17/10
Page: 1 of 1

Water Pressure Inside Casing: _____

Port #	Run #	Function Checks								Position Sampler	Sample Collection Checks							Water Quality Parameters							
		Shoe Out	Vacuum Check Valve Closed	Valve Open	Evacuate Container	Valve Closed	Shoe In	Arm In	Deactivate Set Arm Locate Port		Arm out	Pressure in MP	Shoe Out	Zone Pressure	Open Valve	Zone Pressure	Close Valve	Shoe In	Pressure in MP	Time	PH	Turb. (NTU)	Cond (mmhos)	Dissolved Oxygen	Temp. (oC)
2	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	74.76	✓	75.27	✓	96.24	✓	✓	74.73	1137	6.28	1.18	50.2	10.19	73.2	42
1	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	59.86	✓	37.85	✓	72.84	✓	✓	59.85	1203	6.38	0.08	0.090	10.00	23.3	75

Notes:

port 2: clean to zero port 1: clean to zero

Total Volume: _____

ATTACHMENT 5: WATER LEVEL MEASUREMENTS

This attachment contains water level measurements for the Westbay™ multiport JPL monitoring wells obtained during the 1st Quarter 2010. Water level measurements were recorded before the sampling event on February 1, 2010, and after the sampling event on February 19, 2010. Water levels for the shallow wells were measured using a Solinst™ water level meter and the results are provided with the field logs (Attachment 4). In the deep multiport wells, the hydraulic head at each sampling port was measured with a Westbay™ MOSDAX sampling probe. Water level measurements were conducted by Battelle and Insight Environmental, Inc.

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-3
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. + MSL): 1,100.34
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	952	1001
Pressure (psia)	14.09	14.12
Temperature (°C)	17.86	18.81

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	653	245.37	252.38	245.39	20.15	955	103.26	997.08
4	558	204.11	211.33	204.16	21.31	956	102.97	997.37
3	346	111.96	121.20	111.93	21.44	958	98.90	1001.44
2	252	71.06	80.19	71.10	20.89	959	99.51	1000.83
1	172	36.28	46.24	36.30	19.94	1000	97.83	1002.51

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-4
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. +MSL): 1,082.84
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1334	1441
Pressure (psia)	14.09	14.09
Temperature (°C)	19.00	19.83

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	513	147.35	201.96	147.32	20.19	1336	79.58	1003.26
4	392	94.73	149.56	94.78	20.89	1337	79.47	1003.37
3	322	64.27	119.25	64.28	20.94	1339	79.40	1003.44
2	240	28.56	83.66	28.57	20.79	1340	79.50	1003.34
1	150	14.20	47.10	14.19	20.43	1341	73.85	1008.99

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-11
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,139.30
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	926	938
Pressure (psia)	14.06	14.08
Temperature (°C)	19.57	17.56

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	639	235.22	228.52	235.22	19.74	929		
								144.24
4	524	185.78	185.44	185.75	20.45	930		
								128.63
3	429	144.85	142.63	144.88	20.35	932		
								132.39
2	259	71.26	69.82	71.25	19.05	734		
								130.36
1	149	23.85	28.05	23.90	17.86	936		
								116.73

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-12
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,102.14
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1318	1327
Pressure (psia)	14.09	14.11
Temperature (°C)	21.10	18.42

Screen No.	Depth (Ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	548	215.38	206.87	215.38	20.56	1321	103.26	998.88
4	436	166.68	160.41	166.71	20.93	1322	98.44	1003.70
3	323	117.62	111.48	117.54	20.49	1323	98.32	1003.82
2	243	82.63	76.96	82.71	19.78	1324	97.96	1004.18
1	140	37.77	35.10	37.81	18.79	1325	91.53	1010.61

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-14
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,173.47
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	758	807
Pressure (psia)	14.03	14.06
Temperature (°C)	17.33	19.12

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	540	186.25	179.86	186.21	18.83	801	157.43	1016.04
4	456	149.65	143.46	149.68	19.83	803	157.40	1016.07
3	382	117.41	111.35	117.48	19.85	804	157.48	1015.99
2	277	71.76	65.62	71.76	19.60	805	157.98	1015.49
1	207	41.25	35.29	41.23	19.32	806	157.95	1015.52

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-17
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,191.21
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1055	1105
Pressure (psia)	14.06	14.07
Temperature (°C)	18.05	16.25

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	726	242.20	243.54	242.24	18.87	1058		
							196.59	994.62
4	582	179.87	180.84	179.93	19.48	1100		
							197.24	993.97
3	468	130.62	128.68	130.49	18.88	1101		
							203.57	987.64
2	370	87.96	88.41	87.94	18.19	1103		
							198.47	992.74
1	250	35.79	35.40	35.78	17.41	1104		
							200.77	990.44

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-18
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,225.41
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1118	1127
Pressure (psia)	14.01	14.07
Temperature (°C)	17.90	17.04

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	684	157.47	208.99	157.49	19.37	1120		
								234.18
4	564	105.30	157.11	105.32	20.14	1122		
								233.87
3	424	44.44	97.38	44.40	19.66	1123		
								231.67
2	330	14.23	54.96	14.22	18.58	1124		
								235.53
1	270	14.19	28.22	14.22	17.58	1125		
								237.22

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-19
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. +MSL): 1,142.94
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1033	1041
Pressure (psia)	14.06	14.10
Temperature (°C)	17.95	17.44

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	498	172.28	165.72	172.29	18.21	1036	148.12	994.82
4	444	148.83	142.34	148.86	18.58	1037	148.06	994.88
3	392	126.31	120.11	126.31	18.80	1038	147.34	995.60
2	314	92.42	85.85	92.45	18.84	1039	148.38	994.56
1	242	61.19	54.26	61.20	18.49	1040	149.26	993.68

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-20
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,165.05
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1137	1151
Pressure (psia)	14.05	14.09
Temperature (°C)	17.78	17.51

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	900	321.57	325.98	321.54	19.60	1143		
								180.38
4	700	234.82	240.54	234.87	21.21	1145		
								177.49
3	562	175.07	179.27	175.08	20.97	1146		
								180.84
2	392	101.38	104.84	101.39	19.85	1148		
								182.55
1	230	30.97	34.03	30.99	18.24	1149		
								183.91

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-21
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,059.10
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	822	830
Pressure (psia)	14.11	14.14
Temperature (°C)	16.91	18.57

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	372	125.92	154.15	125.92	18.15	824	48.93	1010.17
4	310	98.94	127.30	98.95	18.81	825	48.87	1010.23
3	240	68.91	97.39	68.91	18.98	826	47.87	1011.23
2	161	34.48	63.11	34.47	18.72	828	47.96	1011.14
1	90	14.19	31.52	14.20	18.63	829	49.84	1009.26

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-22
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,176.98
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	731	741
Pressure (psia)	14.02	14.04
Temperature (°C)	16.77	20.25

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	588	200.80	195.08	200.79	20.90	735	170.29	1006.69
4	467	148.43	143.70	148.43	21.31	736	167.83	1009.15
3	389	114.65	111.01	114.63	21.27	738	165.24	1011.74
2	329	88.64	84.88	88.59	21.11	739	165.53	1011.45
1	245	51.69	47.20	51.69	20.69	740	168.45	1008.53

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-23
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,108.84
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	712	721
Pressure (psia)	14.07	14.10
Temperature (°C)	13.58	19.42

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	542	204.74	204.23	204.75	17.45	714	103.30	1005.54
4	445	162.72	162.35	162.76	18.90	716	102.92	1005.92
3	319	108.16	108.78	108.17	19.53	717	100.50	1008.34
2	254	79.96	80.47	79.98	19.63	718	100.82	1008.02
1	174	45.25	45.58	45.22	19.55	719	101.31	1007.53

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-24
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,200.94
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	856	910
Pressure (psia)	14.03	14.07
Temperature (°C)	16.15	21.50

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	678	232.27	221.68	232.26	19.21	859	198.95	1001.99
4	554	178.76	169.16	178.61	20.27	900	196.12	1004.82
3	435	127.09	118.46	127.05	20.82	902	194.08	1006.86
2	373	100.15	91.49	100.18	20.99	904	194.30	1006.64
1	279	59.45	50.74	59.42	21.50	908	194.31	1006.63

INSIGHT, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-25
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/1/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. + MSL): 934.52

Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1205	1219
Pressure (psia)	14.16	14.18
Temperature (°C)	19.12	19.86

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	713	203.71	212.14	203.76	20.27	1209	256.26	678.26
4	633	169.25	178.41	169.28	21.19	1213	254.08	680.44
3	503	113.04	122.86	113.04	21.07	1214	252.23	682.29
2	423	78.38	88.13	78.31	20.41	1217	252.35	682.17
1	358	50.01	59.57	50.02	20.24	1218	253.24	681.28

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-3
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. + MSL): 1,100.34
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1021	1037
Pressure (psia)	14.14	14.13
Temperature (°C)	16.88	18.68

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	653	245.32	254.92	245.31	19.66	1023	97.52	1002.82
4	558	204.07	213.87	204.07	21.17	1025	97.22	1003.12
3	346	111.82	124.61	111.88	21.63	1027	91.15	1009.19
2	252	71.05	83.79	71.06	21.12	1030	91.32	1009.02
1	172	36.26	50.79	36.25	20.10	1033	87.45	1012.89

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-4
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. +MSL): 1,082.84
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1340	1353
Pressure (psia)	14.07	14.08
Temperature (°C)	17.06	19.45

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	513	147.53	205.11	147.54	19.37	1343	72.27	1010.57
4	392	94.93	152.74	94.94	20.55	1345	72.09	1010.75
3	322	64.47	122.43	64.47	20.75	1347	72.01	1010.83
2	240	28.76	87.17	28.78	20.63	1349	71.36	1011.48
1	150	14.23	52.85	14.19	20.13	1351	60.53	1022.31

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-11
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,139.30
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	0942	0954
Pressure (psia)	14.08	14.12
Temperature (°C)	20.42	17.33

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	639	235.06	231.10	235.09	20.13	944	138.33	1000.97
4	524	185.57	187.81	185.60	20.92	0946	123.20	1016.10
3	429	144.69	145.49	144.72	20.72	0948	125.84	1013.46
2	259	71.10	73.49	71.10	18.90	0950	121.94	1017.36
1	149	23.77	31.58	23.78	17.92	0952	108.63	1030.67

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-12
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,102.14
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1321	1335
Pressure (psia)	14.07	14.11
Temperature (°C)	18.11	17.85

Screen No.	Depth (Ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	548	215.11	209.42	215.13	19.22	1323	97.33	1004.81
4	436	166.43	163.39	166.44	20.25	1325	91.52	1010.62
3	323	117.28	114.90	117.26	19.91	1327	90.39	1011.75
2	243	82.45	80.74	82.44	18.90	1329	89.19	1012.95
1	140	37.52	41.07	37.54	18.44	1332	77.71	1024.43

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-14
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,173.47
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	0837	0850
Pressure (psia)	14.09	14.10
Temperature (°C)	18.60	19.27

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	540	186.00	181.86	186.00	19.21	0840	152.95	1020.52
4	456	149.48	145.46	149.48	20.11	0842	152.93	1020.54
3	382	117.28	113.36	117.29	20.19	0844	152.98	1020.49
2	277	71.58	67.64	71.56	19.90	0846	153.46	1020.01
1	207	41.04	37.01	41.03	19.56	0848	154.12	1019.35

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-17
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,191.21
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1104	1116
Pressure (psia)	14.07	14.08
Temperature (°C)	16.00	15.84

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	726	242.19	245.75	242.20	17.68	1106	191.51	999.70
4	582	179.82	183.19	179.86	19.20	1108	191.84	999.37
3	468	130.48	131.09	130.45	18.82	1110	198.03	993.18
2	370	87.90	91.37	87.91	18.07	1112	191.67	999.54
1	250	35.71	38.78	35.74	17.43	1114	192.99	998.22

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-18
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,225.41

Note: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1128	1140
Pressure (psia)	14.02	14.04
Temperature (°C)	15.43	17.00

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	684	157.39	210.84	157.37	17.11	1130	229.94	995.47
4	564	105.24	159.39	105.25	19.99	1132	228.63	996.78
3	424	44.35	100.30	44.35	19.80	1134	224.95	1000.46
2	330	14.23	57.41	14.24	18.58	1136	229.90	995.51
1	270	14.19	30.43	14.19	17.71	1138	232.14	993.27

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-19
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. +MSL): 1,142.94
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1041	1053
Pressure (psia)	14.09	14.12
Temperature (°C)	16.53	16.62

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	498	172.21	168.21	172.22	17.48	1043	142.45	1000.49
4	444	148.81	144.84	148.81	18.34	1045	142.36	1000.58
3	392	126.25	122.51	126.24	19.01	1047	141.87	1001.07
2	314	92.39	88.26	92.40	19.06	1049	142.89	1000.05
1	242	61.12	56.84	61.11	17.36	1051	143.38	999.56

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-20
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,165.05
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	1154	1211
Pressure (psia)	14.04	14.08
Temperature (°C)	17.00	16.60

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	900	321.52	327.29	321.53	20.37	1200	177.33	987.72
4	700	234.84	241.99	234.89	21.86	1203	174.12	990.93
3	562	175.20	180.74	175.07	21.40	1205	177.42	987.63
2	392	101.39	106.18	101.38	20.08	1207	179.43	985.62
1	230	31.00	35.18	31.00	16.70	1209	181.23	983.82

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-21
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,059.10
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	0854	0906
Pressure (psia)	14.13	14.16
Temperature (°C)	18.13	18.76

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	372	125.81	156.33	125.80	18.56	0856	43.94	1015.16
4	310	98.86	129.47	98.86	19.31	0858	43.91	1015.19
3	240	68.80	99.60	68.78	19.43	0900	42.82	1016.28
2	161	34.39	65.37	34.38	19.23	0902	42.79	1016.31
1	90	14.24	33.98	14.21	18.94	0904	44.21	1014.89

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-22
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,176.98
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	0808	0828
Pressure (psia)	14.04	14.06
Temperature (°C)	17.78	20.38

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	588	200.73	197.68	200.72	20.86	820	164.34	1012.64
4	467	148.35	146.27	148.35	21.55	0822	161.95	1015.03
3	389	114.59	113.66	114.57	21.53	0829	159.18	1017.80
2	329	88.52	87.58	88.54	21.26	0826	159.34	1017.64
1	245	51.64	50.35	51.63	20.91	0826	161.23	1015.75

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-23
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,108.84
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	0747	0800
Pressure (psia)	14.10	14.17
Temperature (°C)	17.80	19.89

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	542	204.66	206.81	204.65	19.47	749	97.42	1011.42
4	445	162.67	164.97	162.68	20.23	0751	96.94	1011.90
3	319	108.11	111.66	108.12	20.47	0753	93.93	1014.91
2	254	79.90	83.52	79.93	20.40	0755	93.85	1014.99
1	174	45.16	49.36	45.16	20.11	0757	92.66	1016.18

INSIGHT EEC, Inc.
Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells

Project Name: JPL Pasadena Well ID: MW-24
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (Ft. + MSL): 1,200.94
 Weather: partly cloudy and cool

Ambient Readings	Start	Finish
Time	0923	0935
Pressure (psia)	14.08	14.07
Temperature (°C)	16.89	21.26

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	678	232.15	224.29	232.18	19.58	925	193.05	1007.89
4	554	178.52	171.82	178.52	20.79	0927	190.09	1010.85
3	435	127.00	121.49	126.98	21.06	0929	187.21	1013.73
2	373	100.01	94.87	100.08	21.17	0931	186.62	1014.32
1	279	59.33	55.17	59.32	21.15	0933	184.21	1016.73

INSIGHT EEC, Inc.

Piezometric Pressures/Levels

Field Data Sheet for Multi-Port Monitoring Wells





Project Name: JPL Pasadena Well ID: MW-25
 Project No: 4-73805 Probe Type: Westbay
 Date: 2/19/10 Serial No.: 2502
 Personnel: Chase Brogdon, Andrew Wells
 Datum: TOC Casing Size/Type: 1.5" Westbay
 Elevation of Datum (ft. + MSL): 934.52

Weather: partly cloudy and cool





Ambient Readings	Start	Finish
Time	1233	1245
Pressure (psia)	14.17	14.20
Temperature (°C)	17.18	19.74

Screen No.	Depth (ft. BTOC)	Fluid Pressure Readings			Temp. (°C)	Time	Piezometric Level Outside Port (ft.)	Water Level Elevation (ft.)
		Inside Casing (psia)	Outside Casing (psia)	Inside Casing (psia)				
5	713	204.67	212.56	204.69	19.03	1235	255.31	679.21
4	633	170.24	178.82	170.24	20.32	1237	253.15	681.37
3	503	114.00	123.28	114.01	20.74	1239	251.28	683.24
2	423	79.29	88.50	79.26	20.51	1241	251.52	683.00
1	358	48.79	60.83				250.36	684.16





ATTACHMENT 6: TIME SERIES PLOTS







VOCs and Perchlorate Time Series Plots for MW-3-2







VOCs and Perchlorate Time Series Plots for MW-4-1







VOCs and Perchlorate Time Series Plots for MW-7







VOCs and Perchlorate Time Series Plots for MW-8







VOCs and Perchlorate Time Series Plots for MW-10







VOCs and Perchlorate Time Series Plots for MW-12-4







VOCs and Perchlorate Time Series Plots for MW-13







VOCs and Perchlorate Time Series Plots for MW-14-2 and MW-14-3







VOCs and Perchlorate Time Series Plots for MW-16







VOCs and Perchlorate Time Series Plots for MW-17-2 and MW-17-3



VOCs and Perchlorate Time Series Plots for MW-18-3 and MW-18-4



VOCs and Perchlorate Time Series Plots for MW-21-2 and MW-21-3 and MW-21-4



VOCs and Perchlorate Time Series Plots for MW-24-1 and MW-24-2

Attachment 7: TABLES 1A, 2A AND 3A

This attachment presents historical Perchlorate, VOC's and Metals from 1996 to present.

TABLE 1A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-1	Aug/Sep 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Oct/Nov 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Feb/Mar 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	June/July 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Sep/Oct 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Toluene	1.3 1.2
MW-1	Jan/Feb 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Feb/Mar 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Nov/Dec 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 2000	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jan/Feb 2001	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.5 J
MW-1	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.8
MW-1	Jan/Feb 2002	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-1	Apr/May 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	2.0 J
MW-1	Oct/Nov 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	DUPE-2-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jun/Jul 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Jun/Jul 2007	DUPE-7-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Apr/May 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Nov 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov/Dec 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA		
MW-3 Screen 1	Oct/Nov 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	NA	Bromodichloromethane	0.9

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 1	Feb/Mar 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 1	June/July 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Sep/Oct 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jan/Feb 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jul/Aug 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Feb/Mar 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	May/June 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Nov/Dec 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jul/Aug 2000	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jan/Feb 2001	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
												Methyl-tert-butyl ether (MTBE)	0.4 J
MW-3 Screen 1	Jan/Feb 2002	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0
MW-3 Screen 1	Apr/May 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	4.0 J
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2004	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 1	Apr/May 2004	DUPE-1-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jul/Sep 2005	MW-3-1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA	0.0 J
												NDPA	0.0 U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	May/June 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 1	Oct/Dec 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 1	Jun/Jul 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	2.8 J
MW-3 Screen 1	Oct/Dec 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-3 Screen 1	Apr/May 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-3 Screen 1	Oct/Nov 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2008	DUPE-04-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2009	DUPE-02-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	Bromodichloromethane	1.4
MW-3 Screen 2	Oct/Nov 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Bromodichloromethane	1.1
MW-3 Screen 2	Feb/Mar 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Bromodichloromethane	0.7
MW-3 Screen 2	June/July 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.2	4.0 U		
MW-3 Screen 2	Sep/Oct 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-3 Screen 2	Jan/Feb 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Apr/May 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 2	Jul/Aug 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Feb/Mar 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	May/Jun 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Aug 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Nov/Dec 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Mar/Apr 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul/Aug 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Sep/Oct 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-3 Screen 2	Apr 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-3 Screen 2	Jul 2001	MW-3-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-3 Screen 2	Oct 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.7 J
MW-3 Screen 2	Jan/Feb 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	4.2
MW-3 Screen 2	Apr/May 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3 Screen 2	Jul 2002	MW-3-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-3 Screen 2	Oct/Nov 2002	MW-3-2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.9 B	Methylene chloride	0.3 J
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Apr/May 2003	MW-3-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 2	Apr/May 2003	DUPE-5-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 2	Jul/Aug 2003	MW-3-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9 J		
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6 J		
MW-3 Screen 2	Feb 2004	MW-3-2	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.3		
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	10.4		
MW-3 Screen 2	Apr/May 2004	MW-3-2	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.5 J		
MW-3 Screen 2	Jul/Aug 2004	MW-3-2	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5		
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	1.7 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	46.6		
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	4.3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	139.0		
MW-3 Screen 2	Apr/May 2005	MW-3-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	89.3		
MW-3 Screen 2	Jul/Sep 2005	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.2	m,p-Xylene	0.4 J
												NDMA	0.0
												NDPA	0.0 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	44.1		
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	34.0		
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	35.0		
MW-3 Screen 2	May/Jun 2006	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.0		
MW-3 Screen 2	Aug/Sep 2006	MW-3-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0		
MW-3 Screen 2	Oct/Dec 2006	MW-3-2	1.4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	78.0 J		
MW-3 Screen 2	Mar/Apr 2007	MW-3-2	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	45.0		
MW-3 Screen 2	Jun/Jul 2007	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	78.0	Methylene chloride	2.2 J
MW-3 Screen 2	Jun/Jul 2007	DUPE-4-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	71.0	Methylene chloride	3.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-3 Screen 2	Aug/Sep 2007	MW-3-2	3.3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	49.0	
MW-3 Screen 2	Oct/Dec 2007	MW-3-2	4.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	80.0	
MW-3 Screen 2	Jan/Feb 2008	MW-3-2	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	240.0	
MW-3 Screen 2	Apr/May 2008	MW-3-2	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	270.0	
MW-3 Screen 2	Jul/Aug 2008	MW-3-2	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	206.0	
MW-3 Screen 2	Oct/Nov 2008	MW-3-2	2.4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	114.0	
MW-3 Screen 2	Jan/Feb 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	98.7	Bromodichloromethane 1.0 Dibromochloromethane 1.1
MW-3 Screen 2	Apr/May 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	121.0	Bromodichloromethane 0.8 Dibromochloromethane 0.9
MW-3 Screen 2	Jul/Aug 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	219.0	Bromodichloromethane 1.2 Bromoform 0.6 Dibromochloromethane 1.2
MW-3 Screen 2	Nov/Dec 2009	MW-3-2	4.4	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	109.0	
MW-3 Screen 2	Feb 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	184.0	Bromodichloromethane 2.2 Bromoform 0.6 Dibromochloromethane 1.2
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA	
MW-3 Screen 3	Oct/Nov 1996	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA	
MW-3 Screen 3	Feb/Mar 1997	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA	
MW-3 Screen 3	June/July 1997	MW-3-3	1.2	0.8	0.6	0.5 U	0.5 U	0.5 U	2.8	1.8	21.0	
MW-3 Screen 3	Sep/Oct 1997	MW-3-3	1.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.0	
MW-3 Screen 3	Jan/Feb 1998	MW-3-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	6.5	
MW-3 Screen 3	Apr/May 1998	MW-3-3	3.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	6.2	
MW-3 Screen 3	Jul/Aug 1998	MW-3-3	2.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	10.0	
MW-3 Screen 3	Oct/Nov 1998	MW-3-3	5.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0	4.0 U	
MW-3 Screen 3	Feb/Mar 1999	MW-3-3	4.5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	42.0	4.0 U	
MW-3 Screen 3	May/June 1999	MW-3-3	42.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	1.0	26.0	8.9	
MW-3 Screen 3	Aug 1999	MW-3-3	15.0	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	37.0	4.0 U	
MW-3 Screen 3	Nov/Dec 1999	MW-3-3	26.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	43.0	5.2	
MW-3 Screen 3	Mar/Apr 2000	MW-3-3	42.0	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.1	32.0	19.4	
MW-3 Screen 3	Jul/Aug 2000	MW-3-3	8.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.7	37.0	4.0 U	
MW-3 Screen 3	Sep/Oct 2000	MW-3-3	22.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	25.0	25.0	
MW-3 Screen 3	Jan/Feb 2001	MW-3-3	2.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.9	4.0 U	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 0.6 J
MW-3 Screen 3	Apr 2001	MW-3-3	8.0	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	NA	17.0	13.0	Methylene chloride 0.4 J
MW-3 Screen 3	Jul 2001	MW-3-3	7.7	0.9	NA U	NA U	NA U	NA U	NA U	26.4	8.4	Xylenes 0.4 J
MW-3 Screen 3	Oct 2001	MW-3-3	15.3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.5	15.4	Methyl-tert-butyl ether (MTBE) 1.7
MW-3 Screen 3	Jan/Feb 2002	MW-3-3	11.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	22.7	4.6	
MW-3 Screen 3	Apr/May 2002	MW-3-3	0.5 U	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	Methylene chloride 0.5 J
MW-3 Screen 3	Jul 2002	MW-3-3	NA U	0.5 J	NA U	NA U	NA U	NA U	NA U	2.3	NA U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 3	Oct/Nov 2002	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	1,4-Dioxane Methylene chloride	0.6 J 0.3 J
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	NDMA	0.0 J
MW-3 Screen 3	Apr/May 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 3	Jul/Aug 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-3 Screen 3	Feb 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-3 Screen 3	Apr/May 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 3	Jul/Aug 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methyl-tert-butyl ether (MTBE) Toluene	0.6 0.4 J 0.3 J
MW-3 Screen 3	Jul/Aug 2004	DUPE-4-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methyl-tert-butyl ether (MTBE) Toluene	0.7 0.3 J 0.4 J
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Apr/May 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jul/Sep 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene NDMA NDPA	0.4 J 0.0 U 0.0 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	May/Jun 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Aug/Sep 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Oct/Dec 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Oct/Dec 2006	DUPE-2-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Mar/Apr 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Jun/Jul 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.9 J
MW-3 Screen 3	Aug/Sep 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.4 J
MW-3 Screen 3	Oct/Dec 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	0.3 J 0.3 J
MW-3 Screen 3	Oct/Dec 2007	DUPE 1-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	0.3 J
MW-3 Screen 3	Jan/Feb 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Apr/May 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Jul/Aug 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Oct/Nov 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2009	DUPE-05-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Apr/May 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jul/Aug 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Nov/Dec 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 3	Feb 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	Oct/Nov 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	Feb/Mar 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	June/July 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Sep/Oct 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb/Mar 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	May/Jun 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Aug 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Nov/Dec 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Mar/Apr 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Sep/Oct 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-3 Screen 4	Apr 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2001	MW-3-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	Ethylbenzene	0.8
MW-3 Screen 4	Oct 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methyl-tert-butyl ether (MTBE)	6.4
												Toluene	0.3 J
MW-3 Screen 4	Jan/Feb 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	10.0
MW-3 Screen 4	Apr/May 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3 Screen 4	Jul 2002	MW-3-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-3 Screen 4	Jul 2002	DUP	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-3 Screen 4	Oct/Nov 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
												Methyl-tert-butyl ether (MTBE)	5.5
												Toluene	0.5 J
MW-3 Screen 4	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7 J
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 4	Jul/Aug 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 4	Jul/Aug 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5
MW-3 Screen 4	Apr/May 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 4	Jul/Sep 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene NDMA NDPA	0.6 J 0.0 J 0.0 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	May/June 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Aug/Sep 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Oct/Dec 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Mar/Apr 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Jun/Jul 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	0.8 J
MW-3 Screen 4	Aug/Sep 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.3 J
MW-3 Screen 4	Oct/Dec 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	0.5 0.3 J
MW-3 Screen 4	Jan/Feb 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene Ethylbenzene	0.3 J 0.5
MW-3 Screen 4	Apr/May 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	0.6 0.4 J
MW-3 Screen 4	Jul/Aug 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.9
MW-3 Screen 4	Oct/Nov 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	1.1
MW-3 Screen 4	Jan/Feb 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	Ethylbenzene	0.6
MW-3 Screen 4	Apr/May 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.6
MW-3 Screen 4	Jul/Aug 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.8
MW-3 Screen 4	Nov/Dec 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb 2010	DUPE-3-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	Methylene chloride	2.1
MW-3 Screen 5	Oct/Nov 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	Feb/Mar 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	June/July 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Sep/Oct 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Jan/Feb 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Apr/May 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Jul/Aug 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Oct/Nov 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	91.0		
MW-3 Screen 5	Feb/Mar 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	May/June 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	75.0		
MW-3 Screen 5	Aug 1999	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Nov/Dec 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.0 U		
MW-3 Screen 5	Mar/Apr 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul/Aug 2000	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 5	Sep/Oct 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2001	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methylene chloride Methyl-tert-butyl ether (MTBE) Styrene	0.3 J 0.3 J 0.3 J 0.5 J
MW-3 Screen 5	Apr 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA U	NA	NA		
MW-3 Screen 5	Oct 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2002	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	91.3	Methylene chloride	7.5
MW-3 Screen 5	Apr/May 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	NA U		
MW-3 Screen 5	Oct/Nov 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2003	MW-3-5	0.2 UJ	0.5 UJ	0.5 UJ	0.3 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.3 UJ	NA	Ethylbenzene Methylene chloride NDMA NDPA n-Nitrosodiphenylamine (NDPHA) Styrene	1.1 J 7350.0 0.0 0.1 0.0 0.5 J
MW-3 Screen 5	Apr/May 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Ethylbenzene Styrene	4.0 J 0.7 0.4 J
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone Ethylbenzene Styrene	5.0 J 1.3 0.8
MW-3 Screen 5	Apr/May 2004	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Apr/May 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J		
MW-3 Screen 5	Jul/Sep 2005	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA NDPA	0.0 U 0.0 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	May/June 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 5	Oct/Dec 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	0.4 J 0.3 J
MW-3 Screen 5	Jun/Jul 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Methylene chloride	0.7 J
MW-3 Screen 5	Oct/Dec 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	0.4 J
MW-3 Screen 5	Apr/May 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	0.4 J
MW-3 Screen 5	Oct/Nov 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		
MW-3 Screen 5	Apr/May 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.5
MW-3 Screen 5	Nov/Dec 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.6
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 1	Oct/Nov 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 1	Feb/Mar 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 1	June/July 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Sep/Oct 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-4 Screen 1	Jan/Feb 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.6		
MW-4 Screen 1	Apr/May 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	3.4
MW-4 Screen 1	Oct/Nov 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Feb/Mar 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8 B	0.5 U	4.0 U		
MW-4 Screen 1	May/Jun 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Aug 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Nov/Dec 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Mar/Apr 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Sep/Oct 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2001	MW-4-1	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	Methylene chloride	2.0 J
MW-4 Screen 1	Apr 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-4 Screen 1	Jul 2001	MW-4-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-4 Screen 1	Oct 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Apr/May 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-4 Screen 1	Jul 2002	MW-4-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-4 Screen 1	Oct/Nov 2002	MW-4-1	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	28.7	1,4-Dioxane	1.2
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	n-Nitrosodiphenylamine (NDPHA)	0.0 J
MW-4 Screen 1	Apr/May 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2003	DUPE-3-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Feb 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J		
MW-4 Screen 1	Apr/May 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.7
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Toluene	0.6
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.4 J
MW-4 Screen 1	Apr/May 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	1.3
MW-4 Screen 1	Jul/Sep 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Mar/Apr 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	May/Jun 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	1,4-Dioxane	4.8 U
												NDMA	0.0 U

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-4 Screen 1	Aug/Sep 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 1	Aug/Sep 2006	DUPE-1-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 1	Oct/Dec 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 1	Mar/Apr 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	280.0	
MW-4 Screen 1	Jun/Jul 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	330.0 J	
MW-4 Screen 1	Aug/Sep 2007	MW-4-1	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	530.0	
MW-4 Screen 1	Aug/Sep 2007	DUPE-1-3Q07	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	530.0	
MW-4 Screen 1	Oct/Dec 2007	MW-4-1	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	790.0	
MW-4 Screen 1	Jan/Feb 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	100.0	
MW-4 Screen 1	Jan/Feb 2008	DUPE-2-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	100.0	
MW-4 Screen 1	Apr/May 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 1	Apr/May 2008	DUPE-1-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 1	Jul/Aug 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-4 Screen 1	Oct/Nov 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	70.2	
MW-4 Screen 1	Jan/Feb 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	
MW-4 Screen 1	Apr/May 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Jul/Aug 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Nov/Dec 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	96.0	
MW-4 Screen 1	Feb 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	5.5	19.0	0.5 U	0.5 U	0.9	0.7	0.5 U	6.7	NA	
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.2	14.0	0.5 U	0.5 U	0.6	0.7	0.5 U	5.0	NA	
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	7.9	19.0 E	0.5 U	0.5 U	0.8	0.8	0.5 U	7.8	NA	
MW-4 Screen 2	June/July 1997	MW-4-2	4.0	5.7	0.5 U	0.5 U	0.5	0.5	0.5 U	3.4	51.0	
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	2.8	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	34.0	
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	1.9	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	30.0	
MW-4 Screen 2	Apr/May 1998	MW-4-2	2.8	4.3	0.7 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	40.0	
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	1.5	3.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	2.0	29.0	
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	0.9	2.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.6	25.2	
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	1.2	4.1	0.6	0.5	0.5 U	0.5 U	0.5 U	2.5	38.0	
MW-4 Screen 2	May/June 1999	MW-4-2	2.0	6.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.7	56.0	
MW-4 Screen 2	Aug 1999	MW-4-2	1.9	5.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	69.0	
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	2.1	5.9	0.6	0.5	0.5 U	0.5 U	0.5 U	3.0	44.0	
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	1.4	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.7	32.0	
MW-4 Screen 2	Jul/Aug 2000	MW-4-2	1.6	3.4	0.9	0.5	0.5 U	0.5 U	0.5 U	1.8	31.0	
MW-4 Screen 2	Jul/Aug 2000	DUP	1.7	3.8	1.0	0.6	0.5 U	0.5 U	0.5 U	1.9	32.0	
MW-4 Screen 2	Sep/Oct 2000	MW-4-2	1.2	2.6	1.2	0.7	0.5 U	0.5 U	0.5 U	1.4	23.0	
MW-4 Screen 2	Sep/Oct 2000	DUP	1.0	2.2	1.0	0.6	0.5 U	0.5 U	0.5 U	1.1	23.0	
MW-4 Screen 2	Jan/Feb 2001	MW-4-2	1.0 U	0.7 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	7.0	Methylene chloride 1.0
MW-4 Screen 2	Apr 2001	MW-4-2	0.3 J	0.5 U	1.1	0.5 J	0.5 U	0.5 U	NA	0.6	13.0	
MW-4 Screen 2	Jul 2001	MW-4-2	0.7	1.6	1.1	0.5	NA U	NA U	NA U	1.0	20.0	
MW-4 Screen 2	Oct 2001	MW-4-2	0.6	1.8	0.9	0.5	0.5 U	0.5 U	0.5 U	0.9	27.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-4 Screen 2	Jan/Feb 2002	MW-4-2	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Apr/May 2002	MW-4-2	0.5 U	1.3	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Methylene chloride 0.3 J
MW-4 Screen 2	Jul 2002	MW-4-2	NA U	0.8	1.6	0.7	NA U	NA U	NA U	NA U	NA U	
MW-4 Screen 2	Oct/Nov 2002	MW-4-2	0.5 U	1.1	0.5 J	0.5 J	0.5 U	0.5 U	0.5 U	0.4 U	4.0 U	1,4-Dioxane 1.1
MW-4 Screen 2	Oct/Nov 2002	DUP	0.5 U	1.7	0.8	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	0.2 U	1.2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methylene chloride 5.8 J
MW-4 Screen 2	Apr/May 2003	MW-4-2	0.5 U	0.4 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	1,4-Dioxane 1.0
MW-4 Screen 2	Apr/May 2003	DUPE-8-2Q03	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 1.0
MW-4 Screen 2	Jul/Aug 2003	MW-4-2	0.5 U	0.7	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 J	9.0	
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	0.5 U	0.6	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.3 J	
MW-4 Screen 2	Feb 2004	MW-4-2	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	
MW-4 Screen 2	Apr/May 2004	MW-4-2	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-4 Screen 2	Apr/May 2004	DUPE-3-2Q04	0.5 U	1.3	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-4 Screen 2	Jul/Aug 2004	MW-4-2	0.5 U	1.0	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	0.5 U	0.9	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	0.5 U	1.0	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	0.5 U	1.4	1.1	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-4 Screen 2	Apr/May 2005	MW-4-2	0.5 U	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	
MW-4 Screen 2	Jul/Sep 2005	MW-4-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	
MW-4 Screen 2	Jul/Sep 2005	DUPE-3-3Q05	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	0.5 U	1.0	0.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2	
MW-4 Screen 2	Mar/Apr 2006	MW-4-2	0.5 U	0.7	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-4 Screen 2	May/Jun 2006	MW-4-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Aug/Sep 2006	MW-4-2	0.5 U	0.8	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-4 Screen 2	Oct/Dec 2006	MW-4-2	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Oct/Dec 2006	DUPE-3-4Q06	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Mar/Apr 2007	MW-4-2	0.5 U	0.7	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Jun/Jul 2007	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Aug/Sep 2007	MW-4-2	0.5 U	0.7	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Oct/Dec 2007	MW-4-2	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-4 Screen 2	Jan/Feb 2008	MW-4-2	0.5 U	0.9	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	3.2	
MW-4 Screen 2	Apr/May 2008	MW-4-2	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Jul/Aug 2008	MW-4-2	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	
MW-4 Screen 2	Oct/Nov 2008	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J	
MW-4 Screen 2	Jan/Feb 2009	MW-4-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-4 Screen 2	Apr/May 2009	MW-4-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-4 Screen 2	Jul/Aug 2009	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	
MW-4 Screen 2	Jul/Aug 2009	DUPE-6-3Q09	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-4 Screen 2	Nov/Dec 2009	MW-4-2	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-4 Screen 2	Feb 2010	MW-4-2	0.5 U	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Oct/Nov 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Feb/Mar 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	June/July 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Sep/Oct 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Apr/May 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul/Aug 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0
MW-4 Screen 3	Oct/Nov 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Feb/Mar 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U		
MW-4 Screen 3	May/June 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Aug 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Nov/Dec 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Mar/Apr 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul/Aug 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Sep/Oct 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 2001	MW-4-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	2-Butanone	6.0 J
												Ethylbenzene	1.0
												Methylene chloride	1.0
												Methyl-tert-butyl ether (MTBE)	0.7 J
MW-4 Screen 3	Apr 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	Ethylbenzene	0.6
												Styrene	0.4 J
MW-4 Screen 3	Jul 2001	MW-4-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	Ethylbenzene	1.8
MW-4 Screen 3	Oct 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.9
MW-4 Screen 3	Jan/Feb 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.1
MW-4 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.4
MW-4 Screen 3	Apr/May 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.7
												Methylene chloride	0.4 J
MW-4 Screen 3	Jul 2002	MW-4-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	Ethylbenzene	1.6
MW-4 Screen 3	Oct/Nov 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	2.1
												Styrene	0.4 J
												Toluene	0.3 J
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	2.3
												Toluene	0.4 J
MW-4 Screen 3	Apr/May 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,4-Dioxane	0.4 J
												Chloromethane	1.8
												Ethylbenzene	1.9
												Toluene	0.3 J
MW-4 Screen 3	Jul/Aug 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	4.5
												Styrene	0.5 J
												Toluene	0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	3.7
												Styrene	0.5 J
												Toluene	0.5
MW-4 Screen 3	Feb 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	Ethylbenzene	4.6
												Styrene	0.4 J
												Toluene	0.6
MW-4 Screen 3	Apr/May 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	4.1
												Styrene	0.6
												Toluene	0.5
MW-4 Screen 3	Jul/Aug 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	3.7
												Styrene	0.5
												Toluene	0.6
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	3.6
												Styrene	0.6
												Toluene	0.6
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	4.3
												m,p-Xylene	0.5 J
												Styrene	0.7
												Toluene	0.5
MW-4 Screen 3	Apr/May 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.8
												m,p-Xylene	0.4 J
												Toluene	0.4 J
MW-4 Screen 3	Jul/Sep 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.9
												m,p-Xylene	0.6
												Styrene	0.4 J
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	2.8
												Styrene	0.6
												Toluene	0.5 J
MW-4 Screen 3	Mar/Apr 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	2.3
												Styrene	0.6
												Toluene	0.4 J
MW-4 Screen 3	May/June 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
MW-4 Screen 3	Aug/Sep 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.9
												Styrene	0.5 J
												Toluene	0.3 J
MW-4 Screen 3	Oct/Dec 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
												Styrene	0.4 J
												Toluene	0.4 J
MW-4 Screen 3	Mar/Apr 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
												Styrene	0.5
												Toluene	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Jun/Jul 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Methylene chloride Styrene	1.4 0.7 J 0.5
MW-4 Screen 3	Aug/Sep 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene Toluene	1.8 0.4 J 0.4 J
MW-4 Screen 3	Oct/Dec 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene Toluene	1.7 0.4 J 0.4 J
MW-4 Screen 3	Jan/Feb 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene Toluene	2.0 0.6 0.4 J
MW-4 Screen 3	Apr/May 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	1.5 0.4 J
MW-4 Screen 3	Jul/Aug 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	2.3
MW-4 Screen 3	Jul/Aug 2008	DUPE-5-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	2.3
MW-4 Screen 3	Oct/Nov 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	2.1 0.5
MW-4 Screen 3	Jan/Feb 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	2.1 0.5
MW-4 Screen 3	Apr/May 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	1.4
MW-4 Screen 3	Jul/Aug 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	2.5 0.6 J
MW-4 Screen 3	Nov/Dec 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.0 0.5
MW-4 Screen 3	Nov/Dec 2009	DUPE-05-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.1 0.6
MW-4 Screen 3	Feb 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.5 1.0
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Oct/Nov 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Feb/Mar 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	June/July 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Sep/Oct 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jan/Feb 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jul/Aug 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Feb/Mar 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	May/Jun 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Nov/Dec 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 4	Jul/Aug 2000	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jan/Feb 2001	MW-4-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	Methylene chloride	2.0 J
MW-4 Screen 4	Jan/Feb 2002	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2003	DUPE-1-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Chloroethane Chloromethane	3.0 J 2.0 0.4 J
MW-4 Screen 4	Apr/May 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	May/Jun 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Oct/Dec 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Jun/Jul 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	0.8 J
MW-4 Screen 4	Oct/Dec 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-4 Screen 4	Apr/May 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Oct/Nov 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov/Dec 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Oct/Nov 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Feb/Mar 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	June/July 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Sep/Oct 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jan/Feb 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Apr/May 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jul/Aug 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Feb/Mar 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 B	0.5 U	4.0 U		
MW-4 Screen 5	May/Jun 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Nov/Dec 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jul/Aug 2000	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jan/Feb 2001	MW-4-5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	1.0 3.8
MW-4 Screen 5	Jan/Feb 2002	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jan/Feb 2003	MW-4-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	3.6	Bromochloromethane Methylene chloride n-Nitrosodiphenylamine (NDPHA)	18.0 11300.0 J 0.0 J
MW-4 Screen 5	Apr/May 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 2.0 J
MW-4 Screen 5	Apr/May 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene 0.3 J
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Apr/May 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	May/June 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 5	Oct/Dec 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 5	Jun/Jul 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	m,p-Xylene 0.6 J
MW-4 Screen 5	Oct/Dec 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 5	Apr/May 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Oct/Nov 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Apr/May 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Nov/Dec 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Aug/Sep 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-5	Oct/Nov 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-5	Feb/Mar 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-5	June/July 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Sep/Oct 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jan/Feb 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	
MW-5	Apr/May 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul/Aug 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 6.5
MW-5	Oct/Nov 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Feb/Mar 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	May/June 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Aug 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Nov/Dec 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Mar/Apr 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul/Aug 2000	MW-5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	
MW-5	Sep/Oct 2000	MW-5	0.6 U	19.0 U	1.0 U	0.6 U	0.5 U	0.5 U	0.5 U	1.7 U	33.0 U	
MW-5	Jan/Feb 2001	MW-5	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	21.0	
MW-5	Jul 2001	MW-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-5	Jul 2001	DUP	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-5	Oct 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jan/Feb 2002	MW-5	0.5 U	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	23.4	
MW-5	Apr/May 2002	MW-5	0.9	6.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	22.2	
MW-5	Jul 2002	MW-5	NA U	0.6	NA U	NA U	NA U	NA U	NA U	NA U	4.1	
MW-5	Oct/Nov 2002	MW-5	1.1	18.9	0.8	0.4 J	0.5 U	0.5 U	0.5 U	2.0	22.7	Methylene chloride 1.3
MW-5	Jan/Feb 2003	MW-5	1.6	14.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.4	25.2	
MW-5	Apr/May 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 5.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-5	Jul/Aug 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Nov 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Feb 2004	MW-5	0.4 J	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	34.2 J	
MW-5	Apr/May 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul/Aug 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul/Aug 2004	DUPE-5-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Nov 2004	MW-5	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jan/Feb 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8
MW-5	Jan/Feb 2005	DUPE-5-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.7
MW-5	Apr/May 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul/Sep 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul/Sep 2005	DUPE-8-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Nov 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Mar/Apr 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-5	May/Jun 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Aug/Sep 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Dec 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	
MW-5	Mar/Apr 2007	MW-5	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	16.0	
MW-5	Jun/Jul 2007	MW-5	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	37.0 J	
MW-5	Aug/Sep 2007	MW-5	0.5 U	1.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	39.0	
MW-5	Oct/Dec 2007	MW-5	0.4 J	6.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.1	29.0	
MW-5	Oct/Dec 2007	DUPE-8-4Q07	0.4 J	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	31.0	
MW-5	Jan/Feb 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	56.0	
MW-5	Apr/May 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-5	Apr/May 2008	DUPE-8-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-5	Jul/Aug 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	
MW-5	Oct/Nov 2008	MW-5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5	
MW-5	Jan/Feb 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3	
MW-5	Apr/May 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Jul/Aug 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	
MW-5	Nov/Dec 2009	MW-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0	
MW-5	Feb 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Feb 2010	DUPE-6-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-6	Aug/Sep 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-6	Oct/Nov 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-6	Feb/Mar 1997	MW-6	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-6	June/July 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5	
MW-6	Sep/Oct 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Jan/Feb 1998	MW-6	0.5 U	0.5 U	2.0	1.0	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Apr/May 1998	MW-6	0.5 U	0.7	3.2	1.1	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-6	Jul/Aug 1998	MW-6	0.5 U	0.6	2.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.2	Methylene chloride 7.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-6	Oct/Nov 1998	MW-6	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Feb/Mar 1999	MW-6	0.5 U	0.8	3.8	1.0	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-6	May/Jun 1999	MW-6	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Aug 1999	MW-6	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	
MW-6	Nov/Dec 1999	MW-6	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Mar/Apr 2000	MW-6	0.5 U	0.5 U	3.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.8	
MW-6	Jul/Aug 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-6	Sep/Oct 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.7	Trichlorofluoromethane 0.7
MW-6	Jan/Feb 2001	MW-6	0.5 U	0.5 U	3.0	1.1	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 1.0 J
MW-6	Jul 2001	MW-6	NA U	NA U	1.4	0.4 J	NA U	NA U	NA U	NA U	NA U	Trichlorofluoromethane 0.3 J
MW-6	Oct 2001	MW-6	0.5 U	0.5 U	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Oct 2001	DUP	0.5 U	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Jan/Feb 2002	MW-6	0.5 U	0.4 J	4.6	1.3	0.5 U	0.7	0.5 U	0.9	3.2 B	Methylene chloride 0.9 J
MW-6	Apr/May 2002	MW-6	0.5 U	0.5 U	5.0	1.3	0.5 U	0.9	0.5 U	0.7	15.4	Methylene chloride 0.8 J
MW-6	Jul 2002	MW-6	NA U	NA U	1.1	0.5 J	NA U	NA U	NA U	NA U	NA U	
MW-6	Oct/Nov 2002	MW-6	0.5 U	0.3 J	3.1	1.2	0.5 U	0.7	0.5 U	0.7	4.0 U	Methyl-tert-butyl ether (MTBE) 1.9 trans-1,2-Dichloroethene 1.7 Trichlorofluoromethane 1.5
MW-6	Jan/Feb 2003	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.4 J	3.8 J	
MW-6	Apr/May 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.7	0.5 U	0.5 J	2.3 J	4-Methyl-2-pentanone 4.0 J
MW-6	Jul/Aug 2003	MW-6	0.5 U	0.5 U	2.3	0.7	0.5 U	0.5 U	0.5 U	0.3 J	2.9 J	
MW-6	Oct/Nov 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.8	0.5 U	0.3 J	3.6 J	
MW-6	Feb 2004	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.5 J	4.0 U	
MW-6	Apr/May 2004	MW-6	0.5 U	0.5 U	2.1	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-6	Jul/Aug 2004	MW-6	0.5 U	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	Trichlorofluoromethane 0.4 J
MW-6	Oct/Nov 2004	MW-6	0.5 U	0.5 U	3.8	1.1	0.5 U	0.7	0.5 U	0.3 J	4.0 U	
MW-6	Jan/Feb 2005	MW-6	0.5 U	0.5	3.4	1.1	0.5 U	1.5	0.5 U	0.5	4.3	Methylene chloride 0.6
MW-6	Apr/May 2005	MW-6	0.5 U	0.3 J	2.1	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.9 J	
MW-6	Apr/May 2005	DUPE-8-2Q05	0.5 U	0.5 U	2.2	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.1 J	
MW-6	Jul/Sep 2005	MW-6	0.5 U	0.5 U	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Trichlorofluoromethane 1.5
MW-6	Oct/Nov 2005	MW-6	0.5 U	0.5 U	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J	
MW-6	Mar/Apr 2006	MW-6	0.5 U	0.5 U	1.8	0.9	0.5 U	0.4 J	0.5 U	0.4 J	9.9	
MW-6	Mar/Apr 2006	DUPE-8-1Q06	0.5 U	0.5 U	1.8	1.0	0.5 U	0.4 J	0.5 U	0.4 J	4.0 U	
MW-6	May/Jun 2006	MW-6	0.5 U	0.5 U	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-6	Aug/Sep 2006	MW-6	0.5 U	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Aug/Sep 2006	DUPE-6-3Q06	0.5 U	0.5 U	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-6	Oct/Dec 2006	MW-6	0.5 U	0.5 U	1.2 J	0.9 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-6	Mar/Apr 2007	MW-6	0.5 U	0.5	1.6	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-6	Jun/Jul 2007	MW-6	0.5 U	1.3	1.5	0.7	0.5 U	0.4 J	0.5 U	0.5	4.0 U	
MW-6	Aug/Sep 2007	MW-6	0.5 U	1.5	1.4	0.7	0.5 U	0.8	0.5 U	0.6	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Aug/Sep 2007	DUPE-4-3Q07	0.5 U	1.5	1.4	0.7	0.5 U	0.9	0.5 U	0.5	4.0 U		
MW-6	Oct/Dec 2007	MW-6	0.5 U	1.5	1.0	0.6	0.5 U	0.7	0.5 U	0.6	5.0 U		
MW-6	Jan/Feb 2008	MW-6	0.5 U	2.5	1.6	0.8	0.5 U	0.4 J	0.5 U	0.6	4.0		
MW-6	Apr/May 2008	MW-6	0.5 U	2.5	1.8	0.6	0.5 U	0.9	0.5 U	0.7	2.5		
MW-6	Jul/Aug 2008	MW-6	0.5 U	2.2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.0	Toluene	0.8
MW-6	Oct/Nov 2008	MW-6	0.5 U	1.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	Toluene	1.0
MW-6	Jan/Feb 2009	MW-6	0.5 U	3.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1		
MW-6	Apr/May 2009	MW-6	0.5 U	2.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1		
MW-6	Jul/Aug 2009	MW-6	0.5 U	2.4	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-6	Nov/Dec 2009	MW-6	0.5 U	2.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.5		
MW-6	Feb 2010	MW-6	0.5 U	4.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7		
MW-7	Aug/Sep 1996	MW-7	90.0	39.0	0.8	0.5 U	1.2	1.1	7.2	13.0	NA		
MW-7	Oct/Nov 1996	MW-7	170.0	27.0	1.3	0.5 U	0.8	2.3	7.7	14.0	NA		
MW-7	Feb/Mar 1997	MW-7	45.0	27.0	0.6	0.5 U	0.8	0.9	5.1	9.9	NA		
MW-7	June/July 1997	MW-7	39.0	23.0	0.7	0.5 U	0.8	1.0	4.1	11.0	285.0		
MW-7	Sep/Oct 1997	MW-7	93.0	22.0	1.1	0.5 U	0.9	1.3	4.7	13.0	550.0		
MW-7	Jan/Feb 1998	MW-7	150.0	24.0	3.7	0.5 U	0.8	2.1	6.4	13.0	720.0		
MW-7	Apr/May 1998	MW-7	31.0	13.0	0.5	0.5 U	0.5 U	0.5 U	3.1	6.1	130.0		
MW-7	Jul/Aug 1998	MW-7	43.0	19.0	0.8	0.5 U	0.6	0.9	3.4	9.0	190.0	Methylene chloride	1.0
MW-7	Oct/Nov 1998	MW-7	51.0	18.0	0.9	0.5 U	0.7	1.1	3.0	9.8	210.0		
MW-7	Feb/Mar 1999	MW-7	49.0	17.0	0.6	0.5 U	0.5 U	0.9	2.0	7.2	150.0		
MW-7	May/June 1999	MW-7	42.0	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.2	5.7	120.0		
MW-7	Aug 1999	MW-7	40.0	16.0	0.5	0.5 U	0.5 U	0.8	1.9	7.8	210.0		
MW-7	Nov/Dec 1999	MW-7	120.0	19.7	3.0	0.5 U	0.7	2.2	2.4	10.8	460.0		
MW-7	Mar/Apr 2000	MW-7	110.0	18.0	2.7	0.5 U	0.5	2.3	2.6	8.9	740.0		
MW-7	Jul/Aug 2000	MW-7	50.0	14.0	1.2	0.5 U	0.5 U	0.9	2.0	7.1	290.0		
MW-7	Jan/Feb 2002	MW-7	135.0	15.4	17.1	0.5 U	0.5 U	6.0	6.0	13.3	4090.0	1,4-Dioxane Trichlorofluoromethane	5.0 0.4 J
MW-7	Apr/May 2002	MW-7	208.0	16.9	30.4	0.5 U	0.5 U	11.4	9.2	20.7	6770.0	Methylene chloride Trichlorofluoromethane	1.0 J 0.4 J
MW-7	Jul 2002	MW-7	70.7	6.3	7.6	NA U	NA U	3.1	1.6	6.8	2590.0		
MW-7	Oct/Nov 2002	MW-7	150.0	8.9	32.8	0.5 U	0.5 U	12.4	8.0	20.9	13300.0	Methylene chloride Trichlorofluoromethane	1.0 B 1.5
MW-7	Jan/Feb 2003	MW-7	102.0	4.4	4.0 J	0.5 U	0.5 U	6.1	4.2	26.0	5200.0	1,4-Dioxane NDMA n-Nitrosodiphenylamine (NDPHA) Total Trihalomethanes	3.0 0.0 0.0 J 27.0
MW-7	Jan/Feb 2003	DUPE-6-1Q03	122.0	4.8	13.5	0.5 U	0.5 U	6.4	4.2	12.3	6190.0		
MW-7	Apr/May 2003	MW-7	73.7	8.1	9.9	0.5 U	0.5 U	4.2	3.6	10.0	5560.0	4-Methyl-2-pentanone Methylene chloride	6.0 J 2.3
MW-7	Jul/Aug 2003	MW-7	40.4	4.5	4.9	0.5 U	0.5 U	2.2	2.2	6.8	1920.0 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Oct/Nov 2003	MW-7	42.0	5.0	7.2	0.5 U	0.5 U	3.2	2.4	9.9	2400.0 J		
MW-7	Feb 2004	MW-7	94.7	8.2	30.2	0.5 U	0.5 U	10.5	8.6	26.3	7690.0		
MW-7	Apr/May 2004	MW-7	72.0 J	6.8	15.6	0.5 U	0.5 U	7.6	5.8	15.9	4680.0	Bromodichloromethane Toluene	0.4 J 0.8
MW-7	Apr/May 2004	DUPE-7-2Q04	65.1	7.1	16.3	0.5 U	0.5 U	7.9	6.0	16.3	4430.0	Bromodichloromethane Toluene	0.4 J 0.8
MW-7	Jul/Aug 2004	MW-7	58.0	6.3	15.0	0.5 U	0.5 U	5.5	5.0	16.2	3760.0		
MW-7	Oct/Nov 2004	MW-7	51.4	8.7	34.7	0.5 U	0.5 U	8.0	9.0	17.7	4810.0	Toluene	0.5
MW-7	Jan/Feb 2005	MW-7	57.3	9.3	15.8	0.5 U	0.5 U	7.6	6.0	12.5	4680.0	Methylene chloride	0.9
MW-7	Apr/May 2005	MW-7	7.6	3.3	1.4	0.5 U	0.5 U	0.5 U	0.5 U	2.8	155.0		
MW-7	Jul/Sep 2005	MW-7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	87.1		
MW-7	Oct/Nov 2005	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.1	Toluene	1.8
MW-7	Oct/Nov 2005	DUPE-8-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.3	Toluene	1.9
MW-7	Mar/Apr 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	26.0		
MW-7	May/Jun 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	12.0		
MW-7	Aug/Sep 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-7	Oct/Dec 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-7	Mar/Apr 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	2.0 U	Bromodichloromethane Bromoform Dibromochloromethane Toluene	5.4 5.7 7.6 0.6
MW-7	Jun/Jul 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	3.9 J	Bromodichloromethane Bromoform Dibromochloromethane	5.7 8.0 9.9
MW-7	Jun/Jul 2007	DUPE-8-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.7 J	Bromodichloromethane Bromoform Dibromochloromethane	5.9 8.2 9.7
MW-7	Aug/Sep 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	2.0 U	Bromodichloromethane Bromoform Dibromochloromethane Toluene	3.7 6.1 5.8 0.4 J
MW-7	Oct/Dec 2007	MW-7	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	17.0	Bromodichloromethane Bromoform Dibromochloromethane Dibromomethane	4.8 3.5 4.4 0.3 J
MW-7	Oct/Dec 2007	DUPE-4-4Q07	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	18.0	Bromodichloromethane Bromoform Dibromochloromethane	5.0 3.4 4.5
MW-7	Jan/Feb 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5	3.1	Bromodichloromethane Bromoform Dibromochloromethane	10.0 1.0 3.3

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Jan/Feb 2008	DUPE-6-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8	4.5	Bromodichloromethane	11.0
												Bromoform	1.0
												Dibromochloromethane	3.4
MW-7	Apr/May 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.0	2.0 U	Bromodichloromethane	30.0
												Bromoform	1.0
												Dibromochloromethane	12.0
												Dibromomethane	0.4 J
												Toluene	0.3 J
MW-7	Apr/May 2008	DUPE-5-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	36.0	2.0 U	Bromodichloromethane	30.0
												Bromoform	1.0
												Dibromochloromethane	12.0
												Dibromomethane	0.4 J
MW-7	Jul/Aug 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9	1.5	Bromodichloromethane	7.8
												Dibromochloromethane	1.3
												Toluene	1.2
MW-7	Oct/Nov 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	1.0 U	Bromodichloromethane	1.3
												Toluene	1.3
MW-7	Jan/Feb 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.7		
MW-7	Jan/Feb 2009	DUPE-06-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.7		
MW-7	Apr/May 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8	9.4 J	Bromodichloromethane	6.0
MW-7	Jul/Aug 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	1.0 U	Bromodichloromethane	2.8
MW-7	Nov/Dec 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-7	Feb 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U		
MW-8	Aug/Sep 1996	MW-8	4.0	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-8	Oct/Nov 1996	MW-8	2.8	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-8	Feb/Mar 1997	MW-8	1.5	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	Trichlorofluoromethane	1.1
MW-8	June/July 1997	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4		
MW-8	Sep/Oct 1997	MW-8	3.2	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	29.0	Trichlorofluoromethane	1.0
MW-8	Jan/Feb 1998	MW-8	1.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0	Trichlorofluoromethane	0.8
MW-8	Apr/May 1998	MW-8	1.3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.6		
MW-8	Jul/Aug 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	6.6
MW-8	Oct/Nov 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Feb/Mar 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	May/June 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov/Dec 1999	MW-8	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-8	Mar/Apr 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2000	MW-8	8.6 U	20.0 U	0.5 U	0.5 U	0.6 U	0.7 U	0.5 U	8.8 U	410.0		
MW-8	Sep/Oct 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Jan/Feb 2001	MW-8	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	Methylene chloride Methyl-tert-butyl ether (MTBE) Trichlorofluoromethane	0.4 J 0.5 J 1.0
MW-8	Apr 2001	MW-8	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-8	Jul 2001	MW-8	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	13.0		
MW-8	Oct 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.9		
MW-8	Jan/Feb 2002	MW-8	2.2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.8	20.1	Trichlorofluoromethane	0.4 J
MW-8	Apr/May 2002	MW-8	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Trichlorofluoromethane	1.0 J 0.4 J
MW-8	Jul 2002	MW-8	0.7	NA U	NA U	NA U	NA U	NA U	NA U	NA U	21.7		
MW-8	Oct/Nov 2002	MW-8	12.3	7.1	0.3 J	0.5 U	0.5 U	0.5 U	1.7	2.9	127.0	Trichlorofluoromethane	1.6
MW-8	Jan/Feb 2003	MW-8	13.2	7.8	0.5 U	0.3 U	0.5 U	0.5 U	2.1 U	2.9	45.0	n-Nitrosodiphenylamine (NDPHA) Trichlorofluoromethane	0.0 J 0.4 J
MW-8	Apr/May 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-pentanone	5.0 J
MW-8	Jul/Aug 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7 J		
MW-8	Oct/Nov 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.2 J		
MW-8	Oct/Nov 2003	DUPE-7-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.2 J		
MW-8	Feb 2004	MW-8	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	32.6		
MW-8	Apr/May 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.4		
MW-8	Oct/Nov 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.6		
MW-8	Jan/Feb 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-8	Jan/Feb 2005	DUPE-6-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5
MW-8	Apr/May 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Sep 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-8	Oct/Nov 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Toluene	0.4 J
MW-8	Mar/Apr 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-8	May/Jul 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	Toluene	0.8
MW-8	Aug/Sep 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug/Sep 2006	DUPE-5-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Oct/Dec 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	60.0		
MW-8	Mar/Apr 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	84.0	Toluene Trichlorofluoromethane	0.7 0.7
MW-8	Jun/Jul 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	130.0 J		
MW-8	Aug/Sep 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	210.0	Bromodichloromethane Dibromochloromethane Toluene Trichlorofluoromethane	0.5 J 0.6 0.3 J 1.1

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Aug/Sep 2007	DUPE-7-3Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	200.0	Bromodichloromethane	0.5
												Dibromochloromethane	0.6
												Toluene	0.3 J
												Trichlorofluoromethane	0.9
MW-8	Oct/Dec 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	62.0	Bromodichloromethane	3.2
												Bromoform	3.1
												Dibromochloromethane	4.3
												Dibromomethane	0.3 J
MW-8	Jan/Feb 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	310.0	Bromodichloromethane	0.3 J
												Dibromochloromethane	0.3 J
												Toluene	2.0
												Trichlorofluoromethane	0.7
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	300.0	Bromodichloromethane	0.3 J
												Dibromochloromethane	0.3 J
												Toluene	2.2
												Trichlorofluoromethane	0.8
MW-8	Apr/May 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	30.0	Toluene	0.5 J
MW-8	Jul/Aug 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	108.0	Toluene	1.1
												Trichlorofluoromethane	1.1 J
MW-8	Oct/Nov 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	257.0	Bromodichloromethane	1.3
												Bromoform	0.9
												Dibromochloromethane	1.3
												Toluene	2.5
												Trichlorofluoromethane	1.0
MW-8	Jan/Feb 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Toluene	1.4
												Trichlorofluoromethane	1.5
MW-8	Apr/May 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	45.4	Trichlorofluoromethane	0.6
MW-8	Jul/Aug 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	186.0	Bromodichloromethane	0.6
												Dibromochloromethane	0.6
												Trichlorofluoromethane	1.3
MW-8	Nov/Dec 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	203.0	Bromodichloromethane	2.5
												Dibromochloromethane	1.0
												Trichlorofluoromethane	0.7
MW-8	Feb 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	194.0	Bromodichloromethane	1.4
												Dibromochloromethane	0.8
												Trichlorofluoromethane	0.9
MW-9	Aug/Sep 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Oct/Nov 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Feb/Mar 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	June/July 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Sep/Oct 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-9	Jan/Feb 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Feb/Mar 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/Jun 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Nov/Dec 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 2000	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 2001	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 2002	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-9	Apr/May 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-9	Oct/Nov 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J		
MW-9	Apr/May 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2005	DUPE-3-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/Jun 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Dec 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Dec 2006	DUPE-7-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jun/Jul 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Dec 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Apr/May 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Nov 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2009	DUPE-8-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Aug/Sep 1996	MW-10	0.7	18.0	0.5	0.5 U	0.5 U	0.5 U	1.2	1.4	NA		
MW-10	Oct/Nov 1996	MW-10	0.6	6.6	1.0	1.9	0.5 U	0.5 U	0.8	1.1	NA		
MW-10	Feb/Mar 1997	MW-10	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-10	June/July 1997	MW-10	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-10	Sep/Oct 1997	MW-10	0.5 U	4.3	1.3	1.2	0.5 U	0.5 U	0.5 U	1.0	16.0		
MW-10	Jan/Feb 1998	MW-10	0.5 U	0.9	2.1	1.4	0.5 U	0.5 U	0.5 U	1.2	5.1		
MW-10	Apr/May 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Jul/Aug 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	8.2
MW-10	Oct/Nov 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	7.8
MW-10	Feb/Mar 1999	MW-10	0.5 U	5.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	39.0		
MW-10	May/Jun 1999	MW-10	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-10	Aug 1999	MW-10	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0		
MW-10	Nov/Dec 1999	MW-10	0.5 U	3.7	1.1	0.6	0.5 U	0.5 U	0.5 U	0.9	21.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Mar/Apr 2000	MW-10	0.5 U	2.0	2.1	1.0	0.5 U	0.5 U	0.5 U	0.9	9.0		
MW-10	Jul/Aug 2000	MW-10	33.0	8.2	1.1	0.5 U	0.7	1.3	0.5	16.0	1500.0		
MW-10	Sep/Oct 2000	MW-10	53.0	8.0	2.2	0.5 U	0.6	3.5	0.7	20.0	1400.0		
MW-10	Sep/Oct 2000	DUP	0.6	20.0	1.0	0.6	0.5 U	0.5 U	0.5 U	1.7	32.0		
MW-10	Jan/Feb 2001	MW-10	0.5 U	0.6	1.6	0.9	0.5 U	0.5 U	0.5 U	1.0	5.0	Methylene chloride	0.3 J
MW-10	Apr 2001	MW-10	0.6	20.2	NA U	0.4 J	NA U	NA U	NA U	1.9	39.0		
MW-10	Jul 2001	MW-10	0.4 J	11.9	0.4 J	NA U	NA U	NA U	NA U	0.8	24.0		
MW-10	Jul 2001	DUP	0.4 J	12.6	0.4 J	NA U	NA U	NA U	NA U	0.9	30.0		
MW-10	Oct 2001	MW-10	0.5 U	5.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0		
MW-10	Oct 2001	DUP	0.5 U	5.7	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.7	12.8		
MW-10	Jan/Feb 2002	MW-10	0.5 U	3.0	2.9	0.9	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-10	Apr/May 2002	MW-10	0.5 U	3.6	1.7	0.6	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-10	Jul 2002	MW-10	NA U	8.4	1.2	0.9	NA U	NA U	NA U	1.0	13.0	Methylene chloride	0.5 J
MW-10	Oct/Nov 2002	MW-10	0.5 U	4.2	1.6	0.7	0.5 U	0.5 U	0.5 U	0.8	4.0 U	Methylene chloride	1.2 B
MW-10	Jan/Feb 2003	MW-10	0.5 U	2.5	1.3	0.5 J	0.5 U	0.5 U	0.5 U	0.5	3.5 J	1,4-Dioxane n-Nitrosodiphenylamine (NDPHA)	1.0 0.0 J
MW-10	Apr/May 2003	MW-10	0.2 J	11.2	1.3	0.8	0.5 U	0.5 U	0.5 U	1.1	17.5	1,4-Dioxane 4-Methyl-2-pentanone	1.0 6.0 J
MW-10	Jul/Aug 2003	MW-10	0.3 J	12.3	0.9	0.6	0.5 U	0.5 U	0.5 U	1.3	43.6 J		
MW-10	Oct/Nov 2003	MW-10	0.5 U	10.8	1.5	0.9	0.5 U	0.5 U	0.5 U	1.2	21.9 J		
MW-10	Feb 2004	MW-10	0.5 U	4.9	1.7	0.8	0.5 U	0.5 U	0.5 U	0.9	5.1		
MW-10	Apr/May 2004	MW-10	0.5 U	13.4	2.0	1.1	0.5 U	0.5 U	0.5 U	1.3	13.5		
MW-10	Jul/Aug 2004	MW-10	0.5 U	14.6	1.5	0.9	0.5 U	0.5 U	0.5 U	1.3	25.3		
MW-10	Jul/Aug 2004	DUPE-6-3Q04	0.5 U	16.6	1.8	1.0	0.5 U	0.5 U	0.5 U	1.4	25.5		
MW-10	Oct/Nov 2004	MW-10	0.5 U	4.8	2.2	1.0	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Toluene	0.4 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	0.5 U	4.5	2.2	0.9	0.5 U	0.5 U	0.5 U	0.9	4.0 U	Toluene	0.4 J
MW-10	Jan/Feb 2005	MW-10	1.3	17.5	1.5	0.8	0.5 U	0.5 U	0.5 U	1.4	71.6	Methylene chloride	0.7
MW-10	Apr/May 2005	MW-10	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.8	Bromodichloromethane	0.4 J
MW-10	Apr/May 2005	DUPE-9-2Q05	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.1	Bromodichloromethane	0.5 J
MW-10	Jul/Sep 2005	MW-10	0.5	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	108.0		
MW-10	Jul/Sep 2005	DUPE-7-3Q05	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	110.0		
MW-10	Oct/Nov 2005	MW-10	0.7	22.9	1.3	0.3 J	0.5 U	0.5 U	0.5 U	2.6	57.0		
MW-10	Mar/Apr 2006	MW-10	0.5 J	21.0	1.6	0.6	0.5 U	0.5 U	0.5 U	2.1	22.0	Toluene	0.3 J
MW-10	May/June 2006	MW-10	0.8	30.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	2.8	32.0	Toluene	0.9
MW-10	Aug/Sep 2006	MW-10	0.7	38.0	1.5	0.5	0.5 U	0.5 U	0.3 J	2.8	26.0		
MW-10	Oct/Dec 2006	MW-10	0.5 U	7.6	1.4	0.8	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-10	Oct/Dec 2006	DUPE-8-4Q06	0.5 U	7.7	1.4	0.7	0.5 U	0.5 U	0.5 U	0.9	5.6		
MW-10	Mar/Apr 2007	MW-10	0.5 U	3.1	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Toluene	0.8
MW-10	Jun/Jul 2007	MW-10	0.5 U	4.5	1.2	0.7	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Aug/Sep 2007	MW-10	0.5 U	3.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Oct/Dec 2007	MW-10	0.5 U	4.8	1.3	0.7	0.5 U	0.5 U	0.5 U	0.8	6.6 J	Toluene	0.8

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Oct/Dec 2007	DUPE-7-4Q07	0.5 U	4.6	1.3	0.6	0.5 U	0.5 U	0.5 U	0.8	4.0 J	Toluene	0.9
MW-10	Jan/Feb 2008	MW-10	0.5 U	2.5	1.1	0.6	0.5 U	0.5 U	0.5 U	0.7	3.6	Toluene	2.2
MW-10	Apr/May 2008	MW-10	0.5 U	4.6	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.8	6.1	Toluene	0.5 J
MW-10	Jul/Aug 2008	MW-10	0.5 U	3.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.6	Toluene	1.3
MW-10	Oct/Nov 2008	MW-10	0.5 U	2.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	Toluene	1.2
MW-10	Jan/Feb 2009	MW-10	0.5 U	3.2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Jan/Feb 2009	DUPE-07-1Q09	0.5 U	3.1	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.4		
MW-10	Apr/May 2009	MW-10	0.5 U	1.9	1.2	0.5	0.5 U	0.5 U	0.5 U	0.7	2.7		
MW-10	Jul/Aug 2009	MW-10	0.5 U	2.3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7		
MW-10	Nov/Dec 2009	MW-10	0.5 U	4.3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2		
MW-10	Feb 2010	MW-10	0.5 U	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 1	Oct/Nov 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	Methyl-tert-butyl ether (MTBE)	7.1
MW-11 Screen 1	Feb/Mar 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 1	June/July 1997	MW-11-1	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Sep/Oct 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 1998	MW-11-1	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 1998	MW-11-1	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Feb/Mar 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 B	4.0 U		
MW-11 Screen 1	May/Jun 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Nov/Dec 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Mar/Apr 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Sep/Oct 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-11 Screen 1	Jul 2001	MW-11-1	NA U	1.2	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-11 Screen 1	Oct 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2002	MW-11-1	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.3 J
MW-11 Screen 1	Jul 2002	MW-11-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.7	NA U		
MW-11 Screen 1	Oct/Nov 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J		
MW-11 Screen 1	Apr/May 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	6.0 J
MW-11 Screen 1	Jul/Aug 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Feb 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 1	Apr/May 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Sep 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.5	
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 1.0	
MW-11 Screen 1	Mar/Apr 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	May/Jun 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug/Sep 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Dec 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Dec 2006	DUPE-4-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Mar/Apr 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-11 Screen 1	Jun/Jul 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug/Sep 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Oct/Dec 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Jan/Feb 2008	DUPE-1-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Apr/May 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Jul/Aug 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Oct/Nov 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	1.0 U	
MW-11 Screen 1	Jan/Feb 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Apr/May 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Jul/Aug 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Nov/Dec 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-11 Screen 1	Feb 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-11 Screen 1	Feb 2010	DUPE-4-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	NA	
MW-11 Screen 2	Oct/Nov 1996	MW-11-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA	
MW-11 Screen 2	Feb/Mar 1997	MW-11-2	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	NA	
MW-11 Screen 2	June/July 1997	MW-11-2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-11 Screen 2	Sep/Oct 1997	MW-11-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 2	Jan/Feb 1998	MW-11-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Apr/May 1998	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Jul/Aug 1998	MW-11-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 2	Oct/Nov 1998	MW-11-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Feb/Mar 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	1.1	4.0 U
MW-11 Screen 2	May/Jun 1999	MW-11-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Aug 1999	MW-11-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 2	Nov/Dec 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Mar/Apr 2000	MW-11-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Jul/Aug 2000	MW-11-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Sep/Oct 2000	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 2	Jan/Feb 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Jul 2001	MW-11-2	0.7	0.4 J	NA U	NA U	NA U	NA U	NA U	0.5	NA U	
MW-11 Screen 2	Oct 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-11 Screen 2	Jan/Feb 2002	MW-11-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-11 Screen 2	Apr/May 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Methylene chloride
MW-11 Screen 2	Jul 2002	MW-11-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.4 J
MW-11 Screen 2	Oct/Nov 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	
MW-11 Screen 2	Apr/May 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone
MW-11 Screen 2	Jul/Aug 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	6.0 J
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Feb 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-11 Screen 2	Apr/May 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Jul/Aug 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene
MW-11 Screen 2	Apr/May 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.4 J
MW-11 Screen 2	Jul/Sep 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Jul/Sep 2005	DUPE-4-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Mar/Apr 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Mar/Apr 2006	DUPE-7-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	May/June 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Aug/Sep 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Oct/Dec 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Mar/Apr 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Jun/Jul 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Aug/Sep 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Oct/Dec 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-11 Screen 2	Oct/Dec 2007	DUPE-2-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Jan/Feb 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Apr/May 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Jul/Aug 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 2	Oct/Nov 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 2	Jan/Feb 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 2	Apr/May 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 2	Jul/Aug 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 2	Nov/Dec 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 2	Feb 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-11 Screen 3	Oct/Nov 1996	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 3	Feb/Mar 1997	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	NA	
MW-11 Screen 3	June/July 1997	MW-11-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-11 Screen 3	Sep/Oct 1997	MW-11-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-11 Screen 3	Jan/Feb 1998	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-11 Screen 3	Apr/May 1998	MW-11-3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-11 Screen 3	Jul/Aug 1998	MW-11-3	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-11 Screen 3	Oct/Nov 1998	MW-11-3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	
MW-11 Screen 3	Feb/Mar 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U	
MW-11 Screen 3	May/Jun 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Aug 1999	MW-11-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 3	Nov/Dec 1999	MW-11-3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 3	Mar/Apr 2000	MW-11-3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-11 Screen 3	Jul/Aug 2000	MW-11-3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 3	Sep/Oct 2000	MW-11-3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 3	Jan/Feb 2001	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jul 2001	MW-11-3	0.4 J	NA U	NA U	NA U	NA U	NA U	NA U	0.5	NA U	
MW-11 Screen 3	Oct 2001	MW-11-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-11 Screen 3	Jan/Feb 2002	MW-11-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Apr/May 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.3 J
MW-11 Screen 3	Jul 2002	MW-11-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-11 Screen 3	Oct/Nov 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J	
MW-11 Screen 3	Apr/May 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 6.0 J
MW-11 Screen 3	Jul/Aug 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 2.0 J Chloroethane 1.4 Chloromethane 0.4 J
MW-11 Screen 3	Feb 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-11 Screen 3	Apr/May 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Apr/May 2004	DUPE-5-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jul/Aug 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J Styrene 0.3 J
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Apr/May 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Apr/May 2005	DUPE-7-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jul/Sep 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.6
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Mar/Apr 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 3	May/June 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	May/June 2006	DUPE-7-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Aug/Sep 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Oct/Dec 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Mar/Apr 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Jun/Jul 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Aug/Sep 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Oct/Dec 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Jan/Feb 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Apr/May 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Jul/Aug 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 3	Oct/Nov 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 3	Jan/Feb 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 3	Apr/May 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 3	Jul/Aug 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 3	Nov/Dec 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 3	Feb 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-11 Screen 4	Oct/Nov 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-11 Screen 4	Feb/Mar 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-11 Screen 4	June/July 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 4	Sep/Oct 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 4	Jan/Feb 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 4	Apr/May 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 4	Jul/Aug 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 4	Oct/Nov 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 4	Feb/Mar 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U	
MW-11 Screen 4	May/June 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 4	Aug 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 4	Nov/Dec 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 4	Mar/Apr 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-11 Screen 4	Jul/Aug 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 4	Sep/Oct 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 4	Jan/Feb 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methylene chloride 0.6
MW-11 Screen 4	Jul 2001	MW-11-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.6	NA U	
MW-11 Screen 4	Oct 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 4	Jan/Feb 2002	MW-11-4	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8 J
MW-11 Screen 4	Apr/May 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.3 J
MW-11 Screen 4	Jul 2002	MW-11-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-11 Screen 4	Oct/Nov 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 4	Apr/May 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	7.0 J
MW-11 Screen 4	Jul/Aug 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	0.3 J
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Feb 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 4	Feb 2004	DUPE-5-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 4	Apr/May 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Aug 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Aug 2004	DUPE-3-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-11 Screen 4	Apr/May 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Sep 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Mar/Apr 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	May/Jun 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Dec 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Mar/Apr 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jun/Jul 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	0.4 J
MW-11 Screen 4	Oct/Dec 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jan/Feb 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jul/Aug 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jul/Aug 2008	DUPE-06-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Oct/Nov 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Nov 2008	DUPE-07-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-11 Screen 4	Apr/May 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jul/Aug 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Nov/Dec 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-11 Screen 4	Feb 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Oct/Nov 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Feb/Mar 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	June/July 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Sep/Oct 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jul/Aug 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Oct/Nov 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 5	Feb/Mar 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U	
MW-11 Screen 5	May/Jun 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Nov/Dec 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Jul/Aug 2000	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Jan/Feb 2001	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone Methyl-tert-butyl ether (MTBE) 1.0 J 0.3 J
MW-11 Screen 5	Jul 2001	MW-11-5	NA	NA	NA	NA	NA	NA	NA U	NA	NA	
MW-11 Screen 5	Jan/Feb 2002	MW-11-5	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Apr/May 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 7.0 J
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Apr/May 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.6
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Apr/May 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.3 J
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 5	May/Jun 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Oct/Dec 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Jun/Jul 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Oct/Dec 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Apr/May 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Oct/Nov 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Apr/May 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Nov/Dec 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	NA	
MW-12 Screen 1	June/July 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-12 Screen 1	Jan/Feb 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-12 Screen 1	Apr/May 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jul/Aug 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Oct/Nov 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Feb/Mar 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	May/Jun 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Aug 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Nov/Dec 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Mar/Apr 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jul/Aug 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Sep/Oct 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jan/Feb 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-12 Screen 1	Jul 2001	MW-12-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-12 Screen 1	Oct 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 1	Jan/Feb 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8 J
MW-12 Screen 1	Apr/May 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-12 Screen 1	Jul 2002	MW-12-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-12 Screen 1	Oct/Nov 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	1,3-Dichloropropane	0.6
MW-12 Screen 1	Apr/May 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	8.0 J
MW-12 Screen 1	Jul/Aug 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Feb 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Aug 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Sep 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane	0.0 U 0.5 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-12 Screen 1	Mar/Apr 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Mar/Apr 2006	DUPE-6-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	May/June 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Aug/Sep 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Oct/Dec 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Mar/Apr 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jun/Jul 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jun/Jul 2007	DUPE-5-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Aug/Sep 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Oct/Dec 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-12 Screen 1	Jan/Feb 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Apr/May 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jul/Aug 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Oct/Nov 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Jan/Feb 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-12 Screen 1	Jul/Aug 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4		
MW-12 Screen 1	Nov/Dec 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-12 Screen 1	Feb 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 2	Oct/Nov 1996	MW-12-2	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	0.5 U	NA		
MW-12 Screen 2	Feb/Mar 1997	MW-12-2	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 2	June/July 1997	MW-12-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.9		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 2	Sep/Oct 1997	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.8		
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	6.3		
MW-12 Screen 2	Apr/May 1998	MW-12-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	6.0		
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.5		
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.2		
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.6		
MW-12 Screen 2	May/Jun 1999	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.0	Methylene chloride	0.6
												Methylene chloride	0.8
MW-12 Screen 2	Aug 1999	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2000	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Sep/Oct 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Sep/Oct 2000	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul 2001	MW-12-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-12 Screen 2	Oct 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2002	MW-12-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8 J
MW-12 Screen 2	Jan/Feb 2002	DUP	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	2.6
MW-12 Screen 2	Apr/May 2002	MW-12-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-12 Screen 2	Jul 2002	MW-12-2	0.4 J	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-12 Screen 2	Oct/Nov 2002	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	1,3-Dichloropropane	0.5
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	1,3-Dichloropropane	0.6
MW-12 Screen 2	Apr/May 2003	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	4-Methyl-2-pentanone	5.0 J
MW-12 Screen 2	Jul/Aug 2003	MW-12-2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J		
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Feb 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Apr/May 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2004	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	m,p-Xylene	0.3 J
MW-12 Screen 2	Apr/May 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-12 Screen 2	Jul/Sep 2005	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	1,2,3-Trichloropropane	0.0 U
												1,2,3-Trichloropropane	0.5 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.6
MW-12 Screen 2	Mar/Apr 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	May/Jun 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Aug/Sep 2006	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 2	Oct/Dec 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 2	Mar/Apr 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-12 Screen 2	Jun/Jul 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-12 Screen 2	Aug/Sep 2007	MW-12-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 2	Oct/Dec 2007	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 2	Jan/Feb 2008	MW-12-2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-12 Screen 2	Apr/May 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	
MW-12 Screen 2	Jul/Aug 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	
MW-12 Screen 2	Jul/Aug 2008	DUPE-7-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	
MW-12 Screen 2	Oct/Nov 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	
MW-12 Screen 2	Jan/Feb 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-12 Screen 2	Apr/May 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-12 Screen 2	Jul/Aug 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-12 Screen 2	Jul/Aug 2009	DUPE-7-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	
MW-12 Screen 2	Nov/Dec 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	
MW-12 Screen 2	Feb 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-12 Screen 3	Oct/Nov 1996	MW-12-3	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-12 Screen 3	Feb/Mar 1997	MW-12-3	6.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-12 Screen 3	June/July 1997	MW-12-3	20.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	5.7	
MW-12 Screen 3	Sep/Oct 1997	MW-12-3	14.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	6.2	
MW-12 Screen 3	Jan/Feb 1998	MW-12-3	23.0 E	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	5.9	
MW-12 Screen 3	Apr/May 1998	MW-12-3	25.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	6.9	
MW-12 Screen 3	Jul/Aug 1998	MW-12-3	35.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	6.6	
MW-12 Screen 3	Oct/Nov 1998	MW-12-3	27.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	6.9	
MW-12 Screen 3	Feb/Mar 1999	MW-12-3	23.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.0 U	
MW-12 Screen 3	May/June 1999	MW-12-3	19.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	8.7	
MW-12 Screen 3	Aug 1999	MW-12-3	19.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	
MW-12 Screen 3	Nov/Dec 1999	MW-12-3	23.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	8.5	
MW-12 Screen 3	Mar/Apr 2000	MW-12-3	17.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.2	
MW-12 Screen 3	Jul/Aug 2000	MW-12-3	16.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	6.9	
MW-12 Screen 3	Sep/Oct 2000	MW-12-3	11.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	7.1	
MW-12 Screen 3	Jan/Feb 2001	MW-12-3	2.0 J	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	2-Butanone 2.0 J
MW-12 Screen 3	Jul 2001	MW-12-3	10.6	NA U	NA U	NA U	NA U	NA U	NA U	1.5	NA U	
MW-12 Screen 3	Oct 2001	MW-12-3	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	6.2	
MW-12 Screen 3	Jan/Feb 2002	MW-12-3	4.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-12 Screen 3	Apr/May 2002	MW-12-3	4.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 3	Apr/May 2002	DUP	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 3	Jul 2002	MW-12-3	0.5	NA U	NA U	NA U	NA U	NA U	NA U	3.4	NA U	
MW-12 Screen 3	Jul 2002	DUP	1.2	NA U	NA U	NA U	NA U	NA U	NA U	3.9	NA U	
MW-12 Screen 3	Oct/Nov 2002	MW-12-3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	9.2	0.5	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.7	1.8 J	1,2,3-Trichloropropane	0.0
												1,4-Dioxane	1.7
												Methylene chloride	0.4 J
												Petroleum Hydrocarbons (TPH) as Gasoline	40.0 J
												Total Trihalomethanes	5.8
MW-12 Screen 3	Apr/May 2003	MW-12-3	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.8 J		
MW-12 Screen 3	Apr/May 2003	DUPE-6-2Q03	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	3.4 J	4-Methyl-2-pentanone	4.0 J
MW-12 Screen 3	Jul/Aug 2003	MW-12-3	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.8 J		
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U		
MW-12 Screen 3	Feb 2004	MW-12-3	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12 Screen 3	Apr/May 2004	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U		
MW-12 Screen 3	Jul/Aug 2004	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	2.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	4.0 U		
MW-12 Screen 3	Jan/Jan 2005	MW-12-3	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	m,p-Xylene	0.4 J
MW-12 Screen 3	Apr/May 2005	MW-12-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.6 J		
MW-12 Screen 3	Jul/Sep 2005	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J	1,2,3-Trichloropropane	0.0
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	Methylene chloride	1.1
MW-12 Screen 3	Mar/Apr 2006	MW-12-3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.0 U		
MW-12 Screen 3	May/Jun 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U		
MW-12 Screen 3	Aug/Sep 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.0 U		
MW-12 Screen 3	Oct/Dec 2006	MW-12-3	2.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2.1		
MW-12 Screen 3	Mar/Apr 2007	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	2.0 U		
MW-12 Screen 3	Jun/Jul 2007	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.0 U		
MW-12 Screen 3	Aug/Sep 2007	MW-12-3	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.0 U		
MW-12 Screen 3	Oct/Dec 2007	MW-12-3	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0		
MW-12 Screen 3	Jan/Feb 2008	MW-12-3	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	2.0 U		
MW-12 Screen 3	Apr/May 2008	MW-12-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U		
MW-12 Screen 3	Jul/Aug 2008	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U		
MW-12 Screen 3	Oct/Nov 2008	MW-12-3	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	1.0 U		
MW-12 Screen 3	Jan/Feb 2009	MW-12-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	1.0 U		
MW-12 Screen 3	Apr/May 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.0 U		
MW-12 Screen 3	Apr/May 2009	DUPE-07-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.0 U		
MW-12 Screen 3	Jul/Aug 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 3	Nov/Dec 2009	MW-12-3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	3.2		
MW-12 Screen 3	Nov/Dec 2009	DUPE-06-4Q09	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	3.1		
MW-12 Screen 3	Feb 2010	MW-12-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	1.0 U		
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	6.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA		
MW-12 Screen 4	Oct/Nov 1996	MW-12-4	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA		
MW-12 Screen 4	Feb/Mar 1997	MW-12-4	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-12 Screen 4	June/July 1997	MW-12-4	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	7.3		
MW-12 Screen 4	Sep/Oct 1997	MW-12-4	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	7.6		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 4	Jan/Feb 1998	MW-12-4	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	8.0	
MW-12 Screen 4	Apr/May 1998	MW-12-4	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	8.0	
MW-12 Screen 4	Jul/Aug 1998	MW-12-4	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	6.0	
MW-12 Screen 4	Oct/Nov 1998	MW-12-4	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.7	
MW-12 Screen 4	Feb/Mar 1999	MW-12-4	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.0	
MW-12 Screen 4	May/Jun 1999	MW-12-4	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	9.1	
MW-12 Screen 4	Aug 1999	MW-12-4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	9.2	
MW-12 Screen 4	Nov/Dec 1999	MW-12-4	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	8.5	
MW-12 Screen 4	Mar/Apr 2000	MW-12-4	5.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	8.7	
MW-12 Screen 4	Jul/Aug 2000	MW-12-4	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	8.1	
MW-12 Screen 4	Sep/Oct 2000	MW-12-4	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.9	
MW-12 Screen 4	Jan/Feb 2001	MW-12-4	3.0	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	6.0	
MW-12 Screen 4	Jul 2001	MW-12-4	3.5	0.4 J	NA U	NA U	NA U	NA U	NA U	1.0	NA U	
MW-12 Screen 4	Oct 2001	MW-12-4	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 4	Jan/Feb 2002	MW-12-4	3.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0	Methylene chloride 1.5
MW-12 Screen 4	Apr/May 2002	MW-12-4	3.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 4	Jul 2002	MW-12-4	2.7	0.6	NA U	NA U	NA U	NA U	NA U	0.9	NA U	
MW-12 Screen 4	Oct/Nov 2002	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.9 J	
MW-12 Screen 4	Apr/May 2003	MW-12-4	1.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.6 J	
MW-12 Screen 4	Jul/Aug 2003	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6	
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8 J	
MW-12 Screen 4	Feb 2004	MW-12-4	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-12 Screen 4	Apr/May 2004	MW-12-4	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.4	
MW-12 Screen 4	Apr/May 2004	DUPE-4-2Q04	2.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.5	
MW-12 Screen 4	Jul/Aug 2004	MW-12-4	3.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.6	
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-12 Screen 4	Jan/Feb 2005	MW-12-4	2.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	m,p-Xylene 0.5 J
MW-12 Screen 4	Apr/May 2005	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	m,p-Xylene 0.3 J
MW-12 Screen 4	Jul/Sep 2005	MW-12-4	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	1,2,3-Trichloropropane 0.0
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	Methylene chloride 0.7
MW-12 Screen 4	Mar/Apr 2006	MW-12-4	2.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.5	
MW-12 Screen 4	May/Jun 2006	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.4	
MW-12 Screen 4	Aug/Sep 2006	MW-12-4	2.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.7	
MW-12 Screen 4	Oct/Dec 2006	MW-12-4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 4	Mar/Apr 2007	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2	
MW-12 Screen 4	Jun/Jul 2007	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5 J	
MW-12 Screen 4	Aug/Sep 2007	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U	
MW-12 Screen 4	Oct/Dec 2007	MW-12-4	1.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2	
MW-12 Screen 4	Jan/Feb 2008	MW-12-4	1.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.2	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 4	Apr/May 2008	MW-12-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5	
MW-12 Screen 4	Jul/Aug 2008	MW-12-4	1.8 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9	
MW-12 Screen 4	Oct/Nov 2008	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9 J	
MW-12 Screen 4	Jan/Feb 2009	MW-12-4	1.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.3	
MW-12 Screen 4	Apr/May 2009	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0	
MW-12 Screen 4	Jul/Aug 2009	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7	
MW-12 Screen 4	Nov/Dec 2009	MW-12-4	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9	
MW-12 Screen 4	Feb 2010	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA	
MW-12 Screen 5	Oct/Nov 1996	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-12 Screen 5	Feb/Mar 1997	MW-12-5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-12 Screen 5	June/July 1997	MW-12-5	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.1	
MW-12 Screen 5	Sep/Oct 1997	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 1998	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Apr/May 1998	MW-12-5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Jul/Aug 1998	MW-12-5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Oct/Nov 1998	MW-12-5	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Feb/Mar 1999	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-12 Screen 5	May/Jun 1999	MW-12-5	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-12 Screen 5	Aug 1999	MW-12-5	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Nov/Dec 1999	MW-12-5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-12 Screen 5	Mar/Apr 2000	MW-12-5	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.7	
MW-12 Screen 5	Jul/Aug 2000	MW-12-5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0	
MW-12 Screen 5	Sep/Oct 2000	MW-12-5	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.1	
MW-12 Screen 5	Jan/Feb 2001	MW-12-5	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	2-Butanone 3.0 J
MW-12 Screen 5	Jan/Feb 2001	DUP	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jul 2001	MW-12-5	1.4	NA U	NA U	NA U	NA U	NA U	NA U	0.4 J	NA U	
MW-12 Screen 5	Oct 2001	MW-12-5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 2002	MW-12-5	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Apr/May 2002	MW-12-5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methylene chloride 0.4 J
MW-12 Screen 5	Jul 2002	MW-12-5	0.7	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-12 Screen 5	Oct/Nov 2002	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	2.0 J	
MW-12 Screen 5	Apr/May 2003	MW-12-5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J	4-Methyl-2-pentanone 7.0 J
MW-12 Screen 5	Jul/Aug 2003	MW-12-5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J	
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Feb 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Feb 2004	DUPE-6-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Apr/May 2004	MW-12-5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-12 Screen 5	Jul/Aug 2004	MW-12-5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 5	Jan/Feb 2005	MW-12-5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J		
MW-12 Screen 5	Apr/May 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-12 Screen 5	Jul/Sep 2005	MW-12-5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	1,2,3-Trichloropropane	0.0
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Methylene chloride Styrene	0.5 J 1.1 0.5 J
MW-12 Screen 5	Mar/Apr 2006	MW-12-5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	m,p-Xylene	0.4 J
MW-12 Screen 5	May/June 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Aug/Sep 2006	MW-12-5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U		
MW-12 Screen 5	Oct/Dec 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Mar/Apr 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Jun/Jul 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Aug/Sep 2007	MW-12-5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Oct/Dec 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Jan/Feb 2008	MW-12-5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.1		
MW-12 Screen 5	Apr/May 2008	MW-12-5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6		
MW-12 Screen 5	Jul/Aug 2008	MW-12-5	1.0 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.9		
MW-12 Screen 5	Oct/Nov 2008	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 J		
MW-12 Screen 5	Jan/Feb 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-12 Screen 5	Apr/May 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-12 Screen 5	Jul/Aug 2009	MW-12-5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-12 Screen 5	Nov/Dec 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-12 Screen 5	Feb 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-13	Aug/Sep 1996	MW-13	21.0	47.0	0.6	0.5 U	2.5	1.5	0.7	21.0	NA		
MW-13	Oct/Nov 1996	MW-13	27.0	27.0	0.5 U	0.5 U	1.9	1.5	0.6	14.0	NA		
MW-13	Feb/Mar 1997	MW-13	18.0	28.0	0.5 U	0.5 U	0.9	1.1	0.6	9.2	NA		
MW-13	June/July 1997	MW-13	6.4	24.0 E	0.5 U	0.5 U	0.9	0.5	0.5 U	11.0	130.0		
MW-13	Sep/Oct 1997	MW-13	8.2	19.0	0.5 U	0.5 U	1.1	0.5	0.5 U	10.0	210.0		
MW-13	Jan/Feb 1998	MW-13	11.0	4.7	0.5	0.5 U	0.5 U	0.5	0.5 U	2.8	97.0	Trichlorofluoromethane Trichlorofluoromethane	1.5 1.8
MW-13	Apr/May 1998	MW-13	13.0	17.0	0.5	0.5 U	0.5 U	0.8	0.6	5.2	95.0		
MW-13	Jul/Aug 1998	MW-13	15.0	29.0	0.6	0.5 U	0.5 U	1.1	0.7	7.5	57.0	1,1,1-Trichloroethane Methylene chloride Methylene chloride	0.5 0.5 1.0
MW-13	Oct/Nov 1998	MW-13	9.0	20.0	0.5 U	0.5 U	0.5 U	1.1	0.5	9.3	86.0		
MW-13	Feb/Mar 1999	MW-13	8.4	29.0	0.5 U	0.5 U	0.6	0.6	0.5 U	9.8	98.0		
MW-13	May/June 1999	MW-13	9.8	40.0	0.6	0.5 U	0.5	0.8	1.0	9.4	120.0		
MW-13	Aug 1999	MW-13	11.0	29.0	0.5 U	0.5 U	0.7	0.9	0.5 U	12.0	150.0		
MW-13	Nov/Dec 1999	MW-13	10.7	19.7	0.5 U	0.5 U	0.5	0.7	0.5 U	9.1	510.0		
MW-13	Mar/Apr 2000	MW-13	8.9	11.0	0.7	0.7	0.5 U	0.5 U	0.5 U	5.2	330.0		
MW-13	Jul/Aug 2000	MW-13	8.8	20.0	NA U	NA U	0.6	0.7	NA U	8.8	420.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Jan/Feb 2001	MW-13	7.2	5.4	0.6	1.0	0.5 U	0.5 J	0.5 U	3.4	4.0 U	1,4-Dioxane	1.9
												Methylene chloride	0.9 B
												Trichlorofluoromethane	1.3
MW-13	Apr 2001	MW-13	3.6	18.0	NA U	NA U	NA U	NA U	NA U	NA U	170.0	Bromodichloromethane	0.5
MW-13	Jul 2001	MW-13	NA U	30.3	0.7	NA U	NA U	NA U	NA U	3.8	216.0	Bromodichloromethane	0.6
MW-13	Oct 2001	MW-13	3.5	15.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	471.0		
MW-13	Jan/Feb 2002	MW-13	11.0	12.5	1.2	0.7	0.5 U	1.0	0.5 U	4.6	326.0	1,4-Dioxane	4.1
												Methylene chloride	1.0 B
												Trichlorofluoromethane	0.8
MW-13	Apr/May 2002	MW-13	6.2	4.3	1.4	0.8	0.5 U	0.9	0.5 U	2.6	189.0	Trichlorofluoromethane	0.8
MW-13	Jul 2002	MW-13	1.2	2.1	NA U	NA U	NA U	NA U	NA U	0.7	206.0		
MW-13	Jul 2002	DUP	1.3	2.1	NA U	NA U	NA U	NA U	NA U	0.8	205.0		
MW-13	Oct/Nov 2002	MW-13	2.3	2.5	0.8	0.7	0.5 U	0.4 J	0.5 U	1.4	172.0	Trichlorofluoromethane	1.7
MW-13	Jan/Feb 2003	MW-13	0.8	1.2	1.0	0.8	NA U	NA U	NA U	0.7	68.0 J		
MW-13	Apr/May 2003	MW-13	1.3	9.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	1.5	147.0	1,4-Dioxane	2.5
												4-Methyl-2-pentanone	5.0 J
MW-13	Jul/Aug 2003	MW-13	1.0	20.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	159.0 J	Bromodichloromethane	0.4 J
												Dibromochloromethane	0.8
MW-13	Oct/Nov 2003	MW-13	1.5	9.0	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.7	223.0 J		
MW-13	Feb 2004	MW-13	0.8	1.0	1.1	0.7	0.5 U	0.5 U	0.5 U	0.7	112.0		
MW-13	Apr/May 2004	MW-13	1.4	7.4	1.2	0.6	0.5 U	0.5 U	0.5 U	1.7	205.0	1,4-Dioxane	5.3
MW-13	Jul/Aug 2004	MW-13	2.0	15.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	296.0		
MW-13	Oct/Nov 2004	MW-13	0.4 J	1.4	1.3	0.9	0.5 U	0.5 U	0.5 U	0.8	51.5	1,2,3-Trichlorobenzene	0.3 J
												Trichlorofluoromethane	0.3 J
MW-13	Jan/Feb 2005	MW-13	2.2	5.0	1.1	0.7	0.5 U	0.5 U	0.5 U	1.1	222.0	Methylene chloride	0.7
												Trichlorofluoromethane	0.3 J
MW-13	Apr/May 2005	MW-13	1.2	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.8	609.0	1,4-Dioxane	8.4
												Bromodichloromethane	0.5
MW-13	Jul/Sep 2005	MW-13	1.4	14.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	402.0	Bromodichloromethane	0.5 J
												Dibromochloromethane	0.3 J
												Trichlorofluoromethane	1.3
MW-13	Oct/Nov 2005	MW-13	2.9	13.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	1410.0	Bromodichloromethane	0.3 J
												Toluene	13.5
												Trichlorofluoromethane	0.4 J
MW-13	Mar/Apr 2006	MW-13	1.7	11.0	0.5 J	0.3 J	0.5 U	0.3 J	0.5 U	3.1	1100.0	Toluene	1.6
												Trichlorofluoromethane	0.3 J
MW-13	May/Jun 2006	MW-13	2.1	14.0	0.4 J	0.5 U	0.5 U	0.2 J	0.5 U	4.5	1700.0	1,4-Dioxane	12.0
												Bromodichloromethane	0.4 J
												NDMA	0.0 U
												Toluene	1.3

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	May/June 2006	DUPE-9-2Q06	2.0	14.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1800.0	1,4-Dioxane	11.0
												Bromodichloromethane	0.4 J
												Toluene	1.5
MW-13	Aug/Sep 2006	MW-13	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	2100.0	1,1,2-Trichloroethane	0.4 J
												Bromodichloromethane	0.4 J
												Toluene	0.4 J
MW-13	Aug/Sep 2006	DUPE-3-3Q06	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.8	2100.0	1,1,2-Trichloroethane	0.4 J
												Bromodichloromethane	0.4 J
												Toluene	0.6
MW-13	Oct/Dec 2006	MW-13	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	150.0		
MW-13	Mar/Apr 2007	MW-13	0.5 U	0.8	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 J	250.0	Toluene	0.3 J
MW-13	Jun/Jul 2007	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	270.0 J	NDMA	0.0 J
												Toluene	0.7
MW-13	Aug/Sep 2007	MW-13	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Aug/Sep 2007	DUPE-6-3Q07	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Oct/Dec 2007	MW-13	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.3 J	28.0	Toluene	0.3 J
MW-13	Oct/Dec 2007	DUPE-6-4Q07	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.4 J	24.0	Toluene	0.5
MW-13	Jan/Feb 2008	MW-13	0.5 U	0.5 U	2.5	1.0	0.5 U	0.5 U	0.5 U	0.3 J	3.6	Toluene	1.9
MW-13	Apr/May 2008	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	700.0	1,4-Dioxane	2.3
												Toluene	1.5
MW-13	Jul/Aug 2008	MW-13	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	748.0	Toluene	1.1
MW-13	Oct/Nov 2008	MW-13	0.5 U	0.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	431.0	Toluene	3.4
MW-13	Jan/Feb 2009	MW-13	0.5 U	0.5 U	0.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	Toluene	1.0
MW-13	Apr/May 2009	MW-13	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.8	972.0	1,4-Dioxane	2.2
MW-13	Jul/Aug 2009	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1110.0		
MW-13	Nov/Dec 2009	MW-13	0.5 U	0.5 U	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5	182.0		
MW-13	Feb 2010	MW-13	0.5 U	0.5 U	2.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	0.5 U	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-14 Screen 1	Oct/Nov 1996	MW-14-1	0.5 U	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 1	Feb/Mar 1997	MW-14-1	0.5 U	0.5 U	0.7	1.5	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-14 Screen 1	June/July 1997	MW-14-1	0.5 U	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Sep/Oct 1997	MW-14-1	0.5 U	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 1998	MW-14-1	0.5 U	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 1	Apr/May 1998	MW-14-1	0.5 U	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.8	4.4		
MW-14 Screen 1	Jul/Aug 1998	MW-14-1	0.5 U	0.5 U	0.8	1.7	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-14 Screen 1	Oct/Nov 1998	MW-14-1	0.5 U	0.5 U	0.5	2.4	0.5 U	0.5 U	0.5 U	0.6	4.2		
MW-14 Screen 1	Feb/Mar 1999	MW-14-1	0.5 U	0.5 U	0.8	1.2	0.5 U	0.5 U	0.6 B	0.6	4.2		
MW-14 Screen 1	May/June 1999	MW-14-1	0.5 U	0.5 U	0.5	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Aug 1999	MW-14-1	0.5 U	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Mar/Apr 2000	MW-14-1	0.5 U	0.5 U	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5	5.3		
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	NA U	NA U	NA U	0.7	NA U	NA U	NA U	NA U	NA U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 1	Sep/Oct 2000	MW-14-1	0.5 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 2001	MW-14-1	0.5 U	0.5 U	1.4	1.1	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.3 J 0.5 J
MW-14 Screen 1	Apr 2001	MW-14-1	0.5 U	0.5 U	0.7	0.7	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 1	Apr 2001	DUP	0.5 U	0.5 U	0.6	0.6	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 1	Jul 2001	MW-14-1	NA U	NA U	NA U	0.7	NA U	NA U	NA U	NA U	NA U		
MW-14 Screen 1	Oct 2001	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 2002	MW-14-1	0.5 U	0.3 J	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0		
MW-14 Screen 1	Apr/May 2002	MW-14-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jul 2002	MW-14-1	NA U	NA U	NA U	0.8	NA U	NA U	NA U	NA U	NA U		
MW-14 Screen 1	Oct/Nov 2002	MW-14-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	0.5 U	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.4 J	1.9 J	Methylene chloride	0.5 J
MW-14 Screen 1	Apr/May 2003	MW-14-1	0.5 U	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.8 J		
MW-14 Screen 1	Jul/Aug 2003	MW-14-1	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.8 J	Methylene chloride	0.5 J
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	0.5 U	0.5 U	0.4 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-14 Screen 1	Feb 2004	MW-14-1	0.5 U	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	2.3 J		
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Apr/May 2004	MW-14-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-14 Screen 1	Jul/Aug 2004	MW-14-1	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	0.5 UJ	0.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	0.5 U	2.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Apr/May 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	2-Butanone	0.7 J
MW-14 Screen 1	Jul/Sep 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	Methylene chloride	0.4 J
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	Methylene chloride	0.3 J
MW-14 Screen 1	Mar/Apr 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	May/Jun 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Aug/Sep 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Dec 2006	MW-14-1	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Mar/Apr 2007	MW-14-1	0.5 U	2.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jun/Jul 2007	MW-14-1	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Aug/Sep 2007	MW-14-1	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Oct/Dec 2007	MW-14-1	0.5 U	3.4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6		
MW-14 Screen 1	Jan/Feb 2008	MW-14-1	0.5 U	3.4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.3		
MW-14 Screen 1	Apr/May 2008	MW-14-1	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.1 J		
MW-14 Screen 1	Jul/Aug 2008	MW-14-1	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-14 Screen 1	Oct/Nov 2008	MW-14-1	0.5 U	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-14 Screen 1	Jan/Feb 2009	MW-14-1	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-14 Screen 1	Apr/May 2009	MW-14-1	0.5 U	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-14 Screen 1	Jul/Aug 2009	MW-14-1	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-14 Screen 1	Jul/Aug 2009	DUPE-2-3Q09	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 1	Nov/Dec 2009	MW-14-1	0.5 U	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-14 Screen 1	Feb 2010	MW-14-1	0.5 U	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	0.5 U	2.8	1.6	1.4	0.5 U	0.5 U	0.5 U	1.5	NA	
MW-14 Screen 2	Oct/Nov 1996	MW-14-2	0.5 U	1.5	1.6	1.0	0.5 U	0.5 U	0.5 U	0.9	NA	1,2,3-Trichlorobenzene 0.6
MW-14 Screen 2	Feb/Mar 1997	MW-14-2	0.5 U	0.9	1.9	1.3	0.5 U	0.5 U	0.5 U	0.8	NA	1,2,3-Trichlorobenzene 0.8
MW-14 Screen 2	June/July 1997	MW-14-2	0.5 U	1.1	1.7	1.5	0.5 U	0.5 U	0.5 U	0.9	4.0 U	1,2,3-Trichlorobenzene 0.5
MW-14 Screen 2	Sep/Oct 1997	MW-14-2	0.5 U	1.2	1.9	1.6	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-14 Screen 2	Jan/Feb 1998	MW-14-2	0.5 U	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	9.0	
MW-14 Screen 2	Apr/May 1998	MW-14-2	0.5 U	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0	
MW-14 Screen 2	Jul/Aug 1998	MW-14-2	0.5 U	0.9	1.8	0.8	0.5 U	0.5 U	0.5 U	0.6	4.9	
MW-14 Screen 2	Oct/Nov 1998	MW-14-2	0.5 U	0.6	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5	4.2	
MW-14 Screen 2	Feb/Mar 1999	MW-14-2	0.5 U	0.9	1.6	0.7	0.5 U	0.5 U	0.6 B	0.6	4.2	
MW-14 Screen 2	May/Jun 1999	MW-14-2	0.5 U	1.0	1.2	0.8	0.5 U	0.5 U	0.5 U	0.6	9.6	
MW-14 Screen 2	Aug 1999	MW-14-2	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 2	Nov/Dec 1999	MW-14-2	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	
MW-14 Screen 2	Mar/Apr 2000	MW-14-2	0.5 U	2.5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	6.0	
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	0.5 U	1.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.9	
MW-14 Screen 2	Sep/Oct 2000	MW-14-2	0.5 U	2.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-14 Screen 2	Jan/Feb 2001	MW-14-2	0.5 U	2.5	0.7	0.5 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 0.4 J
MW-14 Screen 2	Apr 2001	MW-14-2	0.5 U	4.2	0.9	0.7	0.5 U	0.5 U	NA	0.5	4.0 U	
MW-14 Screen 2	Jul 2001	MW-14-2	NA U	2.7	0.8	0.4 J	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 2	Jul 2001	DUP	NA U	3.4	0.8	0.5 J	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 2	Oct 2001	MW-14-2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 2	Jan/Feb 2002	MW-14-2	0.5 U	4.7	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-14 Screen 2	Apr/May 2002	MW-14-2	0.5 U	3.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 2	Jul 2002	MW-14-2	NA U	5.9	0.8	0.5 J	NA U	NA U	NA U	0.6	NA U	
MW-14 Screen 2	Oct/Nov 2002	MW-14-2	0.5 U	5.3	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U	1,4-Dioxane 1.2 n-Nitrosodiphenylamine (NDPHA) 0.0 J Total Trihalomethanes 1.9
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	0.5 U	6.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.6	2.6 J	
MW-14 Screen 2	Apr/May 2003	MW-14-2	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.3 J	
MW-14 Screen 2	Jul/Aug 2003	MW-14-2	0.5 U	1.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	5.4	Methylene chloride 0.4 J
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	0.5 U	4.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7 J	
MW-14 Screen 2	Feb 2004	MW-14-2	0.5 U	5.9	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-14 Screen 2	Apr/May 2004	MW-14-2	0.5 U	4.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7 J	
MW-14 Screen 2	Jul/Aug 2004	MW-14-2	0.5 U	4.6	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	9.3	
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	0.5 UJ	5.2 J	0.6 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	4.0 U	
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	0.5 U	10.4	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	m,p-Xylene 0.3 J trans-1,2-Dichloroethene 0.3 J
MW-14 Screen 2	Apr/May 2005	MW-14-2	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	Bromodichloromethane 0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 2	Jul/Sep 2005	MW-14-2	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	trans-1,2-Dichloroethene	2.1
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	0.5 U	4.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.1 J		
MW-14 Screen 2	Mar/Apr 2006	MW-14-2	0.5 U	6.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 2	May/June 2006	MW-14-2	0.5 U	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Aug/Sep 2006	MW-14-2	0.5 U	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Oct/Dec 2006	MW-14-2	0.5 U	7.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Mar/Apr 2007	MW-14-2	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Jun/Jul 2007	MW-14-2	0.5 U	4.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Aug/Sep 2007	MW-14-2	0.5 U	5.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Oct/Dec 2007	MW-14-2	0.5 U	7.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 2	Jan/Feb 2008	MW-14-2	0.5 U	6.7	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.9	cis-1,2-Dichloroethene	0.4 J
MW-14 Screen 2	Apr/May 2008	MW-14-2	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-14 Screen 2	Jul/Aug 2008	MW-14-2	0.5 U	8.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-14 Screen 2	Jul/Aug 2008	DUPE-01-3Q08	1.0 U	7.9	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.8		
MW-14 Screen 2	Oct/Nov 2008	MW-14-2	0.5 U	8.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14 Screen 2	Jan/Feb 2009	MW-14-2	0.5 U	8.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14 Screen 2	Apr/May 2009	MW-14-2	0.5 U	7.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14 Screen 2	Jul/Aug 2009	MW-14-2	0.5 U	9.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3	cis-1,2-Dichloroethene	0.6
MW-14 Screen 2	Nov/Dec 2009	MW-14-2	0.5 U	13.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.3	cis-1,2-Dichloroethene	0.6
MW-14 Screen 2	Feb 2010	MW-14-2	0.5 U	11.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.9	cis-1,2-Dichloroethene	0.5
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 3	Oct/Nov 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 3	Feb/Mar 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 3	June/July 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-14 Screen 3	Sep/Oct 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Jan/Feb 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6		
MW-14 Screen 3	Apr/May 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8		
MW-14 Screen 3	Jul/Aug 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9		
MW-14 Screen 3	Oct/Nov 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7		
MW-14 Screen 3	Feb/Mar 1999	MW-14-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.6 B	0.5	5.9		
MW-14 Screen 3	May/June 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.0		
MW-14 Screen 3	Aug 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6		
MW-14 Screen 3	Nov/Dec 1999	MW-14-3	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.8		
MW-14 Screen 3	Mar/Apr 2000	MW-14-3	0.5 U	0.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.9		
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.5		
MW-14 Screen 3	Sep/Oct 2000	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.4		
MW-14 Screen 3	Jan/Feb 2001	MW-14-3	2.5 U	4.0	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	6.0	Methylene chloride	8.1
MW-14 Screen 3	Apr 2001	MW-14-3	0.5 U	0.7	0.3 J	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 3	Jul 2001	MW-14-3	NA U	1.1	0.7	0.4 J	NA U	NA U	NA U	NA U	NA U		
MW-14 Screen 3	Oct 2001	MW-14-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 3	Jan/Feb 2002	MW-14-3	0.5 U	1.6	0.6	0.5 J	0.5 U	0.5 U	0.5 U	0.6	5.9	Methylene chloride	0.3 J
MW-14 Screen 3	Apr/May 2002	MW-14-3	0.5 U	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Jul 2002	MW-14-3	NA U	1.1	0.6	NA U	NA U	NA U	NA U	0.6	NA U		
MW-14 Screen 3	Oct/Nov 2002	MW-14-3	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	0.5 U	1.1	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	2.9 J		
MW-14 Screen 3	Apr/May 2003	MW-14-3	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.7		
MW-14 Screen 3	Apr/May 2003	DUPE-2-2Q03	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.4		
MW-14 Screen 3	Jul/Aug 2003	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Methylene chloride	0.3 J
MW-14 Screen 3	Jul/Aug 2003	DUPE-4-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	Methylene chloride	0.8
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	0.5 U	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	7.2 J		
MW-14 Screen 3	Feb 2004	MW-14-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 3	Apr/May 2004	MW-14-3	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.6		
MW-14 Screen 3	Jul/Aug 2004	MW-14-3	0.5 U	1.0	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	7.3		
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	0.5 UJ	1.1 J	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	18.5		
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	0.5 U	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 3	Apr/May 2005	MW-14-3	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2		
MW-14 Screen 3	Jul/Sep 2005	MW-14-3	0.5 U	1.0	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.9		
MW-14 Screen 3	Mar/Apr 2006	MW-14-3	0.5 U	1.1	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.8		
MW-14 Screen 3	May/June 2006	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6		
MW-14 Screen 3	Aug/Sep 2006	MW-14-3	0.5 U	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-14 Screen 3	Oct/Dec 2006	MW-14-3	0.5 U	1.4	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Mar/Apr 2007	MW-14-3	0.5 U	1.3	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 3	Jun/Jul 2007	MW-14-3	0.5 U	1.2	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Aug/Sep 2007	MW-14-3	0.5 U	1.2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Oct/Dec 2007	MW-14-3	0.5 U	1.2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	5.9		
MW-14 Screen 3	Jan/Feb 2008	MW-14-3	0.5 U	1.4	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5	6.6	1,2,3-Trichlorobenzene cis-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 3	Apr/May 2008	MW-14-3	0.5 U	1.1	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.2 J		
MW-14 Screen 3	Jul/Aug 2008	MW-14-3	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-14 Screen 3	Oct/Nov 2008	MW-14-3	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14 Screen 3	Oct/Nov 2008	DUPE-05-4Q08	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-14 Screen 3	Jan/Feb 2009	MW-14-3	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-14 Screen 3	Apr/May 2009	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-14 Screen 3	Jul/Aug 2009	MW-14-3	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.8		
MW-14 Screen 3	Nov/Dec 2009	MW-14-3	0.5 U	1.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.3		
MW-14 Screen 3	Feb 2010	MW-14-3	0.5 U	1.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.6		
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Oct/Nov 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Feb/Mar 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	June/July 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 4	Sep/Oct 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jan/Feb 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul/Aug 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Oct/Nov 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Feb/Mar 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 B	0.5 U	4.0 U	
MW-14 Screen 4	May/Jun 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9	
MW-14 Screen 4	Aug 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	
MW-14 Screen 4	Nov/Dec 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-14 Screen 4	Mar/Apr 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	
MW-14 Screen 4	Sep/Oct 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jan/Feb 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) 0.4 J 0.7 J
MW-14 Screen 4	Apr 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-14 Screen 4	Jul 2001	MW-14-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 4	Oct 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.9 J
MW-14 Screen 4	Jan/Feb 2002	MW-14-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul 2002	MW-14-4	NA U	NA U	0.4 J	NA U	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 4	Jul 2002	DUP	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 4	Oct/Nov 2002	MW-14-4	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	4.0 U	n-Nitrosodiphenylamine (NDPHA) 0.0 J
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	
MW-14 Screen 4	Apr/May 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	
MW-14 Screen 4	Jul/Aug 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4 J	
MW-14 Screen 4	Feb 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0	
MW-14 Screen 4	Jul/Aug 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7	
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	
MW-14 Screen 4	Jan/Feb 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	
MW-14 Screen 4	Apr/May 2005	DUPE-4-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5 J	2-Butanone 0.9 J
MW-14 Screen 4	Jul/Sep 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J	
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	
MW-14 Screen 4	Mar/Apr 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	May/Jun 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Aug/Sep 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Oct/Dec 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 4	Mar/Apr 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-14 Screen 4	Jun/Jul 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-14 Screen 4	Aug/Sep 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Oct/Dec 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-14 Screen 4	Jan/Feb 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	
MW-14 Screen 4	Apr/May 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J	
MW-14 Screen 4	Jul/Aug 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-14 Screen 4	Oct/Nov 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-14 Screen 4	Jan/Feb 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-14 Screen 4	Apr/May 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	
MW-14 Screen 4	Jul/Aug 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-14 Screen 4	Nov/Dec 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	
MW-14 Screen 4	Feb 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-14 Screen 5	Oct/Nov 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-14 Screen 5	Feb/Mar 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-14 Screen 5	June/July 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Sep/Oct 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jan/Feb 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Apr/May 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Oct/Nov 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Feb/Mar 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 B	0.5 U	4.0 U	
MW-14 Screen 5	May/June 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Aug 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Nov/Dec 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Mar/Apr 2000	MW-14-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Sep/Oct 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jan/Feb 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)
MW-14 Screen 5	Apr 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	0.4 J 0.6 J
MW-14 Screen 5	Jul 2001	MW-14-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 5	Oct 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-14 Screen 5	Jan/Feb 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1.0
MW-14 Screen 5	Apr/May 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-14 Screen 5	Jul 2002	MW-14-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-14 Screen 5	Oct/Nov 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.3 J
MW-14 Screen 5	Apr/May 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Feb 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Apr/May 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 2004	DUPE-1-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.5
												m,p-Xylene	6.6
												o-Xylene	1.2
												Toluene	0.9
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.3
												m,p-Xylene	5.7
												o-Xylene	1.1
												Toluene	0.7
MW-14 Screen 5	Jan/Feb 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.3 J
												m,p-Xylene	0.8
MW-14 Screen 5	Apr/May 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	m,p-Xylene	0.6
MW-14 Screen 5	Jul/Sep 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Mar/Apr 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	May/Jun 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Aug/Sep 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Oct/Dec 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Mar/Apr 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Jun/Jul 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Dec 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Jan/Feb 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Apr/May 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Nov 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jan/Feb 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Nov/Dec 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Feb 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Aug/Sep 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	Oct/Nov 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	Feb/Mar 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	June/July 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Sep/Oct 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-15	Apr/May 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Feb/Mar 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Nov/Dec 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 2000	MW-15	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-15	Jan/Feb 2001	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2002	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0 J
MW-15	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0 J
MW-15	Apr/May 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Methylene chloride	4.0 J 2.6
MW-15	Oct/Nov 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2003	DUPE-2-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	DUPE-6-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-15	Jul/Sep 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	Methylene chloride	1.4
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J	Methylene chloride	1.3
MW-15	Oct/Nov 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jun/Jul 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U	Toluene	1.4
MW-15	Apr/May 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Toluene	0.4 J
MW-15	Apr/May 2008	DUPE-7-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Toluene	0.4 J
MW-15	Oct/Nov 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Toluene	0.8
MW-15	Apr/May 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Aug/Sep 1996	MW-16	125.0	33.0	1.3	0.5 U	2.4	2.2	2.0	40.0	NA		
MW-16	Feb/Mar 1997	MW-16	91.0	23.0	1.3	0.5 U	1.7	2.6	1.6	29.0	NA		
MW-16	June/July 1997	MW-16	68.0	25.0	1.1	0.5 U	2.1	1.7	0.6	43.0	615.0		
MW-16	Jan/Feb 1998	MW-16	30.0	3.5	1.0	NA U	NA U	1.3	NA U	14.0	1230.0		
MW-16	Apr/May 1998	MW-16	42.0	12.0	0.8	0.5 U	1.4	1.6	1.2	20.0	640.0	1,4-Dioxane	5.0
MW-16	Jul/Aug 1998	MW-16	58.0	19.0	1.3	0.5 U	0.8	2.7	1.2	23.0	420.0	1,1,1-Trichloroethane Methylene chloride	1.0 0.6
MW-16	Oct/Nov 1998	MW-16	51.0	18.0	1.0	0.5 U	1.5	1.6	1.4	29.0	220.0	1,1,1-Trichloroethane 1,4-Dioxane	1.1 3.7
MW-16	Feb/Mar 1999	MW-16	67.0	20.0	1.4	0.5 U	1.1	1.8	1.1	24.0	790.0	1,4-Dioxane	3.7

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	May/June 1999	MW-16	58.0	15.0	1.0	0.5 U	0.8	1.3	1.2	23.0	650.0	1,4-Dioxane	3.4
												Trichlorofluoromethane	0.5
MW-16	Aug 1999	MW-16	70.0	19.0	1.8	0.5 U	1.1	1.9	1.1	26.0	930.0	1,1,1-Trichloroethane	0.6
MW-16	Nov/Dec 1999	MW-16	80.0	10.4	3.0	0.5 U	0.7	5.3	0.7	24.0	770.0		
MW-16	Mar/Apr 2000	MW-16	24.0	4.3	0.9	0.5 U	0.5 U	4.0	0.5 U	17.0	1900.0		
MW-16	Jul/Aug 2000	MW-16	33.0	8.2	1.1	NA U	0.7	1.3	0.5	16.0	1500.0		
MW-16	Jan/Feb 2001	MW-16	14.1	2.1	0.6	0.5 U	0.5 U	2.1	0.5 U	15.5	1780.0	1,4-Dioxane	5.5
												Methylene chloride	0.8 B
												Methyl-tert-butyl ether (MTBE)	0.6 J
												NDMA	0.0 B
												Trichlorofluoromethane	1.0
MW-16	Apr 2001	MW-16	21.0	3.6	NA U	NA U	NA U	1.7	NA U	15.3	1300.0		
MW-16	Jul 2001	MW-16	7.8	5.6	NA U	NA U	0.4 J	0.5 J	NA U	6.9	1800.0		
MW-16	Jul 2001	DUP	7.8	5.6	NA U	NA U	0.5 J	NA U	NA U	7.1	1800.0	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-16	Oct 2001	MW-16	10.3	2.3	0.5 U	0.5 U	0.5 U	0.8	0.5 U	7.5	1860.0		
MW-16	Jan/Feb 2002	MW-16	12.3	2.5	0.5	0.5 U	0.5 U	1.4	0.5 U	15.9	2070.0	1,4-Dioxane	9.9
												Methylene chloride	0.9 J
MW-16	Jan/Feb 2002	DUP	13.2	2.7	0.6	0.5 U	0.5 U	1.3	0.5 U	16.7	2070.0	1,4-Dioxane	10.0
MW-16	Apr/May 2002	MW-16	8.9	1.5	0.4 J	0.5 U	0.5 U	1.2	0.5 U	10.7	2880.0	Trichlorofluoromethane	0.3 J
MW-16	Apr/May 2002	DUP	9.9	1.8	0.5 J	0.5 U	0.5 U	1.3	0.5 U	11.7	2910.0	Trichlorofluoromethane	0.3 J
MW-16	Jul 2002	MW-16	4.5	1.7	NA U	NA U	NA U	NA U	NA U	5.4	1510.0		
MW-16	Oct/Nov 2002	MW-16	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	1920.0	Methylene chloride	1.2 B
												Trichlorofluoromethane	1.5
MW-16	Oct/Nov 2002	DUP	2.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	2000.0	Methylene chloride	0.4 J
												Trichlorofluoromethane	1.5
MW-16	Jan/Feb 2003	MW-16	0.6	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.4	97.2	1,4-Dioxane	3.0
												n-Nitrosodiphenylamine (NDPHA)	0.0 J
												Total Trihalomethanes	1.3
MW-16	Jan/Feb 2003		NA	NA	NA	NA	NA	NA	NA	NA	NA	n-Nitrosodiphenylamine (NDPHA)	3.0
												Total Trihalomethanes	0.0 J
												Total Trihalomethanes	1.2
MW-16	Apr/May 2003	MW-16	2.9	1.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	3.8	1810.0	1,4-Dioxane	6.3
												4-Methyl-2-pentanone	4.0 J
MW-16	Jul/Aug 2003	MW-16	1.9	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1520.0 J	Dibromochloromethane	0.4 J
MW-16	Oct/Nov 2003	MW-16	3.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1360.0 J		
MW-16	Feb 2004	MW-16	1.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	1630.0		
MW-16	Apr/May 2004	MW-16	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	929.0	1,4-Dioxane	3.1
MW-16	Jul/Aug 2004	MW-16	4.0	1.0	0.5	0.5 U	0.5 U	1.3	0.5 U	5.1	833.0		
MW-16	Oct/Nov 2004	MW-16	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	322.0		
MW-16	Jan/Feb 2005	MW-16	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2100.0	Methylene chloride	0.9
MW-16	Jan/Feb 2005	DUPE-7-1Q05	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2110.0	Methylene chloride	0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Apr/May 2005	MW-16	3.1	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4750.0	1,4-Dioxane Bromodichloromethane	5.0 0.4 J
MW-16	Jul/Sep 2005	MW-16	11.2	2.6	5.3	0.5 U	0.5 U	2.6	0.5 U	9.7	13000.0		
MW-16	Oct/Nov 2005	MW-16	17.6	2.4	7.3	0.5 U	0.5 U	2.1	0.5 U	10.8	13100.0		
MW-16	Mar/Apr 2006	MW-16	26.0	2.5	12.0	0.5 U	0.5 U	2.9	0.5 U	14.0	12000.0	Toluene	0.5
MW-16	May/June 2006	MW-16	43.0	2.9	12.0	0.5 U	0.5 U	2.0	0.4 J	11.0	9000.0	1,4-Dioxane NDMA Toluene	1.1 J 0.0 U 1.1
MW-16	Aug/Sep 2006	MW-16	31.0	3.2	7.4	0.5 U	0.5 U	2.4	0.3 J	14.0	4600.0		
MW-16	Aug/Sep 2006	DUPE-4-3Q06	31.0	3.2	7.2	0.5 U	0.5 U	2.2	0.5 U	13.0	4900.0		
MW-16	Oct/Dec 2006	MW-16	3.1	0.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.7	1400.0	m,p-Xylene Toluene	0.6 J 0.6
MW-16	Mar/Apr 2007	MW-16	7.9	1.0	2.8	0.5 U	0.5 U	1.2	0.5 U	9.1	1500.0	Toluene	1.1
MW-16	Mar/Apr 2007	DUPE-7-1Q07	8.0	0.9	2.7	0.5 U	0.5 U	0.8	0.5 U	9.2	1500.0	Toluene	1.0
MW-16	Jun/Jul 2007	MW-16	6.6	0.6	2.1	0.5 U	0.5 U	2.8	0.5 U	14.0	1700.0 J	1,4-Dioxane Toluene	6.4 0.5
MW-16	Aug/Sep 2007	MW-16	5.1	0.5 U	1.5	0.5 U	0.5 U	2.4	0.5 U	22.0	2000.0	Toluene	0.5
MW-16	Aug/Sep 2007	DUPE-5-3Q07	5.1	0.3 J	1.4	0.5 U	0.5 U	2.1	0.5 U	21.0	2000.0	Toluene	0.6
MW-16	Oct/Dec 2007	MW-16	6.0	1.4	1.5	0.5 U	0.5 U	2.2	0.5 U	23.0	3100.0	Toluene	0.4 J
MW-16	Oct/Dec 2007	DUPE-5-4Q07	6.4	0.9	1.7	0.5 U	0.5 U	2.3	0.5 U	25.0	3000.0	Toluene	0.4 J
MW-16	Jan/Feb 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	78.0	Bromodichloromethane Bromoform Dibromochloromethane Toluene	7.7 4.1 7.8 0.6
MW-16	Apr/May 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	23.0	4.8	1,4-Dioxane Bromodichloromethane Bromoform Dibromochloromethane Toluene	1.7 27.0 5.9 21.0 1.5
MW-16	Apr/May 2008	DUPE-6-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.0	4.8	1,4-Dioxane Bromodichloromethane Bromoform Dibromochloromethane Toluene	1.5 27.0 6.4 22.0 1.5
MW-16	Jul/Aug 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	19.3	Bromodichloromethane Bromoform Dibromochloromethane Toluene	5.3 3.0 4.3 1.5
MW-16	Oct/Nov 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1.0 U	Bromodichloromethane Dibromochloromethane Toluene	1.7 0.7 3.7

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP		
MW-16	Jan/Feb 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	18.0	Bromodichloromethane	5.9	
												Bromoform	2.6	
												Dibromochloromethane	5.0	
MW-16	Apr/May 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0	9.5 J	1,4-Dioxane	1.1	
												Bromodichloromethane	9.7	
												Bromoform	9.8	
												Dibromochloromethane	14.0	
												NDMA	0.0 J	
MW-16	Jul/Aug 2009	MW-16	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	1.0 U	Bromodichloromethane	5.1	
												Bromoform	8.1	
												Dibromochloromethane	7.8	
MW-16	Nov/Dec 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-16	Feb 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8			
MW-17 Screen 1	Aug/Sep 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Oct/Nov 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Feb/Mar 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	June/July 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Sep/Oct 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jan/Feb 1998	MW-17-1	30.0	3.5	1.0	0.5 U	0.5 U	1.3	0.5 U	14.0	1230.0			
MW-17 Screen 1	Apr/May 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U			
MW-17 Screen 1	Jul/Aug 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Oct/Nov 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	May/Jun 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Nov/Dec 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jul/Aug 2000	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jan/Feb 2001	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-17 Screen 1	Jan/Feb 2002	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	7.3
MW-17 Screen 1	Apr/May 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2004	MW-17-1	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 UJ			
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jul/Sep 2005	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Jul/Sep 2005	DUPE-11-9/12/05	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	May/Jun 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	May/Jun 2006	DUPE-3-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Dec 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	NDPA	0.0
MW-17 Screen 1	Jun/Jul 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Dec 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 1	Apr/May 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Nov 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Nov/Dec 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Nov/Dec 2009	DUPE-03-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	NA	Bromodichloromethane	0.6
MW-17 Screen 2	Aug/Sep 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	NA		
MW-17 Screen 2	Oct/Nov 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	NA	Bromodichloromethane	0.6
MW-17 Screen 2	Feb/Mar 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	NA		
MW-17 Screen 2	June/July 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0 U		
MW-17 Screen 2	Sep/Oct 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	4.0 U		
MW-17 Screen 2	Jan/Feb 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	Bromodichloromethane	0.5
MW-17 Screen 2	Apr/May 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U		
MW-17 Screen 2	Jul/Aug 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-17 Screen 2	Oct/Nov 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U		
MW-17 Screen 2	Feb/Mar 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 B	3.9	4.0 U		
MW-17 Screen 2	May/June 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U		
MW-17 Screen 2	Aug 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U		
MW-17 Screen 2	Nov/Dec 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-17 Screen 2	Mar/Apr 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-17 Screen 2	Jul/Aug 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-17 Screen 2	Sep/Oct 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-17 Screen 2	Jan/Feb 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-17 Screen 2	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-17 Screen 2	Apr 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-17 Screen 2	Apr 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-17 Screen 2	Jul 2001	MW-17-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.4 J	NA U		
MW-17 Screen 2	Oct 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	15.0
MW-17 Screen 2	Apr/May 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.3 J
MW-17 Screen 2	Jul 2002	MW-17-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-17 Screen 2	Oct/Nov 2002	MW-17-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.4 J		
MW-17 Screen 2	Apr/May 2003	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4-Methyl-2-pentanone	5.0 J
MW-17 Screen 2	Jul/Aug 2003	MW-17-2	0.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.9 J		
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	1.0	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	15.7 J		
MW-17 Screen 2	Feb 2004	MW-17-2	0.7	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.2		
MW-17 Screen 2	Apr/May 2004	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5 J		
MW-17 Screen 2	Jul/Aug 2004	MW-17-2	1.0	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.0		
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	0.5 J	3.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.0	14.2		
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	1.5	4.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.6		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	1.6	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	10.0	
MW-17 Screen 2	Apr/May 2005	MW-17-2	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.2	m,p-Xylene
MW-17 Screen 2	Jul/Sep 2005	MW-17-2	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	9.7	0.3 J
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.7	
MW-17 Screen 2	Mar/Apr 2006	MW-17-2	0.5 U	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	14.0	
MW-17 Screen 2	May/June 2006	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0	
MW-17 Screen 2	Aug/Sep 2006	MW-17-2	0.6	1.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	13.0	
MW-17 Screen 2	Oct/Dec 2006	MW-17-2	0.5 U	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0	
MW-17 Screen 2	Oct/Dec 2006	DUPE-1-4Q06	0.3 J	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0	
MW-17 Screen 2	Mar/Apr 2007	MW-17-2	0.5 U	1.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	10.0	
MW-17 Screen 2	Mar/Apr 2007	DUPE-1-1Q07	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.4	
MW-17 Screen 2	Jun/Jul 2007	MW-17-2	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0	
MW-17 Screen 2	Aug/Sep 2007	MW-17-2	0.5 U	1.1	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	7.9	
MW-17 Screen 2	Oct/Dec 2007	MW-17-2	0.5 U	1.4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.6	9.8	
MW-17 Screen 2	Jan/Feb 2008	MW-17-2	0.5 U	1.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.6	8.8 J	
MW-17 Screen 2	Apr/May 2008	MW-17-2	0.5 U	1.0	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	7.1	
MW-17 Screen 2	Jul/Aug 2008	MW-17-2	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.7	
MW-17 Screen 2	Oct/Nov 2008	MW-17-2	0.5 U	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	
MW-17 Screen 2	Jan/Feb 2009	MW-17-2	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	
MW-17 Screen 2	Apr/May 2009	MW-17-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3	
MW-17 Screen 2	Jul/Aug 2009	MW-17-2	0.5 U	1.2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0	
MW-17 Screen 2	Nov/Dec 2009	MW-17-2	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	
MW-17 Screen 2	Feb 2010	MW-17-2	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6 J	
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	NA	Bromodichloromethane
MW-17 Screen 3	Aug/Sep 1996	MW-17-3	2.0	7.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	NA	Bromodichloromethane
MW-17 Screen 3	Oct/Nov 1996	MW-17-3	3.3	18.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	7.8	NA	Bromodichloromethane
MW-17 Screen 3	Feb/Mar 1997	MW-17-3	5.1	23.0 E	1.1	0.5 U	0.5 U	0.5 U	0.5 U	5.6	NA	Bromodichloromethane
MW-17 Screen 3	June/July 1997	MW-17-3	1.3	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	12.0	Bromodichloromethane
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	6.6	22.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	8.5	55.0	Bromodichloromethane
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0 U	Bromodichloromethane
MW-17 Screen 3	Apr/May 1998	MW-17-3	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	4.0 U	Bromodichloromethane
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	4.0 U	
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	5.1	
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.2	
MW-17 Screen 3	May/June 1999	MW-17-3	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U	
MW-17 Screen 3	Aug 1999	MW-17-3	0.8	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	6.1	
MW-17 Screen 3	Nov/Dec 1999	MW-17-3	0.7	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	5.5	
MW-17 Screen 3	Mar/Apr 2000	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	5.0	
MW-17 Screen 3	Jul/Aug 2000	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	6.7	
MW-17 Screen 3	Sep/Oct 2000	MW-17-3	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U	
MW-17 Screen 3	Jan/Feb 2001	MW-17-3	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Methyl-tert-butyl ether (MTBE)

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 3	Apr 2001	MW-17-3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.3	5.0	
MW-17 Screen 3	Jul 2001	MW-17-3	0.6	0.8	NA U	NA U	NA U	NA U	NA U	1.5	3.8 J	
MW-17 Screen 3	Oct 2001	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	7.3	
MW-17 Screen 3	Jan/Feb 2002	MW-17-3	0.7	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	6.3	
MW-17 Screen 3	Apr/May 2002	MW-17-3	1.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.7 B	Methylene chloride
MW-17 Screen 3	Jul 2002	MW-17-3	1.0	1.2	NA U	NA U	NA U	NA U	NA U	2.0	3.8 J	
MW-17 Screen 3	Oct/Nov 2002	MW-17-3	7.1	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	115.0	n-Nitrosodiphenylamine (NDPHA)
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	13.1	3.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U	
MW-17 Screen 3	Apr/May 2003	MW-17-3	6.4	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	126.0	4-Methyl-2-pentanone
MW-17 Screen 3	Jul/Aug 2003	MW-17-3	13.0	3.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.6	209.0 J	
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	11.0	3.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6	199.0 J	
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	13.7	3.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.1	193.0 J	
MW-17 Screen 3	Feb 2004	MW-17-3	9.6	3.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	162.0	
MW-17 Screen 3	Apr/May 2004	MW-17-3	4.7	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.0 UJ	
MW-17 Screen 3	Jul/Aug 2004	MW-17-3	9.7	3.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.7	109.0	
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	14.9 J	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	133.0	
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	9.4	3.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.3	76.2	
MW-17 Screen 3	Apr/May 2005	MW-17-3	2.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	96.5	
MW-17 Screen 3	Jul/Sep 2005	MW-17-3	3.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.4	m,p-Xylene
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	5.2	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	76.7	
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	4.9	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.8	
MW-17 Screen 3	Mar/Apr 2006	MW-17-3	2.8	1.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	61.0	
MW-17 Screen 3	May/Jun 2006	MW-17-3	2.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0	
MW-17 Screen 3	Aug/Sep 2006	MW-17-3	3.3	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	61.0	
MW-17 Screen 3	Oct/Dec 2006	MW-17-3	2.5	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	5.9 J	
MW-17 Screen 3	Mar/Apr 2007	MW-17-3	2.4 J	1.2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	47.0	
MW-17 Screen 3	Jun/Jul 2007	MW-17-3	1.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0	
MW-17 Screen 3	Jun/Jul 2007	DUPE-3-2Q07	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0	
MW-17 Screen 3	Aug/Sep 2007	MW-17-3	1.8	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	34.0	
MW-17 Screen 3	Oct/Dec 2007	MW-17-3	1.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	33.0	
MW-17 Screen 3	Jan/Feb 2008	MW-17-3	1.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	24.0 J	
MW-17 Screen 3	Apr/May 2008	MW-17-3	0.7	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	22.0	
MW-17 Screen 3	Jul/Aug 2008	MW-17-3	1.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	17.3	
MW-17 Screen 3	Oct/Nov 2008	MW-17-3	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	16.6	
MW-17 Screen 3	Jan/Feb 2009	MW-17-3	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	13.9	
MW-17 Screen 3	Apr/May 2009	MW-17-3	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9	
MW-17 Screen 3	Jul/Aug 2009	MW-17-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5	
MW-17 Screen 3	Nov/Dec 2009	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2	
MW-17 Screen 3	Feb 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.7 J	
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	0.5 U	8.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA	
MW-17 Screen 4	Aug/Sep 1996	MW-17-4	0.5 U	9.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	NA	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 4	Oct/Nov 1996	MW-17-4	0.5 U	8.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	NA	
MW-17 Screen 4	Feb/Mar 1997	MW-17-4	0.5 U	5.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA	
MW-17 Screen 4	June/July 1997	MW-17-4	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0	
MW-17 Screen 4	Sep/Oct 1997	MW-17-4	0.5 U	6.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.0	
MW-17 Screen 4	Jan/Feb 1998	MW-17-4	0.5 U	7.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0	
MW-17 Screen 4	Apr/May 1998	MW-17-4	0.5 U	7.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	17.0	
MW-17 Screen 4	Jul/Aug 1998	MW-17-4	0.5 U	8.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.9	14.0	
MW-17 Screen 4	Oct/Nov 1998	MW-17-4	0.5 U	6.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.9	12.0	
MW-17 Screen 4	Feb/Mar 1999	MW-17-4	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.0 B	1.8	9.8	
MW-17 Screen 4	May/Jun 1999	MW-17-4	0.5 U	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	14.0	
MW-17 Screen 4	Aug 1999	MW-17-4	0.5 U	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0	
MW-17 Screen 4	Nov/Dec 1999	MW-17-4	0.5 U	6.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	10.0	
MW-17 Screen 4	Mar/Apr 2000	MW-17-4	0.5 U	9.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0	
MW-17 Screen 4	Jul/Aug 2000	MW-17-4	0.5 U	6.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	13.0	
MW-17 Screen 4	Sep/Oct 2000	MW-17-4	0.5 U	5.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	13.0	
MW-17 Screen 4	Jan/Feb 2001	MW-17-4	0.5 U	4.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.0	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-17 Screen 4	Apr 2001	MW-17-4	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.8	12.0	Methylene chloride 0.4 J
MW-17 Screen 4	Jul 2001	MW-17-4	NA U	5.7	0.4 J	NA U	NA U	NA U	NA U	1.0	10.0	
MW-17 Screen 4	Oct 2001	MW-17-4	0.5 U	4.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	8.2	Toluene 0.9
MW-17 Screen 4	Jan/Feb 2002	MW-17-4	0.5 U	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	11.0	
MW-17 Screen 4	Apr/May 2002	MW-17-4	0.8	15.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	2.2	7.0	
MW-17 Screen 4	Jul 2002	MW-17-4	NA U	4.6	0.4 J	NA U	NA U	NA U	NA U	0.7	NA U	
MW-17 Screen 4	Oct/Nov 2002	MW-17-4	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methylene chloride 71.4 B
MW-17 Screen 4	Oct/Nov 2002	DUP	0.2 U	3.1	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.5	NA	Methylene chloride 85.0 B
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	n-Nitrosodiphenylamine (NDPHA) 0.0 J
MW-17 Screen 4	Apr/May 2003	MW-17-4	0.5 U	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	6.5	4-Methyl-2-pentanone 4.0 J
MW-17 Screen 4	Jul/Aug 2003	MW-17-4	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 4	Feb 2004	MW-17-4	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-17 Screen 4	Apr/May 2004	MW-17-4	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 UJ	
MW-17 Screen 4	Jul/Aug 2004	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	0.5 UJ	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.3 J
MW-17 Screen 4	Apr/May 2005	MW-17-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.4 J
MW-17 Screen 4	Jul/Sep 2005	MW-17-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 4	Mar/Apr 2006	MW-17-4	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 4	May/Jun 2006	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	1,4-Dioxane 4.8 U NDMA 0.0 U
MW-17 Screen 4	Aug/Sep 2006	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 4	Oct/Dec 2006	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	n-Nitrosodiphenylamine (NDPHA) 0.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 4	Mar/Apr 2007	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Jun/Jul 2007	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	NDMA 0.0
MW-17 Screen 4	Aug/Sep 2007	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Oct/Dec 2007	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 4	Jan/Feb 2008	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 4	Apr/May 2008	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 4	Jul/Aug 2008	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Jul/Aug 2008	DUPE-3-3Q08	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	
MW-17 Screen 4	Oct/Nov 2008	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Oct/Nov 2008	DUPE-03-4Q08	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Jan/Feb 2009	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Apr/May 2009	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	NDMA 0.0 J
MW-17 Screen 4	Jul/Aug 2009	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Nov/Dec 2009	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 4	Feb 2010	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	0.5 U	12.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	NA	
MW-17 Screen 5	Aug/Sep 1996	MW-17-5	0.5 U	13.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.7	NA	
MW-17 Screen 5	Oct/Nov 1996	MW-17-5	0.5 U	16.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.7	NA	
MW-17 Screen 5	Feb/Mar 1997	MW-17-5	0.5 U	14.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-17 Screen 5	June/July 1997	MW-17-5	0.5 U	11.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	12.0	
MW-17 Screen 5	Sep/Oct 1997	MW-17-5	0.5 U	8.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	15.0	
MW-17 Screen 5	Jan/Feb 1998	MW-17-5	0.5 U	7.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	15.0	
MW-17 Screen 5	Apr/May 1998	MW-17-5	0.5 U	8.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0	
MW-17 Screen 5	Jul/Aug 1998	MW-17-5	0.5 U	8.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.0	13.0	
MW-17 Screen 5	Oct/Nov 1998	MW-17-5	0.5 U	11.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	2.7	12.0	
MW-17 Screen 5	Feb/Mar 1999	MW-17-5	0.5 U	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	6.4	
MW-17 Screen 5	May/Jun 1999	MW-17-5	0.5 U	6.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.0	12.0	
MW-17 Screen 5	Aug 1999	MW-17-5	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	11.0	
MW-17 Screen 5	Nov/Dec 1999	MW-17-5	0.5 U	6.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	9.1	
MW-17 Screen 5	Mar/Apr 2000	MW-17-5	0.5 U	8.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0	
MW-17 Screen 5	Jul/Aug 2000	MW-17-5	0.5 U	7.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0	
MW-17 Screen 5	Sep/Oct 2000	MW-17-5	0.5 U	6.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0	
MW-17 Screen 5	Jan/Feb 2001	MW-17-5	0.3 J	7.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.0	Methyl-tert-butyl ether (MTBE) 0.6 J
MW-17 Screen 5	Apr 2001	MW-17-5	0.5 U	5.7	0.4 J	0.5 U	0.5 U	0.5 U	NA	1.2	19.0	Methylene chloride 0.4 J
MW-17 Screen 5	Jul 2001	MW-17-5	0.3 J	6.1	0.5 J	NA U	NA U	NA U	NA U	1.0	22.0	
MW-17 Screen 5	Oct 2001	MW-17-5	0.5 U	6.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	10.4	Toluene 0.7
MW-17 Screen 5	Jan/Feb 2002	MW-17-5	0.5 U	6.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	14.7	
MW-17 Screen 5	Apr/May 2002	MW-17-5	0.3 J	9.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.4	Methylene chloride 0.4 J
MW-17 Screen 5	Jul 2002	MW-17-5	NA U	2.3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-17 Screen 5	Oct/Nov 2002	MW-17-5	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	Apr/May 2003	MW-17-5	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J	4-Methyl-2-pentanone 3.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	Apr/May 2004	MW-17-5	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	Apr/May 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	Jul/Sep 2005	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	May/Jun 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 5	Oct/Dec 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 5	Jun/Jul 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Oct/Dec 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 5	Apr/May 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene Methyl-tert-butyl ether (MTBE)
MW-17 Screen 5	Oct/Nov 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.3 J 0.3 J
MW-17 Screen 5	Apr/May 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Nov/Dec 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Aug/Sep 1996	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA	
MW-18 Screen 1	Feb/Mar 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	NA	Bromodichloromethane 0.5
MW-18 Screen 1	June/July 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-18 Screen 1	Apr/May 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-18 Screen 1	Jul/Aug 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Oct/Nov 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Feb/Mar 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	May/Jun 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Jan/Feb 2001	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	Methylene chloride 1.4
MW-18 Screen 1	Apr/May 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 4.0 J
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Apr/May 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Apr/May 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Jul/Sep 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 0.0 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	May/Jun 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	May/Jun 2006	DUPE-4-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Oct/Dec 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Jun/Jul 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Oct/Dec 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Apr/May 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Apr/May 2008	DUPE-2-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Oct/Nov 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Apr/May 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Nov/Dec 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 2	Aug/Sep 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5	NA	Bromodichloromethane	1.8
MW-18 Screen 2	Oct/Nov 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3	NA	Bromodichloromethane	1.9
MW-18 Screen 2	Feb/Mar 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	NA		
MW-18 Screen 2	June/July 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	Bromodichloromethane	0.8
MW-18 Screen 2	Sep/Oct 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	Bromodichloromethane	0.5
MW-18 Screen 2	Jan/Feb 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	Bromodichloromethane	0.8
MW-18 Screen 2	Apr/May 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	Bromodichloromethane	0.6
MW-18 Screen 2	Jul/Aug 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18 Screen 2	Oct/Nov 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Feb/Mar 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	Bromodichloromethane	0.8
MW-18 Screen 2	May/Jun 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-18 Screen 2	Aug 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Nov/Dec 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Mar/Apr 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	Bromodichloromethane	0.9
MW-18 Screen 2	Jul/Aug 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Sep/Oct 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Bromodichloromethane Methylene chloride Methyl-tert-butyl ether (MTBE)	0.4 J 1.7 0.6 J
MW-18 Screen 2	Apr 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	1.2	4.0 U	Bromodichloromethane	0.4 J
MW-18 Screen 2	Jul 2001	MW-18-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-18 Screen 2	Oct 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride	1.5
MW-18 Screen 2	Apr/May 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-18 Screen 2	Jul 2002	MW-18-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.4 J	NA U		
MW-18 Screen 2	Oct/Nov 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	4.0 J
MW-18 Screen 2	Jul/Aug 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Feb 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 2	Jul/Aug 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2005	DUPE-1-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jul/Sep 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane m,p-Xylene	0.0 U 0.5 U 0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Mar/Apr 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	May/Jun 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Aug/Sep 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Oct/Dec 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Mar/Apr 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Mar/Apr 2007	DUPE-2-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Jun/Jul 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride 0.7 J
MW-18 Screen 2	Aug/Sep 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Oct/Dec 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Jan/Feb 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Apr/May 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 2	Jul/Aug 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Oct/Nov 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Jan/Feb 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Apr/May 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Jul/Aug 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Nov/Dec 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7 J	
MW-18 Screen 2	Feb 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.4	
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	1.0	5.2	3.5	0.5 U	0.5 U	0.5 U	0.7	5.0	NA	
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	0.5 U	4.3	2.2	0.5 U	0.5 U	0.5 U	0.5 U	4.0	NA	
MW-18 Screen 3	Feb/Mar 1997	MW-18-3	0.8	6.6	2.9	0.5 U	0.5 U	0.5 U	0.5 U	5.1	NA	
MW-18 Screen 3	June/July 1997	MW-18-3	0.6	2.4	1.8	0.5 U	0.5 U	0.5 U	0.5 U	4.4	4.0 U	
MW-18 Screen 3	Sep/Oct 1997	MW-18-3	0.5 U	3.0	1.9	0.5 U	0.5 U	0.5 U	0.5 U	6.2	4.0 U	
MW-18 Screen 3	Jan/Feb 1998	MW-18-3	0.5 U	1.9	1.7	0.5 U	0.5 U	0.5 U	0.5 U	6.6	4.0 U	
MW-18 Screen 3	Apr/May 1998	MW-18-3	0.5	1.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	5.7	5.0	
MW-18 Screen 3	Jul/Aug 1998	MW-18-3	0.5 U	1.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.6	5.2	
MW-18 Screen 3	Oct/Nov 1998	MW-18-3	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	
MW-18 Screen 3	Feb/Mar 1999	MW-18-3	0.5 U	1.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U	
MW-18 Screen 3	May/Jun 1999	MW-18-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	Methylene chloride 0.6
MW-18 Screen 3	Aug 1999	MW-18-3	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.0 U	
MW-18 Screen 3	Nov/Dec 1999	MW-18-3	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	
MW-18 Screen 3	Mar/Apr 2000	MW-18-3	0.5 U	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U	
MW-18 Screen 3	Jul/Aug 2000	MW-18-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	
MW-18 Screen 3	Sep/Oct 2000	MW-18-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.0 U	
MW-18 Screen 3	Jan/Feb 2001	MW-18-3	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 0.8 J
MW-18 Screen 3	Apr 2001	MW-18-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	NA	1.9	4.0 U	
MW-18 Screen 3	Jul 2001	MW-18-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	1.8	NA U	
MW-18 Screen 3	Oct 2001	MW-18-3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	
MW-18 Screen 3	Jan/Feb 2002	MW-18-3	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Methylene chloride 0.9 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	
MW-18 Screen 3	Apr/May 2002	MW-18-3	0.5 U	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	Methylene chloride 0.4 J
MW-18 Screen 3	Jul 2002	MW-18-3	NA U	0.4 J	NA U	NA U	NA U	NA U	NA U	1.9	NA U	
MW-18 Screen 3	Oct/Nov 2002	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	Methylene chloride 79.5 B
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0 U	n-Nitrosodiphenylamine (NDPHA) 0.0 J
MW-18 Screen 3	Apr/May 2003	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.3 J	4-Methyl-2-pentanone 4.0 J
MW-18 Screen 3	Jul/Aug 2003	MW-18-3	0.5 U	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.5	1.3 J	
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	
MW-18 Screen 3	Feb 2004	MW-18-3	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-18 Screen 3	Apr/May 2004	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.7 J	
MW-18 Screen 3	Jul/Aug 2004	MW-18-3	0.7	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	6.4	
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	5.2	
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	2.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-18 Screen 3	Apr/May 2005	MW-18-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.3	
MW-18 Screen 3	Jul/Sep 2005	MW-18-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	5.7	1,2,3-Trichloropropane 0.5 U 1,2,3-Trichloropropane 0.0 U m,p-Xylene 0.4 J
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	3.5	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.7	
MW-18 Screen 3	Mar/Apr 2006	MW-18-3	3.5	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0	
MW-18 Screen 3	May/June 2006	MW-18-3	4.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	25.0	
MW-18 Screen 3	Aug/Sep 2006	MW-18-3	8.6	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	28.0	
MW-18 Screen 3	Oct/Dec 2006	MW-18-3	4.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	23.0	1,2,3-Trichloropropane 0.0 J
MW-18 Screen 3	Mar/Apr 2007	MW-18-3	6.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.0 U	
MW-18 Screen 3	Jun/Jul 2007	MW-18-3	7.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	29.0	
MW-18 Screen 3	Aug/Sep 2007	MW-18-3	8.3	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	25.0	
MW-18 Screen 3	Oct/Dec 2007	MW-18-3	8.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.9	1.3	29.0	
MW-18 Screen 3	Jan/Feb 2008	MW-18-3	13.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.8	29.0 J	
MW-18 Screen 3	Apr/May 2008	MW-18-3	8.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0	
MW-18 Screen 3	Jul/Aug 2008	MW-18-3	18.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	37.0	
MW-18 Screen 3	Jul/Aug 2008	DUPE-4-3Q08	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	36.3	
MW-18 Screen 3	Oct/Nov 2008	MW-18-3	15.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	39.8	
MW-18 Screen 3	Jan/Feb 2009	MW-18-3	20.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	45.3	
MW-18 Screen 3	Apr/May 2009	MW-18-3	15.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	55.9	
MW-18 Screen 3	Jul/Aug 2009	MW-18-3	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	49.3	
MW-18 Screen 3	Jul/Aug 2009	DUPE-3-3Q09	6.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	49.7	
MW-18 Screen 3	Nov/Dec 2009	MW-18-3	4.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0 J	
MW-18 Screen 3	Feb 2010	MW-18-3	17.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	45.1	
MW-18 Screen 4	Aug/Sep 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-18 Screen 4	Oct/Nov 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-18 Screen 4	Feb/Mar 1997	MW-18-4	2.2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-18 Screen 4	June/July 1997	MW-18-4	1.9	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 4	Sep/Oct 1997	MW-18-4	2.4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.0	
MW-18 Screen 4	Jan/Feb 1998	MW-18-4	2.6	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	11.0	
MW-18 Screen 4	Apr/May 1998	MW-18-4	3.1	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0	
MW-18 Screen 4	Jul/Aug 1998	MW-18-4	2.5	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0	
MW-18 Screen 4	Oct/Nov 1998	MW-18-4	3.4	0.8	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	18.9	
MW-18 Screen 4	Feb/Mar 1999	MW-18-4	4.7	1.2	2.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	24.0	
MW-18 Screen 4	May/Jun 1999	MW-18-4	3.6	1.6	2.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0	Methylene chloride 0.7
MW-18 Screen 4	Aug 1999	MW-18-4	3.6	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0	
MW-18 Screen 4	Nov/Dec 1999	MW-18-4	3.8	1.2	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0	
MW-18 Screen 4	Mar/Apr 2000	MW-18-4	3.8	1.2	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0	
MW-18 Screen 4	Jul/Aug 2000	MW-18-4	3.6	1.1	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0	
MW-18 Screen 4	Sep/Oct 2000	MW-18-4	4.5	1.3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	25.0	
MW-18 Screen 4	Jan/Feb 2001	MW-18-4	7.6	3.3	4.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	15.0	Methylene chloride 0.4 J
MW-18 Screen 4	Apr 2001	MW-18-4	2.6	1.5	1.9	0.5 U	0.5 U	0.5 U	NA	1.0	29.0	
MW-18 Screen 4	Jul 2001	MW-18-4	3.7	NA U	1.6	NA U	NA U	NA U	NA U	0.7	25.0	
MW-18 Screen 4	Oct 2001	MW-18-4	4.7	1.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	20.3	
MW-18 Screen 4	Jan/Feb 2002	MW-18-4	4.6	1.4	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	17.9	Methylene chloride 1.6
MW-18 Screen 4	Apr/May 2002	MW-18-4	11.7	5.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.8	24.5	Methylene chloride 0.4 J
MW-18 Screen 4	Jul 2002	MW-18-4	7.8	3.5	4.6	NA U	NA U	NA U	NA U	1.8	31.3	
MW-18 Screen 4	Oct/Nov 2002	MW-18-4	4.9	2.4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	28.2	1,4-Dioxane 1.9 Petroleum Hydrocarbons (TPH) as Gasoline 40.0 J
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	6.7	2.6	4.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	24.6	1,2,3-Trichloropropane 0.1 n-Nitrosodiphenylamine (NDPHA) 0.0 J
MW-18 Screen 4	Apr/May 2003	MW-18-4	2.4	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	23.9	4-Methyl-2-pentanone 7.0 J
MW-18 Screen 4	Apr/May 2003	DUPE-7-2Q03	2.4	0.9	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.8	4-Methyl-2-pentanone 6.0 J
MW-18 Screen 4	Jul/Aug 2003	MW-18-4	3.3	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.0	15.0	
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	3.4	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.2 J	
MW-18 Screen 4	Feb 2004	MW-18-4	3.1	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0	
MW-18 Screen 4	Apr/May 2004	MW-18-4	2.1	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	8.1 J	
MW-18 Screen 4	Jul/Aug 2004	MW-18-4	4.0	1.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	13.9	
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	6.4	1.5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0	
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	8.3	2.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.3	10.2	
MW-18 Screen 4	Apr/May 2005	MW-18-4	2.4	0.8	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	12.6	m,p-Xylene 0.3 J
MW-18 Screen 4	Jul/Sep 2005	MW-18-4	1.7	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	10.2	1,2,3-Trichloropropane 0.0
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	5.1	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	9.3	
MW-18 Screen 4	Mar/Apr 2006	MW-18-4	3.6	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	11.0	
MW-18 Screen 4	May/Jun 2006	MW-18-4	2.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	11.0	
MW-18 Screen 4	Aug/Sep 2006	MW-18-4	3.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	10.0	
MW-18 Screen 4	Oct/Dec 2006	MW-18-4	5.3	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	14.0	1,2,3-Trichloropropane 0.0 J 1,4-Dioxane 1.8
MW-18 Screen 4	Mar/Apr 2007	MW-18-4	7.1	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 4	Jun/Jul 2007	MW-18-4	5.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	21.0	
MW-18 Screen 4	Aug/Sep 2007	MW-18-4	9.1	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	20.0	
MW-18 Screen 4	Oct/Dec 2007	MW-18-4	8.8	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.8	1.9	26.0	
MW-18 Screen 4	Jan/Feb 2008	MW-18-4	10.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.0	28.0 J	
MW-18 Screen 4	Apr/May 2008	MW-18-4	8.1	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	34.0	
MW-18 Screen 4	Jul/Aug 2008	MW-18-4	11.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	29.5	
MW-18 Screen 4	Oct/Nov 2008	MW-18-4	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	34.3	
MW-18 Screen 4	Oct/Nov 2008	DUPE-02-4Q08	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	35.5	
MW-18 Screen 4	Jan/Feb 2009	MW-18-4	14.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	41.4	
MW-18 Screen 4	Apr/May 2009	MW-18-4	10.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	45.7	
MW-18 Screen 4	Jul/Aug 2009	MW-18-4	13.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	43.2	
MW-18 Screen 4	Nov/Dec 2009	MW-18-4	16.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	52.9 J	
MW-18 Screen 4	Feb 2010	MW-18-4	10.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	58.8	
MW-18 Screen 4	Feb 2010	DUPE-2-1Q10	8.9	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	60.1	
MW-18 Screen 5	Aug/Sep 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	Oct/Nov 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	Feb/Mar 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	June/July 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Sep/Oct 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jan/Feb 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Apr/May 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jul/Aug 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Oct/Nov 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Feb/Mar 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	May/June 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8
MW-18 Screen 5	Aug 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Nov/Dec 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Mar/Apr 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jul/Aug 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Sep/Oct 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jan/Feb 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Chloromethane 1.4 Methylene chloride 0.6 B Methyl-tert-butyl ether (MTBE) 0.6 J
MW-18 Screen 5	Apr 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-18 Screen 5	Jul 2001	MW-18-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-18 Screen 5	Oct 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jan/Feb 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 2.1
MW-18 Screen 5	Apr/May 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jul 2002	MW-18-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-18 Screen 5	Oct/Nov 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 5	Apr/May 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-18 Screen 5	Jul/Aug 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Feb 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 5	Jul/Aug 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.7
												m,p-Xylene	3.0
												o-Xylene	0.9
MW-18 Screen 5	Apr/May 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5
MW-18 Screen 5	Jul/Sep 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane	0.0 U
												1,2,3-Trichloropropane	0.5 U
												m,p-Xylene	0.4 J
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Mar/Apr 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	May/June 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Aug/Sep 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Oct/Dec 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Mar/Apr 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jun/Jul 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Aug/Sep 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Dec 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Jan/Feb 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Apr/May 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Jul/Aug 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Nov 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jan/Feb 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jul/Aug 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Nov/Dec 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J		
MW-18 Screen 5	Feb 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	NA		
MW-19 Screen 1	Oct/Nov 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-19 Screen 1	Feb/Mar 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA		
MW-19 Screen 1	June/July 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	Bromodichloromethane	0.5
MW-19 Screen 1	Sep/Oct 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-19 Screen 1	Jan/Feb 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 1	Apr/May 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 1	Oct/Nov 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb/Mar 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	May/Jun 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Aug 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Nov/Dec 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Mar/Apr 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Sep/Oct 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.3 J
												Methyl-tert-butyl ether (MTBE)	0.7 J
												Toluene	0.4 J
MW-19 Screen 1	Apr 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-19 Screen 1	Jul 2001	MW-19-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-19 Screen 1	Oct 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.1
MW-19 Screen 1	Apr/May 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-19 Screen 1	Jul 2002	MW-19-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-19 Screen 1	Oct/Nov 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2004	DUPE-2-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Sep 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.6
												Methyl-tert-butyl ether (MTBE)	0.6 J
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Mar/Apr 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2006	DUPE-3-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	May/Jun 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Aug/Sep 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Oct/Dec 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2007	DUPE-4-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Jun/Jul 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Aug/Sep 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-19 Screen 1	Oct/Dec 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-19 Screen 1	Jan/Feb 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	
MW-19 Screen 1	Apr/May 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-19 Screen 1	Jul/Aug 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-19 Screen 1	Oct/Nov 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-19 Screen 1	Jan/Feb 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3	
MW-19 Screen 1	Apr/May 2009	MW-19-1	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1	
MW-19 Screen 1	Jul/Aug 2009	MW-19-1	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1	
MW-19 Screen 1	Nov/Dec 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1	
MW-19 Screen 1	Feb 2010	MW-19-1	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 2	Aug/Sep 1996	MW-19-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 2	Oct/Nov 1996	MW-19-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 2	Feb/Mar 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 2	June/July 1997	MW-19-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Sep/Oct 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Jan/Feb 1998	MW-19-2	0.5 U	0.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Apr/May 1998	MW-19-2	0.5 U	0.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Jul/Aug 1998	MW-19-2	0.5 U	0.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Oct/Nov 1998	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Feb/Mar 1999	MW-19-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	May/June 1999	MW-19-2	0.5 U	1.3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	
MW-19 Screen 2	Aug 1999	MW-19-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Nov/Dec 1999	MW-19-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Mar/Apr 2000	MW-19-2	0.5 U	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Jul/Aug 2000	MW-19-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Sep/Oct 2000	MW-19-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Jan/Feb 2001	MW-19-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)
MW-19 Screen 2	Jan/Feb 2001	DUP	0.5 U	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1.4 B 0.6 J
MW-19 Screen 2	Apr 2001	MW-19-2	0.5 U	1.2	0.5 J	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U	0.7 B
MW-19 Screen 2	Jul 2001	MW-19-2	NA U	1.2	0.5 J	NA U	NA U	NA U	NA U	0.5 J	NA U	
MW-19 Screen 2	Jul 2001	DUP	NA U	1.6	0.8	NA U	NA U	NA U	NA U	NA U	NA U	
MW-19 Screen 2	Oct 2001	MW-19-2	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 2	Jan/Feb 2002	MW-19-2	0.5 U	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-19 Screen 2	Apr/May 2002	MW-19-2	0.5 U	1.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	0.9 J 0.5 J
MW-19 Screen 2	Jul 2002	MW-19-2	NA U	1.7	1.0	0.5 J	NA U	NA U	NA U	0.9	NA U	
MW-19 Screen 2	Oct/Nov 2002	MW-19-2	0.5 U	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	0.5 U	1.1	2.0	0.4 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-19 Screen 2	Apr/May 2003	MW-19-2	0.5 U	0.4 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.3	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 2	Jul/Aug 2003	MW-19-2	0.5 U	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J	Bromodichloromethane	0.4 J
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	0.5 U	0.3 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.4 J	Bromodichloromethane	0.5
MW-19 Screen 2	Feb 2004	MW-19-2	0.5 U	0.5 J	1.6	0.4 J	0.5 U	0.5 U	0.5 U	1.2	6.8	Bromodichloromethane	0.7
MW-19 Screen 2	Apr/May 2004	MW-19-2	0.5 U	0.3 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.5	Dibromochloromethane	1.3
MW-19 Screen 2	Jul/Aug 2004	MW-19-2	0.5 U	0.5	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.9	7.1	Bromodichloromethane	0.4 J
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	0.5 UJ	0.3 J	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.0	8.0	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Jan/Feb 2005	MW-19-2	0.5 U	0.5 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	Dibromochloromethane	0.4 J
MW-19 Screen 2	Apr/May 2005	MW-19-2	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	7.0	cis-1,2-Dichloroethene	0.6
MW-19 Screen 2	Jul/Sep 2005	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.7	Bromodichloromethane	0.6
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	0.5 U	0.6	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.6	m,p-Xylene	0.4 J
MW-19 Screen 2	Mar/Apr 2006	MW-19-2	0.5 U	1.1	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.7	4.5	Bromodichloromethane	0.3 J
MW-19 Screen 2	May/June 2006	MW-19-2	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.4	cis-1,2-Dichloroethene	0.3
MW-19 Screen 2	Aug/Sep 2006	MW-19-2	0.5 U	1.2	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.1		
MW-19 Screen 2	Oct/Dec 2006	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Mar/Apr 2007	MW-19-2	0.5 U	1.2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 2	Jun/Jul 2007	MW-19-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	Methylene chloride	0.7 J
MW-19 Screen 2	Aug/Sep 2007	MW-19-2	0.5 U	1.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-19 Screen 2	Oct/Dec 2007	MW-19-2	0.5 U	1.0	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	8.0	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Jan/Feb 2008	MW-19-2	0.5 U	1.3	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.4	1,2,3-Trichlorobenzene	0.3 J
MW-19 Screen 2	Apr/May 2008	MW-19-2	0.5 U	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.0	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Jul/Aug 2008	MW-19-2	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-19 Screen 2	Jul/Aug 2008	DUPE-2-3Q08	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-19 Screen 2	Oct/Nov 2008	MW-19-2	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-19 Screen 2	Jan/Feb 2009	MW-19-2	0.5 U	2.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.2		
MW-19 Screen 2	Apr/May 2009	MW-19-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1		
MW-19 Screen 2	Jul/Aug 2009	MW-19-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-19 Screen 2	Jul/Aug 2009	DUPE-1-3Q09	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-19 Screen 2	Nov/Dec 2009	MW-19-2	0.5 U	1.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5		
MW-19 Screen 2	Feb 2010	MW-19-2	0.5 U	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4		
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Aug/Sep 1996	MW-19-3	0.5 U	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Oct/Nov 1996	MW-19-3	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP		
MW-19 Screen 3	Feb/Mar 1997	MW-19-3	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	June/July 1997	MW-19-3	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-19 Screen 3	Sep/Oct 1997	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Toluene	0.6
MW-19 Screen 3	Jan/Feb 1998	MW-19-3	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Apr/May 1998	MW-19-3	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jul/Aug 1998	MW-19-3	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-19 Screen 3	Oct/Nov 1998	MW-19-3	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-19 Screen 3	Feb/Mar 1999	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	May/June 1999	MW-19-3	0.5 U	0.9	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2		
MW-19 Screen 3	Aug 1999	MW-19-3	0.5 U	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-19 Screen 3	Nov/Dec 1999	MW-19-3	0.5 U	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-19 Screen 3	Mar/Apr 2000	MW-19-3	0.5 U	0.8	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-19 Screen 3	Jul/Aug 2000	MW-19-3	0.5 U	0.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-19 Screen 3	Sep/Oct 2000	MW-19-3	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-19 Screen 3	Jan/Feb 2001	MW-19-3	0.5 U	0.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methylene chloride	0.7 B	
												Methylene chloride	1.7	
												Methyl-tert-butyl ether (MTBE)	1.1	
MW-19 Screen 3	Apr 2001	MW-19-3	0.5 U	0.5	1.2	0.5 U	0.5 U	0.5 U	NA	0.3 J	4.0 U			
MW-19 Screen 3	Jul 2001	MW-19-3	NA U	0.9	1.8	NA U	NA U	NA U	NA U	0.5 J	NA U			
MW-19 Screen 3	Oct 2001	MW-19-3	0.5 U	0.5 J	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jan/Feb 2002	MW-19-3	0.5 U	1.1	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U			
MW-19 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.6	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride	0.7 J	
MW-19 Screen 3	Apr/May 2002	MW-19-3	0.5 U	1.1	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U			
MW-19 Screen 3	Jul 2002	MW-19-3	NA U	1.1	2.2	NA U	NA U	NA U	NA U	0.8	NA U			
MW-19 Screen 3	Oct/Nov 2002	MW-19-3	0.5 U	0.6 J	1.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	n-Nitrosodiphenylamine (NDPHA)	0.0 J	
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	0.5 U	0.5 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U			
MW-19 Screen 3	Apr/May 2003	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-19 Screen 3	Jul/Aug 2003	MW-19-3	0.5 U	0.4 J	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Dibromochloromethane	0.4 J
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	0.5 U	0.3 J	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.1 J			
MW-19 Screen 3	Feb 2004	MW-19-3	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	Dibromochloromethane	0.9
MW-19 Screen 3	Feb 2004	DUPE-2-1Q04	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.3	Dibromochloromethane	0.9	
MW-19 Screen 3	Apr/May 2004	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-19 Screen 3	Jul/Aug 2004	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7		
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.8			
MW-19 Screen 3	Jan/Feb 2005	MW-19-3	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.6
MW-19 Screen 3	Jan/Feb 2005	DUPE-2-1Q05	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.6
MW-19 Screen 3	Apr/May 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jul/Sep 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-19 Screen 3	Mar/Apr 2006	MW-19-3	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 3	May/June 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 3	May/June 2006	DUPE-1-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Aug/Sep 2006	MW-19-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Oct/Dec 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Mar/Apr 2007	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jun/Jul 2007	MW-19-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-19 Screen 3	Aug/Sep 2007	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Oct/Dec 2007	MW-19-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-19 Screen 3	Jan/Feb 2008	MW-19-3	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-19 Screen 3	Apr/May 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-19 Screen 3	Jul/Aug 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-19 Screen 3	Oct/Nov 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-19 Screen 3	Jan/Feb 2009	MW-19-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 3	Apr/May 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 3	Jul/Aug 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-19 Screen 3	Nov/Dec 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 3	Feb 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-19 Screen 4	Aug/Sep 1996	MW-19-4	0.5	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	NA		
MW-19 Screen 4	Oct/Nov 1996	MW-19-4	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	NA		
MW-19 Screen 4	Feb/Mar 1997	MW-19-4	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	NA		
MW-19 Screen 4	June/July 1997	MW-19-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-19 Screen 4	Sep/Oct 1997	MW-19-4	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.9		
MW-19 Screen 4	Jan/Feb 1998	MW-19-4	0.5 U	0.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-19 Screen 4	Apr/May 1998	MW-19-4	0.5 U	0.8	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0 U		
MW-19 Screen 4	Jul/Aug 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-19 Screen 4	Oct/Nov 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U		
MW-19 Screen 4	Feb/Mar 1999	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U		
MW-19 Screen 4	May/June 1999	MW-19-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U		
MW-19 Screen 4	Aug 1999	MW-19-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U		
MW-19 Screen 4	Nov/Dec 1999	MW-19-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U		
MW-19 Screen 4	Mar/Apr 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U		
MW-19 Screen 4	Jul/Aug 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U		
MW-19 Screen 4	Sep/Oct 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U		
MW-19 Screen 4	Jan/Feb 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	Bromodichloromethane Bromodichloromethane Methylene chloride Methyl-tert-butyl ether (MTBE) Toluene	0.3 J 0.4 J 0.8 B 0.9 J 0.3 J
MW-19 Screen 4	Apr 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.0	4.0 U		
MW-19 Screen 4	Jul 2001	MW-19-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	2.4	NA U		
MW-19 Screen 4	Oct 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 4	Jan/Feb 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	Methylene chloride	0.5 J
MW-19 Screen 4	Apr/May 2002	MW-19-4	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	Methylene chloride	0.4 J
MW-19 Screen 4	Jul 2002	MW-19-4	NA U	0.3 J	NA U	NA U	NA U	NA U	NA U	3.8	NA U	Bromodichloromethane	0.5 J
MW-19 Screen 4	Oct/Nov 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U		
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U		
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-19 Screen 4	Apr/May 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-19 Screen 4	Jul/Aug 2003	MW-19-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-19 Screen 4	Jul/Aug 2003	DUPE-1-3Q03	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-19 Screen 4	Feb 2004	MW-19-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.5 J		
MW-19 Screen 4	Apr/May 2004	MW-19-4	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-19 Screen 4	Jul/Aug 2004	MW-19-4	0.5 U	0.4 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	m,p-Xylene	0.7
												Toluene	0.6
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	0.5 UJ	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 4	Jan/Feb 2005	MW-19-4	0.5 U	0.4 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 4	Apr/May 2005	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J		
MW-19 Screen 4	Jul/Sep 2005	MW-19-4	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.0 J	m,p-Xylene	0.8
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.4 J		
MW-19 Screen 4	Mar/Apr 2006	MW-19-4	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 4	May/Jun 2006	MW-19-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 4	Aug/Sep 2006	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 4	Oct/Dec 2006	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 4	Mar/Apr 2007	MW-19-4	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 U		
MW-19 Screen 4	Jun/Jul 2007	MW-19-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-19 Screen 4	Aug/Sep 2007	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-19 Screen 4	Oct/Dec 2007	MW-19-4	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.4		
MW-19 Screen 4	Jan/Feb 2008	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U		
MW-19 Screen 4	Apr/May 2008	MW-19-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-19 Screen 4	Jul/Aug 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-19 Screen 4	Oct/Nov 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-19 Screen 4	Jan/Feb 2009	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-19 Screen 4	Apr/May 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-19 Screen 4	Apr/May 2009	DUPE-08-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 4	Jul/Aug 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-19 Screen 4	Nov/Dec 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-19 Screen 4	Feb 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 5	Aug/Sep 1996	MW-19-5	0.5 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-19 Screen 5	Oct/Nov 1996	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 5	Feb/Mar 1997	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 5	June/July 1997	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Sep/Oct 1997	MW-19-5	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 5	Jan/Feb 1998	MW-19-5	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 1998	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 5	Jul/Aug 1998	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 1998	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Feb/Mar 1999	MW-19-5	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	May/June 1999	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	Methylene chloride	0.7
MW-19 Screen 5	Aug 1999	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-19 Screen 5	Nov/Dec 1999	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Mar/Apr 2000	MW-19-5	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 5	Jul/Aug 2000	MW-19-5	0.5 U	0.5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.2		
MW-19 Screen 5	Sep/Oct 2000	MW-19-5	0.5 U	0.6	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jan/Feb 2001	MW-19-5	0.5 U	0.4 J	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) Toluene	0.5 J 0.7 J 0.3 J
MW-19 Screen 5	Apr 2001	MW-19-5	0.5 U	0.4 J	2.5	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	1,2-Dichloroethene, Total cis-1,2-Dichloroethene	0.3 J 0.3 J
MW-19 Screen 5	Jul 2001	MW-19-5	NA U	0.4 J	1.1	NA U	NA U	NA U	NA U	0.5 J	NA U		
MW-19 Screen 5	Oct 2001	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 5	Jan/Feb 2002	MW-19-5	0.5 U	0.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	Methylene chloride	2.7
MW-19 Screen 5	Apr/May 2002	MW-19-5	0.5 U	0.6	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride	0.5 J
MW-19 Screen 5	Jul 2002	MW-19-5	NA U	0.6	4.5	NA U	NA U	NA U	NA U	0.8	NA U		
MW-19 Screen 5	Oct/Nov 2002	MW-19-5	0.2 U	0.6	5.4	0.3 U	0.5 U	0.5 U	0.5 U	0.4	4.0 U	n-Nitrosodiphenylamine (NDPHA)	0.0
MW-19 Screen 5	Oct/Nov 2002	DUP	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	0.5 U	0.4 J	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 2003	MW-19-5	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 5	Jul/Aug 2003	MW-19-5	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	0.5 U	0.3 J	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 5	Feb 2004	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 2004	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jul/Aug 2004	MW-19-5	0.5 U	0.4 J	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	0.5 U	0.3 J	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	Jan/Feb 2005	MW-19-5	0.5 U	0.5	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.3 J
MW-19 Screen 5	Apr/May 2005	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jul/Sep 2005	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	Bromodichloromethane	0.4 J
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	0.5 U	0.4 J	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J		
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	0.5 U	0.3 J	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		
MW-19 Screen 5	Mar/Apr 2006	MW-19-5	0.5 U	0.5	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	May/June 2006	MW-19-5	0.5 U	0.4 J	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	Aug/Sep 2006	MW-19-5	0.5 U	0.4 J	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-19 Screen 5	Oct/Dec 2006	MW-19-5	0.5 U	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8 J	
MW-19 Screen 5	Mar/Apr 2007	MW-19-5	0.5 U	0.3 J	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-19 Screen 5	Jun/Jul 2007	MW-19-5	0.5 U	0.3 J	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-19 Screen 5	Aug/Sep 2007	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 5	Oct/Dec 2007	MW-19-5	0.5 U	0.3 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.8	
MW-19 Screen 5	Jan/Feb 2008	MW-19-5	0.5 U	0.4 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U	
MW-19 Screen 5	Apr/May 2008	MW-19-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 5	Jul/Aug 2008	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	Chloromethane 1.0
MW-19 Screen 5	Oct/Nov 2008	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 5	Jan/Feb 2009	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-19 Screen 5	Apr/May 2009	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-19 Screen 5	Jul/Aug 2009	MW-19-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 5	Nov/Dec 2009	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-19 Screen 5	Feb 2010	MW-19-5	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 1	Aug/Sep 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA	
MW-20 Screen 1	Feb/Mar 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-20 Screen 1	June/July 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.7	
MW-20 Screen 1	Jan/Feb 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	6.3	
MW-20 Screen 1	Apr/May 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	5.5	
MW-20 Screen 1	Jul/Aug 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	5.9	
MW-20 Screen 1	Oct/Nov 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	7.8	
MW-20 Screen 1	Feb/Mar 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.9	
MW-20 Screen 1	May/Jun 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.4	
MW-20 Screen 1	Aug 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.5	
MW-20 Screen 1	Nov/Dec 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	7.7	
MW-20 Screen 1	Mar/Apr 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	7.6	
MW-20 Screen 1	Jul/Aug 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5	
MW-20 Screen 1	Sep/Oct 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	7.9	
MW-20 Screen 1	Jan/Feb 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	5.0	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 0.3 J
MW-20 Screen 1	Apr 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.9	4.0 U	
MW-20 Screen 1	Jul 2001	MW-20-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.6	NA U	
MW-20 Screen 1	Oct 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Jan/Feb 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	Methylene chloride 0.7 J
MW-20 Screen 1	Apr/May 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-20 Screen 1	Jul 2002	MW-20-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	0.7	NA U	
MW-20 Screen 1	Oct/Nov 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-20 Screen 1	Apr/May 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-20 Screen 1	Apr/May 2003	DUPE-3-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Jul/Aug 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.5 J	
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.1 J	4-Methyl-2-pentanone Chloroethane Chloromethane
MW-20 Screen 1	Feb 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	3.0 J
MW-20 Screen 1	Apr/May 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2.2
MW-20 Screen 1	Jul/Aug 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.9
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2	
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene
MW-20 Screen 1	Apr/May 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.4 J
MW-20 Screen 1	Jul/Sep 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	
MW-20 Screen 1	Mar/Apr 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 1	May/June 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Aug/Sep 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Oct/Dec 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Mar/Apr 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Jun/Jul 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Jun/Jul 2007	DUPE-2-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Aug/Sep 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 1	Oct/Dec 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-20 Screen 1	Jan/Feb 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U	
MW-20 Screen 1	Apr/May 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 1	Jul/Aug 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	
MW-20 Screen 1	Oct/Nov 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	
MW-20 Screen 1	Oct/Nov 2008	MW-20-1RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Jan/Feb 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Jan/Feb 2009	DUPE-04-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Apr/May 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Jul/Aug 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Nov/Dec 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Nov/Dec 2009	DUPE-01-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 1	Feb 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	NA
MW-20 Screen 2	Aug/Sep 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8	NA
MW-20 Screen 2	Oct/Nov 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	NA
MW-20 Screen 2	Feb/Mar 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	NA
MW-20 Screen 2	June/July 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U
MW-20 Screen 2	Sep/Oct 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	4.0 U
MW-20 Screen 2	Jan/Feb 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 2	Apr/May 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U		
MW-20 Screen 2	Jul/Aug 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	Bromodichloromethane	0.5
MW-20 Screen 2	Oct/Nov 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	4.0 U		
MW-20 Screen 2	Feb/Mar 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U		
MW-20 Screen 2	May/Jun 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Aug 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Nov/Dec 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U		
MW-20 Screen 2	Mar/Apr 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U		
MW-20 Screen 2	Jul/Aug 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Sep/Oct 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.0 U	Bromodichloromethane	0.7
MW-20 Screen 2	Jan/Feb 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.0 U	Bromodichloromethane Bromodichloromethane	0.4 J 0.5 J
MW-20 Screen 2	Apr 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.9	4.0 U	Bromodichloromethane	0.4 J
MW-20 Screen 2	Jul 2001	MW-20-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	3.9	NA U		
MW-20 Screen 2	Oct 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U		
MW-20 Screen 2	Jan/Feb 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	Bromodichloromethane	0.3 J
MW-20 Screen 2	Apr/May 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U		
MW-20 Screen 2	Jul 2002	MW-20-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	3.2	NA U	Bromodichloromethane	0.6
MW-20 Screen 2	Oct/Nov 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	Bromodichloromethane	0.5 J
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-20 Screen 2	Apr/May 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-20 Screen 2	Jul/Aug 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	Bromodichloromethane	0.3 J
MW-20 Screen 2	Feb 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-20 Screen 2	Apr/May 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-20 Screen 2	Jul/Aug 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-20 Screen 2	Apr/May 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-20 Screen 2	Jul/Sep 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5 J
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-20 Screen 2	Mar/Apr 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U		
MW-20 Screen 2	May/Jun 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 2	Aug/Sep 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U		
MW-20 Screen 2	Oct/Dec 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 2	Mar/Apr 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U		
MW-20 Screen 2	Mar/Apr 2007	DUPE-3-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U		
MW-20 Screen 2	Jun/Jul 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U		
MW-20 Screen 2	Aug/Sep 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U		
MW-20 Screen 2	Oct/Dec 2007	MW-20-2	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-20 Screen 2	Jan/Feb 2008	MW-20-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6	
MW-20 Screen 2	Apr/May 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U	
MW-20 Screen 2	Jul/Aug 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U	
MW-20 Screen 2	Oct/Nov 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.1	
MW-20 Screen 2	Oct/Nov 2008	MW-20-2RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-20 Screen 2	Jan/Feb 2009	MW-20-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-20 Screen 2	Jan/Feb 2009	DUPE-03-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-20 Screen 2	Apr/May 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 2	Jul/Aug 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-20 Screen 2	Nov/Dec 2009	MW-20-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	
MW-20 Screen 2	Feb 2010	MW-20-2	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	Aug/Sep 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	Oct/Nov 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-20 Screen 3	Feb/Mar 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	June/July 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Sep/Oct 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jan/Feb 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Apr/May 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jul/Aug 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Oct/Nov 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Feb/Mar 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	May/June 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Aug 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Nov/Dec 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Mar/Apr 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jul/Aug 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Sep/Oct 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jan/Feb 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)
MW-20 Screen 3	Apr 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	0.4 J
MW-20 Screen 3	Jul 2001	MW-20-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-20 Screen 3	Oct 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jan/Feb 2002	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-20 Screen 3	Apr/May 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.4 J
MW-20 Screen 3	Jul 2002	MW-20-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-20 Screen 3	Oct/Nov 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Apr/May 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone
MW-20 Screen 3	Jul/Aug 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4.0 J
MW-20 Screen 3	Jul/Aug 2003	DUPE-2-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-20 Screen 3	Feb 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	
MW-20 Screen 3	Apr/May 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jul/Aug 2004	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene
MW-20 Screen 3	Apr/May 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.3 J
MW-20 Screen 3	Jul/Sep 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Mar/Apr 2006	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	May/June 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 3	Aug/Sep 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 3	Oct/Dec 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Mar/Apr 2007	MW-20-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-20 Screen 3	Jun/Jul 2007	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 3	Aug/Sep 2007	MW-20-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 3	Oct/Dec 2007	MW-20-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 3	Jan/Feb 2008	MW-20-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U	
MW-20 Screen 3	Apr/May 2008	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-20 Screen 3	Jul/Aug 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Oct/Nov 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	
MW-20 Screen 3	Oct/Nov 2008	MW-20-3RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Jan/Feb 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	
MW-20 Screen 3	Apr/May 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Apr/May 2009	DUPE-06-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Jul/Aug 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Jul/Aug 2009	DUPE-5-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Nov/Dec 2009	MW-20-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 3	Feb 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 4	Aug/Sep 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 4	Oct/Nov 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 4	Feb/Mar 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 4	June/July 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Sep/Oct 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Jan/Feb 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Apr/May 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0	
MW-20 Screen 4	Jul/Aug 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Oct/Nov 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.0	
MW-20 Screen 4	Feb/Mar 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	May/June 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Aug 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 4	Nov/Dec 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Mar/Apr 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Aug 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Sep/Oct 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-20 Screen 4	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) Styrene	0.8 J 0.6
MW-20 Screen 4	Apr 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 4	Jul 2001	MW-20-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-20 Screen 4	Oct 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-20 Screen 4	Apr/May 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	30.0		
MW-20 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.3		
MW-20 Screen 4	Jul 2002	MW-20-4	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-20 Screen 4	Jul 2002	DUP	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-20 Screen 4	Oct/Nov 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	58.5		
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	124.0		
MW-20 Screen 4	Jul/Aug 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Feb 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Aug 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-20 Screen 4	Apr/May 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Sep 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Mar/Apr 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	May/June 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Aug/Sep 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Oct/Dec 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Mar/Apr 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Jun/Jul 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Aug/Sep 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Oct/Dec 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Jan/Feb 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Apr/May 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Jul/Aug 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.2		
MW-20 Screen 4	Oct/Nov 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	39.4		
MW-20 Screen 4	Oct/Nov 2008	MW-20-4RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	42.4		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-20 Screen 4	Jan/Feb 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	61.0	
MW-20 Screen 4	Apr/May 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Apr/May 2009	DUPE-05-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Jul/Aug 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Nov/Dec 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	76.0	
MW-20 Screen 4	Feb 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	Aug/Sep 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	Oct/Nov 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	Feb/Mar 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	June/July 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Sep/Oct 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Jan/Feb 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Apr/May 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0	
MW-20 Screen 5	Jul/Aug 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Oct/Nov 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.2	
MW-20 Screen 5	Feb/Mar 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	May/Jun 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Aug 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Nov/Dec 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Mar/Apr 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Jul/Aug 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Sep/Oct 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Jan/Feb 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.4 J
MW-20 Screen 5	Apr 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-20 Screen 5	Jul 2001	MW-20-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-20 Screen 5	Oct 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Jan/Feb 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.7 J
MW-20 Screen 5	Apr/May 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.5 J
MW-20 Screen 5	Jul 2002	MW-20-5	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	Styrene 0.5 J
MW-20 Screen 5	Oct/Nov 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.6
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone 3.0 J Styrene 0.6
MW-20 Screen 5	Apr/May 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.5 J
MW-20 Screen 5	Jul/Aug 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.4 J
MW-20 Screen 5	Feb 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Apr/May 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.4 J
MW-20 Screen 5	Jul/Aug 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.4 J
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Styrene	0.5 0.5
MW-20 Screen 5	Apr/May 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jul/Sep 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J		
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Styrene	0.4 J 0.3 J
MW-20 Screen 5	Mar/Apr 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	May/Jun 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.4 J
MW-20 Screen 5	May/Jun 2006	DUPE-2-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 5	Aug/Sep 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Oct/Dec 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Mar/Apr 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Jun/Jul 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Aug/Sep 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Oct/Dec 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Jan/Feb 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Apr/May 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	0.4 J
MW-20 Screen 5	Jul/Aug 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1		
MW-20 Screen 5	Oct/Nov 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.9		
MW-20 Screen 5	Oct/Nov 2008	MW-20-5RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.2		
MW-20 Screen 5	Jan/Feb 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	19.7		
MW-20 Screen 5	Apr/May 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Jul/Aug 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Nov/Dec 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	22.6		
MW-20 Screen 5	Feb 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	0.5 U	35.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	NA		
MW-21 Screen 1	Aug/Sep 1996	MW-21-1	0.5 U	33.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	NA		
MW-21 Screen 1	Feb/Mar 1997	MW-21-1	0.5 U	29.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	NA		
MW-21 Screen 1	June/July 1997	MW-21-1	0.5 U	20.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	19.0		
MW-21 Screen 1	Jan/Feb 1998	MW-21-1	0.5 U	16.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	14.0		
MW-21 Screen 1	Apr/May 1998	MW-21-1	0.5 U	16.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	14.0		
MW-21 Screen 1	Jul/Aug 1998	MW-21-1	0.5 U	16.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	13.0		
MW-21 Screen 1	Oct/Nov 1998	MW-21-1	0.5 U	10.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.2		
MW-21 Screen 1	Feb/Mar 1999	MW-21-1	0.5 U	20.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.8	14.0		
MW-21 Screen 1	May/Jun 1999	MW-21-1	0.5 U	20.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.6	15.0		
MW-21 Screen 1	Aug 1999	MW-21-1	0.5 U	17.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.7	12.0		
MW-21 Screen 1	Nov/Dec 1999	MW-21-1	0.5 U	15.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	16.0		
MW-21 Screen 1	Mar/Apr 2000	MW-21-1	0.5 U	17.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	12.0		
MW-21 Screen 1	Jul/Aug 2000	MW-21-1	0.5 U	12.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.7	16.0		
MW-21 Screen 1	Sep/Oct 2000	MW-21-1	0.5 U	12.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	16.0		
MW-21 Screen 1	Jan/Feb 2001	MW-21-1	0.5 U	9.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.6	11.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 1	Apr 2001	MW-21-1	0.5 U	3.3	0.6	0.7	0.5 U	0.5 U	NA	1.2	4.0 U	
MW-21 Screen 1	Jul 2001	MW-21-1	NA U	15.5	0.8	NA	NA U	NA U	NA U	1.5	8.0	
MW-21 Screen 1	Oct 2001	MW-21-1	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-21 Screen 1	Jan/Feb 2002	MW-21-1	0.5 U	17.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.7	8.2	Methylene chloride 0.4 J
MW-21 Screen 1	Apr/May 2002	MW-21-1	0.5 U	8.3	0.8	0.4 J	0.5 U	0.5 U	0.5 U	1.7	4.0 U	Methylene chloride 2.4
MW-21 Screen 1	Jul 2002	MW-21-1	NA U	12.0	0.6	0.4 J	NA U	NA U	NA U	1.4	7.7	
MW-21 Screen 1	Oct/Nov 2002	MW-21-1	0.5 U	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	0.5 U	3.6	0.7	0.5	0.5 U	0.5 U	0.5 U	1.0	3.1	
MW-21 Screen 1	Apr/May 2003	MW-21-1	0.5 U	0.7	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	3.6 J	
MW-21 Screen 1	Jul/Aug 2003	MW-21-1	0.5 U	11.0	1.0	0.7	0.5 U	0.5 U	0.5 U	1.7	5.2	
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	6.5	
MW-21 Screen 1	Feb 2004	MW-21-1	0.5 U	1.2	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	5.7	
MW-21 Screen 1	Apr/May 2004	MW-21-1	0.5 U	0.9	0.4 J	0.6	0.5 U	0.5 U	0.5 U	0.7	5.6	
MW-21 Screen 1	Jul/Aug 2004	MW-21-1	0.5 U	4.2	0.5	0.6	0.5 U	0.5 U	0.5 U	0.8	5.1	
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	0.5 U	1.5	0.5	0.6	0.5 U	0.5 U	0.5 U	0.7	7.3	
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	0.5 U	0.7	0.5	0.9	0.5 U	0.5 U	0.5 U	0.6	4.0 U	m,p-Xylene 0.6
MW-21 Screen 1	Apr/May 2005	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Jul/Sep 2005	MW-21-1	0.5 U	0.8	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5	3.6 J	Bromodichloromethane 0.4 J
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	0.5 U	0.8	0.3 J	0.7	0.5 U	0.5 U	0.5 U	0.6	4.1	
MW-21 Screen 1	Mar/Apr 2006	MW-21-1	0.5 U	0.5 U	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	May/June 2006	MW-21-1	0.5 U	0.5 U	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Aug/Sep 2006	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-21 Screen 1	Oct/Dec 2006	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 1	Mar/Apr 2007	MW-21-1	0.5 U	0.5 U	0.3 J	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Jun/Jul 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Aug/Sep 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-21 Screen 1	Oct/Dec 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.6	
MW-21 Screen 1	Jan/Feb 2008	MW-21-1	0.5 U	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-21 Screen 1	Apr/May 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-21 Screen 1	Jul/Aug 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4	
MW-21 Screen 1	Oct/Nov 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-21 Screen 1	Oct/Nov 2008	DUPE-01-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9	
MW-21 Screen 1	Jan/Feb 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.7	
MW-21 Screen 1	Jan/Feb 2009	DUPE-01-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0	
MW-21 Screen 1	Apr/May 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.4	
MW-21 Screen 1	Jul/Aug 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.8	
MW-21 Screen 1	Nov/Dec 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.4	
MW-21 Screen 1	Feb 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.5	
MW-21 Screen 1	Feb 2010	DUPE-1-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.3	
MW-21 Screen 2	Aug/Sep 1996	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-21 Screen 2	Oct/Nov 1996	MW-21-2	0.5 U	0.6	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 2	Feb/Mar 1997	MW-21-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 2	June/July 1997	MW-21-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Sep/Oct 1997	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Jan/Feb 1998	MW-21-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Apr/May 1998	MW-21-2	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Jul/Aug 1998	MW-21-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-21 Screen 2	Oct/Nov 1998	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-21 Screen 2	Feb/Mar 1999	MW-21-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	May/Jun 1999	MW-21-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Aug 1999	MW-21-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Nov/Dec 1999	MW-21-2	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-21 Screen 2	Mar/Apr 2000	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-21 Screen 2	Jul/Aug 2000	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Sep/Oct 2000	MW-21-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Jan/Feb 2001	MW-21-2	0.5 U	0.3 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 2	Apr 2001	MW-21-2	0.5 U	0.3 J	0.9	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-21 Screen 2	Jul 2001	MW-21-2	NA U	NA U	0.9	NA U	NA U	NA U	NA U	NA U	NA U		
MW-21 Screen 2	Oct 2001	MW-21-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-21 Screen 2	Jan/Feb 2002	MW-21-2	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.3 B		
MW-21 Screen 2	Apr/May 2002	MW-21-2	0.5 U	0.4 J	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride	2.6
MW-21 Screen 2	Jul 2002	MW-21-2	NA U	0.5	1.6	NA U	NA U	NA U	NA U	NA U	NA U		
MW-21 Screen 2	Oct/Nov 2002	MW-21-2	0.5 U	0.5	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	0.5 U	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Apr/May 2003	MW-21-2	0.5 U	0.4 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-21 Screen 2	Jul/Aug 2003	MW-21-2	0.5 U	0.5 J	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J		
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	0.5 U	0.3 J	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.7 J		
MW-21 Screen 2	Feb 2004	MW-21-2	0.5 U	0.6	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.5	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 2	Apr/May 2004	MW-21-2	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 2	Jul/Aug 2004	MW-21-2	0.5 U	1.0	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	0.5 U	1.1	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.9 J	cis-1,2-Dichloroethene	0.6
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	0.5 U	0.8	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Apr/May 2005	MW-21-2	0.5 U	0.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 2	Jul/Sep 2005	MW-21-2	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.2 J	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	0.5 U	0.4 J	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.9 J	cis-1,2-Dichloroethene Dibromochloromethane	0.7 2.6
MW-21 Screen 2	Mar/Apr 2006	MW-21-2	0.5 U	0.7	4.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 2	May/Jun 2006	MW-21-2	0.5 U	0.6	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Aug/Sep 2006	MW-21-2	0.5 U	1.0	11.0	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene	1.8
MW-21 Screen 2	Oct/Dec 2006	MW-21-2	0.5 U	1.1	12.0	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	cis-1,2-Dichloroethene	2.1
MW-21 Screen 2	Mar/Apr 2007	MW-21-2	0.5 U	1.1	7.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	cis-1,2-Dichloroethene	1.6
MW-21 Screen 2	Jun/Jul 2007	MW-21-2	0.5 U	0.8	6.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	cis-1,2-Dichloroethene	1.4

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 2	Jun/Jul 2007	DUPE-1-2Q07	0.5 U	0.7	6.3	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Aug/Sep 2007	MW-21-2	0.5 U	0.7	7.6	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Oct/Dec 2007	MW-21-2	0.5 U	0.5	3.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	7.7	cis-1,2-Dichloroethene	1.0
MW-21 Screen 2	Jan/Feb 2008	MW-21-2	0.5 U	0.5	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 2	Apr/May 2008	MW-21-2	0.5 U	0.5 J	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 2	Jul/Aug 2008	MW-21-2	0.5 U	0.6	8.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.0	cis-1,2-Dichloroethene	1.5
MW-21 Screen 2	Oct/Nov 2008	MW-21-2	0.5 U	0.7	12.0	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.1	cis-1,2-Dichloroethene	1.6
MW-21 Screen 2	Jan/Feb 2009	MW-21-2	0.5 U	0.6	6.6	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.5	cis-1,2-Dichloroethene	1.1
MW-21 Screen 2	Apr/May 2009	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.1	cis-1,2-Dichloroethene	0.8
MW-21 Screen 2	Jul/Aug 2009	MW-21-2	0.5 U	0.9	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.1	cis-1,2-Dichloroethene	1.8
MW-21 Screen 2	Nov/Dec 2009	MW-21-2	0.5 U	0.8	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1.8	cis-1,2-Dichloroethene	1.8
MW-21 Screen 2	Feb 2010	MW-21-2	0.5 U	0.6	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Aug/Sep 1996	MW-21-3	0.5 U	0.7	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA		
MW-21 Screen 3	Oct/Nov 1996	MW-21-3	0.5 U	0.9	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	Feb/Mar 1997	MW-21-3	0.5 U	0.8	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	June/July 1997	MW-21-3	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Sep/Oct 1997	MW-21-3	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Jan/Feb 1998	MW-21-3	0.5 U	0.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Apr/May 1998	MW-21-3	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Jul/Aug 1998	MW-21-3	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Oct/Nov 1998	MW-21-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Feb/Mar 1999	MW-21-3	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-21 Screen 3	May/June 1999	MW-21-3	0.5 U	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Aug 1999	MW-21-3	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Nov/Dec 1999	MW-21-3	0.5 U	0.9	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.8		
MW-21 Screen 3	Mar/Apr 2000	MW-21-3	0.5 U	0.9	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 3	Jul/Aug 2000	MW-21-3	0.5 U	0.6	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-21 Screen 3	Sep/Oct 2000	MW-21-3	0.5 U	0.7	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-21 Screen 3	Jan/Feb 2001	MW-21-3	0.5 U	0.9	2.5	0.5 U	0.5 U	0.5 J	0.5 U	1.1	4.0 U	1,2-Dichloroethene, Total	0.3 J
												Bromodichloromethane	0.6
												cis-1,2-Dichloroethene	0.3 J
												Dibromochloromethane	0.4 J
MW-21 Screen 3	Apr 2001	MW-21-3	0.5 U	1.8	1.4	0.5 U	0.5 U	0.5 U	NA	0.8	4.0 U	Bromodichloromethane	0.4 J
												Dibromochloromethane	0.4 J
MW-21 Screen 3	Jul 2001	MW-21-3	NA U	0.7	1.8	NA U	NA U	NA U	NA U	0.8	NA U		
MW-21 Screen 3	Oct 2001	MW-21-3	0.5 U	0.7	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-21 Screen 3	Jan/Feb 2002	MW-21-3	0.5 U	1.6	3.5	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.1	Bromodichloromethane	0.6
												cis-1,2-Dichloroethene	0.4 J
												Dibromochloromethane	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Apr/May 2002	MW-21-3	0.5 U	1.5	4.2	0.3 J	0.5 U	0.5 U	0.5 U	1.5	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene Methylene chloride trans-1,2-Dichloroethene	0.6 0.5 J 2.6 0.4 J
MW-21 Screen 3	Jul 2002	MW-21-3	NA U	0.9	2.0	NA U	NA U	NA U	NA U	1.0	NA U		
MW-21 Screen 3	Oct/Nov 2002	MW-21-3	0.2 U	1.1	2.0	0.3 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 1.8
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	0.5 U	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 3	Apr/May 2003	MW-21-3	0.5 U	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J		
MW-21 Screen 3	Jul/Aug 2003	MW-21-3	0.5 U	1.0	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.7 J	cis-1,2-Dichloroethene Dibromochloromethane	0.4 J 0.4 J
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	0.5 U	0.7	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6 J		
MW-21 Screen 3	Feb 2004	MW-21-3	0.5 U	1.3	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2		
MW-21 Screen 3	Apr/May 2004	MW-21-3	0.5 U	1.0	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.3	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 3	Jul/Aug 2004	MW-21-3	0.5 U	1.4	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	0.5 U	1.5	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.9	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.6 0.4 J
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	0.5 U	1.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethene m,p-Xylene trans-1,2-Dichloroethene	0.6 0.6 0.3 J
MW-21 Screen 3	Apr/May 2005	MW-21-3	0.5 U	0.8	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 3	Jul/Sep 2005	MW-21-3	0.5 U	0.9	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.1	3.0 J	Bromodichloromethane m,p-Xylene	0.4 J 0.4 J
MW-21 Screen 3	Jul/Sep 2005	DUPE-2-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	3.2 J		
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	0.5 U	0.7	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.9 J	cis-1,2-Dichloroethene	0.5 J
MW-21 Screen 3	Mar/Apr 2006	MW-21-3	0.5 U	0.9	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	May/Jun 2006	MW-21-3	0.5 U	0.6	2.7	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Aug/Sep 2006	MW-21-3	0.5 U	1.3	5.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Oct/Dec 2006	MW-21-3	0.5 U	1.2	5.2	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Mar/Apr 2007	MW-21-3	0.5 U	1.2	5.5	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Jun/Jul 2007	MW-21-3	0.5 U	0.7	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	cis-1,2-Dichloroethene Methylene chloride	0.6 1.8 J
MW-21 Screen 3	Aug/Sep 2007	MW-21-3	0.5 U	1.5	7.8	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Oct/Dec 2007	MW-21-3	0.5 U	1.2	4.1	0.5 U	0.5 U	0.5 U	0.5 U	1.9	5.0	cis-1,2-Dichloroethene	0.8
MW-21 Screen 3	Jan/Feb 2008	MW-21-3	0.5 U	0.9	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.7	5.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Apr/May 2008	MW-21-3	0.5 U	1.1	4.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Jul/Aug 2008	MW-21-3	0.5 U	1.7	8.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	3.6	cis-1,2-Dichloroethene	1.2
MW-21 Screen 3	Oct/Nov 2008	MW-21-3	0.5 U	1.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.5	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Jan/Feb 2009	MW-21-3	0.5 U	1.5	6.8	0.5 U	0.5 U	0.5 U	0.5 U	2.5	3.0	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Apr/May 2009	MW-21-3	0.5 U	1.2	5.0	0.5 U	0.5 U	0.5 U	0.5 U	3.1	2.8	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Jul/Aug 2009	MW-21-3	0.5 U	0.9	4.3	0.5 U	0.5 U	0.5 U	0.5 U	1.8	2.4	cis-1,2-Dichloroethene	0.8

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Jul/Aug 2009	DUPE-4-3Q09	0.5 U	0.8	3.4	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.7	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Nov/Dec 2009	MW-21-3	0.5 U	1.5	8.6	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.9	cis-1,2-Dichloroethene	1.2
MW-21 Screen 3	Feb 2010	MW-21-3	0.5 U	1.4	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.8	cis-1,2-Dichloroethene	1.0
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Aug/Sep 1996	MW-21-4	0.5 U	0.8	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Oct/Nov 1996	MW-21-4	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Feb/Mar 1997	MW-21-4	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	June/July 1997	MW-21-4	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-21 Screen 4	Sep/Oct 1997	MW-21-4	0.5 U	0.6	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-21 Screen 4	Jan/Feb 1998	MW-21-4	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 4	Apr/May 1998	MW-21-4	0.5 U	0.6	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	Jul/Aug 1998	MW-21-4	0.5 U	0.8	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Oct/Nov 1998	MW-21-4	0.5 U	1.1	8.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	cis-1,2-Dichloroethene	1.3
MW-21 Screen 4	Feb/Mar 1999	MW-21-4	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	May/Jun 1999	MW-21-4	0.5 U	0.5 U	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	cis-1,2-Dichloroethene	0.6
MW-21 Screen 4	Aug 1999	MW-21-4	0.5 U	0.7	6.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	cis-1,2-Dichloroethene	1.2
MW-21 Screen 4	Nov/Dec 1999	MW-21-4	0.5 U	0.6	6.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 4	Mar/Apr 2000	MW-21-4	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 4	Jul/Aug 2000	MW-21-4	0.5 U	0.5	6.2	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene	1.3
MW-21 Screen 4	Sep/Oct 2000	MW-21-4	0.5 U	0.8	8.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane	0.7 1.5 0.5
MW-21 Screen 4	Jan/Feb 2001	MW-21-4	0.5 U	1.2	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene	1.0 0.4 J 1.0
MW-21 Screen 4	Apr 2001	MW-21-4	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	NA	1.0	4.0 U	1,2-Dichloroethene, Total 2,2-Dichloropropane cis-1,2-Dichloroethene Methylene chloride	0.7 0.3 J 0.7 0.6
MW-21 Screen 4	Jul 2001	MW-21-4	NA U	0.6	8.1	NA U	NA U	NA U	NA U	1.1	NA U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 1.5
MW-21 Screen 4	Oct 2001	MW-21-4	NA U	0.6	4.5	NA U	NA U	NA U	NA U	1.2	NA U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	1.1 0.5 J 1.1 0.6 J
MW-21 Screen 4	Jan/Feb 2002	MW-21-4	0.5 U	0.8	9.9	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.7 B	Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane Methyl-tert-butyl ether (MTBE)	0.6 1.8 0.4 J 0.7 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 4	Apr/May 2002	MW-21-4	0.5 U	0.3 J	5.8	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	0.7
												Methylene chloride	2.2
MW-21 Screen 4	Jul 2002	MW-21-4	NA U	NA U	6.2	NA U	NA U	NA U	NA U	1.6	NA U	cis-1,2-Dichloroethene	1.0
MW-21 Screen 4	Oct/Nov 2002	MW-21-4	0.5 U	0.4 J	5.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	1.1
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	0.5 U	0.3 J	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	Apr/May 2003	MW-21-4	0.5 U	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.9	2.1 J	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Jul/Aug 2003	MW-21-4	0.5 U	1.0	15.4	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2.7 J	Bromodichloromethane	0.5
												cis-1,2-Dichloroethene	2.2
												Dibromochloromethane	0.7
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	0.5 U	0.5 J	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.4 J	cis-1,2-Dichloroethene	1.3
												Dibromochloromethane	0.3 J
MW-21 Screen 4	Feb 2004	MW-21-4	0.5 U	0.4 J	5.0	0.5 U	0.5 U	0.5 U	0.5 U	2.8	3.5 J	cis-1,2-Dichloroethene	1.1
												Dibromochloromethane	1.0
MW-21 Screen 4	Apr/May 2004	MW-21-4	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.2	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	Jul/Aug 2004	MW-21-4	0.5 U	0.3 J	4.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	cis-1,2-Dichloroethene	1.2
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	0.5 U	0.5	7.4	0.5 U	0.5 U	0.5 U	0.5 U	2.7	3.8 J	cis-1,2-Dichloroethene	1.4
												Dibromochloromethane	0.4 J
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	0.5 U	0.6	8.7	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	cis-1,2-Dichloroethene	1.6
												m,p-Xylene	0.5 J
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	0.5 U	0.6	9.3	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	cis-1,2-Dichloroethene	1.8
												m,p-Xylene	0.5
MW-21 Screen 4	Apr/May 2005	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	Bromodichloromethane	0.5 J
												cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Jul/Sep 2005	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	2.7	2.0 J	Bromodichloromethane	0.5
												cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	0.5 U	0.5 U	4.8	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.2 J	cis-1,2-Dichloroethene	1.0
												m,p-Xylene	0.5 J
MW-21 Screen 4	Mar/Apr 2006	MW-21-4	0.5 U	0.3 J	3.0	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	May/June 2006	MW-21-4	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Aug/Sep 2006	MW-21-4	0.5 U	0.5 U	4.9	0.5 U	0.5 U	0.5 U	0.5 U	4.4	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 4	Oct/Dec 2006	MW-21-4	0.5 U	0.6	8.0	0.5 U	0.5 U	0.5 U	0.5 U	5.9	4.0 U	cis-1,2-Dichloroethene	1.2
MW-21 Screen 4	Mar/Apr 2007	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 4	Jun/Jul 2007	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 4	Aug/Sep 2007	MW-21-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.3 J
												m,p-Xylene	0.9 J
												Methyl-tert-butyl ether (MTBE)	3.0
												Styrene	1.3
												Vinyl chloride	0.3 J
MW-21 Screen 4	Oct/Dec 2007	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	4.1	3.1	cis-1,2-Dichloroethene	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 4	Jan/Feb 2008	MW-21-4	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	5.4	3.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 4	Apr/May 2008	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	4.9	3.0 U	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 4	Jul/Aug 2008	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	4.8	2.1		
MW-21 Screen 4	Oct/Nov 2008	MW-21-4	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	5.5	2.3		
MW-21 Screen 4	Jan/Feb 2009	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	5.8	2.2		
MW-21 Screen 4	Apr/May 2009	MW-21-4	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	7.1	2.0		
MW-21 Screen 4	Apr/May 2009	DUPE-03-2Q09	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	7.5	1.9		
MW-21 Screen 4	Jul/Aug 2009	MW-21-4	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	7.2	2.1		
MW-21 Screen 4	Nov/Dec 2009	MW-21-4	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	7.6	2.8		
MW-21 Screen 4	Feb 2010	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	6.5	1.8		
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	Aug/Sep 1996	MW-21-5	0.5 U	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-21 Screen 5	Oct/Nov 1996	MW-21-5	0.5 U	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	Feb/Mar 1997	MW-21-5	0.5 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	June/July 1997	MW-21-5	0.5 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 5	Sep/Oct 1997	MW-21-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 5	Jan/Feb 1998	MW-21-5	0.5 U	0.5 U	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	cis-1,2-Dichloroethene	0.6
MW-21 Screen 5	Apr/May 1998	MW-21-5	0.5 U	0.5 U	6.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	cis-1,2-Dichloroethene	1.0
MW-21 Screen 5	Jul/Aug 1998	MW-21-5	0.5 U	0.5 U	7.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	cis-1,2-Dichloroethene	1.5
MW-21 Screen 5	Oct/Nov 1998	MW-21-5	0.5 U	0.5 U	6.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	Feb/Mar 1999	MW-21-5	0.5 U	0.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.2	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	May/Jun 1999	MW-21-5	0.5 U	0.5 U	8.2	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene	1.5
MW-21 Screen 5	Aug 1999	MW-21-5	0.5 U	0.6	9.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	cis-1,2-Dichloroethene	1.6
MW-21 Screen 5	Nov/Dec 1999	MW-21-5	0.5 U	0.7	11.4	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.9	cis-1,2-Dichloroethene	2.2
MW-21 Screen 5	Mar/Apr 2000	MW-21-5	0.5 U	0.7	12.0	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.2	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.5
MW-21 Screen 5	Jul/Aug 2000	MW-21-5	0.5 U	0.6	11.0	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.2
MW-21 Screen 5	Sep/Oct 2000	MW-21-5	0.5 U	0.8	15.0	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.7
MW-21 Screen 5	Jan/Feb 2001	MW-21-5	0.5 U	0.7	15.1	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	2.6 0.6 2.6 0.4 J
MW-21 Screen 5	Apr 2001	MW-21-5	0.5 U	0.7	12.4	0.5 U	0.5 U	0.5 U	NA	1.4	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane Methylene chloride	2.3 0.5 2.3 0.4 J 0.4 J
MW-21 Screen 5	Jul 2001	MW-21-5	NA U	0.6	11.6	NA U	NA U	NA U	NA U	1.4	NA U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.0

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 5	Oct 2001	MW-21-5	0.5 U	0.5 J	7.8	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	1,2-Dichloroethene, Total	1.6
												Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	1.6
												Methyl-tert-butyl ether (MTBE)	0.6 J
MW-21 Screen 5	Jan/Feb 2002	MW-21-5	0.5 U	1.2	19.2	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.6	Bromodichloromethane	0.8
												cis-1,2-Dichloroethene	3.4
												Methyl-tert-butyl ether (MTBE)	1.0 J
MW-21 Screen 5	Apr/May 2002	MW-21-5	0.5 U	1.3	28.6	0.4 J	0.5 U	0.5 U	0.5 U	3.4	4.0 U	Bromodichloromethane	0.7
												cis-1,2-Dichloroethene	3.3
												Methylene chloride	2.7
MW-21 Screen 5	Jul 2002	MW-21-5	NA U	0.8	15.1	NA U	NA U	NA U	NA U	2.3	NA U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	2.4
MW-21 Screen 5	Oct/Nov 2002	MW-21-5	0.5 U	0.6	10.9	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	Bromodichloromethane	0.3 J
												cis-1,2-Dichloroethene	2.7
												cis-1,2-Dichloroethene	2.1
												NDMA	0.0 J
												n-Nitrosodiphenylamine (NDPHA)	0.0 J
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	0.5 U	0.7	8.0 J	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	cis-1,2-Dichloroethene	2.0
MW-21 Screen 5	Apr/May 2003	MW-21-5	0.5 U	0.6	12.3	0.5 U	0.5 U	0.5 U	0.5 U	2.7	2.7 J	cis-1,2-Dichloroethene	1.7
MW-21 Screen 5	Jul/Aug 2003	MW-21-5	0.5 U	1.0	20.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.6 J	cis-1,2-Dichloroethene	2.5
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	0.5 U	0.5 J	8.8	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.6 J	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	Feb 2004	MW-21-5	0.5 U	0.6	9.0	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.3	cis-1,2-Dichloroethene	1.5
MW-21 Screen 5	Apr/May 2004	MW-21-5	0.5 U	0.5 J	6.4	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.6 J	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	Jul/Aug 2004	MW-21-5	0.5 U	0.5	8.5	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	cis-1,2-Dichloroethene	1.7
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	0.5 U	0.6	8.4	0.5 U	0.5 U	0.5 U	0.5 U	3.9	6.2	cis-1,2-Dichloroethene	1.4
												Ethylbenzene	2.9
												m,p-Xylene	11.2
												o-Xylene	1.9
												Toluene	1.7
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	0.5 U	0.6	9.0	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0 U	cis-1,2-Dichloroethene	1.5
												Ethylbenzene	0.3 J
												m,p-Xylene	1.0
MW-21 Screen 5	Apr/May 2005	MW-21-5	0.5 U	0.3 J	4.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	1.1
												m,p-Xylene	0.4 J
MW-21 Screen 5	Jul/Sep 2005	MW-21-5	0.5 U	0.5 U	4.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	3.3 J	m,p-Xylene	0.3 J
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	0.5 U	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.3 J	cis-1,2-Dichloroethene	0.6
MW-21 Screen 5	Mar/Apr 2006	MW-21-5	0.5 U	0.3 J	3.8	0.5 U	0.5 U	0.5 U	0.5 U	4.4	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 5	Mar/Apr 2006	DUPE-1-1Q06	0.5 U	0.3 J	3.2	0.5 U	0.5 U	0.5 U	0.5 U	3.9	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 5	May/June 2006	MW-21-5	0.5 U	0.4 J	5.0	0.5 U	0.5 U	0.5 U	0.5 U	4.9	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 5	Aug/Sep 2006	MW-21-5	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	5.1	4.0 U	cis-1,2-Dichloroethene	0.7

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 5	Oct/Dec 2006	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U	
MW-21 Screen 5	Mar/Apr 2007	MW-21-5	0.5 U	0.3 J	3.1	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0 U	cis-1,2-Dichloroethene 0.5 J
MW-21 Screen 5	Jun/Jul 2007	MW-21-5	0.5 U	0.3	3.4	0.5 U	0.5 U	0.5 U	0.5 U	5.6	4.0 U	cis-1,2-Dichloroethene 0.5
MW-21 Screen 5	Aug/Sep 2007	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.3	4.0 U	cis-1,2-Dichloroethene 0.4 J
MW-21 Screen 5	Oct/Dec 2007	MW-21-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.6	cis-1,2-Dichloroethene 0.3 J
MW-21 Screen 5	Jan/Feb 2008	MW-21-5	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene 0.3 J
MW-21 Screen 5	Apr/May 2008	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	4.0	3.0 U	
MW-21 Screen 5	Jul/Aug 2008	MW-21-5	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	2.8	
MW-21 Screen 5	Oct/Nov 2008	MW-21-5	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	3.5	3.0	
MW-21 Screen 5	Jan/Feb 2009	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	3.7	3.2	
MW-21 Screen 5	Apr/May 2009	MW-21-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.0	
MW-21 Screen 5	Jul/Aug 2009	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.1	3.0	
MW-21 Screen 5	Nov/Dec 2009	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.0	3.8	
MW-21 Screen 5	Feb 2010	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	3.5	3.0	
MW-22 Screen 1	June/July 1997	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	NA	Bromodichloromethane 0.6 Bromoform 0.6 Dibromochloromethane 1.0
MW-22 Screen 1	Sep/Oct 1997	MW-22-1	0.5 U	0.5 U	2.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	Jan/Feb 1998	MW-22-1	0.5 U	0.5 U	2.3	0.8	0.5 U	0.5 U	0.5	0.5 U	4.0 U	
MW-22 Screen 1	Apr/May 1998	MW-22-1	0.5 U	0.9	2.1	0.8	0.5 U	0.5 U	0.5 U	0.5	5.4	
MW-22 Screen 1	Jul/Aug 1998	MW-22-1	0.5 U	0.9	1.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	6.4	
MW-22 Screen 1	Oct/Nov 1998	MW-22-1	0.5 U	0.5 U	1.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	5.0	
MW-22 Screen 1	Feb/Mar 1999	MW-22-1	0.5 U	0.6	3.6	1.0	0.5 U	0.5 U	1.3 B	0.5	6.4	
MW-22 Screen 1	May/June 1999	MW-22-1	0.5 U	0.5 U	2.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-22 Screen 1	Aug 1999	MW-22-1	0.5 U	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	Nov/Dec 1999	MW-22-1	0.5 U	0.5 U	3.6	0.9	0.5 U	0.5 U	0.5 U	0.5	4.2	
MW-22 Screen 1	Mar/Apr 2000	MW-22-1	0.5 U	0.5 U	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.3	
MW-22 Screen 1	Jul/Aug 2000	MW-22-1	0.5 U	0.5 U	3.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	4.4	
MW-22 Screen 1	Sep/Oct 2000	MW-22-1	0.5 U	0.5 U	2.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	5.6	
MW-22 Screen 1	Jan/Feb 2001	MW-22-1	0.5 U	0.5 U	2.0	0.7	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-22 Screen 1	Apr 2001	MW-22-1	0.5 U	0.5 U	4.0	0.5	0.5 U	0.5 U	NA	0.4 J	4.0 U	
MW-22 Screen 1	Apr 2001	DUP	0.5 U	0.5 U	1.8	0.3 J	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-22 Screen 1	Jul 2001	MW-22-1	NA U	NA U	1.9	0.3 J	NA U	NA U	NA U	0.3 J	NA U	
MW-22 Screen 1	Oct 2001	MW-22-1	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	Jan/Feb 2002	MW-22-1	0.5 U	0.5 U	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride 0.5 J
MW-22 Screen 1	Apr/May 2002	MW-22-1	0.5 U	0.4 J	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-22 Screen 1	Jul 2002	MW-22-1	NA U	NA U	2.9	0.6	NA U	NA U	NA U	0.6	NA U	
MW-22 Screen 1	Oct/Nov 2002	MW-22-1	0.5 U	0.5 U	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	0.5 U	0.3 J	2.0	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-22 Screen 1	Apr/May 2003	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	4-Methyl-2-pentanone 3.0 J
MW-22 Screen 1	Jul/Aug 2003	MW-22-1	0.5 U	0.3 J	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	4-Methyl-2-pentanone 0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-22 Screen 1	Feb 2004	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Apr/May 2004	MW-22-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jul/Aug 2004	MW-22-1	0.5 U	0.3 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	Methylene chloride	0.7
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	0.5 UJ	0.3 J	1.9	0.5 U	0.4 J	0.5 U	0.5 U	0.5 J	4.0 U		
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	0.5 U	0.4 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.0		
MW-22 Screen 1	Apr/May 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-22 Screen 1	Jul/Sep 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J		
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 J		
MW-22 Screen 1	Mar/Apr 2006	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	May/June 2006	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	May/June 2006	DUPE-5-2Q06	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Aug/Sep 2006	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Oct/Dec 2006	MW-22-1	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	Oct/Dec 2006	DUPE-5-4Q06	0.5 U	0.5 U	1.5	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	Mar/Apr 2007	MW-22-1	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	Jun/Jul 2007	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Aug/Sep 2007	MW-22-1	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-22 Screen 1	Oct/Dec 2007	MW-22-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0		
MW-22 Screen 1	Jan/Feb 2008	MW-22-1	0.5 U	0.3 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.1 J		
MW-22 Screen 1	Apr/May 2008	MW-22-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jul/Aug 2008	MW-22-1	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-22 Screen 1	Oct/Nov 2008	MW-22-1	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-22 Screen 1	Jan/Feb 2009	MW-22-1	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 1	Apr/May 2009	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 1	Jul/Aug 2009	MW-22-1	0.5 U	1.0	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.4		
MW-22 Screen 1	Nov/Dec 2009	MW-22-1	0.5 U	0.7	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-22 Screen 1	Feb 2010	MW-22-1	0.5 U	1.1	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-22 Screen 2	June/July 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	NA	Dibromochloromethane	0.7
MW-22 Screen 2	Sep/Oct 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8
MW-22 Screen 2	Jan/Feb 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Apr/May 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jul/Aug 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-22 Screen 2	Oct/Nov 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Feb/Mar 1999	MW-22-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4 B	0.5 U	4.0 U		
MW-22 Screen 2	May/June 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Aug 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Nov/Dec 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Mar/Apr 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jul/Aug 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Sep/Oct 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 2	Jan/Feb 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-22 Screen 2	Apr 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22 Screen 2	Jul 2001	MW-22-2	NA U	0.3 J	NA U	NA U	NA U	NA U	NA U	NA U	NA U	Toluene	0.5
MW-22 Screen 2	Oct 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2002	MW-22-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8 J
MW-22 Screen 2	Apr/May 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.3 J
MW-22 Screen 2	Jul 2002	MW-22-2	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-22 Screen 2	Oct/Nov 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-22 Screen 2	Apr/May 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J	4-Methyl-2-pentanone	5.0 J
MW-22 Screen 2	Jul/Aug 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	4-Methyl-2-pentanone	0.6 J
MW-22 Screen 2	Jul/Aug 2003	DUPE-5-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	4-Methyl-2-pentanone	0.4 J
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J		
MW-22 Screen 2	Feb 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Apr/May 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jul/Aug 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J	Methylene chloride	0.8
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Methylene chloride	0.5 0.6
MW-22 Screen 2	Apr/May 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-22 Screen 2	Jul/Sep 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-22 Screen 2	Mar/Apr 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	May/Jun 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Aug/Sep 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Oct/Dec 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Mar/Apr 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Jun/Jul 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	Methylene chloride	5.9 J
MW-22 Screen 2	Aug/Sep 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Oct/Dec 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Jan/Feb 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-22 Screen 2	Apr/May 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-22 Screen 2	Jul/Aug 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Oct/Nov 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-22 Screen 2	Oct/Nov 2008	DUPE-06-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-22 Screen 2	Jan/Feb 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 2	Apr/May 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-22 Screen 2	Jul/Aug 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-22 Screen 2	Nov/Dec 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4		
MW-22 Screen 2	Feb 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 3	June/July 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	NA		
MW-22 Screen 3	Sep/Oct 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-22 Screen 3	Jan/Feb 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Apr/May 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul/Aug 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Nov 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Feb/Mar 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 B	0.5 U	4.0 U	
MW-22 Screen 3	May/Jun 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-22 Screen 3	Aug 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Nov/Dec 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul/Aug 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Sep/Oct 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-22 Screen 3	Apr 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22 Screen 3	Jul 2001	MW-22-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-22 Screen 3	Oct 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	Methylene chloride	0.6 J
MW-22 Screen 3	Apr/May 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-22 Screen 3	Jul 2002	MW-22-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-22 Screen 3	Jul 2002	DUP	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-22 Screen 3	Oct/Nov 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 U		
MW-22 Screen 3	Apr/May 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	4-Methyl-2-pentanone	6.0 J
MW-22 Screen 3	Jul/Aug 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	4-Methyl-2-pentanone Chloroethane	2.0 J 2.0
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-22 Screen 3	Feb 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Apr/May 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul/Aug 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-22 Screen 3	Apr/May 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-22 Screen 3	Apr/May 2005	DUPE-5-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J		
MW-22 Screen 3	Jul/Sep 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-22 Screen 3	Jul/Sep 2005	DUPE-5-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J		
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 J		
MW-22 Screen 3	Mar/Apr 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	May/Jun 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Aug/Sep 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 3	Oct/Dec 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2007	DUPE-6-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	m,p-Xylene	0.9 J
MW-22 Screen 3	Jun/Jul 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Aug/Sep 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Dec 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 3	Jan/Feb 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3 J		
MW-22 Screen 3	Apr/May 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-22 Screen 3	Jul/Aug 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 3	Oct/Nov 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-22 Screen 3	Jan/Feb 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 3	Apr/May 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 3	Jul/Aug 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 3	Nov/Dec 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-22 Screen 3	Feb 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-22 Screen 4	June/July 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	NA	Bromodichloromethane Dibromochloromethane	0.5 0.7
MW-22 Screen 4	Sep/Oct 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Jan/Feb 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Jul/Aug 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Feb/Mar 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 B	0.5 U	4.0 U		
MW-22 Screen 4	May/Jun 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Aug 1999	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Nov/Dec 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Mar/Apr 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jul/Aug 2000	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Sep/Oct 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jan/Feb 2001	MW-22-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U		
MW-22 Screen 4	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7
MW-22 Screen 4	Apr 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jul 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	NA U		
MW-22 Screen 4	Oct 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jan/Feb 2002	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8 J
MW-22 Screen 4	Apr/May 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jul 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	NA U		
MW-22 Screen 4	Oct/Nov 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Apr/May 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	9.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Chloroethane Chloromethane	3.0 J 3.2 1.0
MW-22 Screen 4	Apr/May 2004	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J		
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	May/June 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Oct/Dec 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Jun/Jul 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	2.7 J
MW-22 Screen 4	Oct/Dec 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Apr/May 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Oct/Nov 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Apr/May 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2009	DUPE-04-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	June/July 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Dibromochloromethane	0.6
MW-22 Screen 5	Sep/Oct 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jan/Feb 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jul/Aug 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Feb/Mar 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 B	0.5 U	4.0 U		
MW-22 Screen 5	May/June 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Nov/Dec 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jul/Aug 2000	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jan/Feb 2001	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-22 Screen 5	Jan/Feb 2002	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-22 Screen 5	Apr/May 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	2.0 J
MW-22 Screen 5	Apr/May 2004	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2004	DUPE-2-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	May/June 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Oct/Dec 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Jun/Jul 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Oct/Dec 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Apr/May 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Oct/Nov 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-22 Screen 5	Apr/May 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 5	Nov/Dec 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	
MW-23 Screen 1	June/July 1997	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7	NA	Bromodichloromethane 1.4 Bromoform 1.5 Dibromochloromethane 2.2
MW-23 Screen 1	Sep/Oct 1997	MW-23-1	0.5 U	3.1	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.4	
MW-23 Screen 1	Jan/Feb 1998	MW-23-1	0.5 U	4.2	1.6	1.2	0.5 U	0.5 U	0.5 U	0.9	5.2	1,2,3-Trichlorobenzene 0.6
MW-23 Screen 1	Jul/Aug 1998	MW-23-1	0.5	9.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	19.0	Methylene chloride 2.2
MW-23 Screen 1	Oct/Nov 1998	MW-23-1	0.8	15.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	20.8	
MW-23 Screen 1	Feb/Mar 1999	MW-23-1	0.6	15.0	1.1	1.4	0.5 U	0.5 U	0.5 U	1.9	8.4	1,2,3-Trichlorobenzene 0.6
MW-23 Screen 1	May/June 1999	MW-23-1	0.5 U	7.0	1.1	0.5 U	0.5 U	0.5 U	0.6	1.0	7.6	1,2,3-Trichlorobenzene 0.7
MW-23 Screen 1	Aug 1999	MW-23-1	0.5 U	3.5	1.1	1.0	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-23 Screen 1	Nov/Dec 1999	MW-23-1	0.5 U	1.2	1.3	1.0	0.5 U	0.5 U	0.5 U	0.5	4.1	1,2,3-Trichlorobenzene 1.1
MW-23 Screen 1	Mar/Apr 2000	MW-23-1	0.5 U	1.5	2.3	1.3	0.5 U	0.5 U	0.5 U	0.7	4.3	1,2,3-Trichlorobenzene 1.2
MW-23 Screen 1	Jul/Aug 2000	MW-23-1	0.5 U	1.4	0.9	0.5 U	0.5 U	0.6	0.5 U	0.5	4.9	
MW-23 Screen 1	Sep/Oct 2000	MW-23-1	0.5 U	0.6	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Jan/Feb 2001	MW-23-1	0.5 U	0.9	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Methyl-tert-butyl ether (MTBE) 0.6 J
MW-23 Screen 1	Apr 2001	MW-23-1	0.5 U	0.7	0.5 U	0.5	0.5 U	0.5 U	NA	0.5 J	4.0 U	
MW-23 Screen 1	Jul 2001	MW-23-1	0.6	1.9	0.9	0.4 J	NA U	NA U	NA U	NA	NA U	
MW-23 Screen 1	Oct 2001	MW-23-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Jan/Feb 2002	MW-23-1	0.5 U	1.3	1.4	0.7	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-23 Screen 1	Apr/May 2002	MW-23-1	0.5 U	0.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride 0.4 J
MW-23 Screen 1	Jul 2002	MW-23-1	NA U	0.9	1.0	0.4 J	NA U	NA U	NA U	0.6	NA U	
MW-23 Screen 1	Oct/Nov 2002	MW-23-1	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	0.5 U	1.5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.9 J	
MW-23 Screen 1	Apr/May 2003	MW-23-1	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9 J	4-Methyl-2-pentanone 4.0 J
MW-23 Screen 1	Jul/Aug 2003	MW-23-1	0.5 U	0.3 J	1.5	0.5	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J	
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.1 J	4-Methyl-2-pentanone 2.0 J Chloroethane 2.7 Chloromethane 0.6
MW-23 Screen 1	Feb 2004	MW-23-1	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.5	
MW-23 Screen 1	Apr/May 2004	MW-23-1	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-23 Screen 1	Jul/Aug 2004	MW-23-1	0.5 U	0.8	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.4	
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	0.5 U	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	0.5 U	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	m,p-Xylene 0.7
MW-23 Screen 1	Apr/May 2005	MW-23-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-23 Screen 1	Jul/Sep 2005	MW-23-1	0.5 U	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J	
MW-23 Screen 1	Mar/Apr 2006	MW-23-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-23 Screen 1	May/June 2006	MW-23-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	May/June 2006	DUPE-6-2Q06	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-23 Screen 1	Aug/Sep 2006	MW-23-1	0.5 U	0.4 J	1.0 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-23 Screen 1	Oct/Dec 2006	MW-23-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Mar/Apr 2007	MW-23-1	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Jun/Jul 2007	MW-23-1	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Aug/Sep 2007	MW-23-1	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-23 Screen 1	Oct/Dec 2007	MW-23-1	0.5 U	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0	
MW-23 Screen 1	Jan/Feb 2008	MW-23-1	0.5 U	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.4	
MW-23 Screen 1	Apr/May 2008	MW-23-1	0.5 U	0.5	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-23 Screen 1	Jul/Aug 2008	MW-23-1	0.5 U	1.3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2	
MW-23 Screen 1	Oct/Nov 2008	MW-23-1	0.5 U	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-23 Screen 1	Jan/Feb 2009	MW-23-1	0.5 U	1.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-23 Screen 1	Apr/May 2009	MW-23-1	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-23 Screen 1	Jul/Aug 2009	MW-23-1	0.5 U	2.2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.2	
MW-23 Screen 1	Nov/Dec 2009	MW-23-1	0.5 U	2.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-23 Screen 1	Feb 2010	MW-23-1	0.5 U	3.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-23 Screen 2	June/July 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3	NA	Dibromochloromethane 0.6
MW-23 Screen 2	Sep/Oct 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6	
MW-23 Screen 2	Jan/Feb 1998	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	6.7	
MW-23 Screen 2	Jul/Aug 1998	MW-23-2	0.5 U	1.1	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	7.8	Methylene chloride 1.8
MW-23 Screen 2	Oct/Nov 1998	MW-23-2	0.5 U	0.6	0.7	0.6	0.5 U	0.5 U	0.5 U	0.6	16.3	
MW-23 Screen 2	Feb/Mar 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.7	
MW-23 Screen 2	May/June 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.6	7.8	
MW-23 Screen 2	Aug 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-23 Screen 2	Nov/Dec 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5	
MW-23 Screen 2	Mar/Apr 2000	MW-23-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.2	
MW-23 Screen 2	Jul/Aug 2000	MW-23-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	6.6	
MW-23 Screen 2	Sep/Oct 2000	MW-23-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.0	
MW-23 Screen 2	Jan/Feb 2001	MW-23-2	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-23 Screen 2	Apr 2001	MW-23-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5	4.0 U	
MW-23 Screen 2	Jul 2001	MW-23-2	NA U	0.3 J	0.6	NA U	NA U	NA U	NA U	NA U	NA U	1,2,3-Trichlorobenzene 1.2
MW-23 Screen 2	Oct 2001	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 2	Oct 2001	DUP	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-23 Screen 2	Jan/Feb 2002	MW-23-2	0.5 U	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0	Methylene chloride 0.9 J
MW-23 Screen 2	Apr/May 2002	MW-23-2	0.5 U	0.7	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride 0.4 J
MW-23 Screen 2	Jul 2002	MW-23-2	NA U	0.8	0.6	NA U	NA U	NA U	NA U	0.6	4.0 J	
MW-23 Screen 2	Oct/Nov 2002	MW-23-2	0.5 U	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.4 J	
MW-23 Screen 2	Apr/May 2003	MW-23-2	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.8 J	4-Methyl-2-pentanone 3.0 J
MW-23 Screen 2	Jul/Aug 2003	MW-23-2	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7	Methylene chloride 0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	0.5 U	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.4 J	4-Methyl-2-pentanone Chloroethane Chloromethane	3.0 J 2.3 0.6
MW-23 Screen 2	Feb 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.9		
MW-23 Screen 2	Apr/May 2004	MW-23-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.4		
MW-23 Screen 2	Jul/Aug 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	0.5 U	0.5 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	0.5 U	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.6	m,p-Xylene	0.4 J
MW-23 Screen 2	Apr/May 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7 J		
MW-23 Screen 2	Jul/Sep 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.2		
MW-23 Screen 2	Mar/Apr 2006	MW-23-2	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-23 Screen 2	Mar/Apr 2006	DUPE-5-1Q06	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.3		
MW-23 Screen 2	May/Jun 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 2	Aug/Sep 2006	MW-23-2	0.5 U	0.7 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.6		
MW-23 Screen 2	Aug/Sep 2006	DUPE-2-3Q06	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1		
MW-23 Screen 2	Oct/Dec 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-23 Screen 2	Mar/Apr 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-23 Screen 2	Jun/Jul 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 2	Aug/Sep 2007	MW-23-2	0.5 U	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-23 Screen 2	Aug/Sep 2007	DUPE-2-3Q07	0.5 U	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-23 Screen 2	Oct/Dec 2007	MW-23-2	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.7		
MW-23 Screen 2	Jan/Feb 2008	MW-23-2	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	6.5		
MW-23 Screen 2	Apr/May 2008	MW-23-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1 J		
MW-23 Screen 2	Apr/May 2008	DUPE-3-2Q08	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-23 Screen 2	Jul/Aug 2008	MW-23-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.8		
MW-23 Screen 2	Oct/Nov 2008	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-23 Screen 2	Jan/Feb 2009	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-23 Screen 2	Apr/May 2009	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.1		
MW-23 Screen 2	Jul/Aug 2009	MW-23-2	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-23 Screen 2	Nov/Dec 2009	MW-23-2	0.5 U	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.4		
MW-23 Screen 2	Feb 2010	MW-23-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-23 Screen 3	June/July 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2	NA	Bromodichloromethane Bromoform Dibromochloromethane	0.8 0.9 1.3
MW-23 Screen 3	Sep/Oct 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.7
MW-23 Screen 3	Oct/Nov 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Feb/Mar 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	May/Jun 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 3	Aug 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Nov/Dec 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Mar/Apr 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Sep/Oct 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Apr 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-23 Screen 3	Jul 2001	MW-23-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-23 Screen 3	Oct 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.9 J
MW-23 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.5
MW-23 Screen 3	Apr/May 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-23 Screen 3	Jul 2002	MW-23-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U		
MW-23 Screen 3	Oct/Nov 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-23 Screen 3	Apr/May 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-23 Screen 3	Jul/Aug 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Chloroethane Chloromethane	2.0 J 2.3 0.6
MW-23 Screen 3	Feb 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Apr/May 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-23 Screen 3	Apr/May 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-23 Screen 3	Jul/Sep 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J		
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J		
MW-23 Screen 3	Mar/Apr 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	May/June 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Aug/Sep 2006	MW-23-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene	0.3 J
MW-23 Screen 3	Oct/Dec 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Mar/Apr 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jun/Jul 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Aug/Sep 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Oct/Dec 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jan/Feb 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Apr/May 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jul/Aug 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 3	Oct/Nov 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Jan/Feb 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Apr/May 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Jul/Aug 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Nov/Dec 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Feb 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	June/July 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	Benzene	1.3
MW-23 Screen 4	Sep/Oct 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Jan/Feb 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Jul/Aug 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	2.3
MW-23 Screen 4	Oct/Nov 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Feb/Mar 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	May/Jun 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Aug 1999	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Nov/Dec 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Mar/Apr 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jul/Aug 2000	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Sep/Oct 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jan/Feb 2001	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jul 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	NA U		
MW-23 Screen 4	Oct 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jan/Feb 2002	MW-23-4	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr/May 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jul 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 J		
MW-23 Screen 4	Oct/Nov 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Apr/May 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Chloromethane	2.0 J 0.5
MW-23 Screen 4	Apr/May 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr/May 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-23 Screen 4	Jul/Sep 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	May/Jun 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Oct/Dec 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	2.0
MW-23 Screen 4	Jun/Jul 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Oct/Dec 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Apr/May 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Oct/Nov 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	Apr/May 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 4	Nov/Dec 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-23 Screen 5	Sep/Oct 1997	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Jan/Feb 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Jul/Aug 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.7
MW-23 Screen 5	Oct/Nov 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.9		
MW-23 Screen 5	Feb/Mar 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	May/June 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Aug 1999	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Nov/Dec 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Mar/Apr 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul/Aug 2000	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Sep/Oct 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jan/Feb 2001	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) Styrene	0.3 J 0.4 J
MW-23 Screen 5	Apr 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	NA U		
MW-23 Screen 5	Oct 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jan/Feb 2002	MW-23-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.9 J
MW-23 Screen 5	Apr/May 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	NA U		
MW-23 Screen 5	Oct/Nov 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Apr/May 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Apr/May 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene Vinyl chloride	0.4 J 0.6
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-23 Screen 5	Apr/May 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-23 Screen 5	May/June 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 5	Oct/Dec 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.4 J
MW-23 Screen 5	Jun/Jul 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 5	Oct/Dec 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-23 Screen 5	Apr/May 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.5 J
MW-23 Screen 5	Oct/Nov 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov/Dec 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	Styrene	0.6
MW-24 Screen 1	June/July 1997	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	NA	Bromodichloromethane Dibromochloromethane	0.5 0.6
MW-24 Screen 1	Sep/Oct 1997	MW-24-1	5.0	5.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.1	92.0		
MW-24 Screen 1	Jan/Feb 1998	MW-24-1	30.0 E	15.0	0.5	0.5 U	0.8	0.5 U	0.6	15.0	330.0		
MW-24 Screen 1	Apr/May 1998	MW-24-1	6.7	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	74.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	20.0	
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	1.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	16.3	
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	14.0	
MW-24 Screen 1	May/Jun 1999	MW-24-1	1.0	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0	
MW-24 Screen 1	Aug 1999	MW-24-1	1.8	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	22.0	
MW-24 Screen 1	Nov/Dec 1999	MW-24-1	6.3	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	91.0	
MW-24 Screen 1	Mar/Apr 2000	MW-24-1	15.0	8.6	0.6	0.5 U	0.5 U	0.5 U	0.6	5.1	270.0		
MW-24 Screen 1	Jul/Aug 2000	MW-24-1	18.0	7.7	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.5	440.0		
MW-24 Screen 1	Sep/Oct 2000	MW-24-1	28.0	8.4	1.1	0.5 U	0.5 U	0.6	0.6	5.5	590.0		
MW-24 Screen 1	Jan/Feb 2001	MW-24-1	12.1	5.5	0.6	0.5 U	0.4 J	0.4 J	1.5	7.5	4.0 U	1,4-Dioxane 2-Butanone	3.6 0.7 J
MW-24 Screen 1	Apr 2001	MW-24-1	12.6	6.5	0.5 U	0.5 U	0.4 J	0.5 U	NA	6.0	433.0		
MW-24 Screen 1	Jul 2001	MW-24-1	6.5	2.9	0.3 J	NA U	0.4 J	0.8	NA U	6.4	440.0		
MW-24 Screen 1	Oct 2001	MW-24-1	13.8	5.5	0.6	0.5 U	0.5 U	0.5	0.5 U	3.8	673.0		
MW-24 Screen 1	Jan/Feb 2002	MW-24-1	24.2	7.6	1.5	0.5 U	0.5 J	0.7	0.5 U	9.3	1460.0	1,4-Dioxane	3.0
MW-24 Screen 1	Apr/May 2002	MW-24-1	26.0	6.8	1.6	0.5 U	0.5 U	0.8	0.5 U	9.3	1280.0	Methylene chloride	0.5 J
MW-24 Screen 1	Jul 2002	MW-24-1	21.6	5.9	1.3	NA U	NA U	0.7	NA U	9.3	1230.0 J		
MW-24 Screen 1	Oct/Nov 2002	MW-24-1	22.2	8.3	1.2	0.5 U	0.4 J	1.0	0.5 U	13.4	985.0		
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	4.7	1.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	2.4	257.0		
MW-24 Screen 1	Apr/May 2003	MW-24-1	7.5	2.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2	854.0	1,4-Dioxane 4-Methyl-2-pentanone	3.6 4.0 J
MW-24 Screen 1	Jul/Aug 2003	MW-24-1	22.1	4.8	1.5	0.5 U	0.5 U	0.8	0.5 U	10.2	2450.0	4-Methyl-2-pentanone Methylene chloride	0.3 J 0.4 J
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	19.1	3.7	1.6	0.5 U	0.5 U	0.7	0.5 U	6.8	2760.0 J		
MW-24 Screen 1	Feb 2004	MW-24-1	6.7	1.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1120.0 J		
MW-24 Screen 1	Apr/May 2004	MW-24-1	8.3	1.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2240.0	1,4-Dioxane	3.2
MW-24 Screen 1	Jul/Aug 2004	MW-24-1	16.7	2.4	1.7	0.5 U	0.5 U	0.5 U	0.5 U	5.9	2170.0		
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	7.8	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4880.0		
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	10.0	1.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1050.0		
MW-24 Screen 1	Apr/May 2005	MW-24-1	8.9	0.4 J	2.8	0.5 U	0.5 U	0.7	0.5 U	4.8	4090.0	1,4-Dioxane	2.2
MW-24 Screen 1	Jul/Sep 2005	MW-24-1	0.9	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	683.0	m,p-Xylene	0.5
MW-24 Screen 1	Jul/Sep 2005	DUPE-1-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	670.0		
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	104.0		
MW-24 Screen 1	Mar/Apr 2006	MW-24-1	0.6	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	230.0		
MW-24 Screen 1	May/Jun 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	46.0	1,4-Dioxane NDMA	1.0 J 0.0 U
MW-24 Screen 1	May/Jun 2006	DUPE-8-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	44.0	1,4-Dioxane	1.0 J
MW-24 Screen 1	Aug/Sep 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	35.0	Methylene chloride	1.0
MW-24 Screen 1	Oct/Dec 2006	MW-24-1	1.5	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	590.0		
MW-24 Screen 1	Mar/Apr 2007	MW-24-1	11.0 J	0.5 U	5.9	0.5 U	0.5 U	1.7	0.5 U	4.0	1900.0		
MW-24 Screen 1	Mar/Apr 2007	DUPE-5-1Q07	14.0 J	0.3 J	7.4	0.5 U	0.5 U	1.9	0.5 U	4.8	2000.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Jun/Jul 2007	MW-24-1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	970.0	1,4-Dioxane	1.1 J
MW-24 Screen 1	Aug/Sep 2007	MW-24-1	5.8	0.5 U	4.5	0.5 U	0.5 U	0.7	0.5 U	4.4	1300.0	Bromodichloromethane	1.5
												Bromoform	1.0
												Dibromochloromethane	1.7
MW-24 Screen 1	Oct/Dec 2007	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	81.0	Bromodichloromethane	2.9
												Bromoform	2.5
												Dibromochloromethane	3.5
												Dibromomethane	0.3 J
MW-24 Screen 1	Oct/Dec 2007	DUPE-3-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	78.0	Bromodichloromethane	3.4
												Bromoform	2.7
												Dibromochloromethane	4.1
												Dibromomethane	0.3 J
MW-24 Screen 1	Jan/Feb 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	12.0	Bromodichloromethane	1.6
MW-24 Screen 1	Jan/Feb 2008	DUPE-5-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.0	Bromodichloromethane	1.2
MW-24 Screen 1	Apr/May 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	8.2	1,4-Dioxane	1.1 J
												Bromodichloromethane	3.3
												Dibromochloromethane	0.4 J
MW-24 Screen 1	Apr/May 2008	DUPE-4-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	9.4	1,4-Dioxane	1.0 J
												Bromodichloromethane	3.0
												Dibromochloromethane	0.4 J
MW-24 Screen 1	Jul/Aug 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	1.1	Bromodichloromethane	5.3 J
MW-24 Screen 1	Oct/Nov 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8		
MW-24 Screen 1	Jan/Feb 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	326.0		
MW-24 Screen 1	Apr/May 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	3.6	1,4-Dioxane	1.0
												NDMA	0.0 J
MW-24 Screen 1	Apr/May 2009	DUPE-02-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0	1,4-Dioxane	1.0
MW-24 Screen 1	Jul/Aug 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4.0	Bromodichloromethane	0.9
MW-24 Screen 1	Nov/Dec 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.1 J		
MW-24 Screen 1	Feb 2010	MW-24-1	0.8	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	2.1	232.0		
MW-24 Screen 1	Feb 2010	DUPE-5-1Q10	0.8	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	228.0		
MW-24 Screen 2	June/July 1997	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3	NA		
MW-24 Screen 2	Sep/Oct 1997	MW-24-2	13.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	200.0		
MW-24 Screen 2	Jan/Feb 1998	MW-24-2	6.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	110.0		
MW-24 Screen 2	Apr/May 1998	MW-24-2	29.0	3.3	0.9	0.5 U	0.5 U	1.4	0.5 U	9.4	480.0		
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	58.0	4.2	1.5	0.5 U	0.5 U	2.0	0.5 U	8.4	500.0		
MW-24 Screen 2	Oct/Nov 1998	MW-24-2	19.0	2.3	0.8	0.5 U	0.5 U	0.8	0.5 U	5.9	490.0		
MW-24 Screen 2	Feb/Mar 1999	MW-24-2	30.0 E	3.0	1.0	0.5 U	0.5 U	1.5	0.5 U	6.6	580.0		
MW-24 Screen 2	May/June 1999	MW-24-2	33.0	4.3	1.3	0.5 U	0.5 U	1.8	0.5 U	7.7	690.0		
MW-24 Screen 2	Aug 1999	MW-24-2	35.0	3.6	0.9	0.5 U	0.5 U	1.4	0.5 U	7.5	700.0		
MW-24 Screen 2	Nov/Dec 1999	MW-24-2	25.0	3.7	0.9	0.5 U	0.5 U	1.4	0.5 U	7.4	570.0		
MW-24 Screen 2	Mar/Apr 2000	MW-24-2	28.0	4.3	1.1	0.5 U	0.5 U	1.9	0.5 U	8.0	570.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-24 Screen 2	Jul/Aug 2000	MW-24-2	23.0 E	3.3	0.8	0.5 U	0.5 U	1.2	0.5 U	7.7	530.0	
MW-24 Screen 2	Sep/Oct 2000	MW-24-2	21.0	3.0	0.8	0.5 U	0.5 U	1.4	0.5 U	6.6	430.0	
MW-24 Screen 2	Jan/Feb 2001	MW-24-2	0.5 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	42.0	
MW-24 Screen 2	Apr 2001	MW-24-2	10.6	2.0	0.5 U	0.5 U	0.4 J	0.6	NA	6.2	433.0	
MW-24 Screen 2	Jul 2001	MW-24-2	15.2	2.4	0.5	NA U	0.4 J	0.8	NA U	6.4	420.0	
MW-24 Screen 2	Oct 2001	MW-24-2	8.6	0.9	0.5 U	0.5 U	0.5 U	0.9	0.5 U	3.5	386.0	
MW-24 Screen 2	Jan/Feb 2002	MW-24-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.6	
MW-24 Screen 2	Apr/May 2002	MW-24-2	10.8	1.6	0.5 J	0.5 U	0.5 U	0.6	0.5 U	4.3	249.0	Methylene chloride 0.6 J
MW-24 Screen 2	Jul 2002	MW-24-2	10.6	1.7	NA U	NA U	NA U	0.7	NA U	4.6	246.0 J	
MW-24 Screen 2	Oct/Nov 2002	MW-24-2	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	8.9	1.3	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	2.8	106.0 J	Total Petroleum Hydrocarbons (TPH) as Gasolin 20.0 J
MW-24 Screen 2	Apr/May 2003	MW-24-2	8.9	1.6	0.3 J	0.5 U	0.5 U	0.5	0.5 U	3.8	195.0	4-Methyl-2-pentanone 4.0 J
MW-24 Screen 2	Apr/May 2003	DUPE-4-2Q03	4.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	199.0	4-Methyl-2-pentanone 5.0 J Methylene chloride 2.5
MW-24 Screen 2	Jul/Aug 2003	MW-24-2	4.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	148.0	Methylene chloride 0.3 J
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	155.0 J	
MW-24 Screen 2	Feb 2004	MW-24-2	3.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	107.0	
MW-24 Screen 2	Apr/May 2004	MW-24-2	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	110.0	
MW-24 Screen 2	Jul/Aug 2004	MW-24-2	4.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	99.7	
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	4.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	56.2	
MW-24 Screen 2	Apr/May 2005	MW-24-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	87.5	
MW-24 Screen 2	Jul/Sep 2005	MW-24-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	79.1	
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	71.5	
MW-24 Screen 2	Mar/Apr 2006	MW-24-2	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	59.0	
MW-24 Screen 2	Mar/Apr 2006	DUPE-2-1Q06	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	62.0	
MW-24 Screen 2	May/Jun 2006	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	73.0	
MW-24 Screen 2	Aug/Sep 2006	MW-24-2	2.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U	
MW-24 Screen 2	Oct/Dec 2006	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.0	
MW-24 Screen 2	Mar/Apr 2007	MW-24-2	1.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	51.0	
MW-24 Screen 2	Jun/Jul 2007	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	43.0	
MW-24 Screen 2	Aug/Sep 2007	MW-24-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	35.0	
MW-24 Screen 2	Oct/Dec 2007	MW-24-2	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	36.0	
MW-24 Screen 2	Jan/Feb 2008	MW-24-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	23.0	
MW-24 Screen 2	Jan/Feb 2008	DUPE-4-1Q08	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	25.0	
MW-24 Screen 2	Apr/May 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	27.0	
MW-24 Screen 2	Jul/Aug 2008	MW-24-2	0.7 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.4	
MW-24 Screen 2	Oct/Nov 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.1	
MW-24 Screen 2	Jan/Feb 2009	MW-24-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.6	
MW-24 Screen 2	Apr/May 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9	
MW-24 Screen 2	Jul/Aug 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-24 Screen 2	Nov/Dec 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	
MW-24 Screen 2	Feb 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8	
MW-24 Screen 3	June/July 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	NA	Bromodichloromethane 1.1 Bromofom 0.7 Dibromochloromethane 1.3
MW-24 Screen 3	Sep/Oct 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jan/Feb 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Apr/May 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Oct/Nov 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Feb/Mar 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	May/Jun 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Aug 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Nov/Dec 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Mar/Apr 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jul/Aug 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Sep/Oct 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jan/Feb 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Apr 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-24 Screen 3	Jul 2001	MW-24-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-24 Screen 3	Jul 2001	DUP	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-24 Screen 3	Oct 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jan/Feb 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 1.4
MW-24 Screen 3	Apr/May 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 0.8 Methylene chloride 0.4 J
MW-24 Screen 3	Jul 2002	MW-24-3	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	NA U	
MW-24 Screen 3	Oct/Nov 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.6 J
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	
MW-24 Screen 3	Apr/May 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 5.0 J
MW-24 Screen 3	Jul/Aug 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Feb 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-24 Screen 3	Apr/May 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jul/Aug 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.4 J
MW-24 Screen 3	Apr/May 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jul/Sep 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Mar/Apr 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 3	May/Jun 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 3	Aug/Sep 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Oct/Dec 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Mar/Apr 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	m,p-Xylene	1.0 J
MW-24 Screen 3	Jun/Jul 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Aug/Sep 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Oct/Dec 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Jan/Feb 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Apr/May 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene	2.7
												Ethylbenzene	1.0
												Methyl-tert-butyl ether (MTBE)	2.0
												Styrene	1.1
												Vinyl chloride	2.0
MW-24 Screen 3	Jul/Aug 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2008	DUPE-08-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Jan/Feb 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.3		
MW-24 Screen 3	Apr/May 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Apr/May 2009	DUPE-01-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Jul/Aug 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Nov/Dec 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	27.9 J		
MW-24 Screen 3	Feb 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	June/July 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0	NA	Bromodichloromethane	0.5
												Dibromochloromethane	0.7
MW-24 Screen 4	Sep/Oct 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jan/Feb 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Feb/Mar 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	May/Jun 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Nov/Dec 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Mar/Apr 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-24 Screen 4	Jul/Aug 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jan/Feb 2001	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-24 Screen 4	Jan/Feb 2002	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2002	MW-24-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24 Screen 4	Apr/May 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-24 Screen 4	Apr/May 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Jul/Sep 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	May/Jun 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 4	Oct/Dec 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 4	Jun/Jul 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 4	Oct/Dec 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 4	Apr/May 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 4	Oct/Nov 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	
MW-24 Screen 4	Apr/May 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 4	Nov/Dec 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Sep/Oct 1997	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jul/Aug 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Oct/Nov 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Feb/Mar 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	May/Jun 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Nov/Dec 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jul/Aug 2000	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 2001	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 2002	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 5.0 J
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jul/Sep 2005	MW-24-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-24 Screen 5	Jul/Sep 2005	DUPE-10-9/9/05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	May/Jun 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Oct/Dec 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene 0.6 Methyl-tert-butyl ether (MTBE) 0.7 Styrene 0.5
MW-24 Screen 5	Jun/Jul 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Oct/Dec 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Apr/May 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Oct/Nov 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Apr/May 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Nov/Dec 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane m,p-Xylene	0.0 J 0.3 J
MW-25 Screen 1	Apr/May 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		
MW-25 Screen 1	Jul/Sep 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.7		
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	Methylene chloride	0.6
MW-25 Screen 1	Mar/Apr 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2		
MW-25 Screen 1	May/Jun 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3		
MW-25 Screen 1	Aug/Sep 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7		
MW-25 Screen 1	Oct/Dec 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5		
MW-25 Screen 1	Oct/Dec 2006	DUPE-6-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0		
MW-25 Screen 1	Mar/Apr 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.9 J
MW-25 Screen 1	Jun/Jul 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5		
MW-25 Screen 1	Jun/Jul 2007	DUPE-6-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 1	Aug/Sep 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3		
MW-25 Screen 1	Oct/Dec 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-25 Screen 1	Jan/Feb 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.2		
MW-25 Screen 1	Jan/Feb 2008	DUPE-3-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 1	Apr/May 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0 J		
MW-25 Screen 1	Jul/Aug 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.2		
MW-25 Screen 1	Oct/Nov 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.1		
MW-25 Screen 1	Jan/Feb 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1		
MW-25 Screen 1	Jan/Feb 2009	DUPE-02-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.8		
MW-25 Screen 1	Apr/May 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.3		
MW-25 Screen 1	Jul/Aug 2009	MW-25-1	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.5		
MW-25 Screen 1	Nov/Dec 2009	MW-25-1	0.5 U	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.2		
MW-25 Screen 1	Feb 2010	MW-25-1	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.0		
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane m,p-Xylene	0.0 J 0.5 J
MW-25 Screen 2	Apr/May 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-25 Screen 2	Apr/May 2005	DUPE-6-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.4		
MW-25 Screen 2	Jul/Sep 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.4		
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5	Methylene chloride	0.9
MW-25 Screen 2	Mar/Apr 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0		
MW-25 Screen 2	May/Jun 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-25 Screen 2	Aug/Sep 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0		
MW-25 Screen 2	Oct/Dec 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-25 Screen 2	Mar/Apr 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-25 Screen 2	Jun/Jul 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	14.0		
MW-25 Screen 2	Aug/Sep 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-25 Screen 2	Oct/Dec 2007	MW-25-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	18.0		
MW-25 Screen 2	Jan/Feb 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 2	Apr/May 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-25 Screen 2	Jul/Aug 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1		
MW-25 Screen 2	Oct/Nov 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.6		
MW-25 Screen 2	Jan/Feb 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.2		
MW-25 Screen 2	Apr/May 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.4		
MW-25 Screen 2	Jul/Aug 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1		
MW-25 Screen 2	Nov/Dec 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.3		
MW-25 Screen 2	Feb 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.7		
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5	1,2,3-Trichloropropane m,p-Xylene	0.0 J 0.7
MW-25 Screen 3	Apr/May 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.4		
MW-25 Screen 3	Jul/Sep 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.3		
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	Methylene chloride	0.7
MW-25 Screen 3	Mar/Apr 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	9.7		
MW-25 Screen 3	May/Jun 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-25 Screen 3	Aug/Sep 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0		
MW-25 Screen 3	Oct/Dec 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	11.0		
MW-25 Screen 3	Mar/Apr 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	9.3	m,p-Xylene	0.9 J
MW-25 Screen 3	Jun/Jul 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3 J		
MW-25 Screen 3	Aug/Sep 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	10.0		
MW-25 Screen 3	Oct/Dec 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	15.0		
MW-25 Screen 3	Jan/Feb 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	11.0		
MW-25 Screen 3	Apr/May 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	13.0		
MW-25 Screen 3	Jul/Aug 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.9		
MW-25 Screen 3	Oct/Nov 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.9		
MW-25 Screen 3	Jan/Feb 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.2		
MW-25 Screen 3	Apr/May 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	8.4		
MW-25 Screen 3	Apr/May 2009	DUPE-04-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	8.4		
MW-25 Screen 3	Jul/Aug 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1		
MW-25 Screen 3	Nov/Dec 2009	MW-25-3	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.0		
MW-25 Screen 3	Feb 2010	MW-25-3	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.8		
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3	1,2,3-Trichloropropane m,p-Xylene	0.0 J 0.5
MW-25 Screen 4	Apr/May 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		
MW-25 Screen 4	Jul/Sep 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8	Methylene chloride	1.0
MW-25 Screen 4	Mar/Apr 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-25 Screen 4	May/Jun 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-25 Screen 4	Aug/Sep 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6		
MW-25 Screen 4	Oct/Dec 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-25 Screen 4	Mar/Apr 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-25 Screen 4	Jun/Jul 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-25 Screen 4	Aug/Sep 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-25 Screen 4	Oct/Dec 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.5	
MW-25 Screen 4	Jan/Feb 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9	
MW-25 Screen 4	Apr/May 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.4	
MW-25 Screen 4	Jul/Aug 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8	
MW-25 Screen 4	Oct/Nov 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	
MW-25 Screen 4	Jan/Feb 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	
MW-25 Screen 4	Apr/May 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2	
MW-25 Screen 4	Jul/Aug 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	
MW-25 Screen 4	Nov/Dec 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	
MW-25 Screen 4	Nov/Dec 2009	DUPE-07-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	
MW-25 Screen 4	Feb 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane Ethylbenzene m,p-Xylene o-Xylene Toluene 0.0 J 0.6 1.3 0.4 J 0.4 J
MW-25 Screen 5	Apr/May 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-25 Screen 5	Jul/Sep 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-25 Screen 5	Mar/Apr 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	May/Jun 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Aug/Sep 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-25 Screen 5	Oct/Dec 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Mar/Apr 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Jun/Jul 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Aug/Sep 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Oct/Dec 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Jan/Feb 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Apr/May 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-25 Screen 5	Jul/Aug 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.8	
MW-25 Screen 5	Oct/Nov 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.5	
MW-25 Screen 5	Jan/Feb 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-25 Screen 5	Apr/May 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-25 Screen 5	Jul/Aug 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-25 Screen 5	Nov/Dec 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.0	
MW-25 Screen 5	Feb 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 1	Apr/May 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.4 J
MW-26 Screen 1	Jul/Sep 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Jul/Sep 2005	DUPE-6-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Mar/Apr 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	May/Jun 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Aug/Sep 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Oct/Dec 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Mar/Apr 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Jun/Jul 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Aug/Sep 2007	MW-26-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Oct/Dec 2007	MW-26-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	
MW-26 Screen 1	Jan/Feb 2008	MW-26-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	
MW-26 Screen 1	Apr/May 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 1	Jul/Aug 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-26 Screen 1	Oct/Nov 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	
MW-26 Screen 1	Jan/Feb 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	
MW-26 Screen 1	Apr/May 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7 J	
MW-26 Screen 1	Jul/Aug 2009	MW-26-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-26 Screen 1	Nov/Dec 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-26 Screen 1	Feb 2010	MW-26-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-26 Screen 2	Apr/May 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.3 J
MW-26 Screen 2	Jul/Sep 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	Bromodichloromethane 2.1 Chloromethane 0.3 J Dibromochloromethane 1.5 Methylene chloride 1.2
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	Bromodichloromethane 1.9 Dibromochloromethane 1.3 Methylene chloride 1.4
MW-26 Screen 2	Mar/Apr 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 2	May/Jun 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Aug/Sep 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Oct/Dec 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 2	Mar/Apr 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Jun/Jul 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Aug/Sep 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Oct/Dec 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Jan/Feb 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Apr/May 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Jul/Aug 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Oct/Nov 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Jan/Feb 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Apr/May 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-26 Screen 2	Jul/Aug 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Nov/Dec 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Feb 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
California Maximum Contaminant Level (MCL)			0.5	5	5	5	0.5	6	1200	100	6.0 *	
EPA Region IX Maximum Contaminant Level			5	5	5	NE	5	7	NE	100	NE	
<p>Notes</p> <p>DUPE Field Duplicate</p> <p>NA Not analyzed</p> <p>NE Not established</p> <p>* Interim Action Level - California Department of Public Health</p> <p>B Analyte is present in method blank</p> <p>E The reported value is estimated because of the presence of interference. The serial dilution was not within control limits.</p> <p>J Indicates an estimated value.</p> <p>U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.</p> <p>UJ Indicates compound was analyzed for but not detected. The sample detection limit is an estimated value.</p>												

TABLE 2A
SUMMARY OF METALS DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L; except for Hexavalent Chromium, which is reported in mg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-1	Aug/Sep 1996	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Oct/Nov 1996	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Feb/Mar 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	June/July 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Sep/Oct 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jan/Feb 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Apr/May 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jul/Aug 1998	MW-1	5.0 U	9.100	55.0	0.005 U
MW-1	Oct/Nov 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Feb/Mar 1999	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	May/June 1999	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Nov/Dec 1999	MW-1	NA	NA	10.0 U	0.005 U
MW-1	Jul/Aug 2000	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jan/Feb 2001	MW-1	5.0 U	0.040 J	2.1 J	0.010 U
MW-1	Jan/Feb 2001	DUP	5.0 U	0.030 J	2.7 J	0.010 U
MW-1	Jan/Feb 2002	MW-1	1.5 B	1.000 U	2.7 J	0.010 U
MW-1	Apr/May 2003	MW-1	5.0 U	0.150 J	2.3	0.010 U
MW-1	Oct/Nov 2003	MW-1	NA	NA	2.4 J	0.010 U
MW-1	Apr/May 2004	MW-1	2.3 U	0.010 J	10.0	0.010 U
MW-1	Oct/Nov 2004	MW-1	NA	NA	13.9	0.010 U
MW-1	Apr/May 2005	MW-1	1.6 J	0.260 J	6.0	0.010 U
MW-1	Apr/May 2005	DUPE-2-2Q05	5.0 U	0.260 J	6.7	0.010 U
MW-1	Oct/Nov 2005	MW-1	NA	NA	8.6	0.010 U
MW-1	May/June 2006	MW-1	1.3	1.000 U	2.4	0.010 U
MW-1	Oct/Dec 2006	MW-1	NA	NA	2.2	0.010 U
MW-1	Jun/Jul 2007	MW-1	1.1	1.000 U	4.4	0.010 U
MW-1	Jun/Jul 2007	DUPE-7-2Q07	1.0	1.000 U	2.8	0.010 U
MW-1	Oct/Dec 2007	MW-1	NA	NA	10.4 E	0.010 U
MW-1	Apr/May 2008	MW-1	1.2	1.000 U	5.2	0.010 U
MW-1	Oct/Nov 2008	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2009	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov/Dec 2009	MW-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Oct/Nov 1996	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Feb/Mar 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	June/July 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 1	Sep/Oct 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jan/Feb 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Apr/May 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jul/Aug 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Oct/Nov 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Feb/Mar 1999	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	May/Jun 1999	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Nov/Dec 1999	MW-3-1	NA	NA	10.0 U	0.005 U
MW-3 Screen 1	Jul/Aug 2000	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jan/Feb 2001	MW-3-1	5.0 U	1.000 U	3.7 J	0.010 U
MW-3 Screen 1	Jan/Feb 2002	MW-3-1	5.0 U	0.060 J	3.3 J	0.010 U
MW-3 Screen 1	Apr/May 2003	MW-3-1	5.0 U	1.000 U	2.1	0.010 U
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	NA	NA	1.8 UJ	0.010 U
MW-3 Screen 1	Apr/May 2004	MW-3-1	5.0 UJ	0.120 U	7.6	0.010 U
MW-3 Screen 1	Apr/May 2004	DUPE-1-2Q04	5.0 UJ	0.001 J	8.2	0.010 U
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	NA	NA	12.9 J	0.010 U
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	NA	NA	13.0 J	0.010 U
MW-3 Screen 1	Apr/May 2005	MW-3-1	1.5 J	0.058 J	5.6	0.010 U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	NA	NA	6.0	0.010 U
MW-3 Screen 1	May/Jun 2006	MW-3-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-3 Screen 1	Oct/Dec 2006	MW-3-1	NA	NA	1.1 J	0.010 U
MW-3 Screen 1	Jun/Jul 2007	MW-3-1	1.0 U	1.000 U	1.2 J	0.010 U
MW-3 Screen 1	Oct/Dec 2007	MW-3-1	NA	NA	9.6	0.010 U
MW-3 Screen 1	Apr/May 2008	MW-3-1	1.0 U	1.000 U	4.4	0.010 U
MW-3 Screen 1	Oct/Nov 2008	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2008	DUPE-04-4Q08	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2009	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2009	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2009	DUPE-02-4Q09	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Oct/Nov 1996	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Feb/Mar 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	June/July 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Sep/Oct 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Jan/Feb 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Apr/May 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Jul/Aug 1998	MW-3-2	5.0 U	4.100	10.0 U	0.005 U
MW-3 Screen 2	Oct/Nov 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Feb/Mar 1999	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	May/Jun 1999	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Aug 1999	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Nov/Dec 1999	MW-3-2	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 2	Mar/Apr 2000	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Jul/Aug 2000	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Sep/Oct 2000	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Jan/Feb 2001	MW-3-2	5.0 U	1.000 U	3.3 J	0.010 U
MW-3 Screen 2	Apr 2001	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Jul 2001	MW-3-2	NA	NA	2.5 J	NA U
MW-3 Screen 2	Oct 2001	MW-3-2	NA	NA	5.6	0.010 U
MW-3 Screen 2	Jan/Feb 2002	MW-3-2	5.0 U	1.000 U	4.4 J	0.010 U
MW-3 Screen 2	Jan/Feb 2002	DUP	NA	1.000 U	4.0 J	NA
MW-3 Screen 2	Apr/May 2002	MW-3-2	NA	NA	4.0	0.010 U
MW-3 Screen 2	Jul 2002	MW-3-2	NA	NA	1.0	NA U
MW-3 Screen 2	Oct/Nov 2002	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	NA	NA	2.4	0.010 U
MW-3 Screen 2	Apr/May 2003	MW-3-2	5.0 U	1.000 U	1.6	0.010 U
MW-3 Screen 2	Apr/May 2003	DUPE-5-2Q03	5.0 U	1.000 U	1.9	0.010 U
MW-3 Screen 2	Jul/Aug 2003	MW-3-2	NA	NA	2.4 J	0.010 U
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	NA	NA	1.6 UJ	0.010 U
MW-3 Screen 2	Feb 2004	MW-3-2	NA	NA	12.0	0.010 U
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	NA	NA	3.5	0.010 U
MW-3 Screen 2	Apr/May 2004	MW-3-2	5.0 UJ	0.120 U	7.3	0.010 U
MW-3 Screen 2	Jul/Aug 2004	MW-3-2	NA	NA	8.8	0.010 U
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	NA	NA	9.0 J	0.010 U
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	NA	NA	8.7	0.010 U
MW-3 Screen 2	Apr/May 2005	MW-3-2	5.0 U	0.062 J	5.2	0.010 U
MW-3 Screen 2	Jul/Sep 2005	MW-3-2	NA	NA	9.8	0.010 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	NA	NA	6.5	0.010 U
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	NA	NA	1.0 U	0.010 U
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	1.0 U	0.010 U
MW-3 Screen 2	May/Jun 2006	MW-3-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2006	MW-3-2	NA	NA	1.8 U	0.010 U
MW-3 Screen 2	Oct/Dec 2006	MW-3-2	NA	NA	1.2	0.010 U
MW-3 Screen 2	Mar/Apr 2007	MW-3-2	NA	NA	1.4	0.010 U
MW-3 Screen 2	Jun/Jul 2007	MW-3-2	1.0 U	1.000 U	2.1	0.010 U
MW-3 Screen 2	Jun/Jul 2007	DUPE-4-2Q07	1.0 U	1.000 U	1.9 J	0.010 U
MW-3 Screen 2	Aug/Sep 2007	MW-3-2	NA	NA	12.4	0.010 U
MW-3 Screen 2	Oct/Dec 2007	MW-3-2	NA	NA	7.8	0.010 U
MW-3 Screen 2	Jan/Feb 2008	MW-3-2	NA	NA	7.6 E	0.010 U
MW-3 Screen 2	Apr/May 2008	MW-3-2	1.0 U	1.000 U	4.2	0.010 U
MW-3 Screen 2	Jul/Aug 2008	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Oct/Nov 2008	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Jan/Feb 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2009	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 2	Jul/Aug 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Nov/Dec 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Feb 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Oct/Nov 1996	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Feb/Mar 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	June/July 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Sep/Oct 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Jan/Feb 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Apr/May 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Jul/Aug 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Oct/Nov 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Feb/Mar 1999	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	May/Jun 1999	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Aug 1999	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Nov/Dec 1999	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Mar/Apr 2000	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Jul/Aug 2000	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Sep/Oct 2000	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Jan/Feb 2001	MW-3-3	5.0 U	1.000 U	3.3 J	0.010 U
MW-3 Screen 3	Apr 2001	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Jul 2001	MW-3-3	NA	NA	2.4 J	NA U
MW-3 Screen 3	Oct 2001	MW-3-3	NA	NA	3.3	0.010 U
MW-3 Screen 3	Oct 2001	DUP	NA	NA	3.3	NA
MW-3 Screen 3	Jan/Feb 2002	MW-3-3	5.0 U	1.000 U	3.4 J	0.010 U
MW-3 Screen 3	Apr/May 2002	MW-3-3	NA	NA	4.0	0.010 U
MW-3 Screen 3	Jul 2002	MW-3-3	NA	NA	4.0	NA U
MW-3 Screen 3	Oct/Nov 2002	MW-3-3	NA	NA	NA	0.000 U
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	1.4	0.300	2.0	0.010 U
MW-3 Screen 3	Apr/May 2003	MW-3-3	5.0 U	1.000 U	0.8 J	0.010 U
MW-3 Screen 3	Jul/Aug 2003	MW-3-3	NA	NA	2.0 J	0.010 U
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	NA	NA	2.0 UJ	0.010 U
MW-3 Screen 3	Feb 2004	MW-3-3	NA	NA	2.6	0.010 U
MW-3 Screen 3	Apr/May 2004	MW-3-3	4.8 UJ	0.120 U	4.8	0.010 U
MW-3 Screen 3	Jul/Aug 2004	MW-3-3	NA	NA	7.2	0.010 U
MW-3 Screen 3	Jul/Aug 2004	DUPE-4-3Q04	NA	NA	7.4	0.010 U
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	NA	NA	7.1 J	0.010 U
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	NA	NA	5.7	0.010 U
MW-3 Screen 3	Apr/May 2005	MW-3-3	1.1 J	0.052 J	5.5	0.010 U
MW-3 Screen 3	Jul/Sep 2005	MW-3-3	NA	NA	6.9	0.010 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	NA	NA	5.8	0.010 U
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	NA	NA	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 3	May/Jun 2006	MW-3-3	1.4	1.000 U	1.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2006	MW-3-3	NA	NA	2.0 U	0.010 U
MW-3 Screen 3	Oct/Dec 2006	MW-3-3	NA	NA	1.3	0.010 U
MW-3 Screen 3	Oct/Dec 2006	DUPE-2-4Q06	NA	NA	1.1	0.010 U
MW-3 Screen 3	Mar/Apr 2007	MW-3-3	NA	NA	1.0 U	0.010 U
MW-3 Screen 3	Jun/Jul 2007	MW-3-3	1.5	1.000 U	1.1	0.010 U
MW-3 Screen 3	Aug/Sep 2007	MW-3-3	NA	NA	8.7	0.010 U
MW-3 Screen 3	Oct/Dec 2007	MW-3-3	NA	NA	6.5	0.010 U
MW-3 Screen 3	Oct/Dec 2007	DUPE 1-4Q07	NA	NA	6.5	0.010 U
MW-3 Screen 3	Jan/Feb 2008	MW-3-3	NA	NA	6.0 E	0.010 U
MW-3 Screen 3	Apr/May 2008	MW-3-3	1.0	1.000 U	2.5	0.010 U
MW-3 Screen 3	Jul/Aug 2008	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Oct/Nov 2008	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2009	DUPE-05-1Q09	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2009	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Jul/Aug 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Nov/Dec 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Feb 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Oct/Nov 1996	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Feb/Mar 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	June/July 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Sep/Oct 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Jan/Feb 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Apr/May 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Jul/Aug 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Oct/Nov 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Feb/Mar 1999	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	May/Jun 1999	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Aug 1999	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Nov/Dec 1999	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Mar/Apr 2000	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Jul/Aug 2000	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Sep/Oct 2000	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Jan/Feb 2001	MW-3-4	4.1 B	1.000 U	4.0 J	0.010 U
MW-3 Screen 4	Apr 2001	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Jul 2001	MW-3-4	NA	NA	3.9 J	NA U
MW-3 Screen 4	Oct 2001	MW-3-4	NA	NA	4.9	0.010 U
MW-3 Screen 4	Jan/Feb 2002	MW-3-4	4.5 B	4.000 U	0.6 J	0.010 U
MW-3 Screen 4	Apr/May 2002	MW-3-4	NA	NA	5.0	0.010 U
MW-3 Screen 4	Apr/May 2002	DUP	NA	NA	4.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 4	Jul 2002	MW-3-4	NA	NA	4.0	NA U
MW-3 Screen 4	Jul 2002	DUP	NA	NA	4.0	NA U
MW-3 Screen 4	Oct/Nov 2002	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	NA	NA	2.3	0.010 U
MW-3 Screen 4	Apr/May 2003	MW-3-4	5.0 U	1.000 U	1.7	0.010 U
MW-3 Screen 4	Jul/Aug 2003	MW-3-4	NA	NA	1.8 J	0.010 U
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	NA	NA	1.9 UJ	0.010 U
MW-3 Screen 4	Feb 2004	MW-3-4	NA	NA	4.8	0.010 U
MW-3 Screen 4	Apr/May 2004	MW-3-4	3.7 UJ	0.014 U	7.6	0.010 U
MW-3 Screen 4	Jul/Aug 2004	MW-3-4	NA	NA	6.6	0.010 U
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	NA	NA	7.7 J	0.010 U
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	NA	NA	8.6	0.010 U
MW-3 Screen 4	Apr/May 2005	MW-3-4	2.0 J	0.110 J	6.0	0.010 U
MW-3 Screen 4	Jul/Sep 2005	MW-3-4	NA	NA	6.9	0.010 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	NA	NA	7.2	0.010 U
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	NA	NA	6.9	0.010 U
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	NA	NA	1.0 U	0.010 U
MW-3 Screen 4	May/Jun 2006	MW-3-4	2.0	1.000 U	1.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2006	MW-3-4	NA	NA	2.5 U	0.010 U
MW-3 Screen 4	Oct/Dec 2006	MW-3-4	NA	NA	1.2	0.010 U
MW-3 Screen 4	Mar/Apr 2007	MW-3-4	NA	NA	1.2	0.010 U
MW-3 Screen 4	Jun/Jul 2007	MW-3-4	3.7	1.000 U	1.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2007	MW-3-4	NA	NA	11.3	0.010 U
MW-3 Screen 4	Oct/Dec 2007	MW-3-4	NA	NA	6.9	0.010 U
MW-3 Screen 4	Jan/Feb 2008	MW-3-4	NA	NA	7.2 E	0.010 U
MW-3 Screen 4	Apr/May 2008	MW-3-4	2.3	1.000 U	5.0	0.010 U
MW-3 Screen 4	Jul/Aug 2008	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Oct/Nov 2008	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Jan/Feb 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2009	MW-3-4	2.2	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Jul/Aug 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb 2010	DUPE-3-1Q10	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	11.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Oct/Nov 1996	MW-3-5	7.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Feb/Mar 1997	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	June/July 1997	MW-3-5	7.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Sep/Oct 1997	MW-3-5	10.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Jan/Feb 1998	MW-3-5	9.1	7.600	10.0 U	0.005 U
MW-3 Screen 5	Apr/May 1998	MW-3-5	5.0 U	2.000	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 5	Jul/Aug 1998	MW-3-5	5.9	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Oct/Nov 1998	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Feb/Mar 1999	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	May/Jun 1999	MW-3-5	5.7	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Nov/Dec 1999	MW-3-5	NA	NA	10.0 U	0.005 U
MW-3 Screen 5	Jul/Aug 2000	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Jan/Feb 2001	MW-3-5	6.2	1.000 U	2.4 J	0.010 U
MW-3 Screen 5	Jan/Feb 2002	MW-3-5	4.7 B	1.000 U	1.7 J	0.010 U
MW-3 Screen 5	Jan/Feb 2003	MW-3-5	0.5	1.100	4.1	0.000 U
MW-3 Screen 5	Apr/May 2003	MW-3-5	4.3 J	1.000 U	0.5 J	0.010 U
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	NA	NA	0.7 UJ	0.010 U
MW-3 Screen 5	Apr/May 2004	MW-3-5	6.4 UJ	0.140 J	4.9	0.010 U
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	NA	NA	2.8 J	0.010 U
MW-3 Screen 5	Apr/May 2005	MW-3-5	2.1 J	0.055 J	4.9	0.010 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	NA	NA	6.3	0.010 U
MW-3 Screen 5	May/Jun 2006	MW-3-5	3.1	1.000 U	1.0 U	0.010 U
MW-3 Screen 5	Oct/Dec 2006	MW-3-5	NA	NA	1.4	0.010 U
MW-3 Screen 5	Jun/Jul 2007	MW-3-5	3.1	1.000 U	1.0 U	0.010 U
MW-3 Screen 5	Oct/Dec 2007	MW-3-5	NA	NA	6.0	0.010 U
MW-3 Screen 5	Apr/May 2008	MW-3-5	2.4	1.000 U	4.8	0.010 U
MW-3 Screen 5	Oct/Nov 2008	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2009	MW-3-5	2.6	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov/Dec 2009	MW-3-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Oct/Nov 1996	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Feb/Mar 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	June/July 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Sep/Oct 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Jan/Feb 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Apr/May 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Jul/Aug 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Oct/Nov 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Feb/Mar 1999	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	May/Jun 1999	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Aug 1999	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Nov/Dec 1999	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Mar/Apr 2000	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Jul/Aug 2000	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Sep/Oct 2000	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Jan/Feb 2001	MW-4-1	5.0 U	1.000 U	4.3 J	0.010 U
MW-4 Screen 1	Apr 2001	MW-4-1	NA	NA	NA	0.010 U
MW-4 Screen 1	Jul 2001	MW-4-1	NA	NA	5.0 U	NA U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 1	Oct 2001	MW-4-1	NA	NA	3.3	0.010 U
MW-4 Screen 1	Oct 2001	DUP	NA	NA	3.8	0.010 U
MW-4 Screen 1	Jan/Feb 2002	MW-4-1	2.9 B	1.000 U	3.4 J	0.010 U
MW-4 Screen 1	Apr/May 2002	MW-4-1	NA	NA	1.0	0.010 U
MW-4 Screen 1	Jul 2002	MW-4-1	NA	NA	4.0	NA U
MW-4 Screen 1	Oct/Nov 2002	MW-4-1	1.2	0.200	3.7	0.010 U
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	NA	NA	2.2	0.000 U
MW-4 Screen 1	Apr/May 2003	MW-4-1	5.0 U	1.000 U	3.4 J	0.010 U
MW-4 Screen 1	Jul/Aug 2003	MW-4-1	NA	NA	2.7 J	0.010 U
MW-4 Screen 1	Jul/Aug 2003	DUPE-3-3Q03	NA	NA	2.5 J	0.010 U
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	NA	NA	2.6	0.010 U
MW-4 Screen 1	Feb 2004	MW-4-1	NA	NA	4.4	0.010 U
MW-4 Screen 1	Apr/May 2004	MW-4-1	5.0 UJ	0.330 J	0.6 UJ	0.006 J
MW-4 Screen 1	Jul/Aug 2004	MW-4-1	NA	NA	0.8 U	0.010 U
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	NA	NA	12.4 J	0.010 U
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	NA	NA	0.2	0.010 U
MW-4 Screen 1	Apr/May 2005	MW-4-1	5.0 U	0.031 J	4.9	0.010 U
MW-4 Screen 1	Jul/Sep 2005	MW-4-1	NA	NA	4.9	0.010 U
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	NA	NA	6.1	0.010 U
MW-4 Screen 1	Mar/Apr 2006	MW-4-1	NA	NA	1.0 U	0.010 U
MW-4 Screen 1	May/June 2006	MW-4-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2006	MW-4-1	NA	NA	1.7 J	0.010 U
MW-4 Screen 1	Aug/Sep 2006	DUPE-1-3Q06	NA	NA	1.8 J	0.010 U
MW-4 Screen 1	Oct/Dec 2006	MW-4-1	NA	NA	1.5 J	0.010 U
MW-4 Screen 1	Mar/Apr 2007	MW-4-1	NA	NA	1.7	0.010 U
MW-4 Screen 1	Jun/Jul 2007	MW-4-1	1.0 U	1.000 U	1.7	0.010 U
MW-4 Screen 1	Aug/Sep 2007	MW-4-1	NA	NA	3.0	0.010 U
MW-4 Screen 1	Aug/Sep 2007	DUPE-1-3Q07	NA	NA	2.6	0.010 U
MW-4 Screen 1	Oct/Dec 2007	MW-4-1	NA	NA	15.7	0.010 U
MW-4 Screen 1	Jan/Feb 2008	MW-4-1	NA	NA	8.2 E	0.010 U
MW-4 Screen 1	Jan/Feb 2008	DUPE-2-1Q08	NA	NA	8.0 E	0.010 U
MW-4 Screen 1	Apr/May 2008	MW-4-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Apr/May 2008	DUPE-1-2Q08	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2008	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Oct/Nov 2008	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jan/Feb 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2009	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Nov/Dec 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Feb 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	5.0 U	2.000 U	10.0	0.006 J
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.0 U	2.000 U	14.0	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	June/July 1997	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Apr/May 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	5.0 U	2.000 U	10.0	0.005 U
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	5.0 U	2.000 U	10.0	0.005 U
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	May/Jun 1999	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Aug 1999	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 2000	MW-4-2	5.0 U	2.000 U	13.0	0.005 U
MW-4 Screen 2	Jul/Aug 2000	DUP	5.0 U	2.000 U	14.0	0.005 U
MW-4 Screen 2	Sep/Oct 2000	MW-4-2	NA	NA	25.0	0.005 U
MW-4 Screen 2	Sep/Oct 2000	DUP	NA	NA	24.0	0.005 U
MW-4 Screen 2	Jan/Feb 2001	MW-4-2	5.0 U	1.000 U	11.0	0.010 U
MW-4 Screen 2	Apr 2001	MW-4-2	NA	NA	NA	0.010 U
MW-4 Screen 2	Jul 2001	MW-4-2	NA	NA	8.6	NA U
MW-4 Screen 2	Oct 2001	MW-4-2	NA	NA	8.6	0.010 U
MW-4 Screen 2	Oct 2001	DUP	NA	NA	8.5	NA
MW-4 Screen 2	Jan/Feb 2002	MW-4-2	2.4 B	1.000 U	10.9	0.010 U
MW-4 Screen 2	Apr/May 2002	MW-4-2	NA	NA	6.0	0.010 U
MW-4 Screen 2	Jul 2002	MW-4-2	NA	NA	3.0	NA U
MW-4 Screen 2	Oct/Nov 2002	MW-4-2	1.0	0.100 J	4.0	0.010 U
MW-4 Screen 2	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	NA	NA	4.8	0.000 U
MW-4 Screen 2	Apr/May 2003	MW-4-2	5.0 U	1.000 U	6.4 J	0.010 U
MW-4 Screen 2	Jul/Aug 2003	MW-4-2	NA	NA	5.2 J	0.010 U
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	NA	NA	3.7	0.010 U
MW-4 Screen 2	Feb 2004	MW-4-2	NA	NA	6.7	0.010 U
MW-4 Screen 2	Apr/May 2004	MW-4-2	5.0 UJ	0.270 UJ	3.8 J	0.004 J
MW-4 Screen 2	Apr/May 2004	DUPE-3-2Q04	5.0 UJ	0.082 UJ	4.3 J	0.006 J
MW-4 Screen 2	Jul/Aug 2004	MW-4-2	NA	NA	13.9	0.007 J
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	NA	NA	15.6 J	0.010 U
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	NA	NA	13.5 J	0.010 U
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	NA	NA	13.7	0.010 U
MW-4 Screen 2	Apr/May 2005	MW-4-2	1.0 J	0.050 J	7.3	0.010 U
MW-4 Screen 2	Jul/Sep 2005	MW-4-2	NA	NA	9.0	0.010 U
MW-4 Screen 2	Jul/Sep 2005	DUPE-3-3Q05	NA	NA	11.7	0.010 U
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	NA	NA	12.6	0.010 U
MW-4 Screen 2	Mar/Apr 2006	MW-4-2	NA	NA	2.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 2	May/June 2006	MW-4-2	1.0 U	1.000 U	2.4	0.010 U
MW-4 Screen 2	Aug/Sep 2006	MW-4-2	NA	NA	2.2 J	0.010 U
MW-4 Screen 2	Oct/Dec 2006	MW-4-2	NA	NA	3.3 J	0.010 U
MW-4 Screen 2	Oct/Dec 2006	DUPE-3-4Q06	NA	NA	3.2 J	0.010 U
MW-4 Screen 2	Mar/Apr 2007	MW-4-2	NA	NA	2.8	0.010 U
MW-4 Screen 2	Jun/Jul 2007	MW-4-2	1.2	1.000 U	2.9 J	0.010 U
MW-4 Screen 2	Aug/Sep 2007	MW-4-2	NA	NA	13.5	0.010 U
MW-4 Screen 2	Oct/Dec 2007	MW-4-2	NA	NA	15.2	0.010 U
MW-4 Screen 2	Jan/Feb 2008	MW-4-2	NA	NA	9.1 E	0.010 U
MW-4 Screen 2	Apr/May 2008	MW-4-2	1.0 U	1.000 U	1.8 J	0.010 U
MW-4 Screen 2	Jul/Aug 2008	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Oct/Nov 2008	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jan/Feb 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2009	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2009	DUPE-6-3Q09	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Nov/Dec 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Feb 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Oct/Nov 1996	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Feb/Mar 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	June/July 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Sep/Oct 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Jan/Feb 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Apr/May 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Jul/Aug 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Oct/Nov 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Feb/Mar 1999	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	May/June 1999	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Aug 1999	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Nov/Dec 1999	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Mar/Apr 2000	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Jul/Aug 2000	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Sep/Oct 2000	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Jan/Feb 2001	MW-4-3	5.0 U	1.000 U	5.1	0.010 U
MW-4 Screen 3	Apr 2001	MW-4-3	NA	NA	NA	0.010 U
MW-4 Screen 3	Jul 2001	MW-4-3	NA	NA	2.8 J	NA U
MW-4 Screen 3	Oct 2001	MW-4-3	NA	NA	5.5	0.010 U
MW-4 Screen 3	Jan/Feb 2002	MW-4-3	2.4 B	1.000 U	3.4 J	0.010 U
MW-4 Screen 3	Jan/Feb 2002	DUP	1.9 B	NA	NA	0.010 U
MW-4 Screen 3	Apr/May 2002	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	Jul 2002	MW-4-3	NA	NA	NA U	NA U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 3	Oct/Nov 2002	MW-4-3	NA	NA	NA	0.010 U
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	NA	NA	4.3	0.010 U
MW-4 Screen 3	Apr/May 2003	MW-4-3	5.0 U	1.000 U	3.8 J	0.010 U
MW-4 Screen 3	Jul/Aug 2003	MW-4-3	NA	NA	0.4 U	0.010 U
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	NA	NA	0.4 U	0.010 U
MW-4 Screen 3	Feb 2004	MW-4-3	NA	NA	1.0 UJ	0.010 U
MW-4 Screen 3	Apr/May 2004	MW-4-3	5.0 UJ	0.430 J	0.2 UJ	0.010 U
MW-4 Screen 3	Jul/Aug 2004	MW-4-3	NA	NA	1.0	0.010 U
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	NA	NA	0.6 UJ	0.010 U
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	NA	NA	0.1 J	0.010 U
MW-4 Screen 3	Apr/May 2005	MW-4-3	1.3 J	0.340 J	0.5 J	0.010 U
MW-4 Screen 3	Jul/Sep 2005	MW-4-3	NA	NA	0.7 J	0.010 U
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	NA	NA	0.9 J	0.010 U
MW-4 Screen 3	Mar/Apr 2006	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	May/June 2006	MW-4-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2006	MW-4-3	NA	NA	1.0 J	0.010 U
MW-4 Screen 3	Oct/Dec 2006	MW-4-3	NA	NA	1.3 J	0.010 U
MW-4 Screen 3	Mar/Apr 2007	MW-4-3	NA	NA	2.0	0.010 U
MW-4 Screen 3	Jun/Jul 2007	MW-4-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2007	MW-4-3	NA	NA	2.0 U	0.010 U
MW-4 Screen 3	Oct/Dec 2007	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2008	MW-4-3	NA	NA	1.0 U	0.004 J
MW-4 Screen 3	Apr/May 2008	MW-4-3	1.0 U	1.000 U	1.0	0.010 U
MW-4 Screen 3	Jul/Aug 2008	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2008	DUPE-5-3Q08	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Oct/Nov 2008	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2009	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2009	DUPE-05-4Q09	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Feb 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Oct/Nov 1996	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Feb/Mar 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	June/July 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Sep/Oct 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Jan/Feb 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Apr/May 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Jul/Aug 1998	MW-4-4	5.0 U	7.300	10.0 U	0.005 U
MW-4 Screen 4	Oct/Nov 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Feb/Mar 1999	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 4	May/Jun 1999	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Aug 1999	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Nov/Dec 1999	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Mar/Apr 2000	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Jul/Aug 2000	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Sep/Oct 2000	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Jan/Feb 2001	MW-4-4	5.0 U	1.000 U	5.0 U	0.010 U
MW-4 Screen 4	Apr 2001	MW-4-4	NA	NA	NA	0.010 U
MW-4 Screen 4	Jul 2001	MW-4-4	NA	NA	5.2	NA U
MW-4 Screen 4	Oct 2001	MW-4-4	NA	NA	7.3	0.010 U
MW-4 Screen 4	Jan/Feb 2002	MW-4-4	3.2 B	1.000 U	6.5	0.010 U
MW-4 Screen 4	Apr/May 2002	MW-4-4	NA	NA	4.0	0.010 U
MW-4 Screen 4	Jul 2002	MW-4-4	NA	NA	7.0	NA U
MW-4 Screen 4	Oct/Nov 2002	MW-4-4	NA	NA	NA	0.010 U
MW-4 Screen 4	Apr/May 2003	MW-4-4	5.0 U	1.000 U	3.5 J	0.010 U
MW-4 Screen 4	Apr/May 2003	DUPE-1-2Q03	5.0 U	1.000 U	2.8 J	0.010 U
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	NA	NA	2.4	0.010 U
MW-4 Screen 4	Apr/May 2004	MW-4-4	5.0 UJ	0.310 J	1.1 UJ	0.010 U
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	NA	NA	10.6 J	0.010 U
MW-4 Screen 4	Apr/May 2005	MW-4-4	1.5 J	0.044 J	3.8	0.010 U
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	NA	NA	8.5	0.010 U
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	NA	NA	7.8	0.010 U
MW-4 Screen 4	May/Jun 2006	MW-4-4	1.0 U	1.000 U	1.3	0.010 U
MW-4 Screen 4	Oct/Dec 2006	MW-4-4	NA	NA	2.7 J	0.010 U
MW-4 Screen 4	Jun/Jul 2007	MW-4-4	1.2	1.000 U	3.5 J	0.010 U
MW-4 Screen 4	Oct/Dec 2007	MW-4-4	NA	NA	9.8	0.010 U
MW-4 Screen 4	Apr/May 2008	MW-4-4	1.1	1.000 U	1.2 J	0.010 U
MW-4 Screen 4	Oct/Nov 2008	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2009	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov/Dec 2009	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Oct/Nov 1996	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Feb/Mar 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	June/July 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Sep/Oct 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Jan/Feb 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Apr/May 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Jul/Aug 1998	MW-4-5	5.1	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Oct/Nov 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Feb/Mar 1999	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	May/Jun 1999	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Aug 1999	MW-4-5	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 5	Nov/Dec 1999	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Mar/Apr 2000	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Jul/Aug 2000	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Sep/Oct 2000	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Jan/Feb 2001	MW-4-5	5.0 U	1.000 U	3.5 J	0.010 U
MW-4 Screen 5	Apr 2001	MW-4-5	NA	NA	NA	0.010 U
MW-4 Screen 5	Jul 2001	MW-4-5	NA	NA	11.9	NA U
MW-4 Screen 5	Oct 2001	MW-4-5	NA	NA	7.9	0.010 U
MW-4 Screen 5	Jan/Feb 2002	MW-4-5	3.9 B	1.000 U	6.4	0.010 U
MW-4 Screen 5	Jan/Feb 2002	DUP	NA	1.000 U	6.4	NA
MW-4 Screen 5	Apr/May 2002	MW-4-5	NA	NA	5.0	0.010 U
MW-4 Screen 5	Jul 2002	MW-4-5	NA	NA	3.0	NA U
MW-4 Screen 5	Oct/Nov 2002	MW-4-5	0.9	0.063 J	1.8	0.010 U
MW-4 Screen 5	Jan/Feb 2003	MW-4-5	NA	NA	NA	0.000 U
MW-4 Screen 5	Apr/May 2003	MW-4-5	5.0 U	1.000 U	3.0 J	0.010 U
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	NA	NA	3.5 J	0.010 U
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4Q03	NA	NA	5.6	0.010 U
MW-4 Screen 5	Apr/May 2004	MW-4-5	5.0 UJ	0.230 UJ	6.6 J	0.010 U
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	NA	NA	9.3 J	0.010 U
MW-4 Screen 5	Apr/May 2005	MW-4-5	1.1 J	0.061 J	3.2	0.010 U
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	NA	NA	8.9	0.010 U
MW-4 Screen 5	May/June 2006	MW-4-5	1.0 U	1.000 U	1.9	0.004 J
MW-4 Screen 5	Oct/Dec 2006	MW-4-5	NA	NA	2.6 J	0.010 U
MW-4 Screen 5	Jun/Jul 2007	MW-4-5	1.0 U	1.000 U	2.5 J	0.010 U
MW-4 Screen 5	Oct/Dec 2007	MW-4-5	NA	NA	9.6	0.005 J
MW-4 Screen 5	Apr/May 2008	MW-4-5	1.0 U	1.000 U	2.6 J	0.010 U
MW-4 Screen 5	Oct/Nov 2008	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2009	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov/Dec 2009	MW-4-5	NA	NA	5.2 J	0.010 U
MW-5	Aug/Sep 1996	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Oct/Nov 1996	MW-5	5.0 U	2.600	10.0 U	0.005 U
MW-5	Feb/Mar 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	June/July 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Sep/Oct 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jan/Feb 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Apr/May 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jul/Aug 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Oct/Nov 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Feb/Mar 1999	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	May/June 1999	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Aug 1999	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Nov/Dec 1999	MW-5	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-5	Mar/Apr 2000	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	10.0	0.005 U
MW-5	Jan/Feb 2001	MW-5	5.0 U	1.000 U	5.5	0.010 U
MW-5	Jul 2001	MW-5	NA	NA	3.0 J	NA U
MW-5	Jul 2001	DUP	NA	NA	3.1 J	NA U
MW-5	Oct 2001	MW-5	NA	NA	7.4	0.010 U
MW-5	Oct 2001	DUP	NA	NA	6.5	0.010 U
MW-5	Jan/Feb 2002	MW-5	5.0 U	0.170 J	6.8	0.010 U
MW-5	Apr/May 2002	MW-5	NA	NA	8.0	0.010 U
MW-5	Jul 2002	MW-5	NA	NA	5.0	NA U
MW-5	Oct/Nov 2002	MW-5	NA	NA	NA	0.010 U
MW-5	Jan/Feb 2003	MW-5	NA	NA	6.8	0.010 U
MW-5	Apr/May 2003	MW-5	5.0 U	1.000 U	3.1 J	0.010 U
MW-5	Jul/Aug 2003	MW-5	NA	NA	3.1 J	0.010 U
MW-5	Oct/Nov 2003	MW-5	NA	NA	2.8 J	0.010 U
MW-5	Feb 2004	MW-5	NA	NA	5.1	0.010 U
MW-5	Apr/May 2004	MW-5	5.0 U	0.120 J	1.9	0.010 U
MW-5	Jul/Aug 2004	MW-5	NA	NA	10.9 J	0.010 U
MW-5	Jul/Aug 2004	DUPE-5-3Q04	NA	NA	11.6 J	0.010 U
MW-5	Oct/Nov 2004	MW-5	NA	NA	11.7 J	0.010 U
MW-5	Jan/Feb 2005	MW-5	NA	NA	4.5	0.010 U
MW-5	Jan/Feb 2005	DUPE-5-1Q05	NA	NA	5.6	0.010 U
MW-5	Apr/May 2005	MW-5	5.0 U	0.028 J	7.7	0.010 U
MW-5	Jul/Sep 2005	MW-5	NA	NA	6.4 J	0.010 U
MW-5	Jul/Sep 2005	DUPE-8-3Q05	NA	NA	6.2 J	0.010 U
MW-5	Oct/Nov 2005	MW-5	NA	NA	6.2 J	0.010 U
MW-5	Mar/Apr 2006	MW-5	NA	NA	1.0 U	0.010 U
MW-5	May/Jun 2006	MW-5	1.0 U	1.000 U	1.2	0.010 U
MW-5	Aug/Sep 2006	MW-5	NA	NA	2.0 U	0.010 U
MW-5	Oct/Dec 2006	MW-5	NA	NA	3.1	0.010 U
MW-5	Mar/Apr 2007	MW-5	NA	NA	8.6	0.010 U
MW-5	Jun/Jul 2007	MW-5	1.0 U	2.720	15.7	0.010 U
MW-5	Aug/Sep 2007	MW-5	NA	NA	14.7	0.010 U
MW-5	Oct/Dec 2007	MW-5	NA	NA	6.5 E	0.010 U
MW-5	Oct/Dec 2007	DUPE-8-4Q07	NA	NA	6.8 E	0.010 U
MW-5	Jan/Feb 2008	MW-5	NA	NA	9.7 E	0.005 J
MW-5	Apr/May 2008	MW-5	1.0 U	1.000 U	2.9	0.010 U
MW-5	Apr/May 2008	DUPE-8-2Q08	1.0 U	1.000 U	3.6	0.010 U
MW-5	Jul/Aug 2008	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Oct/Nov 2008	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Jan/Feb 2009	MW-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-5	Apr/May 2009	MW-5	2.0 U	5.000 U	5.1	0.010 U
MW-5	Jul/Aug 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Nov/Dec 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb 2010	DUPE-6-1Q10	NA	NA	5.0 U	0.010 U
MW-6	Aug/Sep 1996	MW-6	5.0 U	2.000 U	10.0	0.005 U
MW-6	Oct/Nov 1996	MW-6	5.0 U	2.000 U	11.0	0.005 U
MW-6	Feb/Mar 1997	MW-6	5.0 U	2.000 U	14.0	0.005 U
MW-6	June/July 1997	MW-6	5.0 U	2.000 U	19.0	0.005 U
MW-6	Sep/Oct 1997	MW-6	5.0 U	2.000 U	10.0 U	0.005 U
MW-6	Jan/Feb 1998	MW-6	5.0 U	2.000 U	10.0 U	0.005 U
MW-6	Apr/May 1998	MW-6	5.0 U	2.000 U	12.0	0.005 U
MW-6	Jul/Aug 1998	MW-6	5.0 U	2.000 U	13.0	0.005 U
MW-6	Oct/Nov 1998	MW-6	5.0 U	2.000 U	37.0	0.005 U
MW-6	Feb/Mar 1999	MW-6	5.0 U	2.000 U	17.0	0.005 U
MW-6	May/Jun 1999	MW-6	5.0 U	2.000 U	36.0	0.005 U
MW-6	Aug 1999	MW-6	NA	NA	310.0	0.005 U
MW-6	Nov/Dec 1999	MW-6	NA	NA	12.0	0.005 U
MW-6	Mar/Apr 2000	MW-6	NA	NA	82.0	0.005 U
MW-6	Jul/Aug 2000	MW-6	5.0 U	2.000 U	51.0	0.005 U
MW-6	Sep/Oct 2000	MW-6	NA	NA	22.0	0.005 U
MW-6	Jan/Feb 2001	MW-6	2.2 B	1.000 U	11.0	0.010 U
MW-6	Jul 2001	MW-6	NA	NA	2.1	NA U
MW-6	Jul 2001	DUP	NA	NA	21.8	NA
MW-6	Oct 2001	MW-6	NA	NA	33.8	0.010 U
MW-6	Oct 2001	DUP	NA	NA	31.7	0.010 U
MW-6	Jan/Feb 2002	MW-6	3.4 B	0.060 J	10.1 J	0.010 U
MW-6	Apr/May 2002	MW-6	NA	NA	27.0	0.010 U
MW-6	Jul 2002	MW-6	NA	NA	15.0	NA U
MW-6	Oct/Nov 2002	MW-6	NA	NA	NA	0.010 U
MW-6	Jan/Feb 2003	MW-6	NA	NA	6.4	0.010 U
MW-6	Apr/May 2003	MW-6	5.0 U	1.000 U	7.1 J	0.010 U
MW-6	Jul/Aug 2003	MW-6	NA	NA	6.6 J	0.010 U
MW-6	Oct/Nov 2003	MW-6	NA	NA	9.9 J	0.010 U
MW-6	Feb 2004	MW-6	NA	NA	10.0	0.010 U
MW-6	Apr/May 2004	MW-6	2.0 U	0.180	7.8	0.010 U
MW-6	Jul/Aug 2004	MW-6	NA	NA	28.4 J	0.010 U
MW-6	Oct/Nov 2004	MW-6	NA	NA	21.0 J	0.010 U
MW-6	Jan/Feb 2005	MW-6	NA	NA	20.0	0.010 U
MW-6	Apr/May 2005	MW-6	1.9 J	0.030 J	13.6	0.010 U
MW-6	Apr/May 2005	DUPE-8-2Q05	2.0 J	0.034 J	13.0	0.010 U
MW-6	Jul/Sep 2005	MW-6	NA	NA	13.8 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-6	Oct/Nov 2005	MW-6	NA	NA	13.0 J	0.010 U
MW-6	Mar/Apr 2006	MW-6	NA	NA	4.9 J	0.010 U
MW-6	Mar/Apr 2006	DUPE-8-1Q06	NA	NA	4.9 J	0.010 U
MW-6	May/June 2006	MW-6	1.0 U	1.000 U	7.5	0.010 U
MW-6	Aug/Sep 2006	MW-6	NA	NA	3.7	0.010 U
MW-6	Aug/Sep 2006	DUPE-6-3Q06	NA	NA	5.4	0.010 U
MW-6	Oct/Dec 2006	MW-6	NA	NA	5.8 U	0.010 U
MW-6	Mar/Apr 2007	MW-6	NA	NA	10.1	0.010 U
MW-6	Jun/Jul 2007	MW-6	1.0 U	1.270	2.3	0.010 U
MW-6	Aug/Sep 2007	MW-6	NA	NA	15.1	0.010 U
MW-6	Aug/Sep 2007	DUPE-4-3Q07	NA	NA	15.9	0.010 U
MW-6	Oct/Dec 2007	MW-6	NA	NA	7.5 E	0.010 U
MW-6	Jan/Feb 2008	MW-6	NA	NA	5.1 E	0.006 J
MW-6	Apr/May 2008	MW-6	1.0 U	1.000 U	6.4	0.010 U
MW-6	Jul/Aug 2008	MW-6	NA	NA	9.9	0.010 U
MW-6	Oct/Nov 2008	MW-6	NA	NA	14.0	0.010 U
MW-6	Jan/Feb 2009	MW-6	NA	NA	18.0	0.010 U
MW-6	Apr/May 2009	MW-6	2.0 U	5.000 U	23.0	0.010 U
MW-6	Jul/Aug 2009	MW-6	NA	NA	48.0	0.010 U
MW-6	Nov/Dec 2009	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Feb 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-7	Aug/Sep 1996	MW-7	5.0 U	2.000 U	10.0	0.007
MW-7	Oct/Nov 1996	MW-7	5.0 U	2.000 U	19.0	0.019
MW-7	Feb/Mar 1997	MW-7	5.0 U	2.000 U	10.0 U	0.010
MW-7	June/July 1997	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Sep/Oct 1997	MW-7	5.0 U	2.000 U	18.0	0.030
MW-7	Jan/Feb 1998	MW-7	5.0 U	2.000 U	12.0	0.005 U
MW-7	Apr/May 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Jul/Aug 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Oct/Nov 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Feb/Mar 1999	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	May/June 1999	MW-7	5.0 U	2.000 U	11.0	0.005 U
MW-7	Aug 1999	MW-7	NA	NA	10.0 U	0.005
MW-7	Nov/Dec 1999	MW-7	NA	NA	10.0	0.007
MW-7	Mar/Apr 2000	MW-7	NA	NA	12.0	0.008
MW-7	Jul/Aug 2000	MW-7	5.0 U	2.000 U	14.0	0.005 U
MW-7	Jan/Feb 2002	MW-7	2.2 B	NA	NA	0.010 U
MW-7	Apr/May 2002	MW-7	NA	NA	9.0	0.010 U
MW-7	Jul 2002	MW-7	NA	NA	6.0	NA U
MW-7	Oct/Nov 2002	MW-7	NA	NA	NA	0.010 U
MW-7	Jan/Feb 2003	MW-7	0.6	0.064 J	6.4	0.002
MW-7	Jan/Feb 2003	DUPE-6-1Q03	NA	NA	7.3	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-7	Apr/May 2003	MW-7	5.0 U	1.000 U	4.9	0.010 U
MW-7	Jul/Aug 2003	MW-7	NA	NA	4.6 J	0.010 U
MW-7	Oct/Nov 2003	MW-7	NA	NA	5.0 J	0.010 U
MW-7	Feb 2004	MW-7	NA	NA	5.7	0.010 U
MW-7	Apr/May 2004	MW-7	5.0 U	0.460	11.2	0.010 U
MW-7	Apr/May 2004	DUPE-7-2Q04	5.0 U	0.510	11.7	0.010 U
MW-7	Jul/Aug 2004	MW-7	NA	NA	8.7 J	0.010 U
MW-7	Oct/Nov 2004	MW-7	NA	NA	11.2 J	0.010 U
MW-7	Jan/Feb 2005	MW-7	NA	NA	7.6	0.010 U
MW-7	Apr/May 2005	MW-7	2.1 J	0.053 J	11.5	0.010 U
MW-7	Jul/Sep 2005	MW-7	NA	NA	9.1 J	0.010 U
MW-7	Oct/Nov 2005	MW-7	NA	NA	7.8	0.010 U
MW-7	Oct/Nov 2005	DUPE-8-4Q05	NA	NA	8.2	0.010 U
MW-7	Mar/Apr 2006	MW-7	NA	NA	1.1 J	0.010 U
MW-7	May/Jun 2006	MW-7	1.0 U	1.000 U	1.1	0.010 U
MW-7	Aug/Sep 2006	MW-7	NA	NA	2.9	0.010 U
MW-7	Oct/Dec 2006	MW-7	NA	NA	2.8	0.010 U
MW-7	Mar/Apr 2007	MW-7	NA	NA	10.6	0.005 J
MW-7	Jun/Jul 2007	MW-7	1.0 U	1.700 J	11.3	0.006 J
MW-7	Jun/Jul 2007	DUPE-8-2Q07	1.0 U	2.450 J	10.6	0.009 J
MW-7	Aug/Sep 2007	MW-7	NA	NA	14.5	0.010 U
MW-7	Oct/Dec 2007	MW-7	NA	NA	13.1	0.010 U
MW-7	Oct/Dec 2007	DUPE-4-4Q07	NA	NA	13.3	0.010 U
MW-7	Jan/Feb 2008	MW-7	NA	NA	9.5 J	0.012
MW-7	Jan/Feb 2008	DUPE-6-1Q08	NA	NA	9.1 J	0.013
MW-7	Apr/May 2008	MW-7	1.0 U	1.000 U	18.2 E	0.010 U
MW-7	Apr/May 2008	DUPE-5-2Q08	1.0 U	1.000 U	15.6 E	0.010 U
MW-7	Jul/Aug 2008	MW-7	NA	NA	6.5	0.010 U
MW-7	Oct/Nov 2008	MW-7	NA	NA	7.6	0.010 U
MW-7	Jan/Feb 2009	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Jan/Feb 2009	DUPE-06-1Q09	NA	NA	5.0 U	0.010 U
MW-7	Apr/May 2009	MW-7	2.0 U	5.000 U	11.0	0.013
MW-7	Jul/Aug 2009	MW-7	NA	NA	11.0 J	0.008 J
MW-7	Nov/Dec 2009	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Feb 2010	MW-7	NA	NA	5.0 U	0.010 U
MW-8	Aug/Sep 1996	MW-8	5.0 U	2.000 U	10.0 U	0.009 J
MW-8	Oct/Nov 1996	MW-8	5.0 U	2.400	10.0 U	0.005 U
MW-8	Feb/Mar 1997	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	June/July 1997	MW-8	5.0 U	2.300	10.0 U	0.005 U
MW-8	Sep/Oct 1997	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Jan/Feb 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Apr/May 1998	MW-8	5.0 U	2.000 U	13.0	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-8	Jul/Aug 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Oct/Nov 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Feb/Mar 1999	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	May/Jun 1999	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Aug 1999	MW-8	NA	NA	14.0	0.005 U
MW-8	Nov/Dec 1999	MW-8	NA	NA	10.0 U	0.005 U
MW-8	Mar/Apr 2000	MW-8	NA	NA	10.0 U	0.005 U
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.000 U	16.0	0.005
MW-8	Sep/Oct 2000	MW-8	NA	NA	10.0	0.005
MW-8	Jan/Feb 2001	MW-8	5.0 U	0.220 J	6.9	0.010 U
MW-8	Jul 2001	MW-8	NA	NA	3.2 J	NA U
MW-8	Jul 2001	DUP	NA	NA	3.2 J	NA
MW-8	Oct 2001	MW-8	NA	NA	4.7	0.010 U
MW-8	Oct 2001	DUP	NA	NA	4.5	NA
MW-8	Jan/Feb 2002	MW-8	5.0 U	0.370 J	6.9	0.010 U
MW-8	Jan/Feb 2002	DUP	NA	0.400 J	7.1	NA
MW-8	Apr/May 2002	MW-8	NA	NA	4.0	0.010 U
MW-8	Jul 2002	MW-8	NA	NA	28.0	NA U
MW-8	Oct/Nov 2002	MW-8	NA	NA	NA	0.010 U
MW-8	Jan/Feb 2003	MW-8	1.0	0.100 J	0.5	0.000 U
MW-8	Apr/May 2003	MW-8	2.0 J	1.000 U	1.4 J	0.010 U
MW-8	Jul/Aug 2003	MW-8	NA	NA	3.6 J	0.010 U
MW-8	Oct/Nov 2003	MW-8	NA	NA	1.5 UJ	0.008 J
MW-8	Oct/Nov 2003	DUPE-7-4Q03	NA	NA	1.8 UJ	0.010 U
MW-8	Feb 2004	MW-8	NA	NA	4.0	0.010 U
MW-8	Apr/May 2004	MW-8	5.0 U	0.024 U	6.0	0.010 U
MW-8	Jul/Aug 2004	MW-8	NA	NA	9.8 J	0.010 U
MW-8	Oct/Nov 2004	MW-8	NA	NA	8.5 J	0.010 U
MW-8	Jan/Feb 2005	MW-8	NA	NA	8.4	0.010 U
MW-8	Jan/Feb 2005	DUPE-6-1Q05	NA	NA	8.5	0.010 U
MW-8	Apr/May 2005	MW-8	1.7 J	0.025 J	7.3	0.010 U
MW-8	Jul/Sep 2005	MW-8	NA	NA	9.1	0.010 U
MW-8	Oct/Nov 2005	MW-8	NA	NA	9.5	0.010 U
MW-8	Mar/Apr 2006	MW-8	NA	NA	1.2 J	0.010 U
MW-8	May/Jun 2006	MW-8	1.0 U	1.000 U	12.6	0.010 U
MW-8	Aug/Sep 2006	MW-8	NA	NA	2.9	0.010 U
MW-8	Aug/Sep 2006	DUPE-5-3Q06	NA	NA	22.2	0.010 U
MW-8	Oct/Dec 2006	MW-8	NA	NA	11.7	0.010 U
MW-8	Mar/Apr 2007	MW-8	NA	NA	12.7	0.010 U
MW-8	Jun/Jul 2007	MW-8	1.0 U	3.240	13.2	0.010 U
MW-8	Aug/Sep 2007	MW-8	NA	NA	18.4	0.010 U
MW-8	Aug/Sep 2007	DUPE-7-3Q07	NA	NA	16.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-8	Oct/Dec 2007	MW-8	NA	NA	16.3	0.010 U
MW-8	Jan/Feb 2008	MW-8	NA	NA	5.0 E	0.005 J
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	NA	NA	15.1 E	0.004 J
MW-8	Apr/May 2008	MW-8	1.0	1.800	8.8 E	0.007 J
MW-8	Jul/Aug 2008	MW-8	NA	NA	7.5	0.010 U
MW-8	Oct/Nov 2008	MW-8	NA	NA	13.0	0.010 U
MW-8	Jan/Feb 2009	MW-8	NA	NA	5.0	0.010 U
MW-8	Apr/May 2009	MW-8	2.0 U	12.000	7.5	0.010 U
MW-8	Jul/Aug 2009	MW-8	NA	NA	5.3	0.010 U
MW-8	Nov/Dec 2009	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Feb 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-9	Aug/Sep 1996	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Oct/Nov 1996	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Feb/Mar 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	June/July 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Sep/Oct 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jan/Feb 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Apr/May 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jul/Aug 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Oct/Nov 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Feb/Mar 1999	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	May/June 1999	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Nov/Dec 1999	MW-9	NA	NA	10.0 U	0.005 U
MW-9	Jul/Aug 2000	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jan/Feb 2001	MW-9	2.6 B	1.000 U	2.0 J	0.010 U
MW-9	Jan/Feb 2002	MW-9	2.3 B	1.000 U	3.9 J	0.010 U
MW-9	Apr/May 2003	MW-9	2.1 J	0.480 J	4.3	0.010 U
MW-9	Oct/Nov 2003	MW-9	NA	NA	5.5 J	0.010 U
MW-9	Apr/May 2004	MW-9	5.0 U	1.900	9.2	0.010 U
MW-9	Oct/Nov 2004	MW-9	NA	NA	14.5	0.010 U
MW-9	Apr/May 2005	MW-9	1.2 J	0.650 J	2.3	0.010 U
MW-9	Apr/May 2005	DUPE-3-2Q05	5.0 U	0.550 J	2.1	0.010 U
MW-9	Oct/Nov 2005	MW-9	NA	NA	4.5	0.010 U
MW-9	May/June 2006	MW-9	1.0 U	2.530	1.6	0.010 U
MW-9	Oct/Dec 2006	MW-9	NA	NA	3.6	0.010 U
MW-9	Oct/Dec 2006	DUPE-7-4Q06	NA	NA	3.9 U	0.010 U
MW-9	Jun/Jul 2007	MW-9	1.0 U	2.020	6.6	0.010 U
MW-9	Oct/Dec 2007	MW-9	NA	NA	11.3 E	0.010 U
MW-9	Apr/May 2008	MW-9	1.0 U	1.310	4.4	0.010 U
MW-9	Oct/Nov 2008	MW-9	NA	NA	5.0 U	0.010 U
MW-9	Apr/May 2009	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov/Dec 2009	MW-9	NA	NA	13.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-9	Nov/Dec 2009	DUPE-8-4Q09	NA	NA	7.8	0.010 U
MW-10	Aug/Sep 1996	MW-10	5.0 U	2.000 U	10.0	0.010
MW-10	Oct/Nov 1996	MW-10	5.0 U	2.000	10.0	0.005 U
MW-10	Feb/Mar 1997	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	June/July 1997	MW-10	5.0 U	2.000 U	13.0	0.005 U
MW-10	Sep/Oct 1997	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Jan/Feb 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Apr/May 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Jul/Aug 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Oct/Nov 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Feb/Mar 1999	MW-10	5.0 U	2.000 U	12.0	0.005 U
MW-10	May/Jun 1999	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Aug 1999	MW-10	NA	NA	10.0 U	0.005 U
MW-10	Nov/Dec 1999	MW-10	NA	NA	26.0	0.005 U
MW-10	Mar/Apr 2000	MW-10	NA	NA	34.0	0.005 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.000 U	10.0 U	0.005
MW-10	Sep/Oct 2000	MW-10	NA	NA	10.0 U	0.005 U
MW-10	Sep/Oct 2000	DUP	NA	NA	29.0	0.005 U
MW-10	Jan/Feb 2001	MW-10	5.0 U	1.000 U	11.0	0.010 U
MW-10	Jul 2001	MW-10	NA	NA	16.0	NA U
MW-10	Jul 2001	DUP	NA	NA	19.8	NA U
MW-10	Oct 2001	MW-10	NA	NA	12.9	0.010 U
MW-10	Oct 2001	DUP	NA	NA	10.4	0.010 U
MW-10	Jan/Feb 2002	MW-10	1.8 B	0.030 J	8.2	0.010 U
MW-10	Apr/May 2002	MW-10	NA	NA	8.0	0.010 U
MW-10	Jul 2002	MW-10	NA	NA	13.0	NA U
MW-10	Oct/Nov 2002	MW-10	NA	NA	NA	0.010 U
MW-10	Jan/Feb 2003	MW-10	0.5	0.300	4.5	0.001
MW-10	Apr/May 2003	MW-10	5.0 U	0.150 J	8.1 J	0.010 U
MW-10	Jul/Aug 2003	MW-10	NA	NA	11.0 J	0.010 U
MW-10	Oct/Nov 2003	MW-10	NA	NA	7.6 J	0.010 U
MW-10	Feb 2004	MW-10	NA	NA	24.0	0.010 U
MW-10	Apr/May 2004	MW-10	5.0 U	0.009 U	21.3	0.010 U
MW-10	Jul/Aug 2004	MW-10	NA	NA	24.2 J	0.010 U
MW-10	Jul/Aug 2004	DUPE-6-3Q04	NA	NA	23.8 J	0.010 U
MW-10	Oct/Nov 2004	MW-10	NA	NA	17.0 J	0.004 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	NA	NA	16.7 J	0.010 U
MW-10	Jan/Feb 2005	MW-10	NA	NA	20.0	0.010 U
MW-10	Apr/May 2005	MW-10	5.0 U	0.031 J	21.1	0.011
MW-10	Apr/May 2005	DUPE-9-2Q05	5.0 U	0.025 J	22.2	0.011
MW-10	Jul/Sep 2005	MW-10	NA	NA	25.4 J	0.014
MW-10	Jul/Sep 2005	DUPE-7-3Q05	NA	NA	24.6 J	0.014

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-10	Oct/Nov 2005	MW-10	NA	NA	25.4	0.014
MW-10	Mar/Apr 2006	MW-10	NA	NA	14.8 J	0.010
MW-10	May/June 2006	MW-10	2.5 U	1.000 U	20.5	0.008 J
MW-10	Aug/Sep 2006	MW-10	NA	NA	22.6	0.010 U
MW-10	Oct/Dec 2006	MW-10	NA	NA	14.6	0.010 U
MW-10	Oct/Dec 2006	DUPE-8-4Q06	NA	NA	14.0	0.010 U
MW-10	Mar/Apr 2007	MW-10	NA	NA	47.5	0.010 U
MW-10	Jun/Jul 2007	MW-10	1.0 U	1.110	14.0	0.010
MW-10	Aug/Sep 2007	MW-10	NA	NA	19.5	0.010 U
MW-10	Oct/Dec 2007	MW-10	NA	NA	26.2 E	0.010 U
MW-10	Oct/Dec 2007	DUPE-7-4Q07	NA	NA	24.0 E	0.010 U
MW-10	Jan/Feb 2008	MW-10	NA	NA	29.3 E	0.010 U
MW-10	Apr/May 2008	MW-10	1.0 U	4.470	8.5 E	0.010 U
MW-10	Jul/Aug 2008	MW-10	NA	NA	17.0	0.010 U
MW-10	Oct/Nov 2008	MW-10	NA	NA	22.0	0.010 U
MW-10	Jan/Feb 2009	MW-10	NA	NA	15.0	0.010 U
MW-10	Jan/Feb 2009	DUPE-07-1Q09	NA	NA	11.0	0.010 U
MW-10	Apr/May 2009	MW-10	2.0 U	5.000 U	11.0	0.010 U
MW-10	Jul/Aug 2009	MW-10	NA	NA	6.6	0.010 U
MW-10	Nov/Dec 2009	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Feb 2010	MW-10	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Oct/Nov 1996	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Feb/Mar 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	June/July 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Sep/Oct 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Jan/Feb 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Apr/May 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Jul/Aug 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Oct/Nov 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Feb/Mar 1999	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	May/June 1999	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Aug 1999	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Nov/Dec 1999	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Mar/Apr 2000	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Jul/Aug 2000	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Sep/Oct 2000	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Jan/Feb 2001	MW-11-1	5.0 U	1.000 U	5.0	0.010 U
MW-11 Screen 1	Jul 2001	MW-11-1	NA	NA	2.2 J	NA U
MW-11 Screen 1	Oct 2001	MW-11-1	NA	NA	3.5	0.010 U
MW-11 Screen 1	Jan/Feb 2002	MW-11-1	5.0 U	0.040 J	3.8 J	0.010 U
MW-11 Screen 1	Apr/May 2002	MW-11-1	NA	NA	5.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 1	Jul 2002	MW-11-1	NA	NA	4.0	NA U
MW-11 Screen 1	Oct/Nov 2002	MW-11-1	NA	NA	NA	0.010 U
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	NA	NA	2.6	0.010 U
MW-11 Screen 1	Apr/May 2003	MW-11-1	5.0 U	1.000 U	1.3	0.010 U
MW-11 Screen 1	Jul/Aug 2003	MW-11-1	NA	NA	2.0 J	0.010 U
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	NA	NA	2.0 J	0.010 U
MW-11 Screen 1	Feb 2004	MW-11-1	NA	NA	3.7	0.010 U
MW-11 Screen 1	Apr/May 2004	MW-11-1	5.0 U	0.027 U	7.4	0.010 U
MW-11 Screen 1	Jul/Aug 2004	MW-11-1	NA	NA	10.1	0.010 U
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	NA	NA	9.4 J	0.010 U
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	NA	NA	7.6	0.010 U
MW-11 Screen 1	Apr/May 2005	MW-11-1	5.0 U	0.068 J	9.8	0.010 U
MW-11 Screen 1	Jul/Sep 2005	MW-11-1	NA	NA	6.7	0.010 U
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	NA	NA	7.7	0.010 U
MW-11 Screen 1	Mar/Apr 2006	MW-11-1	NA	NA	1.0 U	0.010 U
MW-11 Screen 1	May/Jun 2006	MW-11-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2006	MW-11-1	NA	NA	1.5 J	0.010 U
MW-11 Screen 1	Oct/Dec 2006	MW-11-1	NA	NA	3.3	0.010 U
MW-11 Screen 1	Oct/Dec 2006	DUPE-4-4Q06	NA	NA	3.3	0.010 U
MW-11 Screen 1	Mar/Apr 2007	MW-11-1	NA	NA	1.0 U	0.010 U
MW-11 Screen 1	Jun/Jul 2007	MW-11-1	1.0	1.000 U	10.4	0.010 U
MW-11 Screen 1	Aug/Sep 2007	MW-11-1	NA	NA	15.8	0.010 U
MW-11 Screen 1	Oct/Dec 2007	MW-11-1	NA	NA	9.4	0.010 U
MW-11 Screen 1	Jan/Feb 2008	MW-11-1	NA	NA	9.5 E	0.010 U
MW-11 Screen 1	Jan/Feb 2008	DUPE-1-1Q08	NA	NA	8.6 E	0.010 U
MW-11 Screen 1	Apr/May 2008	MW-11-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2008	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Oct/Nov 2008	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Jan/Feb 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2009	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Nov/Dec 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb 2010	DUPE-4-1Q10	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Oct/Nov 1996	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Feb/Mar 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	June/July 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Sep/Oct 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Jan/Feb 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Apr/May 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Jul/Aug 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 2	Oct/Nov 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Feb/Mar 1999	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	May/Jun 1999	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Aug 1999	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Nov/Dec 1999	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Mar/Apr 2000	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Jul/Aug 2000	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Sep/Oct 2000	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Jan/Feb 2001	MW-11-2	5.0 U	1.000 U	3.5 J	0.010 U
MW-11 Screen 2	Jul 2001	MW-11-2	NA	NA	3.0 J	NA U
MW-11 Screen 2	Oct 2001	MW-11-2	NA	NA	3.5	0.010 U
MW-11 Screen 2	Jan/Feb 2002	MW-11-2	1.6 B	1.000 U	3.2 J	0.010 U
MW-11 Screen 2	Apr/May 2002	MW-11-2	NA	NA	5.0	0.010 U
MW-11 Screen 2	Jul 2002	MW-11-2	NA	NA	4.0	NA U
MW-11 Screen 2	Oct/Nov 2002	MW-11-2	NA	NA	NA	0.010 U
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	NA	NA	2.3	0.010 U
MW-11 Screen 2	Apr/May 2003	MW-11-2	5.0 U	1.000 U	0.8 J	0.010 U
MW-11 Screen 2	Jul/Aug 2003	MW-11-2	NA	NA	1.5 J	0.010 U
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	NA	NA	1.0 UJ	0.010 U
MW-11 Screen 2	Feb 2004	MW-11-2	NA	NA	3.4	0.010 U
MW-11 Screen 2	Apr/May 2004	MW-11-2	5.0 U	0.120 U	5.7	0.010 U
MW-11 Screen 2	Jul/Aug 2004	MW-11-2	NA	NA	9.1	0.010 U
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	NA	NA	8.4 J	0.010 U
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	NA	NA	6.0	0.010 U
MW-11 Screen 2	Apr/May 2005	MW-11-2	5.0 U	0.044 J	8.7	0.010 U
MW-11 Screen 2	Jul/Sep 2005	MW-11-2	NA	NA	6.9	0.010 U
MW-11 Screen 2	Jul/Sep 2005	DUPE-4-3Q05	NA	NA	7.8	0.010 U
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	NA	NA	8.7	0.010 U
MW-11 Screen 2	Mar/Apr 2006	MW-11-2	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	Mar/Apr 2006	DUPE-7-1Q06	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	May/Jun 2006	MW-11-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2006	MW-11-2	NA	NA	1.6 J	0.010 U
MW-11 Screen 2	Oct/Dec 2006	MW-11-2	NA	NA	3.3	0.010 U
MW-11 Screen 2	Mar/Apr 2007	MW-11-2	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	Jun/Jul 2007	MW-11-2	1.1	1.000 U	9.1	0.010 U
MW-11 Screen 2	Aug/Sep 2007	MW-11-2	NA	NA	11.9	0.010 U
MW-11 Screen 2	Oct/Dec 2007	MW-11-2	NA	NA	7.4	0.010 U
MW-11 Screen 2	Oct/Dec 2007	DUPE-2-4Q07	NA	NA	3.9	0.006 J
MW-11 Screen 2	Jan/Feb 2008	MW-11-2	NA	NA	7.7 E	0.010 U
MW-11 Screen 2	Apr/May 2008	MW-11-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2008	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Oct/Nov 2008	MW-11-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 2	Jan/Feb 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2009	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Nov/Dec 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Feb 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Oct/Nov 1996	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Feb/Mar 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	June/July 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Sep/Oct 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Jan/Feb 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Apr/May 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Jul/Aug 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Oct/Nov 1998	MW-11-3	5.0 U	8.000	10.0 U	0.005 U
MW-11 Screen 3	Feb/Mar 1999	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	May/June 1999	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Aug 1999	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Nov/Dec 1999	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Mar/Apr 2000	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Jul/Aug 2000	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Sep/Oct 2000	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Jan/Feb 2001	MW-11-3	5.0 U	1.000 U	3.3 J	0.010 U
MW-11 Screen 3	Jul 2001	MW-11-3	NA	NA	3.6 J	NA U
MW-11 Screen 3	Oct 2001	MW-11-3	NA	NA	4.1	0.010 U
MW-11 Screen 3	Jan/Feb 2002	MW-11-3	2.5 B	1.000 U	3.2 J	0.010 U
MW-11 Screen 3	Jan/Feb 2002	DUP	NA	0.030 J	3.0 J	NA
MW-11 Screen 3	Apr/May 2002	MW-11-3	NA	NA	6.0	0.010 U
MW-11 Screen 3	Jul 2002	MW-11-3	NA	NA	5.0	NA U
MW-11 Screen 3	Oct/Nov 2002	MW-11-3	NA	NA	NA	0.010 U
MW-11 Screen 3	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	NA	NA	2.3	0.010 U
MW-11 Screen 3	Apr/May 2003	MW-11-3	5.0 U	1.000 U	1.5	0.010 U
MW-11 Screen 3	Jul/Aug 2003	MW-11-3	NA	NA	2.3 J	0.010 U
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	NA	NA	3.4 J	0.010 U
MW-11 Screen 3	Feb 2004	MW-11-3	NA	NA	4.0	0.010 U
MW-11 Screen 3	Apr/May 2004	MW-11-3	5.0 U	0.055 U	1.1 U	0.010 U
MW-11 Screen 3	Apr/May 2004	DUPE-5-2Q04	5.0 U	0.049 U	0.7 U	0.005 J
MW-11 Screen 3	Jul/Aug 2004	MW-11-3	NA	NA	9.6	0.010 U
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	NA	NA	9.1 J	0.010 U
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	NA	NA	1.9 J	0.010 U
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	NA	NA	6.1	0.010 U
MW-11 Screen 3	Apr/May 2005	MW-11-3	5.0 U	0.110 J	7.6	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 3	Apr/May 2005	DUPE-7-2Q05	5.0 U	0.055 J	8.1	0.010 U
MW-11 Screen 3	Jul/Sep 2005	MW-11-3	NA	NA	5.0	0.010 U
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	NA	NA	5.6	0.010 U
MW-11 Screen 3	Mar/Apr 2006	MW-11-3	NA	NA	1.0 U	0.010 U
MW-11 Screen 3	May/June 2006	MW-11-3	1.1	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	May/June 2006	DUPE-7-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	Aug/Sep 2006	MW-11-3	NA	NA	1.5 J	0.010 U
MW-11 Screen 3	Oct/Dec 2006	MW-11-3	NA	NA	2.4	0.010 U
MW-11 Screen 3	Mar/Apr 2007	MW-11-3	NA	NA	1.0 U	0.010 U
MW-11 Screen 3	Jun/Jul 2007	MW-11-3	1.0 U	1.000 U	1.9 J	0.010 U
MW-11 Screen 3	Aug/Sep 2007	MW-11-3	NA	NA	11.0	0.010 U
MW-11 Screen 3	Oct/Dec 2007	MW-11-3	NA	NA	7.2	0.010 U
MW-11 Screen 3	Jan/Feb 2008	MW-11-3	NA	NA	8.0 E	0.010 U
MW-11 Screen 3	Apr/May 2008	MW-11-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2008	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Oct/Nov 2008	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Jan/Feb 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2009	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Nov/Dec 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Feb 2010	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	5.0 U	2.000 U	10.0 U	0.006 J
MW-11 Screen 4	Oct/Nov 1996	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Feb/Mar 1997	MW-11-4	5.0 U	9.300	10.0 U	0.005 U
MW-11 Screen 4	June/July 1997	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Sep/Oct 1997	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jan/Feb 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Apr/May 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jul/Aug 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Oct/Nov 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Feb/Mar 1999	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	May/June 1999	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Nov/Dec 1999	MW-11-4	NA	NA	10.0 U	0.005 U
MW-11 Screen 4	Jul/Aug 2000	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jan/Feb 2001	MW-11-4	5.0 U	1.000 U	2.0 J	0.010 U
MW-11 Screen 4	Jan/Feb 2002	MW-11-4	5.0 U	0.220 J	2.1	0.010 U
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	NA	NA	NA	0.010 U
MW-11 Screen 4	Apr/May 2003	MW-11-4	5.0 U	1.000 U	0.3 J	0.010 U
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	NA	NA	0.8 UJ	0.010 U
MW-11 Screen 4	Apr/May 2004	MW-11-4	5.0 U	0.005 J	2.2	0.004 J
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	NA	NA	5.2 J	0.010 U
MW-11 Screen 4	Apr/May 2005	MW-11-4	5.0 U	0.091 J	3.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 4	Jul/Sep 2005	MW-11-4	NA	NA	2.7	0.010 U
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	NA	NA	3.6	0.010 U
MW-11 Screen 4	May/June 2006	MW-11-4	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 4	Oct/Dec 2006	MW-11-4	NA	NA	1.9	0.010 U
MW-11 Screen 4	Jun/Jul 2007	MW-11-4	1.0 U	1.000 U	1.4 J	0.010 U
MW-11 Screen 4	Oct/Dec 2007	MW-11-4	NA	NA	4.1	0.010 U
MW-11 Screen 4	Apr/May 2008	MW-11-4	1.0 U	1.000 U	1.7	0.010 U
MW-11 Screen 4	Oct/Nov 2008	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Oct/Nov 2008	DUPE-07-4Q08	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2009	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov/Dec 2009	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	7.0	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Oct/Nov 1996	MW-11-5	5.0	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Feb/Mar 1997	MW-11-5	5.0 U	2.400	10.0 U	0.005 U
MW-11 Screen 5	June/July 1997	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Sep/Oct 1997	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jan/Feb 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Apr/May 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jul/Aug 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Oct/Nov 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Feb/Mar 1999	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	May/June 1999	MW-11-5	5.3	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Nov/Dec 1999	MW-11-5	NA	NA	10.0 U	0.005 U
MW-11 Screen 5	Jul/Aug 2000	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jan/Feb 2001	MW-11-5	6.0	1.000 U	2.8 J	0.010 U
MW-11 Screen 5	Jan/Feb 2001	DUP	5.8	1.000 U	2.6 J	0.010 U
MW-11 Screen 5	Jan/Feb 2002	MW-11-5	5.0	0.160 J	2.3 J	0.010 U
MW-11 Screen 5	Apr/May 2003	MW-11-5	5.0 U	1.000 U	1.1	0.010 U
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	NA	NA	1.5 J	0.010 U
MW-11 Screen 5	Apr/May 2004	MW-11-5	5.0 U	0.099 U	0.7 U	0.004 J
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	NA	NA	1.8 J	0.010 U
MW-11 Screen 5	Apr/May 2005	MW-11-5	5.0 U	0.330 J	5.7	0.010 U
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	NA	NA	5.1	0.010 U
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	NA	NA	5.5	0.010 U
MW-11 Screen 5	May/June 2006	MW-11-5	6.1	1.000 U	1.0 U	0.010 U
MW-11 Screen 5	Oct/Dec 2006	MW-11-5	NA	NA	1.4	0.010 U
MW-11 Screen 5	Jun/Jul 2007	MW-11-5	6.0	1.000 U	1.8 J	0.010 U
MW-11 Screen 5	Oct/Dec 2007	MW-11-5	NA	NA	1.8	0.008 J
MW-11 Screen 5	Apr/May 2008	MW-11-5	6.2	1.000 U	2.4	0.010 U
MW-11 Screen 5	Oct/Nov 2008	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2009	MW-11-5	5.1	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Nov/Dec 2009	MW-11-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	5.0 U	4.400	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	June/July 1997	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Jan/Feb 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Apr/May 1998	MW-12-1	5.0 U	2.000 U	10.0	0.005 U
MW-12 Screen 1	Jul/Aug 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Oct/Nov 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1999	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	May/Jun 1999	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Aug 1999	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Nov/Dec 1999	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Mar/Apr 2000	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Jul/Aug 2000	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Sep/Oct 2000	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Jan/Feb 2001	MW-12-1	5.0 U	1.000 U	8.3	0.010 U
MW-12 Screen 1	Jul 2001	MW-12-1	NA	NA	8.8	NA U
MW-12 Screen 1	Oct 2001	MW-12-1	NA	NA	6.7	0.010 U
MW-12 Screen 1	Jan/Feb 2002	MW-12-1	5.0 U	1.000 U	4.0 J	0.010 U
MW-12 Screen 1	Apr/May 2002	MW-12-1	NA	NA	5.0	0.010 U
MW-12 Screen 1	Jul 2002	MW-12-1	NA	NA	5.0	NA U
MW-12 Screen 1	Oct/Nov 2002	MW-12-1	NA	NA	NA	0.010 U
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	NA	NA	6.0	0.010 U
MW-12 Screen 1	Apr/May 2003	MW-12-1	5.0 U	1.000 U	9.7	0.010 U
MW-12 Screen 1	Jul/Aug 2003	MW-12-1	NA	NA	8.0 J	0.010 U
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	NA	NA	8.1 J	0.010 U
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4Q03	NA	NA	8.4 J	0.010 U
MW-12 Screen 1	Feb 2004	MW-12-1	NA	NA	9.5	0.010 U
MW-12 Screen 1	Apr/May 2004	MW-12-1	5.0 U	0.043 U	2.6	0.004 J
MW-12 Screen 1	Jul/Aug 2004	MW-12-1	NA	NA	11.7	0.010 U
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	NA	NA	14.6 J	0.010 U
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	NA	NA	7.1	0.010 U
MW-12 Screen 1	Apr/May 2005	MW-12-1	5.0 U	0.029 J	6.8	0.010 U
MW-12 Screen 1	Jul/Sep 2005	MW-12-1	NA	NA	10.1	0.010 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	NA	NA	8.1	0.010 U
MW-12 Screen 1	Mar/Apr 2006	MW-12-1	NA	NA	1.6	0.010 U
MW-12 Screen 1	Mar/Apr 2006	DUPE-6-1Q06	NA	NA	1.6	0.010 U
MW-12 Screen 1	May/Jun 2006	MW-12-1	1.0 U	1.000 U	2.0 J	0.004 J
MW-12 Screen 1	Aug/Sep 2006	MW-12-1	NA	NA	3.6 U	0.010 U
MW-12 Screen 1	Oct/Dec 2006	MW-12-1	NA	NA	4.3	0.010 U
MW-12 Screen 1	Mar/Apr 2007	MW-12-1	NA	NA	3.1 J	0.010 U
MW-12 Screen 1	Jun/Jul 2007	MW-12-1	1.0 U	1.000 U	5.2 J	0.010 U
MW-12 Screen 1	Jun/Jul 2007	DUPE-5-2Q07	1.0 U	1.000 U	5.4 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 1	Aug/Sep 2007	MW-12-1	NA	NA	16.6	0.010 U
MW-12 Screen 1	Oct/Dec 2007	MW-12-1	NA	NA	10.2	0.010 U
MW-12 Screen 1	Jan/Feb 2008	MW-12-1	NA	NA	2.2	0.010 U
MW-12 Screen 1	Apr/May 2008	MW-12-1	1.0 U	1.000 U	8.1	0.010 U
MW-12 Screen 1	Jul/Aug 2008	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Oct/Nov 2008	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Jan/Feb 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2009	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 1	Jul/Aug 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Nov/Dec 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Feb 2010	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	5.0 U	24.000	10.0 U	0.005 U
MW-12 Screen 2	Oct/Nov 1996	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Feb/Mar 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	June/July 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Apr/May 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	5.0 U	2.700	10.0 U	0.005 U
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	May/Jun 1999	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Aug 1999	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 2000	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 2000	DUP	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 2000	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 2000	DUP	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Jan/Feb 2001	MW-12-2	5.0 U	1.000 U	4.8 J	0.010 U
MW-12 Screen 2	Jul 2001	MW-12-2	NA	NA	5.0	NA U
MW-12 Screen 2	Oct 2001	MW-12-2	NA	NA	7.4	0.010 U
MW-12 Screen 2	Oct 2001	DUP	NA	NA	6.6	0.010 U
MW-12 Screen 2	Jan/Feb 2002	MW-12-2	5.0 U	1.000 U	3.0 J	0.010 U
MW-12 Screen 2	Jan/Feb 2002	DUP	1.7 B	1.000 U	4.1 J	0.010 U
MW-12 Screen 2	Apr/May 2002	MW-12-2	NA	NA	7.0	0.010 U
MW-12 Screen 2	Jul 2002	MW-12-2	NA	NA	3.0	NA U
MW-12 Screen 2	Oct/Nov 2002	MW-12-2	NA	NA	NA	0.010 U
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	NA	NA	3.8	0.010 U
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	NA	NA	4.0	0.010 U
MW-12 Screen 2	Apr/May 2003	MW-12-2	5.0 U	1.000 U	2.9	0.010 U
MW-12 Screen 2	Jul/Aug 2003	MW-12-2	NA	NA	3.8 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	NA	NA	2.9 J	0.010 U
MW-12 Screen 2	Feb 2004	MW-12-2	NA	NA	4.4	0.010 U
MW-12 Screen 2	Apr/May 2004	MW-12-2	5.0 U	0.120 U	10.9	0.010 U
MW-12 Screen 2	Jul/Aug 2004	MW-12-2	NA	NA	12.0	0.010 U
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	NA	NA	13.1 J	0.010 U
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	NA	NA	7.1	0.010 U
MW-12 Screen 2	Apr/May 2005	MW-12-2	5.0 U	0.036 J	6.6	0.010 U
MW-12 Screen 2	Jul/Sep 2005	MW-12-2	NA	NA	10.2	0.010 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	NA	NA	9.7	0.010 U
MW-12 Screen 2	Mar/Apr 2006	MW-12-2	NA	NA	1.7	0.010 U
MW-12 Screen 2	May/June 2006	MW-12-2	1.0 U	1.000 U	1.4 J	0.010 U
MW-12 Screen 2	Aug/Sep 2006	MW-12-2	NA	NA	2.1 U	0.004 J
MW-12 Screen 2	Oct/Dec 2006	MW-12-2	NA	NA	3.3	0.010 U
MW-12 Screen 2	Mar/Apr 2007	MW-12-2	NA	NA	1.2 J	0.010 U
MW-12 Screen 2	Jun/Jul 2007	MW-12-2	1.0 U	1.000 U	2.2 J	0.010 U
MW-12 Screen 2	Aug/Sep 2007	MW-12-2	NA	NA	15.7	0.010 U
MW-12 Screen 2	Oct/Dec 2007	MW-12-2	NA	NA	9.5	0.010 U
MW-12 Screen 2	Jan/Feb 2008	MW-12-2	NA	NA	1.0	0.010 U
MW-12 Screen 2	Apr/May 2008	MW-12-2	1.0 U	1.000 U	5.8	0.010 U
MW-12 Screen 2	Jul/Aug 2008	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2008	DUPE-7-3Q08	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Oct/Nov 2008	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jan/Feb 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2009	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2009	DUPE-7-3Q09	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Nov/Dec 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Feb 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Oct/Nov 1996	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Feb/Mar 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	June/July 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Sep/Oct 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Jan/Feb 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Apr/May 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Jul/Aug 1998	MW-12-3	5.0 U	18.000	10.0 U	0.005 U
MW-12 Screen 3	Oct/Nov 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Feb/Mar 1999	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	May/June 1999	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Aug 1999	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Nov/Dec 1999	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Mar/Apr 2000	MW-12-3	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 3	Jul/Aug 2000	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Sep/Oct 2000	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Jan/Feb 2001	MW-12-3	5.0 U	1.000 U	4.6 J	0.010 U
MW-12 Screen 3	Jul 2001	MW-12-3	NA	NA	2.5 J	NA U
MW-12 Screen 3	Oct 2001	MW-12-3	NA	NA	6.4	0.010 U
MW-12 Screen 3	Oct 2001	DUP	NA	NA	6.0	NA
MW-12 Screen 3	Jan/Feb 2002	MW-12-3	5.0 U	0.070 J	4.0 J	0.010 U
MW-12 Screen 3	Jan/Feb 2002	DUP	NA	0.040 J	4.0 J	NA
MW-12 Screen 3	Apr/May 2002	MW-12-3	NA	NA	4.0	0.010 U
MW-12 Screen 3	Apr/May 2002	DUP	NA	NA	5.0	0.010 U
MW-12 Screen 3	Jul 2002	MW-12-3	NA	NA	2.0	NA U
MW-12 Screen 3	Jul 2002	DUP	NA	NA	4.0	NA U
MW-12 Screen 3	Oct/Nov 2002	MW-12-3	NA	NA	NA	0.010 U
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	0.7	0.090 J	2.5	0.000 U
MW-12 Screen 3	Apr/May 2003	MW-12-3	5.0 U	1.000 U	1.3	0.010 U
MW-12 Screen 3	Apr/May 2003	DUPE-6-2Q03	5.0 U	1.000 U	1.3	0.010 U
MW-12 Screen 3	Jul/Aug 2003	MW-12-3	NA	NA	2.4 J	0.010 U
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	NA	NA	1.6 UJ	0.010 U
MW-12 Screen 3	Feb 2004	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	Apr/May 2004	MW-12-3	5.0 U	0.014 U	6.2	0.010 U
MW-12 Screen 3	Jul/Aug 2004	MW-12-3	NA	NA	6.5	0.010 U
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	NA	NA	8.8 J	0.010 U
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	NA	NA	5.1	0.010 U
MW-12 Screen 3	Apr/May 2005	MW-12-3	5.0 U	0.068 J	5.1	0.010 U
MW-12 Screen 3	Jul/Sep 2005	MW-12-3	NA	NA	6.7	0.010 U
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	NA	NA	6.0	0.010 U
MW-12 Screen 3	Mar/Apr 2006	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	May/June 2006	MW-12-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2006	MW-12-3	NA	NA	1.9 U	0.008 J
MW-12 Screen 3	Oct/Dec 2006	MW-12-3	NA	NA	1.5	0.010 U
MW-12 Screen 3	Mar/Apr 2007	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	Jun/Jul 2007	MW-12-3	1.0 U	1.000 U	1.2 J	0.010 U
MW-12 Screen 3	Aug/Sep 2007	MW-12-3	NA	NA	12.3	0.010 U
MW-12 Screen 3	Oct/Dec 2007	MW-12-3	NA	NA	8.0	0.010 U
MW-12 Screen 3	Jan/Feb 2008	MW-12-3	NA	NA	1.2	0.010 U
MW-12 Screen 3	Apr/May 2008	MW-12-3	1.0 U	1.000 U	4.4	0.010 U
MW-12 Screen 3	Jul/Aug 2008	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2008	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Jan/Feb 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2009	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2009	DUPE-07-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Jul/Aug 2009	MW-12-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 3	Nov/Dec 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2009	DUPE-06-4Q09	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Feb 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	5.0 U	4.500	10.0 U	0.005 U
MW-12 Screen 4	Oct/Nov 1996	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Feb/Mar 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	June/July 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Sep/Oct 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jan/Feb 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Apr/May 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jul/Aug 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Oct/Nov 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Feb/Mar 1999	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	May/June 1999	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Nov/Dec 1999	MW-12-4	NA	NA	10.0 U	0.005 U
MW-12 Screen 4	Jul/Aug 2000	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jan/Feb 2001	MW-12-4	5.0 U	1.000 U	5.9	0.010 U
MW-12 Screen 4	Jan/Feb 2002	MW-12-4	5.0 U	1.000 U	3.9 J	0.010 U
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	NA	NA	NA	0.010 U
MW-12 Screen 4	Apr/May 2003	MW-12-4	5.0 U	1.000 U	1.3	0.010 U
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	NA	NA	2.8 J	0.010 U
MW-12 Screen 4	Apr/May 2004	MW-12-4	5.0 U	0.120 U	9.0	0.010 U
MW-12 Screen 4	Apr/May 2004	DUPE-4-2Q04	5.0 U	0.001 J	8.2	0.004 J
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	NA	NA	12.1 J	0.010 U
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	NA	NA	12.8 J	0.010 U
MW-12 Screen 4	Apr/May 2005	MW-12-4	5.0 U	0.016 J	5.5	0.010 U
MW-12 Screen 4	Jul/Sep 2005	MW-12-4	NA	NA	10.1	0.010 U
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	NA	NA	6.4	0.010 U
MW-12 Screen 4	May/June 2006	MW-12-4	1.5 J	1.000 U	1.0 U	0.010 U
MW-12 Screen 4	Oct/Dec 2006	MW-12-4	NA	NA	2.6	0.010 U
MW-12 Screen 4	Jun/Jul 2007	MW-12-4	1.9	1.000 U	2.0 J	0.010 U
MW-12 Screen 4	Oct/Dec 2007	MW-12-4	NA	NA	10.2	0.010 U
MW-12 Screen 4	Apr/May 2008	MW-12-4	1.8	1.000 U	4.7	0.010 U
MW-12 Screen 4	Oct/Nov 2008	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2009	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov/Dec 2009	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	5.0 U	2.000 U	10.0 U	0.006 J
MW-12 Screen 5	Oct/Nov 1996	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Feb/Mar 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	June/July 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Sep/Oct 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jan/Feb 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 5	Apr/May 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jul/Aug 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Oct/Nov 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Feb/Mar 1999	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	May/Jun 1999	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Nov/Dec 1999	MW-12-5	NA	NA	10.0 U	0.005 U
MW-12 Screen 5	Jul/Aug 2000	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jan/Feb 2001	MW-12-5	2.7 B	1.000 U	6.4	0.010 U
MW-12 Screen 5	Jan/Feb 2001	DUP	5.0 U	1.000 U	5.2	0.010 U
MW-12 Screen 5	Jan/Feb 2002	MW-12-5	1.8 B	1.050	4.3 J	0.010 U
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	0.6	0.200	1.2	0.000 U
MW-12 Screen 5	Apr/May 2003	MW-12-5	5.0 U	1.000 U	1.2	0.010 U
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	NA	NA	4.7 J	0.010 U
MW-12 Screen 5	Apr/May 2004	MW-12-5	5.0 U	0.048 U	1.8	0.005 J
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	NA	NA	3.8 J	0.010 U
MW-12 Screen 5	Apr/May 2005	MW-12-5	5.0 U	0.034 J	5.4	0.010 U
MW-12 Screen 5	Jul/Sep 2005	MW-12-5	NA	NA	9.9	0.010 U
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	NA	NA	7.4	0.010 U
MW-12 Screen 5	May/Jun 2006	MW-12-5	2.2 J	1.000 U	1.7 J	0.010 U
MW-12 Screen 5	Oct/Dec 2006	MW-12-5	NA	NA	5.0	0.010 U
MW-12 Screen 5	Jun/Jul 2007	MW-12-5	2.0	1.000 U	3.0	0.010 U
MW-12 Screen 5	Oct/Dec 2007	MW-12-5	NA	NA	9.3	0.010 U
MW-12 Screen 5	Apr/May 2008	MW-12-5	2.3	1.000 U	10.6	0.010 U
MW-12 Screen 5	Oct/Nov 2008	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2009	MW-12-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov/Dec 2009	MW-12-5	NA	NA	5.0 U	0.010 U
MW-13	Aug/Sep 1996	MW-13	5.0 U	2.000 U	44.0	0.047
MW-13	Oct/Nov 1996	MW-13	5.0 U	4.500	30.0	0.028
MW-13	Feb/Mar 1997	MW-13	5.0 U	2.000 U	32.0	0.035
MW-13	June/July 1997	MW-13	5.0 U	2.000 U	36.0	0.037
MW-13	Sep/Oct 1997	MW-13	5.0 U	2.000 U	50.0	0.045
MW-13	Jan/Feb 1998	MW-13	5.0 U	2.000	40.0	0.035
MW-13	Apr/May 1998	MW-13	5.0 U	2.000 U	80.0	0.024
MW-13	Jul/Aug 1998	MW-13	5.0 U	2.000 U	25.0	0.023
MW-13	Oct/Nov 1998	MW-13	5.0 U	2.000 U	36.0	0.029
MW-13	Feb/Mar 1999	MW-13	5.0 U	2.000 U	27.0	0.018
MW-13	May/Jun 1999	MW-13	5.0 U	2.000 U	24.0	0.024
MW-13	Aug 1999	MW-13	NA	NA	33.0	0.031
MW-13	Nov/Dec 1999	MW-13	NA	NA	33.0	0.029
MW-13	Mar/Apr 2000	MW-13	NA	NA	32.0	0.029
MW-13	Jan/Feb 2001	MW-13	5.0 U	1.000 U	110.0	0.032
MW-13	Jul 2001	MW-13	NA	NA	13.7	NA U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-13	Jul 2001	DUP	NA	NA	13.4	NA
MW-13	Oct 2001	MW-13	NA	NA	33.2	0.028
MW-13	Oct 2001	DUP	NA	NA	35.6	NA
MW-13	Jan/Feb 2002	MW-13	2.7 B	1.000 U	11.8 J	0.034
MW-13	Apr/May 2002	MW-13	NA	NA	58.0	0.037
MW-13	Jul 2002	MW-13	NA	NA	28.0	0.010
MW-13	Jul 2002	DUP	NA	NA	28.0	0.010
MW-13	Oct/Nov 2002	MW-13	NA	NA	NA	0.050
MW-13	Jan/Feb 2003	MW-13	NA	NA	90.0	0.055
MW-13	Apr/May 2003	MW-13	5.0 U	1.000 U	16.0 J	0.024
MW-13	Jul/Aug 2003	MW-13	NA	NA	8.5 J	0.010 U
MW-13	Oct/Nov 2003	MW-13	NA	NA	18.0 J	0.020
MW-13	Feb 2004	MW-13	NA	NA	63.0	0.052
MW-13	Apr/May 2004	MW-13	5.0 U	0.120 U	31.5	0.024
MW-13	Jul/Aug 2004	MW-13	NA	NA	26.1 J	0.011
MW-13	Oct/Nov 2004	MW-13	NA	NA	55.1 J	0.048
MW-13	Jan/Feb 2005	MW-13	NA	NA	50.9	0.032
MW-13	Apr/May 2005	MW-13	1.3 J	0.039 J	25.7	0.020
MW-13	Jul/Sep 2005	MW-13	NA	NA	31.7	0.024
MW-13	Oct/Nov 2005	MW-13	NA	NA	89.9	0.013
MW-13	Mar/Apr 2006	MW-13	NA	NA	48.2 J	0.024
MW-13	May/Jun 2006	MW-13	1.0 U	1.000 U	16.2	0.008 J
MW-13	May/Jun 2006	DUPE-9-2Q06	1.0 U	1.000 U	17.1	0.010 U
MW-13	Aug/Sep 2006	MW-13	NA	NA	14.8	0.008 J
MW-13	Aug/Sep 2006	DUPE-3-3Q06	NA	NA	15.7	0.008 J
MW-13	Oct/Dec 2006	MW-13	NA	NA	131.0	0.084
MW-13	Mar/Apr 2007	MW-13	NA	NA	70.3	0.041
MW-13	Jun/Jul 2007	MW-13	1.0 U	22.200	66.2 J	0.066
MW-13	Aug/Sep 2007	MW-13	NA	NA	83.2	0.070
MW-13	Aug/Sep 2007	DUPE-6-3Q07	NA	NA	85.7	0.060
MW-13	Oct/Dec 2007	MW-13	NA	NA	37.9	0.020
MW-13	Oct/Dec 2007	DUPE-6-4Q07	NA	NA	38.5	0.020
MW-13	Jan/Feb 2008	MW-13	NA	NA	13.8 E	0.008 J
MW-13	Apr/May 2008	MW-13	1.0 U	1.000 U	51.6 E	0.058
MW-13	Jul/Aug 2008	MW-13	NA	NA	51.0	0.039
MW-13	Oct/Nov 2008	MW-13	NA	NA	88.0	0.033
MW-13	Jan/Feb 2009	MW-13	NA	NA	31.0	0.010 U
MW-13	Apr/May 2009	MW-13	2.0 U	10.000	33.0	0.028
MW-13	Jul/Aug 2009	MW-13	NA	NA	31.0	0.031
MW-13	Nov/Dec 2009	MW-13	NA	NA	12.0	0.010 U
MW-13	Feb 2010	MW-13	NA	NA	5.0 U	NA
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 1	Oct/Nov 1996	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Feb/Mar 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	June/July 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Sep/Oct 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Jan/Feb 1998	MW-14-1	5.0 U	4.300	10.0 U	0.005 U
MW-14 Screen 1	Apr/May 1998	MW-14-1	5.0 U	2.000 U	11.0	0.005 U
MW-14 Screen 1	Jul/Aug 1998	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Oct/Nov 1998	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Feb/Mar 1999	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	May/Jun 1999	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Aug 1999	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Mar/Apr 2000	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Sep/Oct 2000	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Jan/Feb 2001	MW-14-1	5.0 U	1.000 U	5.0 J	0.010 U
MW-14 Screen 1	Apr 2001	MW-14-1	NA	NA	NA	0.010 U
MW-14 Screen 1	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-14 Screen 1	Jul 2001	MW-14-1	NA	NA	2.6 J	NA U
MW-14 Screen 1	Oct 2001	MW-14-1	NA	NA	11.7	0.010 U
MW-14 Screen 1	Jan/Feb 2002	MW-14-1	5.0 U	1.000 U	4.9 J	0.010 U
MW-14 Screen 1	Apr/May 2002	MW-14-1	NA	NA	9.0	0.010 U
MW-14 Screen 1	Jul 2002	MW-14-1	NA	NA	7.0	NA U
MW-14 Screen 1	Oct/Nov 2002	MW-14-1	NA	NA	NA	0.010 U
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	NA	NA	3.5	0.010 U
MW-14 Screen 1	Apr/May 2003	MW-14-1	5.0 U	1.000 U	4.6 J	0.010 U
MW-14 Screen 1	Jul/Aug 2003	MW-14-1	NA	NA	3.9 J	0.010 U
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	NA	NA	0.0 UJ	0.010 U
MW-14 Screen 1	Feb 2004	MW-14-1	NA	NA	4.4	0.010 U
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	NA	NA	5.3	0.010 U
MW-14 Screen 1	Apr/May 2004	MW-14-1	5.0 UJ	0.120 U	15.0	0.010 U
MW-14 Screen 1	Jul/Aug 2004	MW-14-1	NA	NA	12.8 J	0.010 U
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	NA	NA	13.5 J	0.010 U
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	NA	NA	12.0	0.010 U
MW-14 Screen 1	Apr/May 2005	MW-14-1	1.8 J	0.100 J	8.3	0.010 U
MW-14 Screen 1	Jul/Sep 2005	MW-14-1	NA	NA	11.5	0.010 U
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	NA	NA	10.8	0.010 U
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	NA	NA	11.9	0.010 U
MW-14 Screen 1	Mar/Apr 2006	MW-14-1	NA	NA	1.6	0.010 U
MW-14 Screen 1	May/Jun 2006	MW-14-1	1.0 U	1.000 U	1.7 J	0.010 U
MW-14 Screen 1	Aug/Sep 2006	MW-14-1	NA	NA	2.3 U	0.010 U
MW-14 Screen 1	Oct/Dec 2006	MW-14-1	NA	NA	1.8	0.010 U
MW-14 Screen 1	Mar/Apr 2007	MW-14-1	NA	NA	1.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 1	Jun/Jul 2007	MW-14-1	1.3	1.000 U	2.8	0.010 U
MW-14 Screen 1	Aug/Sep 2007	MW-14-1	NA	NA	11.2 E	0.010 U
MW-14 Screen 1	Oct/Dec 2007	MW-14-1	NA	NA	10.4 E	0.010 U
MW-14 Screen 1	Jan/Feb 2008	MW-14-1	NA	NA	1.0 U	0.010 U
MW-14 Screen 1	Apr/May 2008	MW-14-1	1.0 U	1.000 U	9.2	0.010 U
MW-14 Screen 1	Jul/Aug 2008	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Oct/Nov 2008	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jan/Feb 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2009	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2009	DUPE-2-3Q09	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Nov/Dec 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Oct/Nov 1996	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Feb/Mar 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	June/July 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Sep/Oct 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Jan/Feb 1998	MW-14-2	5.0 U	2.700	10.0 U	0.005 U
MW-14 Screen 2	Apr/May 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Jul/Aug 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Oct/Nov 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Feb/Mar 1999	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	May/June 1999	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Aug 1999	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Nov/Dec 1999	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Mar/Apr 2000	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Sep/Oct 2000	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Jan/Feb 2001	MW-14-2	5.0 U	1.000 U	5.0 J	0.010 U
MW-14 Screen 2	Apr 2001	MW-14-2	NA	NA	NA	0.010 U
MW-14 Screen 2	Jul 2001	MW-14-2	NA	NA	4.1 J	NA U
MW-14 Screen 2	Jul 2001	DUP	NA	NA	1.0 J	NA U
MW-14 Screen 2	Oct 2001	MW-14-2	NA	NA	8.4	0.010 U
MW-14 Screen 2	Jan/Feb 2002	MW-14-2	5.0 U	1.000 U	4.9 J	0.010 U
MW-14 Screen 2	Apr/May 2002	MW-14-2	NA	NA	2.0	0.010 U
MW-14 Screen 2	Jul 2002	MW-14-2	NA	NA	8.0	NA U
MW-14 Screen 2	Oct/Nov 2002	MW-14-2	0.5 U	0.079 J	3.5 U	0.000 U
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	NA	NA	3.7	0.010 U
MW-14 Screen 2	Apr/May 2003	MW-14-2	5.0 U	1.000 U	4.4 J	0.010 U
MW-14 Screen 2	Jul/Aug 2003	MW-14-2	NA	NA	1.9 J	0.010 U
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	NA	NA	2.3 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 2	Feb 2004	MW-14-2	NA	NA	2.9	0.010 U
MW-14 Screen 2	Apr/May 2004	MW-14-2	2.6 UJ	0.120 U	11.0	0.010 U
MW-14 Screen 2	Jul/Aug 2004	MW-14-2	NA	NA	6.9 J	0.010 U
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	NA	NA	10.7 J	0.010 U
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	NA	NA	10.7	0.010 U
MW-14 Screen 2	Apr/May 2005	MW-14-2	5.0 U	0.087 J	7.6	0.010 U
MW-14 Screen 2	Jul/Sep 2005	MW-14-2	NA	NA	10.4	0.010 U
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	NA	NA	9.8	0.010 U
MW-14 Screen 2	Mar/Apr 2006	MW-14-2	NA	NA	1.0	0.010 U
MW-14 Screen 2	May/June 2006	MW-14-2	1.0 U	1.000 U	1.5 J	0.010 U
MW-14 Screen 2	Aug/Sep 2006	MW-14-2	NA	NA	2.8 U	0.010 U
MW-14 Screen 2	Oct/Dec 2006	MW-14-2	NA	NA	1.5	0.010 U
MW-14 Screen 2	Mar/Apr 2007	MW-14-2	NA	NA	1.8	NA
MW-14 Screen 2	Jun/Jul 2007	MW-14-2	1.3	1.000 U	3.6	0.010 U
MW-14 Screen 2	Aug/Sep 2007	MW-14-2	NA	NA	15.3 E	0.010 U
MW-14 Screen 2	Oct/Dec 2007	MW-14-2	NA	NA	14.5 E	0.010 U
MW-14 Screen 2	Jan/Feb 2008	MW-14-2	NA	NA	8.8	0.010 U
MW-14 Screen 2	Apr/May 2008	MW-14-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2008	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2008	DUPE-01-3Q08	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2008	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jan/Feb 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2009	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Nov/Dec 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Feb 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Oct/Nov 1996	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Feb/Mar 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	June/July 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Sep/Oct 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Jan/Feb 1998	MW-14-3	5.0 U	2.800	26.0	0.005 U
MW-14 Screen 3	Apr/May 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Jul/Aug 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Oct/Nov 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Feb/Mar 1999	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	May/June 1999	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Aug 1999	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Nov/Dec 1999	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Mar/Apr 2000	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Sep/Oct 2000	MW-14-3	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 3	Jan/Feb 2001	MW-14-3	5.0 U	1.000 U	3.8 J	0.010 U
MW-14 Screen 3	Apr 2001	MW-14-3	NA	NA	NA	0.010 U
MW-14 Screen 3	Jul 2001	MW-14-3	NA	NA	4.3 J	NA U
MW-14 Screen 3	Jul 2001	DUP	NA	NA	4.0 J	NA
MW-14 Screen 3	Oct 2001	MW-14-3	NA	NA	6.7	0.010 U
MW-14 Screen 3	Oct 2001	DUP	NA	NA	7.1	NA
MW-14 Screen 3	Jan/Feb 2002	MW-14-3	5.0 U	1.000 U	3.9 J	0.010 U
MW-14 Screen 3	Apr/May 2002	MW-14-3	NA	NA	6.0	0.010 U
MW-14 Screen 3	Jul 2002	MW-14-3	NA	NA	7.0	NA U
MW-14 Screen 3	Oct/Nov 2002	MW-14-3	NA	NA	NA	0.010 U
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	NA	NA	3.6	0.010 U
MW-14 Screen 3	Apr/May 2003	MW-14-3	5.0 U	1.000 U	3.2 J	0.010 U
MW-14 Screen 3	Apr/May 2003	DUPE-2-2Q03	5.0 U	1.000 U	2.6 J	0.010 U
MW-14 Screen 3	Jul/Aug 2003	MW-14-3	NA	NA	3.6 J	0.010 U
MW-14 Screen 3	Jul/Aug 2003	DUPE-4-3-Q03	NA	NA	3.4 J	0.010 U
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	NA	NA	2.7 J	0.010 U
MW-14 Screen 3	Feb 2004	MW-14-3	NA	NA	3.9	0.010 U
MW-14 Screen 3	Apr/May 2004	MW-14-3	2.9 UJ	0.120 U	10.1	0.010 U
MW-14 Screen 3	Jul/Aug 2004	MW-14-3	NA	NA	5.2 J	0.010 U
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	NA	NA	8.6 J	0.010 U
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	NA	NA	8.6	0.010 U
MW-14 Screen 3	Apr/May 2005	MW-14-3	1.1 J	0.150 J	5.6	0.010 U
MW-14 Screen 3	Jul/Sep 2005	MW-14-3	NA	NA	8.6	0.010 U
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	NA	NA	9.1	0.010 U
MW-14 Screen 3	Mar/Apr 2006	MW-14-3	NA	NA	1.0 U	0.010 U
MW-14 Screen 3	May/Jun 2006	MW-14-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2006	MW-14-3	NA	NA	2.2 U	0.006 J
MW-14 Screen 3	Oct/Dec 2006	MW-14-3	NA	NA	1.1	0.010 U
MW-14 Screen 3	Mar/Apr 2007	MW-14-3	NA	NA	1.0 U	NA
MW-14 Screen 3	Jun/Jul 2007	MW-14-3	1.3	1.000 U	3.3	0.010 U
MW-14 Screen 3	Aug/Sep 2007	MW-14-3	NA	NA	13.6 E	0.010 U
MW-14 Screen 3	Oct/Dec 2007	MW-14-3	NA	NA	12.6 E	0.010 U
MW-14 Screen 3	Jan/Feb 2008	MW-14-3	NA	NA	7.9	0.010 U
MW-14 Screen 3	Apr/May 2008	MW-14-3	1.0 U	1.000 U	9.0	0.010 U
MW-14 Screen 3	Jul/Aug 2008	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2008	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2008	DUPE-05-4Q08	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Jan/Feb 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2009	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Jul/Aug 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Nov/Dec 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Feb 2010	MW-14-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	5.0 U	2.000 U	10.0 U	0.006 J
MW-14 Screen 4	Oct/Nov 1996	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Feb/Mar 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	June/July 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Sep/Oct 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Jan/Feb 1998	MW-14-4	5.0 U	2.400	10.0 U	0.005 U
MW-14 Screen 4	Apr/May 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Jul/Aug 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Oct/Nov 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Feb/Mar 1999	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	May/Jun 1999	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Aug 1999	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Nov/Dec 1999	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Mar/Apr 2000	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Sep/Oct 2000	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Jan/Feb 2001	MW-14-4	2.2 B	1.000 U	5.0 J	0.010 U
MW-14 Screen 4	Apr 2001	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Jul 2001	MW-14-4	NA	NA	3.4 J	NA U
MW-14 Screen 4	Oct 2001	MW-14-4	NA	NA	7.3	0.010 U
MW-14 Screen 4	Jan/Feb 2002	MW-14-4	5.0 U	1.000 U	5.6	0.010 U
MW-14 Screen 4	Apr/May 2002	MW-14-4	NA	NA	8.0	0.010 U
MW-14 Screen 4	Apr/May 2002	DUP	NA	NA	8.0	0.010 U
MW-14 Screen 4	Jul 2002	MW-14-4	NA	NA	8.0	NA U
MW-14 Screen 4	Jul 2002	DUP	NA	NA	7.0	NA U
MW-14 Screen 4	Oct/Nov 2002	MW-14-4	0.8	0.200 U	4.4	0.002 U
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	NA	NA	NA	0.010 U
MW-14 Screen 4	Apr/May 2003	MW-14-4	5.0 U	1.000 U	3.8 J	0.010 U
MW-14 Screen 4	Jul/Aug 2003	MW-14-4	NA	NA	1.6 J	0.010 U
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	NA	NA	3.7 J	0.010 U
MW-14 Screen 4	Apr/May 2004	MW-14-4	5.0 UJ	0.120 U	9.2	0.010 U
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	NA	NA	8.4 J	0.010 U
MW-14 Screen 4	Apr/May 2005	MW-14-4	5.0 U	0.130 J	6.3	0.010 U
MW-14 Screen 4	Apr/May 2005	DUPE-4-2Q05	5.0 U	0.043 J	6.9	0.010 U
MW-14 Screen 4	Jul/Sep 2005	MW-14-4	NA	NA	9.8	0.010 U
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	NA	NA	8.1	0.010 U
MW-14 Screen 4	May/Jun 2006	MW-14-4	1.0 U	1.000 U	3.2 J	0.010 U
MW-14 Screen 4	Oct/Dec 2006	MW-14-4	NA	NA	3.1	0.010 U
MW-14 Screen 4	Jun/Jul 2007	MW-14-4	1.1	1.000 U	5.1	0.010 U
MW-14 Screen 4	Oct/Dec 2007	MW-14-4	NA	NA	11.7 E	0.010 U
MW-14 Screen 4	Apr/May 2008	MW-14-4	1.0 U	1.000 U	8.7	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 4	Oct/Nov 2008	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2009	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2009	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Oct/Nov 1996	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Feb/Mar 1997	MW-14-5	5.0 U	28.000	10.0 U	0.005 U
MW-14 Screen 5	June/July 1997	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Sep/Oct 1997	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jan/Feb 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Apr/May 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jul/Aug 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Oct/Nov 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Feb/Mar 1999	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	May/June 1999	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Nov/Dec 1999	MW-14-5	NA	NA	10.0 U	0.005 U
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jan/Feb 2001	MW-14-5	2.7 B	1.000 U	2.8 J	0.010 U
MW-14 Screen 5	Jan/Feb 2002	MW-14-5	5.0 U	1.000 U	2.1 J	0.010 U
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	NA	NA	NA	0.010 U
MW-14 Screen 5	Apr/May 2003	MW-14-5	5.0 U	1.000 U	2.1 J	0.010 U
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	NA	NA	1.8 UJ	0.010 U
MW-14 Screen 5	Apr/May 2004	MW-14-5	3.2 UJ	0.120 U	5.8	0.010 U
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	NA	NA	4.5 J	0.010 U
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	NA	NA	6.3 J	0.010 U
MW-14 Screen 5	Apr/May 2005	MW-14-5	3.0 J	0.040 J	3.9	0.010 U
MW-14 Screen 5	Jul/Sep 2005	MW-14-5	NA	NA	7.6	0.010 U
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	NA	NA	5.1	0.010 U
MW-14 Screen 5	May/June 2006	MW-14-5	1.6 J	1.000 U	1.0 U	0.010 U
MW-14 Screen 5	Oct/Dec 2006	MW-14-5	NA	NA	1.6	0.010 U
MW-14 Screen 5	Jun/Jul 2007	MW-14-5	1.2	1.000 U	2.5	0.010 U
MW-14 Screen 5	Oct/Dec 2007	MW-14-5	NA	NA	7.7 E	0.010 U
MW-14 Screen 5	Apr/May 2008	MW-14-5	1.3	1.000 U	5.5	0.010 U
MW-14 Screen 5	Oct/Nov 2008	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2009	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov/Dec 2009	MW-14-5	NA	NA	5.0 U	0.010 U
MW-15	Aug/Sep 1996	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Oct/Nov 1996	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Feb/Mar 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	June/July 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Sep/Oct 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Jan/Feb 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Apr/May 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-15	Jul/Aug 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Oct/Nov 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Feb/Mar 1999	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	May/Jun 1999	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Nov/Dec 1999	MW-15	NA	NA	10.0 U	0.005 U
MW-15	Jan/Feb 2001	MW-15	5.0 U	1.000 U	3.7 J	0.010 U
MW-15	Jan/Feb 2002	MW-15	3.0 B	1.000 U	12.7	0.010 U
MW-15	Jan/Feb 2002	DUP	3.4 B	1.000 U	10.3	0.010 U
MW-15	Jan/Feb 2003	MW-15	NA	NA	6.3	0.010 U
MW-15	Apr/May 2003	MW-15	2.1 J	0.150 J	3.9 J	0.010 U
MW-15	Jul/Aug 2003	MW-15	NA	NA	3.9 J	0.010 U
MW-15	Jul/Aug 2003	DUPE-6-3Q03	NA	NA	3.6 J	0.010 U
MW-15	Oct/Nov 2003	MW-15	NA	NA	3.4 J	0.010 U
MW-15	Oct/Nov 2003	DUPE-2-4Q03	NA	NA	3.4 J	0.010 U
MW-15	Feb 2004	MW-15	NA	NA	1.3	0.010 U
MW-15	Apr/May 2004	MW-15	3.2 U	0.036 J	12.1	0.010 U
MW-15	Apr/May 2004	DUPE-6-2Q04	5.0 U	0.049 J	11.6	0.010 U
MW-15	Jul/Aug 2004	MW-15	NA	NA	12.6 J	0.010 U
MW-15	Oct/Nov 2004	MW-15	NA	NA	21.0	0.010 U
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	NA	NA	12.0	0.010 U
MW-15	Jan/Feb 2005	MW-15	NA	NA	10.0	0.010 U
MW-15	Apr/May 2005	MW-15	1.5 J	0.490 J	5.7	0.009 J
MW-15	Jul/Sep 2005	MW-15	NA	NA	9.9 J	0.010 U
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	NA	NA	6.9 J	0.010 U
MW-15	Oct/Nov 2005	MW-15	NA	NA	7.7 J	0.010 U
MW-15	Mar/Apr 2006	MW-15	NA	NA	1.5	0.010 U
MW-15	May/Jun 2006	MW-15	1.0 U	2.360	3.8	0.010 U
MW-15	Aug/Sep 2006	MW-15	NA	NA	6.0	0.010 U
MW-15	Aug/Sep 2006	DUPE-7-3Q06	NA	NA	2.0 U	0.010 U
MW-15	Oct/Dec 2006	MW-15	NA	NA	3.3	0.010 U
MW-15	Mar/Apr 2007	MW-15	NA	NA	8.4	0.010 U
MW-15	Mar/Apr 2007	DUPE-8-1Q07	NA	NA	8.1	0.010 U
MW-15	Jun/Jul 2007	MW-15	1.0 U	1.960	5.6	0.010 U
MW-15	Aug/Sep 2007	MW-15	NA	NA	11.7	0.010 U
MW-15	Aug/Sep 2007	DUPE-3-3Q07	NA	NA	12.3	0.010 U
MW-15	Oct/Dec 2007	MW-15	NA	NA	14.0	0.010 U
MW-15	Jan/Feb 2008	MW-15	NA	NA	19.1 E	0.010 U
MW-15	Apr/May 2008	MW-15	1.8	1.000 U	16.2 E	0.010 U
MW-15	Apr/May 2008	DUPE-7-2Q08	1.7	1.340	9.9 E	0.010 U
MW-15	Jul/Aug 2008	MW-15	NA	NA	5.1	0.010 U
MW-15	Oct/Nov 2008	MW-15	NA	NA	7.6	0.010 U
MW-15	Jan/Feb 2009	MW-15	NA	NA	15.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-15	Apr/May 2009	MW-15	2.0 U	17.000	6.8	0.010 U
MW-15	Jul/Aug 2009	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Nov/Dec 2009	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb 2010	DUPE-7-1Q10	NA	NA	5.0 U	0.010 U
MW-16	Aug/Sep 1996	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Feb/Mar 1997	MW-16	5.0 U	2.000 U	10.0 U	0.007
MW-16	June/July 1997	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Apr/May 1998	MW-16	5.0 U	2.000 U	14.0	0.005 U
MW-16	Jul/Aug 1998	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Oct/Nov 1998	MW-16	5.0 U	2.000 U	13.0	0.005 U
MW-16	Feb/Mar 1999	MW-16	5.0 U	2.000 U	13.0	0.005
MW-16	May/Jun 1999	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Aug 1999	MW-16	NA	NA	10.0 U	0.007
MW-16	Nov/Dec 1999	MW-16	NA	NA	10.0 U	0.006
MW-16	Mar/Apr 2000	MW-16	NA	NA	10.0 U	0.005 U
MW-16	Jan/Feb 2001	MW-16	2.4 B	1.000 U	7.8	0.010 U
MW-16	Jul 2001	MW-16	NA	NA	13.0 J	NA U
MW-16	Jul 2001	DUP	NA	NA	9.9 J	NA U
MW-16	Oct 2001	MW-16	NA	NA	140.8	0.010 U
MW-16	Jan/Feb 2002	MW-16	2.8 B	0.220 J	14.4	0.010 U
MW-16	Jan/Feb 2002	DUP	3.1 B	0.200 J	14.0	0.010 U
MW-16	Apr/May 2002	MW-16	NA	NA	9.0	0.010 U
MW-16	Apr/May 2002	DUP	NA	NA	11.0	0.010 U
MW-16	Jul 2002	MW-16	NA	NA	11.0	NA U
MW-16	Oct/Nov 2002	MW-16	NA	NA	NA	0.010 U
MW-16	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-16	Jan/Feb 2003	MW-16	1.2	0.100 J	2.0	0.000 U
MW-16	Apr/May 2003	MW-16	5.0 U	1.000 U	4.5 J	0.010 U
MW-16	Jul/Aug 2003	MW-16	NA	NA	2.7 J	0.010 U
MW-16	Oct/Nov 2003	MW-16	NA	NA	3.3 J	0.010 U
MW-16	Feb 2004	MW-16	NA	NA	8.2	0.010 U
MW-16	Apr/May 2004	MW-16	1.7 U	0.120 U	9.2	0.010 U
MW-16	Jul/Aug 2004	MW-16	NA	NA	9.1 J	0.010 U
MW-16	Oct/Nov 2004	MW-16	NA	NA	11.6 J	0.010 U
MW-16	Jan/Feb 2005	MW-16	NA	NA	14.9	0.010 U
MW-16	Jan/Feb 2005	DUPE-7-1Q05	NA	NA	14.4	0.010 U
MW-16	Apr/May 2005	MW-16	1.6 J	0.032 J	7.3	0.010 U
MW-16	Jul/Sep 2005	MW-16	NA	NA	38.0 J	0.010 U
MW-16	Oct/Nov 2005	MW-16	NA	NA	7.6 J	0.010 U
MW-16	Mar/Apr 2006	MW-16	NA	NA	13.9 J	0.005 J
MW-16	May/Jun 2006	MW-16	1.0 U	1.000 U	7.5 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-16	Aug/Sep 2006	MW-16	NA	NA	8.4	0.010 U
MW-16	Aug/Sep 2006	DUPE-4-3Q06	NA	NA	2.1	0.010 U
MW-16	Oct/Dec 2006	MW-16	NA	NA	73.7	0.010 U
MW-16	Mar/Apr 2007	MW-16	NA	NA	11.3	0.010 U
MW-16	Mar/Apr 2007	DUPE-7-1Q07	NA	NA	10.5	0.010 U
MW-16	Jun/Jul 2007	MW-16	1.9	1.000 U	9.4	0.010 U
MW-16	Aug/Sep 2007	MW-16	NA	NA	12.7	0.010 U
MW-16	Aug/Sep 2007	DUPE-5-3Q07	NA	NA	13.0	0.010 U
MW-16	Oct/Dec 2007	MW-16	NA	NA	10.8	0.010 U
MW-16	Oct/Dec 2007	DUPE-5-4Q07	NA	NA	10.1	0.010 U
MW-16	Jan/Feb 2008	MW-16	NA	NA	2.0 J	0.010 U
MW-16	Apr/May 2008	MW-16	2.5	1.000 U	18.1 E	0.017
MW-16	Apr/May 2008	DUPE-6-2Q08	2.3	1.000 U	17.4 E	0.021
MW-16	Jul/Aug 2008	MW-16	NA	NA	8.1	0.010 U
MW-16	Oct/Nov 2008	MW-16	NA	NA	5.8	0.010 U
MW-16	Jan/Feb 2009	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2009	MW-16	2.0 U	13.000	28.0	0.025
MW-16	Jul/Aug 2009	MW-16	NA	NA	16.0 J	0.013
MW-16	Nov/Dec 2009	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Feb 2010	MW-16	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Aug/Sep 1996	MW-17-1	5.0 U	2.000 U	NA	NA
MW-17 Screen 1	Oct/Nov 1996	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Feb/Mar 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	June/July 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Sep/Oct 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jan/Feb 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Apr/May 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jul/Aug 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Oct/Nov 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	May/Jun 1999	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Nov/Dec 1999	MW-17-1	NA	NA	10.0 U	0.005 U
MW-17 Screen 1	Jul/Aug 2000	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jan/Feb 2001	MW-17-1	5.0 U	1.000 U	1.7 J	0.010 U
MW-17 Screen 1	Jan/Feb 2002	MW-17-1	5.0 U	0.030 J	2.9 J	0.010 U
MW-17 Screen 1	Apr/May 2003	MW-17-1	5.0 U	1.000 U	2.9	0.010 U
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	NA	NA	2.1 J	0.010 U
MW-17 Screen 1	Apr/May 2004	MW-17-1	5.0 U	0.120 U	7.3	0.010 U
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	NA	NA	8.9 J	0.010 U
MW-17 Screen 1	Apr/May 2005	MW-17-1	5.0 U	0.023 J	5.1	0.010 U
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	NA	NA	5.8	0.010 U
MW-17 Screen 1	May/Jun 2006	MW-17-1	1.0 U	1.000 U	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 1	May/June 2006	DUPE-3-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-17 Screen 1	Oct/Dec 2006	MW-17-1	NA	NA	1.0 U	0.010 U
MW-17 Screen 1	Jun/Jul 2007	MW-17-1	1.0 U	1.000 U	7.1	0.010 U
MW-17 Screen 1	Oct/Dec 2007	MW-17-1	NA	NA	12.4 E	0.010 U
MW-17 Screen 1	Apr/May 2008	MW-17-1	1.0 U	1.000 U	2.2	0.010 U
MW-17 Screen 1	Oct/Nov 2008	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2009	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Nov/Dec 2009	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Nov/Dec 2009	DUPE-03-4Q09	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 1996	MW-17-2	5.0 U	2.000 U	NA	NA
MW-17 Screen 2	Oct/Nov 1996	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Feb/Mar 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	June/July 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Sep/Oct 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Jan/Feb 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Apr/May 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Jul/Aug 1998	MW-17-2	5.0 U	6.700	10.0 U	0.005 U
MW-17 Screen 2	Oct/Nov 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Feb/Mar 1999	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	May/June 1999	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Aug 1999	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Nov/Dec 1999	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Mar/Apr 2000	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Jul/Aug 2000	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Sep/Oct 2000	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Jan/Feb 2001	MW-17-2	5.0 U	1.000 U	2.8 J	0.010 U
MW-17 Screen 2	Jan/Feb 2001	DUP	5.0 U	1.000 U	1.6 J	0.010 U
MW-17 Screen 2	Apr 2001	MW-17-2	NA	NA	NA	0.010 U
MW-17 Screen 2	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-17 Screen 2	Jul 2001	MW-17-2	NA	NA	NA U	NA U
MW-17 Screen 2	Oct 2001	MW-17-2	NA	NA	5.0	0.010 U
MW-17 Screen 2	Jan/Feb 2002	MW-17-2	5.0 U	0.030 J	2.5 J	0.010 U
MW-17 Screen 2	Jan/Feb 2002	DUP	NA	1.000 U	3.0 J	NA
MW-17 Screen 2	Apr/May 2002	MW-17-2	NA	NA	3.0	0.010 U
MW-17 Screen 2	Jul 2002	MW-17-2	NA	NA	2.0	NA U
MW-17 Screen 2	Oct/Nov 2002	MW-17-2	NA	NA	NA	0.010 U
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	NA	NA	2.1	0.010 U
MW-17 Screen 2	Apr/May 2003	MW-17-2	5.0 U	0.140 J	2.0	0.010 U
MW-17 Screen 2	Jul/Aug 2003	MW-17-2	NA	NA	2.6 J	0.010 U
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	NA	NA	2.8 J	0.010 U
MW-17 Screen 2	Feb 2004	MW-17-2	NA	NA	3.2	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 2	Apr/May 2004	MW-17-2	5.0 U	0.009 U	7.6	0.010 U
MW-17 Screen 2	Jul/Aug 2004	MW-17-2	NA	NA	10.0	0.010 U
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	NA	NA	11.8 J	0.010 U
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	NA	NA	7.6	0.010 U
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	NA	NA	8.1	0.010 U
MW-17 Screen 2	Apr/May 2005	MW-17-2	5.0 U	0.032 J	8.6	0.010 U
MW-17 Screen 2	Jul/Sep 2005	MW-17-2	NA	NA	9.6	0.010 U
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	NA	NA	8.8	0.010 U
MW-17 Screen 2	Mar/Apr 2006	MW-17-2	NA	NA	1.0 U	0.010 U
MW-17 Screen 2	May/Jun 2006	MW-17-2	1.0 U	1.000 U	1.6 J	0.010 U
MW-17 Screen 2	Aug/Sep 2006	MW-17-2	NA	NA	2.9 U	0.010 U
MW-17 Screen 2	Oct/Dec 2006	MW-17-2	NA	NA	3.3	0.010 U
MW-17 Screen 2	Oct/Dec 2006	DUPE-1-4Q06	NA	NA	2.4	0.010 U
MW-17 Screen 2	Mar/Apr 2007	MW-17-2	NA	NA	1.7	NA
MW-17 Screen 2	Mar/Apr 2007	DUPE-1-1Q07	NA	NA	1.8	NA
MW-17 Screen 2	Jun/Jul 2007	MW-17-2	1.0 U	1.000 U	10.2	0.010 U
MW-17 Screen 2	Aug/Sep 2007	MW-17-2	NA	NA	14.1 E	0.010 U
MW-17 Screen 2	Oct/Dec 2007	MW-17-2	NA	NA	14.8 E	0.010 U
MW-17 Screen 2	Jan/Feb 2008	MW-17-2	NA	NA	10.4	0.010 U
MW-17 Screen 2	Apr/May 2008	MW-17-2	1.0 U	1.000 U	3.0	0.010 U
MW-17 Screen 2	Jul/Aug 2008	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Oct/Nov 2008	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2009	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Jul/Aug 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Nov/Dec 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Feb 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 1996	MW-17-3	5.0 U	2.300	NA	NA
MW-17 Screen 3	Oct/Nov 1996	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Feb/Mar 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	June/July 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.006
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Apr/May 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	May/Jun 1999	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Aug 1999	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Nov/Dec 1999	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Mar/Apr 2000	MW-17-3	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 3	Jul/Aug 2000	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Sep/Oct 2000	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Jan/Feb 2001	MW-17-3	3.2 B	1.000 U	3.2 J	0.010 U
MW-17 Screen 3	Apr 2001	MW-17-3	NA	NA	NA	0.010 U
MW-17 Screen 3	Jul 2001	MW-17-3	NA	NA	5.0	NA U
MW-17 Screen 3	Oct 2001	MW-17-3	NA	NA	6.3	0.010 U
MW-17 Screen 3	Jan/Feb 2002	MW-17-3	2.0 B	0.770 J	4.6 J	0.010 U
MW-17 Screen 3	Apr/May 2002	MW-17-3	NA	NA	4.0	0.010 U
MW-17 Screen 3	Jul 2002	MW-17-3	NA	NA	6.0	NA U
MW-17 Screen 3	Oct/Nov 2002	MW-17-3	2.1	0.100 J	2.8	0.000 U
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	NA	NA	3.8	0.010 U
MW-17 Screen 3	Apr/May 2003	MW-17-3	5.0 U	0.160 J	3.0	0.010 U
MW-17 Screen 3	Jul/Aug 2003	MW-17-3	NA	NA	4.0 J	0.010 U
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	NA	NA	3.8 J	0.010 U
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	NA	NA	3.7 J	0.010 U
MW-17 Screen 3	Feb 2004	MW-17-3	NA	NA	3.6	0.010 U
MW-17 Screen 3	Apr/May 2004	MW-17-3	2.5 J	0.001 J	8.1	0.010 U
MW-17 Screen 3	Jul/Aug 2004	MW-17-3	NA	NA	10.3	0.010 U
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	NA	NA	10.2 J	0.006 J
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	NA	NA	7.2	0.010 U
MW-17 Screen 3	Apr/May 2005	MW-17-3	5.0 U	0.097 J	3.1	0.010 U
MW-17 Screen 3	Jul/Sep 2005	MW-17-3	NA	NA	10.8	0.010 U
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	NA	NA	11.0	0.010 U
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	NA	NA	9.1	0.010 U
MW-17 Screen 3	Mar/Apr 2006	MW-17-3	NA	NA	2.2	0.010 U
MW-17 Screen 3	May/Jun 2006	MW-17-3	1.1 J	1.000 U	3.1 J	0.010 U
MW-17 Screen 3	Aug/Sep 2006	MW-17-3	NA	NA	4.0 U	0.010 U
MW-17 Screen 3	Oct/Dec 2006	MW-17-3	NA	NA	2.7	0.010 U
MW-17 Screen 3	Mar/Apr 2007	MW-17-3	NA	NA	2.3	NA
MW-17 Screen 3	Jun/Jul 2007	MW-17-3	2.0	1.000 U	9.2	0.010 U
MW-17 Screen 3	Jun/Jul 2007	DUPE-3-2Q07	2.3	1.000 U	9.1	0.010 U
MW-17 Screen 3	Aug/Sep 2007	MW-17-3	NA	NA	13.9 E	0.010 U
MW-17 Screen 3	Oct/Dec 2007	MW-17-3	NA	NA	13.2 E	0.010 U
MW-17 Screen 3	Jan/Feb 2008	MW-17-3	NA	NA	3.2 U	0.004 J
MW-17 Screen 3	Apr/May 2008	MW-17-3	1.5	1.000 U	5.7	0.010 U
MW-17 Screen 3	Jul/Aug 2008	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Oct/Nov 2008	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2009	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Jul/Aug 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Feb 2010	MW-17-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 1996	MW-17-4	5.0 U	2.000 U	NA	NA
MW-17 Screen 4	Oct/Nov 1996	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Feb/Mar 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	June/July 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Sep/Oct 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Jan/Feb 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Apr/May 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Jul/Aug 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Oct/Nov 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Feb/Mar 1999	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	May/June 1999	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Aug 1999	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Nov/Dec 1999	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Mar/Apr 2000	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Jul/Aug 2000	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Sep/Oct 2000	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Jan/Feb 2001	MW-17-4	3.7 B	0.120 J	2.1 J	0.010 U
MW-17 Screen 4	Apr 2001	MW-17-4	NA	NA	NA	0.010 U
MW-17 Screen 4	Jul 2001	MW-17-4	NA	NA	3.6 J	NA U
MW-17 Screen 4	Oct 2001	MW-17-4	NA	NA	5.7	0.010 U
MW-17 Screen 4	Jan/Feb 2002	MW-17-4	2.9 B	0.290 J	3.9 J	0.010 U
MW-17 Screen 4	Apr/May 2002	MW-17-4	NA	NA	4.0	0.010 U
MW-17 Screen 4	Jul 2002	MW-17-4	NA	NA	2.0	NA U
MW-17 Screen 4	Oct/Nov 2002	MW-17-4	2.8	0.200 U	1.7	0.000 U
MW-17 Screen 4	Oct/Nov 2002	DUP	2.8	0.200 U	1.5	0.000 U
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	NA	NA	2.5	0.010 U
MW-17 Screen 4	Apr/May 2003	MW-17-4	2.2 J	0.230 J	2.2	0.010 U
MW-17 Screen 4	Jul/Aug 2003	MW-17-4	NA	NA	1.9 J	0.010 U
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	NA	NA	1.5 UJ	0.010 U
MW-17 Screen 4	Feb 2004	MW-17-4	NA	NA	2.1	0.010 U
MW-17 Screen 4	Apr/May 2004	MW-17-4	3.9 J	0.140	5.6	0.010 U
MW-17 Screen 4	Jul/Aug 2004	MW-17-4	NA	NA	5.7	0.010 U
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	NA	NA	6.1 J	0.010 U
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	NA	NA	3.7	0.010 U
MW-17 Screen 4	Apr/May 2005	MW-17-4	5.0 U	0.052 J	3.7	0.010 U
MW-17 Screen 4	Jul/Sep 2005	MW-17-4	NA	NA	6.1	0.010 U
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	NA	NA	4.6	0.010 U
MW-17 Screen 4	Mar/Apr 2006	MW-17-4	NA	NA	1.0 U	0.010 U
MW-17 Screen 4	May/June 2006	MW-17-4	4.2 J	1.000 U	1.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2006	MW-17-4	NA	NA	2.9 U	0.010 U
MW-17 Screen 4	Oct/Dec 2006	MW-17-4	NA	NA	1.1	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 4	Mar/Apr 2007	MW-17-4	NA	NA	1.0 U	NA
MW-17 Screen 4	Jun/Jul 2007	MW-17-4	4.5	1.000 U	4.8	0.010 U
MW-17 Screen 4	Aug/Sep 2007	MW-17-4	NA	NA	8.7 E	0.010 U
MW-17 Screen 4	Oct/Dec 2007	MW-17-4	NA	NA	6.9 E	0.010 U
MW-17 Screen 4	Jan/Feb 2008	MW-17-4	NA	NA	5.4	0.010 U
MW-17 Screen 4	Apr/May 2008	MW-17-4	4.1	1.000 U	2.4	0.010 U
MW-17 Screen 4	Jul/Aug 2008	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2008	DUPE-3-3Q08	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2008	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2008	DUPE-03-4Q08	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jan/Feb 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2009	MW-17-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Nov/Dec 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Feb 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 5	Aug/Sep 1996	MW-17-5	5.0 U	2.000 U	NA	NA
MW-17 Screen 5	Oct/Nov 1996	MW-17-5	5.0 U	5.300	10.0 U	0.005 U
MW-17 Screen 5	Feb/Mar 1997	MW-17-5	5.0 U	2.500	10.0 U	0.005 U
MW-17 Screen 5	June/July 1997	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Sep/Oct 1997	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Jan/Feb 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Apr/May 1998	MW-17-5	5.0 U	2.100	10.0 U	0.005 U
MW-17 Screen 5	Jul/Aug 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Oct/Nov 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Feb/Mar 1999	MW-17-5	5.0 U	7.400	10.0 U	0.005 U
MW-17 Screen 5	May/June 1999	MW-17-5	5.0 U	4.100	10.0 U	0.005 U
MW-17 Screen 5	Nov/Dec 1999	MW-17-5	NA	NA	10.0 U	0.005 U
MW-17 Screen 5	Jul/Aug 2000	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Jan/Feb 2001	MW-17-5	2.8 B	0.190 J	3.5 J	0.010 U
MW-17 Screen 5	Jan/Feb 2002	MW-17-5	5.0 U	2.770	3.7 J	0.010 U
MW-17 Screen 5	Apr/May 2003	MW-17-5	3.2 J	0.590 J	1.6	0.010 U
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	NA	NA	1.7 UJ	0.010 U
MW-17 Screen 5	Apr/May 2004	MW-17-5	12.0	73.300	8.3	0.010 U
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	NA	NA	2.2 J	0.010 U
MW-17 Screen 5	Apr/May 2005	MW-17-5	5.0 U	1.700	0.6 J	0.010 U
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	NA	NA	0.7 J	0.010 U
MW-17 Screen 5	May/June 2006	MW-17-5	7.1 J	1.910 J	1.2 J	0.010 U
MW-17 Screen 5	Oct/Dec 2006	MW-17-5	NA	NA	1.0 U	0.010 U
MW-17 Screen 5	Jun/Jul 2007	MW-17-5	7.7	1.890	1.5	0.010 U
MW-17 Screen 5	Oct/Dec 2007	MW-17-5	NA	NA	1.3 U	0.010 U
MW-17 Screen 5	Apr/May 2008	MW-17-5	8.3	1.200	1.9	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 5	Oct/Nov 2008	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2009	MW-17-5	7.3	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov/Dec 2009	MW-17-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Aug/Sep 1996	MW-18-1	5.0 U	2.000 U	NA	NA
MW-18 Screen 1	Feb/Mar 1997	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	June/July 1997	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Apr/May 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Jul/Aug 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Oct/Nov 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Feb/Mar 1999	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	May/June 1999	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Apr/May 2003	MW-18-1	5.0 UJ	1.000 U	0.4 UJ	0.010 U
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	NA	NA	1.5 U	0.010 U
MW-18 Screen 1	Apr/May 2004	MW-18-1	5.0 U	0.120 U	8.4 J	0.010 U
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	NA	NA	10.6 J	0.010 U
MW-18 Screen 1	Apr/May 2005	MW-18-1	5.9	0.098 J	5.9	0.010 U
MW-18 Screen 1	Jul/Sep 2005	MW-18-1	NA	NA	8.2	0.010 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	NA	NA	4.6	0.010 U
MW-18 Screen 1	May/June 2006	MW-18-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-18 Screen 1	May/June 2006	DUPE-4-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-18 Screen 1	Oct/Dec 2006	MW-18-1	NA	NA	2.7 J	0.010 U
MW-18 Screen 1	Jun/Jul 2007	MW-18-1	1.0 U	1.000 U	6.6	0.010 U
MW-18 Screen 1	Oct/Dec 2007	MW-18-1	NA	NA	9.9	0.010 U
MW-18 Screen 1	Apr/May 2008	MW-18-1	1.0 U	1.000 U	4.1	0.010 U
MW-18 Screen 1	Apr/May 2008	DUPE-2-2Q08	1.0 U	1.000 U	2.2	0.010 U
MW-18 Screen 1	Oct/Nov 2008	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2009	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Nov/Dec 2009	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 1996	MW-18-2	5.0 U	2.000 U	NA	NA
MW-18 Screen 2	Oct/Nov 1996	MW-18-2	5.0 U	3.400	10.0 U	0.005 U
MW-18 Screen 2	Feb/Mar 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	June/July 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Sep/Oct 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Jan/Feb 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Apr/May 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Jul/Aug 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Oct/Nov 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Feb/Mar 1999	MW-18-2	5.0 U	5.300	10.0 U	0.005 U
MW-18 Screen 2	May/June 1999	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Aug 1999	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Nov/Dec 1999	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Mar/Apr 2000	MW-18-2	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 2	Jul/Aug 2000	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Sep/Oct 2000	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Jan/Feb 2001	MW-18-2	5.0 U	1.000 U	4.0 J	0.010 U
MW-18 Screen 2	Apr 2001	MW-18-2	NA	NA	NA	0.010 U
MW-18 Screen 2	Jul 2001	MW-18-2	NA	NA	3.6 J	NA U
MW-18 Screen 2	Oct 2001	MW-18-2	NA	NA	4.3	0.010 U
MW-18 Screen 2	Jan/Feb 2002	MW-18-2	5.0 U	1.000 U	2.6 J	0.010 U
MW-18 Screen 2	Apr/May 2002	MW-18-2	NA	NA	6.0	0.010 U
MW-18 Screen 2	Jul 2002	MW-18-2	NA	NA	3.0	NA U
MW-18 Screen 2	Oct/Nov 2002	MW-18-2	NA	NA	NA	0.010 U
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	NA	NA	3.6	0.010 U
MW-18 Screen 2	Apr/May 2003	MW-18-2	5.0 UJ	1.000 U	1.0 UJ	0.010 U
MW-18 Screen 2	Jul/Aug 2003	MW-18-2	NA	NA	2.1 J	0.010 U
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	NA	NA	1.9 U	0.010 U
MW-18 Screen 2	Feb 2004	MW-18-2	NA	NA	3.5	0.010 U
MW-18 Screen 2	Apr/May 2004	MW-18-2	5.0 U	0.120 U	9.3 J	0.010 U
MW-18 Screen 2	Jul/Aug 2004	MW-18-2	NA	NA	4.6 J	0.010 U
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	NA	NA	11.9 J	0.010 U
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	NA	NA	5.1	0.010 U
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	NA	NA	6.9	0.010 U
MW-18 Screen 2	Apr/May 2005	MW-18-2	4.4 J	0.086 J	6.6	0.010 U
MW-18 Screen 2	Apr/May 2005	DUPE-1-2Q05	3.7 J	0.064 J	7.6	0.010 U
MW-18 Screen 2	Jul/Sep 2005	MW-18-2	NA	NA	7.7	0.010 U
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	NA	NA	6.2	0.010 U
MW-18 Screen 2	Mar/Apr 2006	MW-18-2	NA	NA	1.0 U	0.010 U
MW-18 Screen 2	May/Jun 2006	MW-18-2	1.6 J	1.000 U	1.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2006	MW-18-2	NA	NA	1.8 U	0.010 U
MW-18 Screen 2	Oct/Dec 2006	MW-18-2	NA	NA	1.4 J	0.010 U
MW-18 Screen 2	Mar/Apr 2007	MW-18-2	NA	NA	1.0 U	NA
MW-18 Screen 2	Mar/Apr 2007	DUPE-2-1Q07	NA	NA	1.0 U	NA
MW-18 Screen 2	Jun/Jul 2007	MW-18-2	1.6	1.000 U	7.7	0.010 U
MW-18 Screen 2	Aug/Sep 2007	MW-18-2	NA	NA	12.4 E	0.010 U
MW-18 Screen 2	Oct/Dec 2007	MW-18-2	NA	NA	11.4	0.010 U
MW-18 Screen 2	Jan/Feb 2008	MW-18-2	NA	NA	9.1	0.010 U
MW-18 Screen 2	Apr/May 2008	MW-18-2	1.2	1.000 U	3.6	0.010 U
MW-18 Screen 2	Jul/Aug 2008	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Oct/Nov 2008	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Jan/Feb 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2009	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 2	Jul/Aug 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Nov/Dec 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Feb 2010	MW-18-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	5.0 U	2.000 U	NA	NA
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	5.0 U	2.000	10.0 U	0.005 U
MW-18 Screen 3	Feb/Mar 1997	MW-18-3	5.0 U	2.000 U	15.0	0.007
MW-18 Screen 3	June/July 1997	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Sep/Oct 1997	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Jan/Feb 1998	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Apr/May 1998	MW-18-3	5.0 U	2.000 U	12.0	0.007
MW-18 Screen 3	Jul/Aug 1998	MW-18-3	5.0 U	2.000 U	14.0	0.005 U
MW-18 Screen 3	Oct/Nov 1998	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Feb/Mar 1999	MW-18-3	5.0 U	2.000 U	10.0 U	0.007
MW-18 Screen 3	May/Jun 1999	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Aug 1999	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Nov/Dec 1999	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Mar/Apr 2000	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Jul/Aug 2000	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Sep/Oct 2000	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Jan/Feb 2001	MW-18-3	5.0 U	1.000 U	7.5	0.010 U
MW-18 Screen 3	Apr 2001	MW-18-3	NA	NA	NA	0.010 U
MW-18 Screen 3	Jul 2001	MW-18-3	NA	NA	6.5	NA U
MW-18 Screen 3	Oct 2001	MW-18-3	NA	NA	7.7	0.010 U
MW-18 Screen 3	Jan/Feb 2002	MW-18-3	5.0 U	1.000 U	5.6	0.010 U
MW-18 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	5.3	0.010 U
MW-18 Screen 3	Apr/May 2002	MW-18-3	NA	NA	10.0	0.010 U
MW-18 Screen 3	Jul 2002	MW-18-3	NA	NA	7.0	0.010
MW-18 Screen 3	Oct/Nov 2002	MW-18-3	1.5	0.058 J	7.2	0.003 U
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	NA	NA	7.8	0.010 U
MW-18 Screen 3	Apr/May 2003	MW-18-3	5.0 UJ	1.000 U	5.4 J	0.010 U
MW-18 Screen 3	Jul/Aug 2003	MW-18-3	NA	NA	5.9 J	0.010 U
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	NA	NA	5.9	0.010 U
MW-18 Screen 3	Feb 2004	MW-18-3	NA	NA	8.6	0.010 U
MW-18 Screen 3	Apr/May 2004	MW-18-3	5.0 U	0.120 U	15.5 J	0.010 U
MW-18 Screen 3	Jul/Aug 2004	MW-18-3	NA	NA	9.3 J	0.010 U
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	NA	NA	19.2 J	0.010 U
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	NA	NA	10.8	0.010 U
MW-18 Screen 3	Apr/May 2005	MW-18-3	6.5	0.082 J	11.7	0.010 U
MW-18 Screen 3	Jul/Sep 2005	MW-18-3	NA	NA	11.8	0.010 U
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	NA	NA	14.0	0.005 J
MW-18 Screen 3	Mar/Apr 2006	MW-18-3	NA	NA	5.4 J	0.010 U
MW-18 Screen 3	May/Jun 2006	MW-18-3	1.7 J	1.000 U	6.1 J	0.010 U
MW-18 Screen 3	Aug/Sep 2006	MW-18-3	NA	NA	5.7	0.010 U
MW-18 Screen 3	Oct/Dec 2006	MW-18-3	NA	NA	5.4 J	0.010 U
MW-18 Screen 3	Mar/Apr 2007	MW-18-3	NA	NA	4.9	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 3	Jun/Jul 2007	MW-18-3	1.7	1.000 U	12.9	0.010 U
MW-18 Screen 3	Aug/Sep 2007	MW-18-3	NA	NA	14.2 E	0.010 U
MW-18 Screen 3	Oct/Dec 2007	MW-18-3	NA	NA	16.6	0.010 U
MW-18 Screen 3	Jan/Feb 2008	MW-18-3	NA	NA	12.9	0.005 J
MW-18 Screen 3	Apr/May 2008	MW-18-3	1.5	1.000 U	7.4	0.010 U
MW-18 Screen 3	Jul/Aug 2008	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2008	DUPE-4-3Q08	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Oct/Nov 2008	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jan/Feb 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2009	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2009	DUPE-3-3Q09	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Nov/Dec 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Aug/Sep 1996	MW-18-4	5.0 U	2.000 U	NA	NA
MW-18 Screen 4	Oct/Nov 1996	MW-18-4	5.0 U	2.500	10.0 U	0.005 U
MW-18 Screen 4	Feb/Mar 1997	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	June/July 1997	MW-18-4	5.0	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Sep/Oct 1997	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Jan/Feb 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Apr/May 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Jul/Aug 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Oct/Nov 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Feb/Mar 1999	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	May/June 1999	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Aug 1999	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Nov/Dec 1999	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Mar/Apr 2000	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Jul/Aug 2000	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Sep/Oct 2000	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Jan/Feb 2001	MW-18-4	5.0 U	1.000 U	4.3 J	0.010 U
MW-18 Screen 4	Apr 2001	MW-18-4	NA	NA	NA	0.010 U
MW-18 Screen 4	Jul 2001	MW-18-4	NA	NA	5.3	NA U
MW-18 Screen 4	Oct 2001	MW-18-4	NA	NA	7.1	0.010 U
MW-18 Screen 4	Jan/Feb 2002	MW-18-4	5.0 U	0.250 J	5.6	0.010 U
MW-18 Screen 4	Apr/May 2002	MW-18-4	NA	NA	6.0	0.010 U
MW-18 Screen 4	Jul 2002	MW-18-4	NA	NA	4.0	NA U
MW-18 Screen 4	Oct/Nov 2002	MW-18-4	1.0	0.200 U	3.2	0.001
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	NA	NA	4.1	0.010 U
MW-18 Screen 4	Apr/May 2003	MW-18-4	5.0 UJ	0.140 J	2.0 J	0.010 U
MW-18 Screen 4	Apr/May 2003	DUPE-7-2Q03	5.0 UJ	0.130 J	2.2 J	0.010 U
MW-18 Screen 4	Jul/Aug 2003	MW-18-4	NA	NA	2.7 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	NA	NA	2.6 U	0.010 U
MW-18 Screen 4	Feb 2004	MW-18-4	NA	NA	5.4	0.010 U
MW-18 Screen 4	Apr/May 2004	MW-18-4	5.0 U	0.120 U	6.9 J	0.010 U
MW-18 Screen 4	Jul/Aug 2004	MW-18-4	NA	NA	5.4 J	0.010 U
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	NA	NA	12.9 J	0.010 U
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	NA	NA	7.0	0.010 U
MW-18 Screen 4	Apr/May 2005	MW-18-4	3.6 J	0.036 J	7.4	0.010 U
MW-18 Screen 4	Jul/Sep 2005	MW-18-4	NA	NA	7.0	0.010 U
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	NA	NA	7.0	0.010 U
MW-18 Screen 4	Mar/Apr 2006	MW-18-4	NA	NA	1.8 J	0.010 U
MW-18 Screen 4	May/June 2006	MW-18-4	1.3 J	1.000 U	1.9 J	0.010 U
MW-18 Screen 4	Aug/Sep 2006	MW-18-4	NA	NA	3.1 U	0.010 U
MW-18 Screen 4	Oct/Dec 2006	MW-18-4	NA	NA	2.3 J	0.010 U
MW-18 Screen 4	Mar/Apr 2007	MW-18-4	NA	NA	1.7	NA
MW-18 Screen 4	Jun/Jul 2007	MW-18-4	1.2	1.000 U	7.2	0.010 U
MW-18 Screen 4	Aug/Sep 2007	MW-18-4	NA	NA	9.5 E	0.010 U
MW-18 Screen 4	Oct/Dec 2007	MW-18-4	NA	NA	12.0	0.010 U
MW-18 Screen 4	Jan/Feb 2008	MW-18-4	NA	NA	9.6	0.010 U
MW-18 Screen 4	Apr/May 2008	MW-18-4	1.4	1.000 U	6.0	0.010 U
MW-18 Screen 4	Jul/Aug 2008	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2008	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2008	DUPE-02-4Q08	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Jan/Feb 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2009	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Jul/Aug 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Nov/Dec 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Feb 2010	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Feb 2010	DUPE-2-1Q10	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Aug/Sep 1996	MW-18-5	5.0 U	2.000 U	NA	NA
MW-18 Screen 5	Oct/Nov 1996	MW-18-5	5.0 U	2.300	10.0 U	0.005 U
MW-18 Screen 5	Feb/Mar 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	June/July 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Sep/Oct 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jan/Feb 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Apr/May 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jul/Aug 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Oct/Nov 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Feb/Mar 1999	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	May/June 1999	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Nov/Dec 1999	MW-18-5	NA	NA	10.0 U	0.005 U
MW-18 Screen 5	Jul/Aug 2000	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jan/Feb 2001	MW-18-5	2.2 B	1.000 U	4.1 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 5	Apr 2001	MW-18-5	NA	NA	NA	0.010 U
MW-18 Screen 5	Jul 2001	MW-18-5	NA	NA	NA	NA U
MW-18 Screen 5	Jan/Feb 2002	MW-18-5	5.0 U	0.060 J	1.8 J	0.010 U
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	NA	NA	NA	0.010 U
MW-18 Screen 5	Apr/May 2003	MW-18-5	5.0 UJ	1.000 U	0.4 UJ	0.010 U
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	NA	NA	1.0 U	0.010 U
MW-18 Screen 5	Apr/May 2004	MW-18-5	5.0 U	0.120 U	6.1 J	0.010 U
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	NA	NA	9.0 J	0.010 U
MW-18 Screen 5	Apr/May 2005	MW-18-5	3.6 J	0.035 J	4.3	0.010 U
MW-18 Screen 5	Jul/Sep 2005	MW-18-5	NA	NA	6.9	0.010 U
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	NA	NA	4.2	0.010 U
MW-18 Screen 5	May/June 2006	MW-18-5	1.2 J	1.000 U	1.0 U	0.010 U
MW-18 Screen 5	Oct/Dec 2006	MW-18-5	NA	NA	1.4 J	0.010 U
MW-18 Screen 5	Jun/Jul 2007	MW-18-5	1.1	1.000 U	5.2	0.010 U
MW-18 Screen 5	Oct/Dec 2007	MW-18-5	NA	NA	8.4	0.010 U
MW-18 Screen 5	Apr/May 2008	MW-18-5	1.0	1.000 U	3.2	0.010 U
MW-18 Screen 5	Oct/Nov 2008	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2009	MW-18-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Nov/Dec 2009	MW-18-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	5.0 U	2.000 U	NA	NA
MW-19 Screen 1	Oct/Nov 1996	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Feb/Mar 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	June/July 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Sep/Oct 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jan/Feb 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Apr/May 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jul/Aug 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Oct/Nov 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Feb/Mar 1999	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	May/June 1999	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Nov/Dec 1999	MW-19-1	NA	NA	10.0 U	0.005 U
MW-19 Screen 1	Jul/Aug 2000	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jan/Feb 2001	MW-19-1	5.0 U	1.000 U	3.4 J	0.010 U
MW-19 Screen 1	Jan/Feb 2002	MW-19-1	5.0 U	1.000 U	2.9 J	0.010 U
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	NA	NA	NA	0.010 U
MW-19 Screen 1	Apr/May 2003	MW-19-1	5.0 U	1.000 U	1.7 J	0.010 U
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	NA	NA	1.2 U	0.010 U
MW-19 Screen 1	Apr/May 2004	MW-19-1	5.0 U	0.230	0.6 U	0.010 U
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	NA	NA	0.2 U	0.010 U
MW-19 Screen 1	Apr/May 2005	MW-19-1	1.7 J	0.033 J	2.5	0.010 U
MW-19 Screen 1	Jul/Sep 2005	MW-19-1	NA	NA	6.3	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	NA	NA	5.9	0.010 U
MW-19 Screen 1	May/June 2006	MW-19-1	1.0 U	1.000 U	1.0 U	0.003 J
MW-19 Screen 1	Oct/Dec 2006	MW-19-1	NA	NA	1.0 U	0.010 U
MW-19 Screen 1	Jun/Jul 2007	MW-19-1	1.0 U	1.000 U	6.7	0.008 J
MW-19 Screen 1	Oct/Dec 2007	MW-19-1	NA	NA	1.0 U	0.010 U
MW-19 Screen 1	Apr/May 2008	MW-19-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 1	Oct/Nov 2008	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2009	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2009	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 2	Aug/Sep 1996	MW-19-2	5.0 U	2.000 U	NA	NA
MW-19 Screen 2	Oct/Nov 1996	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Feb/Mar 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	June/July 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Sep/Oct 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jan/Feb 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Apr/May 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jul/Aug 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Oct/Nov 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Feb/Mar 1999	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	May/June 1999	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Nov/Dec 1999	MW-19-2	NA	NA	10.0 U	0.005 U
MW-19 Screen 2	Jul/Aug 2000	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jan/Feb 2001	MW-19-2	5.0 U	1.000 U	3.6 J	0.010 U
MW-19 Screen 2	Jan/Feb 2001	DUP	5.0 U	1.000 U	3.5 J	0.010 U
MW-19 Screen 2	Jan/Feb 2002	MW-19-2	5.0 U	1.000 U	4.3 J	0.010 U
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	NA	NA	NA	0.010 U
MW-19 Screen 2	Apr/May 2003	MW-19-2	5.0 U	1.000 U	4.2 J	0.010 U
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	NA	NA	4.0	0.010 U
MW-19 Screen 2	Apr/May 2004	MW-19-2	5.0 U	0.001 J	10.0	0.010 U
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	NA	NA	5.1	0.010 U
MW-19 Screen 2	Apr/May 2005	MW-19-2	1.8 J	0.027 J	4.3	0.010 U
MW-19 Screen 2	Jul/Sep 2005	MW-19-2	NA	NA	14.1	0.010 U
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	NA	NA	11.1	0.010 U
MW-19 Screen 2	May/June 2006	MW-19-2	1.0 U	1.000 U	1.9 J	0.010 U
MW-19 Screen 2	Oct/Dec 2006	MW-19-2	NA	NA	1.9	0.010 U
MW-19 Screen 2	Jun/Jul 2007	MW-19-2	1.3	1.000 U	10.8	0.010
MW-19 Screen 2	Oct/Dec 2007	MW-19-2	NA	NA	3.0	0.010 U
MW-19 Screen 2	Apr/May 2008	MW-19-2	1.0 U	1.000 U	2.1	0.010 U
MW-19 Screen 2	Oct/Nov 2008	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2009	MW-19-2	2.0 U	5.000 U	5.3	0.010 U
MW-19 Screen 2	Nov/Dec 2009	MW-19-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	5.0 U	2.000	10.0 U	0.010 U
MW-19 Screen 3	Aug/Sep 1996	MW-19-3	5.0 U	2.000 U	NA	NA
MW-19 Screen 3	Oct/Nov 1996	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Feb/Mar 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	June/July 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Sep/Oct 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jan/Feb 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Apr/May 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jul/Aug 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Oct/Nov 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Feb/Mar 1999	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	May/June 1999	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Nov/Dec 1999	MW-19-3	NA	NA	10.0 U	0.005 U
MW-19 Screen 3	Jul/Aug 2000	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jan/Feb 2001	MW-19-3	5.0 U	1.000 U	6.1	0.010 U
MW-19 Screen 3	Jan/Feb 2002	MW-19-3	5.0 U	1.000 U	5.3	0.010 U
MW-19 Screen 3	Jan/Feb 2002	DUP	5.0 U	0.090 J	5.6	0.010 U
MW-19 Screen 3	Oct/Nov 2002	MW-19-3	1.0	0.300	4.1	0.000
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	NA	NA	NA	0.010 U
MW-19 Screen 3	Apr/May 2003	MW-19-3	5.0 U	1.000 U	5.0 J	0.010 U
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	NA	NA	4.3 J	0.010 U
MW-19 Screen 3	Apr/May 2004	MW-19-3	5.0 U	0.120 U	10.7	0.010 U
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	NA	NA	15.8	0.010 U
MW-19 Screen 3	Apr/May 2005	MW-19-3	4.3 J	0.032 J	4.8	0.010 U
MW-19 Screen 3	Jul/Sep 2005	MW-19-3	NA	NA	9.8	0.010 U
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	NA	NA	9.2	0.010 U
MW-19 Screen 3	May/June 2006	MW-19-3	1.0 U	1.000 U	2.4 J	0.003 J
MW-19 Screen 3	May/June 2006	DUPE-1-2Q06	1.0 U	1.000 U	2.5 J	0.003 J
MW-19 Screen 3	Oct/Dec 2006	MW-19-3	NA	NA	2.6	0.010 U
MW-19 Screen 3	Jun/Jul 2007	MW-19-3	1.4	1.000 U	10.6	0.005 J
MW-19 Screen 3	Oct/Dec 2007	MW-19-3	NA	NA	2.8	0.010 U
MW-19 Screen 3	Apr/May 2008	MW-19-3	1.1	1.000 U	2.7	0.010 U
MW-19 Screen 3	Oct/Nov 2008	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2009	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov/Dec 2009	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 4	Aug/Sep 1996	MW-19-4	5.0 U	2.000 U	NA	NA
MW-19 Screen 4	Oct/Nov 1996	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Feb/Mar 1997	MW-19-4	5.0 U	2.500	10.0 U	0.005 U
MW-19 Screen 4	June/July 1997	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Sep/Oct 1997	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jan/Feb 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 4	Apr/May 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jul/Aug 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Oct/Nov 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Feb/Mar 1999	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	May/Jun 1999	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Nov/Dec 1999	MW-19-4	NA	NA	10.0 U	0.005 U
MW-19 Screen 4	Jul/Aug 2000	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jan/Feb 2001	MW-19-4	3.2 B	1.000 U	2.2 J	0.010 U
MW-19 Screen 4	Jan/Feb 2002	MW-19-4	5.0 U	1.000 U	2.6 J	0.010 U
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	NA	NA	NA	0.010 U
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	NA	NA	NA	0.010 U
MW-19 Screen 4	Apr/May 2003	MW-19-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	NA	NA	2.4 U	0.010 U
MW-19 Screen 4	Apr/May 2004	MW-19-4	5.0 U	0.120 U	7.3	0.010 U
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	NA	NA	10.7	0.010 U
MW-19 Screen 4	Apr/May 2005	MW-19-4	3.1 J	0.019 J	3.2	0.010 U
MW-19 Screen 4	Jul/Sep 2005	MW-19-4	NA	NA	10.1	0.010 U
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	NA	NA	8.3	0.010 U
MW-19 Screen 4	May/Jun 2006	MW-19-4	1.0 U	1.000 U	1.4 J	0.003 J
MW-19 Screen 4	Oct/Dec 2006	MW-19-4	NA	NA	1.6	0.010 U
MW-19 Screen 4	Jun/Jul 2007	MW-19-4	1.4	1.000 U	8.7	0.010 U
MW-19 Screen 4	Oct/Dec 2007	MW-19-4	NA	NA	1.2	0.010 U
MW-19 Screen 4	Apr/May 2008	MW-19-4	1.1	1.000 U	1.5	0.010 U
MW-19 Screen 4	Oct/Nov 2008	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2009	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2009	DUPE-08-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Nov/Dec 2009	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 5	Aug/Sep 1996	MW-19-5	5.0 U	2.000 U	NA	NA
MW-19 Screen 5	Oct/Nov 1996	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Feb/Mar 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	June/July 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Sep/Oct 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jan/Feb 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Apr/May 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jul/Aug 1998	MW-19-5	5.0 U	9.900	10.0 U	0.005 U
MW-19 Screen 5	Oct/Nov 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Feb/Mar 1999	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	May/Jun 1999	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Nov/Dec 1999	MW-19-5	NA	NA	10.0 U	0.005 U
MW-19 Screen 5	Jul/Aug 2000	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jan/Feb 2001	MW-19-5	5.0 U	1.000 U	4.6 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 5	Jan/Feb 2002	MW-19-5	5.0 U	0.050 J	5.1	0.010 U
MW-19 Screen 5	Oct/Nov 2002	MW-19-5	0.5	0.100 J	2.5	0.000 U
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	NA	NA	NA	0.010 U
MW-19 Screen 5	Apr/May 2003	MW-19-5	5.0 U	1.000 U	2.5 J	0.010 U
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	NA	NA	1.8 U	0.010 U
MW-19 Screen 5	Apr/May 2004	MW-19-5	5.0 U	0.120 U	5.4	0.010 U
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	NA	NA	9.0	0.010 U
MW-19 Screen 5	Apr/May 2005	MW-19-5	4.1 J	0.077 J	3.6	0.010 U
MW-19 Screen 5	Jul/Sep 2005	MW-19-5	NA	NA	9.0	0.010 U
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	NA	NA	6.5	0.010 U
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	NA	NA	6.7	0.010 U
MW-19 Screen 5	May/June 2006	MW-19-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 5	Oct/Dec 2006	MW-19-5	NA	NA	1.0 U	0.010 U
MW-19 Screen 5	Jun/Jul 2007	MW-19-5	1.0 U	1.000 U	8.3	0.010 U
MW-19 Screen 5	Oct/Dec 2007	MW-19-5	NA	NA	1.0 U	0.010 U
MW-19 Screen 5	Apr/May 2008	MW-19-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 5	Oct/Nov 2008	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2009	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Nov/Dec 2009	MW-19-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 1996	MW-20-1	5.0 U	2.000 U	NA	NA
MW-20 Screen 1	Feb/Mar 1997	MW-20-1	5.0 U	2.000 U	2.0 U	0.005 U
MW-20 Screen 1	June/July 1997	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Jan/Feb 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Apr/May 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Jul/Aug 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Oct/Nov 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Feb/Mar 1999	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	May/June 1999	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Aug 1999	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Nov/Dec 1999	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Mar/Apr 2000	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Jul/Aug 2000	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Sep/Oct 2000	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Jan/Feb 2001	MW-20-1	5.0 U	1.000 U	3.9 J	0.010 U
MW-20 Screen 1	Apr 2001	MW-20-1	NA	NA	NA	0.010 U
MW-20 Screen 1	Jul 2001	MW-20-1	NA	NA	3.1 J	NA U
MW-20 Screen 1	Oct 2001	MW-20-1	NA	NA	3.6	0.010 U
MW-20 Screen 1	Jan/Feb 2002	MW-20-1	5.0 U	0.030 J	2.6 J	0.010 U
MW-20 Screen 1	Apr/May 2002	MW-20-1	NA	NA	5.0	0.010 U
MW-20 Screen 1	Jul 2002	MW-20-1	NA	NA	4.0	NA U
MW-20 Screen 1	Oct/Nov 2002	MW-20-1	NA	NA	NA	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	NA	NA	2.8	0.010 U
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	NA	NA	2.5	0.010 U
MW-20 Screen 1	Apr/May 2003	MW-20-1	5.0 U	1.000 U	2.4 J	0.010 U
MW-20 Screen 1	Apr/May 2003	DUPE-3-2Q03	5.0 U	1.000 U	2.1 J	0.010 U
MW-20 Screen 1	Jul/Aug 2003	MW-20-1	NA	NA	1.8 J	0.010 U
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	NA	NA	1.9 J	0.010 U
MW-20 Screen 1	Feb 2004	MW-20-1	NA	NA	3.2	0.010 U
MW-20 Screen 1	Apr/May 2004	MW-20-1	5.0 U	0.120 U	6.6 J	0.010 U
MW-20 Screen 1	Jul/Aug 2004	MW-20-1	NA	NA	10.5	0.010 U
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	NA	0.016 U	7.0 J	0.010 U
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	NA	NA	3.5	0.010 U
MW-20 Screen 1	Apr/May 2005	MW-20-1	5.0 U	0.031 J	4.8	0.010 U
MW-20 Screen 1	Jul/Sep 2005	MW-20-1	NA	NA	7.0	0.010 U
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	NA	NA	8.0	0.010 U
MW-20 Screen 1	Mar/Apr 2006	MW-20-1	NA	NA	1.0 U	0.010 U
MW-20 Screen 1	May/Jun 2006	MW-20-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2006	MW-20-1	NA	NA	2.4 J	0.005 J
MW-20 Screen 1	Oct/Dec 2006	MW-20-1	NA	NA	1.0 U	0.010 U
MW-20 Screen 1	Mar/Apr 2007	MW-20-1	NA	NA	1.0	NA
MW-20 Screen 1	Jun/Jul 2007	MW-20-1	1.0 U	1.000 U	7.4	0.010 U
MW-20 Screen 1	Jun/Jul 2007	DUPE-2-2Q07	1.0 U	1.000 U	7.7	0.006 J
MW-20 Screen 1	Aug/Sep 2007	MW-20-1	NA	NA	10.9	0.010 U
MW-20 Screen 1	Oct/Dec 2007	MW-20-1	NA	NA	8.8	0.010 U
MW-20 Screen 1	Jan/Feb 2008	MW-20-1	NA	NA	6.8	0.010 U
MW-20 Screen 1	Apr/May 2008	MW-20-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2008	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2008	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2008	MW-20-1RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2009	DUPE-04-1Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2009	MW-20-1	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2009	DUPE-01-4Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Feb 2010	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 1996	MW-20-2	5.0 U	2.000 U	NA	NA
MW-20 Screen 2	Oct/Nov 1996	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Feb/Mar 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	June/July 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Sep/Oct 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Jan/Feb 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 2	Apr/May 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Jul/Aug 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Oct/Nov 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Feb/Mar 1999	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	May/Jun 1999	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Aug 1999	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Nov/Dec 1999	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Mar/Apr 2000	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Jul/Aug 2000	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Sep/Oct 2000	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Jan/Feb 2001	MW-20-2	5.0 U	1.000 U	2.3 J	0.010 U
MW-20 Screen 2	Apr 2001	MW-20-2	NA	NA	NA	0.010 U
MW-20 Screen 2	Jul 2001	MW-20-2	NA	NA	2.1 J	NA U
MW-20 Screen 2	Oct 2001	MW-20-2	NA	NA	4.4	0.010 U
MW-20 Screen 2	Jan/Feb 2002	MW-20-2	5.0 U	1.000 U	1.4 J	0.010 U
MW-20 Screen 2	Apr/May 2002	MW-20-2	NA	NA	3.0	0.010 U
MW-20 Screen 2	Jul 2002	MW-20-2	NA	NA	1.0	NA U
MW-20 Screen 2	Oct/Nov 2002	MW-20-2	NA	NA	NA	0.010 U
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	NA	NA	2.2	0.010 U
MW-20 Screen 2	Apr/May 2003	MW-20-2	5.0 U	1.000 U	2.1 J	0.010 U
MW-20 Screen 2	Jul/Aug 2003	MW-20-2	NA	NA	1.5 J	0.010 U
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	NA	NA	1.3 UJ	0.010 U
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4Q03	NA	NA	1.4 UJ	0.010 U
MW-20 Screen 2	Feb 2004	MW-20-2	NA	NA	2.6	0.010 U
MW-20 Screen 2	Apr/May 2004	MW-20-2	5.0 U	0.120 U	5.1 J	0.010 U
MW-20 Screen 2	Jul/Aug 2004	MW-20-2	NA	NA	0.9	0.010 U
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	NA	0.120 U	5.6 J	0.010 U
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	NA	NA	4.2	0.010 U
MW-20 Screen 2	Apr/May 2005	MW-20-2	5.0 U	0.009 J	3.8	0.010 U
MW-20 Screen 2	Jul/Sep 2005	MW-20-2	NA	NA	6.3	0.010 U
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	NA	NA	6.0	0.010 U
MW-20 Screen 2	Mar/Apr 2006	MW-20-2	NA	NA	1.0 U	0.010 U
MW-20 Screen 2	May/Jun 2006	MW-20-2	1.1 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2006	MW-20-2	NA	NA	1.2 J	0.010 U
MW-20 Screen 2	Oct/Dec 2006	MW-20-2	NA	NA	1.0 U	0.010 U
MW-20 Screen 2	Mar/Apr 2007	MW-20-2	NA	NA	1.0 U	NA
MW-20 Screen 2	Mar/Apr 2007	DUPE-3-1Q07	NA	NA	1.0 U	NA
MW-20 Screen 2	Jun/Jul 2007	MW-20-2	1.3	1.000 U	5.6	0.010 U
MW-20 Screen 2	Aug/Sep 2007	MW-20-2	NA	NA	9.4	0.010 U
MW-20 Screen 2	Oct/Dec 2007	MW-20-2	NA	NA	9.3	0.010 U
MW-20 Screen 2	Jan/Feb 2008	MW-20-2	NA	NA	7.4	0.010 U
MW-20 Screen 2	Apr/May 2008	MW-20-2	1.2	1.000 U	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 2	Jul/Aug 2008	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2008	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2008	MW-20-2RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2009	DUPE-03-1Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2009	MW-20-2	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Nov/Dec 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Feb 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 1996	MW-20-3	5.0 U	2.000 U	NA	NA
MW-20 Screen 3	Oct/Nov 1996	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Feb/Mar 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	June/July 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Sep/Oct 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Jan/Feb 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Apr/May 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Jul/Aug 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Oct/Nov 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Feb/Mar 1999	MW-20-3	5.0 U	9.500	10.0 U	0.005 U
MW-20 Screen 3	May/June 1999	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Aug 1999	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Nov/Dec 1999	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Mar/Apr 2000	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Jul/Aug 2000	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Sep/Oct 2000	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Jan/Feb 2001	MW-20-3	5.0 U	1.000 U	3.6 J	0.010 U
MW-20 Screen 3	Apr 2001	MW-20-3	NA	NA	NA	0.010 U
MW-20 Screen 3	Jul 2001	MW-20-3	NA	NA	4.0 J	NA U
MW-20 Screen 3	Oct 2001	MW-20-3	NA	NA	7.4	0.010 U
MW-20 Screen 3	Jan/Feb 2002	MW-20-3	5.0 U	1.000 U	4.9 J	0.010 U
MW-20 Screen 3	Apr/May 2002	MW-20-3	NA	NA	7.0	0.010 U
MW-20 Screen 3	Jul 2002	MW-20-3	NA	NA	2.0	NA U
MW-20 Screen 3	Oct/Nov 2002	MW-20-3	NA	NA	NA	0.010 U
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	NA	NA	1.7 U	0.010 U
MW-20 Screen 3	Apr/May 2003	MW-20-3	5.0 U	1.000 U	4.2 J	0.010 U
MW-20 Screen 3	Jul/Aug 2003	MW-20-3	NA	NA	4.0 J	0.010 U
MW-20 Screen 3	Jul/Aug 2003	DUPE-2-3Q03	NA	NA	4.0 J	0.010 U
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	NA	NA	2.9 J	0.010 U
MW-20 Screen 3	Feb 2004	MW-20-3	NA	NA	4.2	0.010 U
MW-20 Screen 3	Apr/May 2004	MW-20-3	2.5 J	0.120 U	10.5 J	0.010 U
MW-20 Screen 3	Jul/Aug 2004	MW-20-3	NA	NA	12.7	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	NA	0.120 U	10.4 J	0.010 U
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	NA	NA	5.5	0.010 U
MW-20 Screen 3	Apr/May 2005	MW-20-3	5.0 U	0.014 J	5.3	0.010 U
MW-20 Screen 3	Jul/Sep 2005	MW-20-3	NA	NA	11.6	0.010 U
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	NA	NA	8.8	0.010 U
MW-20 Screen 3	Mar/Apr 2006	MW-20-3	NA	NA	2.0	0.010 U
MW-20 Screen 3	May/Jun 2006	MW-20-3	1.6 J	1.000 U	2.0 J	0.004 J
MW-20 Screen 3	Aug/Sep 2006	MW-20-3	NA	NA	2.9 J	0.010 U
MW-20 Screen 3	Oct/Dec 2006	MW-20-3	NA	NA	1.7	0.010 U
MW-20 Screen 3	Mar/Apr 2007	MW-20-3	NA	NA	1.9	NA
MW-20 Screen 3	Jun/Jul 2007	MW-20-3	2.0	1.000 U	9.7	0.010 U
MW-20 Screen 3	Aug/Sep 2007	MW-20-3	NA	NA	15.1	0.010 U
MW-20 Screen 3	Oct/Dec 2007	MW-20-3	NA	NA	11.8	0.010 U
MW-20 Screen 3	Jan/Feb 2008	MW-20-3	NA	NA	7.7	0.010 U
MW-20 Screen 3	Apr/May 2008	MW-20-3	1.4	1.000 U	1.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2008	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2008	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2008	MW-20-3RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2009	MW-20-3	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2009	DUPE-06-2Q09	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2009	DUPE-5-3Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Nov/Dec 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Feb 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 1996	MW-20-4	5.0 U	2.000 U	NA	NA
MW-20 Screen 4	Oct/Nov 1996	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Feb/Mar 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	June/July 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Sep/Oct 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Jan/Feb 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Apr/May 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Jul/Aug 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Oct/Nov 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Feb/Mar 1999	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	May/Jun 1999	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Aug 1999	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Nov/Dec 1999	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Mar/Apr 2000	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Jul/Aug 2000	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Sep/Oct 2000	MW-20-4	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 4	Jan/Feb 2001	MW-20-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-20 Screen 4	Jan/Feb 2001	DUP	5.0 U	1.000 U	2.3 J	0.010 U
MW-20 Screen 4	Apr 2001	MW-20-4	NA	NA	NA	0.010 U
MW-20 Screen 4	Jul 2001	MW-20-4	NA	NA	2.4 J	NA U
MW-20 Screen 4	Oct 2001	MW-20-4	NA	NA	3.1	0.010 U
MW-20 Screen 4	Jan/Feb 2002	MW-20-4	5.0 U	1.000 U	1.6 J	0.010 U
MW-20 Screen 4	Apr/May 2002	MW-20-4	NA	NA	4.0	0.010 U
MW-20 Screen 4	Apr/May 2002	DUP	NA	NA	4.0	0.010 U
MW-20 Screen 4	Jul 2002	MW-20-4	NA	NA	3.0	NA U
MW-20 Screen 4	Jul 2002	DUP	NA	NA	3.0	NA U
MW-20 Screen 4	Oct/Nov 2002	MW-20-4	NA	NA	NA	0.010 U
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	NA	NA	2.4	0.010 U
MW-20 Screen 4	Apr/May 2003	MW-20-4	5.0 U	1.000 U	2.2 J	0.010 U
MW-20 Screen 4	Jul/Aug 2003	MW-20-4	NA	NA	1.9 J	0.010 U
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	NA	NA	1.6 J	0.010 U
MW-20 Screen 4	Feb 2004	MW-20-4	NA	NA	2.7	0.010 U
MW-20 Screen 4	Apr/May 2004	MW-20-4	5.0 U	0.120 U	6.5 J	0.010 U
MW-20 Screen 4	Jul/Aug 2004	MW-20-4	NA	NA	6.2	0.010 U
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	NA	0.018 U	5.0 J	0.010 U
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	NA	NA	3.8	0.010 U
MW-20 Screen 4	Apr/May 2005	MW-20-4	5.0 U	0.050 J	1.9	0.010 U
MW-20 Screen 4	Jul/Sep 2005	MW-20-4	NA	NA	5.8	0.010 U
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	NA	NA	5.7	0.010 U
MW-20 Screen 4	Mar/Apr 2006	MW-20-4	NA	NA	1.0 U	0.010 U
MW-20 Screen 4	May/June 2006	MW-20-4	2.2 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2006	MW-20-4	NA	NA	1.6 J	0.010 U
MW-20 Screen 4	Oct/Dec 2006	MW-20-4	NA	NA	1.0 U	0.010 U
MW-20 Screen 4	Mar/Apr 2007	MW-20-4	NA	NA	1.0 U	NA
MW-20 Screen 4	Jun/Jul 2007	MW-20-4	1.9	1.000 U	5.3	0.010 U
MW-20 Screen 4	Aug/Sep 2007	MW-20-4	NA	NA	8.3	0.010 U
MW-20 Screen 4	Oct/Dec 2007	MW-20-4	NA	NA	6.3	0.010 U
MW-20 Screen 4	Jan/Feb 2008	MW-20-4	NA	NA	4.7	0.010 U
MW-20 Screen 4	Apr/May 2008	MW-20-4	1.6	1.000 U	1.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2008	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2008	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2008	MW-20-4RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2009	MW-20-4	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2009	DUPE-05-2Q09	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Nov/Dec 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Feb 2010	MW-20-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 1996	MW-20-5	5.0 U	2.000 U	NA	NA
MW-20 Screen 5	Oct/Nov 1996	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Feb/Mar 1997	MW-20-5	5.0 U	3.800	10.0 U	0.005 U
MW-20 Screen 5	June/July 1997	MW-20-5	6.0	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Sep/Oct 1997	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Jan/Feb 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Apr/May 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Jul/Aug 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Oct/Nov 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Feb/Mar 1999	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	May/June 1999	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Aug 1999	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Nov/Dec 1999	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Mar/Apr 2000	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Jul/Aug 2000	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Sep/Oct 2000	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Jan/Feb 2001	MW-20-5	5.0 U	1.000 U	2.4 J	0.010 U
MW-20 Screen 5	Apr 2001	MW-20-5	NA	NA	NA	0.010 U
MW-20 Screen 5	Jul 2001	MW-20-5	NA	NA	2.2 J	NA U
MW-20 Screen 5	Oct 2001	MW-20-5	NA	NA	3.4	0.010 U
MW-20 Screen 5	Jan/Feb 2002	MW-20-5	5.0 U	1.000 U	2.2 J	0.010 U
MW-20 Screen 5	Apr/May 2002	MW-20-5	NA	NA	4.0	0.010 U
MW-20 Screen 5	Jul 2002	MW-20-5	NA	NA	3.0	NA U
MW-20 Screen 5	Oct/Nov 2002	MW-20-5	NA	NA	NA	0.010 U
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	NA	NA	2.7	0.010 U
MW-20 Screen 5	Apr/May 2003	MW-20-5	5.0 U	1.000 U	1.7 J	0.010 U
MW-20 Screen 5	Jul/Aug 2003	MW-20-5	NA	NA	1.6 J	0.010 U
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	NA	NA	1.3 UJ	0.010 U
MW-20 Screen 5	Feb 2004	MW-20-5	NA	NA	2.8	0.010 U
MW-20 Screen 5	Apr/May 2004	MW-20-5	5.0 U	0.120 U	4.5 J	0.010 U
MW-20 Screen 5	Jul/Aug 2004	MW-20-5	NA	NA	6.8	0.010 U
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	NA	0.014 U	5.2 J	0.010 U
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	NA	NA	3.6	0.010 U
MW-20 Screen 5	Apr/May 2005	MW-20-5	4.6 J	0.032 J	3.4	0.010 U
MW-20 Screen 5	Jul/Sep 2005	MW-20-5	NA	NA	4.7	0.010 U
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	NA	NA	5.2	0.010 U
MW-20 Screen 5	Mar/Apr 2006	MW-20-5	NA	NA	1.0 U	0.010 U
MW-20 Screen 5	May/June 2006	MW-20-5	1.1 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	May/June 2006	DUPE-2-2Q06	1.1 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2006	MW-20-5	NA	NA	1.6 J	0.010 U
MW-20 Screen 5	Oct/Dec 2006	MW-20-5	NA	NA	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 5	Mar/Apr 2007	MW-20-5	NA	NA	1.0 U	NA
MW-20 Screen 5	Jun/Jul 2007	MW-20-5	1.0	1.000 U	4.9	0.010 U
MW-20 Screen 5	Aug/Sep 2007	MW-20-5	NA	NA	6.3	0.010 U
MW-20 Screen 5	Oct/Dec 2007	MW-20-5	NA	NA	5.0	0.010 U
MW-20 Screen 5	Jan/Feb 2008	MW-20-5	NA	NA	4.8	0.010 U
MW-20 Screen 5	Apr/May 2008	MW-20-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2008	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2008	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2008	MW-20-5RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Jan/Feb 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2009	MW-20-5	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Nov/Dec 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Feb 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 1996	MW-21-1	5.0 U	2.000 U	NA	NA
MW-21 Screen 1	Feb/Mar 1997	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	June/July 1997	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jan/Feb 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Apr/May 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jul/Aug 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Oct/Nov 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Feb/Mar 1999	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	May/June 1999	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Nov/Dec 1999	MW-21-1	NA	NA	10.0 U	0.005 U
MW-21 Screen 1	Jul/Aug 2000	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jan/Feb 2001	MW-21-1	5.0 U	1.000 U	5.6	0.010 U
MW-21 Screen 1	Jan/Feb 2002	MW-21-1	5.0 U	1.000 U	4.0 J	0.010 U
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	NA	NA	4.8	0.010 U
MW-21 Screen 1	Apr/May 2003	MW-21-1	5.0 U	1.000 U	3.5 J	0.010 U
MW-21 Screen 1	Jul/Aug 2003	MW-21-1	NA	NA	3.8 J	0.010 U
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	NA	NA	3.0 J	0.010 U
MW-21 Screen 1	Feb 2004	MW-21-1	NA	NA	5.1	0.010 U
MW-21 Screen 1	Apr/May 2004	MW-21-1	5.0 U	0.120 U	10.9	0.010 U
MW-21 Screen 1	Jul/Aug 2004	MW-21-1	NA	NA	5.3 J	0.010 U
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	NA	NA	14.1 J	0.010 U
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	NA	NA	6.8	0.010 U
MW-21 Screen 1	Apr/May 2005	MW-21-1	2.7 J	0.056 J	5.7	0.010 U
MW-21 Screen 1	Jul/Sep 2005	MW-21-1	NA	NA	7.9	0.010 U
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	NA	NA	8.3	0.010 U
MW-21 Screen 1	Mar/Apr 2006	MW-21-1	NA	NA	1.0 U	0.010 U
MW-21 Screen 1	May/June 2006	MW-21-1	1.0 U	1.000 U	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 1	Aug/Sep 2006	MW-21-1	NA	NA	2.6 U	0.010 U
MW-21 Screen 1	Oct/Dec 2006	MW-21-1	NA	NA	1.3	0.004 J
MW-21 Screen 1	Mar/Apr 2007	MW-21-1	NA	NA	1.0 U	NA
MW-21 Screen 1	Jun/Jul 2007	MW-21-1	1.3	1.000 U	9.2	0.010 U
MW-21 Screen 1	Aug/Sep 2007	MW-21-1	NA	NA	11.5	0.010 U
MW-21 Screen 1	Oct/Dec 2007	MW-21-1	NA	NA	1.4	0.010 U
MW-21 Screen 1	Jan/Feb 2008	MW-21-1	NA	NA	7.8	0.010 U
MW-21 Screen 1	Apr/May 2008	MW-21-1	1.0 U	1.000 U	1.1 J	0.010 U
MW-21 Screen 1	Jul/Aug 2008	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2008	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2008	DUPE-01-4Q08	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2009	DUPE-01-1Q09	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2009	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Jul/Aug 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Nov/Dec 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb 2010	DUPE-1-1Q10	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 1996	MW-21-2	5.0 U	2.000 U	NA	NA
MW-21 Screen 2	Oct/Nov 1996	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Feb/Mar 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	June/July 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Sep/Oct 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jan/Feb 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Apr/May 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jul/Aug 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Oct/Nov 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Feb/Mar 1999	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	May/June 1999	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Nov/Dec 1999	MW-21-2	NA	NA	10.0 U	0.005 U
MW-21 Screen 2	Jul/Aug 2000	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jan/Feb 2001	MW-21-2	5.0 U	1.000 U	8.0	0.010 U
MW-21 Screen 2	Jan/Feb 2002	MW-21-2	5.0 U	0.020 J	5.8	0.010 U
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	NA	NA	6.7	0.010 U
MW-21 Screen 2	Apr/May 2003	MW-21-2	5.0 U	1.000 U	4.7 J	0.010 U
MW-21 Screen 2	Jul/Aug 2003	MW-21-2	NA	NA	4.2 J	0.010 U
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	NA	NA	4.5 J	0.010 U
MW-21 Screen 2	Feb 2004	MW-21-2	NA	NA	5.0	0.010 U
MW-21 Screen 2	Apr/May 2004	MW-21-2	5.0 U	0.013 J	11.7	0.010 U
MW-21 Screen 2	Jul/Aug 2004	MW-21-2	NA	NA	7.8 J	0.010 U
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	NA	NA	20.8 J	0.010 U
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	NA	NA	9.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 2	Apr/May 2005	MW-21-2	5.0 U	0.093 J	5.0	0.010 U
MW-21 Screen 2	Jul/Sep 2005	MW-21-2	NA	NA	11.3	0.010 U
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	NA	NA	12.5	0.010 U
MW-21 Screen 2	Mar/Apr 2006	MW-21-2	NA	NA	1.4	0.010 U
MW-21 Screen 2	May/June 2006	MW-21-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2006	MW-21-2	NA	NA	2.0 U	0.010 U
MW-21 Screen 2	Oct/Dec 2006	MW-21-2	NA	NA	1.0 U	0.004 J
MW-21 Screen 2	Mar/Apr 2007	MW-21-2	NA	NA	1.0 J	NA
MW-21 Screen 2	Jun/Jul 2007	MW-21-2	1.2	1.000 U	12.9	0.010 U
MW-21 Screen 2	Jun/Jul 2007	DUPE-1-2Q07	1.4	1.000 U	12.4	0.010 U
MW-21 Screen 2	Aug/Sep 2007	MW-21-2	NA	NA	15.9	0.010 U
MW-21 Screen 2	Oct/Dec 2007	MW-21-2	NA	NA	2.6	0.010 U
MW-21 Screen 2	Jan/Feb 2008	MW-21-2	NA	NA	10.0	0.010 U
MW-21 Screen 2	Apr/May 2008	MW-21-2	1.0 U	1.000 U	1.0 J	0.010 U
MW-21 Screen 2	Jul/Aug 2008	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2008	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2009	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Jul/Aug 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Feb 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 1996	MW-21-3	5.0 U	2.000 U	NA	NA
MW-21 Screen 3	Oct/Nov 1996	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Feb/Mar 1997	MW-21-3	5.0 U	3.200	10.0 U	0.005 U
MW-21 Screen 3	June/July 1997	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Sep/Oct 1997	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jan/Feb 1998	MW-21-3	5.0 U	3.000	10.0 U	0.005 U
MW-21 Screen 3	Apr/May 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jul/Aug 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Oct/Nov 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Feb/Mar 1999	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	May/June 1999	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Nov/Dec 1999	MW-21-3	NA	NA	10.0 U	0.005 U
MW-21 Screen 3	Jul/Aug 2000	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jan/Feb 2001	MW-21-3	5.0 U	1.000 U	6.9	0.010 U
MW-21 Screen 3	Jan/Feb 2002	MW-21-3	5.0 U	0.050 J	7.0	0.010 U
MW-21 Screen 3	Oct/Nov 2002	MW-21-3	0.7	0.300	4.2	0.001
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	NA	NA	5.9	0.010 U
MW-21 Screen 3	Apr/May 2003	MW-21-3	5.0 U	1.000 U	3.7 J	0.010 U
MW-21 Screen 3	Jul/Aug 2003	MW-21-3	NA	NA	3.7 J	0.010 U
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	NA	NA	4.1 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 3	Feb 2004	MW-21-3	NA	NA	4.4	0.010 U
MW-21 Screen 3	Apr/May 2004	MW-21-3	5.0 U	0.120 U	12.2	0.010 U
MW-21 Screen 3	Jul/Aug 2004	MW-21-3	NA	NA	8.2 J	0.010 U
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	NA	NA	18.4 J	0.010 U
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	NA	NA	8.8	0.010 U
MW-21 Screen 3	Apr/May 2005	MW-21-3	4.2 J	0.058 J	0.9 J	0.010 U
MW-21 Screen 3	Jul/Sep 2005	MW-21-3	NA	NA	12.9	0.010 U
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	NA	NA	12.2	0.010 U
MW-21 Screen 3	Mar/Apr 2006	MW-21-3	NA	NA	1.5	0.010 U
MW-21 Screen 3	May/June 2006	MW-21-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2006	MW-21-3	NA	NA	2.6 U	0.010 U
MW-21 Screen 3	Oct/Dec 2006	MW-21-3	NA	NA	1.1	0.010 U
MW-21 Screen 3	Mar/Apr 2007	MW-21-3	NA	NA	1.4 J	NA
MW-21 Screen 3	Jun/Jul 2007	MW-21-3	1.3	1.000 U	14.2	0.010 U
MW-21 Screen 3	Aug/Sep 2007	MW-21-3	NA	NA	16.1	0.010 U
MW-21 Screen 3	Oct/Dec 2007	MW-21-3	NA	NA	2.0	0.010 U
MW-21 Screen 3	Jan/Feb 2008	MW-21-3	NA	NA	9.9	0.005 J
MW-21 Screen 3	Apr/May 2008	MW-21-3	1.0 U	1.000 U	1.0 J	0.010 U
MW-21 Screen 3	Jul/Aug 2008	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Oct/Nov 2008	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jan/Feb 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2009	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2009	DUPE-4-3Q09	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Nov/Dec 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Feb 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 1996	MW-21-4	5.0 U	2.000 U	NA	NA
MW-21 Screen 4	Oct/Nov 1996	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Feb/Mar 1997	MW-21-4	5.0 U	3.500	10.0 U	0.005 U
MW-21 Screen 4	June/July 1997	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Sep/Oct 1997	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jan/Feb 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Apr/May 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jul/Aug 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Oct/Nov 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Feb/Mar 1999	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	May/June 1999	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Nov/Dec 1999	MW-21-4	NA	NA	10.0 U	0.005 U
MW-21 Screen 4	Jul/Aug 2000	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jan/Feb 2001	MW-21-4	5.0 U	1.000 U	6.0	0.010 U
MW-21 Screen 4	Jan/Feb 2002	MW-21-4	5.0 U	1.000 U	6.9	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	NA	NA	4.7	0.010 U
MW-21 Screen 4	Apr/May 2003	MW-21-4	2.2 J	1.000 U	3.8 J	0.010 U
MW-21 Screen 4	Jul/Aug 2003	MW-21-4	NA	NA	4.0 J	0.010 U
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	NA	NA	4.3 J	0.010 U
MW-21 Screen 4	Feb 2004	MW-21-4	NA	NA	5.3	0.010 U
MW-21 Screen 4	Apr/May 2004	MW-21-4	5.0 U	0.120 U	8.3	0.010 U
MW-21 Screen 4	Jul/Aug 2004	MW-21-4	NA	NA	6.9 J	0.010 U
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	NA	NA	16.5 J	0.010 U
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	NA	NA	7.2	0.010 U
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	NA	NA	8.4	0.010 U
MW-21 Screen 4	Apr/May 2005	MW-21-4	3.5 J	0.052 J	5.6	0.010 U
MW-21 Screen 4	Jul/Sep 2005	MW-21-4	NA	NA	9.4	0.010 U
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	NA	NA	9.7	0.010 U
MW-21 Screen 4	Mar/Apr 2006	MW-21-4	NA	NA	2.4	0.010 U
MW-21 Screen 4	May/June 2006	MW-21-4	1.0 U	1.000 U	1.5 J	0.004 J
MW-21 Screen 4	Aug/Sep 2006	MW-21-4	NA	NA	3.9 U	0.010 U
MW-21 Screen 4	Oct/Dec 2006	MW-21-4	NA	NA	2.5	0.006 J
MW-21 Screen 4	Mar/Apr 2007	MW-21-4	NA	NA	2.4 J	NA
MW-21 Screen 4	Jun/Jul 2007	MW-21-4	1.3	1.000 U	9.7	0.010 U
MW-21 Screen 4	Aug/Sep 2007	MW-21-4	NA	NA	13.0	0.010 U
MW-21 Screen 4	Oct/Dec 2007	MW-21-4	NA	NA	2.2	0.010 U
MW-21 Screen 4	Jan/Feb 2008	MW-21-4	NA	NA	7.1	0.010 U
MW-21 Screen 4	Apr/May 2008	MW-21-4	1.0 U	1.000 U	1.6 J	0.010 U
MW-21 Screen 4	Jul/Aug 2008	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Oct/Nov 2008	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Jan/Feb 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2009	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2009	DUPE-03-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Jul/Aug 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Nov/Dec 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb 2010	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 1996	MW-21-5	5.0 U	2.000 U	NA	NA
MW-21 Screen 5	Oct/Nov 1996	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Feb/Mar 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	June/July 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Sep/Oct 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jan/Feb 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Apr/May 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jul/Aug 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Oct/Nov 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Feb/Mar 1999	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 5	May/June 1999	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Nov/Dec 1999	MW-21-5	NA	NA	10.0 U	0.005 U
MW-21 Screen 5	Jul/Aug 2000	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jan/Feb 2001	MW-21-5	5.0 U	0.100 J	6.0	0.010 U
MW-21 Screen 5	Jan/Feb 2002	MW-21-5	5.0 U	0.300 J	7.5	0.010 U
MW-21 Screen 5	Oct/Nov 2002	MW-21-5	1.0	0.600	9.2	0.002
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	NA	NA	5.7	0.010 U
MW-21 Screen 5	Apr/May 2003	MW-21-5	5.0 U	1.000 U	2.7 J	0.010 U
MW-21 Screen 5	Jul/Aug 2003	MW-21-5	NA	NA	2.9 J	0.010 U
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	NA	NA	4.0 J	0.010 U
MW-21 Screen 5	Feb 2004	MW-21-5	NA	NA	5.0	0.010 U
MW-21 Screen 5	Apr/May 2004	MW-21-5	5.0 U	0.026 J	8.3	0.010 U
MW-21 Screen 5	Jul/Aug 2004	MW-21-5	NA	NA	6.0 J	0.010 U
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	NA	NA	12.7 J	0.010 U
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	NA	NA	5.6	0.010 U
MW-21 Screen 5	Apr/May 2005	MW-21-5	2.1 J	0.069 J	5.5	0.010 U
MW-21 Screen 5	Jul/Sep 2005	MW-21-5	NA	NA	9.2	0.010 U
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	NA	NA	9.5	0.010 U
MW-21 Screen 5	Mar/Apr 2006	MW-21-5	NA	NA	2.4	0.010 U
MW-21 Screen 5	Mar/Apr 2006	DUPE-1-1Q06	NA	NA	2.1	0.010 U
MW-21 Screen 5	May/June 2006	MW-21-5	1.0 U	1.000 U	1.5 J	0.010 U
MW-21 Screen 5	Aug/Sep 2006	MW-21-5	NA	NA	2.9 U	0.010 U
MW-21 Screen 5	Oct/Dec 2006	MW-21-5	NA	NA	1.8	0.010 U
MW-21 Screen 5	Mar/Apr 2007	MW-21-5	NA	NA	1.8 J	NA
MW-21 Screen 5	Jun/Jul 2007	MW-21-5	1.4	1.000 U	9.6	0.010 U
MW-21 Screen 5	Aug/Sep 2007	MW-21-5	NA	NA	10.3	0.005 J
MW-21 Screen 5	Oct/Dec 2007	MW-21-5	NA	NA	2.5	0.010 U
MW-21 Screen 5	Jan/Feb 2008	MW-21-5	NA	NA	7.2	0.010 U
MW-21 Screen 5	Apr/May 2008	MW-21-5	1.0 U	1.000 U	1.7 J	0.010 U
MW-21 Screen 5	Jul/Aug 2008	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Oct/Nov 2008	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Jan/Feb 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2009	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Jul/Aug 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Nov/Dec 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Feb 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Sep/Oct 1997	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Jan/Feb 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Apr/May 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Jul/Aug 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Oct/Nov 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Feb/Mar 1999	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 1	May/June 1999	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Aug 1999	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Nov/Dec 1999	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Mar/Apr 2000	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Jul/Aug 2000	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Sep/Oct 2000	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Jan/Feb 2001	MW-22-1	5.0 U	1.000 U	6.0	0.010 U
MW-22 Screen 1	Apr 2001	MW-22-1	NA	NA	NA	0.010 U
MW-22 Screen 1	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-22 Screen 1	Jul 2001	MW-22-1	NA	NA	3.3 J	NA U
MW-22 Screen 1	Oct 2001	MW-22-1	NA	NA	7.8	0.010 U
MW-22 Screen 1	Jan/Feb 2002	MW-22-1	5.0 U	1.000 U	5.1	0.010 U
MW-22 Screen 1	Apr/May 2002	MW-22-1	NA	NA	10.0	0.010 U
MW-22 Screen 1	Jul 2002	MW-22-1	NA	NA	10.0	NA U
MW-22 Screen 1	Oct/Nov 2002	MW-22-1	NA	NA	NA	0.010 U
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	NA	NA	4.1	0.010 U
MW-22 Screen 1	Apr/May 2003	MW-22-1	5.0 U	1.000 U	1.9 J	0.010 U
MW-22 Screen 1	Jul/Aug 2003	MW-22-1	NA	NA	4.2 J	0.010 U
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	NA	NA	3.0 J	0.010 U
MW-22 Screen 1	Feb 2004	MW-22-1	NA	NA	6.8	0.010 U
MW-22 Screen 1	Apr/May 2004	MW-22-1	5.0 UJ	0.020 U	10.3	0.010 U
MW-22 Screen 1	Jul/Aug 2004	MW-22-1	NA	NA	7.3 J	0.010 U
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	NA	NA	18.8 J	0.010 U
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	NA	NA	0.3	0.010 U
MW-22 Screen 1	Apr/May 2005	MW-22-1	5.0 U	0.150 J	5.7	0.010 U
MW-22 Screen 1	Jul/Sep 2005	MW-22-1	NA	NA	9.6	0.010 U
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	NA	NA	10.8	0.010 U
MW-22 Screen 1	Mar/Apr 2006	MW-22-1	NA	NA	1.8	0.010 U
MW-22 Screen 1	May/June 2006	MW-22-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 1	May/June 2006	DUPE-5-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2006	MW-22-1	NA	NA	2.1 U	0.007 J
MW-22 Screen 1	Oct/Dec 2006	MW-22-1	NA	NA	3.0	0.010 U
MW-22 Screen 1	Oct/Dec 2006	DUPE-5-4Q06	NA	NA	3.8	0.010 U
MW-22 Screen 1	Mar/Apr 2007	MW-22-1	NA	NA	8.0 J	0.010 U
MW-22 Screen 1	Jun/Jul 2007	MW-22-1	1.0 U	1.000 U	10.3 J	0.010 U
MW-22 Screen 1	Aug/Sep 2007	MW-22-1	NA	NA	17.4	0.010 U
MW-22 Screen 1	Oct/Dec 2007	MW-22-1	NA	NA	14.6	0.010 U
MW-22 Screen 1	Jan/Feb 2008	MW-22-1	NA	NA	11.6 E	0.004 J
MW-22 Screen 1	Apr/May 2008	MW-22-1	1.0 U	1.000 U	9.2	0.010 U
MW-22 Screen 1	Jul/Aug 2008	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Oct/Nov 2008	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Jan/Feb 2009	MW-22-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 1	Apr/May 2009	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Jul/Aug 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Nov/Dec 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Feb 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Sep/Oct 1997	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Jan/Feb 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Apr/May 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Jul/Aug 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Oct/Nov 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Feb/Mar 1999	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	May/Jun 1999	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Aug 1999	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Nov/Dec 1999	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Mar/Apr 2000	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Jul/Aug 2000	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Sep/Oct 2000	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Jan/Feb 2001	MW-22-2	2.9 B	1.000 U	4.1 J	0.010 U
MW-22 Screen 2	Apr 2001	MW-22-2	NA	NA	NA	0.010 U
MW-22 Screen 2	Jul 2001	MW-22-2	NA	NA	2.6 J	NA U
MW-22 Screen 2	Oct 2001	MW-22-2	NA	NA	6.2	0.010 U
MW-22 Screen 2	Jan/Feb 2002	MW-22-2	5.0 U	1.000 U	4.5 J	0.010 U
MW-22 Screen 2	Apr/May 2002	MW-22-2	NA	NA	8.0	0.010 U
MW-22 Screen 2	Jul 2002	MW-22-2	NA	NA	6.0	NA U
MW-22 Screen 2	Oct/Nov 2002	MW-22-2	NA	NA	NA	0.010 U
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	NA	NA	3.5	0.010 U
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	NA	NA	3.2	0.010 U
MW-22 Screen 2	Apr/May 2003	MW-22-2	5.0 U	1.000 U	0.6 UJ	0.010 U
MW-22 Screen 2	Jul/Aug 2003	MW-22-2	NA	NA	2.7 J	0.010 U
MW-22 Screen 2	Jul/Aug 2003	DUPE-5-3Q03	NA	NA	2.5 J	0.010 U
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	NA	NA	0.9 UJ	0.010 U
MW-22 Screen 2	Feb 2004	MW-22-2	NA	NA	4.7	0.010 U
MW-22 Screen 2	Apr/May 2004	MW-22-2	5.0 UJ	0.120 U	7.6	0.010 U
MW-22 Screen 2	Jul/Aug 2004	MW-22-2	NA	NA	9.8 J	0.010 U
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	NA	NA	13.4 J	0.010 U
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	NA	NA	4.6	0.010 U
MW-22 Screen 2	Apr/May 2005	MW-22-2	5.0 U	0.110 J	4.7	0.010 U
MW-22 Screen 2	Jul/Sep 2005	MW-22-2	NA	NA	7.2	0.010 U
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	NA	NA	9.2	0.010 U
MW-22 Screen 2	Mar/Apr 2006	MW-22-2	NA	NA	2.8	0.010 U
MW-22 Screen 2	May/Jun 2006	MW-22-2	1.1 J	1.000 U	1.7 J	0.010 U
MW-22 Screen 2	Aug/Sep 2006	MW-22-2	NA	NA	3.2 U	0.008 J
MW-22 Screen 2	Oct/Dec 2006	MW-22-2	NA	NA	4.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 2	Mar/Apr 2007	MW-22-2	NA	NA	8.5 J	0.010 U
MW-22 Screen 2	Jun/Jul 2007	MW-22-2	1.6	1.000 U	8.4 J	0.010 U
MW-22 Screen 2	Aug/Sep 2007	MW-22-2	NA	NA	13.6	0.010 U
MW-22 Screen 2	Oct/Dec 2007	MW-22-2	NA	NA	9.0	0.010 U
MW-22 Screen 2	Jan/Feb 2008	MW-22-2	NA	NA	8.7 E	0.010 U
MW-22 Screen 2	Apr/May 2008	MW-22-2	1.2	1.000 U	7.6	0.010 U
MW-22 Screen 2	Jul/Aug 2008	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2008	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2008	DUPE-06-4Q08	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2009	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Jul/Aug 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Nov/Dec 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Feb 2010	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Sep/Oct 1997	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jan/Feb 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Apr/May 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jul/Aug 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Oct/Nov 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Feb/Mar 1999	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	May/June 1999	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Nov/Dec 1999	MW-22-3	NA	NA	10.0 U	0.005 U
MW-22 Screen 3	Jul/Aug 2000	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jan/Feb 2001	MW-22-3	2.7 B	1.000 U	5.6	0.010 U
MW-22 Screen 3	Jan/Feb 2002	MW-22-3	1.8 B	1.000 U	4.9 J	0.010 U
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	NA	NA	3.6	0.010 U
MW-22 Screen 3	Apr/May 2003	MW-22-3	5.0 U	1.000 U	0.8 UJ	0.010 U
MW-22 Screen 3	Jul/Aug 2003	MW-22-3	NA	NA	2.9 J	0.010 U
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	NA	NA	3.2 J	0.010 U
MW-22 Screen 3	Feb 2004	MW-22-3	NA	NA	6.6	0.010 U
MW-22 Screen 3	Apr/May 2004	MW-22-3	5.0 UJ	0.120 U	8.5	0.010 U
MW-22 Screen 3	Jul/Aug 2004	MW-22-3	NA	NA	10.0 J	0.010 U
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	NA	NA	13.2 J	0.010 U
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	NA	NA	4.8	0.010 U
MW-22 Screen 3	Apr/May 2005	MW-22-3	5.0 U	0.043 J	5.0	0.010 U
MW-22 Screen 3	Apr/May 2005	DUPE-5-2Q05	5.0 U	0.054 J	5.3	0.010 U
MW-22 Screen 3	Jul/Sep 2005	MW-22-3	NA	NA	8.2	0.010 U
MW-22 Screen 3	Jul/Sep 2005	DUPE-5-3Q05	NA	NA	7.7	0.010 U
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	NA	NA	9.2	0.010 U
MW-22 Screen 3	Mar/Apr 2006	MW-22-3	NA	NA	3.0	0.010 U
MW-22 Screen 3	May/June 2006	MW-22-3	1.0 U	1.000 U	2.0 J	0.010 U
MW-22 Screen 3	Aug/Sep 2006	MW-22-3	NA	NA	3.4 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 3	Oct/Dec 2006	MW-22-3	NA	NA	4.0	0.010 U
MW-22 Screen 3	Mar/Apr 2007	MW-22-3	NA	NA	9.6 J	0.010 U
MW-22 Screen 3	Mar/Apr 2007	DUPE-6-1Q07	NA	NA	8.0 J	0.010 U
MW-22 Screen 3	Jun/Jul 2007	MW-22-3	1.3	1.000 U	9.0 J	0.010 U
MW-22 Screen 3	Aug/Sep 2007	MW-22-3	NA	NA	14.7	0.010 U
MW-22 Screen 3	Oct/Dec 2007	MW-22-3	NA	NA	9.7	0.006 J
MW-22 Screen 3	Jan/Feb 2008	MW-22-3	NA	NA	9.8 E	0.010 U
MW-22 Screen 3	Apr/May 2008	MW-22-3	1.0	1.000 U	8.2	0.010 U
MW-22 Screen 3	Jul/Aug 2008	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Oct/Nov 2008	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Jan/Feb 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2009	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Jul/Aug 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Nov/Dec 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Feb 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Sep/Oct 1997	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jan/Feb 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Apr/May 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jul/Aug 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Oct/Nov 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Feb/Mar 1999	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	May/Jun 1999	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Nov/Dec 1999	MW-22-4	NA	NA	10.0 U	0.005 U
MW-22 Screen 4	Jul/Aug 2000	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jan/Feb 2001	MW-22-4	2.3 B	1.000 U	4.9 J	0.010 U
MW-22 Screen 4	Jan/Feb 2001	DUP	3.1 B	1.000 U	4.3 J	0.010 U
MW-22 Screen 4	Jan/Feb 2002	MW-22-4	1.6 B	1.000 U	4.5 J	0.010 U
MW-22 Screen 4	Apr/May 2003	MW-22-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	NA	NA	3.1 J	0.010 U
MW-22 Screen 4	Apr/May 2004	MW-22-4	3.0 UJ	0.120 U	8.1	0.010 U
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	NA	NA	12.6 J	0.010 U
MW-22 Screen 4	Apr/May 2005	MW-22-4	5.0 U	0.100 J	3.1	0.010 U
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	NA	NA	9.1	0.010 U
MW-22 Screen 4	May/Jun 2006	MW-22-4	1.2 J	1.000 U	2.9 J	0.010 U
MW-22 Screen 4	Oct/Dec 2006	MW-22-4	NA	NA	3.1	0.010 U
MW-22 Screen 4	Jun/Jul 2007	MW-22-4	1.4	1.000 U	9.0 J	0.010 U
MW-22 Screen 4	Oct/Dec 2007	MW-22-4	NA	NA	9.7	0.008 J
MW-22 Screen 4	Apr/May 2008	MW-22-4	1.2	1.000 U	8.2	0.010 U
MW-22 Screen 4	Oct/Nov 2008	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2009	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2009	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2009	DUPE-04-4Q09	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 5	Sep/Oct 1997	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jan/Feb 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Apr/May 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jul/Aug 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Oct/Nov 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Feb/Mar 1999	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	May/Jun 1999	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Nov/Dec 1999	MW-22-5	NA	NA	10.0 U	0.005 U
MW-22 Screen 5	Jul/Aug 2000	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jan/Feb 2001	MW-22-5	3.9 B	1.000 U	1.9 J	0.010 U
MW-22 Screen 5	Jan/Feb 2002	MW-22-5	1.8 B	0.040 J	1.9 J	0.010 U
MW-22 Screen 5	Apr/May 2003	MW-22-5	5.0 U	1.000 U	1.0 UJ	0.010 U
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	NA	NA	0.7 UJ	0.010 U
MW-22 Screen 5	Apr/May 2004	MW-22-5	2.7 UJ	0.017 U	2.6 J	0.004 J
MW-22 Screen 5	Apr/May 2004	DUPE-2-2Q04	5.0 UJ	0.039 U	4.6 J	0.004 J
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	NA	NA	7.0 J	0.010 U
MW-22 Screen 5	Apr/May 2005	MW-22-5	5.0 U	0.067 J	2.0	0.010 U
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	NA	NA	4.0	0.010 U
MW-22 Screen 5	May/Jun 2006	MW-22-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 5	Oct/Dec 2006	MW-22-5	NA	NA	1.0 U	0.010 U
MW-22 Screen 5	Jun/Jul 2007	MW-22-5	1.0 U	1.000 U	2.8	0.010 U
MW-22 Screen 5	Oct/Dec 2007	MW-22-5	NA	NA	3.3	0.010 U
MW-22 Screen 5	Apr/May 2008	MW-22-5	1.0 U	1.000 U	2.7	0.010 U
MW-22 Screen 5	Oct/Nov 2008	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2009	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov/Dec 2009	MW-22-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Sep/Oct 1997	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Jan/Feb 1998	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Jul/Aug 1998	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Oct/Nov 1998	MW-23-1	5.0 U	2.000 U	10.0	0.005 U
MW-23 Screen 1	Feb/Mar 1999	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	May/Jun 1999	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Aug 1999	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Nov/Dec 1999	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Mar/Apr 2000	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Jul/Aug 2000	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Sep/Oct 2000	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Jan/Feb 2001	MW-23-1	5.0 U	1.000 U	6.2	0.010 U
MW-23 Screen 1	Apr 2001	MW-23-1	NA	NA	NA	0.010 U
MW-23 Screen 1	Jul 2001	MW-23-1	NA	NA	3.5 J	NA U
MW-23 Screen 1	Jul 2001	DUP	NA	NA	4.0 J	NA
MW-23 Screen 1	Oct 2001	MW-23-1	NA	NA	6.7	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 1	Jan/Feb 2002	MW-23-1	1.8 B	1.000 U	6.2	0.010 U
MW-23 Screen 1	Apr/May 2002	MW-23-1	NA	NA	7.0	0.010 U
MW-23 Screen 1	Jul 2002	MW-23-1	NA	NA	3.0	NA U
MW-23 Screen 1	Oct/Nov 2002	MW-23-1	NA	NA	NA	0.010 U
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	NA	NA	3.4	0.010 U
MW-23 Screen 1	Apr/May 2003	MW-23-1	5.0 U	1.000 U	4.4	0.010 U
MW-23 Screen 1	Jul/Aug 2003	MW-23-1	NA	NA	4.2 J	0.010 U
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	NA	NA	4.6 J	0.010 U
MW-23 Screen 1	Feb 2004	MW-23-1	NA	NA	8.1	0.010 U
MW-23 Screen 1	Apr/May 2004	MW-23-1	5.0 U	0.024 U	11.9	0.010 U
MW-23 Screen 1	Jul/Aug 2004	MW-23-1	NA	NA	15.2	0.010 U
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	NA	NA	16.4 J	0.010 U
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	NA	NA	6.5	0.010 U
MW-23 Screen 1	Apr/May 2005	MW-23-1	5.0 U	0.041 J	1.3	0.010 U
MW-23 Screen 1	Jul/Sep 2005	MW-23-1	NA	NA	0.9 J	0.010 U
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	NA	NA	11.1	0.010 U
MW-23 Screen 1	Mar/Apr 2006	MW-23-1	NA	NA	1.1	0.010 U
MW-23 Screen 1	May/Jun 2006	MW-23-1	1.0 U	1.000 U	1.5	0.010 U
MW-23 Screen 1	May/Jun 2006	DUPE-6-2Q06	1.0 U	1.000 U	1.2	0.010 U
MW-23 Screen 1	Aug/Sep 2006	MW-23-1	NA	NA	2.4 U	0.020 U
MW-23 Screen 1	Oct/Dec 2006	MW-23-1	NA	NA	2.1	0.010 U
MW-23 Screen 1	Mar/Apr 2007	MW-23-1	NA	NA	2.8	0.010 U
MW-23 Screen 1	Jun/Jul 2007	MW-23-1	1.0 U	1.000 U	3.2 J	0.010 U
MW-23 Screen 1	Aug/Sep 2007	MW-23-1	NA	NA	19.8	0.010 U
MW-23 Screen 1	Oct/Dec 2007	MW-23-1	NA	NA	1.4 E	0.006 J
MW-23 Screen 1	Jan/Feb 2008	MW-23-1	NA	NA	8.2 E	0.010 U
MW-23 Screen 1	Apr/May 2008	MW-23-1	1.0 J	1.000 U	5.4	0.010 U
MW-23 Screen 1	Jul/Aug 2008	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Oct/Nov 2008	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2009	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Jul/Aug 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Nov/Dec 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Feb 2010	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Sep/Oct 1997	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Jan/Feb 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Jul/Aug 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Oct/Nov 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Feb/Mar 1999	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	May/Jun 1999	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Aug 1999	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Nov/Dec 1999	MW-23-2	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 2	Mar/Apr 2000	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Jul/Aug 2000	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Sep/Oct 2000	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Jan/Feb 2001	MW-23-2	2.7 B	1.000 U	5.6	0.010 U
MW-23 Screen 2	Apr 2001	MW-23-2	NA	NA	NA	0.010 U
MW-23 Screen 2	Jul 2001	MW-23-2	NA	NA	4.3 J	NA U
MW-23 Screen 2	Oct 2001	MW-23-2	NA	NA	7.4	0.010 U
MW-23 Screen 2	Oct 2001	DUP	NA	NA	6.3	0.010 U
MW-23 Screen 2	Jan/Feb 2002	MW-23-2	5.0 U	0.140 J	4.7 J	0.010 U
MW-23 Screen 2	Apr/May 2002	MW-23-2	NA	NA	9.0	0.010 U
MW-23 Screen 2	Jul 2002	MW-23-2	NA	NA	7.0	NA U
MW-23 Screen 2	Oct/Nov 2002	MW-23-2	NA	NA	NA	0.010 U
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	NA	NA	3.8	0.010 U
MW-23 Screen 2	Apr/May 2003	MW-23-2	5.0 U	1.000 U	2.9	0.010 U
MW-23 Screen 2	Jul/Aug 2003	MW-23-2	NA	NA	3.9 J	0.010 U
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	NA	NA	3.5 J	0.010 U
MW-23 Screen 2	Feb 2004	MW-23-2	NA	NA	5.9	0.010 U
MW-23 Screen 2	Apr/May 2004	MW-23-2	2.5 U	0.004 J	9.8	0.005 J
MW-23 Screen 2	Jul/Aug 2004	MW-23-2	NA	NA	14.1	0.010 U
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	NA	NA	14.1 J	0.010 U
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	NA	NA	5.0	0.010 U
MW-23 Screen 2	Apr/May 2005	MW-23-2	5.0 U	0.024 J	6.0	0.010 U
MW-23 Screen 2	Jul/Sep 2005	MW-23-2	NA	NA	10.7	0.010 U
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	NA	NA	9.3	0.010 U
MW-23 Screen 2	Mar/Apr 2006	MW-23-2	NA	NA	1.6	0.010 U
MW-23 Screen 2	Mar/Apr 2006	DUPE-5-1Q06	NA	NA	1.7	0.010 U
MW-23 Screen 2	May/June 2006	MW-23-2	1.0 U	1.000 U	2.2	0.010 U
MW-23 Screen 2	Aug/Sep 2006	MW-23-2	NA	NA	2.9 U	0.010 U
MW-23 Screen 2	Aug/Sep 2006	DUPE-2-3Q06	NA	NA	3.0 U	0.010 U
MW-23 Screen 2	Oct/Dec 2006	MW-23-2	NA	NA	2.0 U	0.010 U
MW-23 Screen 2	Mar/Apr 2007	MW-23-2	NA	NA	2.0 J	0.010 U
MW-23 Screen 2	Jun/Jul 2007	MW-23-2	1.0 U	1.000 U	8.4 J	0.010 U
MW-23 Screen 2	Aug/Sep 2007	MW-23-2	NA	NA	14.6	0.010 U
MW-23 Screen 2	Aug/Sep 2007	DUPE-2-3Q07	NA	NA	14.7	0.010 U
MW-23 Screen 2	Oct/Dec 2007	MW-23-2	NA	NA	9.3 E	0.010
MW-23 Screen 2	Jan/Feb 2008	MW-23-2	NA	NA	6.0 E	0.010 U
MW-23 Screen 2	Apr/May 2008	MW-23-2	1.0 J	1.000 U	6.9	0.010 U
MW-23 Screen 2	Apr/May 2008	DUPE-3-2Q08	1.0 J	1.000 U	6.6	0.010 U
MW-23 Screen 2	Jul/Aug 2008	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Oct/Nov 2008	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Jan/Feb 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2009	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 2	Jul/Aug 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Nov/Dec 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Feb 2010	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Sep/Oct 1997	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Jan/Feb 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Jul/Aug 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Oct/Nov 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Feb/Mar 1999	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	May/Jun 1999	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Aug 1999	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Nov/Dec 1999	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Mar/Apr 2000	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Jul/Aug 2000	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Sep/Oct 2000	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Jan/Feb 2001	MW-23-3	3.6 B	1.000 U	5.4	0.010 U
MW-23 Screen 3	Apr 2001	MW-23-3	NA	NA	NA	0.010 U
MW-23 Screen 3	Jul 2001	MW-23-3	NA	NA	4.6 J	NA U
MW-23 Screen 3	Oct 2001	MW-23-3	NA	NA	5.8	0.010 U
MW-23 Screen 3	Jan/Feb 2002	MW-23-3	5.0 U	1.000 U	5.8	0.010 U
MW-23 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	6.2	0.010 U
MW-23 Screen 3	Apr/May 2002	MW-23-3	NA	NA	6.0	0.010 U
MW-23 Screen 3	Jul 2002	MW-23-3	NA	NA	7.0	NA U
MW-23 Screen 3	Oct/Nov 2002	MW-23-3	NA	NA	NA	0.010 U
MW-23 Screen 3	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	NA	NA	3.9	0.010 U
MW-23 Screen 3	Apr/May 2003	MW-23-3	5.0 U	1.000 U	3.7	0.010 U
MW-23 Screen 3	Jul/Aug 2003	MW-23-3	NA	NA	3.5 J	0.010 U
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	NA	NA	4.2 J	0.010 U
MW-23 Screen 3	Feb 2004	MW-23-3	NA	NA	5.2	0.010 U
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	NA	NA	5.0	0.010 U
MW-23 Screen 3	Apr/May 2004	MW-23-3	5.0 U	0.120 U	8.3	0.004 J
MW-23 Screen 3	Jul/Aug 2004	MW-23-3	NA	NA	11.2	0.010 U
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	NA	NA	11.8 J	0.010 U
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	NA	NA	4.8	0.010 U
MW-23 Screen 3	Apr/May 2005	MW-23-3	5.0 U	0.036 J	3.1	0.010 U
MW-23 Screen 3	Jul/Sep 2005	MW-23-3	NA	NA	10.6	0.010 U
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	NA	NA	8.3	0.010 U
MW-23 Screen 3	Mar/Apr 2006	MW-23-3	NA	NA	2.9	0.010 U
MW-23 Screen 3	May/Jun 2006	MW-23-3	1.0	1.000 U	3.1	0.010 U
MW-23 Screen 3	Aug/Sep 2006	MW-23-3	NA	NA	4.9 U	0.010 U
MW-23 Screen 3	Oct/Dec 2006	MW-23-3	NA	NA	4.1	0.010 U
MW-23 Screen 3	Mar/Apr 2007	MW-23-3	NA	NA	3.1 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 3	Jun/Jul 2007	MW-23-3	1.4	1.000 U	9.0 J	0.010 U
MW-23 Screen 3	Aug/Sep 2007	MW-23-3	NA	NA	11.7	0.010 U
MW-23 Screen 3	Oct/Dec 2007	MW-23-3	NA	NA	7.9 E	0.008 J
MW-23 Screen 3	Jan/Feb 2008	MW-23-3	NA	NA	5.9 E	0.004 J
MW-23 Screen 3	Apr/May 2008	MW-23-3	1.3 J	1.000 U	3.3	0.010 U
MW-23 Screen 3	Jul/Aug 2008	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Oct/Nov 2008	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Jan/Feb 2009	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2009	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Jul/Aug 2009	MW-23-3	NA	NA	5.3	0.010 U
MW-23 Screen 3	Nov/Dec 2009	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Feb 2010	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Sep/Oct 1997	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Jan/Feb 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Jul/Aug 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Oct/Nov 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Feb/Mar 1999	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	May/Jun 1999	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Aug 1999	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Nov/Dec 1999	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Mar/Apr 2000	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Jul/Aug 2000	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Sep/Oct 2000	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Jan/Feb 2001	MW-23-4	4.2 B	0.780 J	2.7 J	0.010 U
MW-23 Screen 4	Apr 2001	MW-23-4	NA	NA	NA	0.010 U
MW-23 Screen 4	Jul 2001	MW-23-4	NA	NA	3.8 J	NA U
MW-23 Screen 4	Oct 2001	MW-23-4	NA	NA	5.9	0.010 U
MW-23 Screen 4	Jan/Feb 2002	MW-23-4	5.0 U	1.000 U	3.7 J	0.010 U
MW-23 Screen 4	Apr/May 2002	MW-23-4	NA	NA	5.0	0.010 U
MW-23 Screen 4	Jul 2002	MW-23-4	NA	NA	2.0	NA U
MW-23 Screen 4	Oct/Nov 2002	MW-23-4	NA	NA	NA	0.010 U
MW-23 Screen 4	Jan/Feb 2003	MW-23-4	NA	NA	2.5	0.010 U
MW-23 Screen 4	Apr/May 2003	MW-23-4	5.0 U	1.000 U	2.2	0.010 U
MW-23 Screen 4	Jul/Aug 2003	MW-23-4	NA	NA	2.6 J	0.010 U
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	NA	NA	2.6 J	0.010 U
MW-23 Screen 4	Feb 2004	MW-23-4	NA	NA	3.3	0.010 U
MW-23 Screen 4	Apr/May 2004	MW-23-4	3.3 U	0.005 J	6.7	0.004 J
MW-23 Screen 4	Jul/Aug 2004	MW-23-4	NA	NA	7.9	0.010 U
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	NA	NA	9.9 J	0.010 U
MW-23 Screen 4	Jan/Feb 2005	MW-23-4	NA	NA	2.9	0.010 U
MW-23 Screen 4	Apr/May 2005	MW-23-4	5.0 U	0.019 J	4.2	0.010 U
MW-23 Screen 4	Jul/Sep 2005	MW-23-4	NA	NA	8.4	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	NA	NA	7.2	0.010 U
MW-23 Screen 4	Mar/Apr 2006	MW-23-4	NA	NA	1.9	0.010 U
MW-23 Screen 4	May/June 2006	MW-23-4	1.7	1.000 U	2.3	0.010 U
MW-23 Screen 4	Aug/Sep 2006	MW-23-4	NA	NA	3.0 U	0.010 U
MW-23 Screen 4	Oct/Dec 2006	MW-23-4	NA	NA	3.4	0.010 U
MW-23 Screen 4	Mar/Apr 2007	MW-23-4	NA	NA	2.5 J	0.010 U
MW-23 Screen 4	Jun/Jul 2007	MW-23-4	2.0	1.000 U	8.1 J	0.010 U
MW-23 Screen 4	Aug/Sep 2007	MW-23-4	NA	NA	10.6	0.010 U
MW-23 Screen 4	Oct/Dec 2007	MW-23-4	NA	NA	6.1 E	0.009 J
MW-23 Screen 4	Jan/Feb 2008	MW-23-4	NA	NA	3.2 E	0.010 U
MW-23 Screen 4	Apr/May 2008	MW-23-4	1.9 J	1.000 U	5.2	0.010 U
MW-23 Screen 4	Jul/Aug 2008	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Oct/Nov 2008	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Jan/Feb 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2009	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Jul/Aug 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Nov/Dec 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Feb 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Sep/Oct 1997	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jan/Feb 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jul/Aug 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Oct/Nov 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Feb/Mar 1999	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	May/June 1999	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Nov/Dec 1999	MW-23-5	NA	NA	10.0 U	0.005 U
MW-23 Screen 5	Jul/Aug 2000	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jan/Feb 2001	MW-23-5	6.2	1.000 U	2.9 J	0.010 U
MW-23 Screen 5	Jan/Feb 2002	MW-23-5	3.4 B	0.750 J	2.5 J	0.010 U
MW-23 Screen 5	Apr/May 2003	MW-23-5	3.2 J	0.570 J	1.6	0.010 U
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	NA	NA	1.8 UJ	0.010 U
MW-23 Screen 5	Apr/May 2004	MW-23-5	4.0 U	1.200	7.1	0.004 J
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	NA	NA	9.2 J	0.010 U
MW-23 Screen 5	Apr/May 2005	MW-23-5	5.0 U	0.810 J	3.3	0.010 U
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	NA	NA	5.7	0.010 U
MW-23 Screen 5	May/June 2006	MW-23-5	3.0	1.230	1.0 U	0.010 U
MW-23 Screen 5	Oct/Dec 2006	MW-23-5	NA	NA	1.8	0.010 U
MW-23 Screen 5	Jun/Jul 2007	MW-23-5	5.3	1.290	8.1 J	0.010 U
MW-23 Screen 5	Oct/Dec 2007	MW-23-5	NA	NA	1.0 U	0.010 U
MW-23 Screen 5	Apr/May 2008	MW-23-5	3.9 J	1.000 U	3.7	0.010 U
MW-23 Screen 5	Oct/Nov 2008	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2009	MW-23-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Nov/Dec 2009	MW-23-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 1	Sep/Oct 1997	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Jan/Feb 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Apr/May 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	May/Jun 1999	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Aug 1999	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Nov/Dec 1999	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Mar/Apr 2000	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Jul/Aug 2000	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Sep/Oct 2000	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Jan/Feb 2001	MW-24-1	5.0 U	1.000 U	6.1	0.010 U
MW-24 Screen 1	Apr 2001	MW-24-1	NA	NA	NA	0.010 U
MW-24 Screen 1	Jul 2001	MW-24-1	NA	NA	3.1 J	NA U
MW-24 Screen 1	Oct 2001	MW-24-1	NA	NA	5.7	0.010 U
MW-24 Screen 1	Jan/Feb 2002	MW-24-1	1.7 B	0.390 J	5.2	0.010 U
MW-24 Screen 1	Apr/May 2002	MW-24-1	NA	NA	5.0	0.010 U
MW-24 Screen 1	Jul 2002	MW-24-1	NA	NA	7.0	NA U
MW-24 Screen 1	Oct/Nov 2002	MW-24-1	NA	NA	NA	0.010 U
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	NA	NA	4.9	0.010 U
MW-24 Screen 1	Apr/May 2003	MW-24-1	5.0 U	1.000 U	5.7	0.010 U
MW-24 Screen 1	Jul/Aug 2003	MW-24-1	NA	NA	3.0	0.010 U
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	NA	NA	4.0	0.010 U
MW-24 Screen 1	Feb 2004	MW-24-1	NA	NA	5.8	0.010 U
MW-24 Screen 1	Apr/May 2004	MW-24-1	2.0 U	0.024 J	7.9	0.010 U
MW-24 Screen 1	Jul/Aug 2004	MW-24-1	NA	NA	11.2	0.010 U
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	NA	NA	4.3 J	0.010 U
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	NA	NA	12.0	0.010 U
MW-24 Screen 1	Apr/May 2005	MW-24-1	5.0 U	0.130 J	6.1	0.010 U
MW-24 Screen 1	Jul/Sep 2005	MW-24-1	NA	NA	9.8	0.010 U
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	NA	NA	9.3 J	0.010 U
MW-24 Screen 1	Mar/Apr 2006	MW-24-1	NA	NA	1.5	0.010 U
MW-24 Screen 1	May/Jun 2006	MW-24-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-24 Screen 1	May/Jun 2006	DUPE-8-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2006	MW-24-1	NA	NA	2.0 U	0.010 U
MW-24 Screen 1	Oct/Dec 2006	MW-24-1	NA	NA	2.0 U	0.010 U
MW-24 Screen 1	Mar/Apr 2007	MW-24-1	NA	NA	8.5 J	0.015 J
MW-24 Screen 1	Mar/Apr 2007	DUPE-5-1Q07	NA	NA	7.8 J	0.010 U
MW-24 Screen 1	Jun/Jul 2007	MW-24-1	1.0 U	1.000 U	3.3 J	0.010 U
MW-24 Screen 1	Aug/Sep 2007	MW-24-1	NA	NA	5.1	0.010 U
MW-24 Screen 1	Oct/Dec 2007	MW-24-1	NA	NA	9.1	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 1	Oct/Dec 2007	DUPE-3-4Q07	NA	NA	9.3	0.010 U
MW-24 Screen 1	Jan/Feb 2008	MW-24-1	NA	NA	6.7	0.010 U
MW-24 Screen 1	Jan/Feb 2008	DUPE-5-1Q08	NA	NA	7.4	0.010 U
MW-24 Screen 1	Apr/May 2008	MW-24-1	1.0 U	1.000 U	3.8 J	0.010 U
MW-24 Screen 1	Apr/May 2008	DUPE-4-2Q08	1.0 U	1.000 U	4.7 J	0.010 U
MW-24 Screen 1	Jul/Aug 2008	MW-24-1	NA	NA	11.0	0.010 U
MW-24 Screen 1	Oct/Nov 2008	MW-24-1	NA	NA	8.6	0.010 U
MW-24 Screen 1	Jan/Feb 2009	MW-24-1	NA	NA	8.6	0.010 U
MW-24 Screen 1	Apr/May 2009	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2009	DUPE-02-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Jul/Aug 2009	MW-24-1	NA	NA	8.6	0.010 U
MW-24 Screen 1	Nov/Dec 2009	MW-24-1	NA	NA	13.0	0.010 U
MW-24 Screen 1	Feb 2010	MW-24-1	NA	NA	25.0	NA
MW-24 Screen 1	Feb 2010	DUPE-5-1Q10	NA	NA	13.0	NA
MW-24 Screen 2	Sep/Oct 1997	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Jan/Feb 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Apr/May 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Oct/Nov 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Feb/Mar 1999	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	May/Jun 1999	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Aug 1999	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Nov/Dec 1999	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Mar/Apr 2000	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Jul/Aug 2000	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Sep/Oct 2000	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Jan/Feb 2001	MW-24-2	5.0 U	1.000 U	3.3 J	0.010 U
MW-24 Screen 2	Apr 2001	MW-24-2	NA	NA	NA	0.010 U
MW-24 Screen 2	Jul 2001	MW-24-2	NA	NA	4.0 J	NA U
MW-24 Screen 2	Oct 2001	MW-24-2	NA	NA	4.7	0.010 U
MW-24 Screen 2	Jan/Feb 2002	MW-24-2	2.2 B	1.000 U	3.7 J	0.010 U
MW-24 Screen 2	Apr/May 2002	MW-24-2	NA	NA	2.0	0.010 U
MW-24 Screen 2	Jul 2002	MW-24-2	NA	NA	6.0	NA U
MW-24 Screen 2	Oct/Nov 2002	MW-24-2	NA	NA	NA	0.010 U
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	2.0	0.048 J	2.4	0.000 U
MW-24 Screen 2	Apr/May 2003	MW-24-2	5.0 U	1.000 U	2.2	0.010 U
MW-24 Screen 2	Apr/May 2003	DUPE-4-2Q03	5.0 U	1.000 U	2.0	0.010 U
MW-24 Screen 2	Jul/Aug 2003	MW-24-2	NA	NA	2.0	0.010 U
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	NA	NA	2.7 U	0.010 U
MW-24 Screen 2	Feb 2004	MW-24-2	NA	NA	2.3	0.010 U
MW-24 Screen 2	Apr/May 2004	MW-24-2	3.5 U	0.120 U	6.2	0.010 U
MW-24 Screen 2	Jul/Aug 2004	MW-24-2	NA	NA	9.2	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	NA	NA	7.9 J	0.010 U
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	NA	NA	8.8	0.010 U
MW-24 Screen 2	Apr/May 2005	MW-24-2	5.0 U	0.028 J	4.7	0.010 U
MW-24 Screen 2	Jul/Sep 2005	MW-24-2	NA	NA	7.9	0.010 U
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	NA	NA	9.2 J	0.010 U
MW-24 Screen 2	Mar/Apr 2006	MW-24-2	NA	NA	2.9	0.010 U
MW-24 Screen 2	Mar/Apr 2006	DUPE-2-1Q06	NA	NA	3.0	0.010 U
MW-24 Screen 2	May/Jun 2006	MW-24-2	2.3	1.000 U	1.8 J	0.010 U
MW-24 Screen 2	Aug/Sep 2006	MW-24-2	NA	NA	4.1 U	0.010 U
MW-24 Screen 2	Oct/Dec 2006	MW-24-2	NA	NA	2.6	0.010 U
MW-24 Screen 2	Mar/Apr 2007	MW-24-2	NA	NA	8.0 J	0.010 U
MW-24 Screen 2	Jun/Jul 2007	MW-24-2	2.3	1.000 U	3.4 J	0.010 U
MW-24 Screen 2	Aug/Sep 2007	MW-24-2	NA	NA	13.1	0.010 U
MW-24 Screen 2	Oct/Dec 2007	MW-24-2	NA	NA	7.8	0.010 U
MW-24 Screen 2	Jan/Feb 2008	MW-24-2	NA	NA	5.9	0.010 U
MW-24 Screen 2	Jan/Feb 2008	DUPE-4-1Q08	NA	NA	5.6	0.010 U
MW-24 Screen 2	Apr/May 2008	MW-24-2	2.1	1.000 U	2.3 J	0.010 U
MW-24 Screen 2	Jul/Aug 2008	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Oct/Nov 2008	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jan/Feb 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2009	MW-24-2	2.4	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Nov/Dec 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Feb 2010	MW-24-2	NA	NA	5.0 U	NA
MW-24 Screen 3	Sep/Oct 1997	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Jan/Feb 1998	MW-24-3	6.0	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Apr/May 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Oct/Nov 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Feb/Mar 1999	MW-24-3	6.0	2.000 U	13.0	0.005 U
MW-24 Screen 3	May/Jun 1999	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Aug 1999	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Nov/Dec 1999	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Mar/Apr 2000	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Jul/Aug 2000	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Sep/Oct 2000	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Jan/Feb 2001	MW-24-3	5.0 U	1.000 U	3.9 J	0.010 U
MW-24 Screen 3	Apr 2001	MW-24-3	NA	NA	NA	0.010 U
MW-24 Screen 3	Jul 2001	MW-24-3	NA	NA	5.2	NA U
MW-24 Screen 3	Jul 2001	DUP	NA	NA	4.5 J	NA U
MW-24 Screen 3	Oct 2001	MW-24-3	NA	NA	6.9	0.010 U
MW-24 Screen 3	Jan/Feb 2002	MW-24-3	4.3 B	0.130 J	5.9	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 3	Apr/May 2002	MW-24-3	NA	NA	5.0	0.010 U
MW-24 Screen 3	Jul 2002	MW-24-3	NA	NA	5.0	NA U
MW-24 Screen 3	Oct/Nov 2002	MW-24-3	NA	NA	NA	0.010 U
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	NA	NA	2.5	0.010 U
MW-24 Screen 3	Apr/May 2003	MW-24-3	4.4 J	1.000 U	2.2	0.010 U
MW-24 Screen 3	Jul/Aug 2003	MW-24-3	NA	NA	1.3 U	0.010 U
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	NA	NA	1.7 U	0.010 U
MW-24 Screen 3	Feb 2004	MW-24-3	NA	NA	3.6	0.010 U
MW-24 Screen 3	Apr/May 2004	MW-24-3	4.3 U	0.012 J	5.1	0.010 U
MW-24 Screen 3	Jul/Aug 2004	MW-24-3	NA	NA	7.3	0.010 U
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	NA	NA	7.2 J	0.010 U
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	NA	NA	8.2	0.010 U
MW-24 Screen 3	Apr/May 2005	MW-24-3	5.0 U	0.046 J	3.6	0.010 U
MW-24 Screen 3	Jul/Sep 2005	MW-24-3	NA	NA	6.4	0.010 U
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	NA	NA	7.7 J	0.010 U
MW-24 Screen 3	Mar/Apr 2006	MW-24-3	NA	NA	1.0	0.010 U
MW-24 Screen 3	May/Jun 2006	MW-24-3	2.6	1.000 U	1.2 J	0.010 U
MW-24 Screen 3	Aug/Sep 2006	MW-24-3	NA	NA	4.3 U	0.010 U
MW-24 Screen 3	Oct/Dec 2006	MW-24-3	NA	NA	2.0 U	0.010 U
MW-24 Screen 3	Mar/Apr 2007	MW-24-3	NA	NA	6.9 J	0.010 U
MW-24 Screen 3	Jun/Jul 2007	MW-24-3	2.8	1.000 U	5.9 J	0.010 U
MW-24 Screen 3	Aug/Sep 2007	MW-24-3	NA	NA	11.0	0.010 U
MW-24 Screen 3	Oct/Dec 2007	MW-24-3	NA	NA	6.1	0.010 U
MW-24 Screen 3	Jan/Feb 2008	MW-24-3	NA	NA	4.5	0.010 U
MW-24 Screen 3	Apr/May 2008	MW-24-3	2.8	3.620 J	14.5	0.010 U
MW-24 Screen 3	Jul/Aug 2008	MW-24-3	NA	NA	5.9	0.010 U
MW-24 Screen 3	Oct/Nov 2008	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Oct/Nov 2008	DUPE-08-4Q08	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Jan/Feb 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2009	MW-24-3	3.0	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2009	DUPE-01-2Q09	3.5	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Jul/Aug 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Feb 2010	MW-24-3	NA	NA	5.0 U	NA
MW-24 Screen 4	Sep/Oct 1997	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Jan/Feb 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Apr/May 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Oct/Nov 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Feb/Mar 1999	MW-24-4	5.0 U	3.100	10.0 U	0.005 U
MW-24 Screen 4	May/Jun 1999	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Aug 1999	MW-24-4	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 4	Nov/Dec 1999	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Mar/Apr 2000	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Jul/Aug 2000	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Sep/Oct 2000	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Jan/Feb 2001	MW-24-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-24 Screen 4	Apr 2001	MW-24-4	NA	NA	NA	0.010 U
MW-24 Screen 4	Jul 2001	MW-24-4	NA	NA	4.0 J	NA U
MW-24 Screen 4	Oct 2001	MW-24-4	NA	NA	5.2	0.010 U
MW-24 Screen 4	Jan/Feb 2002	MW-24-4	1.9 B	1.000 U	2.4 J	0.010 U
MW-24 Screen 4	Jan/Feb 2002	DUP	NA	1.000 U	2.0 J	NA
MW-24 Screen 4	Apr/May 2002	MW-24-4	NA	NA	1.0 U	0.010 U
MW-24 Screen 4	Jul 2002	MW-24-4	NA	NA	3.0	NA U
MW-24 Screen 4	Oct/Nov 2002	MW-24-4	NA	NA	NA	0.010 U
MW-24 Screen 4	Jan/Feb 2003	MW-24-4	NA	NA	1.5	0.010 U
MW-24 Screen 4	Apr/May 2003	MW-24-4	5.0 U	1.000 U	0.3 J	0.010 U
MW-24 Screen 4	Jul/Aug 2003	MW-24-4	NA	NA	0.7 UJ	0.010 U
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	NA	NA	1.2 U	0.010 U
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	NA	NA	1.1 U	0.010 U
MW-24 Screen 4	Feb 2004	MW-24-4	NA	NA	1.5	0.010 U
MW-24 Screen 4	Apr/May 2004	MW-24-4	2.2 U	0.120 U	4.3	0.010 U
MW-24 Screen 4	Jul/Aug 2004	MW-24-4	NA	NA	6.2	0.010 U
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	NA	NA	4.9 J	0.010 U
MW-24 Screen 4	Jan/Feb 2005	MW-24-4	NA	NA	7.3	0.010 U
MW-24 Screen 4	Apr/May 2005	MW-24-4	5.0 U	0.077 J	2.6	0.010 U
MW-24 Screen 4	Jul/Sep 2005	MW-24-4	NA	NA	5.0	0.010 U
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	NA	NA	5.3 J	0.010 U
MW-24 Screen 4	Mar/Apr 2006	MW-24-4	NA	NA	1.0 U	0.010 U
MW-24 Screen 4	May/June 2006	MW-24-4	2.3	1.000 U	1.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2006	MW-24-4	NA	NA	3.3 U	0.010 U
MW-24 Screen 4	Oct/Dec 2006	MW-24-4	NA	NA	2.6 U	0.010 U
MW-24 Screen 4	Mar/Apr 2007	MW-24-4	NA	NA	4.9 J	0.006 J
MW-24 Screen 4	Jun/Jul 2007	MW-24-4	1.5	1.000 U	1.3 J	0.010 U
MW-24 Screen 4	Aug/Sep 2007	MW-24-4	NA	NA	8.7	0.010 U
MW-24 Screen 4	Oct/Dec 2007	MW-24-4	NA	NA	4.1	0.010 U
MW-24 Screen 4	Jan/Feb 2008	MW-24-4	NA	NA	3.2	0.010 U
MW-24 Screen 4	Apr/May 2008	MW-24-4	1.4	1.000 U	1.6 J	0.007 J
MW-24 Screen 4	Jul/Aug 2008	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Oct/Nov 2008	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Jan/Feb 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2009	MW-24-4	3.3	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Jul/Aug 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Nov/Dec 2009	MW-24-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 4	Feb 2010	MW-24-4	NA	NA	5.0 U	NA
MW-24 Screen 5	Sep/Oct 1997	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jan/Feb 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Apr/May 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jul/Aug 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Oct/Nov 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Feb/Mar 1999	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	May/Jun 1999	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Nov/Dec 1999	MW-24-5	NA	NA	10.0 U	0.005 U
MW-24 Screen 5	Jul/Aug 2000	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jan/Feb 2001	MW-24-5	5.0 U	1.000 U	5.2	0.010 U
MW-24 Screen 5	Jan/Feb 2002	MW-24-5	3.2 B	1.000 U	5.0	0.010 U
MW-24 Screen 5	Jan/Feb 2002	DUP	3.9 B	1.000 U	4.7 J	0.010 U
MW-24 Screen 5	Apr/May 2003	MW-24-5	2.7 J	1.000 U	4.1	0.010 U
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	NA	NA	3.7	0.010 U
MW-24 Screen 5	Apr/May 2004	MW-24-5	3.8 U	0.120 U	7.6	0.010 U
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	NA	NA	9.7 J	0.010 U
MW-24 Screen 5	Apr/May 2005	MW-24-5	5.0 U	0.077 J	5.6	0.010 U
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	NA	NA	9.8 J	0.010 U
MW-24 Screen 5	May/Jun 2006	MW-24-5	2.5	1.000 U	2.7 J	0.010 U
MW-24 Screen 5	Oct/Dec 2006	MW-24-5	NA	NA	3.3	0.010 U
MW-24 Screen 5	Jun/Jul 2007	MW-24-5	2.4	1.000 U	3.9 J	0.010 U
MW-24 Screen 5	Oct/Dec 2007	MW-24-5	NA	NA	8.6	0.010 U
MW-24 Screen 5	Apr/May 2008	MW-24-5	2.4	1.000 U	3.4 J	0.010 U
MW-24 Screen 5	Oct/Nov 2008	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2009	MW-24-5	3.2	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov/Dec 2009	MW-24-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	5.0 U	0.045 J	4.4	0.010 U
MW-25 Screen 1	Apr/May 2005	MW-25-1	5.0 U	0.097 J	4.2	0.010 U
MW-25 Screen 1	Jul/Sep 2005	MW-25-1	NA	NA	6.9	0.010 U
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	NA	NA	9.7	0.010 U
MW-25 Screen 1	Mar/Apr 2006	MW-25-1	NA	NA	2.3 J	0.010 U
MW-25 Screen 1	May/Jun 2006	MW-25-1	1.0 U	1.000 U	1.4 J	0.010 U
MW-25 Screen 1	Aug/Sep 2006	MW-25-1	NA	NA	2.7 U	0.010 U
MW-25 Screen 1	Oct/Dec 2006	MW-25-1	NA	NA	2.4 U	0.010 U
MW-25 Screen 1	Oct/Dec 2006	DUPE-6-4Q06	NA	NA	2.9 U	0.010 U
MW-25 Screen 1	Mar/Apr 2007	MW-25-1	NA	NA	1.8	0.010 U
MW-25 Screen 1	Jun/Jul 2007	MW-25-1	1.0 U	1.000 U	1.7	0.010 U
MW-25 Screen 1	Jun/Jul 2007	DUPE-6-2Q07	1.0 U	1.000 U	1.7	0.010 U
MW-25 Screen 1	Aug/Sep 2007	MW-25-1	NA	NA	2.0 U	0.010 U
MW-25 Screen 1	Oct/Dec 2007	MW-25-1	NA	NA	7.6 E	0.010 U
MW-25 Screen 1	Jan/Feb 2008	MW-25-1	NA	NA	9.1 E	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 1	Jan/Feb 2008	DUPE-3-1Q08	NA	NA	8.5 E	0.010 U
MW-25 Screen 1	Apr/May 2008	MW-25-1	1.0 U	1.000 U	4.8	0.010 U
MW-25 Screen 1	Jul/Aug 2008	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Oct/Nov 2008	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2009	DUPE-02-1Q09	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2009	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Jul/Aug 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Nov/Dec 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Feb 2010	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	5.0 U	0.090 J	1.0	0.010 U
MW-25 Screen 2	Apr/May 2005	MW-25-2	5.0 U	0.060 J	3.2	0.010 U
MW-25 Screen 2	Apr/May 2005	DUPE-6-2Q05	5.0 U	0.053 J	3.5	0.010 U
MW-25 Screen 2	Jul/Sep 2005	MW-25-2	NA	NA	5.2	0.010 U
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	NA	NA	6.3	0.010 U
MW-25 Screen 2	Mar/Apr 2006	MW-25-2	NA	NA	2.3 J	0.010 U
MW-25 Screen 2	May/June 2006	MW-25-2	1.2 J	1.000 U	2.3 J	0.010 U
MW-25 Screen 2	Aug/Sep 2006	MW-25-2	NA	NA	3.4 U	0.010 U
MW-25 Screen 2	Oct/Dec 2006	MW-25-2	NA	NA	3.7 U	0.010 U
MW-25 Screen 2	Mar/Apr 2007	MW-25-2	NA	NA	8.7 J	0.010 U
MW-25 Screen 2	Jun/Jul 2007	MW-25-2	1.6	1.000 U	5.4	0.010 U
MW-25 Screen 2	Aug/Sep 2007	MW-25-2	NA	NA	12.2 E	0.010 U
MW-25 Screen 2	Oct/Dec 2007	MW-25-2	NA	NA	10.1 E	0.010 U
MW-25 Screen 2	Jan/Feb 2008	MW-25-2	NA	NA	10.3 E	0.010 U
MW-25 Screen 2	Apr/May 2008	MW-25-2	1.2	1.000 U	6.5	0.010 U
MW-25 Screen 2	Jul/Aug 2008	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Oct/Nov 2008	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Jan/Feb 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2009	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Jul/Aug 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Nov/Dec 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Feb 2010	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	5.0 U	0.012 J	5.2	0.010 U
MW-25 Screen 3	Apr/May 2005	MW-25-3	5.0 U	0.057 J	6.5	0.010 U
MW-25 Screen 3	Jul/Sep 2005	MW-25-3	NA	NA	8.5	0.010 U
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	NA	NA	10.2	0.010 U
MW-25 Screen 3	Mar/Apr 2006	MW-25-3	NA	NA	3.9 J	0.020
MW-25 Screen 3	May/June 2006	MW-25-3	1.6 J	1.000 U	3.7 J	0.010 U
MW-25 Screen 3	Aug/Sep 2006	MW-25-3	NA	NA	4.5 U	0.010 U
MW-25 Screen 3	Oct/Dec 2006	MW-25-3	NA	NA	3.2	0.010 U
MW-25 Screen 3	Mar/Apr 2007	MW-25-3	NA	NA	9.6 J	0.010 U
MW-25 Screen 3	Jun/Jul 2007	MW-25-3	1.4	1.000 U	5.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 3	Aug/Sep 2007	MW-25-3	NA	NA	13.1 E	0.010 U
MW-25 Screen 3	Oct/Dec 2007	MW-25-3	NA	NA	11.0 E	0.010 U
MW-25 Screen 3	Jan/Feb 2008	MW-25-3	NA	NA	10.5 E	0.010 U
MW-25 Screen 3	Apr/May 2008	MW-25-3	1.4	1.000 U	7.4	0.010 U
MW-25 Screen 3	Jul/Aug 2008	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Oct/Nov 2008	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Jan/Feb 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2009	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2009	DUPE-04-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Jul/Aug 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Nov/Dec 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Feb 2010	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	5.0 U	0.026 J	5.3	0.010 U
MW-25 Screen 4	Apr/May 2005	MW-25-4	5.0 U	0.073 J	6.6	0.010 U
MW-25 Screen 4	Jul/Sep 2005	MW-25-4	NA	NA	9.1	0.010 U
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	NA	NA	10.4	0.010 U
MW-25 Screen 4	Mar/Apr 2006	MW-25-4	NA	NA	2.3 J	0.010 U
MW-25 Screen 4	May/June 2006	MW-25-4	1.4 J	1.000 U	2.2 J	0.010 U
MW-25 Screen 4	Aug/Sep 2006	MW-25-4	NA	NA	3.1 U	0.010 U
MW-25 Screen 4	Oct/Dec 2006	MW-25-4	NA	NA	2.8 E	0.010 U
MW-25 Screen 4	Mar/Apr 2007	MW-25-4	NA	NA	9.5 J	0.010 U
MW-25 Screen 4	Jun/Jul 2007	MW-25-4	1.6	1.000 U	3.8	0.010 U
MW-25 Screen 4	Aug/Sep 2007	MW-25-4	NA	NA	12.9 E	0.010 U
MW-25 Screen 4	Oct/Dec 2007	MW-25-4	NA	NA	11.6 E	0.010 U
MW-25 Screen 4	Jan/Feb 2008	MW-25-4	NA	NA	11.1 E	0.010 U
MW-25 Screen 4	Apr/May 2008	MW-25-4	1.4	1.000 U	6.4	0.010 U
MW-25 Screen 4	Jul/Aug 2008	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Oct/Nov 2008	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Jan/Feb 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2009	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Jul/Aug 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2009	DUPE-07-4Q09	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Feb 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	5.0 U	0.120 U	2.2	0.010 U
MW-25 Screen 5	Apr/May 2005	MW-25-5	5.0 U	0.020 J	3.3	0.010 U
MW-25 Screen 5	Jul/Sep 2005	MW-25-5	NA	NA	6.4	0.010 U
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	NA	NA	7.3	0.010 U
MW-25 Screen 5	Mar/Apr 2006	MW-25-5	NA	NA	1.0 U	0.010 U
MW-25 Screen 5	May/June 2006	MW-25-5	2.3 J	1.000 U	1.0 U	0.010 U
MW-25 Screen 5	Aug/Sep 2006	MW-25-5	NA	NA	2.7 U	0.010 U
MW-25 Screen 5	Oct/Dec 2006	MW-25-5	NA	NA	1.7 E	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 5	Mar/Apr 2007	MW-25-5	NA	NA	3.6 J	0.010 U
MW-25 Screen 5	Jun/Jul 2007	MW-25-5	4.4	1.000 U	1.6	0.010 U
MW-25 Screen 5	Aug/Sep 2007	MW-25-5	NA	NA	5.4 E	0.010 U
MW-25 Screen 5	Oct/Dec 2007	MW-25-5	NA	NA	3.8 E	0.010 U
MW-25 Screen 5	Jan/Feb 2008	MW-25-5	NA	NA	4.7 E	0.010 U
MW-25 Screen 5	Apr/May 2008	MW-25-5	3.1	1.000 U	2.3	0.010 U
MW-25 Screen 5	Jul/Aug 2008	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Oct/Nov 2008	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Jan/Feb 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2009	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Jul/Aug 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Nov/Dec 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Feb 2010	MW-25-5	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2005	MW-26-1	3.6 J	0.023 J	7.1	0.010 U
MW-26 Screen 1	Jul/Sep 2005	MW-26-1	NA	NA	13.2	0.010 U
MW-26 Screen 1	Jul/Sep 2005	DUPE-6-3Q05	NA	NA	15.0	0.010 U
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	NA	NA	12.0	0.010 U
MW-26 Screen 1	Mar/Apr 2006	MW-26-1	NA	NA	1.0 U	0.010 U
MW-26 Screen 1	May/June 2006	MW-26-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2006	MW-26-1	NA	NA	2.0 U	0.010 U
MW-26 Screen 1	Oct/Dec 2006	MW-26-1	NA	NA	3.3	0.010 U
MW-26 Screen 1	Mar/Apr 2007	MW-26-1	NA	NA	9.7	0.010 U
MW-26 Screen 1	Jun/Jul 2007	MW-26-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2007	MW-26-1	NA	NA	14.3 E	0.010 U
MW-26 Screen 1	Oct/Dec 2007	MW-26-1	NA	NA	10.4	0.010 U
MW-26 Screen 1	Jan/Feb 2008	MW-26-1	NA	NA	14.2 E	0.010 U
MW-26 Screen 1	Apr/May 2008	MW-26-1	1.0 U	1.000 U	5.4	0.010 U
MW-26 Screen 1	Jul/Aug 2008	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Oct/Nov 2008	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Jan/Feb 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2009	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Jul/Aug 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Nov/Dec 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Feb 2010	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2005	MW-26-2	1.3 J	1.000 U	11.1	0.010 U
MW-26 Screen 2	Jul/Sep 2005	MW-26-2	NA	NA	12.7	0.010 U
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	NA	NA	12.8	0.010 U
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	NA	NA	11.9	0.010 U
MW-26 Screen 2	Mar/Apr 2006	MW-26-2	NA	NA	2.9 J	0.010 U
MW-26 Screen 2	May/June 2006	MW-26-2	1.8	1.000 U	1.7 J	0.010 U
MW-26 Screen 2	Aug/Sep 2006	MW-26-2	NA	NA	3.7 U	0.010 U
MW-26 Screen 2	Oct/Dec 2006	MW-26-2	NA	NA	4.6	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-26 Screen 2	Mar/Apr 2007	MW-26-2	NA	NA	10.0	0.010 U
MW-26 Screen 2	Jun/Jul 2007	MW-26-2	1.9	1.000 U	2.1	0.010 U
MW-26 Screen 2	Aug/Sep 2007	MW-26-2	NA	NA	14.4 E	0.010 U
MW-26 Screen 2	Oct/Dec 2007	MW-26-2	NA	NA	10.2	0.010 U
MW-26 Screen 2	Jan/Feb 2008	MW-26-2	NA	NA	12.9 E	0.010 U
MW-26 Screen 2	Apr/May 2008	MW-26-2	3.4	1.000 U	9.9	0.010 U
MW-26 Screen 2	Jul/Aug 2008	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Oct/Nov 2008	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Jan/Feb 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2009	MW-26-2	3.0	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Jul/Aug 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Nov/Dec 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Feb 2010	MW-26-2	NA	NA	5.0 U	0.010 U
California Maximum Contaminant Level (MCL)			10	15 *	50	0.05 **
EPA Region IX Maximum Contaminant Level			50	15 *	100	NE

Notes

DUPE

Field Duplicate

NA

Not analyzed

NE

Not established

E

The reported value is estimated because of the presence of interference. The serial dilution was not within control limits.

J

Indicates an estimated value

U

Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.

UJ

Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.

*

Interim Action Level - California Department of Health Services

**

As of January 6, 2004, hexavalent chromium is regulated under the 50-µg/L MCL for total chromium.

DHS will be adopting an MCL that is specific for hexavalent chromium (DHS, 2004).

As of February 24, 2009, a draft PHG has not been established by Cal/EPA (e.g., Health and Safety Code requirement to establish the MCL), and therefore, the CDPH (formerly DHS) has not proceeded with the MCL process.

TABLE 3A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE REPORTED IN
MUNICIPAL PRODUCTION WELLS NEAR JPL DURING THE LONG-TERM QUARTERLY
GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO.	WELL 03	5/13/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	0.5 U	6.1
		6/17/96	NA	0.6	0.6	10.0
		8/05/96	NA	0.5 U	0.5 U	0.5 U
		9/03/96	NA	0.9	0.9	6.2
		10/07/96	NA	1.2	1.4	9.1
		11/04/96	NA	1.1	2.9	17.5
		12/02/96	NA	0.7	0.7	16.8
		1/13/97	NA	0.5	0.5	15.9
		5/05/97	NA	0.5 U	0.5 U	0.5 U
		6/02/97	7.0	0.6	0.7	9.6
		7/07/97	NA	0.5 U	0.7	10.5
		7/17/97	10.0	NA	NA	NA
		8/04/97	NA	1.5	1.1	12.7
		8/15/97	9.0	NA	NA	NA
		9/02/97	NA	0.9	1.1	15.2
		9/15/97	11.1	NA	NA	NA
		9/16/97	13.0	NA	NA	NA
		9/22/97	9.5	NA	NA	NA
		9/29/97	11.6	NA	NA	NA
		10/06/97	11.5	0.9	1.1	13.2
		10/13/97	10.6	NA	NA	NA
		10/20/97	12.4	NA	NA	NA
		11/03/97	11.1	0.5	1.1	13.1
		11/10/97	10.9	NA	NA	NA
		11/17/97	16.0	NA	NA	NA
		11/24/97	12.5	NA	NA	NA
		12/01/97	9.2	0.6	0.9	12.4
		12/08/97	10.5	NA	NA	NA
		12/15/97	9.6	NA	NA	NA
		12/22/97	11.6	NA	NA	NA
		1/05/98	11.9	0.8	0.5	8.8
		1/12/98	12.9	NA	NA	NA
		2/02/98	NA	0.9	0.8	11.2
4/07/98	NA	NA	NA	0.9		
5/04/98	NA	0.5 U	0.5 U	0.5 U		
6/01/98	NA	0.5 U	0.5 U	0.5 U		
12/14/98	NA	0.5 U	0.5 U	0.5 U		
1/04/99	NA	0.5 U	0.5 U	1.0		
1/11/99	6.5	NA	NA	NA		
2/01/99	NA	0.5 U	0.5	3.7		
4/10/99	0.0 U	NA	NA	NA		
6/01/99	NA	0.5 U	0.5 U	0.8		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	7/06/99	5.0 U	0.5 U	0.5 U	5.5
		7/12/99	4.6	NA	NA	NA
		7/22/99	3.1	NA	NA	NA
		7/29/99	4.0	NA	NA	NA
		8/02/99	3.5	0.5 U	1.5	4.4
		8/09/99	3.4	NA	NA	NA
		8/16/99	3.2	NA	NA	NA
		8/30/99	2.5	NA	NA	NA
		9/07/99	4.8	0.5	0.5	6.1
		9/13/99	3.7	NA	NA	NA
		9/27/99	0.0 U	NA	NA	NA
		10/04/99	NA	0.7	0.8	8.4
		11/01/99	NA	0.7	0.7	7.5
		3/13/00	NA	0.5 U	0.5 U	0.5 U
		5/08/00	NA	0.5 U	0.5 U	0.5 U
		7/03/00	NA	0.5 U	0.5 U	0.5 U
		8/07/00	NA	0.5	0.7	5.6
		9/05/00	NA	0.5 U	0.5 U	6.0
		3/12/01	NA	0.5 U	0.5 U	0.7
		4/02/01	NA	0.5 U	0.5 U	3.1
		5/23/01	0.0 U	0.5 U	0.5 U	0.5 U
		6/04/01	NA	0.5 U	0.5 U	0.5 U
		7/02/01	NA	0.5 U	0.5 U	3.2
		8/06/01	NA	0.5 U	0.5 U	3.7
		9/04/01	NA	0.5 U	0.6	5.4
		12/10/01	0.0 U	NA	NA	NA
		5/05/02	4.0 U	0.5 U	0.5 U	0.5 U
		7/08/02	NA	0.5 U	0.5 U	0.5 U
		8/05/02	NA	0.5 U	0.5 U	2.7
		9/03/02	NA	0.5 U	0.5 U	2.1
		10/07/02	NA	0.5 U	0.5 U	3.6
		5/14/03	NA	0.5 U	0.5 U	0.5 U
		5/27/03	NA	0.5 U	0.5 U	0.5 U
		6/03/03	NA	0.5 U	0.5 U	2.6
		7/08/03	NA	0.5 U	0.5 U	4.0
		8/05/03	NA	1.0	0.5 U	1.9
		9/02/03	NA	1.3	0.5 U	2.9
		10/07/03	NA	1.8	0.5 U	3.3
		11/04/03	NA	1.8	0.5 U	1.6
		5/18/04	10.0	1.0	0.5 U	1.9
		5/25/04	14.0	NA	NA	NA
6/01/04	10.0	NA	NA	NA		
6/08/04	10.0	NA	NA	NA		
6/15/04	11.0	0.9	0.5 U	1.8		
6/29/04	8.9	NA	NA	NA		
7/06/04	8.4	NA	NA	NA		
7/15/04	8.9	0.9	0.5 U	1.8		
7/27/04	11.0	NA	NA	NA		
8/03/04	7.3	1.7	0.5 U	2.0		
9/07/04	17.0	2.7	0.5 U	2.9		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (cont)	WELL 03 (cont)	10/05/04	28.0	2.4	0.5 U	2.7
		10/26/04	31.0	NA	NA	NA
		11/02/04	31.0	4.0	0.6	4.0
		11/09/04	33.0	NA	NA	NA
		11/16/04	35.0	NA	NA	NA
		11/23/04	32.0	NA	NA	NA
		11/30/04	35.0	NA	NA	NA
		12/07/04	28.0	2.8	0.5	3.4
		12/14/04	31.0	NA	NA	NA
		12/21/04	28.0	NA	NA	NA
		12/28/04	29.0	NA	NA	NA
		1/04/05	30.0	2.8	0.6	3.8
		1/11/05	31.0	NA	NA	NA
		1/18/05	28.0	NA	NA	NA
		1/25/05	30.0	NA	NA	NA
		2/08/05	24.0	NA	NA	NA
		2/15/05	22.0	NA	NA	NA
		2/22/05	32.0	NA	NA	NA
		3/01/05	22.0	2.9	0.6	3.9
		3/08/05	29.0	NA	NA	NA
		3/15/05	21.0	NA	NA	NA
		3/22/05	22.0	NA	NA	NA
		3/29/05	23.0	NA	NA	NA
		4/05/05	25.0	3.0	0.6	2.9
		4/12/05	24.0	NA	NA	NA
		4/19/05	25.0	NA	NA	NA
		4/26/05	24.0	NA	NA	NA
		5/03/05	NA	2.0	0.5 U	2.3
		5/10/05	46.0	3.2	0.6	3.1
		5/17/05	27.0	NA	NA	NA
		5/24/05	24.0	NA	NA	NA
		5/31/05	25.0	NA	NA	NA
		6/07/05	24.0	2.9	0.6	3.2
		6/14/05	23.0	NA	NA	NA
		6/21/05	27.0	NA	NA	NA
		6/28/05	25.0	NA	NA	NA
		7/05/05	26.0	3.1	0.6	3.1
		7/12/05	29.0	NA	NA	NA
		7/19/05	26.0	NA	NA	NA
		7/26/05	27.0	NA	NA	NA
8/02/05	25.0	3.2	0.6	3.2		
8/09/05	47.0	NA	NA	NA		
9/13/05	23.0	2.9	0.6	2.9		
9/20/05	25.0	NA	NA	NA		
9/27/05	26.0	2.1	0.5 U	2.6		
10/04/05	33.0	3.0	0.6	3.2		
10/11/05	28.0	NA	NA	NA		
10/18/05	38.0	NA	NA	NA		
10/25/05	27.0	NA	NA	NA		
11/01/05	27.0	3.0	0.6	3.4		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	11/08/05	25.0	NA	NA	NA
		11/17/05	24.0	NA	NA	NA
		11/22/05	24.0	NA	NA	NA
		11/29/05	27.0	NA	NA	NA
		12/06/05	25.0	3.3	0.7	3.5
		12/13/05	28.0	NA	NA	NA
		12/20/05	24.0	NA	NA	NA
		12/27/05	29.0	NA	NA	NA
		1/03/06	24.0	2.6	0.6	3.0
		1/10/06	27.0	NA	NA	NA
		1/17/06	23.0	NA	NA	NA
		3/14/06	9.3	0.8	0.5 U	1.0
		3/21/06	21.0	NA	NA	NA
		3/28/06	26.0	NA	NA	NA
		4/07/06	18.0	2.3	0.5	2.3
		5/02/06	18.0	2.1	0.5 U	2.2
		5/09/06	17.0	NA	NA	NA
		5/16/06	19.0	NA	NA	NA
		5/23/06	20.0	NA	NA	NA
		5/30/06	21.0	NA	NA	NA
		6/06/06	21.0	1.6	0.5 U	1.9
		6/13/06	23.0	NA	NA	NA
		6/20/06	21.0	NA	NA	NA
		6/27/06	23.0	NA	NA	NA
		7/05/06	21.0	2.7	0.6	2.6
		7/11/06	22.0	NA	NA	NA
		7/18/06	19.0	NA	NA	NA
		7/25/06	21.0	NA	NA	NA
		8/01/06	20.0	2.9	0.6	2.8
		8/08/06	21.0	NA	NA	NA
		8/15/06	22.0	NA	NA	NA
		8/17/06	NA	1.9	0.5 U	2.4
		8/22/06	20.0	NA	NA	NA
		8/29/06	21.0	NA	NA	NA
		9/05/06	20.0	2.8	0.6	3.0
		9/12/06	22.0	NA	NA	NA
		9/19/06	21.0	NA	NA	NA
		9/26/06	22.0	NA	NA	NA
		10/03/06	22.0	3.1	0.6	3.3
		10/10/06	21.0	NA	NA	NA
10/17/06	27.0	NA	NA	NA		
10/24/06	20.0	NA	NA	NA		
10/31/06	24.0	NA	NA	NA		
11/07/06	23.0	2.9	0.6	2.9		
11/14/06	23.0	NA	NA	NA		
11/28/06	22.0	NA	NA	NA		
12/05/06	NA	2.4	0.6	2.7		
12/12/06	22.0	NA	NA	NA		
12/19/06	22.0	NA	NA	NA		
12/26/06	21.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	1/02/07	20.0	2.6	0.6	2.8
		1/09/07	22.0	NA	NA	NA
		1/19/07	21.0	NA	NA	NA
		1/23/07	21.0	NA	NA	NA
		1/30/07	22.0	NA	NA	NA
		2/06/07	21.0	2.7	0.6	3.0
		2/13/07	23.0	NA	NA	NA
		2/20/07	20.0	NA	NA	NA
		2/27/07	21.0	NA	NA	NA
		3/06/07	20.0	2.4	0.5	2.6
		3/13/07	20.0	NA	NA	NA
		3/20/07	20.0	NA	NA	NA
		3/27/07	21.0	NA	NA	NA
		4/03/07	19.0	2.3	0.6	2.5
		4/10/07	21.0	NA	NA	NA
		4/17/07	16.0	NA	NA	NA
		4/24/07	19.0	NA	NA	NA
		5/01/07	20.0	2.5	0.6	2.8
		5/18/07	15.0	NA	NA	NA
		5/22/07	18.0	NA	NA	NA
		5/29/07	20.0	NA	NA	NA
		6/12/07	19.0	NA	NA	NA
		6/19/07	20.0	NA	NA	NA
		6/26/07	18.0	NA	NA	NA
		7/17/07	22.0	NA	NA	NA
		7/24/07	20.0	NA	NA	NA
		7/31/07	20.0	NA	NA	NA
		8/07/07	19.0	2.2	0.6	2.7
		8/14/07	20.0	NA	NA	NA
		8/21/07	19.0	NA	NA	NA
		8/28/07	20.0	NA	NA	NA
		9/04/07	19.0	1.7	0.5 U	2.0
		9/11/07	18.0	NA	NA	NA
		9/18/07	18.0	NA	NA	NA
		9/25/07	19.0	NA	NA	NA
		10/02/07	16.0	1.8	0.5 U	2.3
		10/09/07	25.0	NA	NA	NA
		10/16/07	24.0	NA	NA	NA
		11/06/07	20.0	1.6	0.5	2.3
		11/13/07	21.0	NA	NA	NA
		11/20/07	20.0	NA	NA	NA
		11/27/07	18.0	NA	NA	NA
12/04/07	19.0	2.2	0.6	2.7		
12/11/07	19.0	NA	NA	NA		
12/18/07	19.0	NA	NA	NA		
12/26/07	18.0	NA	NA	NA		
1/02/08	20.0	1.9	0.6	2.3		
1/08/08	19.0	NA	NA	NA		
1/15/08	20.0	NA	NA	NA		
1/22/08	19.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	1/31/08	18.0	NA	NA	NA
		2/05/08	17.0	1.7	0.6	2.4
		2/12/08	17.0	2.2	0.6	2.7
		2/19/08	17.0	NA	NA	NA
		2/26/08	16.0	NA	NA	NA
		3/04/08	15.0	NA	NA	NA
		3/05/08	NA	1.5	0.6	2.0
		3/11/08	16.0	NA	NA	NA
		3/18/08	20.0	NA	NA	NA
		3/25/08	16.0	NA	NA	NA
		4/01/08	17.0	1.6	0.6	2.3
		4/08/08	16.0	NA	NA	NA
		4/15/08	17.0	NA	NA	NA
		4/22/08	15.0	NA	NA	NA
		6/03/08	9.9	1.6	0.5 U	2.1
		6/10/08	15.0	NA	NA	NA
		6/17/08	16.0	NA	NA	NA
		6/24/08	17.0	NA	NA	NA
		8/18/08	NA	2.2	0.7	2.8
		8/19/08	17.0	NA	NA	NA
		8/26/08	19.0	NA	NA	NA
		9/02/08	17.0	2.1	0.7	2.7
		9/09/08	15.0	NA	NA	NA
		9/16/08	20.0	NA	NA	NA
		9/23/08	18.0	NA	NA	NA
		9/30/08	17.0	NA	NA	NA
		10/07/08	16.0	1.9	0.7	2.5
		10/14/08	16.0	NA	NA	NA
		10/21/08	16.0	NA	NA	NA
		10/28/08	17.0	NA	NA	NA
		11/25/08	20.0	NA	NA	NA
		12/02/08	19.0	2.2	0.7	2.7
		12/17/08	16.0	NA	NA	NA
		12/23/08	16.0	NA	NA	NA
		12/30/08	19.0	NA	NA	NA
		1/06/09	19.0	1.8	0.8	2.9
		1/13/09	19.0	NA	NA	NA
		1/20/09	18.0	NA	NA	NA
		1/27/09	19.0	NA	NA	NA
		2/18/09	17.0	NA	NA	NA
		2/25/09	15.0	NA	NA	NA
		3/03/09	15.0	1.7	0.6	2.4
3/10/09	15.0	NA	NA	NA		
3/17/09	17.0	NA	NA	NA		
3/24/09	18.0	NA	NA	NA		
3/31/09	18.0	NA	NA	NA		
4/07/09	19.0	1.6	0.6	2.5		
4/14/09	20.0	NA	NA	NA		
4/21/09	19.0	NA	NA	NA		
4/28/09	20.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (cont')	WELL 03 (cont')	5/04/09	19.0	1.7	0.6	2.0
		5/12/09	17.0	NA	NA	NA
		5/19/09	20.0	NA	NA	NA
		5/26/09	21.0	NA	NA	NA
		6/01/09	19.0	1.6	0.6	2.3
		6/09/09	20.0	NA	NA	NA
		6/16/09	21.0	NA	NA	NA
		6/23/09	20.0	NA	NA	NA
		6/30/09	21.0	NA	NA	NA
		7/07/09	21.0	1.5	0.5 U	2.1
		7/14/09	21.0	NA	NA	NA
		7/21/09	24.0	NA	NA	NA
		7/28/09	24.0	NA	NA	NA
		8/04/09	24.0	0.7	0.6	1.9
		8/06/09	NA	1.4	0.5	2.0
		8/11/09	19.0	NA	NA	NA
		8/18/09	19.0	NA	NA	NA
		8/25/09	20.0	NA	NA	NA
		9/01/09	20.0	1.5	0.7	2.1
		9/08/09	25.0	NA	NA	NA
		9/15/09	25.0	NA	NA	NA
		9/29/09	27.0	NA	NA	NA
		10/06/09	27.0	2.3	0.8	2.9
		10/13/09	28.0	NA	NA	NA
		10/20/09	28.0	NA	NA	NA
		10/27/09	28.0	NA	NA	NA
		11/10/09	29.0	1.4	0.7	2.6
		11/17/09	29.0	NA	NA	NA
		12/15/09	29.0	NA	NA	NA
		12/22/09	29.0	NA	NA	NA
		12/29/09	29.0	NA	NA	NA
		1/05/10	31.0	1.4	0.5	1.9
	1/12/10	26.0	NA	NA	NA	
	1/19/10	29.0	NA	NA	NA	
	1/26/10	27.0	NA	NA	NA	
	2/02/10	34.0	1.5	0.6	2.0	
	2/09/10	30.0	NA	NA	NA	
	2/16/10	31.0	NA	NA	NA	
	WELL 05	6/17/96	NA	0.6	1.0	28.1
		7/01/96	NA	1.4	1.4	23.8
		8/05/96	NA	0.6	1.2	22.4
		6/02/97	6.0	0.5 U	0.7	13.3
7/17/97		6.0	NA	NA	NA	
9/19/97		5.0 U	NA	NA	NA	
6/01/98		NA	0.5 U	0.5 U	11.4	
10/19/98		4.4	NA	NA	NA	
12/07/98		NA	0.5 U	0.5 U	9.0	
1/11/99		4.1	NA	NA	NA	
1/19/99		NA	0.5 U	0.5 U	3.6	
2/01/99		NA	0.5 U	0.5 U	3.2	

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	4/10/99	0.0 U	NA	NA	NA
		6/01/99	NA	0.5 U	0.5 U	5.8
		7/06/99	5.4	0.5 U	0.5	10.7
		7/12/99	3.9	NA	NA	NA
		7/22/99	3.7	NA	NA	NA
		7/29/99	4.3	NA	NA	NA
		8/02/99	2.0	1.0	1.7	8.3
		8/09/99	2.1	NA	NA	NA
		8/16/99	2.6	NA	NA	NA
		8/23/99	2.5	NA	NA	NA
		8/30/99	0.0 U	NA	NA	NA
		9/07/99	3.5	0.5 U	0.5 U	8.4
		9/27/99	4.9	NA	NA	NA
		10/04/99	NA	0.5 U	0.5	8.5
		11/01/99	NA	0.5 U	0.5 U	7.1
		5/08/00	NA	0.5 U	0.5 U	3.5
		7/03/00	NA	0.5 U	0.5 U	3.8
		8/07/00	NA	0.5 U	0.5	6.3
		9/05/00	NA	0.5 U	0.5 U	6.0
		5/23/01	0.0 U	0.5 U	0.5 U	3.8
		6/04/01	NA	0.5 U	0.5 U	2.4
		7/02/01	NA	0.5 U	0.5 U	5.1
		8/06/01	NA	0.5 U	0.5 U	3.5
		9/04/01	NA	0.5 U	0.5 U	4.4
		12/10/01	4.2	NA	NA	NA
		5/05/02	4.8	0.5 U	0.5 U	2.4
		6/03/02	NA	0.5 U	0.5 U	2.7
		7/01/02	NA	0.5 U	0.5 U	4.6
		8/05/02	NA	0.5 U	0.5 U	4.6
		9/03/02	NA	0.5 U	0.5 U	3.1
		5/14/03	NA	0.7	1.3	17.0
		5/27/03	NA	0.5 U	0.5 U	3.5
		6/03/03	NA	0.5 U	0.5 U	4.7
		7/08/03	NA	0.5 U	0.5 U	8.6
		8/05/03	NA	0.5 U	0.5 U	3.8
		9/02/03	NA	0.5 U	0.5 U	4.7
		10/07/03	NA	0.5 U	0.5 U	4.8
		11/04/03	NA	0.5 U	0.5 U	2.9
		5/18/04	14.0	0.8	0.9	16.0
		5/25/04	13.0	NA	NA	NA
		6/01/04	8.9	NA	NA	NA
6/08/04	7.8	NA	NA	NA		
6/15/04	7.0	0.5 U	0.7	7.7		
6/22/04	5.0	NA	NA	NA		
6/29/04	5.0	NA	NA	NA		
7/06/04	4.6	NA	NA	NA		
7/15/04	4.4	0.5 U	0.6	6.0		
7/27/04	4.4	NA	NA	NA		
8/03/04	4.0	0.5 U	0.5 U	6.0		
9/07/04	4.0 U	0.5 U	0.5 U	4.7		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	10/05/04	4.5	0.5 U	0.5 U	3.9
		11/16/04	9.0	NA	NA	NA
		11/23/04	5.0	NA	NA	NA
		11/30/04	5.3	NA	NA	NA
		12/07/04	4.6	0.5 U	0.5 U	4.8
		12/14/04	5.0	NA	NA	NA
		12/21/04	4.5	NA	NA	NA
		1/11/05	5.8	0.5 U	0.5 U	4.4
		1/18/05	5.2	NA	NA	NA
		1/25/05	5.7	NA	NA	NA
		3/15/05	4.6	0.5 U	0.5	4.7
		4/05/05	4.9	0.5 U	0.6	4.7
		4/19/05	4.7	NA	NA	NA
		4/26/05	5.1	NA	NA	NA
		5/03/05	NA	0.5 U	0.5 U	0.5 U
		7/05/05	5.9	0.5 U	0.6	4.6
		7/12/05	6.1	NA	NA	NA
		8/02/05	5.1	0.5 U	0.6	4.2
		8/09/05	10.0	NA	NA	NA
		9/13/05	4.7	0.5	0.6	4.6
		9/20/05	5.5	NA	NA	NA
		9/27/05	5.7	0.5 U	0.5 U	3.3
		10/04/05	6.6	0.5	0.6	4.1
		10/11/05	6.0	NA	NA	NA
		10/18/05	9.0	NA	NA	NA
		10/25/05	6.2	NA	NA	NA
		11/01/05	6.0	0.5 U	0.5	4.0
		11/08/05	5.3	NA	NA	NA
		11/17/05	4.0	NA	NA	NA
		11/22/05	5.5	NA	NA	NA
		11/29/05	5.6	NA	NA	NA
		12/06/05	6.0	0.6	0.5	4.4
		12/13/05	5.8	NA	NA	NA
		12/20/05	5.6	NA	NA	NA
		12/27/05	6.6	NA	NA	NA
		1/03/06	5.6	0.6	0.5	3.9
		1/10/06	6.1	NA	NA	NA
		1/17/06	5.3	NA	NA	NA
		3/21/06	7.5	0.7	0.6	4.7
		4/07/06	7.0	0.7	0.6	4.7
		5/09/06	7.4	0.8	0.7	5.8
5/18/06	7.1	NA	NA	NA		
5/30/06	7.2	NA	NA	NA		
6/06/06	7.0	0.7	0.6	4.9		
6/13/06	6.6	NA	NA	NA		
6/20/06	6.8	NA	NA	NA		
6/27/06	7.3	NA	NA	NA		
7/05/06	7.3	0.8	0.6	4.0		
7/11/06	7.3	NA	NA	NA		
7/18/06	7.6	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	7/25/06	7.1	NA	NA	NA
		8/01/06	7.0	0.9	0.6	3.9
		8/08/06	7.6	NA	NA	NA
		8/15/06	7.4	NA	NA	NA
		8/17/06	NA	0.6	0.5 U	3.5
		8/22/06	7.6	NA	NA	NA
		8/29/06	7.5	NA	NA	NA
		9/13/06	8.1	1.1	0.6	4.3
		9/19/06	8.3	NA	NA	NA
		9/26/06	7.7	NA	NA	NA
		10/03/06	7.9	1.1	0.6	3.8
		10/10/06	7.8	NA	NA	NA
		10/17/06	9.9	NA	NA	NA
		10/24/06	8.0	NA	NA	NA
		10/31/06	9.1	NA	NA	NA
		11/07/06	8.4	1.2	0.6	3.8
		11/14/06	7.7	NA	NA	NA
		11/28/06	9.4	NA	NA	NA
		12/05/06	NA	1.2	0.6	3.4
		12/12/06	9.5	NA	NA	NA
		12/19/06	9.4	NA	NA	NA
		12/26/06	9.5	NA	NA	NA
		1/02/07	9.3	1.3	0.6	3.5
		1/09/07	9.9	NA	NA	NA
		1/16/07	9.8	NA	NA	NA
		1/23/07	9.9	NA	NA	NA
		1/30/07	9.3	NA	NA	NA
		2/06/07	9.9	1.5	0.6	3.6
		2/13/07	11.0	NA	NA	NA
		2/20/07	9.6	NA	NA	NA
		2/27/07	10.0	NA	NA	NA
		3/06/07	9.7	1.3	0.5	3.0
		3/13/07	10.0	NA	NA	NA
		3/20/07	9.0	NA	NA	NA
		3/27/07	11.0	NA	NA	NA
		4/03/07	9.3	1.4	0.6	3.0
		4/10/07	12.0	NA	NA	NA
		4/17/07	7.6	NA	NA	NA
		4/24/07	8.7	NA	NA	NA
		5/01/07	9.7	1.4	0.5	3.1
		5/18/07	10.0	NA	NA	NA
5/22/07	11.0	NA	NA	NA		
5/29/07	11.0	NA	NA	NA		
6/05/07	11.0	1.3	0.5	2.9		
6/12/07	10.0	NA	NA	NA		
6/19/07	9.8	NA	NA	NA		
6/26/07	9.8	NA	NA	NA		
8/21/07	12.0	1.4	0.5	2.7		
8/28/07	11.0	NA	NA	NA		
9/04/07	11.0	1.3	0.5 U	2.4		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	9/11/07	10.0	NA	NA	NA
		9/18/07	11.0	NA	NA	NA
		9/25/07	13.0	NA	NA	NA
		10/02/07	9.3	1.3	0.5 U	2.4
		10/09/07	15.0	NA	NA	NA
		10/16/07	14.0	NA	NA	NA
		11/06/07	13.0	1.1	0.5 U	2.4
		11/13/07	12.0	NA	NA	NA
		11/20/07	12.0	NA	NA	NA
		11/27/07	11.0	NA	NA	NA
		12/11/07	11.0	1.4	NA	2.4
		12/26/07	10.0	NA	NA	NA
		1/02/08	11.0	1.4	0.5	2.5
		1/08/08	11.0	NA	NA	NA
		1/15/08	12.0	NA	NA	NA
		1/22/08	12.0	NA	NA	NA
		1/29/08	11.0	NA	NA	NA
		2/05/08	12.0	1.4	0.6	2.6
		3/04/08	13.0	NA	NA	NA
		3/05/08	NA	1.6	0.6	2.7
		3/11/08	12.0	NA	NA	NA
		3/18/08	17.0	NA	NA	NA
		3/25/08	13.0	NA	NA	NA
		4/08/08	14.0	1.5	0.6	2.8
		4/15/08	15.0	NA	NA	NA
		4/22/08	13.0	NA	NA	NA
		6/03/08	17.0	1.5	0.5 U	2.4
		6/10/08	14.0	NA	NA	NA
		6/17/08	15.0	NA	NA	NA
		6/24/08	15.0	NA	NA	NA
		8/18/08	NA	1.8	0.5	2.7
		8/19/08	13.0	NA	NA	NA
		8/26/08	14.0	NA	NA	NA
		9/02/08	16.0	1.9	0.6	2.9
		9/09/08	12.0	NA	NA	NA
		9/16/08	15.0	NA	NA	NA
		9/30/08	13.0	NA	NA	NA
		10/07/08	12.0	2.0	0.6	2.5
		10/14/08	12.0	NA	NA	NA
		10/21/08	12.0	NA	NA	NA
		10/28/08	9.9	NA	NA	NA
11/25/08	15.0	NA	NA	NA		
12/02/08	14.0	2.2	0.7	2.8		
12/17/08	12.0	NA	NA	NA		
12/23/08	12.0	NA	NA	NA		
12/30/08	14.0	NA	NA	NA		
1/06/09	14.0	1.6	0.7	2.5		
1/13/09	14.0	NA	NA	NA		
1/20/09	14.0	NA	NA	NA		
2/18/09	13.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (cont)	WELL 05 (cont)	2/24/09	13.0	NA	NA	NA
		3/10/09	13.0	2.0	0.7	2.6
		4/07/09	16.0	2.1	0.8	3.1
		4/14/09	16.0	NA	NA	NA
		4/21/09	14.0	NA	NA	NA
		4/28/09	15.0	NA	NA	NA
		5/04/09	14.0	2.2	0.7	2.4
		5/12/09	13.0	NA	NA	NA
		5/19/09	15.0	NA	NA	NA
		5/26/09	15.0	NA	NA	NA
		6/01/09	15.0	2.5	0.7	3.8
		6/09/09	15.0	NA	NA	NA
		6/16/09	15.0	NA	NA	NA
		6/23/09	15.0	NA	NA	NA
		7/07/09	16.0	2.2	0.8	2.9
		7/14/09	16.0	NA	NA	NA
		7/21/09	16.0	NA	NA	NA
		7/28/09	16.0	NA	NA	NA
		8/04/09	16.0	1.4	0.6	2.4
		8/06/09	NA	1.9	0.6	2.5
8/11/09	12.0	NA	NA	NA		
8/18/09	13.0	NA	NA	NA		
RUBIO CANON LAND & WATER ASSOCIATION	WELL 04	6/17/97	6.0	NA	NA	NA
		6/24/97	4.0	NA	NA	NA
		9/16/97	5.0	NA	NA	NA
		6/01/98	NA	NA	NA	0.5 U
		7/06/98	NA	0.5 U	0.5 U	0.5 U
		7/26/99	5.1	0.5 U	0.5 U	0.5 U
		4/24/00	5.0 U	0.5 U	0.5 U	0.5 U
		7/03/00	5.3	NA	NA	NA
		10/02/00	5.0 U	NA	NA	NA
		1/02/01	5.0 U	NA	NA	NA
		1/29/01	NA	0.5 U	0.5 U	0.5 U
		1/28/02	NA	0.5 U	0.5 U	0.5 U
		4/29/02	4.2	NA	NA	NA
		7/01/02	4.4	NA	NA	NA
		1/13/03	0.0 U	0.5 U	0.5 U	0.5 U
		4/07/03	4.0 U	NA	NA	NA
		7/08/03	4.0 U	NA	NA	NA
		10/06/03	4.3	NA	NA	NA
		1/20/04	NA	0.5 U	0.5 U	0.5 U
		4/05/04	4.0 U	NA	NA	NA
		5/03/04	4.0 U	NA	NA	NA
		6/01/04	4.0 U	NA	NA	NA
		7/06/04	4.0 U	NA	NA	NA
		8/02/04	4.0 U	NA	NA	NA
9/07/04	4.0 U	NA	NA	NA		
10/04/04	4.0 U	NA	NA	NA		
11/01/04	5.5	NA	NA	NA		
12/06/04	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	1/03/05	4.0 U	NA	NA	NA
		1/18/05	NA	0.5 U	0.5 U	0.5 U
		2/07/05	4.0 U	NA	NA	NA
		3/07/05	4.0 U	NA	NA	NA
		4/04/05	4.0 U	NA	NA	NA
		5/02/05	4.0 U	NA	NA	NA
		6/06/05	4.0 U	NA	NA	NA
		7/05/05	4.0 U	NA	NA	NA
		8/01/05	4.0 U	NA	NA	NA
		9/06/05	4.0 U	NA	NA	NA
		10/03/05	4.0	NA	NA	NA
		11/07/05	4.0 U	NA	NA	NA
		12/05/05	4.0 U	NA	NA	NA
		1/03/06	4.0 U	NA	NA	NA
		1/23/06	NA	0.5 U	0.5 U	0.5 U
		2/07/06	4.0 U	NA	NA	NA
		3/06/06	4.0 U	NA	NA	NA
		4/03/06	4.0 U	NA	NA	NA
		5/01/06	4.0 U	NA	NA	NA
		6/05/06	4.0 U	NA	NA	NA
		7/03/06	4.0 U	NA	NA	NA
		8/07/06	4.0 U	NA	NA	NA
		9/05/06	4.0 U	NA	NA	NA
		10/02/06	4.0 U	NA	NA	NA
		11/06/06	4.0 U	NA	NA	NA
		1/02/07	4.0 U	NA	NA	NA
		2/05/07	4.0 U	NA	NA	NA
		3/05/07	4.0 U	NA	NA	NA
		3/12/07	NA	0.5 U	0.5 U	0.5 U
		4/02/07	4.0 U	NA	NA	NA
		5/07/07	4.0 U	NA	NA	NA
		6/04/07	4.0 U	NA	NA	NA
		8/06/07	4.0 U	NA	NA	NA
		9/04/07	4.0 U	NA	NA	NA
		10/01/07	4.0 U	NA	NA	NA
		11/05/07	4.0 U	NA	NA	NA
		12/03/07	4.0 U	NA	NA	NA
		1/02/08	4.0 U	NA	NA	NA
		1/14/08	4.0 U	0.5 U	0.5 U	0.5 U
		2/05/08	4.0 U	NA	NA	NA
		3/03/08	4.0 U	NA	NA	NA
		4/07/08	4.0 U	NA	NA	NA
6/02/08	4.0 U	NA	NA	NA		
9/02/08	4.0 U	NA	NA	NA		
10/06/08	4.0 U	NA	NA	NA		
11/24/08	4.0 U	NA	NA	NA		
12/01/08	4.0 U	NA	NA	NA		
12/08/08	4.0 U	NA	NA	NA		
12/15/08	4.0 U	NA	NA	NA		
12/22/08	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	12/29/08	4.0 U	NA	NA	NA
		1/05/09	4.0 U	NA	NA	NA
		2/23/09	4.0 U	NA	NA	NA
		3/02/09	4.0 U	NA	NA	NA
		3/09/09	4.0 U	NA	NA	NA
		3/16/09	4.0 U	NA	NA	NA
		3/23/09	4.0 U	NA	NA	NA
		3/30/09	4.0 U	NA	NA	NA
		4/06/09	4.0 U	NA	NA	NA
		4/13/09	4.0 U	NA	NA	NA
		4/20/09	4.0 U	NA	NA	NA
		4/27/09	4.0 U	NA	NA	NA
		5/04/09	4.0 U	NA	NA	NA
		5/05/09	4.0 U	NA	NA	NA
		5/06/09	4.0 U	NA	NA	NA
		5/07/09	4.0 U	NA	NA	NA
		5/08/09	4.0 U	NA	NA	NA
		5/09/09	4.0 U	NA	NA	NA
		5/10/09	4.0 U	NA	NA	NA
		5/11/09	4.0 U	NA	NA	NA
		5/12/09	4.0 U	NA	NA	NA
		5/13/09	4.0 U	NA	NA	NA
		5/14/09	4.0 U	NA	NA	NA
		5/15/09	4.0 U	NA	NA	NA
		5/16/09	4.0 U	NA	NA	NA
		5/17/09	4.0 U	NA	NA	NA
		5/18/09	4.0 U	NA	NA	NA
		5/19/09	4.0 U	NA	NA	NA
		5/20/09	4.0 U	NA	NA	NA
		5/21/09	4.0 U	NA	NA	NA
		5/22/09	4.0 U	NA	NA	NA
		5/23/09	4.0 U	NA	NA	NA
		5/24/09	4.0 U	NA	NA	NA
		5/25/09	4.0 U	NA	NA	NA
		5/26/09	4.0 U	NA	NA	NA
		5/27/09	4.0 U	NA	NA	NA
		5/29/09	4.0 U	NA	NA	NA
		5/30/09	4.0 U	NA	NA	NA
		5/31/09	4.0 U	NA	NA	NA
		6/01/09	4.0 U	NA	NA	NA
		6/02/09	4.0 U	NA	NA	NA
6/03/09	4.0 U	NA	NA	NA		
6/04/09	4.0 U	NA	NA	NA		
6/05/09	4.0 U	NA	NA	NA		
6/06/09	4.0 U	NA	NA	NA		
6/07/09	4.0 U	NA	NA	NA		
6/08/09	4.0 U	NA	NA	NA		
6/09/09	4.0 U	NA	NA	NA		
6/10/09	4.0 U	NA	NA	NA		
6/11/09	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE	
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	6/12/09	4.0 U	NA	NA	NA	
		6/15/09	4.0 U	NA	NA	NA	
		6/16/09	4.0 U	NA	NA	NA	
		6/17/09	4.0 U	NA	NA	NA	
		6/18/09	4.0 U	NA	NA	NA	
		6/19/09	4.0 U	NA	NA	NA	
		6/22/09	4.0 U	NA	NA	NA	
		6/23/09	4.0 U	NA	NA	NA	
		6/24/09	4.0 U	NA	NA	NA	
		6/25/09	4.0 U	NA	NA	NA	
		6/29/09	4.0 U	NA	NA	NA	
		7/06/09	4.0 U	NA	NA	NA	
		7/13/09	4.0 U	NA	NA	NA	
		7/20/09	4.0 U	NA	NA	NA	
		7/27/09	4.0 U	NA	NA	NA	
		8/03/09	4.0 U	NA	NA	NA	
		8/05/09	4.0 U	NA	NA	NA	
		8/10/09	4.0 U	NA	NA	NA	
		8/17/09	4.0 U	NA	NA	NA	
		8/24/09	4.0 U	NA	NA	NA	
		8/31/09	4.0 U	NA	NA	NA	
		9/08/09	4.0 U	NA	NA	NA	
		9/14/09	4.0 U	NA	NA	NA	
		9/21/09	4.0 U	NA	NA	NA	
		9/28/09	4.0 U	NA	NA	NA	
		10/05/09	4.0 U	NA	NA	NA	
		10/12/09	4.0 U	NA	NA	NA	
		11/02/09	4.0 U	NA	NA	NA	
		11/09/09	4.0 U	NA	NA	NA	
		11/16/09	4.0 U	NA	NA	NA	
	12/14/09	4.0 U	NA	NA	NA		
	12/21/09	4.0 U	NA	NA	NA		
	12/28/09	4.0 U	NA	NA	NA		
	1/04/10	4.0 U	NA	NA	NA		
	1/11/10	4.0 U	NA	NA	NA		
	2/08/10	4.0 U	NA	NA	NA		
	2/16/10	4.0 U	NA	NA	NA		
		WELL 07	3/04/96	NA	NA	NA	0.5 U
			6/03/96	NA	NA	NA	0.5 U
			9/03/96	NA	NA	NA	0.5 U
	12/02/96		NA	NA	NA	0.5 U	
	3/03/97		NA	NA	NA	0.5 U	
	6/02/97		NA	NA	NA	0.5 U	
	6/17/97		0.0 U	NA	NA	NA	
	6/24/97		0.0 U	NA	NA	NA	
	9/02/97		NA	NA	NA	0.5 U	
	9/16/97		0.0 U	NA	NA	NA	
	12/01/97		NA	NA	NA	0.5 U	
	3/02/98		NA	NA	NA	0.5 U	
	6/01/98	NA	NA	NA	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	7/06/98	NA	0.5 U	0.5 U	0.5 U
		9/01/98	NA	NA	NA	0.5 U
		12/07/98	NA	NA	NA	0.5 U
		3/01/99	NA	NA	NA	0.5 U
		6/01/99	NA	NA	NA	0.5 U
		7/26/99	5.0 U	0.5 U	0.5 U	0.5 U
		9/07/99	NA	NA	NA	0.5 U
		12/06/99	NA	NA	NA	0.5 U
		3/06/00	NA	NA	NA	0.5 U
		4/24/00	5.0 U	0.5 U	0.5 U	0.5 U
		6/05/00	NA	NA	NA	0.5 U
		7/03/00	5.0 U	NA	NA	NA
		9/11/00	NA	NA	NA	0.5 U
		10/02/00	5.0 U	NA	NA	NA
		12/04/00	NA	NA	NA	0.5 U
		1/02/01	5.0 U	NA	NA	NA
		1/29/01	NA	0.5 U	0.5 U	0.5 U
		3/05/01	NA	NA	NA	0.5 U
		6/04/01	NA	NA	NA	0.5 U
		9/04/01	NA	NA	NA	0.5 U
		12/03/01	NA	NA	NA	0.5 U
		1/28/02	NA	0.5 U	0.5 U	0.5 U
		3/04/02	NA	NA	NA	0.5 U
		4/29/02	4.0 U	NA	NA	NA
		6/03/02	NA	NA	NA	0.5 U
		7/01/02	4.0 U	NA	NA	NA
		9/03/02	NA	NA	NA	0.5 U
		10/07/02	4.0 U	NA	NA	NA
		12/02/02	NA	NA	NA	0.5 U
		1/13/03	0.0 U	0.5 U	0.5 U	0.5 U
		4/07/03	4.0 U	NA	NA	NA
		10/06/03	4.0 U	NA	NA	NA
		10/20/03	NA	NA	NA	0.5 U
		1/20/04	NA	0.5 U	0.5 U	0.5 U
		4/05/04	4.0 U	NA	NA	NA
		5/03/04	4.0 U	NA	NA	NA
		6/01/04	4.0 U	NA	NA	NA
		7/06/04	4.0 U	NA	NA	NA
		8/02/04	4.0 U	NA	NA	NA
		9/07/04	4.0 U	NA	NA	NA
		10/04/04	4.0 U	NA	NA	NA
		11/01/04	4.0 U	NA	NA	NA
12/06/04	4.0 U	NA	NA	NA		
1/03/05	4.0 U	NA	NA	NA		
1/18/05	NA	0.5 U	0.5	0.5 U		
2/07/05	4.0 U	NA	NA	NA		
3/07/05	4.0 U	NA	NA	NA		
4/04/05	4.0 U	NA	0.5 U	NA		
5/02/05	4.0 U	NA	NA	NA		
6/06/05	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	7/05/05	4.0 U	NA	0.5 U	NA
		8/01/05	4.0 U	NA	NA	NA
		9/06/05	4.0 U	NA	NA	NA
		10/03/05	4.0 U	NA	NA	NA
		11/07/05	4.0 U	NA	NA	NA
		12/05/05	4.0 U	NA	NA	NA
		1/03/06	4.0 U	NA	NA	NA
		1/09/06	NA	NA	0.5 U	NA
		1/23/06	NA	0.5 U	0.5 U	0.5 U
		2/06/06	4.0 U	NA	NA	NA
		3/06/06	4.0 U	NA	NA	NA
		4/03/06	4.0 U	NA	NA	NA
		4/06/06	NA	NA	0.5 U	NA
		5/01/06	4.0 U	NA	NA	NA
		6/05/06	4.0 U	NA	NA	NA
		7/03/06	4.0 U	NA	0.5 U	NA
		8/07/06	4.0 U	NA	NA	NA
		9/05/06	4.0 U	NA	NA	NA
		10/02/06	4.0 U	NA	0.5 U	NA
		11/06/06	4.0 U	NA	NA	NA
		1/02/07	4.0 U	NA	NA	NA
		1/08/07	NA	NA	0.5 U	NA
		2/05/07	4.0 U	NA	NA	NA
		3/05/07	4.0 U	NA	NA	NA
		3/12/07	NA	0.5 U	0.5 U	0.5 U
		4/02/07	4.0 U	NA	NA	NA
		5/07/07	4.0 U	NA	NA	NA
		6/04/07	4.0 U	NA	NA	NA
		8/06/07	4.0 U	NA	NA	NA
		9/04/07	4.0 U	NA	NA	NA
		10/01/07	4.0 U	NA	0.5 U	NA
		11/05/07	4.0 U	NA	NA	NA
		12/03/07	4.0 U	NA	NA	NA
		1/02/08	4.0 U	NA	0.5 U	NA
		1/05/08	4.0 U	NA	NA	NA
		1/14/08	4.0 U	0.5 U	0.5 U	0.5 U
		2/05/08	4.0 U	NA	NA	NA
		3/03/08	4.0 U	NA	NA	NA
		4/07/08	4.0 U	NA	0.5 U	NA
		6/02/08	4.0 U	NA	NA	NA
9/02/08	4.0 U	NA	NA	NA		
10/06/08	4.0 U	NA	0.5 U	NA		
11/24/08	4.0 U	NA	NA	NA		
12/01/08	4.0 U	NA	NA	NA		
12/08/08	4.0 U	NA	NA	NA		
12/15/08	4.0 U	NA	NA	NA		
12/22/08	4.0 U	NA	NA	NA		
12/29/08	4.0 U	NA	NA	NA		
2/23/09	4.0 U	NA	NA	NA		
3/02/09	4.0 U	NA	NA	0.7	NA	

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	3/09/09	4.0 U	NA	NA	NA
		3/16/09	4.0 U	NA	NA	NA
		3/23/09	4.0 U	NA	NA	NA
		3/30/09	4.0 U	NA	NA	NA
		4/06/09	4.0 U	NA	NA	NA
		4/08/09	NA	NA	0.6	NA
		4/13/09	4.0 U	NA	NA	NA
		4/20/09	4.0 U	NA	NA	NA
		4/27/09	4.0 U	NA	NA	NA
		5/04/09	4.0 U	NA	NA	NA
		5/05/09	4.0 U	NA	NA	NA
		5/06/09	4.0 U	NA	NA	NA
		5/07/09	4.0 U	NA	NA	NA
		5/08/09	4.0 U	NA	NA	NA
		5/09/09	4.0 U	NA	NA	NA
		5/10/09	4.0 U	NA	NA	NA
		5/11/09	4.0 U	NA	NA	NA
		5/12/09	4.0 U	NA	NA	NA
		5/13/09	4.0 U	NA	NA	NA
		5/14/09	4.0 U	NA	NA	NA
		5/15/09	4.0 U	NA	NA	NA
		5/16/09	4.0 U	NA	NA	NA
		5/17/09	4.0 U	NA	NA	NA
		5/18/09	4.0 U	NA	NA	NA
		5/19/09	4.0 U	NA	NA	NA
		5/20/09	4.0 U	NA	NA	NA
		5/21/09	4.0 U	NA	NA	NA
		5/22/09	4.0 U	NA	NA	NA
		5/23/09	4.0 U	NA	NA	NA
		5/24/09	4.0 U	NA	NA	NA
		5/25/09	4.0 U	NA	NA	NA
		5/26/09	4.0 U	NA	NA	NA
		5/27/09	4.0 U	NA	NA	NA
		5/29/09	4.0 U	NA	NA	NA
		5/30/09	4.0 U	NA	NA	NA
		5/31/09	4.0 U	NA	NA	NA
		6/01/09	4.0 U	NA	NA	NA
		6/02/09	4.0 U	NA	NA	NA
		6/03/09	4.0 U	NA	NA	NA
		6/04/09	4.0 U	NA	NA	NA
		6/05/09	4.0 U	NA	NA	NA
		6/06/09	4.0 U	NA	NA	NA
6/07/09	4.0 U	NA	NA	NA		
6/08/09	4.0 U	NA	NA	NA		
6/09/09	4.0 U	NA	NA	NA		
6/10/09	4.0 U	NA	NA	NA		
6/11/09	4.0 U	NA	NA	NA		
6/12/09	4.0 U	NA	NA	NA		
6/15/09	4.0 U	NA	NA	NA		
6/16/09	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	6/17/09	4.0 U	NA	NA	NA
		6/18/09	4.0 U	NA	NA	NA
		6/19/09	4.0 U	NA	NA	NA
		6/22/09	4.0 U	NA	NA	NA
		6/23/09	4.0 U	NA	NA	NA
		6/24/09	4.0 U	NA	NA	NA
		6/25/09	4.0 U	NA	NA	NA
		6/29/09	4.0 U	NA	NA	NA
		7/06/09	4.0 U	NA	0.5 U	NA
		7/13/09	4.0 U	NA	NA	NA
		7/20/09	4.0 U	NA	NA	NA
		7/27/09	4.0 U	NA	NA	NA
		8/03/09	4.0 U	NA	0.5 U	NA
		8/05/09	4.0 U	NA	NA	NA
		8/10/09	4.0 U	NA	NA	NA
		8/17/09	4.0 U	NA	NA	NA
		8/24/09	4.0 U	NA	NA	NA
		8/31/09	4.0 U	NA	NA	NA
		9/08/09	4.0 U	NA	0.5 U	NA
		9/14/09	4.0 U	NA	NA	NA
		9/21/09	4.0 U	NA	NA	NA
		9/28/09	4.0 U	NA	NA	NA
		10/05/09	4.0 U	NA	0.5 U	NA
		10/12/09	4.0 U	NA	NA	NA
		10/19/09	4.0 U	NA	NA	NA
		10/26/09	4.0 U	NA	NA	NA
		11/02/09	4.0 U	NA	0.5 U	NA
		11/09/09	4.0 U	NA	NA	NA
		11/16/09	4.0 U	NA	NA	NA
		12/14/09	4.0 U	NA	NA	NA
		12/21/09	4.0 U	NA	NA	NA
		12/28/09	4.0 U	NA	NA	NA
1/04/10	4.0 U	NA	0.7	NA		
1/11/10	4.0 U	NA	NA	NA		
2/08/10	4.0 U	NA	0.9	NA		
2/16/10	4.0 U	NA	NA	NA		
LAS FLORES WATER CO.	WELL 02	12/09/96	NA	0.5 U	0.5 U	0.5 U
		6/17/97	5.0	NA	NA	NA
		6/24/97	5.0	NA	NA	NA
		9/15/97	4.0	NA	NA	NA
		12/17/97	NA	0.5 U	4.7	0.5 U
		1/05/98	NA	0.5 U	4.8	0.5 U
		1/06/98	NA	NA	4.8	NA
		5/11/98	NA	NA	9.0	NA
		5/20/98	NA	NA	8.8	NA
		7/13/98	NA	NA	4.7	NA
		8/17/98	NA	NA	7.8	NA
		8/24/98	NA	NA	7.1	NA
		9/18/98	NA	NA	8.0	NA
		10/12/98	NA	NA	8.9	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE	
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	12/14/98	NA	0.5 U	9.3	0.5 U	
		1/11/99	NA	NA	12.6	NA	
		1/20/99	NA	NA	8.7	NA	
		2/08/99	NA	NA	11.0	NA	
		2/16/99	NA	NA	9.1	NA	
		3/08/99	NA	NA	9.1	NA	
		3/16/99	NA	NA	9.5	NA	
		3/22/99	NA	NA	9.9	NA	
		3/29/99	NA	NA	6.9	NA	
		4/05/99	NA	NA	8.7	NA	
		4/13/99	NA	NA	3.0	NA	
		4/19/99	NA	NA	7.9	NA	
		4/26/99	NA	NA	10.7	NA	
		5/03/99	NA	NA	9.3	NA	
		5/10/99	NA	NA	7.5	NA	
		5/17/99	NA	NA	7.4	NA	
		5/24/99	NA	NA	7.6	NA	
		6/01/99	NA	NA	4.6	NA	
		6/07/99	NA	NA	9.8	NA	
		6/14/99	NA	NA	5.6	NA	
		6/21/99	NA	NA	10.6	NA	
		6/28/99	NA	NA	6.3	NA	
		7/06/99	NA	NA	7.0	NA	
		7/12/99	NA	NA	9.0	NA	
		7/19/99	NA	NA	8.1	NA	
		7/27/99	NA	NA	8.7	NA	
		7/29/99	NA	5.3	NA	NA	NA
		8/03/99	NA	NA	NA	6.0	NA
		8/09/99	NA	NA	NA	11.6	NA
		8/16/99	NA	NA	NA	8.4	NA
		8/23/99	NA	NA	NA	9.2	NA
		8/30/99	NA	NA	NA	10.7	NA
		9/07/99	NA	NA	0.5 U	11.5	0.5 U
		9/13/99	NA	NA	NA	11.2	NA
		9/20/99	NA	NA	NA	9.2	NA
		9/27/99	NA	NA	NA	11.5	NA
		10/04/99	NA	NA	NA	9.8	NA
		10/11/99	NA	NA	NA	9.3	NA
		10/18/99	NA	NA	NA	11.2	NA
		10/25/99	NA	NA	NA	9.8	NA
		11/01/99	NA	NA	NA	11.2	NA
11/08/99	NA	NA	NA	9.9	NA		
11/15/99	NA	NA	NA	8.1	NA		
11/22/99	NA	NA	NA	10.0	NA		
11/29/99	NA	NA	NA	11.8	NA		
12/06/99	NA	NA	NA	13.7	NA		
12/13/99	NA	6.3	0.5 U	10.2	0.5 U		
12/20/99	NA	NA	NA	14.5	NA		
1/03/00	NA	NA	NA	13.5	NA		
1/11/00	NA	NA	NA	7.6	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/17/00	NA	NA	14.8	NA
		1/24/00	NA	NA	13.2	NA
		1/31/00	NA	NA	14.0	NA
		2/07/00	NA	NA	11.7	NA
		2/14/00	NA	NA	12.4	NA
		2/22/00	NA	NA	16.5	NA
		2/28/00	NA	NA	8.0	NA
		3/06/00	NA	NA	12.0	NA
		3/12/00	NA	NA	11.0	NA
		3/20/00	NA	NA	13.0	NA
		3/27/00	8.0	NA	12.0	NA
		4/03/00	NA	0.5 U	12.0	0.5 U
		4/10/00	NA	NA	11.0	NA
		4/17/00	NA	NA	12.0	NA
		4/24/00	NA	NA	13.0	NA
		5/01/00	NA	NA	9.7	NA
		5/08/00	NA	NA	13.5	NA
		5/15/00	NA	NA	13.3	NA
		5/22/00	NA	NA	9.9	NA
		5/30/00	NA	NA	13.6	NA
		6/05/00	NA	NA	9.2	NA
		6/12/00	NA	NA	11.8	NA
		6/19/00	NA	NA	11.2	NA
		6/26/00	NA	NA	9.9	NA
		7/03/00	NA	NA	11.0	NA
		7/10/00	7.0	0.5 U	9.6	0.5 U
		8/11/00	NA	NA	13.7	NA
		8/21/00	NA	NA	11.2	NA
		8/28/00	NA	NA	10.0	NA
		9/05/00	NA	NA	13.0	NA
		9/11/00	NA	NA	16.0	NA
		9/18/00	NA	NA	12.0	NA
		9/25/00	NA	NA	10.0	NA
		10/02/00	NA	NA	15.0	NA
		10/09/00	NA	NA	16.0	NA
		10/16/00	NA	NA	13.0	NA
		10/23/00	5.6	NA	14.2	NA
		10/30/00	NA	NA	16.8	NA
		11/06/00	NA	NA	10.4	NA
		11/13/00	NA	NA	17.2	NA
		11/27/00	NA	NA	15.9	NA
12/04/00	NA	NA	8.0	NA		
12/11/00	NA	NA	13.5	NA		
12/18/00	NA	NA	14.6	NA		
12/26/00	5.3	0.5 U	10.3	0.5 U		
1/02/01	NA	NA	15.0	NA		
1/08/01	NA	NA	6.9	NA		
1/15/01	NA	NA	9.3	NA		
1/22/01	NA	NA	13.5	NA		
1/29/01	NA	NA	13.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	2/05/01	NA	NA	13.9	NA
		2/12/01	NA	NA	7.7	NA
		2/20/01	NA	NA	7.5	NA
		2/26/01	NA	NA	13.0	NA
		3/05/01	NA	NA	5.5	NA
		3/12/01	NA	NA	9.7	NA
		3/19/01	NA	NA	4.1	NA
		3/26/01	NA	NA	14.0	NA
		4/02/01	NA	NA	6.3	NA
		4/09/01	NA	NA	12.0	NA
		4/16/01	NA	NA	12.0	NA
		4/23/01	NA	NA	13.0	NA
		4/30/01	NA	NA	12.0	NA
		5/07/01	7.4	NA	11.0	NA
		5/14/01	NA	NA	11.8	NA
		5/21/01	NA	NA	12.0	NA
		5/29/01	NA	NA	14.0	NA
		6/04/01	NA	NA	14.0	NA
		6/11/01	NA	NA	13.1	NA
		6/18/01	NA	NA	17.0	NA
		6/25/01	NA	NA	15.0	NA
		7/02/01	NA	NA	15.0	NA
		7/09/01	NA	NA	11.0	NA
		7/16/01	NA	NA	13.0	NA
		7/23/01	NA	NA	14.0	NA
		7/30/01	NA	NA	13.0	NA
		8/06/01	NA	NA	11.0	NA
		8/13/01	NA	NA	12.0	NA
		8/20/01	NA	NA	15.0	NA
		8/27/01	NA	NA	13.0	NA
		9/04/01	NA	NA	15.0	NA
		9/10/01	9.0	NA	14.0	NA
		9/17/01	NA	NA	13.0	NA
		9/24/01	NA	NA	16.0	NA
		10/01/01	NA	NA	12.0	NA
		10/08/01	NA	NA	13.0	NA
		10/15/01	NA	NA	14.0	NA
		10/22/01	NA	NA	12.0	NA
		10/29/01	NA	NA	14.0	NA
		11/05/01	NA	NA	12.0	NA
		11/12/01	NA	NA	15.0	NA
		11/19/01	NA	NA	15.0	NA
11/26/01	NA	NA	13.0	NA		
12/03/01	NA	NA	13.0	NA		
12/10/01	NA	NA	9.8	NA		
12/17/01	NA	NA	14.0	NA		
12/26/01	NA	NA	11.0	NA		
1/02/02	NA	NA	11.0	NA		
1/07/02	NA	NA	14.0	NA		
1/14/02	NA	NA	13.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/21/02	NA	NA	13.0	NA
		1/28/02	7.2	NA	13.0	NA
		2/04/02	NA	NA	12.0	NA
		2/11/02	7.6	NA	13.0	NA
		2/19/02	NA	NA	14.0	NA
		2/25/02	7.1	NA	13.0	NA
		3/04/02	6.6	NA	12.0	NA
		3/11/02	5.6	0.5 U	13.0	0.5 U
		3/18/02	5.7	NA	11.0	NA
		3/25/02	5.9	NA	11.0	NA
		4/01/02	7.1	NA	12.0	NA
		4/08/02	6.0	NA	6.2	NA
		4/15/02	7.2	NA	14.0	NA
		4/22/02	7.7	NA	12.0	NA
		4/29/02	6.2	NA	12.0	NA
		5/06/02	6.3	NA	12.0	NA
		5/13/02	7.0	NA	12.0	NA
		5/20/02	6.6	NA	13.0	NA
		5/28/02	6.6	NA	12.0	NA
		6/03/02	7.5	0.5 U	14.0	0.5 U
		6/10/02	6.8	NA	13.0	NA
		6/17/02	6.0	NA	12.0	NA
		6/24/02	6.6	NA	14.0	NA
		7/01/02	6.0	NA	13.0	NA
		7/08/02	4.8	NA	11.0	NA
		7/15/02	7.3	NA	15.0	NA
		7/22/02	6.8	NA	12.0	NA
		7/29/02	4.2	NA	13.0	NA
		8/05/02	6.8	NA	14.0	NA
		8/12/02	6.9	NA	15.0	NA
		8/26/02	7.0	NA	12.0	NA
		9/03/02	8.9	NA	14.0	NA
		9/09/02	6.2	0.5 U	15.0	0.5 U
		9/16/02	5.8	NA	14.0	NA
		9/23/02	6.4	NA	15.0	NA
		3/03/03	5.8	NA	11.0	NA
		3/27/03	6.1	0.5 U	2.2	0.5 U
		3/31/03	4.8	NA	5.4	NA
		4/07/03	0.0 U	NA	7.8	NA
		4/14/03	5.7	NA	6.4	NA
		4/21/03	5.9	NA	4.1	NA
4/28/03	6.0	NA	11.0	NA		
5/05/03	6.8	NA	9.1	NA		
5/12/03	5.7	NA	8.9	NA		
5/19/03	6.8	NA	11.0	NA		
5/27/03	6.1	NA	10.0	NA		
6/02/03	6.8	0.5 U	14.0	0.5 U		
6/09/03	6.5	NA	6.3	NA		
6/16/03	5.8	0.5 U	11.0	0.5 U		
6/23/03	6.7	NA	10.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	6/30/03	6.9	NA	12.0	NA
		7/07/03	5.4	NA	10.0	NA
		7/14/03	7.1	NA	10.0	NA
		7/21/03	6.9	NA	13.0	NA
		7/28/03	7.9	NA	10.0	NA
		8/04/03	6.5	NA	10.0	NA
		8/11/03	6.1	NA	8.9	NA
		8/18/03	5.1	NA	11.0	NA
		9/02/03	6.8	NA	11.0	NA
		9/08/03	6.1	NA	11.0	NA
		9/15/03	5.7	NA	10.0	NA
		9/22/03	6.5	0.5 U	8.7	0.5 U
		9/29/03	6.3	NA	13.0	NA
		10/06/03	6.3	NA	13.0	NA
		10/13/03	6.6	NA	13.0	NA
		10/20/03	5.6	NA	14.0	NA
		10/27/03	4.5	NA	8.8	NA
		11/03/03	5.6	NA	18.0	NA
		11/10/03	4.9	NA	13.0	NA
		11/17/03	6.6	NA	11.0	NA
		11/24/03	7.3	NA	11.0	NA
		12/01/03	7.0	NA	13.0	NA
		12/08/03	7.2	NA	NA	NA
		12/15/03	6.7	NA	13.0	NA
		12/22/03	7.0	NA	9.1	NA
		12/29/03	7.7	NA	12.0	NA
		1/05/04	7.6	NA	10.0	NA
		1/12/04	7.2	NA	9.4	NA
		1/19/04	5.4	NA	9.7	NA
		1/26/04	5.5	NA	9.6	NA
		2/02/04	5.3	NA	9.5	NA
		2/09/04	5.6	NA	9.2	NA
		2/17/04	5.5	NA	9.1	NA
		2/23/04	4.1	NA	9.0	NA
		3/01/04	4.0 U	NA	9.8	NA
		3/08/04	6.1	NA	9.4	NA
		3/15/04	4.0 U	0.5 U	8.5	0.5 U
		3/22/04	6.6	NA	8.9	NA
		3/29/04	5.5	NA	8.7	NA
		4/05/04	5.8	NA	8.4	NA
		4/12/04	4.0 U	NA	9.3	NA
		4/19/04	5.5	NA	8.4	NA
4/26/04	5.6	NA	7.1	NA		
5/03/04	5.8	NA	7.9	NA		
5/10/04	4.6	NA	7.3	NA		
5/17/04	4.8	NA	6.9	NA		
5/24/04	4.2	NA	6.6	NA		
6/01/04	5.1	NA	7.5	NA		
6/07/04	4.9	NA	5.7	NA		
6/14/04	4.5	NA	6.5	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	6/21/04	4.0 U	NA	6.3	NA
		6/28/04	4.0 U	NA	6.0	NA
		7/06/04	4.4	NA	5.1	NA
		7/12/04	4.3	NA	6.5	NA
		7/19/04	4.8	NA	5.4	NA
		7/26/04	4.4	NA	6.0	NA
		8/02/04	4.0 U	NA	5.4	NA
		8/09/04	4.0 U	0.5 U	5.4	0.5 U
		8/16/04	4.0 U	NA	5.6	NA
		8/23/04	4.0 U	NA	5.0	NA
		8/30/04	4.0 U	NA	5.2	NA
		9/07/04	4.0 U	NA	5.7	NA
		9/13/04	5.8	NA	5.7	NA
		9/20/04	4.8	NA	5.2	NA
		9/27/04	5.5	NA	5.8	NA
		10/04/04	5.6	NA	4.7	NA
		10/11/04	5.9	NA	5.1	NA
		10/25/04	6.0	NA	6.4	NA
		11/01/04	8.8	NA	6.4	NA
		11/08/04	6.5	NA	NA	NA
		11/15/04	6.0	NA	5.8	NA
		11/22/04	5.9	NA	5.5	NA
		11/29/04	6.0	NA	4.7	NA
		12/06/04	6.0	NA	NA	NA
		12/13/04	8.1	NA	5.5	NA
		12/20/04	5.3	NA	5.4	NA
		12/27/04	5.5	NA	5.9	NA
		1/03/05	5.6	NA	5.0	NA
		1/10/05	7.0	NA	5.5	NA
		1/17/05	6.7	NA	6.1	NA
		1/24/05	5.9	NA	6.1	NA
		2/07/05	7.6	0.5 U	5.1	0.5 U
		2/14/05	5.0	NA	2.7	NA
		2/22/05	7.6	NA	3.5	NA
		2/28/05	5.9	NA	4.9	NA
		3/07/05	7.0	NA	3.5	NA
		3/14/05	4.3	NA	3.3	NA
		3/20/05	4.0 U	NA	0.5 U	NA
		3/28/05	5.8	NA	3.4	NA
		4/04/05	6.2	NA	4.7	NA
		4/11/05	6.2	NA	3.3	NA
4/18/05	6.3	NA	1.5	NA		
4/25/05	7.1	NA	3.5	NA		
5/02/05	7.4	NA	3.2	NA		
5/09/05	6.3	NA	3.1	NA		
5/16/05	7.8	NA	2.9	NA		
5/23/05	6.1	NA	3.1	NA		
5/31/05	6.4	NA	2.6	NA		
6/06/05	5.8	NA	2.6	NA		
6/13/05	6.8	NA	2.5	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	6/20/05	6.7	NA	2.3	NA
		6/27/05	6.3	NA	2.6	NA
		7/05/05	6.6	NA	2.6	NA
		7/11/05	6.8	NA	2.0	NA
		7/18/05	6.1	NA	2.6	NA
		7/25/05	6.1	NA	2.5	NA
		8/01/05	6.9	NA	1.2	NA
		8/08/05	4.7	NA	2.2	NA
		8/15/05	5.8	NA	2.2	NA
		8/22/05	6.5	NA	2.0	NA
		8/29/05	5.1	NA	2.2	NA
		9/06/05	6.4	NA	2.1	NA
		9/12/05	5.4	NA	1.9	NA
		9/19/05	5.8	NA	1.9	NA
		9/26/05	6.3	NA	2.0	NA
		10/03/05	7.0	NA	1.9	NA
		10/10/05	7.0	NA	1.9	NA
		10/17/05	7.0	NA	1.7	NA
		10/24/05	6.8	NA	1.4	NA
		10/31/05	6.0	NA	1.7	NA
		11/07/05	6.0	NA	1.7	NA
		11/14/05	7.2	NA	1.7	NA
		11/21/05	5.0	NA	NA	NA
		11/28/05	6.0	NA	1.6	NA
		12/05/05	5.4	NA	1.5	NA
		12/12/05	6.2	NA	1.5	NA
		12/19/05	8.0	NA	1.3	NA
		12/27/05	7.1	NA	1.4	NA
		1/03/06	5.8	NA	1.3	NA
		1/09/06	7.8	NA	1.3	NA
		1/16/06	6.0	NA	1.2	NA
		1/30/06	5.8	NA	1.1	NA
		2/06/06	6.0	NA	1.2	NA
		2/13/06	5.4	NA	1.2	NA
		2/21/06	5.5	0.5 U	1.2	0.5 U
		2/27/06	5.0	NA	1.0	NA
		3/06/06	5.2	NA	0.7	NA
		3/13/06	5.8	NA	0.6	NA
		3/20/06	8.0	NA	0.8	NA
		4/03/06	7.0	NA	0.5	NA
		4/10/06	6.5	NA	0.6	NA
4/17/06	6.0	NA	0.6	NA		
4/24/06	6.0	NA	0.7	NA		
5/01/06	6.0	NA	0.5 U	NA		
5/08/06	6.9	NA	0.6	NA		
5/15/06	6.2	NA	0.7	NA		
5/22/06	6.0	NA	0.6	NA		
5/30/06	6.8	NA	0.5	NA		
6/05/06	6.7	NA	0.7	NA		
6/12/06	6.1	NA	0.6	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	6/19/06	7.0	NA	0.6	NA
		6/26/06	6.9	NA	0.6	NA
		7/03/06	6.4	NA	0.7	NA
		7/12/06	6.7	NA	0.8	NA
		7/17/06	6.6	NA	0.7	NA
		7/24/06	6.3	NA	0.7	NA
		7/31/06	6.6	NA	0.8	NA
		8/07/06	6.5	NA	0.5	NA
		8/14/06	6.3	NA	0.7	NA
		8/21/06	5.9	NA	0.8	NA
		8/28/06	5.5	NA	0.8	NA
		9/05/06	5.6	NA	0.8	NA
		9/11/06	6.2	NA	0.8	NA
		9/18/06	6.3	NA	0.7	NA
		9/25/06	6.4	NA	0.7	NA
		10/02/06	6.2	NA	0.8	NA
		10/09/06	6.7	NA	0.8	NA
		10/16/06	7.3	NA	0.7	NA
		10/23/06	6.0	NA	0.8	NA
		10/30/06	5.9	NA	0.8	NA
		11/06/06	5.3	NA	0.8	NA
		11/13/06	5.4	NA	0.8	NA
		11/20/06	6.6	NA	0.7	NA
		12/11/06	6.4	NA	0.7	NA
		12/21/06	6.3	NA	0.7	NA
		12/26/06	6.2	NA	0.7	NA
		1/02/07	5.6	NA	0.7	NA
		1/08/07	6.4	NA	0.7	NA
		1/15/07	5.8	NA	0.7	NA
		1/22/07	6.4	NA	0.8	NA
		1/29/07	5.5	NA	0.7	NA
		2/05/07	5.9	NA	0.8	0.5 U
		2/12/07	6.8	NA	0.8	NA
		2/20/07	6.3	NA	0.6	NA
		2/26/07	6.2	NA	0.6	NA
		3/05/07	5.9	NA	0.6	NA
		3/12/07	5.8	NA	0.6	NA
		3/19/07	5.3	NA	0.5	NA
		3/26/07	5.7	NA	0.5 U	NA
		4/02/07	5.0	NA	0.5 U	NA
		4/09/07	4.8	NA	0.5	NA
		4/16/07	4.7	NA	0.5	NA
4/23/07	5.1	NA	0.5	NA		
4/30/07	5.0	NA	0.5	NA		
5/07/07	6.0	NA	0.5	NA		
5/14/07	5.3	NA	0.5	NA		
5/21/07	5.0	NA	0.5 U	NA		
5/29/07	5.9	NA	0.5 U	NA		
6/04/07	5.8	NA	0.5	NA		
6/11/07	5.2	NA	0.5 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	6/18/07	5.5	NA	0.5 U	NA
		6/25/07	4.6	NA	0.5 U	NA
		9/17/07	4.0 U	NA	0.5	NA
		9/24/07	4.3	NA	0.6	NA
		10/01/07	4.9	NA	0.6	NA
		10/08/07	5.1	NA	0.5	NA
		10/15/07	15.0	NA	0.5	NA
		10/22/07	5.9	NA	0.5 U	NA
		10/29/07	6.8	NA	0.5 U	NA
		11/05/07	8.1	NA	0.6	NA
		11/12/07	8.8	NA	0.5	NA
		11/19/07	8.2	NA	0.5	NA
		11/26/07	5.8	NA	0.5	NA
		12/03/07	5.8	NA	0.5	NA
		12/10/07	6.1	NA	0.5	NA
		12/17/07	5.0	NA	0.6	NA
		12/26/07	4.9	NA	0.5	NA
		1/02/08	5.9	NA	0.6	NA
		1/07/08	5.4	NA	0.6	NA
		1/14/08	4.9	NA	0.6	NA
		1/21/08	6.1	NA	0.7	NA
		1/28/08	5.5	NA	0.7	NA
		2/04/08	6.2	0.5 U	0.7	0.5 U
		2/11/08	7.4	NA	0.7	NA
		2/19/08	6.9	NA	0.6	NA
		2/25/08	5.9	NA	0.8	NA
		3/03/08	6.5	NA	0.6	NA
		3/10/08	6.0	NA	0.7	NA
		3/17/08	7.4	NA	0.7	NA
		3/24/08	6.0	NA	0.6	NA
		3/31/08	5.4	NA	0.7	NA
		4/07/08	5.7	NA	0.7	NA
		4/14/08	6.0	NA	0.6	NA
		4/21/08	6.5	NA	0.6	NA
		6/02/08	5.7	NA	0.6	NA
		6/09/08	5.9	NA	0.7	NA
		6/16/08	6.2	NA	0.6	NA
		6/23/08	5.9	NA	0.9	NA
		8/18/08	5.7	NA	0.8	NA
		8/25/08	5.4	NA	0.9	NA
		9/02/08	5.3	NA	0.9	NA
		9/08/08	4.5	NA	0.9	NA
9/15/08	6.6	NA	0.9	NA		
9/22/08	4.5	NA	0.9	NA		
9/29/08	5.3	NA	0.9	NA		
10/06/08	4.9	NA	0.9	NA		
10/13/08	5.2	NA	0.7	NA		
10/20/08	5.4	NA	1.0	NA		
10/27/08	4.0 U	NA	1.0	NA		
12/01/08	5.6	NA	1.1	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	12/08/08	5.5	NA	1.1	NA
		12/15/08	4.8	NA	0.9	NA
		12/22/08	4.6	NA	0.9	NA
		12/29/08	4.6	NA	1.0	NA
		1/05/09	5.6	NA	0.9	NA
		1/12/09	5.5	NA	0.9	NA
		1/19/09	5.6	NA	1.0	NA
		1/26/09	5.2	NA	0.9	NA
		2/23/09	4.7	NA	0.8	NA
		3/02/09	4.2	NA	0.8	NA
		3/09/09	4.4	NA	0.8	NA
		3/16/09	4.4	NA	0.7	NA
		3/23/09	5.7	NA	0.7	NA
		3/30/09	4.9	NA	0.7	NA
		4/06/09	5.8	NA	0.7	NA
		4/13/09	5.8	NA	0.5	NA
		4/20/09	6.3	NA	0.6	NA
		4/27/09	5.5	NA	0.8	NA
		5/04/09	6.3	NA	0.8	NA
		5/11/09	6.0	NA	0.8	NA
		5/18/09	5.7	NA	0.7	NA
		6/01/09	5.9	NA	0.7	NA
		6/08/09	6.0	NA	0.8	NA
		6/15/09	5.5	NA	0.8	NA
		6/22/09	5.8	NA	0.7	NA
		6/29/09	5.9	NA	0.8	NA
		7/06/09	4.5	NA	0.8	NA
		7/13/09	4.0 U	NA	0.8	NA
		7/20/09	5.4	NA	0.6	NA
		7/27/09	5.3	NA	0.7	NA
		8/03/09	5.4	NA	0.8	NA
		8/10/09	5.7	NA	0.5 U	NA
		8/17/09	4.5	NA	0.7	NA
		8/24/09	4.1	NA	0.7	NA
		8/31/09	4.4	NA	0.7	NA
		9/08/09	5.5	NA	0.5	NA
		9/14/09	5.5	NA	0.6	NA
		9/21/09	5.4	NA	0.6	NA
		9/28/09	5.6	NA	4.4	NA
		10/05/09	7.1	NA	1.0	NA
10/12/09	5.5	NA	0.5	NA		
10/19/09	6.1	NA	0.6	NA		
10/26/09	5.3	NA	0.5	NA		
11/02/09	5.5	NA	0.5 U	NA		
11/09/09	5.2	NA	0.6	NA		
11/16/09	5.4	NA	0.8	NA		
12/14/09	5.4	NA	0.6	NA		
12/21/09	5.3	NA	0.7	NA		
12/28/09	5.7	NA	0.8	NA		
1/04/10	6.3	NA	0.5 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/11/10	5.2	NA	0.6	NA
		1/18/10	5.0	NA	0.5 U	NA
		2/01/10	5.7	NA	0.5 U	NA
		2/08/10	6.0	NA	0.7	NA
		2/16/10	6.4	NA	0.6	NA
LA CANADA IRRIGATION DIST.	WELL 01	3/27/97	NA	0.5 U	0.6	0.5 U
		6/17/97	5.0 U	NA	NA	NA
		6/23/97	NA	NA	0.5 U	NA
		9/12/97	NA	NA	0.5 U	NA
		12/15/97	5.0 U	NA	NA	NA
		3/16/98	5.0 U	0.5 U	0.5 U	0.5 U
		6/29/98	4.8	NA	0.5 U	NA
		8/24/98	5.0 U	NA	0.5 U	NA
		12/19/98	5.0 U	NA	0.5 U	NA
		3/28/99	5.0 U	0.5 U	0.5 U	0.5 U
		6/13/99	5.0 U	NA	NA	NA
		9/27/99	5.0 U	NA	NA	NA
		12/28/99	5.0 U	NA	NA	NA
		3/17/00	5.0 U	0.5 U	0.5 U	0.5 U
		6/19/00	5.0 U	NA	NA	NA
		9/25/00	5.0 U	NA	NA	NA
		12/18/00	5.0 U	NA	NA	NA
		3/19/01	NA	0.5 U	0.5 U	0.5 U
		3/25/02	NA	0.5 U	0.6	0.5 U
		6/24/02	NA	NA	0.8	NA
		9/23/02	NA	NA	1.4	NA
		3/24/03	NA	0.5 U	0.7	0.5 U
		6/23/03	NA	NA	0.6	NA
		9/22/03	NA	NA	0.7	NA
		12/08/03	NA	NA	1.6	NA
		3/15/04	NA	0.5 U	0.5 U	0.8
		6/07/04	NA	NA	0.6	0.5 U
		9/13/04	NA	NA	0.5 U	0.5 U
		12/20/04	NA	NA	0.8	0.5
		3/28/05	NA	0.5 U	1.5	1.0
		6/13/05	NA	NA	0.8	0.6
		9/26/05	NA	NA	0.5 U	0.5 U
		12/19/05	NA	NA	1.6	1.0
		3/27/06	NA	0.5 U	1.1	1.1
		6/26/06	NA	NA	0.8	0.9
		9/25/06	NA	NA	0.6	0.9
12/26/06	NA	NA	0.5 U	0.5 U		
3/26/07	NA	0.5 U	0.5 U	1.3		
6/18/07	NA	NA	0.5	1.0		
9/24/07	NA	NA	0.6	1.1		
12/03/07	NA	NA	0.5	1.2		
3/17/08	NA	0.5 U	0.5	1.2		
6/09/08	NA	NA	0.5 U	1.1		
8/25/08	4.0 U	NA	NA	NA		
9/29/08	NA	NA	0.7	1.3		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 01 (con't)	10/14/08	4.0 U	NA	NA	NA
		12/22/08	NA	NA	0.7	1.6
		2/23/09	4.0 U	NA	NA	NA
		3/16/09	NA	0.5 U	0.7	1.8
		8/10/09	4.0 U	NA	NA	NA
	WELL 06	10/16/97	5.0 U	0.5 U	0.5 U	0.5 U
		3/13/98	5.0 U	NA	NA	NA
		6/08/98	5.0 U	NA	NA	NA
		8/24/98	5.0 U	NA	NA	NA
		12/19/98	5.0 U	0.5 U	0.5 U	0.5 U
		3/28/99	5.0 U	NA	NA	NA
		6/13/99	5.0 U	NA	NA	NA
		9/27/99	5.0 U	NA	NA	NA
		12/28/99	5.0 U	0.5 U	0.5 U	0.5 U
		3/17/00	5.0 U	NA	NA	NA
		6/19/00	5.0 U	NA	NA	NA
		9/25/00	5.0 U	NA	NA	NA
		12/18/00	5.0 U	0.5 U	0.7	0.5 U
		3/19/01	NA	NA	0.5 U	NA
		6/26/01	NA	NA	0.7	NA
		9/30/01	NA	NA	0.5 U	NA
		12/31/01	NA	0.5 U	0.8	0.5 U
		3/25/02	NA	NA	0.9	NA
		6/24/02	NA	NA	0.8	NA
		9/23/02	NA	NA	1.4	NA
		3/24/03	NA	NA	0.7	NA
		6/23/03	NA	NA	0.8	NA
		9/22/03	NA	NA	0.8	NA
		12/08/03	NA	0.5 U	1.4	1.3
		3/29/04	NA	NA	0.7	0.6
		6/07/04	NA	NA	0.5 U	0.5 U
		9/13/04	NA	NA	0.5 U	0.5 U
		12/20/04	NA	0.5 U	0.5 U	0.5 U
		3/28/05	NA	NA	0.9	0.7
		6/13/05	NA	NA	0.8	0.6
		9/26/05	NA	NA	0.5 U	0.5 U
		12/19/05	NA	0.5 U	1.7	1.0
		3/27/06	NA	NA	0.5 U	0.5
		6/26/06	NA	NA	0.5 U	0.5 U
		9/25/06	NA	NA	0.7	0.9
		12/26/06	NA	0.5 U	0.5 U	0.5 U
		3/26/07	NA	NA	0.7	0.9
6/18/07	NA	NA	0.5 U	0.5		
9/24/07	NA	NA	0.5 U	0.9		
12/31/07	NA	0.5 U	0.5 U	0.5 U		
3/24/08	NA	NA	0.5 U	0.5		
6/09/08	NA	NA	0.5 U	0.6		
9/29/08	NA	NA	0.5 U	0.5 U		
10/14/08	4.0 U	NA	NA	NA		
12/08/08	NA	0.5 U	0.5 U	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 06 (con't)	3/16/09	NA	NA	0.5 U	0.5 U
		6/15/09	NA	NA	0.5 U	0.6
		9/28/09	4.0 U	NA	0.5 U	0.6
		12/28/09	NA	0.5 U	0.7	2.0
VALLEY WATER CO.	WELL 01	5/01/96	NA	0.5 U	10.0	0.5 U
		6/05/96	NA	0.5 U	54.0	3.4
		7/09/96	NA	0.5 U	73.9	4.8
		8/19/96	NA	0.5 U	52.5	4.5
		11/18/96	NA	0.5 U	0.5 U	0.5 U
		5/12/97	NA	0.5 U	27.5	2.3
		6/10/97	NA	0.5 U	31.0	2.9
		6/17/97	5.0	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/07/97	NA	0.5 U	38.0	3.5
		8/11/97	NA	0.5 U	NA	NA
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/04/98	NA	0.5 U	10.1	0.5
		6/01/98	NA	0.5 U	8.7	0.8
		7/06/98	NA	0.5 U	7.8	1.1
		8/03/98	NA	0.5 U	13.0	1.2
		9/01/98	NA	0.5 U	9.9	1.4
		10/05/98	NA	0.5 U	10.0	1.8
		5/03/99	NA	0.5 U	2.8	0.5 U
		7/08/99	5.9	NA	NA	NA
		8/02/99	5.2	0.5 U	10.0	1.4
		9/07/99	0.0 U	0.5 U	8.7	1.7
		10/04/99	NA	0.5 U	8.7	1.3
		12/06/99	6.4	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	3.2	0.5 U
		6/05/00	0.0 U	0.5 U	4.8	0.7
		7/05/00	5.5	0.5 U	5.8	1.0
		8/01/00	NA	0.5 U	7.4	1.4
		9/05/00	0.0 U	NA	NA	NA
		10/02/00	NA	0.5 U	12.0	2.0
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	0.0 U	NA	NA	NA
		5/01/01	0.0 U	0.5 U	1.3	0.5 U
		6/04/01	NA	0.5 U	4.2	0.8
7/02/01	NA	0.5 U	4.1	0.9		
8/06/01	NA	0.5 U	4.7	1.1		
9/04/01	NA	0.5 U	6.2	1.9		
10/01/01	5.5	0.5 U	7.0	2.2		
5/01/02	NA	0.5 U	0.5 U	0.5 U		
6/03/02	NA	0.5 U	2.7	0.5 U		
7/01/02	NA	0.5 U	3.3	0.7		
8/05/02	NA	0.5 U	3.9	0.9		
9/03/02	NA	0.5 U	3.8	1.1		
9/06/02	4.2	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	10/02/02	NA	0.5 U	4.1	1.2
		5/05/03	NA	0.5 U	1.6	0.5 U
		6/12/03	NA	0.5 U	3.4	0.6
		7/14/03	NA	0.5 U	3.4	0.6
		8/18/03	NA	0.5 U	3.1	0.6
		9/02/03	NA	0.5 U	4.3	1.4
		10/06/03	NA	0.5 U	3.8	1.4
		5/06/04	NA	0.5 U	0.5 U	0.5 U
		6/08/04	NA	0.5 U	1.5	0.5 U
		7/07/04	NA	0.5 U	1.5	0.5
		8/19/04	NA	0.5 U	2.1	1.1
		9/07/04	NA	0.5 U	3.6	1.0
		10/04/04	NA	0.5 U	3.4	1.2
		3/03/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.7	0.5 U
		6/06/05	NA	0.5 U	0.8	0.5 U
		7/06/05	NA	0.5 U	1.6	0.5 U
		8/09/05	NA	0.5 U	1.6	0.5
		9/06/05	NA	0.5 U	2.5	0.6
		10/04/05	NA	0.5 U	2.7	0.7
		6/14/06	NA	0.5 U	1.0	0.5 U
		7/05/06	NA	0.5 U	1.5	0.5 U
		8/03/06	NA	0.5 U	2.2	0.5 U
		9/06/06	NA	0.5 U	3.1	0.5
		10/02/06	NA	0.5 U	4.3	0.8
		5/08/07	NA	0.5 U	1.3	0.5 U
		6/04/07	NA	0.5 U	2.5	0.6
		8/02/07	NA	0.5 U	3.3	0.6
		9/04/07	NA	0.5 U	4.8	0.8
		11/05/07	NA	0.5	4.3	1.0
		1/08/08	4.0 U	NA	NA	NA
		5/01/08	4.0 U	NA	NA	NA
		6/10/08	4.0 U	0.5 U	2.4	0.9
		7/07/08	NA	0.5 U	2.7	0.8
		8/05/08	NA	NA	3.4	0.9
	9/02/08	4.1	0.5	3.1	0.9	
	10/07/08	4.0	0.5	2.6	1.0	
	5/18/09	NA	0.5 U	1.4	0.5 U	
	6/01/09	4.0 U	NA	NA	NA	
	6/09/09	4.0	0.5 U	1.6	1.1	
	7/07/09	4.0 U	0.5 U	1.9	1.0	
	8/04/09	4.4	0.5 U	2.2	1.1	
	9/08/09	4.2	0.5 U	2.7	1.2	
	10/05/09	4.1	NA	NA	NA	
10/26/09	NA	0.5 U	2.2	1.2		
11/03/09	4.0 U	0.5 U	1.6	1.0		
	WELL 02	5/06/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	3.2	0.5 U
		7/01/96	NA	0.5 U	4.1	0.5 U
		8/05/96	NA	0.5 U	4.7	0.6

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 02 (con't)	9/03/96	NA	0.5 U	8.5	0.8
		10/01/96	NA	0.5 U	9.3	0.8
		5/05/97	NA	0.5 U	4.5	0.5 U
		6/17/97	4.0	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	7.6	0.7
		8/04/97	NA	0.5 U	8.4	0.9
		9/02/97	NA	0.5 U	9.1	1.0
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/06/98	NA	0.5 U	0.5 U	0.5 U
		6/01/98	NA	0.5 U	4.0	0.5 U
		7/06/98	NA	0.5 U	7.0	0.5
		8/03/98	NA	0.5 U	9.2	0.5
		9/01/98	NA	0.5 U	7.7	0.5
		5/03/99	NA	0.5 U	0.5 U	0.5 U
		6/01/99	NA	0.5 U	5.4	0.5 U
		7/08/99	7.4	NA	NA	NA
		8/02/99	5.9	0.5 U	9.6	0.8
		9/07/99	0.0 U	0.5 U	7.6	0.8
		12/06/99	0.0 U	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	3.6	0.5 U
		6/05/00	6.2	0.5 U	6.4	0.6
		7/05/00	0.0 U	0.5 U	7.3	0.6
		8/01/00	NA	0.5 U	8.3	0.8
		9/05/00	5.0	NA	NA	NA
		9/07/00	NA	0.5 U	5.0	1.0
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	0.0 U	NA	NA	NA
		5/01/01	0.0 U	0.5 U	0.5 U	0.5 U
		6/04/01	NA	0.5 U	10.0	0.7
		7/02/01	NA	0.5 U	7.7	0.6
		8/06/01	NA	0.5 U	8.4	0.7
		10/01/01	6.4	0.5 U	11.0	0.8
		4/23/02	4.0 U	NA	NA	NA
		5/06/02	NA	0.5 U	0.5 U	0.5 U
		6/03/02	NA	0.5 U	0.5 U	0.5 U
		7/01/02	NA	0.5 U	0.5 U	0.5 U
		8/05/02	NA	0.5 U	0.5 U	0.5 U
5/05/03	NA	0.5 U	8.7	0.6		
6/12/03	NA	0.5 U	9.0	0.8		
7/14/03	NA	0.5 U	0.5 U	0.5 U		
8/18/03	NA	0.5 U	3.4	0.5 U		
9/18/03	NA	0.5 U	0.5 U	0.5 U		
5/06/04	NA	0.5 U	0.5 U	0.5 U		
6/08/04	NA	0.5 U	0.5 U	0.5 U		
7/07/04	NA	0.5 U	0.5 U	0.5 U		
8/19/04	NA	0.5 U	0.5 U	0.5 U		
3/09/05	NA	0.5 U	0.5 U	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 02 (con't)	5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5 U	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		6/14/06	NA	0.5 U	0.5 U	0.5 U
		7/05/06	NA	0.5 U	0.5 U	0.5 U
		8/03/06	NA	0.5 U	0.5 U	0.5 U
		9/06/06	NA	0.5 U	6.0	0.5 U
		12/07/06	NA	0.5 U	0.5 U	0.5 U
		5/08/07	NA	0.5 U	2.6	0.5 U
		6/04/07	NA	0.5 U	4.1	0.5
		8/02/07	NA	0.5 U	3.8	0.5
		1/08/08	5.5	NA	NA	NA
		6/10/08	4.0 U	0.5 U	4.0	0.5
		7/07/08	NA	0.5 U	3.8	0.5 U
		8/05/08	NA	0.5	4.6	0.6
		10/15/08	4.0	0.5	3.3	0.5
		3/10/09	4.0 U	0.5 U	0.5 U	0.5 U
		5/18/09	NA	0.5 U	4.3	0.7
		6/09/09	4.7	0.5 U	3.9	0.6
	7/07/09	4.0 U	0.5 U	4.2	0.6	
	8/04/09	4.5	0.5 U	4.2	0.6	
	5/06/96	NA	0.5 U	2.6	0.5 U	
	6/05/96	NA	0.5 U	2.0	0.5 U	
	7/09/96	NA	0.5 U	2.1	0.5 U	
	8/06/96	NA	0.5 U	1.8	0.5 U	
	9/03/96	NA	0.5 U	1.0	0.5 U	
	10/01/96	NA	0.5 U	1.0	0.5 U	
	5/05/97	NA	0.5 U	0.5 U	0.5 U	
	6/17/97	0.0 U	NA	NA	NA	
	6/24/97	0.0 U	NA	NA	NA	
	7/01/97	NA	0.5 U	1.1	0.5 U	
	8/04/97	NA	0.5 U	1.0	0.5 U	
	9/02/97	NA	0.5 U	1.0	0.5 U	
	9/16/97	0.0 U	NA	NA	NA	
	4/30/98	0.0 U	NA	NA	NA	
	5/06/98	NA	0.5 U	3.8	0.5 U	
	6/01/98	NA	0.5 U	2.9	0.5 U	
	7/06/98	NA	0.5 U	2.1	0.5 U	
	8/03/98	NA	0.5 U	2.3	0.5 U	
	9/01/98	NA	0.5 U	1.7	0.5 U	
	5/03/99	NA	0.5 U	1.7	0.5 U	
6/01/99	NA	0.5 U	4.3	0.6		
7/06/99	NA	0.5 U	2.8	0.5		
7/08/99	7.3	NA	NA	NA		
8/02/99	5.4	0.5 U	3.1	0.6		
9/07/99	6.5	0.5 U	2.4	0.5 U		
12/06/99	6.7	NA	NA	NA		
3/09/00	0.0 U	NA	NA	NA		
5/01/00	NA	0.5 U	3.5	0.5 U		
	WELL 03					

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 03 (con't)	6/05/00	0.0 U	0.5 U	1.4	0.5 U
		7/05/00	5.2	0.5 U	2.4	0.6
		8/01/00	NA	0.5 U	2.6	0.7
		9/05/00	6.0	NA	NA	NA
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	4.1	NA	NA	NA
		5/01/01	5.1	0.5 U	2.4	0.5 U
		6/04/01	NA	0.5 U	3.4	0.6
		7/02/01	NA	0.5 U	2.5	0.5 U
		8/06/01	NA	0.5 U	2.0	0.5 U
		10/01/01	6.0	0.5 U	2.6	0.6
		4/23/02	4.0 U	NA	NA	NA
		5/06/02	NA	0.5 U	5.1	0.5
		6/03/02	NA	0.5 U	6.0	0.7
		7/01/02	NA	0.5 U	5.5	0.8
		8/05/02	NA	0.5 U	4.0	0.5
		5/05/03	NA	0.5 U	4.4	0.6
		6/12/03	NA	0.5 U	2.2	0.5 U
		7/14/03	NA	0.5 U	2.6	0.5 U
		8/18/03	NA	0.5 U	1.6	0.5 U
		5/06/04	NA	0.5 U	1.1	0.5 U
		6/08/04	NA	0.5 U	2.9	0.5 U
		7/07/04	NA	0.5 U	2.2	0.5 U
		8/19/04	NA	0.5 U	2.8	0.9
		3/09/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5 U	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		6/14/06	NA	0.5 U	2.1	0.5 U
		7/05/06	NA	0.5 U	2.1	0.5
		8/03/06	NA	0.5 U	0.5 U	0.5 U
		9/06/06	NA	0.5 U	2.5	0.6
	5/08/07	NA	0.5 U	1.9	0.6	
	6/04/07	NA	0.5 U	1.9	0.6	
	8/02/07	NA	0.5 U	1.5	0.6	
	1/08/08	4.9	NA	NA	NA	
	6/10/08	4.3	0.5 U	1.6	0.7	
	7/07/08	NA	0.5 U	1.7	0.6	
	8/05/08	NA	0.5	1.7	0.8	
	5/18/09	NA	0.5 U	2.2	1.2	
	6/09/09	5.4	0.5 U	1.9	1.0	
	7/07/09	4.7	0.5 U	1.7	0.9	
	8/04/09	5.4	0.5 U	1.7	0.9	
	5/06/96	WELL 04	NA	0.5 U	0.5 U	0.5 U
	6/03/96		NA	0.5 U	10.5	1.2
	7/01/96		NA	0.5 U	15.4	1.8
8/05/96	NA		0.5 U	16.2	3.6	
9/16/96	NA		0.5 U	17.0	2.7	
5/12/97	NA		0.5 U	15.8	1.7	

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 04 (con't)	6/10/97	NA	0.5 U	18.7	2.3
		6/17/97	5.0	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/07/97	NA	0.5 U	22.6	2.6
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/04/98	NA	0.5 U	1.1	0.5 U
		6/01/98	NA	0.5 U	3.7	0.5 U
		7/06/98	NA	0.5 U	5.4	0.5
		8/03/98	NA	0.5 U	6.9	0.5 U
		9/01/98	NA	0.5 U	5.5	0.5
		10/05/98	NA	0.5 U	4.3	0.5
		5/03/99	NA	0.5 U	0.5 U	0.5 U
		6/01/99	NA	0.5 U	2.5	0.5 U
		7/08/99	8.0	NA	NA	NA
		8/02/99	6.1	0.5 U	5.2	0.5 U
		9/07/99	5.3	0.5 U	4.3	0.6
		10/06/99	NA	0.5 U	5.2	0.5
		12/06/99	0.0 U	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	2.0	0.5 U
		6/05/00	NA	0.5 U	2.7	0.5 U
		7/05/00	0.0 U	0.5 U	3.1	0.5 U
		8/01/00	NA	0.5 U	3.9	0.6
		9/05/00	0.0 U	NA	NA	NA
		10/02/00	NA	0.5 U	3.0	1.0
		12/05/00	0.0 U	NA	NA	NA
		5/01/01	4.6	0.5 U	0.8	0.5 U
		6/04/01	NA	0.5 U	4.0	0.5
		7/02/01	NA	0.5 U	3.9	0.5 U
		8/06/01	NA	0.5 U	4.3	0.6
		9/04/01	NA	0.5 U	4.5	0.7
		10/01/01	6.5	0.5 U	5.4	0.8
		5/01/02	NA	0.5 U	0.5 U	0.5 U
		6/03/02	NA	0.5 U	1.0	0.5 U
		7/01/02	NA	0.5 U	1.3	0.5 U
		8/05/02	NA	0.5 U	1.4	0.5 U
		9/03/02	NA	0.5 U	1.7	0.5 U
		9/06/02	4.0 U	NA	NA	NA
		10/02/02	NA	0.5 U	1.5	0.5 U
		5/05/03	NA	0.5 U	3.7	0.5 U
6/12/03	NA	0.5 U	3.7	0.6		
7/14/03	NA	0.5 U	1.8	0.5 U		
8/18/03	NA	0.5 U	1.6	0.5 U		
9/02/03	NA	0.5 U	1.6	0.5 U		
5/06/04	NA	0.5 U	0.5 U	0.5 U		
6/08/04	NA	0.5 U	0.6	0.5 U		
7/07/04	NA	0.5 U	0.7	0.5 U		
8/19/04	NA	0.5 U	1.0	0.5		
9/07/04	NA	0.5 U	2.3	0.6		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (cont)	WELL 04 (cont)	3/03/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		9/06/05	NA	0.5 U	0.7	0.5 U
		10/04/05	NA	0.5 U	0.8	0.5 U
		6/14/06	NA	0.5 U	1.0	0.5 U
		7/05/06	NA	0.5 U	0.8	0.5 U
		8/03/06	NA	0.5 U	1.7	0.6
		9/06/06	NA	0.5 U	2.2	0.7
		10/02/06	NA	0.5 U	1.3	0.7
		12/07/06	NA	0.5 U	0.5 U	0.5 U
		5/08/07	NA	0.5 U	1.0	0.5 U
		6/04/07	NA	0.5 U	1.6	0.8
		8/02/07	NA	0.5 U	1.9	1.1
		9/04/07	NA	0.5 U	2.3	1.1
		1/08/08	4.6	NA	NA	NA
		6/10/08	4.0 U	0.5 U	2.1	0.7
		7/07/08	NA	0.5 U	2.3	1.0
		8/05/08	NA	0.5	1.8	1.3
		9/02/08	4.2	0.5	1.8	1.0
		10/07/08	4.0	0.5	1.9	1.1
		5/18/09	NA	0.5 U	1.6	1.0
		6/09/09	4.0 U	0.5 U	1.6	0.6
		7/07/09	4.0	0.5 U	2.2	0.7
		8/04/09	4.3	0.5 U	2.2	1.2
		9/08/09	4.4	0.5 U	2.4	1.4
10/05/09	4.4	NA	NA	NA		
10/26/09	NA	0.5 U	2.2	1.1		
PASADENA-CITY, WATER DEPT.	ARROYO	1/03/96	NA	3.2	0.5 U	3.6
		3/07/96	NA	0.5 U	0.5 U	0.5 U
		4/03/96	NA	2.0	0.7	1.6
		4/16/96	NA	2.6	0.5 U	2.4
		5/01/96	NA	2.6	0.5 U	2.4
		6/05/96	NA	3.4	0.5 U	2.6
		7/02/96	NA	2.5	0.5 U	2.2
		8/01/96	NA	NA	0.5 U	NA
		8/07/96	NA	3.7	NA	3.6
		9/04/96	NA	4.7	0.5	3.8
		10/02/96	NA	4.4	0.5	4.0
		11/01/96	NA	NA	0.5 U	NA
		11/06/96	NA	2.5	NA	2.8
		12/01/96	NA	NA	0.5 U	NA
		12/04/96	NA	3.2	NA	3.5
		1/08/97	NA	3.0	0.6	2.9
		3/01/97	NA	NA	0.5 U	NA
		3/03/97	NA	3.3	NA	2.4
3/05/97	NA	4.1	NA	2.9		
4/02/97	NA	4.1	0.5 U	2.7		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (cont)	ARROYO (cont)	5/01/97	NA	NA	NA U	NA
		5/07/97	NA	3.6	NA	2.2
		6/04/97	NA	4.7	1.1	3.5
		6/09/97	46.0	NA	NA	NA
		6/13/97	50.0	NA	NA	NA
		6/19/97	54.0	NA	NA	NA
		7/30/97	110.0	NA	NA	NA
		8/15/97	110.0	NA	NA	NA
		8/16/97	90.0	NA	NA	NA
		8/20/97	120.0	NA	NA	NA
		8/27/97	130.0	NA	NA	NA
		9/03/97	160.0	NA	NA	NA
		2/02/98	144.0	10.1	0.5 U	3.9
	VENTURA	2/01/96	NA	0.5 U	NA U	0.5 J
		3/01/96	NA	0.5 U	0.5 U	0.5 U
		5/01/96	NA	0.5 U	0.6	NA
		6/01/96	NA	0.5 U	0.6	0.7
		7/01/96	NA	0.5 U	NA U	0.6
		8/01/96	NA	0.5 U	NA	NA
		8/07/96	NA	NA	0.5	0.7
		9/01/96	NA	0.5 U	NA	NA
		9/04/96	NA	NA	0.6	0.8
		10/01/96	NA	0.5 U	NA	NA
		10/02/96	NA	NA	0.6	0.7
		11/06/96	NA	0.5 U	0.5 U	0.5 U
		12/01/96	NA	0.5 U	NA	NA
		12/05/96	NA	NA	0.7	0.8
		1/01/97	NA	0.5 U	NA U	NA
		1/08/97	NA	NA	NA	0.5
		3/01/97	NA	NA U	NA	NA
		3/03/97	NA	NA	NA	0.7
		3/05/97	NA	NA	0.6	1.2
		4/01/97	NA	0.5 U	NA U	NA
		4/02/97	NA	NA	NA	0.5
5/01/97		NA	0.5 U	NA U	0.5 U	
6/04/97		NA	0.5 U	0.7	0.9	
6/09/97		0.0 U	NA	NA	NA	
6/13/97		0.0 U	NA	NA	NA	
6/19/97		0.0 U	NA	NA	NA	
7/02/97		NA	0.5 U	0.5 U	0.5 U	
7/03/97		5.0	NA	NA	NA	
8/01/97		NA	0.5 U	NA U	0.5 U	
8/15/97		0.0 U	NA	NA	NA	
9/01/97	NA	0.5 U	NA U	NA		
9/03/97	NA	NA	NA	0.7		
9/17/97	0.0 U	NA	NA	NA		
9/22/97	NA	NA	NA	0.6		
10/01/97	4.0	0.5 U	0.5 U	0.5 U		
11/01/97	NA	0.5 U	NA U	NA		
11/05/97	NA	NA	NA	0.6		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	12/03/97	NA	NA	NA	0.9
		12/18/97	0.0 U	NA	NA	NA
		1/01/98	NA	0.5 U	NA	NA
		1/06/98	4.0	NA	0.5	1.0
		1/14/98	5.0	NA	NA	NA
		1/16/98	4.0	NA	NA	NA
		1/21/98	4.0	NA	NA	NA
		1/28/98	5.5	NA	NA	NA
		2/02/98	5.9	NA	0.5	0.8
		2/03/98	NA	0.5 U	0.6	1.1
		2/19/98	4.7	NA	NA	0.9
		3/01/98	NA	0.5 U	NA	NA
		3/03/98	0.0 U	NA	NA	0.6
		3/11/98	0.0 U	NA	0.7	1.6
		3/18/98	5.4	NA	NA	NA
		3/25/98	4.9	NA	NA	NA
		4/01/98	6.0	0.5 U	NA U	0.8
		4/08/98	4.0	NA	NA	NA
		4/13/98	0.0 U	NA	NA	NA
		4/19/98	5.4	NA	NA	NA
		4/23/98	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/01/98	NA	0.5 U	NA	NA
		5/06/98	NA	NA	0.6	1.1
		5/07/98	0.0 U	NA	NA	NA
		5/27/98	4.0 U	NA	NA	NA
		6/03/98	0.0 U	NA	0.7	1.3
		6/10/98	0.0 U	NA	NA	NA
		6/24/98	4.0 U	NA	NA	NA
		7/01/98	0.0 U	0.5 U	NA U	1.0
		7/08/98	5.0	NA	NA	NA
		7/15/98	5.0	NA	NA	NA
		8/01/98	4.0 U	0.5 U	0.5	1.0
		8/03/98	7.7	NA	NA	NA
		8/07/98	6.0	NA	NA	NA
		8/13/98	5.0	NA	NA	NA
		8/19/98	5.0	NA	NA	NA
		8/27/98	4.5	NA	NA	NA
		9/01/98	4.0 U	0.5 U	0.6	1.2
		9/07/98	4.0 U	NA	NA	NA
9/08/98	6.0	NA	NA	NA		
9/15/98	5.0	NA	NA	NA		
9/23/98	5.0	NA	NA	NA		
9/30/98	0.0 U	NA	NA	NA		
10/01/98	0.0 U	NA	NA	NA		
10/07/98	NA	0.5 U	0.5	1.2		
10/08/98	5.9	NA	NA	NA		
10/15/98	0.0 U	NA	NA	NA		
10/23/98	5.3	NA	NA	NA		
10/30/98	4.4	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	11/01/98	NA	0.5 U	0.5	1.1
		11/02/98	4.2	NA	NA	NA
		11/09/98	4.4	NA	NA	NA
		11/16/98	4.6	NA	NA	NA
		11/23/98	5.2	NA	NA	NA
		12/01/98	6.3	0.5 U	0.5	1.3
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/22/98	4.2	NA	NA	NA
		12/24/98	4.0	NA	NA	NA
		12/29/98	5.0	NA	NA	NA
		12/30/98	0.0 U	NA	NA	NA
		1/01/99	NA	0.5 U	0.5	1.1
		1/06/99	4.8	NA	NA	NA
		1/13/99	5.7	NA	NA	NA
		1/20/99	0.0 U	NA	NA	NA
		1/27/99	5.1	NA	NA	NA
		2/01/99	NA	0.5 U	0.6	1.1
		2/03/99	6.2	NA	NA	NA
		2/10/99	5.2	NA	NA	NA
		3/04/99	2.9	0.5 U	0.6	1.0
		3/17/99	0.0 U	NA	NA	NA
		5/01/99	NA	0.5 U	0.6	1.3
		5/12/99	3.6	NA	NA	NA
		5/18/99	2.7	NA	NA	NA
		5/26/99	2.9	NA	NA	NA
		6/01/99	NA	0.5 U	0.7	1.4
		6/02/99	2.7	NA	NA	NA
		6/09/99	5.2	NA	NA	NA
		6/10/99	0.0 U	NA	NA	NA
		6/16/99	3.4	NA	NA	NA
		6/23/99	3.1	NA	NA	NA
		6/30/99	3.1	NA	NA	NA
		7/01/99	NA	0.5 U	0.6	1.1
		7/07/99	3.7	NA	NA	NA
		7/14/99	5.0 U	NA	NA	NA
		7/21/99	5.0 U	NA	NA	NA
		7/28/99	5.0 U	NA	NA	NA
		8/04/99	0.0 U	0.5 U	0.7	1.0
		8/09/99	3.6	NA	NA	NA
		8/11/99	8.4	NA	NA	NA
		8/12/99	0.0 U	NA	NA	NA
8/15/99	0.0 U	NA	NA	NA		
8/18/99	3.0	NA	NA	NA		
8/25/99	3.2	NA	NA	NA		
8/31/99	0.0 U	NA	NA	NA		
9/01/99	0.0 U	NA	NA	NA		
9/08/99	8.3	0.5 U	0.7	1.1		
9/15/99	0.0 U	NA	NA	NA		
9/30/99	4.2	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	10/11/99	5.0	0.5 U	0.6	0.9
		11/10/99	NA	0.5 U	0.7	1.0
		12/01/99	NA	0.5 U	0.9	1.2
		1/01/00	NA	0.5 U	0.5	0.8
		1/07/00	4.0 U	NA	NA	NA
		1/13/00	4.0 U	NA	NA	NA
		1/26/00	0.0 U	NA	NA	NA
		2/02/00	0.0 U	NA	NA	NA
		2/10/00	0.0 U	0.5 U	0.5 U	1.0
		2/18/00	0.0 U	NA	NA	NA
		2/28/00	0.0 U	NA	NA	NA
		3/02/00	4.0	NA	NA	NA
		3/06/00	NA	0.5 U	1.0	1.0
		3/16/00	4.0 U	NA	NA	NA
		3/23/00	4.0 U	NA	NA	NA
		3/29/00	4.0 U	NA	NA	NA
		4/01/00	4.0 U	NA	NA	NA
		4/07/00	4.0 U	NA	NA	NA
		4/12/00	NA	0.5 U	0.5 U	0.6
		4/13/00	4.0 U	NA	NA	NA
		5/01/00	8.2	NA	NA	NA
		5/10/00	NA	0.5 U	0.5 U	0.7
		6/07/00	NA	0.5 U	1.0	1.0
		6/08/00	0.0 U	NA	NA	NA
		6/22/00	0.0 U	NA	NA	NA
		7/06/00	0.0 U	NA	NA	NA
		7/12/00	6.1	0.5 U	0.5 U	1.0
		8/01/00	NA	0.5 U	0.5 U	0.5 U
		8/02/00	7.0	NA	NA	NA
		8/10/00	4.0 U	NA	NA	NA
		8/17/00	3.0	NA	NA	NA
		8/23/00	4.0	NA	NA	NA
		8/30/00	5.0	NA	NA	NA
		9/01/00	4.5	NA	NA	NA
		9/04/00	NA	0.5 U	1.0	1.0
		9/07/00	4.0	NA	NA	NA
		9/12/00	4.0	NA	NA	NA
		9/21/00	4.0	NA	NA	NA
		9/28/00	4.0	NA	NA	NA
		10/04/00	5.0	NA	NA	NA
10/09/00	NA	0.5 U	0.5	0.7		
10/11/00	6.3	NA	NA	NA		
10/18/00	3.5	NA	NA	NA		
10/25/00	3.5	NA	NA	NA		
11/02/00	2.9	NA	NA	NA		
11/06/00	NA	0.5 U	0.6	0.7		
11/07/00	4.7	NA	NA	NA		
11/15/00	3.8	NA	NA	NA		
11/22/00	4.5	NA	NA	NA		
11/30/00	5.2	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	12/07/00	5.5	NA	NA	NA
		12/12/00	NA	0.5 U	0.7	0.7
		12/13/00	6.5	NA	NA	NA
		12/21/00	5.2	NA	NA	NA
		12/28/00	6.1	NA	NA	NA
		1/02/01	NA	0.5 U	0.6	0.7
		1/04/01	6.6	NA	NA	NA
		1/23/01	6.8	0.5 U	0.9	0.8
		2/01/01	4.6	NA	NA	NA
		2/07/01	4.1	NA	NA	NA
		2/13/01	4.0 J	NA	NA	NA
		2/19/01	3.6 J	NA	NA	NA
		5/01/01	NA	0.5 U	0.6	0.9
		5/07/01	7.2	NA	NA	NA
		5/22/01	7.0	NA	NA	NA
		5/30/01	4.3 U	NA	NA	NA
		6/01/01	NA	0.5 U	0.5	0.6
		6/05/01	5.7	NA	NA	NA
		6/13/01	5.7	NA	NA	NA
		6/20/01	4.8	NA	NA	NA
		6/26/01	4.2	NA	NA	NA
		7/03/01	5.7	NA	NA	NA
		7/11/01	5.0	0.5 U	0.5	0.7
		7/18/01	5.8	NA	NA	NA
		7/25/01	6.0	NA	NA	NA
		8/01/01	5.0	NA	NA	NA
		8/08/01	4.1	NA	NA	NA
		8/15/01	5.1	0.5 U	0.6	0.8
		8/22/01	4.9	NA	NA	NA
		8/29/01	4.9	NA	NA	NA
		9/05/01	5.3	NA	NA	NA
		9/12/01	5.0	0.5 U	0.5 U	0.6
		9/19/01	5.8	NA	NA	NA
		9/27/01	5.7	NA	NA	NA
		10/02/01	NA	0.5 U	0.5 U	0.5
		10/03/01	6.1	NA	NA	NA
		10/10/01	5.4	NA	NA	NA
		10/17/01	5.3	NA	NA	NA
		10/24/01	4.8	NA	NA	NA
		10/31/01	5.4	NA	NA	NA
		11/07/01	5.8	0.5 U	0.5	0.6
		11/13/01	5.1	NA	NA	NA
11/21/01	5.0	NA	NA	NA		
11/29/01	4.9	NA	NA	NA		
12/05/01	4.3	0.5 U	0.6	0.8		
12/12/01	4.8	NA	NA	NA		
12/19/01	5.0	NA	NA	NA		
12/26/01	4.8	NA	NA	NA		
1/02/02	6.0	NA	NA	NA		
1/09/02	5.6	0.5 U	0.6	0.8		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (cont)	VENTURA (cont)	1/16/02	5.7	NA	NA	NA
		4/24/02	5.6	0.5 U	1.3	1.1
		5/15/02	6.2	0.5 U	0.8	0.8
		6/05/02	6.3	0.5 U	0.8	0.7
		7/17/02	5.0	0.5 U	0.9	0.7
		8/14/02	5.4	0.5 U	0.7	0.6
		9/18/02	7.1	0.5 U	0.8	0.7
		10/09/02	5.8	0.5 U	0.6	0.6
	WELL 52	1/03/96	NA	0.5 U	0.5 U	3.9
		3/07/96	NA	0.5 U	0.5 U	5.3
		4/03/96	NA	0.5	0.2	4.5
		4/16/96	NA	0.5 U	0.5 U	3.7
		5/01/96	NA	0.5 U	0.5 U	3.2
		6/05/96	NA	0.5 U	0.5 U	3.3
		7/02/96	NA	0.5 U	0.5 U	2.5
		8/01/96	NA	NA	NA U	NA
		8/07/96	NA	0.5	NA	3.6
		9/01/96	NA	NA	NA U	NA
		9/04/96	NA	0.7	NA	4.4
		10/01/96	NA	NA	NA U	NA
		10/02/96	NA	0.7	NA	4.7
		1/16/97	26.0	NA	NA	NA
		3/01/97	NA	0.5 U	NA U	NA
		3/03/97	NA	NA	NA	5.8
		3/05/97	NA	NA	NA	7.3
		4/01/97	NA	0.5 U	NA U	NA
		4/02/97	NA	NA	NA	4.1
		5/01/97	NA	0.5 U	NA U	NA
		5/07/97	NA	NA	NA	3.1
		6/04/97	NA	0.5 U	0.5 U	4.6
		6/09/97	6.0	NA	NA	NA
		6/13/97	6.0	NA	NA	NA
		6/19/97	7.0	NA	NA	NA
		7/01/97	NA	0.5 U	NA U	NA
		7/02/97	NA	NA	NA	3.4
		7/03/97	10.0	NA	NA	NA
8/01/97		NA	0.5 U	NA U	NA	
8/06/97		10.0	NA	NA	2.0	
8/15/97	11.0	NA	NA	NA		
9/01/97	NA	NA	NA U	NA		
9/03/97	NA	0.8	NA	3.5		
9/04/97	15.0	NA	NA	NA		
9/10/97	16.0	NA	NA	NA		
9/17/97	15.0	NA	NA	NA		
9/20/97	15.0	NA	NA	NA		
9/22/97	NA	1.2	NA	4.3		
9/30/97	16.0	NA	NA	NA		
10/01/97	8.0	0.7	NA U	3.4		
10/10/97	14.0	NA	NA	NA		
10/20/97	16.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	11/01/97	18.0	NA	NA	NA
		11/05/97	NA	1.3	0.5 U	3.9
		12/01/97	22.0	NA	NA U	NA
		12/04/97	7.0	NA	NA	NA
		12/08/97	NA	0.8	NA	5.8
		12/14/97	7.0	NA	NA	NA
		12/18/97	19.0	NA	NA	NA
		12/24/97	22.0	NA	NA	NA
		1/01/98	19.0	NA	NA U	NA
		1/06/98	26.0	0.7	NA	4.7
		1/07/98	22.0	NA	NA	NA
		1/14/98	27.0	NA	NA	NA
		1/16/98	26.0	NA	NA	NA
		1/19/98	7.0	NA	NA	NA
		1/21/98	7.0	NA	NA	NA
		1/25/98	27.0	NA	NA	NA
		1/28/98	31.3	NA	NA	NA
		2/01/98	31.3	NA	NA	NA
		2/03/98	NA	2.1	0.5 U	3.1
		3/01/98	24.5	NA	NA U	NA
		3/04/98	7.8	0.6	NA	5.3
		3/07/98	7.8	NA	NA	NA
		3/11/98	8.4	1.7	NA	4.5
		3/13/98	8.4	NA	NA	NA
		3/18/98	24.0	NA	NA	NA
		3/19/98	24.0	NA	NA	NA
		3/25/98	24.5	NA	NA	NA
		4/01/98	20.7	1.0	NA U	3.2
		4/07/98	20.7	NA	NA	NA
		4/08/98	22.0	NA	NA	NA
		4/13/98	22.0	NA	NA	NA
		4/16/98	23.0	NA	NA	NA
		4/19/98	23.0	NA	NA	NA
		4/23/98	18.0	NA	NA	NA
		4/30/98	15.0	NA	NA	NA
		5/01/98	18.0	NA	NA U	NA
		5/06/98	NA	1.3	NA	3.6
		5/07/98	15.0	NA	NA	NA
		5/13/98	17.0	NA	NA	NA
		5/19/98	17.0	NA	NA	NA
		5/25/98	16.0	NA	NA	NA
		5/27/98	16.0	NA	NA	NA
6/01/98	16.0	NA	NA	0.5 U		
6/03/98	17.0	1.5	3.8	NA		
6/07/98	17.0	NA	NA	NA		
6/10/98	12.0	NA	NA	NA		
6/13/98	12.0	NA	NA	NA		
6/19/98	17.0	NA	NA	NA		
6/24/98	15.0	NA	NA	NA		
6/25/98	15.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	7/01/98	13.0	1.3	NA U	3.1
		7/07/98	19.0	NA	NA	NA
		7/08/98	19.0	NA	NA	NA
		7/13/98	22.0	NA	NA	NA
		7/15/98	22.0	NA	NA	NA
		7/19/98	22.0	NA	NA	NA
		8/01/98	20.0	1.6	NA U	3.5
		8/03/98	15.8	NA	NA	NA
		8/07/98	24.0	NA	NA	NA
		8/13/98	25.0	NA	NA	NA
		8/19/98	25.0	NA	NA	NA
		8/27/98	25.0	NA	NA	NA
		9/01/98	15.0	1.6	NA	3.3
		9/07/98	15.0	NA	NA	NA
		9/08/98	22.0	NA	NA	NA
		9/13/98	22.0	NA	NA	NA
		9/15/98	23.0	NA	NA	NA
		9/19/98	23.0	NA	NA	NA
		9/23/98	28.0	NA	NA	NA
		9/30/98	27.0	NA	NA	NA
		10/01/98	27.0	NA	NA	NA
		10/07/98	22.8	1.5	0.5 U	3.0
		10/08/98	22.8	NA	NA	NA
		10/13/98	20.7	NA	NA	NA
		10/15/98	20.7	NA	NA	NA
		10/19/98	22.6	NA	NA	NA
		10/23/98	22.6	NA	NA	NA
		10/25/98	16.8	NA	NA	NA
		10/30/98	16.8	NA	NA	NA
		11/01/98	21.6	1.6 U	NA U	2.7
		11/02/98	21.6	NA	NA	NA
		11/07/98	19.0	NA	NA	NA
		11/09/98	19.0	NA	NA	NA
		11/13/98	19.8	NA	NA	NA
		11/16/98	19.8	NA	NA	NA
		11/19/98	20.2	NA	NA	NA
		11/23/98	20.2	NA	NA	NA
		12/01/98	25.3	2.3	NA U	3.7
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/19/98	16.0	NA	NA	NA
		12/22/98	16.0	NA	NA	NA
12/29/98	0.0 U	NA	NA	NA		
1/06/99	0.0 U	NA	NA	NA		
1/07/99	27.9	NA	NA	NA		
1/13/99	18.9	NA	NA	NA		
1/19/99	20.3	NA	NA	NA		
1/20/99	18.9	NA	NA	NA		
1/27/99	20.3	NA	NA	NA		
2/01/99	NA	2.1	NA U	3.1		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	2/03/99	25.3	NA	NA	NA
		2/07/99	25.7	NA	NA	NA
		2/10/99	25.7	NA	NA	NA
		3/04/99	18.0	2.2	0.5 U	3.4
		3/17/99	18.6	NA	NA	NA
		4/14/99	3.0 J	NA	NA	NA
		5/01/99	NA	1.2	NA U	2.0
		5/12/99	13.9	NA	NA	NA
		5/18/99	18.4	NA	NA	NA
		5/26/99	22.9	NA	NA	NA
		6/01/99	NA	3.0	0.5	3.7
		6/02/99	23.0	NA	NA	NA
		6/09/99	26.4	NA	NA	NA
		6/10/99	23.4	NA	NA	NA
		6/16/99	27.3	NA	NA	NA
		6/23/99	26.0	NA	NA	NA
		6/30/99	17.2	NA	NA	NA
		7/01/99	33.5	2.5	NA U	3.2
		7/07/99	24.4	NA	NA	NA
		7/14/99	23.5	NA	NA	NA
		7/21/99	21.3 U	NA	NA	NA
		7/28/99	27.3	NA	NA	NA
		8/04/99	23.6	2.3	0.5 U	3.4
		8/09/99	24.8	NA	NA	NA
		8/11/99	25.2	NA	NA	NA
		8/12/99	24.3	NA	NA	NA
		8/15/99	21.2	NA	NA	NA
		8/18/99	21.0	NA	NA	NA
		8/19/99	27.3	NA	NA	NA
		8/25/99	23.3	NA	NA	NA
		8/31/99	27.3	NA	NA	NA
		9/01/99	19.6	NA	NA	NA
		9/07/99	24.8	NA	NA	NA
		9/08/99	24.8	2.3	0.6	3.5
		9/15/99	21.2	NA	NA	NA
		9/25/99	24.6	NA	NA	NA
		9/30/99	26.5	NA	NA	NA
		10/01/99	23.4	NA	NA	NA
		10/07/99	30.9	NA	NA	NA
		10/11/99	22.5	1.9	0.5 U	2.9
		10/13/99	26.1	NA	NA	NA
		10/19/99	28.0	NA	NA	NA
11/01/99	24.7	NA	NA	NA		
11/10/99	NA	2.3	0.5 U	3.2		
11/13/99	24.0	NA	NA	NA		
11/19/99	20.1	NA	NA	NA		
12/01/99	NA	2.3	0.6	3.9		
12/07/99	24.3	NA	NA	NA		
12/13/99	29.1	NA	NA	NA		
12/19/99	33.5	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	12/25/99	24.3	NA	NA	NA
		1/01/00	27.4	2.1	NA U	3.3
		1/07/00	23.5	NA	NA	NA
		1/13/00	21.5	NA	NA	NA
		1/26/00	24.9	NA	NA	NA
		2/02/00	22.6	NA	NA	NA
		2/10/00	25.8	2.0	0.5 U	3.0
		2/18/00	25.7	NA	NA	NA
		2/28/00	19.8	NA	NA	NA
		3/02/00	30.0	NA	NA	NA
		3/06/00	NA	2.0	0.5 U	3.0
		3/07/00	26.9	NA	NA	NA
		3/16/00	20.0	NA	NA	NA
		3/23/00	19.0	NA	NA	NA
		3/29/00	20.0	NA	NA	NA
		4/01/00	21.7	NA	NA	NA
		4/07/00	22.1	NA	NA	NA
		4/12/00	NA	4.4	0.5 U	3.1
		4/13/00	21.9	NA	NA	NA
		4/19/00	27.0	NA	NA	NA
		5/01/00	21.7	NA	NA	NA
		5/07/00	29.8	NA	NA	NA
		5/10/00	NA	3.2	0.5 U	3.3
		6/07/00	NA	3.0	1.0	2.0
		6/08/00	21.1	NA	NA	NA
		6/14/00	22.7	NA	NA	NA
		6/22/00	23.7	NA	NA	NA
		7/06/00	16.5	NA	NA	NA
		7/12/00	33.5	3.0	0.5 U	3.0
		7/13/00	27.0	NA	NA	NA
		7/19/00	38.8	NA	NA	NA
		8/01/00	28.9	3.0	0.5 U	3.0
		8/02/00	16.0	NA	NA	NA
		8/07/00	28.5	NA	NA	NA
		8/10/00	23.0 U	NA	NA	NA
		8/13/00	25.6	NA	NA	NA
		8/17/00	23.0	NA	NA	NA
		8/19/00	19.6	NA	NA	NA
		8/23/00	24.0	NA	NA	NA
		8/24/00	24.0	NA	NA	NA
		8/30/00	29.0	NA	NA	NA
9/01/00	28.9	NA	NA	NA		
9/04/00	NA	2.0	0.5 U	3.0		
9/07/00	29.0	NA	NA	NA		
9/12/00	26.0	NA	NA	NA		
9/21/00	20.0	NA	NA	NA		
9/28/00	20.0	NA	NA	NA		
10/04/00	30.3	NA	NA	NA		
10/09/00	NA	2.8	0.5 U	3.4		
10/11/00	27.1	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	10/18/00	20.5	NA	NA	NA
		10/25/00	23.1	NA	NA	NA
		11/02/00	16.9	NA	NA	NA
		11/06/00	NA	3.0	0.5 U	3.2
		11/09/00	26.0	NA	NA	NA
		11/15/00	22.7	NA	NA	NA
		11/22/00	24.2	NA	NA	NA
		11/30/00	27.1	NA	NA	NA
		12/07/00	24.1	NA	NA	NA
		12/12/00	NA	0.5 U	1.7	1.8
		12/13/00	27.4	NA	NA	NA
		12/21/00	23.0	NA	NA	NA
		12/28/00	26.9	NA	NA	NA
		1/02/01	NA	2.5	0.5	3.5
		1/04/01	30.0	NA	NA	NA
		1/23/01	24.4	NA	NA	NA
		2/01/01	28.9	NA	NA	NA
		2/07/01	28.5	NA	NA	NA
		2/13/01	25.6	NA	NA	NA
		2/19/01	19.6	NA	NA	NA
		3/01/01	NA	1.9	2.9	0.5 U
		3/14/01	17.3	NA	NA	NA
		3/21/01	20.8	NA	NA	NA
		3/29/01	19.8	NA	NA	NA
		4/01/01	NA	3.2	0.7	3.6
		4/04/01	26.7	NA	NA	NA
		4/07/01	35.1	NA	NA	NA
		5/01/01	NA	2.6	NA U	2.8
		5/22/01	34.7	NA	NA	NA
		5/30/01	32.7 U	NA	NA	NA
		6/01/01	NA	2.6	NA U	2.6
		6/05/01	34.9	NA	NA	NA
		6/13/01	33.7	NA	NA	NA
		6/20/01	33.3	NA	NA	NA
		6/26/01	30.1	NA	NA	NA
		7/03/01	31.4	NA	NA	NA
		7/11/01	33.3	3.2	0.5 U	3.1
		7/18/01	30.4	NA	NA	NA
		7/25/01	27.0	NA	NA	NA
		8/01/01	25.5 U	NA	NA	NA
		8/08/01	24.1	NA	NA	NA
8/15/01	22.4	3.2	0.5 U	3.3		
8/22/01	22.6	NA	NA	NA		
8/29/01	22.0	NA	NA	NA		
9/05/01	23.7	NA	NA	NA		
9/12/01	22.5	2.6	0.5 U	3.0		
9/19/01	23.1	NA	NA	NA		
9/27/01	26.4	NA	NA	NA		
10/02/01	NA	1.7	0.5 U	1.9		
10/03/01	27.5	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (cont')	WELL 52 (cont')	10/10/01	27.0	NA	NA	NA
		10/17/01	22.5	NA	NA	NA
		10/24/01	22.6	NA	NA	NA
		10/31/01	25.0	NA	NA	NA
		11/07/01	27.1	1.7	0.5 U	1.9
		11/13/01	22.7	NA	NA	NA
		11/21/01	22.6	NA	NA	NA
		11/29/01	22.4	NA	NA	NA
		12/05/01	21.4	1.8	0.5 U	2.8
		12/12/01	21.6	NA	NA	NA
		12/19/01	22.3	NA	NA	NA
		12/26/01	20.8	NA	NA	NA
		1/02/02	26.0	NA	NA	NA
		1/09/02	23.2	2.3	0.5 U	2.8
		1/16/02	23.3	NA	NA	NA
		4/24/02	15.0	1.2	1.0	3.4
		5/15/02	16.2	1.6	0.9	3.0
		6/01/02	NA	1.2	0.9	2.5
		6/05/02	14.7	1.2	0.9	2.5
		7/01/02	NA	0.7	1.0	2.5
		7/02/02	11.9	NA	NA	NA
		7/17/02	11.9	0.7	1.0	2.5
		8/01/02	NA	0.5 U	1.0	2.5
		8/02/02	12.4	NA	NA	NA
		8/14/02	12.4	1.0	1.0	2.5
	9/01/02	NA	0.6	0.8	1.6	
	9/18/02	12.2	1.2	1.2	2.6	
	10/09/02	10.5	0.6	0.8	1.6	
	WINDSOR	1/03/96	NA	0.5 U	0.5 U	0.7
		3/07/96	NA	0.5 U	0.5 U	0.5 U
		4/03/96	NA	0.5 U	0.7	0.9
		4/16/96	NA	0.5 U	0.9	0.9
		5/01/96	NA	0.5 U	0.8	1.1
		6/05/96	NA	0.5 U	1.0	0.8
		6/19/96	NA	0.5 U	0.5 U	0.5 U
		7/02/96	NA	0.5 U	0.5 U	0.5 U
		8/01/96	NA	0.5 U	NA	NA
		8/07/96	NA	NA	0.8	0.8
		9/01/96	NA	0.5 U	NA	NA
		9/04/96	NA	NA	1.1	0.9
		10/01/96	NA	0.5 U	NA	NA
		10/02/96	NA	NA	1.0	0.9
		11/06/96	NA	0.5 U	0.5 U	0.5 U
12/01/96		NA	0.5 U	NA U	NA	
12/04/96		NA	NA	NA	0.8	
1/01/97		NA	0.5 U	NA	NA	
1/08/97		NA	NA	0.6	0.8	
3/01/97		NA	0.5 U	NA U	NA	
3/03/97	NA	NA	NA	0.8		
3/05/97	NA	NA	1.0	1.2		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	4/01/97	NA	0.5 U	NA	NA
		4/02/97	NA	NA	0.8	0.9
		5/07/97	NA	0.5 U	0.5 U	0.5 U
		6/01/97	NA	0.5 U	NA	NA
		6/04/97	NA	NA	1.1	1.0
		6/13/97	0.0 U	NA	NA	NA
		6/19/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	NA U	0.5 U
		7/03/97	0.0 U	NA	NA	NA
		8/01/97	NA	0.5 U	NA	0.5 U
		8/06/97	NA	NA	0.6	NA
		9/03/97	NA	NA	1.0	0.7
		9/17/97	0.0 U	NA	NA	NA
		9/22/97	NA	0.5 U	0.5 U	0.5 U
		10/01/97	NA	0.5 U	0.6	0.5 U
		11/01/97	NA	0.5 U	NA	NA
		11/05/97	NA	NA	0.8	0.6
		12/01/97	NA	0.5 U	NA	NA
		12/03/97	NA	NA	1.1	1.1
		12/18/97	0.0 U	NA	NA	NA
		12/24/97	4.0	NA	NA	NA
		1/01/98	NA	0.5 U	NA	NA
		1/06/98	0.0 U	NA	NA	NA
		1/07/98	NA	NA	0.7	0.8
		1/14/98	0.0 U	NA	NA	NA
		1/16/98	0.0 U	NA	NA	NA
		1/21/98	0.0 U	NA	NA	NA
		2/03/98	NA	0.5 U	1.1	1.2
		4/01/98	NA	0.5 U	NA	0.5 U
		4/13/98	0.0 U	NA	0.7	NA
		4/16/98	0.0 U	NA	NA	NA
		4/23/98	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/01/98	NA	0.5 U	NA	0.5 U
		5/06/98	NA	NA	1.0	NA
		5/07/98	0.0 U	NA	NA	NA
		5/13/98	0.0 U	NA	1.1	NA
		5/27/98	0.0 U	NA	NA	NA
		6/01/98	NA	0.5 U	NA	NA
		6/03/98	0.0 U	NA	1.3	0.5
		6/10/98	0.0 U	NA	NA	NA
		6/24/98	0.0 U	NA	NA	NA
7/01/98	0.0 U	0.5 U	0.8	0.6		
7/08/98	0.0 U	NA	NA	NA		
7/15/98	3.0	NA	NA	NA		
8/01/98	NA	0.5 U	1.0	0.7		
8/03/98	10.7	NA	NA	NA		
8/27/98	2.7	NA	NA	NA		
9/01/98	0.0 U	0.5 U	1.2	0.9		
9/08/98	0.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	9/15/98	0.0 U	NA	NA	NA
		9/23/98	0.0 U	NA	NA	NA
		9/30/98	0.0 U	NA	NA	NA
		10/01/98	0.0 U	NA	NA	NA
		10/07/98	NA	0.5 U	1.2	1.0
		10/08/98	0.0 U	NA	NA	NA
		10/15/98	0.0 U	NA	NA	NA
		10/23/98	0.0 U	NA	NA	NA
		10/30/98	0.0 U	NA	NA	NA
		11/01/98	NA	0.5 U	1.0	1.0
		11/02/98	0.0 U	NA	NA	NA
		11/09/98	0.0 U	NA	NA	NA
		11/16/98	0.0 U	NA	NA	NA
		11/23/98	0.0 U	NA	NA	NA
		12/01/98	0.0 U	0.5 U	1.0	1.1
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/22/98	0.0 U	NA	NA	NA
		12/29/98	0.0 U	NA	NA	NA
		12/30/98	0.0 U	NA	NA	NA
		1/01/99	NA	0.5 U	0.8	0.7
		1/06/99	0.0 U	NA	NA	NA
		1/13/99	4.3	NA	NA	NA
		1/20/99	0.0 U	NA	NA	NA
		1/27/99	4.1	NA	NA	NA
		2/01/99	NA	0.5 U	1.1	1.2
		2/03/99	5.1	NA	NA	NA
		2/10/99	0.0 U	NA	NA	NA
		3/04/99	2.6	0.5 U	1.5	1.3
		3/17/99	0.0 U	NA	NA	NA
		5/01/99	NA	0.5 U	1.5	1.8
		5/12/99	3.3	NA	NA	NA
		5/18/99	2.6	NA	NA	NA
		5/26/99	2.0	NA	NA	NA
		6/01/99	NA	0.5 U	1.2	1.3
		6/02/99	3.9	NA	NA	NA
		6/09/99	0.0 U	NA	NA	NA
		6/10/99	0.0 U	NA	NA	NA
		6/16/99	2.8	NA	NA	NA
		6/23/99	4.9	NA	NA	NA
		6/30/99	5.0 U	NA	NA	NA
7/01/99	4.0 U	0.5 U	1.2	1.2		
7/07/99	1.9	NA	NA	NA		
7/14/99	4.0 U	NA	NA	NA		
7/21/99	4.0 U	NA	NA	NA		
7/28/99	4.0 U	NA	NA	NA		
8/04/99	0.0 U	0.5 U	0.9	1.0		
8/09/99	3.6	NA	NA	NA		
8/11/99	0.0 U	NA	NA	NA		
8/12/99	0.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	8/15/99	0.0 U	NA	NA	NA
		8/18/99	0.0 U	NA	NA	NA
		8/25/99	0.0 U	NA	NA	NA
		8/31/99	0.0 U	NA	NA	NA
		9/01/99	0.0 U	NA	NA	NA
		9/08/99	0.0 U	0.5 U	1.6	1.4
		9/15/99	0.0 U	NA	NA	NA
		9/25/99	4.0 U	NA	NA	NA
		9/30/99	0.0 U	NA	NA	NA
		10/01/99	4.0 U	NA	NA	NA
		10/07/99	4.0 U	NA	NA	NA
		10/11/99	2.9	0.5 U	1.2	1.1
		10/19/99	4.0 U	NA	NA	NA
		11/01/99	4.0 U	NA	NA	NA
		11/07/99	4.0 U	NA	NA	NA
		11/10/99	NA	0.5 U	1.3	1.3
		11/13/99	4.0 U	NA	NA	NA
		11/19/99	4.0 U	NA	NA	NA
		12/01/99	4.0 U	0.5 U	1.8	1.7
		12/07/99	4.0 U	NA	NA	NA
		1/01/00	NA	0.5 U	1.3	1.3
		1/26/00	0.0 U	NA	NA	NA
		2/02/00	0.0 U	NA	NA	NA
		2/10/00	0.0 U	0.5 U	1.0	1.0
		2/18/00	0.0 U	NA	NA	NA
		2/28/00	0.0 U	NA	NA	NA
		3/02/00	0.0 U	NA	NA	NA
		3/06/00	NA	0.5 U	1.0	1.0
		3/16/00	0.0 U	NA	NA	NA
		3/23/00	0.0 U	NA	NA	NA
		4/12/00	NA	0.5 U	0.5 U	0.6
		5/01/00	0.0 U	NA	NA	NA
		5/10/00	NA	0.5 U	1.3	1.3
		6/07/00	NA	0.5 U	1.0	1.0
		6/08/00	0.0 U	NA	NA	NA
		6/14/00	0.0 U	NA	NA	NA
		6/22/00	0.0 U	NA	NA	NA
		7/06/00	0.0 U	NA	NA	NA
		7/12/00	5.4	0.5 U	1.0	1.0
		8/01/00	NA	0.5 U	1.0	1.0
		8/02/00	6.0 U	NA	NA	NA
		8/10/00	7.0 U	NA	NA	NA
8/17/00	4.0	NA	NA	NA		
8/23/00	0.0 U	NA	NA	NA		
8/30/00	4.0	NA	NA	NA		
9/01/00	4.0 U	NA	NA	NA		
9/04/00	NA	0.5 U	1.0	2.0		
9/07/00	5.0	NA	NA	NA		
9/12/00	3.0	NA	NA	NA		
9/21/00	3.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	9/28/00	0.0 U	NA	NA	NA
		10/04/00	5.7	NA	NA	NA
		10/09/00	NA	0.5 U	1.5	1.7
		10/11/00	5.3	NA	NA	NA
		10/18/00	3.5	NA	NA	NA
		10/25/00	3.8	NA	NA	NA
		11/02/00	3.9	NA	NA	NA
		11/06/00	NA	0.5 U	1.5	1.6
		11/09/00	4.9	NA	NA	NA
		11/13/00	4.0	NA	NA	NA
		11/22/00	4.5	NA	NA	NA
		11/30/00	6.3	NA	NA	NA
		12/07/00	6.1	NA	NA	NA
		12/12/00	NA	2.3	0.5	3.3
		12/13/00	6.2	NA	NA	NA
		12/21/00	5.6	NA	NA	NA
		12/28/00	7.4	NA	NA	NA
		1/02/01	NA	0.5 U	1.5	1.6
		1/04/01	8.6	NA	NA	NA
		1/23/01	5.2	0.5 U	0.8	1.1
		2/01/01	4.0 U	NA	NA	NA
		2/07/01	4.8	NA	NA	NA
		2/13/01	3.2 J	NA	NA	NA
		2/19/01	3.1 J	NA	NA	NA
		3/01/01	NA	0.5 U	1.4	1.8
		3/14/01	6.0	NA	NA	NA
		3/21/01	5.6	NA	NA	NA
		3/29/01	4.9	NA	NA	NA
		4/01/01	NA	0.5 U	1.6	1.9
		4/04/01	5.9	NA	NA	NA
		4/12/01	5.8	NA	NA	NA
		4/18/01	5.5	NA	NA	NA
		4/25/01	5.7	NA	NA	NA
		5/01/01	NA	0.5 U	1.5	1.8
		5/02/01	5.8	NA	NA	NA
		5/09/01	6.5	NA	NA	NA
		5/16/01	6.0	NA	NA	NA
		5/22/01	5.7	NA	NA	NA
		5/30/01	4.1	NA	NA	NA
		6/01/01	NA	0.5 U	1.1	1.2
		6/05/01	5.1	NA	NA	NA
		6/13/01	4.7	NA	NA	NA
6/20/01	4.3	NA	NA	NA		
6/26/01	3.7	NA	NA	NA		
7/03/01	3.9	NA	NA	NA		
7/11/01	5.9	0.5 U	1.2	1.4		
7/18/01	5.5	NA	NA	NA		
7/25/01	3.9	NA	NA	NA		
8/01/01	4.8	NA	NA	NA		
8/08/01	4.7	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	8/15/01	4.4	0.5 U	1.2	1.5
		8/22/01	4.8	NA	NA	NA
		8/29/01	4.8	NA	NA	NA
		9/05/01	0.0 U	NA	NA	NA
		9/11/01	NA	0.5 U	1.2	1.5
		9/12/01	5.2	NA	NA	NA
		9/19/01	0.0 U	NA	NA	NA
		9/27/01	6.4	NA	NA	NA
		10/02/01	NA	0.5 U	1.1	1.0
		10/03/01	4.5	NA	NA	NA
		10/10/01	4.7	NA	NA	NA
		10/17/01	4.1	NA	NA	NA
		10/24/01	4.6	NA	NA	NA
		10/31/01	4.9	NA	NA	NA
		11/07/01	5.1	0.5 U	1.1	1.1
		11/13/01	4.0	NA	NA	NA
		11/21/01	4.0	NA	NA	NA
		11/29/01	4.8	NA	NA	NA
		12/05/01	3.9	0.5 U	1.6	1.6
		12/12/01	4.1	NA	NA	NA
		12/19/01	4.0	NA	NA	NA
		12/26/01	4.0	NA	NA	NA
		1/02/02	5.6	NA	NA	NA
		1/09/02	4.9	0.5 U	1.7	1.6
		1/16/02	4.8	NA	NA	NA
		4/24/02	5.8	0.5 U	2.6	2.4
		5/15/02	5.5	0.5 U	2.2	1.9
		6/05/02	5.7	0.5 U	2.2	1.6
7/17/02	4.3	0.5 U	1.4	1.7		
8/14/02	4.8	0.5 U	1.3	1.4		
9/18/02	5.4	0.5 U	1.7	1.8		
10/09/02	4.7	0.5 U	1.3	1.2		
California Maximum Contaminant Level (MCL)			6.0 *	0.5	5.0	5.0
EPA Region IX Maximum Contaminant Level			NE	5.0	5.0	5.0
<p>Notes</p> <p>NA Not analyzed</p> <p>NE Not established</p> <p>U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.</p> <p>* Interim Action Level - California Department of Public Health</p> <p>Source California Department of Public Health Drinking Water Program, California Drinking Water Data, January 4, 2005</p>						