

ATTACHMENT 4: FIELD LOGS

This attachment contains the groundwater sample collection field logs for the relatively shallow standpipe monitoring wells (MW-1, MW-5 through MW-10, MW-13, MW-15, and MW-16), as well as the field data sheets for the Westbay™ multiport wells (MW-3, MW-4, MW-11, MW-12, MW-14, and MW-17 through MW-26). Groundwater sample collection for the fourth quarter 2014 sampling event was conducted by Blaine Tech Services, Inc.

WELL MONITORING DATA SHEET

Project #: <u>141017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-29-14</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>120</u>	Depth to Water (DTW): <u>39.05</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>55.24</u>	

Purge Method: Disposable Bailer Watera Sampling Method: Disposable Bailer
 Positive Air Displacement 2" Rediflo pump Dedicated Extraction Port
 Electric Submersible Extraction Pump Dedicated Tubing
 Other _____ Other: _____

Flow Rate = 3 gpm
 Start Purge Date = 10-29-14

52.7 (Gals.) X 3 = 158.1 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
<u>1058</u>	<u>17.6</u>	<u>7.29</u>	<u>494</u>	<u>2</u>	<u>1.29</u>	<u>93.0</u>	<u>27</u>	<u>40.14</u>
<u>1107</u>	<u>17.6</u>	<u>7.30</u>	<u>496</u>	<u>2</u>	<u>1.00</u>	<u>61.8</u>	<u>54</u>	<u>40.17</u>
<u>1116</u>	<u>17.7</u>	<u>7.30</u>	<u>496</u>	<u>2</u>	<u>0.94</u>	<u>42.0</u>	<u>81</u>	<u>40.17</u>
<u>1125</u>	<u>17.6</u>	<u>7.29</u>	<u>497</u>	<u>2</u>	<u>0.99</u>	<u>18.2</u>	<u>108</u>	<u>40.21</u>
<u>1134</u>	<u>17.6</u>	<u>7.29</u>	<u>496</u>	<u>2</u>	<u>1.10</u>	<u>0.3</u>	<u>135</u>	<u>40.22</u>
<u>1143</u>	<u>17.8</u>	<u>7.31</u>	<u>497</u>	<u>2</u>	<u>0.98</u>	<u>-9.0</u>	<u>162</u>	<u>40.24</u>

Did well dewater? Yes (No) Gallons actually evacuated: 162

Sampling Date: 10-29-14 Sampling Time: 1144 Depth to Water: 40.24

Sample I.D.: MW-1 Laboratory: BC

Analyzed for: See COC Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>141017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-29-14</u>
Well I.D.: <u>MW-5</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>140</u>	Depth to Water (DTW): <u>123.92</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>127.13</u>	

Purge Method: Disposable Bailer Water Sampling Method: Disposable Bailer
 Positive Air Displacement 2" Rediflo pump Dedicated Extraction Port
 Electric Submersible Extraction Pump Dedicated Tubing
 Other _____ Other: _____

Flow Rate = 0.5 gpm
 Start Purge Date = 10-29-14 Pump @ 125'
10.5 (Gals.) X 3 = 31.5 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
0754	17.9	6.46	1042	4	6.08	146.8	5.0	124.61
0805	17.9	6.47	1056	2	5.88	139.2	10.5	124.53
0815	17.9	6.47	1060	2	5.46	138.5	15.5	124.51
0826	17.9	6.46	1072	1	5.64	140.1	21.0	124.55
0836	17.9	6.46	1084	1	5.61	143.2	26.0	124.53
0847	17.9	6.45	1096	1	5.48	143.3	31.5	124.53

Did well dewater? Yes (No) Gallons actually evacuated: 31.5

Sampling Date: 10-29-14 Sampling Time: 0848 Depth to Water: 124.53

Sample I.D.: MW-5 Laboratory: BC

Analyzed for: See COC Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>141017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-30-14</u>
Well I.D.: <u>MW-6</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>245</u>	Depth to Water (DTW): <u>229.87</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>232.89</u>	

Purge Method: Disposable Bailer Positive Air Displacement Electric Submersible

Water: 2" Rediflo pump Extraction Pump Other _____

Dedicated

Sampling Method: Disposable Bailer Extraction Port Dedicated Tybing Other: _____

Flow Rate = 0.5 gpm

Start Purge Date = 10-30-14 Pump @ 230'

<u>9.9</u> (Gals.) X <u>3</u>	<u>= 29.7</u> Gals.	
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
1109	25.2	6.57	1256	39	6.23	72.9	5	230.08
1119	25.0	6.57	1255	42	6.36	65.5	10	230.08
1129	25.2	6.55	1256	25	6.21	86.2	15	230.06
1139	25.1	6.55	1256	16	6.09	89.7	20	230.04
1149	25.2	6.55	1255	17	6.07	94.2	25	229.98
1159	25.2	6.55	1256	16	6.04	99.2	30	229.96

Did well dewater? Yes No Gallons actually evacuated: 30

Sampling Date: 10-30-14 Sampling Time: 1200 Depth to Water: 229.96

Sample I.D.: MW-6 Laboratory: BC

Analyzed for: See COC (MS/MSD) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 141017-AW1	Site: JPL, Pasadena
Sampler: AW	Gauging Date: 10-30-14
Well I.D.: MW-7	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 268.54	Depth to Water (DTW): 263.40 263.96
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: YSI-Pro Plus
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Disposable Bailer~~ ~~Positive Air Displacement~~ ~~Electric Submersible~~ ~~Waters~~ ~~2" Rediflo pump~~ ~~Extraction Pump~~ Other _____

Sampling Method: Disposable Bailer Extraction Port Dedicated Tubing Other: _____

Flow Rate= _____

Start Purge Date= _____

_____ (Gals.) X _____ = _____ Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
- DTW is below set pump depth								
- Insufficient water to purge w/ portable pump								
- Collected sample w/ disp. bailer								
1405	23.8	7.52	781	>1000	3.17	204.8	—	263.96

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Date: 10-30-14 Sampling Time: 1405 Depth to Water: 263.96

Sample I.D.: MW-7 Laboratory: BC

Analyzed for: See COC Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	_____ mg/L	Post-purge:	_____ mg/L
O.R.P. (if req'd):	Pre-purge:	_____ mV	Post-purge:	_____ mV

WELL MONITORING DATA SHEET

Project #: <u>14 1017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-30-14</u>
Well I.D.: <u>MW-8</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>205</u>	Depth to Water (DTW): <u>189.91</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	Flow Cell Type <u>PSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>192.92</u>	

Purge Method: Disposable Bailer Water 2" Rediflo pump Dedicated Sampling Method:
Positive Air Displacement Extraction Pump Disposable Bailer
Electric Submersible Other _____ Extraction Port
 Dedicated Tubing
 Other: _____

Flow Rate = 1 gpm
 Start Purge Date = 10-30-14 Pump @ 195'

<u>9.9</u> (Gals.) X <u>3</u>	<u>=</u>	<u>29.7</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
<u>1240</u>	<u>20.3</u>	<u>6.75</u>	<u>693</u>	<u>25</u>	<u>6.54</u>	<u>74.8</u>	<u>5</u>	<u>190.40</u>
<u>1245</u>	<u>20.3</u>	<u>6.74</u>	<u>693</u>	<u>9</u>	<u>6.67</u>	<u>76.9</u>	<u>10</u>	<u>190.43</u>
<u>1250</u>	<u>20.2</u>	<u>6.73</u>	<u>693</u>	<u>4</u>	<u>6.60</u>	<u>81.4</u>	<u>15</u>	<u>190.41</u>
<u>1255</u>	<u>20.2</u>	<u>6.73</u>	<u>693</u>	<u>2</u>	<u>6.58</u>	<u>83.8</u>	<u>20</u>	<u>190.41</u>
<u>1300</u>	<u>20.2</u>	<u>6.73</u>	<u>693</u>	<u>2</u>	<u>6.43</u>	<u>89.7</u>	<u>25</u>	<u>190.40</u>
<u>1305</u>	<u>20.2</u>	<u>6.73</u>	<u>6.93</u>	<u>2</u>	<u>6.43</u>	<u>92.2</u>	<u>30</u>	<u>190.40</u>

Did well dewater? Yes No Gallons actually evacuated: 30

Sampling Date: 10-30-14 Sampling Time: 1300 Depth to Water: 190.40

Sample I.D.: MW-8 Laboratory: BC

Analyzed for: See COC (µS/MSD) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>141017-AWI</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-29-14</u>
Well I.D.: <u>MW-9</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>68</u>	Depth to Water (DTW): <u>30.82'</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>38.25</u>	

Purge Method: Disposable Bailer Watera Sampling Method: Disposable Bailer
Positive Air Displacement 2" Rediflo pump Dedicated Extraction Port
Electric Submersible Extraction Pump Dedicated Tubing
Other: _____ Other: _____

Flow Rate = 3 gpm
 Start Purge Date = 10-29-14

24.2 (Gals.) X 3 = 72.6 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
1225	19.2	6.85	778	3	1.71	110.1	13	35.62
1229	19.2	6.85	707	3	1.51	96.7	25	35.61
1233	19.1	6.85	690	3	1.36	88.1	37	35.61
1237	19.0	6.85	666	3	1.27	80.6	49	35.62
1241	19.1	6.85	671	3	1.43	77.4	61	35.62
1245	19.1	6.85	669	3	1.58	73.8	73	35.61

Did well dewater? Yes No Gallons actually evacuated: 73

Sampling Date: 10-29-14 Sampling Time: 1246 Depth to Water: 35.61

Sample I.D.: MW-9 Laboratory: BC Labs

Analyzed for: See COC Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>141017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-30-14</u>
Well I.D.: <u>MW-10</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>155</u>	Depth to Water (DTW): <u>138.20</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>141.56</u>	

Purge Method: Disposable Bailer Positive Air Displacement Electric Submersible Other _____

Waters Sampling Method:

2" Rediflo pump Dedicated Disposable Bailer

Extraction Pump Extraction Port

Other _____ Dedicated Tubing

Other _____

Flow Rate = 0.5 gpm

Start Purge Date = 10-30-14 Pump @ 140'

<u>11.0</u> (Gals.) X	<u>3</u>	= <u>33.0</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
0934	22.2	6.63	1284	6	6.93	105.3	5.5	138.38
0945	22.4	6.62	1284	2	6.86	109.6	11.0	138.36
0956	22.4	6.62	1284	1	6.91	112.5	16.5	138.39
1007 1007	22.4	6.61	1284	1	7.04	113.9	22.0	138.41
1018	22.5	6.61	1284	1	7.04	115.2	27.5	138.42
1029	22.4	6.61	1284	1	7.07	113.6	33.0	138.43

Did well dewater? Yes No Gallons actually evacuated: 33

Sampling Date: 10-30-14 Sampling Time: 1030 Depth to Water: 138.43

Sample I.D.: MW-10 Laboratory: BC

Analyzed for: See COC (level IV) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>141017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-29-14</u>
Well I.D.: <u>MW-13</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>234.64</u>	Depth to Water (DTW): <u>231.30</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u> </u>	

Purge Method: Disposable Bailer Waterra 2" Rediflo pump Sampling Method: Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing
 Other: _____

Flow Rate= _____
 Start Purge Date= _____

_____ (Gals.) X _____ = _____ Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
-	DTW	is	below	set	pump	depth		
-	Insufficient	water	to	purge	well	w/		
-	portable	pump						
-	Sample	collected	w/	disp.	bailer			
0928	21.2	7.09	1126	196	2.84	203.8	—	231.30

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Date: 10-29-14 Sampling Time: 0928 Depth to Water: 231.30

Sample I.D.: MW-13 Laboratory: BC

Analyzed for: see COC (MS/MSD) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>141017-AW1</u>	Site: <u>JPL, Pasadena</u>
Sampler: <u>AW</u>	Gauging Date: <u>10-29-14</u>
Well I.D.: <u>MW-15</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>74</u>	Depth to Water (DTW): <u>43.52</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type <u>YSI-Pro Plus</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>49.61</u>	

Purge Method: Disposable Bailer Positive Air Displacement Electric Submersible

Water: 2" Rediflo pump Extraction Pump Other _____

Dedicated

Sampling Method: Disposable Bailer Extraction Port Dedicated Tubing Other: _____

Flow Rate = 2 gpm

Start Purge Date = 10-29-14 Pump @ 54'

<u>19.9</u> (Gals.) X	<u>3</u> Specified Volumes	<u>= 57.7</u> Gals. Calculated Volume
-----------------------	----------------------------	---------------------------------------

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
1404 1350	17.4	7.11	586	3	1.57	126.1	10	44.35
1409	17.4	7.11	586	3	1.27	109.0	20	44.43
1414	17.3	7.11	585	3	1.19	96.7	30	44.42
1419	17.4	7.11	585	3	1.20	89.4	40	44.42
1424	17.3	7.11	585	3	1.22	83.7	50	44.42
1429	17.3	7.11	585	3	1.22	77.4	60	44.42

Did well dewater? Yes No Gallons actually evacuated: 60

Sampling Date: 10-29-14 Sampling Time: 1430 Depth to Water: 44.42

Sample I.D.: MW-15 Laboratory: BC

Analyzed for: See COC (MS/MSD) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 141017-AW1	Site: JPL, Pasadena
Sampler: AW	Gauging Date: 10-30-14
Well I.D.: MW-16	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 288.00 ⁵ 284.77	Depth to Water (DTW): 282.97
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type: YSI-Pro Plus
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	<input checked="" type="checkbox"/> Waterra <input type="checkbox"/> 2" Rediflo pump <input type="checkbox"/> Extraction Pump <input type="checkbox"/> Other	Sampling Method: <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing <input type="checkbox"/> Other:
---	---	--

Flow Rate = _____
 Start Purge Date = _____

_____ (Gals.) X _____	= _____ Gals.
1 Case Volume	Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°C)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	DTW
- DTW is below set pump depth								
- Insufficient water to purge w/ portable pump								
- Collected sample w/ disp. bailer								
1440	25.8	7.18	696	>1000	0.58	-60.4	—	

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Date: 10-30-14 Sampling Time: 1440 Depth to Water: 282.97

Sample I.D.: MW-16 Laboratory: BC

Analyzed for: See COC Other: _____

EB I.D. (if applicable): _____ @ _____ Time	Duplicate I.D. (if applicable): _____	
FB I.D. (if applicable): _____ @ _____ Time	Analyzed for: _____	
D.O. (if req'd):	Pre-purge: _____ mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd):	Pre-purge: _____ mV	Post-purge: _____ mV

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-3
 SAMPLING DATE(S): 10-21-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 170.53
 ATM. PRESSURE (PSI): (Start) 14.05 (Finish) 14.02
18.02°C 18.21°C

PROBE TYPE: Sampler 0-500 PSI
 SERIAL NO.: EMS250Z
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample			
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
5	1	✓	✓	✓	✓	✓	224.79	✓	225.87	✓	225.87	✓	224.79	16.1	511	6.38	40	5.76	216	0730	MW-3-5
4	1	✓	✓	✓	✓	✓	183.44	✓	184.81	✓	184.81	✓	183.46	15.5	523	7.41	153	6.04	193	0810	MW-3-4
3	1	✓	✓	✓	✓	✓	89.54	✓	93.06	✓	93.04	✓	89.56	15.5	528	7.53	19	9.87	160	0840	MW-3-3
	2	✓	✓	✓	✓	✓	89.54	✓	93.06	✓	93.06	✓	89.54								
2	1	✓	✓	✓	✓	✓	50.01	✓	52.28	✓	52.29	✓	50.02	15.7	532	7.90	6	6.07	165	0920	MW-3-2
1	1	✓	✓	✓	✓	✓	15.12	✓	19.86	✓	19.82	✓	15.12	16.4	535	7.99	29	5.29	165	0950	MW-3-1
	2	✓	✓	✓	✓	✓	14.14	✓	19.84	✓	19.83	✓	14.14								

Comments: TB-2-10/21/14, EB-2-10/21/14 M.S./M.S.D @ Port 3
0645 0700

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-4
 SAMPLING DATE(S) 10-23-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 143.66
 ATM. PRESSURE (PSI): (Start) 14.10 (Finish) 14.08
19.73°C 16.40°C

PROBE TYPE Sampler 0-500psi
 SERIAL NO. FMS 2502
 PROJECT: JPL, Pasadena
 OPERATOR(S) tw
 WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample			
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
5	1	✓	✓	✓	✓	✓	177.01	✓	177.49	✓	177.49	✓	179.02	18.1	418	8.48	4	5.78	129	1050	MW-4-5
4	1	✓	✓	✓	✓	✓	126.17	✓	125.08	✓	125.10	✓	126.19	18.6	438	8.41	5	7.99	141	1040	MW-4-4
	2	✓	✓	✓	✓	✓	126.18	✓	125.09	✓	125.12	✓	126.18								
3	1	✓	✓	✓	✓	✓	95.61	✓	94.77	✓	94.80	✓	95.60	20.8	452	8.50	5	4.95	182	1130	MW-4-3
2	1	✓	✓	✓	✓	✓	58.87	✓	59.02	✓	59.04	✓	58.84	22.2	1059	8.11	5	5.24	203	1200	MW-4-2
	2	✓	✓	✓	✓	✓	58.81	✓	59.04	✓	59.06	✓	58.81								
1	1	✓	✓	✓	✓	✓	19.32	✓	20.36	✓	20.34	✓	19.34	23.9	512	8.57	10	2.78	190	1300	MW-4-1
	2	✓	✓	✓	✓	✓	18.84	✓	20.35	✓	20.36	✓	18.82								

Comments: DUP-3-4Q14 @ Port 4, MS/MSD @ Port 2
1050

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-11
 SAMPLING DATE(S): 10-22-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 189.27
 ATM. PRESSURE (PSI): (Start) 14.07 (Finish) 14.02
20.72°C 19.30°C

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM52502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample			
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
5	1	✓	✓	✓	✓	✓	212.48	✓	198.26	✓	198.04	✓	212.48	17.7	342	6.60	25	5.94	225	0730	MW-11-5
4	1	✓	✓	✓	✓	✓	162.79	✓	161.61	✓	161.44	✓	162.79	17.2	261	7.74	2	5.20	-9	0810	MW-11-4
3	1	✓	✓	✓	✓	✓	121.87	✓	117.63	✓	117.83	✓	121.86	17.1	409	7.76	5	5.13	140	0840	MW-11-3
2	1	✓	✓	✓	✓	✓	48.11	✓	46.59	✓	46.54	✓	48.10	17.4	470	7.94	3	5.76	135	0910	MW-11-2
1	1	✓	✓	✓	✓	✓	14.12	✓	21.73	✓	21.69	✓	14.14	17.5	504	8.04	4	5.23	160	0940	MW-11-1
	2	✓	✓	✓	✓	✓	14.11	✓	21.70	✓	21.54	✓	14.14								

Comments: TB-3-10/22/14; EB-3-10/22/14
0630 0700

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-12
 SAMPLING DATE(S): 10-28-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 109.21
 ATM. PRESSURE (PSI): (Start) 14.09 (Finish) 17.08
19.77°C 17.22°C

PROBE TYPE: Sampler G-500psi
 SERIAL NO.: EMS2502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters						Sample		
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Pot Pressure (psi)	Open Valve	Pot Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample	
5	1	✓	✓	✓	✓	✓	209.60	✓	175.64	✓	175.53	✓	209.61	18.8	505	6.51	3	5.35	106	0730	MW-12-5	
4	1	✓	✓	✓	✓	✓	160.78	✓	133.07	✓	132.91	✓	160.81	17.0	488	7.61	2	5.91	138	0810	MW-12-4	
3	1	✓	✓	✓	✓	✓	111.56	✓	84.39	✓	84.39	✓	111.56	16.7	411	8.14	3	5.87	81	0845	MW-12-3	
	2	✓	✓	✓	✓	✓	111.56	✓	84.40	✓	84.40	✓	111.55									
2	1	✓	✓	✓	✓	✓	76.61	✓	50.27	✓	50.26	✓	76.60	17.5	546	8.29	3	4.83	51	0925	MW-12-2	
1	1	✓	✓	✓	✓	✓	31.42	✓	14.13	✓	14.13	✓	31.42	Port is Dry. No Sample Collected								

Comments: TB-7-10/28/14, SB-3-10/28/14, FB-7-10/28/14, DUP-7-40/14 @ Port 3
0645 0700 0705 0855

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-14
 SAMPLING DATE(S) 10-21-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 181.20'
 ATM. PRESSURE (PSI): (Start) 14.03 (Finish) 13.96
22.99°C 19.69°C

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EMS 2502
 PROJECT: JPL, Pasadena
 OPERATOR(S) AW
 WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample				
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample	
5	1	✓	✓	✓	✓	✓	174.73	✓	156.04	✓	156.05	✓	174.73	20.5	346	8.27	5	5.84	132	1100	MW-14-5	
4	1	✓	✓	✓	✓	✓	137.89	✓	119.76	✓	119.76	✓	137.89	21.8	736	8.09	2	5.29	183	1140	MW-14-4	
	2	✓	✓	✓	✓	✓	137.82	✓	119.75	✓	119.76	✓	137.83									
3	1	✓	✓	✓	✓	✓	105.44	✓	87.69	✓	87.68	✓	105.46	26.2	1158	8.10	4	2.94	153	1310	MW-14-3	
2	1	✓	✓	✓	✓	✓	58.67	✓	42.01	✓	42.02	✓	58.65	28.0	1249	7.92	2	3.56	180	1345	MW-14-2	
	2	✓	✓	✓	✓	✓	58.09	✓	42.02	✓	42.01	✓	58.09									
1	1	✓	✓	✓	✓	✓	78.01	✓	14.16	✓	14.16	✓	78.03	Part is dry. No Sample Collected								

Comments: DUP-1-4 @ Port 4, MS/MSD @ Port 2, Level IV @ Port 3
1150

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-17
 SAMPLING DATE(S): 10-22-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 206.43
 ATM. PRESSURE (PSI): (Start) 14.06 (Finish) 14.00
23.80°C 16.79°C

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS250762
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters						Sample		
		Arm out / Land / Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample	
5	1	✓	✓	✓	✓	✓	241.61	✓	213.38	✓	213.38	✓	241.61	20.3	329	8.65	13	5.32	168	1040	MW-17-5	
4	1	✓	✓	✓	✓	✓	179.22	✓	148.55	✓	148.52	✓	179.23	20.9	410	8.49	2	5.19	189	1120	MW-17-4	
3	1	✓	✓	✓	✓	✓	129.77	✓	100.41	✓	100.42	✓	129.76	22.3	729	8.27	3	5.47	208	1200	MW-17-3	
2	1	✓	✓	✓	✓	✓	86.73	✓	61.60	✓	61.61	✓	86.71	23.2	500	8.19	10	4.41	210	1300	MW-17-2	
	2	✓	✓	✓	✓	✓	86.46	✓	61.61	✓	61.62	✓	86.49									
1	1	✓	✓	✓	✓	✓	34.69	✓	14.17	✓	14.17	✓	34.69	Port is dry. No sample collected								

Comments: Port 4 level IV, MS/MSD @ Port 2

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-18
 SAMPLING DATE(S) 10-27-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 292.84'
 ATM. PRESSURE (PSI): (Start) 13.99 (Finish) 13.96
19.79°C 17.91°C

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EM52502
 PROJECT: JPL Pasadena
 OPERATOR(S) AD
 WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample			
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample	
5	1	✓	✓	✓	✓	✓	183.40	✓	178.71	✓	178.63	✓	188.40	17.1	346	6.43	2	4.62	201	0720	MW-18-5	
4	1	✓	✓	✓	✓	✓	136.16	✓	126.76	✓	126.76	✓	136.16	14.8	392	7.35	2	5.70	163	0800	MW-18-4	
3	1	✓	✓	✓	✓	✓	75.18	✓	69.84	✓	69.84	✓	75.17	14.7	532	7.51	1	9.56	181	0830	MW-18-3	
	2	✓	✓	✓	✓	✓	75.14	✓	69.84	✓	69.84	✓	75.14									
2	1	✓	✓	✓	✓	✓	30.26	✓	30.26	✓	30.27	✓	34.13	16.1	442	8.07	8	4.74	154	0910	MW-18-2	
1	1	✓	✓	✓	✓	✓	14.22	✓	14.19	✓	14.20	✓	14.23	Port is dry, no sample collected								

Comments: TB-6-10/27/14 , FB-6-10/27/14 , Level IV @ Port 4 , DUP-5-10/14 @ Port 1
0645 0650 0840

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-19
 SAMPLING DATE(S): 10-20-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 135.87
 ATM. PRESSURE (PSI): (Start) 13.97 (Finish) 14.01
19.31°C 17.87°C

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: FMS2502
 PROJECT: JPL Pasadena
 OPERATOR(S): AW
 WEATHER: Overcast

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample				
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sam.	
5	1	✓	✓	✓	✓	✓	172.90	✓	136.96	✓	136.94	✓	172.89	19.8	624	7.47	2	5.47	167	1050	MW-19-5	
4	1	✓	✓	✓	✓	✓	149.34	✓	113.60	✓	113.60	✓	149.31	19.2	584	7.62	3	6.00	178	1130	MW-19-4	
3	1	✓	✓	✓	✓	✓	126.80	✓	94.89	✓	94.87	✓	126.81	19.8	668	7.48	3	5.94	199	1200	MW-19-3	
2	1	✓	✓	✓	✓	✓	92.88	✓	60.84	✓	60.84	✓	92.89	22.9	1023	7.39	30	4.43	173	1300	MW-19-2	
1	1	✓	✓	✓	✓	✓	61.53	✓	30.32	✓	30.32	✓	61.50	23.6	549	7.66	13	3.56	187	1330	MW-19-1	

Comments: _____

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-20
 SAMPLING DATE(S) 10-20-14
 LOCATION: JPI
 WATER LEVEL INSIDE CASING: 193.52
 ATM. PRESSURE (PSI): (Start) 14.03 (Finish) 14.01
20.84°C 10.88°C

PROBE TYPE Sampler - 0-500 psi
 SERIAL NO. EUS2502
 PROJECT: JPL Pasadena
 OPERATOR(S) TD
 WEATHER Overcast

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)					Field Parameters					Sample				
		Arm out/ Land Probe	Shoe Out/ Close Valve/ Check Vacuum	Open Valve/ Apply Vacuum (5 psi)	Close Valve/ Shoe In/ Arm In	Locate Port/ Arm Out/ Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve/ Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample	
5	1	✓	✓	✓	✓	✓	322.37	✓	303.83	✓	303.82	✓	322.37	19.3	333	6.30	7	6.69	-5	0830	MW-20-5	
4	1	✓	✓	✓	✓	✓	235.61	✓	211.64	✓	211.61	✓	235.61	18.5	312	7.53	5	6.19	-12	0910	MW-20-4	
3	1	✓	✓	✓	✓	✓	175.72	✓	148.74	✓	148.72	✓	175.74	18.9	304	8.09	3	6.30	-14	0940	MW-20-3	
2	1	✓	✓	✓	✓	✓	102.01	✓	78.86	✓	78.86	✓	102.00	18.6	447	7.66	3	4.55	116	1010	MW-20-2	
1	1	✓	✓	✓	✓	✓	31.72	✓	14.18	✓	14.18	✓	31.72	Port is dry. No sample collected								

Comments: EB-1-10/20/14, TR-1-10/20/14, SB-1-10/20/14 Level IV @ MW-20-2
0740 0730 0743

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-21
 SAMPLING DATE(S) 10-27-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 118.36'
 ATM. PRESSURE (PSI): (Start) 14.09 (Finish) 14.03
23.10°C 20.02°C

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EM52502
 PROJECT: JPL Pasadena
 OPERATOR(S) fw
 WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (to psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
5	i	✓	✓	✓	✓	✓	129.03	✓	130.27	✓	130.28	✓	129.02	22.0	831	8.17	4	4.82	187	1145	MW-21-5
4	1	✓	✓	✓	✓	✓	101.96	✓	103.41	✓	103.41	✓	101.96	22.3	802	8.16	2	4.37	179	1215	MW-21-4
3	1	✓	✓	✓	✓	✓	71.74	✓	73.51	✓	73.53	✓	71.78	25.5	1177	8.11	2	2.59	172	1310	MW-21-3
2	1	✓	✓	✓	✓	✓	37.22	✓	39.36	✓	39.37	✓	37.24	25.9	1325	7.91	2	3.03	174	1340	MW-21-2
1	1																				

Comments: Level II @ Port 5

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-22
 SAMPLING DATE(S): 10-23-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 161.80'
 ATM. PRESSURE (PSI): (Start) 14.04 (Finish) 14.01
21.27° C 20.32° C

PROBE TYPE: Sampler 0-500 PSI
 SERIAL NO.: EMS2502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Samp
5	1	✓	✓	✓	✓	✓	201.23	✓	170.00	✓	170.00	✓	201.23	18.4	378	8.22	1	5.71	-46	0650	MW-22-5
4	1	✓	✓	✓	✓	✓	148.77	✓	118.98	✓	118.97	✓	148.78	17.6	390	7.99	1	10.10	77	0730	MW-22-4
	2	✓	✓	✓	✓	✓	148.78	✓	119.00	✓	118.99	✓	148.78								
2	1	✓	✓	✓	✓	✓	114.92	✓	86.98	✓	86.98	✓	114.94	17.7	511	8.19	1	5.98	130	0810	MW-22-3
2	1	✓	✓	✓	✓	✓	88.93	✓	60.84	✓	60.79	✓	88.90	17.8	639	8.31	2	4.92	130	0840	MW-22-2
1	1	✓	✓	✓	✓	✓	51.61	✓	23.74	✓	23.61	✓	51.62	17.6	1194	8.17	13	4.49	142	0910	MW-22-1
	2	✓	✓	✓	✓	✓	51.51	✓	23.59	✓	23.23	✓	51.30								

Comments: TB-4-10-23-14, EB-4-10/23/14, SB-2-10/23/14 Level III @ Port 4, DUP-2-4G/14 @ Port 4
0600 0620 0615 0740

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-23
 SAMPLING DATE(S): 10-24-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 109.23
 ATM. PRESSURE (PSI): (Start) 14.02 (Finish) 14.06
21.51°C 19.52°C

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample			
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample'
3	1	✓	✓	✓	✓	✓	203.64	✓	178.61	✓	178.06	✓	203.62	19.2	424	8.21	3	5.57	34	0725	MW-23-5
4	1	✓	✓	✓	✓	✓	161.67	✓	136.36	✓	136.36	✓	161.60	18.1	357	8.14	1	5.39	86	0805	MW-23-4
3	1	✓	✓	✓	✓	✓	106.98	✓	83.81	✓	83.81	✓	106.97	18.3	515	8.02	1	5.55	123	0835	MW-23-3
2	1	✓	✓	✓	✓	✓	78.74	✓	55.60	✓	55.59	✓	78.73	18.8	1104	7.93	1	4.40	153	0910	MW-23-2
1	1	✓	✓	✓	✓	✓	43.30	✓	21.63	✓	21.63	✓	43.31	19.2	1199	7.85	2	4.52	156	0935	MW-23-1
	2	✓	✓	✓	✓	✓	43.32	✓	21.64	✓	21.63	✓	43.32								

Comments: TR-5-10/24/14 , EB-5-10/24/14 Level IV @ Port 3
0645 0700

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-24
 SAMPLING DATE(S) 10-28-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 204 205.10'
 ATM. PRESSURE (PSI): (Start) 14.06 (Finish) 14.00
19.17°C 22.62°C

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EM52502
 PROJECT: JPL, Pasadena
 OPERATOR(S) AW
 WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample		
		Arm out/ Land Probe	Shoe Out/ Close Valve/ Check Vacuum	Open Valve/ Apply Vacuum (5 psi)	Close Valve/ Shoe In/ Arm In	Locate Port/ Arm Out/ Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve/ Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
5	1	✓	✓	✓	✓	✓	220.79	✓	193.00	✓	193.00	✓	220.80	20.5	386	8.76	2	6.28	170	1035	MW-24-5
4	1	✓	✓	✓	✓	✓	167.04	✓	142.02	✓	142.02	✓	167.04	23.2	227	9.45	2	3.84	-29	1115	MW-24-4
	2	✓	✓	✓	✓	✓	167.01	✓	142.02	✓	142.02	✓	167.01								
3	1	✓	✓	✓	✓	✓	115.40	✓	92.86	✓	92.88	✓	115.40	23.6	369	8.93	2	3.56	-56	1200	MW-24-3
2	1	✓	✓	✓	✓	✓	88.47	✓	66.02	✓	66.04	✓	88.46	24.0	539	8.72	1	3.70	90	1305	MW-24-2
1	1	✓	✓	✓	✓	✓	47.63	✓	26.44	✓	26.04	✓	47.62	24.1	714	8.51	2	3.75	124	1340	MW-24-1
	2	✓	✓	✓	✓	✓	47.16	✓	26.48	✓	26.27	✓	47.16								

Comments: DUP-8-4Q14 Part 4
1125

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-25
 SAMPLING DATE(S) 10-24-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 259.80
 ATM. PRESSURE (PSI): (Start) 14.21 (Finish) 14.22
26.54°C 22.03°C

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. FMS 2502
 PROJECT: JPL Pasadena
 OPERATOR(S) AW
 WEATHER Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)				Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample			
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (5 psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
5	1	✓	✓	✓	✓	✓	215.04	✓	214.70	✓	214.68	✓	215.04	22.8	417	8.58	1	4.26	-53	1040	MW-25-5
4	1	✓	✓	✓	✓	✓	180.48	✓	178.54	✓	178.54	✓	180.48	23.0	770	8.19	2	4.80	153	1120	MW-25-4
3	1	✓	✓	✓	✓	✓	124.21	✓	125.37	✓	125.37	✓	124.22	24.2	708	8.33	1	4.32	187	1200	MW-25-3
2	1	✓	✓	✓	✓	✓	89.27	✓	93.92	✓	93.92	✓	89.28	28.7	727	8.46	1	2.72	165	1300	MW-25-2
1	1	✓	✓	✓	✓	✓	60.89	✓	67.02	✓	67.03	✓	60.91	29.6	852	8.25	8	2.60	186	1330	MW-25-1
	2	✓	✓	✓	✓	✓	60.91	✓	67.03	✓	67.02	✓	60.90								

Comments: DUP-4-4014 @ Port 1
1340

WESTBAY™ GROUNDWATER MONITORING WELL
FIELD DATA LOG SHEET

WELL ID: MW-26
 SAMPLING DATE(S): 10-27-14
 LOCATION: JPL
 WATER LEVEL INSIDE CASING: 64.05
 ATM. PRESSURE (PSI): (Start) 14.08 (Finish) 14.07
22.26°C 19.55°C

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM52502
 PROJECT: JPL, Pasadena
 OPERATOR(S): BN
 WEATHER: Clear

Port Number	Run Number	Probe to Top Collar	Surface Function Tests / Position Sampler (probe in top of collar) / (lower probe to port)					Sample Collection Checks (probe at sampling port in MP casing)						Field Parameters					Sample		
		Arm out / Land Probe	Shoe Out / Close Valve / Check Vacuum	Open Valve / Apply Vacuum (± psi)	Close Valve / Shoe In / Arm In	Locate Port / Arm Out / Land Probe	Pressure in MP Casing (psi)	Shoe Out	Port Pressure (psi)	Open Valve	Port Pressure (psi)	Close Valve / Shoe In	Pressure in MP Casing (psi)	Sample Temp (°C)	SC (µS/cm)	pH	Turbidity (NTU)	Dissolved Oxygen (ppm)	ORP (mV)	Sample Time	Sample
2	1	✓	✓	✓	✓	✓	82.41	✓	54.38	✓	54.38	✓	82.41	18.7	725	8.11	42	5.01	176	10:30	MW-26-2
1	1	✓	✓	✓	✓	✓	47.49	✓	20.08	✓	20.02	✓	47.49	19.5	763	7.78	59	5.62	190	10:30	MW-26-1
2		✓	✓	✓	✓	✓	46.48	✓	20.01	✓	20.06	✓	46.48								
3		✓	✓	✓	✓	✓	46.46	✓	20.08	✓	20.08	✓	46.46								

Comments: DUP-6-4014 @ Port #1
1040

ATTACHMENT 5: WATER LEVEL MEASUREMENTS

This attachment contains water level measurements for the JPL relatively shallow standpipe monitoring wells (MW-1, MW-5 through MW-10, MW-13, MW-15, and MW-16) and the Westbay™ multiport wells (MW-3, MW-4, MW-11, MW-12, MW-14, and MW-17 through MW-26) obtained during the fourth quarter 2014. Water level measurements were recorded before the sampling event on October 17, 2014 for the relatively shallow standpipe monitoring wells and for the Westbay™ multiport wells. Water level measurements were recorded after the sampling event on October 31, 2014 for the relatively shallow standpipe monitoring wells and the Westbay™ multiport wells. Water levels for the shallow wells were measured using a Solinst™ water level meter. In the deep multiport wells, the hydraulic head at each sampling port was measured with a Westbay™ MOSDAX sampling probe. Water level measurements were conducted by Blaine Tech Services, Inc.

WELL GAUGING DATA

Project # 141017-AW1 Date 10-17-14 Client TideWater

Site JPL

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	1017	4					38.90	—	↓	
MW-5	0722 0856	4					123.33 43.50	—		
MW-6	0921	4					228.98	—		
MW-7	0827	4					263.31	—		
MW-8	0849	4					189.54	—		
MW-9	1021	4					30.90	—		
MW-10	0714	4					137.12	—		
MW-13	0613	4					230.91	—		
MW-15	0800	4					43.50	—		
MW-16	0624	4					282.43	—		

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-3
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1100.37
 WEATHER: overcast

PROBE TYPE: Sampler 0-500 ps:
 SERIAL NO.: EMS 2502
 PROJECT: JPL Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.13 (finish) 14.13
 19.85°C 19.57°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi)	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	653	652	221.02	225.99	221.02	21.38	488.76	164.24	653	1037
4	558	557	179.78	184.94	179.78	21.90	394.06	163.94	558	1038
3	346	345	87.56	93.21	87.56	21.69	182.44	163.56	346	1039
2	252	251	46.66	52.48	46.66	21.31	88.47	163.53	252	1040
1	172	171	14.24	20.04	14.24	20.41	13.63	158.37	172	1041

Comments: Collar detect is 2' above sample port

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW-4
DATE: 10-17-14
LOCATION: JPL
ELEV. TOP OF WESTBAY CASING: 1082.84
WEATHER: clear

PROBE TYPE Sampler 0-500 ps:
SERIAL NO. EMS 250² 8-14
PROJECT JPL, Pasadena
OPERATOR(S) A. Wolff
ATM. PRESSURE (Patm): (start) 14.04 (finish) 14.10
10.98°C 18.85°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	513	512	174.97	175.86	174.97	19.04	373.32	139.68	513	0732
4	392	391	122.32	123.46	122.32	20.24	252.43	139.57	392	0733
3	322	321	91.87	93.11	91.87	20.41	182.41	149.59	332	0734
2	240	239	56.08	57.48	56.08	20.41	100.22	139.78	240	0735
1	150	149	16.83	20.41	16.83	19.93	14.70	135.30	150	0736

Comments: Collar detect is 2' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-11
 DATE: 10-17-14
 LOCATION: SPL
 ELEV. TOP OF WESTBAY CASING: 1139.30
 WEATHER: clear^{ky} overcast

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: ENS2502
 PROJECT: SPL, Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.10 (finish) 14.10
 16.85 °C 18.29 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	639	638	208.61	198.69	208.61	18.31	425.85	213.15	639	0805
4	524	523	159.01	162.09	159.01	19.32	341.41	182.59	524	0806
3	429	428	118.19	117.98	118.19	19.56	239.65	189.35	429	0807
2	259	258	44.67	46.76	44.67	19.19	75.35	183.65	259	0808
1	149	149	14.21	21.92	14.21	18.64	18.04	130.96	149	0809

Comments: collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-12
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1102.14
 WEATHER: clear

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM52502
 PROJECT: JPL, Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.08 (finish) 14.10
16.78 °C 18.02 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	548	548	205.73	176.36	205.73	18.27	374.38	173.62	548	0747
4	436	436	157.21	133.51	157.21	19.18	275.53	160.47	436	0748
3	323	323	108.01	84.73	108.01	19.18	162.99	160.01	323	0749
2	243	243	73.11	50.49	73.11	18.88	84.00	159.00	243	0750
1	140	140	28.21	14.13	28.21	18.39	0.12	139.88	140	0751

Comments: collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-14
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1173.47
 WEATHER: Hazy

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. FMS2502
 PROJECT JPL, Pasadena
 OPERATOR(S) A. VOIAT
 ATM. PRESSURE (Patm): (start) 14.08 (finish) 14.08
20.52°C 19.84°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) $DTW = Dp - P(ft)$	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	540	539	171.03	156.02	171.03	21.08	327.46	212.54	540	0910
4	456	455	134.47	119.70	134.47	21.14	243.67	212.33	456	0911
3	382	381	102.21	87.61	102.21	20.94	169.63	212.37	382	0912
2	277	276	56.61	42.01	56.61	20.52	64.43	212.57	277	0913
1	207	206	26.02	14.16	26.02	20.15	0.18	206.82	207	0913

Comments: Collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-17
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1191.21
 WEATHER: overcast

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: JPL Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.09 (finish) 14.10
19.94 °C 16.98 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	726	725	240.01	214.06	240.01	19.46	461.33	265.67	727	1056
4	582	581	177.73	149.13	177.73	19.78	311.54	270.46	582	1057
3	468	467	128.23	100.88	128.23	19.24	200.22	267.78	468	1058
2	370	370	85.77	61.88	85.77	18.59	110.25	259.75	370	1059
1	250	250	33.57	14.20	33.57	17.61	0.25	249.75	250	1059

Comments: Collar defect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-18
DATE: 10-17-14
LOCATION: JPL
ELEV. TOP OF WESTBAY CASING: 1225.41
WEATHER: overcast

PROBE TYPE: Sampler 0-500 psi
SERIAL NO.: EM52502
PROJECT: JPL, Pasadena
OPERATOR(S): A. Wolff
ATM. PRESSURE (Patm): (start) 14.06 (finish) 14.07
18.33 °C 17.93 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	684	683	184.72	179.53	184.72	19.15	261.78	422.22	684	1113
4	564	563	132.64	127.42	132.64	19.90	261.52	302.48	564	1114
3	424	423	71.73	70.18	71.73	19.57	129.47	294.53	424	1116
2	330	330	30.82	30.52	30.82	18.70	37.97	292.03	330	1117
1	270	270	14.23	14.20	14.23	18.26	0.32	269.68	270	1117

Comments: collar defect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-19
 DATE: 10-17-19
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1142.94
 WEATHER: Hazy

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EM52502
 PROJECT JPL, Pasadena
 OPERATOR(S) A. Wolff
 ATM. PRESSURE (Patm): (start) 14.10 (finish) 14.13
20.33 18.33

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	498	497	171.36	137.26	171.36	19.69	284.13	213.87	498	1007
4	444	443	147.86	113.90	147.86	19.61	230.24	213.76	444	1008
3	392	391	125.17	95.07	125.17	19.53	186.80	205.20	392	1008
2	314	313	91.42	61.03	91.42	19.45	108.27	205.73	314	1009
1	242	241	60.13	30.49	60.13	19.21	37.81	204.19	242	1010

Comments: Collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-20
 DATE: 10-17-14
 LOCATION: SPL
 ELEV. TOP OF WESTBAY CASING: 1165.05
 WEATHER: overcast

PROBE TYPE: Sampler 0-500ps
 SERIAL NO.: EM52502
 PROJECT: SPL, Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.06 (finish) 14.11
19.28°C 18.02°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	900	898	320.68	304.00	320.68	21.09	668.89	231.11	900	1134
4	700	698	234.01	212.04	234.01	21.95	456.74	243.26	700	1136
3	562	560	174.21	148.80	174.21	21.50	310.85	251.15	562	1137
2	392	391	100.49	78.96	100.49	20.20	149.72	242.28	392	1138
1	230	229	30.14	14.18	30.14	18.83	0.28	229.72	230	1139

Comments: collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-21
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1059.10
 WEATHER: Hazy

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: JPL Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.10 (finish) 14.14
23.17 °C 20.14 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	372	372	125.33	130.56	125.33	22.03	268.67	103.33	372	0943
4	310	310	98.34	103.71	98.34	21.72	206.73	103.29	310	0944
3	240	241	68.32	73.84	68.32	21.25	137.82	102.18	240	0944
2	161	162	33.89	39.66	33.89	20.71	58.97	102.03	161	0945
1	90	90	14.21	14.18	14.21	20.33	0.18	89.82	90	0946

Comments: Collar detected 2' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-22
 DATE: 10-23-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING 1176.98
 WEATHER: Clear

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EM52502
 PROJECT JPL, Pasadena
 OPERATOR(S) AW
 ATM. PRESSURE (Patm): (start) 14.04 (finish) 14.01
21.27°C 20.32°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) $DTW = Dp - P(ft)$	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	588	586	201.23	170.00	201.23	22.54	359.80	228.20	588	0630
4	467	465	148.81	118.97	148.81	22.08	242.09	224.93	467	0635
3	389	388	115.01	86.98	115.01	21.63	168.27	220.73	389	0637
2	329	328	88.94	60.82	88.94	20.77	107.92	221.08	329	0639
1	245	244	52.02	23.74	52.02	20.31	22.38	222.62	245	0641

Comments: Collar detect is 1' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MLW-23
 DATE: ~~10-27-14~~ 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING 1108.84
 WEATHER: clear

PROBE TYPE Westbay¹¹⁴ Sampler 0-500 ps.
 SERIAL NO. EM2502
 PROJECT JPL, Pasadena
 OPERATOR(S) A. Wolff
 ATM. PRESSURE (Patm): (start) 14.03 (finish) 14.08
 Temp (°C) 16.25 19.51

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	542	540	202.02	178.24	202.02	18.33	378.83	163.17	542	0658
4	445	444	160.01	136.17	160.01	19.18	281.78	163.22	445	0659
3	319	318	105.42	83.94	105.42	19.61	161.28	157.72	319	0700
2	254	253	77.27	55.74	77.27	19.73	96.22	157.78	254	0701
1	174	173	42.54	21.77	42.54	19.63	17.86	156.14	174	0702

Comments: collar detect is 1' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-24
 DATE: 10-17-14
 LOCATION: SPL
 ELEV. TOP OF WESTBAY CASING 1200.94
 WEATHER: overcast

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EMS 2502
 PROJECT SPL Pasadena
 OPERATOR(S) A. Wolff
 ATM. PRESSURE (Patm): (start) 14.06 (finish) 14.09
17.93°C 21.60°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi)	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	678	676	219.28	193.59	219.28	20.00	414.18	263.82	678	0840
4	554	552	166.01	142.53	166.01	20.60	296.38	259.62	554	0842
3	435	433	113.99	93.14	113.99	20.84	182.44	252.56	435	0843
2	373	372	87.17	66.23	87.17	20.98	120.36	252.64	373	0843
1	277	278	46.37	26.43	46.37	21.15	28.54	248.46	277	0844

Comments: collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-25
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 934.53
 WEATHER: Overcast

PROBE TYPE: Sampler 0-500
 SERIAL NO.: EMS2502
 PROJECT: JPL Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.17 (finish) 14.18
 21.37 °C 21.36 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	713	711	211.33	218.99	211.33	21.33	472.52	240.48	713	1234
4	633	631	176.97	182.47	176.97	21.58	388.27	244.13	633	1235
3	503	502	120.61	128.24	120.61	21.42	263.16	239.84	503	1236
2	423	422	85.90	95.48	85.90	21.13	187.58	235.42	428	1237
1	358	357	57.63	67.46	57.63	20.83	122.94	235.06	358	1237

Comments: Collar defect is 2' below sample port

WESTBAY™ GROUNDWATER MONITORING WELL WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW-26
 DATE: 10-17-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1059.08
 WEATHER: overcast

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM52502
 PROJECT: JPL, Pasadena
 OPERATOR(S): A. Wolff
 ATM. PRESSURE (Patm): (start) 14.13 (finish) 14.14
21.37°C 18.31°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft) = (P2 - Patm) * 2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
2	215	212	78.93	54.71	78.93	20.90	93.62	121.38	215	1213
1	135	132	44.11	20.37	44.11	20.48	14.40	120.60	135	1214

Comments: Collar detect is 2' below sample port

WELL GAUGING DATA

Project # 141017-AW1 Date 10-31-14 Client Tidewater

Site JPL

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	1003	4					39.01	—		
MW-5	0651	4					124.51	—		
MW-6	0910	4					229.96	—		
MW-7	0820	4					264.10	—		
MW-8	0801	4					190.40	—		
MW-9	1006	4					30.71	—		
MW-10	0644	4					138.38	—		
MW-13	0803	4					232.57	—		
MW-15	0727	4					43.50	—		
MW-16	0813	4					283.72	—		

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-3
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 110 0.34
 WEATHER: cloudy

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.12 (finish) 14.12
18.50 °C 19.40 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	653	652	220.90	22.59	220.90	19.82				1019
4	558	557	179.61	181.52	179.61	20.63	386.31	171.69	558	1020
3	346	345	87.42	89.91	87.42	20.90	174.85	171.15	346	1022
2	252	252	46.52	50.38	46.52	20.69	83.63	168.37	252	1023
1	172	172	14.22	19.07	14.22	20.03	11.42	160.58	172	1023

Comments: Collar detect = 5' 2" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-4
 DATE: 10-31-14
 LOCATION: SPL
 ELEV. TOP OF WASTBAY CASING: 1082.84
 WEATHER: Overcast

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: SPL Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.08 (finish) 14.10
17.37 °C 18.59 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	513	512	174.91	173.26	174.91	18.66	367.23	145.77	513	0704
4	392	391	122.15	120.89	122.15	19.59	246.41	145.59	392	0705
3	322	321	91.78	90.54	91.78	19.90	176.39	145.61	322	0706
2	240	239	56.08	55.50	56.08	20.03	95.96	144.44	240	0707
1	150	149	16.79	19.92	16.79	19.55	13.47	136.53	150	0708

Comments: collor detect is 2' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-11
 DATE: 10-31-19
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1139.30
 WEATHER: cloudy

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: JPL Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.07 (finish) 14.10
16.23°C 17.16°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	639	637	209.51	¹⁶⁹ 190.72	209.51	18.03	467.53	231.47	639	0742
4	524	523	160.10	159.22	160.00	19.02	334.86	189.14	524	0743
3	429	428	119.18	115.45	119.18	19.33	233.88	195.12	429	0743
2	259	258	45.54	45.50	45.54	17.45	72.51	186.49	259	0749
1	149	149	14.18	21.47	14.18	17.21	17.07	131.93	149	0753

Comments: Collar detect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-12
 DATE: 10-31-14
 LOCATION: SPL
 ELEV. TOP OF WASTBAY CASING: 1102.14
 WEATHER: overcast

PROBE TYPE: Sampler 0-500 ps.
 SERIAL NO.: EMS 2502
 PROJECT: SPL Pasadena
 OPERATOR(S): Aw
 ATM. PRESSURE (Patm): (start) 14.04 (finish) 14.10
16.16°C 17.87°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	548	548	205.56	167.99	205.56	17.83	355.16	192.84	548	0718
4	436	436	156.81	129.55	156.81	18.84	266.48	169.52	436	0719
3	323	323	107.64	82.53	107.64	18.97	159.01	164.99	323	0720
2	243	243	72.74	48.81	72.74	18.70	80.21	162.79	243	0721
1	140	140	27.86	14.14	27.86	18.26	0.23	139.77	140	0722

Comments: Collar defect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-14
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1173.47
 WEATHER: cloudy

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EMS 2502
 PROJECT: JPL Pasadena
 OPERATOR(S): AL
 ATM. PRESSURE (Patm): (start) 14.09 (finish) 14.08
16.14 °C 18.88 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P_2 - P_{atm}) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	540	537	170.48	155.42	170.48	17.74	326.05	213.95	540	0849
4	456	453	133.97	119.24	133.97	18.61	242.58	213.42	456	0850
3	382	379	101.84	87.17	101.84	18.98	168.60	213.40	382	0851
2	277	274	56.02	41.61	56.02	19.02	63.49	213.51	277	0852
1	207	204	25.50	14.17	25.50	18.95	0.18	206.82	207	0853

Comments: Collar detect is 16" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: Mw-17
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1191.21
 WEATHER: cloudy

PROBE TYPE Sampler 0-500 psi
 SERIAL NO. EMS 2502
 PROJECT JPL Pasadena
 OPERATOR(S) AW
 ATM. PRESSURE (Patm): (start) 14.09 (finish) 14.08
 19.45°C 17.05°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	726	725	239.92	203.25	239.92	19.03	436.39	289.61	726	1039
4	582	588 ⁵⁸¹	180.61	141.64	180.61	19.10	294.26	287.74	582	1041
3	468	467	128.21	98.49	128.21	18.83	194.71	273.29	468	1042
2	370	369	85.69	60.01	85.69	18.30	109.94	264.06	370	1043
1	250	249	33.41	14.20	33.41	17.47	0.29	249.75	250	1044

Comments: Collar defect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: mw-18
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1225.41
 WEATHER: cloudy

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM52502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.05 (finish) 14.05
 17.91°C 18.00°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft)=(P2-Patm)*2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	684	682	184.60	175.26	184.60	18.81	371.91	312.09	684	1058
4	564	562	132.44	123.21	132.44	19.67	251.83	312.17	564	1100
3	424	422	71.60	68.37	71.60	19.46	125.32	298.68	424	1101
2	330	329	30.66	29.90	30.66	18.74	36.57	293.43	330	1102
1	270	269	14.20	14.18	14.20	18.32	0.30	269.70	270	1103

Comments: collar defect is 6" above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-19
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1142.94
 WEATHER: cloudy

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM52502
 PROJECT: JPL Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.06 (finish) 14.11
18.27°C 17.94°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	498	496	176.14	128.87	171.14	18.44	264.87	233.13	498	0946
4	444	442	147.68	105.60	147.68	18.62	211.18	232.82	444	0947
3	392	390	125.17	92.43	125.17	18.72	180.80	211.20	392	0948
2	314	312	91.36	58.83	91.36	18.83	103.28	210.72	314	0949
1	242	240	60.07	29.45	60.07	18.63	35.50	206.50	242	0950

Comments: Collar detect is 6" above sample port

WESTBAY™ GROUNDWATER MONITORING WELL
 WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW-21
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 2059.10
 WEATHER: cloudy

PROBE TYPE: Sampler 0-500 psi.
 SERIAL NO.: EM32502
 PROJECT: JPL, Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.12 (finish) 14.14
 18.35°C 18.94°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	372	372	125.14	130.00	125.14	18.90	267.34	104.66	372	0918
4	310	310	98.19	103.14	98.19	19.29	205.37	104.63	310	0919
3	240	241	68.21	73.29	68.21	19.29	136.51	103.49	240	0920
2	161	162	33.74	39.15	33.74	19.15	57.04	103.26	161	0921
1	90	90	14.18	14.17	14.18	19.00	0.12	89.88	90	0922

Comments: collar detect is 2' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-22
 DATE: 10-31-14
 LOCATION: SPL
 ELEV. TOP OF WESTBAY CASING: 1176.98
 WEATHER: clear

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: ENS 2502
 PROJECT: SPL, Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.00 (finish) 14.03
20.98°C 20.46°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
5	588	587	199.47	164.95	199.47	21.07	348.24	239.76	588	0607
4	467	466	147.10	115.19	147.10	21.57	233.45	233.55	467	0608
3	389	389	113.29	85.34	113.29	21.50	164.58	224.42	389	0609
2	329	329	87.30	59.18	87.30	21.32	104.23	224.77	329	0610
1	245	244	50.39	23.37	50.39	20.91	21.62	223.38	245	0611

Comments: collar defect is 1' above sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**

WELL ID: MW-23
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1107.84
 WEATHER: clear

PROBE TYPE: Sampler 0-500 ps.
 SERIAL NO.: E452502
 PROJECT: JPL Pasadena
 OPERATOR(S): AL
 ATM. PRESSURE (Patm): (start) 14.04 (finish) 14.06
18.44°C 19.94°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	542	540	201.86	174.80 177.80	201.86	19.94	370.87	171.13	542	0628
4	445	443	160.01	132.73	160.01	20.44	273.82	171.18	445	0629
3	319	317	105.30	82.43	105.30	20.52	157.78	161.22	319	0630
2	254	253	77.07	54.32	77.07	20.45	92.93	161.07	254	0631
1	174	172	42.34	21.27	42.34	20.18	16.68	159.32	174	0632

Comments: collar defect is above sample port

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW-24
DATE: 10-31-14
LOCATION: JPL
ELEV. TOP OF WASTBAY CASING 1200.94
WEATHER: overcast

PROBE TYPE Sampler 0-500 ps.
SERIAL NO. EMS 2502
PROJECT JPL, Pasadena
OPERATOR(S) Am
ATM. PRESSURE (Patm): (start) 14.04 (finish) 14.06
21.27°C 22.12°C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft) = (P_2 - Patm) * 2.307$ ft/psi	Depth to Water Outside Port (ft) DTW = Dp - P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	678	675	218.88	187.71	218.88	21.72	400.66	277.34	678	1252
4	554	551	166.02	138.56	166.02	21.82	287.27	266.73	554	1253
3	435	433	113.62	91.45	113.62	21.79	198.58	256.42	435	1254
2	373	371	86.73	64.90	86.73	21.77	117.33	255.67	373	1255
1	279	277	45.99	25.95	45.99	21.79	27.48	251.52	279	1256

Comments: collar detect is 6" above sample port

WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET

WELL ID: MW-25
DATE: 10-31-14
LOCATION: JPL
ELEV. TOP OF WESTBAY CASING: 934.53
WEATHER: Overcast

PROBE TYPE: Sampler 0-500 ps.
SERIAL NO.: EM52502
PROJECT: JPL, Pasadena
OPERATOR(S): AW
ATM. PRESSURE (Patm): (start) 14.19 (finish) 14.18
70.39 °C 70.31 °C

Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) $P(ft)=(P2-Patm)*2.307$ ft/psi	Depth to Water Outside Port (ft) $DTW = Dp-P(ft)$	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (°C)				
5	713	711	211.03	214.57	211.03	21.04	462.28	250.72	713	1228
4	633	631	176.63	178.43	176.63	21.36	378.90	254.10	633	1229
3	503	501	170.34	175.75	170.34	21.23	256.22	246.78	503	1230
2	423	421	85.68	93.84	85.68	20.96	183.75	239.25	423	1231
1	358	356	57.38	66.93	57.38	20.71	121.67	236.33	358	1232

Comments: collar detect - is 2' below sample port

**WESTBAY™ GROUNDWATER MONITORING WELL
WATER LEVEL MEASUREMENT LOG SHEET**





WELL ID: MW-2^W96
 DATE: 10-31-14
 LOCATION: JPL
 ELEV. TOP OF WESTBAY CASING: 1059.08
 WEATHER: overcast

PROBE TYPE: Sampler 0-500 psi
 SERIAL NO.: EM5 2502
 PROJECT: JPL Pasadena
 OPERATOR(S): AW
 ATM. PRESSURE (Patm): (start) 14.11 (finish) 14.12
 21.09 °C 19.96 °C





Port No.	Depth to Meas. Port Valve (ft)		Pressure Readings (psi)				Pressure Head Outside Port (ft) P(ft)=(P2-Patm)*2.307 ft/psi	Depth to Water Outside Port (ft) DTW = Dp-P(ft)	True Port Depth (Dp) (ft)	Time
	From Log (Dp)	From Cable	Inside Casing (psi)	Outside Casing (psi)	Inside Casing (psi)	Trans. Temp. (oC)				
2	215	212	78.77	59.08	78.77	20.71	92.21	122.79	215	1210
1	135	132	43.97	20.01	43.97	20.35	13.61	121.39	135	1211

Comments: Collar detect is 2" below sample port





ATTACHMENT 6: TIME SERIES PLOTS







VOCs and Perchlorate Time Series Plots for MW-3-2







VOCs and Perchlorate Time Series Plots for MW-4-1







VOCs and Perchlorate Time Series Plots for MW-7







VOCs and Perchlorate Time Series Plots for MW-8







VOCs and Perchlorate Time Series Plots for MW-10







VOCs and Perchlorate Time Series Plots for MW-12-4







VOCs and Perchlorate Time Series Plots for MW-13







VOCs and Perchlorate Time Series Plots for MW-14-2 and MW-14-3







VOCs and Perchlorate Time Series Plots for MW-16







VOCs and Perchlorate Time Series Plots for MW-17-2 and MW-17-3



VOCs and Perchlorate Time Series Plots for MW-18-3 and MW-18-4



VOCs and Perchlorate Time Series Plots for MW-21-2 and MW-21-3 and MW-21-4



VOCs and Perchlorate Time Series Plots for MW-24-1 and MW-24-2

Attachment 7: TABLES 1A, 2A AND 3A

This attachment presents historical perchlorate, VOC and metals concentrations from 1996 to present.

TABLE 1A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-1	Aug/Sep 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Oct/Nov 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Feb/Mar 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	June/July 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	June/July 1997	MW-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-1	Sep/Oct 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	1.3
												Toluene	1.2
MW-1	Jan/Feb 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Feb/Mar 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Nov/Dec 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 2000	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jan/Feb 2001	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.5 J
MW-1	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.8
MW-1	Jan/Feb 2002	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-1	Apr/May 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	2.0 J
MW-1	Oct/Nov 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	DUPE-2-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jun/Jul 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Jun/Jul 2007	DUPE-7-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Apr/May 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Nov 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov/Dec 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2010	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-1	Apr/May 2010	DUPE-8-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-1	Oct/Nov 2010	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-1	Apr/May 2011	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-1	Apr/May 2011	DUPE-5-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-1	Nov/Dec 2011	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-1	Apr/May 2012	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-1	Nov 2012	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-1	Apr/May 2013	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-1	Apr/May 2013	DUP-8-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-1	Oct/Nov 2013	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-1	Apr/May 2014	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-1	Apr/May 2014	DUP-6-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-1	Oct 2014	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA	
MW-3 Screen 1	Oct/Nov 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	NA	Bromodichloromethane 0.9
MW-3 Screen 1	Feb/Mar 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-3 Screen 1	June/July 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-3 Screen 1	June/July 1997	MW-3-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-3 Screen 1	Sep/Oct 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 U	
MW-3 Screen 1	Jan/Feb 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Apr/May 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Jul/Aug 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Oct/Nov 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Feb/Mar 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	May/Jun 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Nov/Dec 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Jul/Aug 2000	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Jan/Feb 2001	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 0.4 J
MW-3 Screen 1	Jan/Feb 2002	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 1.0
MW-3 Screen 1	Apr/May 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 4.0 J
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Apr/May 2004	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-3 Screen 1	Apr/May 2004	DUPE-1-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Apr/May 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	Jul/Sep 2005	MW-3-1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA 0.0 J NDPA 0.0 U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 1	May/Jun 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 1	Oct/Dec 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 1	Jun/Jul 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	2.8 J
MW-3 Screen 1	Oct/Dec 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-3 Screen 1	Apr/May 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-3 Screen 1	Oct/Nov 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2008	DUPE-04-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2009	DUPE-02-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2010	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2010	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2010	DUPE-04-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2011	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2011	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2012	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2012	DUPE-4-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov 2012	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2013	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 2013	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2014	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct 2014	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	Bromodichloromethane	1.4
MW-3 Screen 2	Oct/Nov 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Bromodichloromethane	1.1
MW-3 Screen 2	Feb/Mar 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Bromodichloromethane	0.7
MW-3 Screen 2	June/July 1997	MW-3-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 2	June/July 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.2	NA		
MW-3 Screen 2	Sep/Oct 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-3 Screen 2	Jan/Feb 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Apr/May 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul/Aug 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Feb/Mar 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	May/Jun 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Aug 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Nov/Dec 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Mar/Apr 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul/Aug 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Sep/Oct 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-3 Screen 2	Apr 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-3 Screen 2	Jul 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 2	Oct 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.7 J
MW-3 Screen 2	Jan/Feb 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	4.2
MW-3 Screen 2	Apr/May 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3 Screen 2	Jul 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 2002	MW-3-2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.9 B	Methylene chloride	0.3 J
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Apr/May 2003	MW-3-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 2	Apr/May 2003	DUPE-5-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 2	Jul/Aug 2003	MW-3-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9 J		
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6 J		
MW-3 Screen 2	Feb 2004	MW-3-2	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.3		
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	10.4		
MW-3 Screen 2	Apr/May 2004	MW-3-2	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.5 J		
MW-3 Screen 2	Jul/Aug 2004	MW-3-2	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5		
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	1.7 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	46.6		
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	4.3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	139.0		
MW-3 Screen 2	Apr/May 2005	MW-3-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	89.3		
MW-3 Screen 2	Jul/Sep 2005	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.2	m,p-Xylene NDMA NDPA	0.4 J 0.0 0.0 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	44.1		
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	34.0		
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	35.0		
MW-3 Screen 2	May/Jun 2006	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.0		
MW-3 Screen 2	Aug/Sep 2006	MW-3-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0		
MW-3 Screen 2	Oct/Dec 2006	MW-3-2	1.4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	78.0 J		
MW-3 Screen 2	Mar/Apr 2007	MW-3-2	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	45.0		
MW-3 Screen 2	Jun/Jul 2007	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	78.0	Methylene chloride	2.2 J
MW-3 Screen 2	Jun/Jul 2007	DUPE-4-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	71.0	Methylene chloride	3.4 J
MW-3 Screen 2	Aug/Sep 2007	MW-3-2	3.3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	49.0		
MW-3 Screen 2	Oct/Dec 2007	MW-3-2	4.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	80.0		
MW-3 Screen 2	Jan/Feb 2008	MW-3-2	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	240.0		
MW-3 Screen 2	Apr/May 2008	MW-3-2	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	270.0		
MW-3 Screen 2	Jul/Aug 2008	MW-3-2	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	206.0		
MW-3 Screen 2	Oct/Nov 2008	MW-3-2	2.4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	114.0		
MW-3 Screen 2	Jan/Feb 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	98.7	Bromodichloromethane Dibromochloromethane	1.0 1.1
MW-3 Screen 2	Apr/May 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	121.0	Bromodichloromethane Dibromochloromethane	0.8 0.9

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 2	Jul/Aug 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	219.0	Bromodichloromethane	1.2
												Bromoform	0.6
												Dibromochloromethane	1.2
MW-3 Screen 2	Nov/Dec 2009	MW-3-2	4.4	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	109.0		
MW-3 Screen 2	Feb 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	184.0	Bromodichloromethane	2.2
												Bromoform	0.6
												Dibromochloromethane	1.2
MW-3 Screen 2	Apr/May 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	173.0	Bromodichloromethane	1.2
MW-3 Screen 2	Apr/May 2010	DUPE-05-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	175.0	Bromodichloromethane	1.3
MW-3 Screen 2	Jul/Aug 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	164.0	Bromodichloromethane	1.0
MW-3 Screen 2	Oct/Nov 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	180.0	Bromodichloromethane	0.7
MW-3 Screen 2	Feb/Mar 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	45.8		
MW-3 Screen 2	Apr/May 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9		
MW-3 Screen 2	Aug/Sep 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-3 Screen 2	Nov/Dec 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 2	Jan/Feb 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 2	Apr/May 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-3 Screen 2	Aug/Sep 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Nov 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-3 Screen 2	Apr/May 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul 2013	DUPE-5-3Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9 J		
MW-3 Screen 2	Apr/May 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	25.0	Bromodichloromethane	0.2 J
MW-3 Screen 2	Jul/Aug 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	31.0	Bromodichloromethane	0.4 J
MW-3 Screen 2	Oct 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	32.0	Bromodichloromethane	0.5
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA		
MW-3 Screen 3	Oct/Nov 1996	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-3 Screen 3	Feb/Mar 1997	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA		
MW-3 Screen 3	June/July 1997	MW-3-3	NA	NA	NA	NA	NA	NA	NA	NA	21.0		
MW-3 Screen 3	June/July 1997	MW-3-3	1.2	0.8	0.6	0.5 U	0.5 U	0.5 U	2.8	1.8	NA		
MW-3 Screen 3	Sep/Oct 1997	MW-3-3	1.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.0		
MW-3 Screen 3	Jan/Feb 1998	MW-3-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	6.5		
MW-3 Screen 3	Apr/May 1998	MW-3-3	3.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	6.2		
MW-3 Screen 3	Jul/Aug 1998	MW-3-3	2.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	10.0		
MW-3 Screen 3	Oct/Nov 1998	MW-3-3	5.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0	4.0 U		
MW-3 Screen 3	Feb/Mar 1999	MW-3-3	4.5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	42.0	4.0 U		
MW-3 Screen 3	May/June 1999	MW-3-3	42.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	1.0	26.0	8.9		
MW-3 Screen 3	Aug 1999	MW-3-3	15.0	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	37.0	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-3 Screen 3	Nov/Dec 1999	MW-3-3	26.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	43.0	5.2	
MW-3 Screen 3	Mar/Apr 2000	MW-3-3	42.0	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.1	32.0	19.4	
MW-3 Screen 3	Jul/Aug 2000	MW-3-3	8.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.7	37.0	4.0 U	
MW-3 Screen 3	Sep/Oct 2000	MW-3-3	22.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	25.0	25.0	
MW-3 Screen 3	Jan/Feb 2001	MW-3-3	2.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.9	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) 0.4 J 0.6 J
MW-3 Screen 3	Apr 2001	MW-3-3	8.0	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	NA	17.0	13.0	Methylene chloride 0.4 J
MW-3 Screen 3	Jul 2001	MW-3-3	7.7	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	26.4	8.4	Xylenes 0.4 J
MW-3 Screen 3	Oct 2001	MW-3-3	15.3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.5	15.4	Methyl-tert-butyl ether (MTBE) 1.7
MW-3 Screen 3	Jan/Feb 2002	MW-3-3	11.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	22.7	4.6	
MW-3 Screen 3	Apr/May 2002	MW-3-3	0.5 U	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	Methylene chloride 0.5 J
MW-3 Screen 3	Jul 2002	MW-3-3	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	
MW-3 Screen 3	Oct/Nov 2002	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Methylene chloride 0.3 J
MW-3 Screen 3	Dec 2002	MW-3-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 0.6 J
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	NDMA 0.0 J
MW-3 Screen 3	Apr/May 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	4-Methyl-2-pentanone 3.0 J
MW-3 Screen 3	Jul/Aug 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-3 Screen 3	Feb 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-3 Screen 3	Apr/May 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-3 Screen 3	Jul/Aug 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methyl-tert-butyl ether (MTBE) 0.6 0.4 J Toluene 0.3 J
MW-3 Screen 3	Jul/Aug 2004	DUPE-4-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methyl-tert-butyl ether (MTBE) 0.7 0.3 J Toluene 0.4 J
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 3	Apr/May 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 3	Jul/Sep 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.4 J NDMA 0.0 U NDPA 0.0 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 3	May/Jun 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 3	Aug/Sep 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 3	Oct/Dec 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 3	Oct/Dec 2006	DUPE-2-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 3	Mar/Apr 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 3	Jun/Jul 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.9 J
MW-3 Screen 3	Aug/Sep 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene 0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 3	Oct/Dec 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	0.3 J
												Styrene	0.3 J
MW-3 Screen 3	Oct/Dec 2007	DUPE 1-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	0.3 J
MW-3 Screen 3	Jan/Feb 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Apr/May 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Jul/Aug 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Oct/Nov 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2009	DUPE-05-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Apr/May 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jul/Aug 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Nov/Dec 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Feb 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Apr/May 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-3 Screen 3	Jul/Aug 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Oct/Nov 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Feb/Mar 2011	MW-3-3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1.0 U		
MW-3 Screen 3	Apr/May 2011	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U		
MW-3 Screen 3	Aug/Sep 2011	MW-3-3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1.0 U		
MW-3 Screen 3	Nov/Dec 2011	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	Ethylbenzene	1.3
MW-3 Screen 3	Jan/Feb 2012	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	Ethylbenzene	1.2
MW-3 Screen 3	Apr/May 2012	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	Ethylbenzene	0.9
												Ethylbenzene	1.2
MW-3 Screen 3	Aug/Sep 2012	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	1.0
												Toluene	0.2 J
MW-3 Screen 3	Nov 2012	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Apr/May 2013	MW-3-3	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jul 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Oct/Nov 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 U		
MW-3 Screen 3	Jan/Feb 2014	MW-3-3	0.5 U	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2014	DUPE-3-1Q14	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Apr/May 2014	MW-3-3	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jul/Aug 2014	MW-3-3	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3 J		
MW-3 Screen 3	Jul/Aug 2014	DUP-5-3Q14	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0 J		
MW-3 Screen 3	Oct 2014	MW-3-3	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	Oct/Nov 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	Feb/Mar 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	June/July 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	June/July 1997	MW-3-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 4	Sep/Oct 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb/Mar 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	May/Jun 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Aug 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Nov/Dec 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Mar/Apr 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Sep/Oct 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-3 Screen 4	Apr 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.8
MW-3 Screen 4	Oct 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methyl-tert-butyl ether (MTBE) Toluene	6.4 0.3 J
MW-3 Screen 4	Jan/Feb 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	10.0
MW-3 Screen 4	Apr/May 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3 Screen 4	Jul 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) Toluene	0.5 J 5.5 0.5 J
MW-3 Screen 4	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7 J
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-3 Screen 4	Jul/Aug 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5
MW-3 Screen 4	Apr/May 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8 J		
MW-3 Screen 4	Jul/Sep 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene NDMA NDPA	0.6 J 0.0 J 0.0 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	May/June 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Aug/Sep 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Oct/Dec 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Mar/Apr 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Jun/Jul 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	0.8 J
MW-3 Screen 4	Aug/Sep 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.3 J
MW-3 Screen 4	Oct/Dec 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	0.5 0.3 J
MW-3 Screen 4	Jan/Feb 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene Ethylbenzene	0.3 J 0.5
MW-3 Screen 4	Apr/May 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene	0.6 0.4 J
MW-3 Screen 4	Jul/Aug 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.9
MW-3 Screen 4	Oct/Nov 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	1.1
MW-3 Screen 4	Jan/Feb 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	Ethylbenzene	0.6
MW-3 Screen 4	Apr/May 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.6
MW-3 Screen 4	Jul/Aug 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	0.8
MW-3 Screen 4	Nov/Dec 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb 2010	DUPE-3-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Apr/May 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1		
MW-3 Screen 4	Jul/Aug 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Oct/Nov 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb/Mar 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Apr/May 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Aug/Sep 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Nov/Dec 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Nov/Dec 2011	DUPE-3-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-3 Screen 4	Jan/Feb 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Apr/May 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Aug/Sep 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.1 J 0.1 J
MW-3 Screen 4	Nov 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2013	MW-3-4	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0 J		
MW-3 Screen 4	Jan/Feb 2014	MW-3-4	0.5 U	0.5 U	0.1 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2014	MW-3-4	0.5 U	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3 J		
MW-3 Screen 4	Jul/Aug 2014	MW-3-4	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 4	Oct 2014	MW-3-4	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1 U		
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	Methylene chloride	2.1
MW-3 Screen 5	Oct/Nov 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	Feb/Mar 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	June/July 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	June/July 1997	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Sep/Oct 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Jan/Feb 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Apr/May 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Jul/Aug 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Oct/Nov 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	91.0		
MW-3 Screen 5	Feb/Mar 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	May/Jun 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	75.0		
MW-3 Screen 5	Aug 1999	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Nov/Dec 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.0 U		
MW-3 Screen 5	Mar/Apr 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul/Aug 2000	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Sep/Oct 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2001	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methylene chloride Methyl-tert-butyl ether (MTBE) Styrene	0.3 J 0.3 J 0.3 J 0.5 J
MW-3 Screen 5	Apr 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul 2001	MW-3-5	NA	NA	NA	NA	NA	NA	0.5 U	NA	NA		
MW-3 Screen 5	Oct 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2002	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	91.3	Methylene chloride	7.5
MW-3 Screen 5	Apr/May 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Oct/Nov 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2003	MW-3-5	0.2 UJ	0.5 UJ	0.5 UJ	0.3 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.3 UJ	NA	Ethylbenzene Methylene chloride NDMA NDPA NDPHA Styrene	1.1 J 7350.0 0.0 0.1 0.0 0.5 J
MW-3 Screen 5	Apr/May 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Ethylbenzene Styrene	4.0 J 0.7 0.4 J
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone Ethylbenzene Styrene	5.0 J 1.3 0.8

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-3 Screen 5	Apr/May 2004	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 5	Apr/May 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J	
MW-3 Screen 5	Jul/Sep 2005	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA NDPA 0.0 U 0.0 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 5	May/June 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-3 Screen 5	Oct/Dec 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene Styrene 0.4 J 0.3 J
MW-3 Screen 5	Jun/Jul 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Methylene chloride 0.7 J
MW-3 Screen 5	Oct/Dec 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene 0.4 J
MW-3 Screen 5	Apr/May 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene 0.4 J
MW-3 Screen 5	Oct/Nov 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	
MW-3 Screen 5	Apr/May 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene 0.5
MW-3 Screen 5	Nov/Dec 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene 0.6
MW-3 Screen 5	Apr/May 2010	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-3 Screen 5	Oct/Nov 2010	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-3 Screen 5	Apr/May 2011	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-3 Screen 5	Nov/Dec 2011	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-3 Screen 5	Apr/May 2012	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-3 Screen 5	Nov 2012	MW-3-5	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene 0.1 J 0.1 J
MW-3 Screen 5	Apr/May 2013	MW-3-5	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 5	Oct/Nov 2013	MW-3-5	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 5	Apr/May 2014	MW-3-5	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-3 Screen 5	Oct 2014	MW-3-5	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-4 Screen 1	Oct/Nov 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-4 Screen 1	Feb/Mar 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-4 Screen 1	June/July 1997	MW-4-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-4 Screen 1	June/July 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-4 Screen 1	Sep/Oct 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4	
MW-4 Screen 1	Jan/Feb 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.6	
MW-4 Screen 1	Apr/May 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Jul/Aug 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 3.4
MW-4 Screen 1	Oct/Nov 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Feb/Mar 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8 B	0.5 U	4.0 U	
MW-4 Screen 1	May/June 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Aug 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Nov/Dec 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Mar/Apr 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 1	Jul/Aug 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Sep/Oct 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2001	MW-4-1	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	Methylene chloride	2.0 J
MW-4 Screen 1	Apr 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-4 Screen 1	Jul 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Apr/May 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-4 Screen 1	Jul 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2002	MW-4-1	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	28.7		
MW-4 Screen 1	Dec 2002	MW-4-1	0.2 U	1.2	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.2	NA	1,4-Dioxane	1.2
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	NDPHA	0.0 J
MW-4 Screen 1	Apr/May 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2003	DUPE-3-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Feb 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J		
MW-4 Screen 1	Apr/May 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Toluene	0.7 0.6
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-Xylene	0.4 J 1.3
MW-4 Screen 1	Apr/May 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Sep 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Mar/Apr 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	May/Jun 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	1,4-Dioxane NDMA	4.8 U 0.0 U
MW-4 Screen 1	Aug/Sep 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Aug/Sep 2006	DUPE-1-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Oct/Dec 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Mar/Apr 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	280.0		
MW-4 Screen 1	Jun/Jul 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	330.0 J		
MW-4 Screen 1	Aug/Sep 2007	MW-4-1	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	530.0		
MW-4 Screen 1	Aug/Sep 2007	DUPE-1-3Q07	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	530.0		
MW-4 Screen 1	Oct/Dec 2007	MW-4-1	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	790.0		
MW-4 Screen 1	Jan/Feb 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	100.0		
MW-4 Screen 1	Jan/Feb 2008	DUPE-2-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	100.0		
MW-4 Screen 1	Apr/May 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-4 Screen 1	Apr/May 2008	DUPE-1-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 1	Jul/Aug 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-4 Screen 1	Oct/Nov 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	70.2	
MW-4 Screen 1	Jan/Feb 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	
MW-4 Screen 1	Apr/May 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Jul/Aug 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Nov/Dec 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	96.0	
MW-4 Screen 1	Feb 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-4 Screen 1	Apr/May 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Jul/Aug 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Jul/Aug 2010	DUPE-3-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Oct/Nov 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Feb/Mar 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Apr/May 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	NDMA
MW-4 Screen 1	Aug/Sep 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	0.0 J
MW-4 Screen 1	Nov/Dec 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Jan/Feb 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Apr/May 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 1	Aug/Sep 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Nov 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Jan/Feb 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Apr/May 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Jul 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Oct/Nov 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Jan/Feb 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Apr/May 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Jul/Aug 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 1	Oct 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2 J	
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	4.8	14.0	0.5 U	0.5 U	0.7	0.6	0.5 U	5.1	NA	
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	5.5	19.0	0.5 U	0.5 U	0.9	0.7	0.5 U	6.7	NA	
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.3	15.0	0.5 U	0.5 U	0.6	0.8	0.5 U	5.4	NA	
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.2	14.0	0.5 U	0.5 U	0.6	0.7	0.5 U	5.0	NA	
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	7.9	19.0	0.5 U	0.5 U	0.8	0.8	0.5 U	7.8	NA	
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	7.4	22.0 E	0.5 U	0.5 U	0.8	0.7	0.5 U	7.1	NA	
MW-4 Screen 2	June/July 1997	MW-4-2	6.2	8.6	0.5 U	0.5 U	0.5 U	0.8	0.5 U	4.6	NA	
MW-4 Screen 2	June/July 1997	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	51.0	
MW-4 Screen 2	June/July 1997	MW-4-2	4.0	5.7	0.5 U	0.5 U	0.5 U	0.5	0.5 U	3.4	NA	
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	4.0	8.0	0.5	0.6	0.5 U	0.5	0.5 U	3.5	34.0	
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	2.8	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	34.0	
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	1.7	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	32.0	
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	1.9	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	30.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-4 Screen 2	Apr/May 1998	MW-4-2	2.4	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	41.0	
MW-4 Screen 2	Apr/May 1998	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-4 Screen 2	Apr/May 1998	MW-4-2	2.8	4.3	0.7	0.5	0.5 U	0.5 U	0.5 U	3.1	40.0	
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	1.4	2.9	0.7	0.5	0.5 U	0.5 U	0.5 U	1.8	29.0	
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	1.5	3.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	2.0	29.0	
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	0.9	2.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.6	25.2	
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	1.2	3.1	0.8	0.6	0.5 U	0.5 U	0.5 U	2.0	25.0	
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	1.2	4.1	0.6	0.5	0.5 U	0.5 U	0.5 U	2.5	38.0	
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	1.5	5.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	2.9	38.0	
MW-4 Screen 2	May/Jun 1999	MW-4-2	1.5	4.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	55.0	
MW-4 Screen 2	May/Jun 1999	MW-4-2	2.0	6.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.7	56.0	
MW-4 Screen 2	Aug 1999	MW-4-2	2.6	7.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.3	68.0	
MW-4 Screen 2	Aug 1999	MW-4-2	1.9	5.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	69.0	
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	2.1	5.9	0.6	0.5	0.5 U	0.5 U	0.5 U	3.0	44.0	
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	2.3	6.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.1	42.0	
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	1.4	3.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.6	33.0	
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	1.4	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.7	32.0	
MW-4 Screen 2	Jul/Aug 2000	MW-4-2	1.6	3.4	0.9	0.5	0.5 U	0.5 U	0.5 U	1.8	31.0	
MW-4 Screen 2	Jul/Aug 2000	DUP	1.7	3.8	1.0	0.6	0.5 U	0.5 U	0.5 U	1.9	32.0	
MW-4 Screen 2	Sep/Oct 2000	MW-4-2	1.2	2.6	1.2	0.7	0.5 U	0.5 U	0.5 U	1.4	23.0	
MW-4 Screen 2	Sep/Oct 2000	DUP	1.0	2.2	1.0	0.6	0.5 U	0.5 U	0.5 U	1.1	23.0	
MW-4 Screen 2	Jan/Feb 2001	MW-4-2	1.0 U	0.7 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	7.0	Methylene chloride 1.0
MW-4 Screen 2	Apr 2001	MW-4-2	0.3 J	0.5 U	1.1	0.5 J	0.5 U	0.5 U	NA	0.6	13.0	
MW-4 Screen 2	Jul 2001	MW-4-2	0.7	1.6	1.1	0.5	0.5 U	0.5 U	0.5 U	1.0	20.0	
MW-4 Screen 2	Oct 2001	MW-4-2	0.6	1.8	0.9	0.5	0.5 U	0.5 U	0.5 U	0.9	27.0	
MW-4 Screen 2	Jan/Feb 2002	MW-4-2	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Apr/May 2002	MW-4-2	0.5 U	1.3	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Methylene chloride 0.3 J
MW-4 Screen 2	Jul 2002	MW-4-2	0.5 U	0.8	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 2	Oct/Nov 2002	MW-4-2	0.5 U	1.1	0.5 J	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-4 Screen 2	Oct/Nov 2002	DUP	0.5 U	1.7	0.8	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-4 Screen 2	Dec 2002	MW-4-2	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	1,4-Dioxane 1.1
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	0.2 U	1.2	0.6	0.4	0.5 U	0.5 U	0.5 U	0.4	4.0 U	Methylene chloride 5.8 J
MW-4 Screen 2	Apr/May 2003	MW-4-2	0.5 U	0.4 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	1,4-Dioxane 1.0
MW-4 Screen 2	Apr/May 2003	DUPE-8-2Q03	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 1.0
MW-4 Screen 2	Jul/Aug 2003	MW-4-2	0.5 U	0.7	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 J	9.0	
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	0.5 U	0.6	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.3 J	
MW-4 Screen 2	Feb 2004	MW-4-2	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	
MW-4 Screen 2	Apr/May 2004	MW-4-2	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 2	Apr/May 2004	DUPE-3-2Q04	0.5 U	1.3	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-4 Screen 2	Jul/Aug 2004	MW-4-2	0.5 U	1.0	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	0.5 U	0.9	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	0.5 U	1.0	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	0.5 U	1.4	1.1	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-4 Screen 2	Apr/May 2005	MW-4-2	0.5 U	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9		
MW-4 Screen 2	Jul/Sep 2005	MW-4-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1		
MW-4 Screen 2	Jul/Sep 2005	DUPE-3-3Q05	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7		
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	0.5 U	1.0	0.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-4 Screen 2	Mar/Apr 2006	MW-4-2	0.5 U	0.7	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4 Screen 2	May/June 2006	MW-4-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Aug/Sep 2006	MW-4-2	0.5 U	0.8	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4 Screen 2	Oct/Dec 2006	MW-4-2	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Dec 2006	DUPE-3-4Q06	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Mar/Apr 2007	MW-4-2	0.5 U	0.7	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Jun/Jul 2007	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Aug/Sep 2007	MW-4-2	0.5 U	0.7	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Dec 2007	MW-4-2	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-4 Screen 2	Jan/Feb 2008	MW-4-2	0.5 U	0.9	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	3.2		
MW-4 Screen 2	Apr/May 2008	MW-4-2	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Jul/Aug 2008	MW-4-2	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-4 Screen 2	Oct/Nov 2008	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-4 Screen 2	Jan/Feb 2009	MW-4-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-4 Screen 2	Apr/May 2009	MW-4-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-4 Screen 2	Jul/Aug 2009	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-4 Screen 2	Jul/Aug 2009	DUPE-6-3Q09	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-4 Screen 2	Nov/Dec 2009	MW-4-2	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-4 Screen 2	Feb 2010	MW-4-2	0.5 U	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-4 Screen 2	Apr/May 2010	MW-4-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-4 Screen 2	Jul/Aug 2010	MW-4-2	0.5 U	0.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-4 Screen 2	Oct/Nov 2010	MW-4-2	0.5 U	0.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-4 Screen 2	Feb/Mar 2011	MW-4-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	23.0		
MW-4 Screen 2	Feb/Mar 2011	DUPE-04-1Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	22.5		
MW-4 Screen 2	Apr/May 2011	MW-4-2	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	31.7		
MW-4 Screen 2	Aug/Sep 2011	MW-4-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.6		
MW-4 Screen 2	Nov/Dec 2011	MW-4-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5	46.8		
MW-4 Screen 2	Jan/Feb 2012	MW-4-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	157.0 J		
MW-4 Screen 2	Apr/May 2012	MW-4-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	157.0		
MW-4 Screen 2	Aug/Sep 2012	MW-4-2	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	220.0	Bromodichloromethane Dibromochloromethane	1.0 0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 2	Nov 2012	MW-4-2	0.5 U	0.2 J	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	1.9	170.0	Bromodichloromethane Dibromochloromethane	1.3 2.8
MW-4 Screen 2	Jan/Feb 2013	MW-4-2	0.5 U	0.2 J	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	2.3	220.0	Bromodichloromethane Dibromochloromethane	1.7 1.0
MW-4 Screen 2	Apr/May 2013	MW-4-2	0.5 U	0.2 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	2.1	220.0	Bromodichloromethane Dibromochloromethane	1.7 1.0
MW-4 Screen 2	Jul 2013	MW-4-2	0.2 J	1.1	1.7	0.5 J	0.5 U	0.2 J	0.5 U	3.8	250.0	Bromodichloromethane Dibromochloromethane	2.2 1.1
MW-4 Screen 2	Oct/Nov 2013	MW-4-2	0.5 U	0.6	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	1.7	210.0	Bromodichloromethane Dibromochloromethane	1.2 0.6
MW-4 Screen 2	Jan/Feb 2014	MW-4-2	0.5 U	1.0	0.7	0.3 J	0.5 U	0.5 U	0.5 U	1.2	100.0	Bromodichloromethane Dibromochloromethane	0.7 0.4 J
MW-4 Screen 2	Apr/May 2014	MW-4-2	0.5 U	0.8	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.7	64.0	Bromodichloromethane Dibromochloromethane	0.4 J 0.2 J
MW-4 Screen 2	Jul/Aug 2014	MW-4-2	0.5 U	2.0	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.9	28.0	Bromodichloromethane	0.3 J
MW-4 Screen 2	Oct 2014	MW-4-2	0.5 U	1.1	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.9	18.0	Bromodichloromethane	0.5 J
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Oct/Nov 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Feb/Mar 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	June/July 1997	MW-4-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-4 Screen 3	June/July 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Sep/Oct 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Apr/May 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul/Aug 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0
MW-4 Screen 3	Oct/Nov 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Feb/Mar 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U		
MW-4 Screen 3	May/June 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Aug 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Nov/Dec 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Mar/Apr 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul/Aug 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Sep/Oct 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 2001	MW-4-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	2-Butanone Ethylbenzene Methylene chloride Methyl-tert-butyl ether (MTBE)	6.0 J 1.0 1.0 0.7 J
MW-4 Screen 3	Apr 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	Ethylbenzene Styrene	0.6 0.4 J
MW-4 Screen 3	Jul 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.8
MW-4 Screen 3	Oct 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.9

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Jan/Feb 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.1
MW-4 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.4
MW-4 Screen 3	Apr/May 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Methylene chloride	1.7 0.4 J
MW-4 Screen 3	Jul 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.6
MW-4 Screen 3	Oct/Nov 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	2.1 0.4 J 0.3 J
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Toluene	2.3 0.4 J
MW-4 Screen 3	Apr/May 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,4-Dioxane Chloromethane Ethylbenzene Toluene	0.4 J 1.8 1.9 0.3 J
MW-4 Screen 3	Jul/Aug 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	4.5 0.5 J 0.6
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	3.7 0.5 J 0.5
MW-4 Screen 3	Feb 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	Ethylbenzene Styrene Toluene	4.6 0.4 J 0.6
MW-4 Screen 3	Apr/May 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	4.1 0.6 0.5
MW-4 Screen 3	Jul/Aug 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	3.7 0.5 0.6
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene Toluene	3.6 0.6 0.6
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-Xylene Styrene Toluene	4.3 0.5 J 0.7 0.5
MW-4 Screen 3	Apr/May 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-Xylene Toluene	1.8 0.4 J 0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Jul/Sep 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	1.9
												m,p-Xylene	0.6
												Styrene	0.4 J
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	2.8
												Styrene	0.6
												Toluene	0.5 J
MW-4 Screen 3	Mar/Apr 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	2.3
												Styrene	0.6
												Toluene	0.4 J
MW-4 Screen 3	May/June 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
MW-4 Screen 3	Aug/Sep 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.9
												Styrene	0.5 J
												Toluene	0.3 J
MW-4 Screen 3	Oct/Dec 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
												Styrene	0.4 J
												Toluene	0.4 J
MW-4 Screen 3	Mar/Apr 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
												Styrene	0.5
												Toluene	0.4 J
MW-4 Screen 3	Jun/Jul 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.4
												Methylene chloride	0.7 J
												Styrene	0.5
MW-4 Screen 3	Aug/Sep 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.8
												Styrene	0.4 J
												Toluene	0.4 J
MW-4 Screen 3	Oct/Dec 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.7
												Styrene	0.4 J
												Toluene	0.4 J
MW-4 Screen 3	Jan/Feb 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	2.0
												Styrene	0.6
												Toluene	0.4 J
MW-4 Screen 3	Apr/May 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Ethylbenzene	1.5
												Styrene	0.4 J
MW-4 Screen 3	Jul/Aug 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	2.3
MW-4 Screen 3	Jul/Aug 2008	DUPE-5-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	2.3
MW-4 Screen 3	Oct/Nov 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	2.1
												Styrene	0.5
MW-4 Screen 3	Jan/Feb 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	2.1
												Styrene	0.5
MW-4 Screen 3	Apr/May 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene	1.4

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Jul/Aug 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	2.5 0.6 J
MW-4 Screen 3	Nov/Dec 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.0 0.5
MW-4 Screen 3	Nov/Dec 2009	DUPE-05-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.1 0.6
MW-4 Screen 3	Feb 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.5 1.0
MW-4 Screen 3	Apr/May 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.1 0.6 J
MW-4 Screen 3	Jul/Aug 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Ethylbenzene Styrene	1.7 0.7
MW-4 Screen 3	Oct/Nov 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Feb/Mar 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Apr/May 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Aug/Sep 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Nov/Dec 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Jan/Feb 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Apr/May 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Aug/Sep 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Nov 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-4 Screen 3	Jan/Feb 2013	DUP-4-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J		
MW-4 Screen 3	Apr/May 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Oct/Nov 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-4 Screen 3	Jan/Feb 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-4 Screen 3	Jan/Feb 2014	DUP-1-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7 J		
MW-4 Screen 3	Apr/May 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-4 Screen 3	Jul/Aug 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J		
MW-4 Screen 3	Jul/Aug 2014	DUP-7-3Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7 J		
MW-4 Screen 3	Oct 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2 J		
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Oct/Nov 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Feb/Mar 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	June/July 1997	MW-4-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-4 Screen 4	June/July 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Sep/Oct 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jan/Feb 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jul/Aug 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 4	Oct/Nov 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Feb/Mar 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 B	0.5 U	4.0 U		
MW-4 Screen 4	May/Jun 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Nov/Dec 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jul/Aug 2000	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jan/Feb 2001	MW-4-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	Methylene chloride	2.0 J
MW-4 Screen 4	Jan/Feb 2002	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2003	DUPE-1-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
												Chloroethane	2.0
												Chloromethane	0.4 J
MW-4 Screen 4	Apr/May 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	May/Jun 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Oct/Dec 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Jun/Jul 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	0.8 J
MW-4 Screen 4	Oct/Dec 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-4 Screen 4	Apr/May 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Oct/Nov 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov/Dec 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2010	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Oct/Nov 2010	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2011	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov/Dec 2011	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2012	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov 2012	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2013	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2013	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2014	MW-4-4	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-4 Screen 4	Oct 2014	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-4 Screen 4	Oct 2014	DUP-3-4Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Oct/Nov 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Feb/Mar 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	June/July 1997	MW-4-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 5	June/July 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-4 Screen 5	Sep/Oct 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Jan/Feb 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Apr/May 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Jul/Aug 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Feb/Mar 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	May/Jun 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Nov/Dec 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Jul/Aug 2000	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Jan/Feb 2001	MW-4-5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	Methylene chloride 1.0
MW-4 Screen 5	Jan/Feb 2002	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 3.8
MW-4 Screen 5	Jan/Feb 2003	MW-4-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	3.6	Bromochloromethane 18.0 Methylene chloride 11300.0 J NDPHA 0.0 J	
MW-4 Screen 5	Apr/May 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 2.0 J
MW-4 Screen 5	Apr/May 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene 0.3 J
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Apr/May 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	May/Jun 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 5	Oct/Dec 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 5	Jun/Jul 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	m,p-Xylene 0.6 J
MW-4 Screen 5	Oct/Dec 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-4 Screen 5	Apr/May 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Oct/Nov 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Apr/May 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Nov/Dec 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Apr/May 2010	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Oct/Nov 2010	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Apr/May 2011	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Nov/Dec 2011	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Apr/May 2012	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-4 Screen 5	Nov 2012	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-4 Screen 5	Apr/May 2013	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-4 Screen 5	Oct/Nov 2013	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-4 Screen 5	Apr/May 2014	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	Styrene 0.1 J
MW-4 Screen 5	Oct 2014	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Aug/Sep 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	Oct/Nov 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	Feb/Mar 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	June/July 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	June/July 1997	MW-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-5	Sep/Oct 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-5	Apr/May 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	6.5
MW-5	Oct/Nov 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb/Mar 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	May/Jun 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Aug 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Nov/Dec 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Mar/Apr 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2000	MW-5	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-5	Jul/Aug 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Sep/Oct 2000	MW-5	0.6	19.0	1.0	0.6	0.5 U	0.5 U	0.5 U	1.7	33.0		
MW-5	Sep/Oct 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2001	MW-5	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	21.0		
MW-5	Jul 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		
MW-5	Jul 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-5	Oct 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2002	MW-5	0.5 U	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	23.4		
MW-5	Apr/May 2002	MW-5	0.9	6.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	22.2		
MW-5	Jul 2002	MW-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-5	Oct/Nov 2002	MW-5	1.1	18.9	0.8	0.4 J	0.5 U	0.5 U	0.5 U	2.0	22.7	Methylene chloride	1.3
MW-5	Jan/Feb 2003	MW-5	1.6	14.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.4	25.2		
MW-5	Apr/May 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-5	Jul/Aug 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb 2004	MW-5	0.4 J	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	34.2 J		
MW-5	Apr/May 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2004	DUPE-5-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2004	MW-5	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8
MW-5	Jan/Feb 2005	DUPE-5-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7
MW-5	Apr/May 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Sep 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-5	Jul/Sep 2005	DUPE-8-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Nov 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Mar/Apr 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-5	May/Jun 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Aug/Sep 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Dec 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	
MW-5	Mar/Apr 2007	MW-5	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	16.0	
MW-5	Jun/Jul 2007	MW-5	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	37.0 J	
MW-5	Aug/Sep 2007	MW-5	0.5 U	1.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	39.0	
MW-5	Oct/Dec 2007	MW-5	0.4 J	6.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.1	29.0	
MW-5	Oct/Dec 2007	DUPE-8-4Q07	0.4 J	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	31.0	
MW-5	Jan/Feb 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	56.0	
MW-5	Apr/May 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-5	Apr/May 2008	DUPE-8-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-5	Jul/Aug 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	
MW-5	Oct/Nov 2008	MW-5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5	
MW-5	Jan/Feb 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3	
MW-5	Apr/May 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Jul/Aug 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	
MW-5	Nov/Dec 2009	MW-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0	
MW-5	Feb 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Feb 2010	DUPE-6-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Apr/May 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Jul/Aug 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Oct/Nov 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Feb/Mar 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Apr/May 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Apr/May 2011	DUPE-6-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Aug/Sep 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Nov/Dec 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Jan/Feb 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Apr/May 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Apr/May 2012	DUPE-7-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-5	Aug/Sep 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Nov 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jan/Feb 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Apr/May 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Jul 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-5	Oct/Nov 2013	MW-5	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	1.5 J	
MW-5	Jan/Feb 2014	MW-5	0.5 U	3.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	10.0	
MW-5	Jan/Feb 2014	DUPE-6-1Q14	0.5 U	3.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	9.7	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Apr/May 2014	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2014	MW-5	0.5 U	2.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	9.4		
MW-5	Oct 2014	MW-5	0.5 U	4.7	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.8	6.8		
MW-6	Aug/Sep 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-6	Oct/Nov 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	Feb/Mar 1997	MW-6	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	June/July 1997	MW-6	NA	NA	NA	NA	NA	NA	NA	NA	5.5		
MW-6	June/July 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	Sep/Oct 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 1998	MW-6	0.5 U	0.5 U	2.0	1.0	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Apr/May 1998	MW-6	0.5 U	0.7	3.2	1.1	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-6	Jul/Aug 1998	MW-6	0.5 U	0.6	2.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.2	Methylene chloride	7.6
MW-6	Oct/Nov 1998	MW-6	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Feb/Mar 1999	MW-6	0.5 U	0.8	3.8	1.0	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-6	May/Jun 1999	MW-6	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Aug 1999	MW-6	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0		
MW-6	Nov/Dec 1999	MW-6	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Mar/Apr 2000	MW-6	0.5 U	0.5 U	3.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-6	Jul/Aug 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-6	Sep/Oct 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.7	Trichlorofluoromethane	0.7
MW-6	Jan/Feb 2001	MW-6	0.5 U	0.5 U	3.0	1.1	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride	0.4 J
												Methyl-tert-butyl ether (MTBE)	1.0 J
MW-6	Jul 2001	MW-6	0.5 U	0.5 U	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.3 J
MW-6	Oct 2001	MW-6	0.5 U	0.5 U	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Oct 2001	DUP	0.5 U	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 2002	MW-6	0.5 U	0.4 J	4.6	1.3	0.5 U	0.7	0.5 U	0.9	3.2 B	Methylene chloride	0.9 J
MW-6	Apr/May 2002	MW-6	0.5 U	0.5 U	5.0	1.3	0.5 U	0.9	0.5 U	0.7	15.4	Methylene chloride	0.8 J
MW-6	Jul 2002	MW-6	0.5 U	0.5 U	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Oct/Nov 2002	MW-6	0.5 U	0.3 J	3.1	1.2	0.5 U	0.7	0.5 U	0.7	4.0 U	Methyl-tert-butyl ether (MTBE)	1.9
												trans-1,2-Dichloroethene	1.7
												Trichlorofluoromethane	1.5
MW-6	Jan/Feb 2003	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.4 J	3.8 J		
MW-6	Apr/May 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.7	0.5 U	0.5 J	2.3 J	4-Methyl-2-pentanone	4.0 J
MW-6	Jul/Aug 2003	MW-6	0.5 U	0.5 U	2.3	0.7	0.5 U	0.5 U	0.5 U	0.3 J	2.9 J		
MW-6	Oct/Nov 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.8	0.5 U	0.3 J	3.6 J		
MW-6	Feb 2004	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.5 J	4.0 U		
MW-6	Apr/May 2004	MW-6	0.5 U	0.5 U	2.1	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	Jul/Aug 2004	MW-6	0.5 U	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	Trichlorofluoromethane	0.4 J
MW-6	Oct/Nov 2004	MW-6	0.5 U	0.5 U	3.8	1.1	0.5 U	0.7	0.5 U	0.3 J	4.0 U		
MW-6	Jan/Feb 2005	MW-6	0.5 U	0.5	3.4	1.1	0.5 U	1.5	0.5 U	0.5	4.3	Methylene chloride	0.6
MW-6	Apr/May 2005	MW-6	0.5 U	0.3 J	2.1	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.9 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Apr/May 2005	DUPE-8-2Q05	0.5 U	0.5 U	2.2	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.1 J		
MW-6	Jul/Sep 2005	MW-6	0.5 U	0.5 U	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Trichlorofluoromethane	1.5
MW-6	Oct/Nov 2005	MW-6	0.5 U	0.5 U	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-6	Mar/Apr 2006	MW-6	0.5 U	0.5 U	1.8	0.9	0.5 U	0.4 J	0.5 U	0.4 J	9.9		
MW-6	Mar/Apr 2006	DUPE-8-1Q06	0.5 U	0.5 U	1.8	1.0	0.5 U	0.4 J	0.5 U	0.4 J	4.0 U		
MW-6	May/June 2006	MW-6	0.5 U	0.5 U	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-6	Aug/Sep 2006	MW-6	0.5 U	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Aug/Sep 2006	DUPE-6-3Q06	0.5 U	0.5 U	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	Oct/Dec 2006	MW-6	0.5 U	0.5 U	1.2 J	0.9 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Mar/Apr 2007	MW-6	0.5 U	0.5	1.6	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	Jun/Jul 2007	MW-6	0.5 U	1.3	1.5	0.7	0.5 U	0.4 J	0.5 U	0.5	4.0 U		
MW-6	Aug/Sep 2007	MW-6	0.5 U	1.5	1.4	0.7	0.5 U	0.8	0.5 U	0.6	4.0 U		
MW-6	Aug/Sep 2007	DUPE-4-3Q07	0.5 U	1.5	1.4	0.7	0.5 U	0.9	0.5 U	0.5	4.0 U		
MW-6	Oct/Dec 2007	MW-6	0.5 U	1.5	1.0	0.6	0.5 U	0.7	0.5 U	0.6	5.0 U		
MW-6	Jan/Feb 2008	MW-6	0.5 U	2.5	1.6	0.8	0.5 U	0.4 J	0.5 U	0.6	4.0		
MW-6	Apr/May 2008	MW-6	0.5 U	2.5	1.8	0.6	0.5 U	0.9	0.5 U	0.7	2.5		
MW-6	Jul/Aug 2008	MW-6	0.5 U	2.2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.0	Toluene	0.8
MW-6	Oct/Nov 2008	MW-6	0.5 U	1.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	Toluene	1.0
MW-6	Jan/Feb 2009	MW-6	0.5 U	3.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1		
MW-6	Apr/May 2009	MW-6	0.5 U	2.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1		
MW-6	Jul/Aug 2009	MW-6	0.5 U	2.4	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-6	Nov/Dec 2009	MW-6	0.5 U	2.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.5		
MW-6	Feb 2010	MW-6	0.5 U	4.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7		
MW-6	Apr/May 2010	MW-6	0.5 U	4.3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-6	Jul/Aug 2010	MW-6	0.5 U	3.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0		
MW-6	Oct/Nov 2010	MW-6	0.5 U	3.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.3		
MW-6	Feb/Mar 2011	MW-6	0.5 U	4.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.1		
MW-6	Apr/May 2011	MW-6	0.5 U	3.4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-6	Apr/May 2011	DUPE-7-2Q11	0.5 U	3.6	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-6	Aug/Sep 2011	MW-6	0.5 U	2.7	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.6		
MW-6	Aug/Sep 2011	DUPE-7-3Q11	0.5 U	2.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.2		
MW-6	Nov/Dec 2011	MW-6	0.5 U	2.8	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1		
MW-6	Jan/Feb 2012	MW-6	0.5 U	2.8	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-6	Jan/Feb 2012	DUPE-5-1Q12	0.5 U	2.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0		
MW-6	Apr/May 2012	MW-6	0.5 U	3.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4		
MW-6	Aug/Sep 2012	MW-6	0.5 U	3.1	1.2	0.3 J	0.5 U	0.3 J	0.5 U	0.7	2.4 J		
MW-6	Nov 2012	MW-6	0.5 U	3.6	1.4	0.3 J	0.5 U	0.3 J	0.5 U	0.7	1.4 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Nov 2012	DUPE-5-4Q12	0.5 U	3.5	1.4	0.3 J	0.5 U	0.3 J	0.5 U	0.8	1.3 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Jan/Feb 2013	MW-6	0.5 U	4.2	1.3	0.3 J	0.5 U	0.3 J	0.5 U	0.8	4.5	trans-1,2-Dichloroethene	0.2 J
MW-6	Apr/May 2013	MW-6	0.5 U	4.1	1.2	0.3 J	0.5 U	0.3 J	0.5 U	0.7	3.2 J	cis-1,2-Dichloroethene	0.1 J
												trans-1,2-Dichloroethene	0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Apr/May 2013	DUP-7-2Q13	0.5 U	4.0	1.2	0.3 J	0.5 U	0.3 J	0.5 U	0.8	3.5 J	cis-1,2-Dichloroethene	0.1 J
												trans-1,2-Dichloroethene	0.2 J
MW-6	Jul 2013	MW-6	0.5 U	4.4	1.3	0.3 J	0.5 U	0.3 J	0.5 U	0.8	3.5 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Oct/Nov 2013	MW-6	0.5 U	4.3	1.3	0.3 J	0.5 U	0.3 J	0.5 U	0.8	3.3 J	trans-1,2-Dichloroethene	0.3 J
MW-6	Jan/Feb 2014	MW-6	0.5 U	4.2	1.1	0.3 J	0.5 U	0.2 J	0.5 U	0.8	2.9 J	cis-1,2-Dichloroethene	0.1 J
MW-6	Apr/May 2014	MW-6	0.5 U	4.2	1.1	0.2 J	0.5 U	0.5 U	0.5 U	0.7	2.7 J	cis-1,2-Dichloroethene	0.1 J
MW-6	Jul/Aug 2014	MW-6	0.5 U	3.9	1.2	0.2 J	0.5 U	0.2 J	0.5 U	0.7	3.8 J	cis-1,2-Dichloroethene	0.1 J
												trans-1,2-Dichloroethene	0.2 J
MW-6	Oct 2014	MW-6	0.5 U	3.7	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.0 J	trans-1,2-Dichloroethene	0.2 J
MW-7	Aug/Sep 1996	MW-7	90.0	39.0	0.8	0.5 U	1.2	1.1	7.2	13.0	NA		
MW-7	Aug/Sep 1996	MW-7	87.0	38.0	0.9	0.5 U	1.4	1.3	8.8	14.0	NA		
MW-7	Oct/Nov 1996	MW-7	170.0	27.0	1.3	0.5 U	0.8	2.3	7.7	14.0	NA		
MW-7	Feb/Mar 1997	MW-7	45.0	27.0	0.6	0.5 U	0.8	0.9	5.1	9.9	NA		
MW-7	June/July 1997	MW-7	39.0	23.0	0.7	0.5 U	0.8	1.0	4.1	11.0	NA		
MW-7	June/July 1997	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	285.0		
MW-7	Sep/Oct 1997	MW-7	93.0	22.0	1.1	0.5 U	0.9	1.3	4.7	13.0	550.0		
MW-7	Jan/Feb 1998	MW-7	150.0	24.0	3.7	0.5 U	0.8	2.1	6.4	13.0	720.0		
MW-7	Apr/May 1998	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	Apr/May 1998	MW-7	31.0	13.0	0.5	0.5 U	0.5 U	0.5 U	3.1	6.1	130.0		
MW-7	Jul/Aug 1998	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	Jul/Aug 1998	MW-7	43.0	19.0	0.8	0.5 U	0.6	0.9	3.4	9.0	190.0	Methylene chloride	1.0
MW-7	Oct/Nov 1998	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	Oct/Nov 1998	MW-7	51.0	18.0	0.9	0.5 U	0.7	1.1	3.0	9.8	210.0		
MW-7	Feb/Mar 1999	MW-7	49.0	17.0	0.6	0.5 U	0.5 U	0.9	2.0	7.2	150.0		
MW-7	Feb/Mar 1999	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	May/Jun 1999	MW-7	42.0	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.2	5.7	120.0		
MW-7	Aug 1999	MW-7	40.0	16.0	0.5	0.5 U	0.5 U	0.8	1.9	7.8	210.0		
MW-7	Nov/Dec 1999	MW-7	120.0	19.7	3.0	0.5 U	0.7	2.2	2.4	10.8	460.0		
MW-7	Mar/Apr 2000	MW-7	110.0	18.0	2.7	0.5 U	0.5	2.3	2.6	8.9	740.0		
MW-7	Jul/Aug 2000	MW-7	50.0	14.0	1.2	0.5 U	0.5 U	0.9	2.0	7.1	290.0		
MW-7	Jan/Feb 2002	MW-7	135.0	15.4	17.1	0.5 U	0.5 U	6.0	6.0	13.3	4090.0	1,4-Dioxane	5.0
												Trichlorofluoromethane	0.4 J
MW-7	Apr/May 2002	MW-7	208.0	16.9	30.4	0.5 U	0.5 U	11.4	9.2	20.7	6770.0	Methylene chloride	1.0 J
												Trichlorofluoromethane	0.4 J
MW-7	Jul 2002	MW-7	70.7	6.3	7.6	0.5 U	0.5 U	3.1	1.6	6.8	2590.0		
MW-7	Oct/Nov 2002	MW-7	150.0	8.9	32.8	0.5 U	0.5 U	12.4	8.0	20.9	13300.0	Methylene chloride	1.0 B
												Trichlorofluoromethane	1.5
MW-7	Jan/Feb 2003	MW-7	157.0	6.3	19.5	0.3 U	0.5 U	8.2	5.9	16.6	5200.0	1,4-Dioxane	3.0
												NDMA	0.0
												NDPHA	0.0 J
												Total Trihalomethanes	27.0

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Jan/Feb 2003	DUPE-6-1Q03	122.0	4.8	13.5	0.5 U	0.5 U	6.4	4.2	12.3	6190.0		
MW-7	Apr/May 2003	MW-7	73.7	8.1	9.9	0.5 U	0.5 U	4.2	3.6	10.0	5560.0	4-Methyl-2-pentanone Methylene chloride	6.0 J 2.3
MW-7	Jul/Aug 2003	MW-7	40.4	4.5	4.9	0.5 U	0.5 U	2.2	2.2	6.8	1920.0 J		
MW-7	Oct/Nov 2003	MW-7	42.0	5.0	7.2	0.5 U	0.5 U	3.2	2.4	9.9	2400.0 J		
MW-7	Feb 2004	MW-7	94.7	8.2	30.2	0.5 U	0.5 U	10.5	8.6	26.3	7690.0		
MW-7	Apr/May 2004	MW-7	72.0 J	6.8	15.6	0.5 U	0.5 U	7.6	5.8	15.9	4680.0	Bromodichloromethane Toluene	0.4 J 0.8
MW-7	Apr/May 2004	DUPE-7-2Q04	65.1	7.1	16.3	0.5 U	0.5 U	7.9	6.0	16.3	4430.0	Bromodichloromethane Toluene	0.4 J 0.8
MW-7	Jul/Aug 2004	MW-7	58.0	6.3	15.0	0.5 U	0.5 U	5.5	5.0	16.2	3760.0		
MW-7	Oct/Nov 2004	MW-7	51.4	8.7	34.7	0.5 U	0.5 U	8.0	9.0	17.7	4810.0	Toluene	0.5
MW-7	Jan/Feb 2005	MW-7	57.3	9.3	15.8	0.5 U	0.5 U	7.6	6.0	12.5	4680.0	Methylene chloride	0.9
MW-7	Apr/May 2005	MW-7	7.6	3.3	1.4	0.5 U	0.5 U	0.5 U	0.5 U	2.8	155.0		
MW-7	Jul/Sep 2005	MW-7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	87.1		
MW-7	Oct/Nov 2005	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.1	Toluene	1.8
MW-7	Oct/Nov 2005	DUPE-8-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.3	Toluene	1.9
MW-7	Mar/Apr 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	26.0		
MW-7	May/Jun 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	12.0		
MW-7	Aug/Sep 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-7	Oct/Dec 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-7	Mar/Apr 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	2.0 U	Bromodichloromethane Bromoform Dibromochloromethane Toluene	5.4 5.7 7.6 0.6
MW-7	Jun/Jul 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	3.9 J	Bromodichloromethane Bromoform Dibromochloromethane	5.7 8.0 9.9
MW-7	Jun/Jul 2007	DUPE-8-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.7 J	Bromodichloromethane Bromoform Dibromochloromethane	5.9 8.2 9.7
MW-7	Aug/Sep 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	2.0 U	Bromodichloromethane Bromoform Dibromochloromethane Toluene	3.7 6.1 5.8 0.4 J
MW-7	Oct/Dec 2007	MW-7	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	17.0	Bromodichloromethane Bromoform Dibromochloromethane Dibromomethane	4.8 3.5 4.4 0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Oct/Dec 2007	DUPE-4-4Q07	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	18.0	Bromodichloromethane	5.0
												Bromoform	3.4
												Dibromochloromethane	4.5
MW-7	Jan/Feb 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5	3.1	Bromodichloromethane	10.0
												Bromoform	1.0
												Dibromochloromethane	3.3
MW-7	Jan/Feb 2008	DUPE-6-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8	4.5	Bromodichloromethane	11.0
												Bromoform	1.0
												Dibromochloromethane	3.4
MW-7	Apr/May 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.0	2.0 U	Bromodichloromethane	30.0
												Bromoform	1.0
												Dibromochloromethane	12.0
												Dibromomethane	0.4 J
												Toluene	0.3 J
MW-7	Apr/May 2008	DUPE-5-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	36.0	2.0 U	Bromodichloromethane	30.0
												Bromoform	1.0
												Dibromochloromethane	12.0
												Dibromomethane	0.4 J
MW-7	Jul/Aug 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9	1.5	Bromodichloromethane	7.8
												Dibromochloromethane	1.3
												Toluene	1.2
MW-7	Oct/Nov 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	1.0 U	Bromodichloromethane	1.3
												Toluene	1.3
MW-7	Jan/Feb 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.7		
MW-7	Jan/Feb 2009	DUPE-06-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.7		
MW-7	Apr/May 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8	9.4 J	Bromodichloromethane	6.0
MW-7	Jul/Aug 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	1.0 U	Bromodichloromethane	2.8
MW-7	Nov/Dec 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-7	Feb 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U		
MW-7	Apr/May 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	3.6	Bromodichloromethane	13.0
												Bromoform	1.2
												Dibromochloromethane	6.9
MW-7	Jul/Aug 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	10.0	Bromodichloromethane	1.9
MW-7	Oct/Nov 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	9.7	Bromodichloromethane	4.5
												Dibromochloromethane	2.0
MW-7	Feb/Mar 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	3.1	Bromodichloromethane	8.7
MW-7	Apr/May 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	2.9	Bromodichloromethane	3.2
MW-7	Aug/Sep 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	10.2	Bromodichloromethane	1.2
MW-7	Nov/Dec 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.0		
MW-7	Jan/Feb 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-7	Apr/May 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Aug/Sep 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7	4.0 U	Bromodichloromethane	11.0
												Bromoform	2.2
												Dibromochloromethane	7.1
MW-7	Nov 2012	MW-7	0.5 J	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	7.8	1.7 J	Bromodichloromethane	5.4
												Dibromochloromethane	2.5
												Methylene chloride	0.8
MW-7	Jan/Feb 2013	MW-7	0.3 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	12.0	35.0	Bromodichloromethane	7.5
												Dibromochloromethane	0.4 J
												Methylene chloride	0.8
MW-7	Jan/Feb 2013	DUP-7-1Q13	0.3 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	13.0	35.0	Bromodichloromethane	7.3
												Dibromochloromethane	0.4 J
												Methylene chloride	0.8
MW-7	Apr/May 2013	MW-7	1.0	0.1 J	1.9	0.5 U	0.5 U	0.2 J	0.5 U	9.5	260.0	Bromodichloromethane	2.9
MW-7	Apr/May 2013	DUP-6-2Q13	1.0	0.1 J	1.9	0.5 U	0.5 U	0.2 J	0.5 U	9.8	260.0	Bromodichloromethane	3.0
MW-7	Jul 2013	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0	Bromodichloromethane	0.9
MW-7	Oct/Nov 2013	MW-7	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	8.7	6.1	Bromodichloromethane	1.9
												Dibromochloromethane	0.7
MW-7	Jan/Feb 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	2.4 J	Bromodichloromethane	0.4 J
MW-7	Jan/Feb 2014	DUPE-5-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	2.0 J	Bromodichloromethane	0.4 J
MW-7	Apr/May 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	5.3	Bromodichloromethane	0.4 J
MW-7	Apr/May 2014	DUP-8-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	5.2	Bromodichloromethane	0.4 J
MW-7	Jul/Aug 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U		
MW-7	Oct 2014	MW-7	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	8.5		
MW-8	Aug/Sep 1996	MW-8	4.0	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-8	Oct/Nov 1996	MW-8	2.8	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-8	Feb/Mar 1997	MW-8	1.5	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	Trichlorofluoromethane	1.1
MW-8	June/July 1997	MW-8	NA	NA	NA	NA	NA	NA	NA	NA	6.4		
MW-8	June/July 1997	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-8	Sep/Oct 1997	MW-8	3.2	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	29.0	Trichlorofluoromethane	1.0
MW-8	Jan/Feb 1998	MW-8	1.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0	Trichlorofluoromethane	0.8
MW-8	Apr/May 1998	MW-8	1.3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.6		
MW-8	Jul/Aug 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	6.6
MW-8	Oct/Nov 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Feb/Mar 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	May/June 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov/Dec 1999	MW-8	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-8	Mar/Apr 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2000	MW-8	8.6	20.0	0.5 U	0.5 U	0.6	0.7	0.5 U	8.8	410.0		
MW-8	Jul/Aug 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-8	Sep/Oct 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-8	Sep/Oct 2000	MW-8	14.0	24.0	0.5	0.5 U	0.5	0.9	0.5 U	11.0	620.0	
MW-8	Jan/Feb 2001	MW-8	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	Methylene chloride 0.4 J Methyl-tert-butyl ether (MTBE) 0.5 J Trichlorofluoromethane 1.0
MW-8	Apr 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-8	Jul 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0	
MW-8	Oct 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.9	
MW-8	Jan/Feb 2002	MW-8	2.2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.8	20.1	Trichlorofluoromethane 0.4 J
MW-8	Apr/May 2002	MW-8	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 1.0 J Trichlorofluoromethane 0.4 J
MW-8	Jul 2002	MW-8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.7	
MW-8	Oct/Nov 2002	MW-8	12.3	7.1	0.3 J	0.5 U	0.5 U	0.5 U	1.7	2.9	127.0	Trichlorofluoromethane 1.6
MW-8	Jan/Feb 2003	MW-8	13.2	7.8	0.5 U	0.3 U	0.5 U	0.5 U	2.1	2.9	45.0	NDPHA 0.0 J Trichlorofluoromethane 0.4 J
MW-8	Apr/May 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-pentanone 5.0 J
MW-8	Jul/Aug 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7 J	
MW-8	Oct/Nov 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.2 J	
MW-8	Oct/Nov 2003	DUPE-7-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.2 J	
MW-8	Feb 2004	MW-8	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	32.6	
MW-8	Apr/May 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-8	Jul/Aug 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.4	
MW-8	Oct/Nov 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.6	
MW-8	Jan/Feb 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.5 J
MW-8	Jan/Feb 2005	DUPE-6-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.5
MW-8	Apr/May 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-8	Jul/Sep 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	
MW-8	Oct/Nov 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Toluene 0.4 J
MW-8	Mar/Apr 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-8	May/Jul 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	Toluene 0.8
MW-8	Aug/Sep 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-8	Aug/Sep 2006	DUPE-5-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-8	Oct/Dec 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	60.0	
MW-8	Mar/Apr 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	84.0	Toluene 0.7 Trichlorofluoromethane 0.7
MW-8	Jun/Jul 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	130.0 J	
MW-8	Aug/Sep 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	210.0	Bromodichloromethane 0.5 J Dibromochloromethane 0.6 Toluene 0.3 J Trichlorofluoromethane 1.1

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Aug/Sep 2007	DUPE-7-3Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	200.0	Bromodichloromethane	0.5
												Dibromochloromethane	0.6
												Toluene	0.3 J
												Trichlorofluoromethane	0.9
MW-8	Oct/Dec 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	62.0	Bromodichloromethane	3.2
												Bromoform	3.1
												Dibromochloromethane	4.3
												Dibromomethane	0.3 J
MW-8	Jan/Feb 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	310.0	Bromodichloromethane	0.3 J
												Dibromochloromethane	0.3 J
												Toluene	2.0
												Trichlorofluoromethane	0.7
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	300.0	Bromodichloromethane	0.3 J
												Dibromochloromethane	0.3 J
												Toluene	2.2
												Trichlorofluoromethane	0.8
MW-8	Apr/May 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	30.0	Toluene	0.5 J
MW-8	Jul/Aug 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	108.0	Toluene	1.1
												Trichlorofluoromethane	1.1 J
MW-8	Oct/Nov 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	257.0	Bromodichloromethane	1.3
												Bromoform	0.9
												Dibromochloromethane	1.3
												Toluene	2.5
												Trichlorofluoromethane	1.0
MW-8	Jan/Feb 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	171.0	Toluene	1.4
												Trichlorofluoromethane	1.5
MW-8	Apr/May 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	45.4	Trichlorofluoromethane	0.6
MW-8	Jul/Aug 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	186.0	Bromodichloromethane	0.6
												Dibromochloromethane	0.6
												Trichlorofluoromethane	1.3
MW-8	Nov/Dec 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	203.0	Bromodichloromethane	2.5
												Dibromochloromethane	1.0
												Trichlorofluoromethane	0.7
MW-8	Feb 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	194.0	Bromodichloromethane	1.4
												Dibromochloromethane	0.8
												Trichlorofluoromethane	0.9
MW-8	Apr/May 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5		
MW-8	Jul/Aug 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Jul/Aug 2010	DUPE-1-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Oct/Nov 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Feb/Mar 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Apr/May 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2011	DUPE-8-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Aug/Sep 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Nov/Dec 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Jan/Feb 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Aug/Sep 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.2 J
MW-8	Nov 2012	DUPE-8-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.2 J
MW-8	Jan/Feb 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.4 J
MW-8	Jan/Feb 2013	DUP-6-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.4 J
MW-8	Apr/May 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.6
MW-8	Jul 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.7
MW-8	Oct/Nov 2013	MW-8	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	71.0	Bromodichloromethane	0.9
												Dibromochloromethane	0.5
												Trichlorofluoromethane	0.3 J
MW-8	Oct/Nov 2013	DUPE-5-4Q13	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	71.0	Bromodichloromethane	0.9
												Dibromochloromethane	0.6
												Trichlorofluoromethane	0.3 J
MW-8	Jan/Feb 2014	MW-8	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	93.0	Bromodichloromethane	2.6
												Dibromochloromethane	0.6
												Trichlorofluoromethane	0.2 J
MW-8	Jan/Feb 2014	DUPE-7-1Q14	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3	94.0	Bromodichloromethane	2.7
												Dibromochloromethane	0.6
												Trichlorofluoromethane	0.1 J
MW-8	Apr/May 2014	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	47.0	Trichlorofluoromethane	0.2 J
MW-8	Jul/Aug 2014	MW-8	0.2 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	180.0	Bromodichloromethane	0.7
MW-8	Oct 2014	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8	7.8	Bromodichloromethane	0.3 J
MW-9	Aug/Sep 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Oct/Nov 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Feb/Mar 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	June/July 1997	MW-9	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-9	June/July 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Sep/Oct 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Feb/Mar 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/June 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Nov/Dec 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-9	Jul/Aug 2000	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Jan/Feb 2001	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Jan/Feb 2002	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.5 J
MW-9	Apr/May 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 5.0 J
MW-9	Oct/Nov 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	
MW-9	Apr/May 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Oct/Nov 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Apr/May 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Apr/May 2005	DUPE-3-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Oct/Nov 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	May/June 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-9	Oct/Dec 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Oct/Dec 2006	DUPE-7-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Jun/Jul 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-9	Oct/Dec 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-9	Apr/May 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-9	Oct/Nov 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Apr/May 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Nov/Dec 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Nov/Dec 2009	DUPE-8-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Apr/May 2010	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Oct/Nov 2010	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Apr/May 2011	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Nov/Dec 2011	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Apr/May 2012	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-9	Nov 2012	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Apr/May 2013	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Apr/May 2014	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Apr/May 2014	DUP-5-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-9	Oct 2014	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-10	Aug/Sep 1996	MW-10	0.7	18.0	0.5	0.5 U	0.5 U	0.5 U	1.2	1.4	NA	
MW-10	Aug/Sep 1996	MW-10	0.7	20.0	0.6	0.5 U	0.5 U	0.5 U	1.3	1.6	NA	
MW-10	Oct/Nov 1996	MW-10	0.6	6.6	1.0	1.9	0.5 U	0.5 U	0.8	1.1	NA	
MW-10	Oct/Nov 1996	MW-10	0.5 U	5.9	0.9	1.9	0.5 U	0.5 U	0.7	1.0	NA	
MW-10	Feb/Mar 1997	MW-10	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-10	Feb/Mar 1997	MW-10	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-10	June/July 1997	MW-10	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-10	June/July 1997	MW-10	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-10	June/July 1997	MW-10	NA	NA	NA	NA	NA	NA	NA	NA	11.0	
MW-10	June/July 1997	MW-10	NA	NA	NA	NA	NA	NA	NA	NA	13.0	
MW-10	Sep/Oct 1997	MW-10	0.5 U	4.4	1.4	1.2	0.5 U	0.5 U	0.5 U	1.2	16.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-10	Sep/Oct 1997	MW-10	0.5 U	4.3	1.3	1.2	0.5 U	0.5 U	0.5 U	1.0	16.0	
MW-10	Jan/Feb 1998	MW-10	0.5 U	1.1	2.2	1.6	0.5 U	0.5 U	0.5 U	1.4	4.7	
MW-10	Jan/Feb 1998	MW-10	0.5 U	0.9	2.1	1.4	0.5 U	0.5 U	0.5 U	1.2	5.1	
MW-10	Apr/May 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-10	Apr/May 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-10	Jul/Aug 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 8.2
MW-10	Jul/Aug 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 7.8
MW-10	Oct/Nov 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-10	Oct/Nov 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-10	Feb/Mar 1999	MW-10	0.5 U	5.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	39.0	
MW-10	Feb/Mar 1999	MW-10	0.5 U	5.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	39.0	
MW-10	May/Jun 1999	MW-10	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	
MW-10	May/Jun 1999	MW-10	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0	
MW-10	Aug 1999	MW-10	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0	
MW-10	Aug 1999	MW-10	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	
MW-10	Nov/Dec 1999	MW-10	0.5 U	3.3	0.9	0.6	0.5 U	0.5 U	0.5 U	0.9	21.0	
MW-10	Nov/Dec 1999	MW-10	0.5 U	3.7	1.1	0.6	0.5 U	0.5 U	0.5 U	0.9	21.0	
MW-10	Mar/Apr 2000	MW-10	0.5 U	2.0	2.1	1.0	0.5 U	0.5 U	0.5 U	0.9	9.0	
MW-10	Mar/Apr 2000	MW-10	0.5 U	2.0	2.2	1.1	0.5 U	0.5 U	0.5 U	0.9	9.1	
MW-10	Jul/Aug 2000	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-10	Jul/Aug 2000	MW-10	33.0	8.2	1.1	0.5 U	0.7	1.3	0.5	16.0	1500.0	
MW-10	Jul/Aug 2000	MW-10	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-10	Sep/Oct 2000	MW-10	53.0	8.0	2.2	0.5 U	0.6	3.5	0.7	20.0	1400.0	
MW-10	Sep/Oct 2000	DUP	0.6	20.0	1.0	0.6	0.5 U	0.5 U	0.5 U	1.7	32.0	
MW-10	Jan/Feb 2001	MW-10	0.5 U	0.6	1.6	0.9	0.5 U	0.5 U	0.5 U	1.0	5.0	Methylene chloride 0.3 J
MW-10	Apr 2001	MW-10	0.6	20.2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	1.9	39.0	
MW-10	Jul 2001	MW-10	0.4 J	11.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	24.0	
MW-10	Jul 2001	DUP	0.4 J	12.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	30.0	
MW-10	Oct 2001	MW-10	0.5 U	5.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0	
MW-10	Oct 2001	DUP	0.5 U	5.7	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.7	12.8	
MW-10	Jan/Feb 2002	MW-10	0.5 U	3.0	2.9	0.9	0.5 U	0.5 U	0.5 U	1.1	4.0 U	
MW-10	Apr/May 2002	MW-10	0.5 U	3.6	1.7	0.6	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-10	Jul 2002	MW-10	0.5 U	8.4	1.2	0.9	0.5 U	0.5 U	0.5 U	1.0	13.0	Methylene chloride 0.5 J
MW-10	Oct/Nov 2002	MW-10	0.5 U	4.2	1.6	0.7	0.5 U	0.5 U	0.5 U	0.8	4.0 U	Methylene chloride 1.2 B
MW-10	Jan/Feb 2003	MW-10	0.2 U	2.8	1.5	0.5	0.5 U	0.5 U	0.5 U	0.6	3.5 J	1,4-Dioxane 1.0 NDPHA 0.0 J
MW-10	Apr/May 2003	MW-10	0.2 J	11.2	1.3	0.8	0.5 U	0.5 U	0.5 U	1.1	17.5	1,4-Dioxane 1.0 4-Methyl-2-pentanone 6.0 J
MW-10	Jul/Aug 2003	MW-10	0.3 J	12.3	0.9	0.6	0.5 U	0.5 U	0.5 U	1.3	43.6 J	
MW-10	Oct/Nov 2003	MW-10	0.5 U	10.8	1.5	0.9	0.5 U	0.5 U	0.5 U	1.2	21.9 J	
MW-10	Feb 2004	MW-10	0.5 U	4.9	1.7	0.8	0.5 U	0.5 U	0.5 U	0.9	5.1	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Apr/May 2004	MW-10	0.5 U	13.4	2.0	1.1	0.5 U	0.5 U	0.5 U	1.3	13.5		
MW-10	Jul/Aug 2004	MW-10	0.5 U	14.6	1.5	0.9	0.5 U	0.5 U	0.5 U	1.3	25.3		
MW-10	Jul/Aug 2004	DUPE-6-3Q04	0.5 U	16.6	1.8	1.0	0.5 U	0.5 U	0.5 U	1.4	25.5		
MW-10	Oct/Nov 2004	MW-10	0.5 U	4.8	2.2	1.0	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Toluene	0.4 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	0.5 U	4.5	2.2	0.9	0.5 U	0.5 U	0.5 U	0.9	4.0 U	Toluene	0.4 J
MW-10	Jan/Feb 2005	MW-10	1.3	17.5	1.5	0.8	0.5 U	0.5 U	0.5 U	1.4	71.6	Methylene chloride	0.7
MW-10	Apr/May 2005	MW-10	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.8	Bromodichloromethane	0.4 J
MW-10	Apr/May 2005	DUPE-9-2Q05	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.1	Bromodichloromethane	0.5 J
MW-10	Jul/Sep 2005	MW-10	0.5	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	108.0		
MW-10	Jul/Sep 2005	DUPE-7-3Q05	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	110.0		
MW-10	Oct/Nov 2005	MW-10	0.7	22.9	1.3	0.3 J	0.5 U	0.5 U	0.5 U	2.6	57.0		
MW-10	Mar/Apr 2006	MW-10	0.5 J	21.0	1.6	0.6	0.5 U	0.5 U	0.5 U	2.1	22.0	Toluene	0.3 J
MW-10	May/Jun 2006	MW-10	0.8	30.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	2.8	32.0	Toluene	0.9
MW-10	Aug/Sep 2006	MW-10	0.7	38.0	1.5	0.5	0.5 U	0.5 U	0.3 J	2.8	26.0		
MW-10	Oct/Dec 2006	MW-10	0.5 U	7.6	1.4	0.8	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-10	Oct/Dec 2006	DUPE-8-4Q06	0.5 U	7.7	1.4	0.7	0.5 U	0.5 U	0.5 U	0.9	5.6		
MW-10	Mar/Apr 2007	MW-10	0.5 U	3.1	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Toluene	0.8
MW-10	Jun/Jul 2007	MW-10	0.5 U	4.5	1.2	0.7	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Aug/Sep 2007	MW-10	0.5 U	3.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Oct/Dec 2007	MW-10	0.5 U	4.8	1.3	0.7	0.5 U	0.5 U	0.5 U	0.8	6.6 J	Toluene	0.8
MW-10	Oct/Dec 2007	DUPE-7-4Q07	0.5 U	4.6	1.3	0.6	0.5 U	0.5 U	0.5 U	0.8	4.0 J	Toluene	0.9
MW-10	Jan/Feb 2008	MW-10	0.5 U	2.5	1.1	0.6	0.5 U	0.5 U	0.5 U	0.7	3.6	Toluene	2.2
MW-10	Apr/May 2008	MW-10	0.5 U	4.6	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.8	6.1	Toluene	0.5 J
MW-10	Jul/Aug 2008	MW-10	0.5 U	3.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.6	Toluene	1.3
MW-10	Oct/Nov 2008	MW-10	0.5 U	2.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	Toluene	1.2
MW-10	Jan/Feb 2009	MW-10	0.5 U	3.2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Jan/Feb 2009	DUPE-07-1Q09	0.5 U	3.1	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.4		
MW-10	Apr/May 2009	MW-10	0.5 U	1.9	1.2	0.5	0.5 U	0.5 U	0.5 U	0.7	2.7		
MW-10	Jul/Aug 2009	MW-10	0.5 U	2.3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7		
MW-10	Nov/Dec 2009	MW-10	0.5 U	4.3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2		
MW-10	Feb 2010	MW-10	0.5 U	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Apr/May 2010	MW-10	0.5 U	3.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.9 J		
MW-10	Jul/Aug 2010	MW-10	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	52.8 J		
MW-10	Oct/Nov 2010	MW-10	0.5 U	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	75.9		
MW-10	Feb/Mar 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-10	Feb/Mar 2011	DUPE-7-1Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Apr/May 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Aug/Sep 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Nov/Dec 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Jan/Feb 2012	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-10	Apr/May 2012	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-10	Aug/Sep 2012	MW-10	0.5 U	1.3	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7	
MW-10	Nov 2012	MW-10	0.5 U	5.6	0.7	0.1 J	0.5 U	0.5 U	0.5 U	1.0	5.1	
MW-10	Jan/Feb 2013	MW-10	0.5 U	6.8	0.9	0.2 J	0.5 U	0.5 U	0.5 U	1.1	9.6	
MW-10	Apr/May 2013	MW-10	0.5 U	7.4	0.8	0.2 J	0.5 U	0.5 U	0.5 U	1.1	8.2	cis-1,2-Dichloroethene 0.1 J
MW-10	Jul 2013	MW-10	0.5 U	9.8	1.0	0.2 J	0.5 U	0.5 U	0.5 U	1.2	9.0	cis-1,2-Dichloroethene 0.1 J trans-1,2-Dichloroethene 0.3 J
MW-10	Oct/Nov 2013	MW-10	0.5 U	8.0	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.9	6.4	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.2 J
MW-10	Oct/Nov 2013	DUPE-8-4Q13	0.5 U	8.1	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.9	6.4	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.3 J
MW-10	Jan/Feb 2014	MW-10	0.5 U	6.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.4 J	cis-1,2-Dichloroethene 0.2 J
MW-10	Apr/May 2014	MW-10	0.5 U	6.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	4.2	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.2 J
MW-10	Jul/Aug 2014	MW-10	0.5 U	8.1	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.8	3.7 J	cis-1,2-Dichloroethene 0.3 J trans-1,2-Dichloroethene 0.5 J
MW-10	Oct 2014	MW-10	0.5 U	7.7	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.4 J	cis-1,2-Dichloroethene 0.3 J trans-1,2-Dichloroethene 0.4 J
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-11 Screen 1	Oct/Nov 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	Methyl-tert-butyl ether (MTBE) 7.1
MW-11 Screen 1	Feb/Mar 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-11 Screen 1	June/July 1997	MW-11-1	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-11 Screen 1	June/July 1997	MW-11-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-11 Screen 1	Sep/Oct 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jan/Feb 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Apr/May 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jul/Aug 1998	MW-11-1	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Oct/Nov 1998	MW-11-1	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Feb/Mar 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 B	0.5 U	4.0 U	
MW-11 Screen 1	May/June 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Aug 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Nov/Dec 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Mar/Apr 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jul/Aug 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Sep/Oct 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jan/Feb 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-11 Screen 1	Jul 2001	MW-11-1	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Oct 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jan/Feb 2002	MW-11-1	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Apr/May 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.3 J
MW-11 Screen 1	Jul 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 1	Oct/Nov 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J		
MW-11 Screen 1	Apr/May 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	6.0 J
MW-11 Screen 1	Jul/Aug 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Feb 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 1	Apr/May 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Sep 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0
MW-11 Screen 1	Mar/Apr 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	May/Jun 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug/Sep 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Dec 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Dec 2006	DUPE-4-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Mar/Apr 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-11 Screen 1	Jun/Jul 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug/Sep 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Oct/Dec 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Jan/Feb 2008	DUPE-1-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Apr/May 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Jul/Aug 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Oct/Nov 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	1.0 U	
MW-11 Screen 1	Jan/Feb 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Apr/May 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Jul/Aug 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Nov/Dec 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-11 Screen 1	Feb 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-11 Screen 1	Feb 2010	DUPE-4-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-11 Screen 1	Apr/May 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-11 Screen 1	Jul/Aug 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Oct/Nov 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Feb/Mar 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Apr/May 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Aug/Sep 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Aug/Sep 2011	DUPE-06-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Nov/Dec 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Jan/Feb 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 1	Apr/May 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 1	Aug/Sep 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Nov 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jan/Feb 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Apr/May 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Apr/May 2013	DUP-5-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jul 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Oct/Nov 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-11 Screen 1	Jan/Feb 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-11 Screen 1	Apr/May 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Jul/Aug 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 1	Oct 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	NA	
MW-11 Screen 2	Oct/Nov 1996	MW-11-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA	
MW-11 Screen 2	Feb/Mar 1997	MW-11-2	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	NA	
MW-11 Screen 2	June/July 1997	MW-11-2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	NA	
MW-11 Screen 2	June/July 1997	MW-11-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-11 Screen 2	Sep/Oct 1997	MW-11-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 2	Jan/Feb 1998	MW-11-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Apr/May 1998	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Jul/Aug 1998	MW-11-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 2	Oct/Nov 1998	MW-11-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Feb/Mar 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	1.1	4.0 U	
MW-11 Screen 2	May/June 1999	MW-11-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Aug 1999	MW-11-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 2	Nov/Dec 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Mar/Apr 2000	MW-11-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Jul/Aug 2000	MW-11-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Sep/Oct 2000	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-11 Screen 2	Jan/Feb 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 2	Jul 2001	MW-11-2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Oct 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-11 Screen 2	Jan/Feb 2002	MW-11-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-11 Screen 2	Apr/May 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Methylene chloride 0.4 J
MW-11 Screen 2	Jul 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Oct/Nov 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	
MW-11 Screen 2	Apr/May 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 6.0 J
MW-11 Screen 2	Jul/Aug 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Feb 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 2	Apr/May 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul/Aug 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-11 Screen 2	Apr/May 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-11 Screen 2	Jul/Sep 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul/Sep 2005	DUPE-4-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Mar/Apr 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Mar/Apr 2006	DUPE-7-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	May/Jun 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Aug/Sep 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Oct/Dec 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Mar/Apr 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Jun/Jul 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Aug/Sep 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Oct/Dec 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-11 Screen 2	Oct/Dec 2007	DUPE-2-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jan/Feb 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Apr/May 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Jul/Aug 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Oct/Nov 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jan/Feb 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jul/Aug 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Nov/Dec 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Feb 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jul/Aug 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Oct/Nov 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Feb/Mar 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Aug/Sep 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Nov/Dec 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Nov/Dec 2011	DUP-8-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jan/Feb 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Aug/Sep 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-11 Screen 2	Nov 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U		
MW-11 Screen 2	Jan/Feb 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U		
MW-11 Screen 2	Apr/May 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 2	Jul 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Jul 2013	DUPE-6-3Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Oct/Nov 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Jan/Feb 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Apr/May 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Jul/Aug 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 2	Oct 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-11 Screen 3	Oct/Nov 1996	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-11 Screen 3	Feb/Mar 1997	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	NA	
MW-11 Screen 3	June/July 1997	MW-11-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-11 Screen 3	June/July 1997	MW-11-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-11 Screen 3	Sep/Oct 1997	MW-11-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-11 Screen 3	Jan/Feb 1998	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-11 Screen 3	Apr/May 1998	MW-11-3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-11 Screen 3	Jul/Aug 1998	MW-11-3	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-11 Screen 3	Oct/Nov 1998	MW-11-3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	
MW-11 Screen 3	Feb/Mar 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U	
MW-11 Screen 3	May/Jun 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Aug 1999	MW-11-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 3	Nov/Dec 1999	MW-11-3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-11 Screen 3	Mar/Apr 2000	MW-11-3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-11 Screen 3	Jul/Aug 2000	MW-11-3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 3	Sep/Oct 2000	MW-11-3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-11 Screen 3	Jan/Feb 2001	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jul 2001	MW-11-3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-11 Screen 3	Oct 2001	MW-11-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-11 Screen 3	Jan/Feb 2002	MW-11-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Apr/May 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.3 J
MW-11 Screen 3	Jul 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Oct/Nov 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J	
MW-11 Screen 3	Apr/May 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 6.0 J
MW-11 Screen 3	Jul/Aug 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 2.0 J Chloroethane 1.4 Chloromethane 0.4 J
MW-11 Screen 3	Feb 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	
MW-11 Screen 3	Apr/May 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-11 Screen 3	Apr/May 2004	DUPE-5-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 3	Jul/Aug 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Apr/May 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Apr/May 2005	DUPE-7-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jul/Sep 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.6
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Mar/Apr 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	May/Jun 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	May/Jun 2006	DUPE-7-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Aug/Sep 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Oct/Dec 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Mar/Apr 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Jun/Jul 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Aug/Sep 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Oct/Dec 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Jan/Feb 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Apr/May 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Jul/Aug 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Oct/Nov 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jan/Feb 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jul/Aug 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Nov/Dec 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Feb 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jul/Aug 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jul/Aug 2010	DUPE-5-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Oct/Nov 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Feb/Mar 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-11 Screen 3	Aug/Sep 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Nov/Dec 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jan/Feb 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Aug/Sep 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.4 J
												Styrene	0.2 J
MW-11 Screen 3	Aug/Sep 2012	DUPE-3-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.4 J
												Styrene	0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 3	Nov 2012	MW-11-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) Styrene Toluene	0.2 J 0.2 J 0.1 J
MW-11 Screen 3	Nov 2012	DUPE-4-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) Styrene Toluene	0.2 J 0.2 J 0.1 J
MW-11 Screen 3	Jan/Feb 2013	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-11 Screen 3	Apr/May 2013	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-11 Screen 3	Jul 2013	MW-11-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	Styrene	0.1 J
MW-11 Screen 3	Oct/Nov 2013	MW-11-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-11 Screen 3	Jan/Feb 2014	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U	Styrene	0.2 J
MW-11 Screen 3	Apr/May 2014	MW-11-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-11 Screen 3	Jul/Aug 2014	MW-11-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) Styrene	0.3 J 0.3 J
MW-11 Screen 3	Oct 2014	MW-11-3	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	Styrene	0.1 J
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA		
MW-11 Screen 4	Oct/Nov 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 4	Feb/Mar 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 4	June/July 1997	MW-11-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 4	June/July 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 4	Sep/Oct 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-11 Screen 4	Apr/May 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-11 Screen 4	Jul/Aug 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-11 Screen 4	Oct/Nov 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-11 Screen 4	Feb/Mar 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 B	0.5 U	4.0 U		
MW-11 Screen 4	May/Jun 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-11 Screen 4	Aug 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-11 Screen 4	Nov/Dec 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-11 Screen 4	Mar/Apr 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-11 Screen 4	Jul/Aug 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-11 Screen 4	Sep/Oct 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-11 Screen 4	Jan/Feb 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methylene chloride	0.6
MW-11 Screen 4	Jul 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-11 Screen 4	Oct 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2002	MW-11-4	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8 J
MW-11 Screen 4	Apr/May 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.3 J
MW-11 Screen 4	Jul 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-11 Screen 4	Apr/May 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	7.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 4	Jul/Aug 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	0.3 J
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Feb 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 4	Feb 2004	DUPE-5-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 4	Apr/May 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Aug 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Aug 2004	DUPE-3-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-11 Screen 4	Apr/May 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Sep 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Mar/Apr 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	May/Jun 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Dec 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Mar/Apr 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jun/Jul 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	0.4 J
MW-11 Screen 4	Oct/Dec 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jan/Feb 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jul/Aug 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jul/Aug 2008	DUPE-06-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Oct/Nov 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Nov 2008	DUPE-07-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-11 Screen 4	Apr/May 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jul/Aug 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Nov/Dec 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-11 Screen 4	Feb 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-11 Screen 4	Jul/Aug 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Nov 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Feb/Mar 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Nov/Dec 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2012	DUPE-2-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 4	Aug/Sep 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.8 J
												Styrene	0.2 J
MW-11 Screen 4	Nov 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4 J
												Toluene	0.1 J
MW-11 Screen 4	Jan/Feb 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-11 Screen 4	Apr/May 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-11 Screen 4	Jul 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-11 Screen 4	Oct/Nov 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-11 Screen 4	Jan/Feb 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-11 Screen 4	Apr/May 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.4 J
												Styrene	0.2 J
MW-11 Screen 4	Jul/Aug 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-11 Screen 4	Oct 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
												Styrene	0.1 J
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Oct/Nov 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Feb/Mar 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	June/July 1997	MW-11-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 5	June/July 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Sep/Oct 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jul/Aug 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Oct/Nov 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Feb/Mar 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	May/Jun 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Nov/Dec 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jul/Aug 2000	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 2001	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone	1.0 J
												Methyl-tert-butyl ether (MTBE)	0.3 J
MW-11 Screen 5	Jul 2001	MW-11-5	NA	NA	NA	NA	NA	NA	0.5 U	NA	NA		
MW-11 Screen 5	Jan/Feb 2002	MW-11-5	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	7.0 J
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.6
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	May/Jun 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-11 Screen 5	Oct/Dec 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Jun/Jul 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Oct/Dec 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Apr/May 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-11 Screen 5	Oct/Nov 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Apr/May 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Nov/Dec 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	
MW-11 Screen 5	Apr/May 2010	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.5	
MW-11 Screen 5	Oct/Nov 2010	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Apr/May 2011	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Nov/Dec 2011	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Apr/May 2012	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-11 Screen 5	Nov 2012	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-11 Screen 5	Apr/May 2013	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.2 J
MW-11 Screen 5	Oct/Nov 2013	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.2 J
MW-11 Screen 5	Apr/May 2014	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-11 Screen 5	Oct 2014	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	NA	
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	NA	
MW-12 Screen 1	June/July 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-12 Screen 1	June/July 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-12 Screen 1	June/July 1997	MW-12-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-12 Screen 1	June/July 1997	MW-12-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-12 Screen 1	Jan/Feb 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-12 Screen 1	Apr/May 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jul/Aug 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Oct/Nov 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Feb/Mar 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	May/Jun 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Aug 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Nov/Dec 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Mar/Apr 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jul/Aug 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Sep/Oct 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jan/Feb 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-12 Screen 1	Jul 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Oct 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 1	Jan/Feb 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8 J
MW-12 Screen 1	Apr/May 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 1	Jul 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 1	Oct/Nov 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	1,3-Dichloropropane	0.6
MW-12 Screen 1	Apr/May 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	8.0 J
MW-12 Screen 1	Jul/Aug 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Feb 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Aug 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Sep 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane	0.0 U 0.5 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-12 Screen 1	Mar/Apr 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Mar/Apr 2006	DUPE-6-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	May/June 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Aug/Sep 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Oct/Dec 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Mar/Apr 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jun/Jul 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jun/Jul 2007	DUPE-5-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Aug/Sep 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Oct/Dec 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-12 Screen 1	Jan/Feb 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Apr/May 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jul/Aug 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Oct/Nov 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Jan/Feb 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-12 Screen 1	Jul/Aug 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4		
MW-12 Screen 1	Nov/Dec 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-12 Screen 1	Feb 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-12 Screen 1	Jul/Aug 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	1.0 U	
MW-12 Screen 1	Oct/Nov 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Feb/Mar 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Aug/Sep 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Nov/Dec 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 1	Jan/Feb 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Aug/Sep 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Aug/Sep 2012	DUPE-5-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Nov 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.2 J
MW-12 Screen 1	Jan/Feb 2014	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.3 J
MW-12 Screen 1	Apr/May 2014	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.2 J
MW-12 Screen 1	Apr/May 2014	DUP-4-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.2 J
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 2	Oct/Nov 1996	MW-12-2	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	0.5 U	NA		
MW-12 Screen 2	Feb/Mar 1997	MW-12-2	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 2	June/July 1997	MW-12-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA		
MW-12 Screen 2	June/July 1997	MW-12-2	NA	NA	NA	NA	NA	NA	NA	NA	6.9		
MW-12 Screen 2	Sep/Oct 1997	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.8		
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	5.7		
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	6.3		
MW-12 Screen 2	Apr/May 1998	MW-12-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	6.0		
MW-12 Screen 2	Apr/May 1998	MW-12-2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	5.7		
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.5		
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	5.1		
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.2		
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.6		
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.6		
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.1		
MW-12 Screen 2	May/June 1999	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.0	Methylene chloride	0.6
MW-12 Screen 2	May/June 1999	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.0	Methylene chloride	0.8
MW-12 Screen 2	Aug 1999	MW-12-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Aug 1999	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2000	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Sep/Oct 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Sep/Oct 2000	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 2	Jan/Feb 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2002	MW-12-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8 J
MW-12 Screen 2	Jan/Feb 2002	DUP	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	2.6
MW-12 Screen 2	Apr/May 2002	MW-12-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-12 Screen 2	Jul 2002	MW-12-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Nov 2002	MW-12-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	1,3-Dichloropropane	0.5
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	1,3-Dichloropropane	0.6
MW-12 Screen 2	Apr/May 2003	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	4-Methyl-2-pentanone	5.0 J
MW-12 Screen 2	Jul/Aug 2003	MW-12-2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J		
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Feb 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Apr/May 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2004	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	m,p-Xylene	0.3 J
MW-12 Screen 2	Apr/May 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-12 Screen 2	Jul/Sep 2005	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	1,2,3-Trichloropropane 1,2,3-Trichloropropane	0.5 U 0.0 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.6
MW-12 Screen 2	Mar/Apr 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	May/Jun 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Aug/Sep 2006	MW-12-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Dec 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-12 Screen 2	Jun/Jul 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-12 Screen 2	Aug/Sep 2007	MW-12-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 2	Oct/Dec 2007	MW-12-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 2	Jan/Feb 2008	MW-12-2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-12 Screen 2	Apr/May 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-12 Screen 2	Jul/Aug 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-12 Screen 2	Jul/Aug 2008	DUPE-7-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-12 Screen 2	Oct/Nov 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-12 Screen 2	Jan/Feb 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-12 Screen 2	Apr/May 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-12 Screen 2	Jul/Aug 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-12 Screen 2	Jul/Aug 2009	DUPE-7-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-12 Screen 2	Nov/Dec 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 2	Feb 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	
MW-12 Screen 2	Apr/May 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	
MW-12 Screen 2	Apr/May 2010	DUPE-03-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-12 Screen 2	Jul/Aug 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5	
MW-12 Screen 2	Oct/Nov 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1 J	
MW-12 Screen 2	Feb/Mar 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	
MW-12 Screen 2	Apr/May 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	
MW-12 Screen 2	Aug/Sep 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1 J	
MW-12 Screen 2	Nov/Dec 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3	
MW-12 Screen 2	Jan/Feb 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3	
MW-12 Screen 2	Apr/May 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.7	
MW-12 Screen 2	Aug/Sep 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1	
MW-12 Screen 2	Nov 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	
MW-12 Screen 2	Jan/Feb 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9 U	
MW-12 Screen 2	Apr/May 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	
MW-12 Screen 2	Apr/May 2013	DUP-4-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7	Trichlorofluoromethane 0.2 J
MW-12 Screen 2	Jul 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2	Styrene 0.1 J
MW-12 Screen 2	Oct/Nov 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	
MW-12 Screen 2	Jan/Feb 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	
MW-12 Screen 2	Apr/May 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9 J	
MW-12 Screen 2	Jul/Aug 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	
MW-12 Screen 2	Oct 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-12 Screen 3	Oct/Nov 1996	MW-12-3	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-12 Screen 3	Feb/Mar 1997	MW-12-3	6.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-12 Screen 3	June/July 1997	MW-12-3	20.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA	
MW-12 Screen 3	June/July 1997	MW-12-3	NA	NA	NA	NA	NA	NA	NA	NA	5.7	
MW-12 Screen 3	Sep/Oct 1997	MW-12-3	14.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	6.2	
MW-12 Screen 3	Jan/Feb 1998	MW-12-3	23.0 E	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	5.9	
MW-12 Screen 3	Apr/May 1998	MW-12-3	25.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	6.9	
MW-12 Screen 3	Jul/Aug 1998	MW-12-3	35.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	6.6	
MW-12 Screen 3	Oct/Nov 1998	MW-12-3	27.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	6.9	
MW-12 Screen 3	Feb/Mar 1999	MW-12-3	23.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.0 U	
MW-12 Screen 3	May/June 1999	MW-12-3	19.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	8.7	
MW-12 Screen 3	Aug 1999	MW-12-3	19.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	
MW-12 Screen 3	Nov/Dec 1999	MW-12-3	23.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	8.5	
MW-12 Screen 3	Mar/Apr 2000	MW-12-3	17.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.2	
MW-12 Screen 3	Jul/Aug 2000	MW-12-3	16.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	6.9	
MW-12 Screen 3	Sep/Oct 2000	MW-12-3	11.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	7.1	
MW-12 Screen 3	Jan/Feb 2001	MW-12-3	2.0 J	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	2-Butanone 2.0 J
MW-12 Screen 3	Jul 2001	MW-12-3	10.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 3	Oct 2001	MW-12-3	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	6.2	
MW-12 Screen 3	Jan/Feb 2002	MW-12-3	4.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-12 Screen 3	Apr/May 2002	MW-12-3	4.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 3	Apr/May 2002	DUP	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 3	Jul 2002	MW-12-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	
MW-12 Screen 3	Jul 2002	DUP	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	4.0 U	
MW-12 Screen 3	Oct/Nov 2002	MW-12-3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	9.2	0.5	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.7	1.8 J	1,2,3-Trichloropropane 0.0 1,4-Dioxane 1.7 Methylene chloride 0.4 J Total Trihalomethanes 5.8 TPH - Gasoline 40.0 J
MW-12 Screen 3	Apr/May 2003	MW-12-3	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.8 J	
MW-12 Screen 3	Apr/May 2003	DUPE-6-2Q03	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	3.4 J	4-Methyl-2-pentanone 4.0 J
MW-12 Screen 3	Jul/Aug 2003	MW-12-3	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.8 J	
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	
MW-12 Screen 3	Feb 2004	MW-12-3	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	
MW-12 Screen 3	Apr/May 2004	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U	
MW-12 Screen 3	Jul/Aug 2004	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	2.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	4.0 U	
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	m,p-Xylene 0.4 J
MW-12 Screen 3	Apr/May 2005	MW-12-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.6 J	
MW-12 Screen 3	Jul/Sep 2005	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J	1,2,3-Trichloropropane 0.0
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	Methylene chloride 1.1
MW-12 Screen 3	Mar/Apr 2006	MW-12-3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.0 U	
MW-12 Screen 3	May/Jun 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U	
MW-12 Screen 3	Aug/Sep 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.0 U	
MW-12 Screen 3	Oct/Dec 2006	MW-12-3	2.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2.1	
MW-12 Screen 3	Mar/Apr 2007	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	2.0 U	
MW-12 Screen 3	Jun/Jul 2007	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.0 U	
MW-12 Screen 3	Aug/Sep 2007	MW-12-3	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.0 U	
MW-12 Screen 3	Oct/Dec 2007	MW-12-3	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0	
MW-12 Screen 3	Jan/Feb 2008	MW-12-3	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	2.0 U	
MW-12 Screen 3	Apr/May 2008	MW-12-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U	
MW-12 Screen 3	Jul/Aug 2008	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U	
MW-12 Screen 3	Oct/Nov 2008	MW-12-3	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	1.0 U	
MW-12 Screen 3	Jan/Feb 2009	MW-12-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	1.0 U	
MW-12 Screen 3	Apr/May 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.0 U	
MW-12 Screen 3	Apr/May 2009	DUPE-07-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.0 U	
MW-12 Screen 3	Jul/Aug 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-12 Screen 3	Nov/Dec 2009	MW-12-3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	3.2	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 3	Nov/Dec 2009	DUPE-06-4Q09	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	3.1	
MW-12 Screen 3	Feb 2010	MW-12-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	1.0 U	
MW-12 Screen 3	Apr/May 2010	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.3	
MW-12 Screen 3	Jul/Aug 2010	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.4	
MW-12 Screen 3	Oct/Nov 2010	MW-12-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.8 J	
MW-12 Screen 3	Oct/Nov 2010	DUPE-05-4Q10	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.6 J	
MW-12 Screen 3	Feb/Mar 2011	MW-12-3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.9	
MW-12 Screen 3	Apr/May 2011	MW-12-3	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.2	
MW-12 Screen 3	Aug/Sep 2011	MW-12-3	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.3 J	
MW-12 Screen 3	Nov/Dec 2011	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.4	
MW-12 Screen 3	Jan/Feb 2012	MW-12-3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.5	
MW-12 Screen 3	Apr/May 2012	MW-12-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1	
MW-12 Screen 3	Aug/Sep 2012	MW-12-3	1.0	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.1	
MW-12 Screen 3	Nov 2012	MW-12-3	0.7	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.5 J	
MW-12 Screen 3	Jan/Feb 2013	MW-12-3	0.8	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.9 U	
MW-12 Screen 3	Apr/May 2013	MW-12-3	0.5	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-12 Screen 3	Jul 2013	MW-12-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	Styrene 0.1 J
MW-12 Screen 3	Oct/Nov 2013	MW-12-3	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.5	
MW-12 Screen 3	Jan/Feb 2014	MW-12-3	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.8 J	Styrene 0.1 J
MW-12 Screen 3	Apr/May 2014	MW-12-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.0 J	
MW-12 Screen 3	Jul/Aug 2014	MW-12-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.3 J	
MW-12 Screen 3	Oct 2014	MW-12-3	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	0.7 J	
MW-12 Screen 3	Oct 2014	DUP-7-4Q14	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1.2 J	
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	6.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-12 Screen 4	Oct/Nov 1996	MW-12-4	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-12 Screen 4	Feb/Mar 1997	MW-12-4	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-12 Screen 4	June/July 1997	MW-12-4	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	
MW-12 Screen 4	June/July 1997	MW-12-4	NA	NA	NA	NA	NA	NA	NA	NA	7.3	
MW-12 Screen 4	Sep/Oct 1997	MW-12-4	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	7.6	
MW-12 Screen 4	Jan/Feb 1998	MW-12-4	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	8.0	
MW-12 Screen 4	Apr/May 1998	MW-12-4	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	8.0	
MW-12 Screen 4	Jul/Aug 1998	MW-12-4	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	6.0	
MW-12 Screen 4	Oct/Nov 1998	MW-12-4	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.7	
MW-12 Screen 4	Feb/Mar 1999	MW-12-4	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.0	
MW-12 Screen 4	May/Jun 1999	MW-12-4	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	9.1	
MW-12 Screen 4	Aug 1999	MW-12-4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	9.2	
MW-12 Screen 4	Nov/Dec 1999	MW-12-4	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	8.5	
MW-12 Screen 4	Mar/Apr 2000	MW-12-4	5.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	8.7	
MW-12 Screen 4	Jul/Aug 2000	MW-12-4	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	8.1	
MW-12 Screen 4	Sep/Oct 2000	MW-12-4	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.9	
MW-12 Screen 4	Jan/Feb 2001	MW-12-4	3.0	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	6.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 4	Jul 2001	MW-12-4	3.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-12 Screen 4	Oct 2001	MW-12-4	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 4	Jan/Feb 2002	MW-12-4	3.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0	Methylene chloride 1.5
MW-12 Screen 4	Apr/May 2002	MW-12-4	3.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Methylene chloride 0.5 J
MW-12 Screen 4	Jul 2002	MW-12-4	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-12 Screen 4	Oct/Nov 2002	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.9 J	
MW-12 Screen 4	Apr/May 2003	MW-12-4	1.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.6 J	
MW-12 Screen 4	Jul/Aug 2003	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6	
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8 J	
MW-12 Screen 4	Feb 2004	MW-12-4	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-12 Screen 4	Apr/May 2004	MW-12-4	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.4	
MW-12 Screen 4	Apr/May 2004	DUPE-4-2Q04	2.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.5	
MW-12 Screen 4	Jul/Aug 2004	MW-12-4	3.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.6	
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-12 Screen 4	Jan/Feb 2005	MW-12-4	2.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	m,p-Xylene 0.5 J
MW-12 Screen 4	Apr/May 2005	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	m,p-Xylene 0.3 J
MW-12 Screen 4	Jul/Sep 2005	MW-12-4	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	1,2,3-Trichloropropane 0.0
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	Methylene chloride 0.7
MW-12 Screen 4	Mar/Apr 2006	MW-12-4	2.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.5	
MW-12 Screen 4	May/June 2006	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.4	
MW-12 Screen 4	Aug/Sep 2006	MW-12-4	2.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.7	
MW-12 Screen 4	Oct/Dec 2006	MW-12-4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 4	Mar/Apr 2007	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2	
MW-12 Screen 4	Jun/Jul 2007	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5 J	
MW-12 Screen 4	Aug/Sep 2007	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U	
MW-12 Screen 4	Oct/Dec 2007	MW-12-4	1.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2	
MW-12 Screen 4	Jan/Feb 2008	MW-12-4	1.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.2	
MW-12 Screen 4	Apr/May 2008	MW-12-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5	
MW-12 Screen 4	Jul/Aug 2008	MW-12-4	1.8 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9	
MW-12 Screen 4	Oct/Nov 2008	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9 J	
MW-12 Screen 4	Jan/Feb 2009	MW-12-4	1.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.3	
MW-12 Screen 4	Apr/May 2009	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0	
MW-12 Screen 4	Jul/Aug 2009	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7	
MW-12 Screen 4	Nov/Dec 2009	MW-12-4	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9	
MW-12 Screen 4	Feb 2010	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	
MW-12 Screen 4	Apr/May 2010	MW-12-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	
MW-12 Screen 4	Jul/Aug 2010	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5	
MW-12 Screen 4	Jul/Aug 2010	DUPE-6-3Q10	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6	
MW-12 Screen 4	Oct/Nov 2010	MW-12-4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3 J	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 4	Feb/Mar 2011	MW-12-4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5	
MW-12 Screen 4	Feb/Mar 2011	DUPE-06-1Q11	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.4	
MW-12 Screen 4	Apr/May 2011	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.8	
MW-12 Screen 4	Aug/Sep 2011	MW-12-4	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.5 J	
MW-12 Screen 4	Nov/Dec 2011	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.9	
MW-12 Screen 4	Jan/Feb 2012	MW-12-4	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.2	
MW-12 Screen 4	Apr/May 2012	MW-12-4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.9	
MW-12 Screen 4	Aug/Sep 2012	MW-12-4	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.3	
MW-12 Screen 4	Nov 2012	MW-12-4	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.7 J	
MW-12 Screen 4	Jan/Feb 2013	MW-12-4	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7 J	Styrene 0.1 J
MW-12 Screen 4	Apr/May 2013	MW-12-4	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J	
MW-12 Screen 4	Jul 2013	MW-12-4	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	
MW-12 Screen 4	Oct/Nov 2013	MW-12-4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3 J	
MW-12 Screen 4	Jan/Feb 2014	MW-12-4	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5 J	Styrene 0.1 J
MW-12 Screen 4	Apr/May 2014	MW-12-4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 4	Jul/Aug 2014	MW-12-4	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.9 J	
MW-12 Screen 4	Oct 2014	MW-12-4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2 J	
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA	
MW-12 Screen 5	Oct/Nov 1996	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-12 Screen 5	Feb/Mar 1997	MW-12-5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-12 Screen 5	June/July 1997	MW-12-5	NA	NA	NA	NA	NA	NA	NA	NA	4.1	
MW-12 Screen 5	June/July 1997	MW-12-5	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-12 Screen 5	Sep/Oct 1997	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 1998	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Apr/May 1998	MW-12-5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Jul/Aug 1998	MW-12-5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Oct/Nov 1998	MW-12-5	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Feb/Mar 1999	MW-12-5	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-12 Screen 5	May/June 1999	MW-12-5	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-12 Screen 5	Aug 1999	MW-12-5	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-12 Screen 5	Nov/Dec 1999	MW-12-5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-12 Screen 5	Mar/Apr 2000	MW-12-5	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.7	
MW-12 Screen 5	Jul/Aug 2000	MW-12-5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0	
MW-12 Screen 5	Sep/Oct 2000	MW-12-5	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.1	
MW-12 Screen 5	Jan/Feb 2001	MW-12-5	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	2-Butanone 3.0 J
MW-12 Screen 5	Jan/Feb 2001	DUP	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jul 2001	MW-12-5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-12 Screen 5	Oct 2001	MW-12-5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 2002	MW-12-5	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Apr/May 2002	MW-12-5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methylene chloride 0.4 J
MW-12 Screen 5	Jul 2002	MW-12-5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 5	Oct/Nov 2002	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	2.0 J	
MW-12 Screen 5	Apr/May 2003	MW-12-5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J	4-Methyl-2-pentanone 7.0 J
MW-12 Screen 5	Jul/Aug 2003	MW-12-5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J	
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Feb 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Feb 2004	DUPE-6-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Apr/May 2004	MW-12-5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-12 Screen 5	Jul/Aug 2004	MW-12-5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-12 Screen 5	Jan/Feb 2005	MW-12-5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	
MW-12 Screen 5	Apr/May 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J	
MW-12 Screen 5	Jul/Sep 2005	MW-12-5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	1,2,3-Trichloropropane 0.0
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.5 J Methylene chloride 1.1 Styrene 0.5 J
MW-12 Screen 5	Mar/Apr 2006	MW-12-5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	m,p-Xylene 0.4 J
MW-12 Screen 5	May/June 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 5	Aug/Sep 2006	MW-12-5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U	
MW-12 Screen 5	Oct/Dec 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 5	Mar/Apr 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 5	Jun/Jul 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 5	Aug/Sep 2007	MW-12-5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 5	Oct/Dec 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-12 Screen 5	Jan/Feb 2008	MW-12-5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.1	
MW-12 Screen 5	Apr/May 2008	MW-12-5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6	
MW-12 Screen 5	Jul/Aug 2008	MW-12-5	1.0 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.9	
MW-12 Screen 5	Oct/Nov 2008	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 J	
MW-12 Screen 5	Jan/Feb 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	
MW-12 Screen 5	Apr/May 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-12 Screen 5	Jul/Aug 2009	MW-12-5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	
MW-12 Screen 5	Nov/Dec 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	
MW-12 Screen 5	Feb 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	
MW-12 Screen 5	Apr/May 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	
MW-12 Screen 5	Jul/Aug 2010	MW-12-5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.2	
MW-12 Screen 5	Oct/Nov 2010	MW-12-5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J	
MW-12 Screen 5	Feb/Mar 2011	MW-12-5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-12 Screen 5	Apr/May 2011	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	
MW-12 Screen 5	Aug/Sep 2011	MW-12-5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J	
MW-12 Screen 5	Nov/Dec 2011	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	
MW-12 Screen 5	Jan/Feb 2012	MW-12-5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-12 Screen 5	Apr/May 2012	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	
MW-12 Screen 5	Aug/Sep 2012	MW-12-5	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J	
MW-12 Screen 5	Nov 2012	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 J	
MW-12 Screen 5	Jan/Feb 2013	MW-12-5	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.9 U	
MW-12 Screen 5	Apr/May 2013	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.9 J	
MW-12 Screen 5	Jul 2013	MW-12-5	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.1 J	
MW-12 Screen 5	Oct/Nov 2013	MW-12-5	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.3 J	
MW-12 Screen 5	Jan/Feb 2014	MW-12-5	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 J	Styrene 0.1 J
MW-12 Screen 5	Apr/May 2014	MW-12-5	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-12 Screen 5	Jul/Aug 2014	MW-12-5	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 J	Styrene 0.1 J
MW-12 Screen 5	Oct 2014	MW-12-5	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.5 J	
MW-13	Aug/Sep 1996	MW-13	21.0	47.0	0.6	0.5 U	2.5	1.5	0.7	21.0	NA	
MW-13	Oct/Nov 1996	MW-13	22.0	24.0	0.5 U	0.5 U	1.8	1.9	0.7	12.0	NA	
MW-13	Oct/Nov 1996	MW-13	27.0	27.0	0.5 U	0.5 U	1.9	1.5	0.6	14.0	NA	
MW-13	Feb/Mar 1997	MW-13	18.0	29.0	0.5 U	0.5 U	0.9	1.0	0.6	9.4	NA	
MW-13	Feb/Mar 1997	MW-13	18.0	28.0	0.5 U	0.5 U	0.9	1.1	0.6	9.2	NA	
MW-13	June/July 1997	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	130.0	
MW-13	June/July 1997	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	130.0	
MW-13	June/July 1997	MW-13	6.4	24.0 E	0.5 U	0.5 U	0.9	0.5	0.5 U	11.0	NA	
MW-13	June/July 1997	MW-13	6.6	21.0	0.5 U	0.5 U	0.9	0.5 U	0.5 U	11.0	NA	
MW-13	Sep/Oct 1997	MW-13	8.2	19.0	0.5 U	0.5 U	1.1	0.5	0.5 U	10.0	210.0	
MW-13	Sep/Oct 1997	MW-13	8.0	16.0	0.5 U	0.5 U	1.1	0.5	0.5 U	11.0	280.0	
MW-13	Jan/Feb 1998	MW-13	11.0	4.7	0.5	0.5 U	0.5 U	0.5	0.5 U	2.8	97.0	Trichlorofluoromethane 1.5
MW-13	Jan/Feb 1998	MW-13	12.0	5.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	99.0	Trichlorofluoromethane 1.8
MW-13	Apr/May 1998	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-13	Apr/May 1998	MW-13	12.0	17.0	0.6	0.5 U	0.5 U	0.9	0.6	5.7	100.0	
MW-13	Apr/May 1998	MW-13	13.0	17.0	0.5	0.5 U	0.5 U	0.8	0.6	5.2	95.0	
MW-13	Jul/Aug 1998	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-13	Jul/Aug 1998	MW-13	14.0	28.0	0.6	0.5 U	0.5 U	1.2	0.7	7.7	59.0	1,1,1-Trichloroethane 0.5
MW-13	Jul/Aug 1998	MW-13	15.0	29.0	0.6	0.5 U	0.5 U	1.1	0.7	7.5	57.0	Methylene chloride 0.5
MW-13	Jul/Aug 1998	MW-13	14.0	28.0	0.6	0.5 U	0.5 U	1.2	0.7	7.7	59.0	Methylene chloride 1.0
MW-13	Oct/Nov 1998	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-13	Oct/Nov 1998	MW-13	9.0	19.0	0.5 U	0.5 U	0.5 U	0.9	0.6	9.1	85.0	
MW-13	Oct/Nov 1998	MW-13	9.0	20.0	0.5 U	0.5 U	0.5 U	1.1	0.5	9.3	86.0	
MW-13	Feb/Mar 1999	MW-13	9.4	28.0	0.5 U	0.5 U	0.7	0.7	0.5 U	11.0	98.0	
MW-13	Feb/Mar 1999	MW-13	8.4	29.0	0.5 U	0.5 U	0.6	0.6	0.5 U	9.8	98.0	
MW-13	Feb/Mar 1999	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-13	May/June 1999	MW-13	9.1	41.0	0.6	0.5 U	0.5	0.8	0.9	9.4	120.0	
MW-13	May/June 1999	MW-13	9.8	40.0	0.6	0.5 U	0.5	0.8	1.0	9.4	120.0	
MW-13	Aug 1999	MW-13	11.0	28.0	0.5 U	0.5 U	0.7	1.0	0.5 U	12.0	150.0	
MW-13	Aug 1999	MW-13	11.0	29.0	0.5 U	0.5 U	0.7	0.9	0.5 U	12.0	150.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-13	Nov/Dec 1999	MW-13	10.7	19.7	0.5 U	0.5 U	0.5	0.7	0.5 U	9.1	510.0	
MW-13	Nov/Dec 1999	MW-13	10.7	20.0	0.5 U	0.5 U	0.5	0.6	0.5 U	9.2	590.0	
MW-13	Mar/Apr 2000	MW-13	8.9	11.0	0.7	0.7	0.5 U	0.5 U	0.5 U	5.2	330.0	
MW-13	Mar/Apr 2000	MW-13	8.8	11.0	0.7	0.7	0.5 U	0.6	0.5 U	5.2	330.0	
MW-13	Jul/Aug 2000	MW-13	8.8	20.0	0.5 U	0.5 U	0.6	0.7	0.5 U	8.8	420.0	
MW-13	Jan/Feb 2001	MW-13	7.2	5.4	0.6	1.0	0.5 U	0.5 J	0.5 U	3.4	4.0 U	1,4-Dioxane 1.9 Methylene chloride 0.9 B Trichlorofluoromethane 1.3
MW-13	Apr 2001	MW-13	3.6	18.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	170.0	Bromodichloromethane 0.5
MW-13	Jul 2001	MW-13	2.4 U	30.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.8	216.0	Bromodichloromethane 0.6
MW-13	Oct 2001	MW-13	3.5	15.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	471.0	
MW-13	Jan/Feb 2002	MW-13	11.0	12.5	1.2	0.7	0.5 U	1.0	0.5 U	4.6	326.0	1,4-Dioxane 4.1 Methylene chloride 1.0 B Trichlorofluoromethane 0.8
MW-13	Apr/May 2002	MW-13	6.2	4.3	1.4	0.8	0.5 U	0.9	0.5 U	2.6	189.0	Trichlorofluoromethane 0.8
MW-13	Jul 2002	MW-13	1.2	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	206.0	
MW-13	Jul 2002	DUP	1.3	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	205.0	
MW-13	Oct/Nov 2002	MW-13	2.3	2.5	0.8	0.7	0.5 U	0.4 J	0.5 U	1.4	172.0	Trichlorofluoromethane 1.7
MW-13	Jan/Feb 2003	MW-13	0.8	1.2	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	68.0 J	
MW-13	Apr/May 2003	MW-13	1.3	9.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	1.5	147.0	1,4-Dioxane 2.5 4-Methyl-2-pentanone 5.0 J
MW-13	Jul/Aug 2003	MW-13	1.0	20.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	159.0 J	Bromodichloromethane 0.4 J Dibromochloromethane 0.8
MW-13	Oct/Nov 2003	MW-13	1.5	9.0	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.7	223.0 J	
MW-13	Feb 2004	MW-13	0.8	1.0	1.1	0.7	0.5 U	0.5 U	0.5 U	0.7	112.0	
MW-13	Apr/May 2004	MW-13	1.4	7.4	1.2	0.6	0.5 U	0.5 U	0.5 U	1.7	205.0	1,4-Dioxane 5.3
MW-13	Jul/Aug 2004	MW-13	2.0	15.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	296.0	
MW-13	Oct/Nov 2004	MW-13	0.4 J	1.4	1.3	0.9	0.5 U	0.5 U	0.5 U	0.8	51.5	1,2,3-Trichlorobenzene 0.3 J Trichlorofluoromethane 0.3 J
MW-13	Jan/Feb 2005	MW-13	2.2	5.0	1.1	0.7	0.5 U	0.5 U	0.5 U	1.1	222.0	Methylene chloride 0.7 Trichlorofluoromethane 0.3 J
MW-13	Apr/May 2005	MW-13	1.2	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.8	609.0	1,4-Dioxane 8.4 Bromodichloromethane 0.5
MW-13	Jul/Sep 2005	MW-13	1.4	14.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	402.0	Bromodichloromethane 0.5 J Dibromochloromethane 0.3 J Trichlorofluoromethane 1.3
MW-13	Oct/Nov 2005	MW-13	2.9	13.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	1410.0	Bromodichloromethane 0.3 J Toluene 13.5 Trichlorofluoromethane 0.4 J
MW-13	Mar/Apr 2006	MW-13	1.7	11.0	0.5 J	0.3 J	0.5 U	0.3 J	0.5 U	3.1	1100.0	Toluene 1.6 Trichlorofluoromethane 0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	May/June 2006	MW-13	2.1	14.0	0.4 J	0.5 U	0.5 U	0.2 J	0.5 U	4.5	1700.0	1,4-Dioxane	12.0
												Bromodichloromethane	0.4 J
												NDMA	0.0 U
												Toluene	1.3
MW-13	May/June 2006	DUPE-9-2Q06	2.0	14.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1800.0	1,4-Dioxane	11.0
												Bromodichloromethane	0.4 J
												Toluene	1.5
MW-13	Aug/Sep 2006	MW-13	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	2100.0	1,1,2-Trichloroethane	0.4 J
												Bromodichloromethane	0.4 J
												Toluene	0.4 J
MW-13	Aug/Sep 2006	DUPE-3-3Q06	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.8	2100.0	1,1,2-Trichloroethane	0.4 J
												Bromodichloromethane	0.4 J
												Toluene	0.6
MW-13	Oct/Dec 2006	MW-13	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	150.0		
MW-13	Mar/Apr 2007	MW-13	0.5 U	0.8	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 J	250.0	Toluene	0.3 J
MW-13	Jun/Jul 2007	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	270.0 J	NDMA	0.0 J
												Toluene	0.7
MW-13	Aug/Sep 2007	MW-13	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Aug/Sep 2007	DUPE-6-3Q07	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Oct/Dec 2007	MW-13	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.3 J	28.0	Toluene	0.3 J
MW-13	Oct/Dec 2007	DUPE-6-4Q07	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.4 J	24.0	Toluene	0.5
MW-13	Jan/Feb 2008	MW-13	0.5 U	0.5 U	2.5	1.0	0.5 U	0.5 U	0.5 U	0.3 J	3.6	Toluene	1.9
MW-13	Apr/May 2008	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	700.0	1,4-Dioxane	2.3
												Toluene	1.5
MW-13	Jul/Aug 2008	MW-13	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	748.0	Toluene	1.1
MW-13	Oct/Nov 2008	MW-13	0.5 U	0.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	431.0	Toluene	3.4
MW-13	Jan/Feb 2009	MW-13	0.5 U	0.5 U	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	13.9	Toluene	1.0
MW-13	Apr/May 2009	MW-13	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.8	972.0	1,4-Dioxane	2.2
MW-13	Jul/Aug 2009	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1110.0		
MW-13	Nov/Dec 2009	MW-13	0.5 U	0.5 U	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5	182.0		
MW-13	Feb 2010	MW-13	0.5 U	0.5 U	2.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-13	Apr/May 2010	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1200.0	1,4-Dioxane	2.6
												Bromodichloromethane	0.5
MW-13	Jul/Aug 2010	MW-13	1.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	1040.0 J	Bromodichloromethane	0.9
												Dibromochloromethane	0.8
MW-13	Oct/Nov 2010	MW-13	0.9	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	823.0	Bromodichloromethane	1.6
												Bromoform	0.8
												Dibromochloromethane	1.5
MW-13	Feb/Mar 2011	MW-13	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	167.0		
MW-13	Apr/May 2011	MW-13	0.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	81.8	1,4-Dioxane	0.9 J
MW-13	Aug/Sep 2011	MW-13	0.8	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	253.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Nov/Dec 2011	MW-13	1.9	1.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.2	487.0	Bromodichloromethane	1.1
MW-13	Jan/Feb 2012	MW-13	1.5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	7.1	346.0	Bromodichloromethane Dibromochloromethane	2.6 0.6
MW-13	Jan/Feb 2012	DUPE-6-1Q12	1.5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	7.1	349.0	Bromodichloromethane Dibromochloromethane	2.6 0.6
MW-13	Apr/May 2012	MW-13	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6	189.0	1,4-Dioxane	2.5
MW-13	Aug/Sep 2012	MW-13	0.7	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.7	110.0	Bromodichloromethane Dibromochloromethane	1.0 0.2 J
MW-13	Nov 2012	MW-13	0.4 J	0.1 J	0.1 J	0.5 U	0.5 U	0.2 J	0.5 U	8.3	410.0	Bromodichloromethane Methylene chloride	2.1 0.5 J
MW-13	Nov 2012	DUPE-7-4Q12	0.5 J	0.1 J	0.1 J	0.5 U	0.5 U	0.2 J	0.5 U	8.5	420.0	Bromodichloromethane Methylene chloride	2.0 0.5 J
MW-13	Jan/Feb 2013	MW-13	0.7	0.2 J	0.5	0.1 J	0.5 U	0.7	0.5 U	9.4	1400.0	Bromodichloromethane	0.6
MW-13	Jan/Feb 2013	DUP-5-1Q13	0.6	0.2 J	0.5	0.1 J	0.5 U	0.6	0.5 U	9.5	1400.0	Bromodichloromethane	0.6
MW-13	Apr/May 2013	MW-13	0.3 J	0.2 J	0.6	0.2 J	0.5 U	0.3 J	0.5 U	5.5	690.0	1,4-Dioxane Bromodichloromethane	2.2 0.3 J
MW-13	Jul 2013	MW-13	0.6	0.2 J	0.9	0.2 J	0.5 U	0.5 J	0.5 U	7.3	1200.0	Bromodichloromethane	0.2 J
MW-13	Oct/Nov 2013	MW-13	0.5 U	0.2 J	1.6	0.4 J	0.5 U	0.2 J	0.5 U	2.5	520.0		
MW-13	Jan/Feb 2014	MW-13	0.5 U	0.3 J	2.3	0.6	0.5 U	0.5 U	0.5 U	0.7	33.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Jan/Feb 2014	DUPE-4-1Q14	0.5 U	0.3 J	2.3	0.5	0.5 U	0.5 U	0.5 U	0.7	36.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Apr/May 2014	MW-13	0.5 U	0.3 J	2.1	0.3 J	0.5 U	0.5 U	0.5 U	1.0	200.0		
MW-13	Jul/Aug 2014	MW-13	0.5 U	0.2 J	1.7	0.4 J	0.5 U	0.5 U	0.5 U	1.4	160.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Oct 2014	MW-13	0.5 U	0.2 J	1.3	0.3 J	0.5 U	0.5 U	0.5 U	1.1	160.0		
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	0.5 U	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-14 Screen 1	Oct/Nov 1996	MW-14-1	0.5 U	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 1	Feb/Mar 1997	MW-14-1	0.5 U	0.5 U	0.7	1.5	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-14 Screen 1	June/July 1997	MW-14-1	0.5 U	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 1	June/July 1997	MW-14-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 1	Sep/Oct 1997	MW-14-1	0.5 U	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 1998	MW-14-1	0.5 U	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 1	Apr/May 1998	MW-14-1	0.5 U	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.8	4.4		
MW-14 Screen 1	Jul/Aug 1998	MW-14-1	0.5 U	0.5 U	0.8	1.7	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-14 Screen 1	Oct/Nov 1998	MW-14-1	0.5 U	0.5 U	0.5	2.4	0.5 U	0.5 U	0.5 U	0.6	4.2		
MW-14 Screen 1	Feb/Mar 1999	MW-14-1	0.5 U	0.5 U	0.8	1.2	0.5 U	0.5 U	0.6 B	0.6	4.2		
MW-14 Screen 1	May/Jun 1999	MW-14-1	0.5 U	0.5 U	0.5	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Aug 1999	MW-14-1	0.5 U	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Mar/Apr 2000	MW-14-1	0.5 U	0.5 U	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5	5.3		
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	0.5 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	0.5 U	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-14 Screen 1	Sep/Oct 2000	MW-14-1	0.5 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 1	Jan/Feb 2001	MW-14-1	0.5 U	0.5 U	1.4	1.1	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.3 J 0.5 J
MW-14 Screen 1	Apr 2001	MW-14-1	0.5 U	0.5 U	0.7	0.7	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 1	Apr 2001	DUP	0.5 U	0.5 U	0.6	0.6	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 1	Jul 2001	MW-14-1	0.5 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct 2001	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 2002	MW-14-1	0.5 U	0.3 J	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0		
MW-14 Screen 1	Apr/May 2002	MW-14-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jul 2002	MW-14-1	0.5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Nov 2002	MW-14-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	0.5 U	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.4 J	1.9 J	Methylene chloride	0.5 J
MW-14 Screen 1	Apr/May 2003	MW-14-1	0.5 U	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.8 J		
MW-14 Screen 1	Jul/Aug 2003	MW-14-1	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.8 J	Methylene chloride	0.5 J
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	0.5 U	0.5 U	0.4 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-14 Screen 1	Feb 2004	MW-14-1	0.5 U	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	2.3 J		
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Apr/May 2004	MW-14-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-14 Screen 1	Jul/Aug 2004	MW-14-1	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	0.5 U	0.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	0.5 U	2.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Apr/May 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	2-Butanone	0.7 J
MW-14 Screen 1	Jul/Sep 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	Methylene chloride	0.4 J
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	Methylene chloride	0.3 J
MW-14 Screen 1	Mar/Apr 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	May/Jun 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Aug/Sep 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Dec 2006	MW-14-1	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Mar/Apr 2007	MW-14-1	0.5 U	2.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Jun/Jul 2007	MW-14-1	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Aug/Sep 2007	MW-14-1	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-14 Screen 1	Oct/Dec 2007	MW-14-1	0.5 U	3.4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6		
MW-14 Screen 1	Jan/Feb 2008	MW-14-1	0.5 U	3.4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.3		
MW-14 Screen 1	Apr/May 2008	MW-14-1	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.1 J		
MW-14 Screen 1	Jul/Aug 2008	MW-14-1	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-14 Screen 1	Oct/Nov 2008	MW-14-1	0.5 U	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-14 Screen 1	Jan/Feb 2009	MW-14-1	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-14 Screen 1	Apr/May 2009	MW-14-1	0.5 U	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-14 Screen 1	Jul/Aug 2009	MW-14-1	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-14 Screen 1	Jul/Aug 2009	DUPE-2-3Q09	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-14 Screen 1	Nov/Dec 2009	MW-14-1	0.5 U	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 1	Feb 2010	MW-14-1	0.5 U	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-14 Screen 1	Apr/May 2010	MW-14-1	0.5 U	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-14 Screen 1	Jul/Aug 2010	MW-14-1	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-14 Screen 1	Oct/Nov 2010	MW-14-1	0.5 U	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	
MW-14 Screen 1	Feb/Mar 2011	MW-14-1	0.5 U	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-14 Screen 1	Feb/Mar 2011	DUPE-02-1Q11	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-14 Screen 1	Apr/May 2011	MW-14-1	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	
MW-14 Screen 1	Aug/Sep 2011	MW-14-1	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	
MW-14 Screen 1	Aug/Sep 2011	DUPE-02-3Q11	0.5 U	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.4	
MW-14 Screen 1	Nov/Dec 2011	MW-14-1	0.5 U	3.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.3	
MW-14 Screen 1	Jan/Feb 2012	MW-14-1	0.5 U	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	
MW-14 Screen 1	Apr/May 2012	MW-14-1	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	
MW-14 Screen 1	Aug/Sep 2012	MW-14-1	0.5 U	2.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE) 0.1 J 0.6
MW-14 Screen 1	Nov 2012	MW-14-1	0.5 U	1.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.7 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE) 0.1 J 0.9
MW-14 Screen 1	Jan/Feb 2013	MW-14-1	0.5 U	1.7	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	Methyl-tert-butyl ether (MTBE) 0.9
MW-14 Screen 1	Apr/May 2013	MW-14-1	0.5 U	2.0	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE) 0.1 J 0.6
MW-14 Screen 1	Jul 2013	MW-14-1	0.5 U	2.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.1 J	Methyl-tert-butyl ether (MTBE) 0.5 J
MW-14 Screen 1	Oct/Nov 2013	MW-14-1	0.5 U	1.6	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE) 0.1 J 0.4 J
MW-14 Screen 1	Oct/Nov 2013	DUPE-2-4Q13	0.5 U	1.3	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-14 Screen 1	Jan/Feb 2014	MW-14-1	0.5 U	3.4	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.8	3.4 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE) 0.2 J 0.3 J
MW-14 Screen 1	Apr/May 2014	MW-14-1	0.5 U	2.2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8 J	Methyl-tert-butyl ether (MTBE) 0.2 J
MW-14 Screen 1	Jul/Aug 2014	MW-14-1	0.5 U	2.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9 J	cis-1,2-Dichloroethene 0.1 J
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	0.5 U	2.8	1.6	1.4	0.5 U	0.5 U	0.5 U	1.5	NA	
MW-14 Screen 2	Oct/Nov 1996	MW-14-2	0.5 U	1.5	1.6	1.0	0.5 U	0.5 U	0.5 U	0.9	NA	1,2,3-Trichlorobenzene 0.6
MW-14 Screen 2	Feb/Mar 1997	MW-14-2	0.5 U	0.9	1.9	1.3	0.5 U	0.5 U	0.5 U	0.8	NA	1,2,3-Trichlorobenzene 0.8
MW-14 Screen 2	June/July 1997	MW-14-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-14 Screen 2	June/July 1997	MW-14-2	0.5 U	1.1	1.7	1.5	0.5 U	0.5 U	0.5 U	0.9	NA	1,2,3-Trichlorobenzene 0.5
MW-14 Screen 2	Sep/Oct 1997	MW-14-2	0.5 U	1.2	1.9	1.6	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-14 Screen 2	Jan/Feb 1998	MW-14-2	0.5 U	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	9.0	
MW-14 Screen 2	Apr/May 1998	MW-14-2	0.5 U	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0	
MW-14 Screen 2	Jul/Aug 1998	MW-14-2	0.5 U	0.9	1.8	0.8	0.5 U	0.5 U	0.5 U	0.6	4.9	
MW-14 Screen 2	Oct/Nov 1998	MW-14-2	0.5 U	0.6	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5	4.2	
MW-14 Screen 2	Feb/Mar 1999	MW-14-2	0.5 U	0.9	1.6	0.7	0.5 U	0.5 U	0.6 B	0.6	4.2	
MW-14 Screen 2	May/June 1999	MW-14-2	0.5 U	1.0	1.2	0.8	0.5 U	0.5 U	0.5 U	0.6	9.6	
MW-14 Screen 2	Aug 1999	MW-14-2	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 2	Nov/Dec 1999	MW-14-2	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 2	Mar/Apr 2000	MW-14-2	0.5 U	2.5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	6.0		
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	0.5 U	1.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.9		
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	0.5 U	1.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.9		
MW-14 Screen 2	Sep/Oct 2000	MW-14-2	0.5 U	2.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-14 Screen 2	Jan/Feb 2001	MW-14-2	0.5 U	2.5	0.7	0.5 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.4 J 0.4 J
MW-14 Screen 2	Apr 2001	MW-14-2	0.5 U	4.2	0.9	0.7	0.5 U	0.5 U	NA	0.5	4.0 U		
MW-14 Screen 2	Jul 2001	MW-14-2	0.5 U	2.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Jul 2001	DUP	0.5 U	3.4	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Oct 2001	MW-14-2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Jan/Feb 2002	MW-14-2	0.5 U	4.7	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-14 Screen 2	Apr/May 2002	MW-14-2	0.5 U	3.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Jul 2002	MW-14-2	0.5 U	5.9	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-14 Screen 2	Oct/Nov 2002	MW-14-2	0.5 U	5.3	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 2	Dec 2002	MW-14-2	0.2 U	7.6	1.0	0.5	0.5 U	0.5 U	0.5 U	0.6	NA	1,4-Dioxane NDPHA Total Trihalomethanes	1.2 0.0 J 1.9
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	0.5 U	6.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.6	2.6 J		
MW-14 Screen 2	Apr/May 2003	MW-14-2	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.3 J		
MW-14 Screen 2	Jul/Aug 2003	MW-14-2	0.5 U	1.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	5.4	Methylene chloride	0.4 J
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	0.5 U	4.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7 J		
MW-14 Screen 2	Feb 2004	MW-14-2	0.5 U	5.9	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 2	Apr/May 2004	MW-14-2	0.5 U	4.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7 J		
MW-14 Screen 2	Jul/Aug 2004	MW-14-2	0.5 U	4.6	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	9.3		
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	0.5 UJ	5.2 J	0.6 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	4.0 U		
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	0.5 U	10.4	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	m,p-Xylene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 2	Apr/May 2005	MW-14-2	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	Bromodichloromethane	0.4 J
MW-14 Screen 2	Jul/Sep 2005	MW-14-2	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	trans-1,2-Dichloroethene	2.1
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	0.5 U	4.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.1 J		
MW-14 Screen 2	Mar/Apr 2006	MW-14-2	0.5 U	6.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 2	May/Jun 2006	MW-14-2	0.5 U	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Aug/Sep 2006	MW-14-2	0.5 U	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Oct/Dec 2006	MW-14-2	0.5 U	7.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Mar/Apr 2007	MW-14-2	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Jun/Jul 2007	MW-14-2	0.5 U	4.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Aug/Sep 2007	MW-14-2	0.5 U	5.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Oct/Dec 2007	MW-14-2	0.5 U	7.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 2	Jan/Feb 2008	MW-14-2	0.5 U	6.7	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.9	cis-1,2-Dichloroethene	0.4 J
MW-14 Screen 2	Apr/May 2008	MW-14-2	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 2	Jul/Aug 2008	MW-14-2	0.5 U	8.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	
MW-14 Screen 2	Jul/Aug 2008	DUPE-01-3Q08	1.0 U	7.9	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.8	
MW-14 Screen 2	Oct/Nov 2008	MW-14-2	0.5 U	8.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	
MW-14 Screen 2	Jan/Feb 2009	MW-14-2	0.5 U	8.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	
MW-14 Screen 2	Apr/May 2009	MW-14-2	0.5 U	7.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	
MW-14 Screen 2	Jul/Aug 2009	MW-14-2	0.5 U	9.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	3.3	cis-1,2-Dichloroethene 0.6
MW-14 Screen 2	Nov/Dec 2009	MW-14-2	0.5 U	13.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.7	0.5 U	3.3	cis-1,2-Dichloroethene 0.6
MW-14 Screen 2	Feb 2010	MW-14-2	0.5 U	11.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	3.9	cis-1,2-Dichloroethene 0.5
MW-14 Screen 2	Apr/May 2010	MW-14-2	0.5 U	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	
MW-14 Screen 2	Jul/Aug 2010	MW-14-2	0.5 U	9.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	3.8	
MW-14 Screen 2	Oct/Nov 2010	MW-14-2	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 2	Oct/Nov 2010	DUPE-02-4Q10	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-14 Screen 2	Feb/Mar 2011	MW-14-2	0.5 U	7.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	3.6	
MW-14 Screen 2	Apr/May 2011	MW-14-2	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	
MW-14 Screen 2	Aug/Sep 2011	MW-14-2	0.5 U	5.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	0.5 U	2.5	
MW-14 Screen 2	Nov/Dec 2011	MW-14-2	0.5 U	6.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	1.5	
MW-14 Screen 2	Jan/Feb 2012	MW-14-2	0.5 U	6.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-14 Screen 2	Apr/May 2012	MW-14-2	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	
MW-14 Screen 2	Aug/Sep 2012	MW-14-2	0.5 U	4.2	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	0.5 U	2.9 J	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Nov 2012	MW-14-2	0.5 U	4.0	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	0.5 U	1.1 J	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Jan/Feb 2013	MW-14-2	0.5 U	4.1	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	2.8 J	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Apr/May 2013	MW-14-2	0.5 U	4.6	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	0.5 U	4.1	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Jul 2013	MW-14-2	0.5 U	5.4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	0.5 U	1.9 J	cis-1,2-Dichloroethene 0.2 J trans-1,2-Dichloroethene 0.3 J
MW-14 Screen 2	Jul 2013	DUPE-2-3Q13	0.5 U	6.1	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	0.5 U	3.2 J	cis-1,2-Dichloroethene 0.3 J trans-1,2-Dichloroethene 0.3 J
MW-14 Screen 2	Oct/Nov 2013	MW-14-2	0.5 U	4.0	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	4.0 U	cis-1,2-Dichloroethene 0.3 J trans-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Jan/Feb 2014	MW-14-2	0.5 U	3.7	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	0.5 U	3.4 J	cis-1,2-Dichloroethene 0.3 J
MW-14 Screen 2	Apr/May 2014	MW-14-2	0.5 U	8.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.9	0.5 U	4.1	cis-1,2-Dichloroethene 0.4 J trans-1,2-Dichloroethene 0.3 J
MW-14 Screen 2	Apr/May 2014	DUP-1-2Q14	0.5 U	7.7	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.9	0.5 U	3.8 J	cis-1,2-Dichloroethene 0.3 J trans-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Jul/Aug 2014	MW-14-2	0.5 U	4.1	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.7	0.5 U	3.8 J	cis-1,2-Dichloroethene 0.2 J
MW-14 Screen 2	Oct 2014	MW-14-2	0.5 U	3.8	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5	0.5 U	3.9 J	cis-1,2-Dichloroethene 0.2 J
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-14 Screen 3	Oct/Nov 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 3	Feb/Mar 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-14 Screen 3	June/July 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-14 Screen 3	June/July 1997	MW-14-3	NA	NA	NA	NA	NA	NA	NA	NA	4.3	
MW-14 Screen 3	Sep/Oct 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 3	Jan/Feb 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	
MW-14 Screen 3	Apr/May 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	
MW-14 Screen 3	Jul/Aug 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	
MW-14 Screen 3	Oct/Nov 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	
MW-14 Screen 3	Feb/Mar 1999	MW-14-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.6 B	0.5	5.9	
MW-14 Screen 3	May/Jun 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.0	
MW-14 Screen 3	Aug 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	
MW-14 Screen 3	Nov/Dec 1999	MW-14-3	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.8	
MW-14 Screen 3	Mar/Apr 2000	MW-14-3	0.5 U	0.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.9	
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.5	
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.5	
MW-14 Screen 3	Sep/Oct 2000	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.4	
MW-14 Screen 3	Jan/Feb 2001	MW-14-3	2.5 U	4.0	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	6.0	Methylene chloride 8.1
MW-14 Screen 3	Apr 2001	MW-14-3	0.5 U	0.7	0.3 J	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U	
MW-14 Screen 3	Jul 2001	MW-14-3	0.5 U	1.1	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 3	Oct 2001	MW-14-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 3	Jan/Feb 2002	MW-14-3	0.5 U	1.6	0.6	0.5 J	0.5 U	0.5 U	0.5 U	0.6	5.9	Methylene chloride 0.3 J
MW-14 Screen 3	Apr/May 2002	MW-14-3	0.5 U	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-14 Screen 3	Jul 2002	MW-14-3	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-14 Screen 3	Oct/Nov 2002	MW-14-3	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	0.5 U	1.1	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	2.9 J	
MW-14 Screen 3	Apr/May 2003	MW-14-3	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.7	
MW-14 Screen 3	Apr/May 2003	DUPE-2-2Q03	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.4	
MW-14 Screen 3	Jul/Aug 2003	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Methylene chloride 0.3 J
MW-14 Screen 3	Jul/Aug 2003	DUPE-4-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	Methylene chloride 0.8
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	0.5 U	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	7.2 J	
MW-14 Screen 3	Feb 2004	MW-14-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-14 Screen 3	Apr/May 2004	MW-14-3	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.6	
MW-14 Screen 3	Jul/Aug 2004	MW-14-3	0.5 U	1.0	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	7.3	
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	0.5 U	1.1 J	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	18.5	
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	0.5 U	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-14 Screen 3	Apr/May 2005	MW-14-3	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2	
MW-14 Screen 3	Jul/Sep 2005	MW-14-3	0.5 U	1.0	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.9	
MW-14 Screen 3	Mar/Apr 2006	MW-14-3	0.5 U	1.1	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.8	
MW-14 Screen 3	May/Jun 2006	MW-14-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	
MW-14 Screen 3	Aug/Sep 2006	MW-14-3	0.5 U	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 3	Oct/Dec 2006	MW-14-3	0.5 U	1.4	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Mar/Apr 2007	MW-14-3	0.5 U	1.3	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 3	Jun/Jul 2007	MW-14-3	0.5 U	1.2	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Aug/Sep 2007	MW-14-3	0.5 U	1.2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Oct/Dec 2007	MW-14-3	0.5 U	1.2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	5.9		
MW-14 Screen 3	Jan/Feb 2008	MW-14-3	0.5 U	1.4	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5	6.6	1,2,3-Trichlorobenzene cis-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 3	Apr/May 2008	MW-14-3	0.5 U	1.1	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.2 J		
MW-14 Screen 3	Jul/Aug 2008	MW-14-3	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-14 Screen 3	Oct/Nov 2008	MW-14-3	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14 Screen 3	Oct/Nov 2008	DUPE-05-4Q08	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-14 Screen 3	Jan/Feb 2009	MW-14-3	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-14 Screen 3	Apr/May 2009	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-14 Screen 3	Jul/Aug 2009	MW-14-3	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.8		
MW-14 Screen 3	Nov/Dec 2009	MW-14-3	0.5 U	1.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.3		
MW-14 Screen 3	Feb 2010	MW-14-3	0.5 U	1.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.6		
MW-14 Screen 3	Apr/May 2010	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-14 Screen 3	Apr/May 2010	DUPE-01-2Q10	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9		
MW-14 Screen 3	Jul/Aug 2010	MW-14-3	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.6		
MW-14 Screen 3	Oct/Nov 2010	MW-14-3	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-14 Screen 3	Feb/Mar 2011	MW-14-3	0.5 U	2.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6		
MW-14 Screen 3	Apr/May 2011	MW-14-3	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14 Screen 3	Aug/Sep 2011	MW-14-3	0.5 U	2.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-14 Screen 3	Nov/Dec 2011	MW-14-3	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8		
MW-14 Screen 3	Jan/Feb 2012	MW-14-3	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4		
MW-14 Screen 3	Apr/May 2012	MW-14-3	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1		
MW-14 Screen 3	Aug/Sep 2012	MW-14-3	0.5 U	2.0	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.7	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Nov 2012	MW-14-3	0.5 U	1.3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	2.5 J	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jan/Feb 2013	MW-14-3	0.5 U	1.8	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	6.1	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Apr/May 2013	MW-14-3	0.5 U	1.5	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 J	4.8	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jul 2013	MW-14-3	0.5 U	2.4	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.3	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Oct/Nov 2013	MW-14-3	0.5 U	2.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.7	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Jan/Feb 2014	MW-14-3	0.5 U	2.0	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.7	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Apr/May 2014	MW-14-3	0.5 U	1.6	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.9	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jul/Aug 2014	MW-14-3	0.5 U	2.7	0.9	0.5 J	0.5 U	0.5 U	0.5 U	0.8	4.9	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Oct 2014	MW-14-3	0.5 U	1.8	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.3	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Oct/Nov 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Feb/Mar 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	June/July 1997	MW-14-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 4	June/July 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 4	Sep/Oct 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jan/Feb 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul/Aug 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Oct/Nov 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Feb/Mar 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 B	0.5 U	4.0 U	
MW-14 Screen 4	May/Jun 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9	
MW-14 Screen 4	Aug 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	
MW-14 Screen 4	Nov/Dec 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-14 Screen 4	Mar/Apr 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	
MW-14 Screen 4	Sep/Oct 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jan/Feb 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) 0.4 J 0.7 J
MW-14 Screen 4	Apr 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-14 Screen 4	Jul 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Oct 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.9 J
MW-14 Screen 4	Jan/Feb 2002	MW-14-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul 2002	MW-14-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Oct/Nov 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Dec 2002	MW-14-4	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	NA	NDPHA 0.0 J
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	
MW-14 Screen 4	Apr/May 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	
MW-14 Screen 4	Jul/Aug 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J	
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4 J	
MW-14 Screen 4	Feb 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0	
MW-14 Screen 4	Jul/Aug 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7	
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	
MW-14 Screen 4	Jan/Feb 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	Apr/May 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	
MW-14 Screen 4	Apr/May 2005	DUPE-4-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5 J	2-Butanone 0.9 J
MW-14 Screen 4	Jul/Sep 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J	
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	
MW-14 Screen 4	Mar/Apr 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 4	May/Jun 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 4	Aug/Sep 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct/Dec 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Mar/Apr 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-14 Screen 4	Jun/Jul 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 4	Aug/Sep 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct/Dec 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-14 Screen 4	Jan/Feb 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5		
MW-14 Screen 4	Apr/May 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-14 Screen 4	Jul/Aug 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-14 Screen 4	Oct/Nov 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-14 Screen 4	Jan/Feb 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-14 Screen 4	Apr/May 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-14 Screen 4	Jul/Aug 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-14 Screen 4	Nov/Dec 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4		
MW-14 Screen 4	Feb 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		
MW-14 Screen 4	Apr/May 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-14 Screen 4	Jul/Aug 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-14 Screen 4	Oct/Nov 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14 Screen 4	Feb/Mar 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0		
MW-14 Screen 4	Apr/May 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		
MW-14 Screen 4	Aug/Sep 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		
MW-14 Screen 4	Nov/Dec 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0		
MW-14 Screen 4	Nov/Dec 2011	DUPE-5-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-14 Screen 4	Jan/Feb 2012	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4		
MW-14 Screen 4	Apr/May 2012	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5		
MW-14 Screen 4	Aug/Sep 2012	MW-14-4	0.5 U	0.3 J	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.4	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Nov 2012	MW-14-4	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.2 J	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 4	Jan/Feb 2013	MW-14-4	0.5 U	0.3 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	3.6 J	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Apr/May 2013	MW-14-4	0.5 U	0.3 J	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Apr/May 2013	DUP-2-2Q13	0.5 U	0.3 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	3.0 J	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Jul 2013	MW-14-4	0.5 U	0.2 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	3.7 J	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 4	Oct/Nov 2013	MW-14-4	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.3	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 4	Jan/Feb 2014	MW-14-4	0.5 U	0.4 J	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Apr/May 2014	MW-14-4	0.5 U	0.4 J	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.1	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Jul/Aug 2014	MW-14-4	0.5 U	0.4 J	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.5	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 4	Oct 2014	MW-14-4	0.5 U	0.3 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	4.6	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 4	Oct 2014	DUP-1-4Q14	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.8		
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	Oct/Nov 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	Feb/Mar 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	June/July 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-14 Screen 5	June/July 1997	MW-14-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-14 Screen 5	Sep/Oct 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jan/Feb 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Apr/May 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Oct/Nov 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Feb/Mar 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6 B	0.5 U	4.0 U	
MW-14 Screen 5	May/Jun 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Aug 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Nov/Dec 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Mar/Apr 2000	MW-14-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Sep/Oct 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jan/Feb 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)
												0.4 J 0.6 J
MW-14 Screen 5	Apr 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-14 Screen 5	Jul 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Oct 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
												1.0
MW-14 Screen 5	Jan/Feb 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
												1.1
MW-14 Screen 5	Apr/May 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Oct/Nov 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
												0.3 J
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Apr/May 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Feb 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Apr/May 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jul/Aug 2004	DUPE-1-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-Xylene o-Xylene Toluene
												1.5 6.6 1.2 0.9
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-Xylene o-Xylene Toluene
												1.3 5.7 1.1 0.7
MW-14 Screen 5	Jan/Feb 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene m,p-Xylene
												0.3 J 0.8

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 5	Apr/May 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	m,p-Xylene	0.6
MW-14 Screen 5	Jul/Sep 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Mar/Apr 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	May/June 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Aug/Sep 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Oct/Dec 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Mar/Apr 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Jun/Jul 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Dec 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Jan/Feb 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Apr/May 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Nov 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jan/Feb 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Nov/Dec 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Feb 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Nov 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Feb/Mar 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Nov/Dec 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jan/Feb 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Nov 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jan/Feb 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Apr/May 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	
MW-14 Screen 5	Oct/Nov 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-14 Screen 5	Jan/Feb 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-14 Screen 5	Apr/May 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-14 Screen 5	Jul/Aug 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-14 Screen 5	Oct 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-15	Aug/Sep 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	Oct/Nov 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-15	Feb/Mar 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	June/July 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	June/July 1997	MW-15	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-15	Sep/Oct 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Feb/Mar 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Nov/Dec 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 2000	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2001	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2002	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0 J
MW-15	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.0 J
MW-15	Apr/May 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Methylene chloride	4.0 J 2.6
MW-15	Oct/Nov 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2003	DUPE-2-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	DUPE-6-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-15	Jul/Sep 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	Methylene chloride	1.4
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J	Methylene chloride	1.3
MW-15	Oct/Nov 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jun/Jul 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U	Toluene	1.4
MW-15	Apr/May 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Toluene	0.4 J
MW-15	Apr/May 2008	DUPE-7-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Toluene	0.4 J
MW-15	Oct/Nov 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Toluene	0.8
MW-15	Apr/May 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2010	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Oct/Nov 2010	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2011	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2011	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2012	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-15	Nov 2012	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Nov 2012	DUPE-6-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Apr/May 2013	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Oct/Nov 2013	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Oct/Nov 2013	DUPE-6-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Apr/May 2014	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Apr/May 2014	DUP-7-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-15	Oct 2014	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-16	Aug/Sep 1996	MW-16	125.0	33.0	1.3	0.5 U	2.4	2.2	2.0	40.0	NA	
MW-16	Feb/Mar 1997	MW-16	91.0	23.0	1.3	0.5 U	1.7	2.6	1.6	29.0	NA	
MW-16	June/July 1997	MW-16	68.0	25.0	1.1	0.5 U	2.1	1.7	0.6	43.0	NA	
MW-16	June/July 1997	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	615.0	
MW-16	Jan/Feb 1998	MW-16	30.0	3.5	1.0	0.5 U	0.5 U	1.3	0.5 U	14.0	1230.0	
MW-16	Apr/May 1998	MW-16	42.0	12.0	0.8	0.5 U	1.4	1.6	1.2	20.0	640.0	
MW-16	Apr/May 1998	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 5.0
MW-16	Jul/Aug 1998	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	
MW-16	Jul/Aug 1998	MW-16	58.0	19.0	1.3	0.5 U	0.8	2.7	1.2	23.0	420.0	1,1,1-Trichloroethane 1.0 Methylene chloride 0.6
MW-16	Oct/Nov 1998	MW-16	51.0	18.0	1.0	0.5 U	1.5	1.6	1.4	29.0	220.0	1,1,1-Trichloroethane 1.1
MW-16	Oct/Nov 1998	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 3.7
MW-16	Feb/Mar 1999	MW-16	67.0	20.0	1.4	0.5 U	1.1	1.8	1.1	24.0	790.0	
MW-16	Feb/Mar 1999	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 3.7
MW-16	May/June 1999	MW-16	58.0	15.0	1.0	0.5 U	0.8	1.3	1.2	23.0	650.0	1,4-Dioxane 3.4 Trichlorofluoromethane 0.5
MW-16	Aug 1999	MW-16	70.0	19.0	1.8	0.5 U	1.1	1.9	1.1	26.0	930.0	1,1,1-Trichloroethane 0.6
MW-16	Nov/Dec 1999	MW-16	80.0	10.4	3.0	0.5 U	0.7	5.3	0.7	24.0	770.0	
MW-16	Mar/Apr 2000	MW-16	24.0	4.3	0.9	0.5 U	0.5 U	4.0	0.5 U	17.0	1900.0	
MW-16	Jul/Aug 2000	MW-16	33.0	8.2	1.1	0.5 U	0.7	1.3	0.5	16.0	1500.0	
MW-16	Jan/Feb 2001	MW-16	14.1	2.1	0.6	0.5 U	0.5 U	2.1	0.5 U	15.5	1780.0	1,4-Dioxane 5.5 Methylene chloride 0.8 B Methyl-tert-butyl ether (MTBE) 0.6 J NDMA 0.0 B Trichlorofluoromethane 1.0
MW-16	Apr 2001	MW-16	21.0	3.6	0.5 U	0.5 U	0.5 U	1.7	0.5 U	15.3	1300.0	
MW-16	Jul 2001	MW-16	7.8	5.6	0.5 U	0.5 U	0.4 J	0.5 J	0.5 U	6.9	1800.0	
MW-16	Jul 2001	DUP	7.8	5.6	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	7.1	1800.0	Methyl-tert-butyl ether (MTBE) 0.3 J
MW-16	Oct 2001	MW-16	10.3	2.3	0.5 U	0.5 U	0.5 U	0.8	0.5 U	7.5	1860.0	
MW-16	Jan/Feb 2002	MW-16	12.3	2.5	0.5	0.5 U	0.5 U	1.4	0.5 U	15.9	2070.0	1,4-Dioxane 9.9 Methylene chloride 0.9 J
MW-16	Jan/Feb 2002	DUP	13.2	2.7	0.6	0.5 U	0.5 U	1.3	0.5 U	16.7	2070.0	1,4-Dioxane 10.0
MW-16	Apr/May 2002	MW-16	8.9	1.5	0.4 J	0.5 U	0.5 U	1.2	0.5 U	10.7	2880.0	Trichlorofluoromethane 0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-16	Apr/May 2002	DUP	9.9	1.8	0.5 J	0.5 U	0.5 U	1.3	0.5 U	11.7	2910.0	Trichlorofluoromethane 0.3 J
MW-16	Jul 2002	MW-16	4.5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	1510.0	
MW-16	Oct/Nov 2002	MW-16	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	1920.0	Methylene chloride 1.2 B Trichlorofluoromethane 1.5
MW-16	Oct/Nov 2002	DUP	2.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	2000.0	Methylene chloride 0.4 J Trichlorofluoromethane 1.5
MW-16	Jan/Feb 2003	MW-16	0.6	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.4	97.2	1,4-Dioxane 3.0 NDPHA 0.0 J Total Trihalomethanes 1.3
MW-16	Jan/Feb 2003		NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane 3.0 NDPHA 0.0 J Total Trihalomethanes 1.2
MW-16	Apr/May 2003	MW-16	2.9	1.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	3.8	1810.0	1,4-Dioxane 6.3 4-Methyl-2-pentanone 4.0 J
MW-16	Jul/Aug 2003	MW-16	1.9	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1520.0 J	Dibromochloromethane 0.4 J
MW-16	Oct/Nov 2003	MW-16	3.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1360.0 J	
MW-16	Feb 2004	MW-16	1.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	1630.0	
MW-16	Apr/May 2004	MW-16	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	929.0	1,4-Dioxane 3.1
MW-16	Jul/Aug 2004	MW-16	4.0	1.0	0.5	0.5 U	0.5 U	1.3	0.5 U	5.1	833.0	
MW-16	Oct/Nov 2004	MW-16	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	322.0	
MW-16	Jan/Feb 2005	MW-16	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2100.0	Methylene chloride 0.9
MW-16	Jan/Feb 2005	DUPE-7-1Q05	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2110.0	Methylene chloride 0.6
MW-16	Apr/May 2005	MW-16	3.1	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4750.0	1,4-Dioxane 5.0 Bromodichloromethane 0.4 J
MW-16	Jul/Sep 2005	MW-16	11.2	2.6	5.3	0.5 U	0.5 U	2.6	0.5 U	9.7	13000.0	
MW-16	Oct/Nov 2005	MW-16	17.6	2.4	7.3	0.5 U	0.5 U	2.1	0.5 U	10.8	13100.0	
MW-16	Mar/Apr 2006	MW-16	26.0	2.5	12.0	0.5 U	0.5 U	2.9	0.5 U	14.0	12000.0	Toluene 0.5
MW-16	May/June 2006	MW-16	43.0	2.9	12.0	0.5 U	0.5 U	2.0	0.4 J	11.0	9000.0	1,4-Dioxane 1.1 J NDMA 0.0 U Toluene 1.1
MW-16	Aug/Sep 2006	MW-16	31.0	3.2	7.4	0.5 U	0.5 U	2.4	0.3 J	14.0	4600.0	
MW-16	Aug/Sep 2006	DUPE-4-3Q06	31.0	3.2	7.2	0.5 U	0.5 U	2.2	0.5 U	13.0	4900.0	
MW-16	Oct/Dec 2006	MW-16	3.1	0.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.7	1400.0	m,p-Xylene 0.6 J Toluene 0.6
MW-16	Mar/Apr 2007	MW-16	7.9	1.0	2.8	0.5 U	0.5 U	1.2	0.5 U	9.1	1500.0	Toluene 1.1
MW-16	Mar/Apr 2007	DUPE-7-1Q07	8.0	0.9	2.7	0.5 U	0.5 U	0.8	0.5 U	9.2	1500.0	Toluene 1.0
MW-16	Jun/Jul 2007	MW-16	6.6	0.6	2.1	0.5 U	0.5 U	2.8	0.5 U	14.0	1700.0 J	1,4-Dioxane 6.4 Toluene 0.5
MW-16	Aug/Sep 2007	MW-16	5.1	0.5 U	1.5	0.5 U	0.5 U	2.4	0.5 U	22.0	2000.0	Toluene 0.5
MW-16	Aug/Sep 2007	DUPE-5-3Q07	5.1	0.3 J	1.4	0.5 U	0.5 U	2.1	0.5 U	21.0	2000.0	Toluene 0.6
MW-16	Oct/Dec 2007	MW-16	6.0	1.4	1.5	0.5 U	0.5 U	2.2	0.5 U	23.0	3100.0	Toluene 0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Oct/Dec 2007	DUPE-5-4Q07	6.4	0.9	1.7	0.5 U	0.5 U	2.3	0.5 U	25.0	3000.0	Toluene	0.4 J
MW-16	Jan/Feb 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	78.0	Bromodichloromethane	7.7
												Bromoform	4.1
												Dibromochloromethane	7.8
												Toluene	0.6
MW-16	Apr/May 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	23.0	4.8	1,4-Dioxane	1.7
												Bromodichloromethane	27.0
												Bromoform	5.9
												Dibromochloromethane	21.0
												Toluene	1.5
MW-16	Apr/May 2008	DUPE-6-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.0	4.8	1,4-Dioxane	1.5
												Bromodichloromethane	27.0
												Bromoform	6.4
												Dibromochloromethane	22.0
												Toluene	1.5
MW-16	Jul/Aug 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	19.3	Bromodichloromethane	5.3
												Bromoform	3.0
												Dibromochloromethane	4.3
												Toluene	1.5
MW-16	Oct/Nov 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1.0 U	Bromodichloromethane	1.7
												Dibromochloromethane	0.7
												Toluene	3.7
MW-16	Jan/Feb 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	18.0	Bromodichloromethane	5.9
												Bromoform	2.6
												Dibromochloromethane	5.0
MW-16	Apr/May 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0	9.5 J	1,4-Dioxane	1.1
												Bromodichloromethane	9.7
												Bromoform	9.8
												Dibromochloromethane	14.0
												NDMA	0.0 J
MW-16	Jul/Aug 2009	MW-16	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	1.0 U	Bromodichloromethane	5.1
												Bromoform	8.1
												Dibromochloromethane	7.8
MW-16	Nov/Dec 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Feb 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-16	Apr/May 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0	7.3	Bromodichloromethane	16.0
												Bromoform	6.3
												Dibromochloromethane	16.0
MW-16	Jul/Aug 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Oct/Nov 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0	1.0 U	Bromodichloromethane	20.0
												Bromoform	3.3
												Dibromochloromethane	15.0
MW-16	Feb/Mar 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0	1.0 U	Bromodichloromethane	16.0
												Bromoform	5.0
												Dibromochloromethane	17.0
MW-16	Apr/May 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6	2.4	1,4-Dioxane	0.8 J
												Bromodichloromethane	6.6
												Bromoform	1.1
												Dibromochloromethane	3.6
MW-16	Aug/Sep 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9	2.5	Bromodichloromethane	8.0
												Bromoform	2.6
												Dibromochloromethane	5.8
MW-16	Nov/Dec 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Jan/Feb 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Jan/Feb 2012	DUPE-7-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Apr/May 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	1,4-Dioxane	0.9 J
												NDMA	0.0 J
MW-16	Apr/May 2012	DUPE-8-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	1,4-Dioxane	1.0
MW-16	Aug/Sep 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	4.0 U	Bromodichloromethane	7.0
												Bromoform	7.6
												Dibromochloromethane	8.8
MW-16	Nov 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0	4.0 U	Bromodichloromethane	15.0
												Bromoform	5.0
												Dibromochloromethane	10.0
MW-16	Jan/Feb 2013	MW-16	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0	4.0 U	Bromodichloromethane	13.0
												Bromoform	4.7
												Dibromochloromethane	12.0
MW-16	Apr/May 2013	MW-16	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.0	4.0 U	Bromodichloromethane	9.6
												Bromoform	4.8
												Dibromochloromethane	8.7
MW-16	Jul 2013	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9	2.0 J	Bromodichloromethane	12.0
												Bromoform	4.0
												Dibromochloromethane	11.0
MW-16	Oct/Nov 2013	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0	4.0 U	Bromodichloromethane	7.3
												Bromoform	2.2
												Dibromochloromethane	6.4
MW-16	Oct/Nov 2013	DUPE-7-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	4.0 U	Bromodichloromethane	8.1
												Bromoform	2.0
												Dibromochloromethane	6.7

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Jan/Feb 2014	MW-16	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3	2.3 J	Bromodichloromethane	9.8
												Bromoform	6.8
												Dibromochloromethane	9.0
MW-16	Apr/May 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4.0 U	Bromodichloromethane	6.7
												Bromoform	6.1
												Dibromochloromethane	8.4
MW-16	Jul/Aug 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Dibromochloromethane	0.2 J
MW-16	Oct 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Carbon disulfide	0.4 J
MW-17 Screen 1	Aug/Sep 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Oct/Nov 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Feb/Mar 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	June/July 1997	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	June/July 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Sep/Oct 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jan/Feb 1998	MW-17-1	30.0	3.5	1.0	0.5 U	0.5 U	1.3	0.5 U	14.0	1230.0		
MW-17 Screen 1	Apr/May 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U		
MW-17 Screen 1	Jul/Aug 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Oct/Nov 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	May/June 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Nov/Dec 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jul/Aug 2000	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jan/Feb 2001	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-17 Screen 1	Jan/Feb 2002	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	7.3
MW-17 Screen 1	Apr/May 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2004	MW-17-1	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 UJ		
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jul/Sep 2005	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Jul/Sep 2005	DUPE-11-9/12/05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	May/June 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	May/June 2006	DUPE-3-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Dec 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	NDPA	0.0
MW-17 Screen 1	Jun/Jul 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Dec 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Apr/May 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Nov 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 1	Nov/Dec 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Nov/Dec 2009	DUPE-03-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Apr/May 2010	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Apr/May 2010	DUPE-6-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Oct/Nov 2010	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Apr/May 2011	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U	
MW-17 Screen 1	Nov/Dec 2011	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Apr/May 2012	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 1	Nov 2012	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 1	Apr/May 2013	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 1	Oct/Nov 2013	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 1	Apr/May 2014	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	NA	Bromodichloromethane 0.6
MW-17 Screen 2	Aug/Sep 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	NA	
MW-17 Screen 2	Oct/Nov 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	NA	Bromodichloromethane 0.6
MW-17 Screen 2	Feb/Mar 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	NA	
MW-17 Screen 2	June/July 1997	MW-17-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-17 Screen 2	June/July 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	
MW-17 Screen 2	Sep/Oct 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	4.0 U	
MW-17 Screen 2	Jan/Feb 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	Bromodichloromethane 0.5
MW-17 Screen 2	Apr/May 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	
MW-17 Screen 2	Jul/Aug 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	
MW-17 Screen 2	Oct/Nov 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	
MW-17 Screen 2	Feb/Mar 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 B	3.9	4.0 U	
MW-17 Screen 2	May/Jun 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	
MW-17 Screen 2	Aug 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	
MW-17 Screen 2	Nov/Dec 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-17 Screen 2	Mar/Apr 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	
MW-17 Screen 2	Jul/Aug 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	
MW-17 Screen 2	Sep/Oct 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-17 Screen 2	Jan/Feb 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methyl-tert-butyl ether (MTBE) 0.3 J
MW-17 Screen 2	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-17 Screen 2	Apr 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U	
MW-17 Screen 2	Apr 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U	
MW-17 Screen 2	Jul 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-17 Screen 2	Oct 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 2	Jan/Feb 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 15.0
MW-17 Screen 2	Apr/May 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.3 J
MW-17 Screen 2	Jul 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 2	Oct/Nov 2002	MW-17-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.4 J	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 2	Apr/May 2003	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4-Methyl-2-pentanone	5.0 J
MW-17 Screen 2	Jul/Aug 2003	MW-17-2	0.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.9 J		
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	1.0	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	15.7 J		
MW-17 Screen 2	Feb 2004	MW-17-2	0.7	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.2		
MW-17 Screen 2	Apr/May 2004	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5 J		
MW-17 Screen 2	Jul/Aug 2004	MW-17-2	1.0	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.0		
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	0.5 J	3.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.0	14.2		
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	1.5	4.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.6		
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	1.6	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	10.0		
MW-17 Screen 2	Apr/May 2005	MW-17-2	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.2	m,p-Xylene	0.3 J
MW-17 Screen 2	Jul/Sep 2005	MW-17-2	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	9.7		
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.7		
MW-17 Screen 2	Mar/Apr 2006	MW-17-2	0.5 U	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	14.0		
MW-17 Screen 2	May/Jun 2006	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0		
MW-17 Screen 2	Aug/Sep 2006	MW-17-2	0.6	1.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	13.0		
MW-17 Screen 2	Oct/Dec 2006	MW-17-2	0.5 U	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-17 Screen 2	Oct/Dec 2006	DUPE-1-4Q06	0.3 J	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0		
MW-17 Screen 2	Mar/Apr 2007	MW-17-2	0.5 U	1.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	10.0		
MW-17 Screen 2	Mar/Apr 2007	DUPE-1-1Q07	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.4		
MW-17 Screen 2	Jun/Jul 2007	MW-17-2	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0		
MW-17 Screen 2	Aug/Sep 2007	MW-17-2	0.5 U	1.1	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	7.9		
MW-17 Screen 2	Oct/Dec 2007	MW-17-2	0.5 U	1.4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.6	9.8		
MW-17 Screen 2	Jan/Feb 2008	MW-17-2	0.5 U	1.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.6	8.8 J		
MW-17 Screen 2	Apr/May 2008	MW-17-2	0.5 U	1.0	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	7.1		
MW-17 Screen 2	Jul/Aug 2008	MW-17-2	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.7		
MW-17 Screen 2	Oct/Nov 2008	MW-17-2	0.5 U	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1		
MW-17 Screen 2	Jan/Feb 2009	MW-17-2	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-17 Screen 2	Apr/May 2009	MW-17-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3		
MW-17 Screen 2	Jul/Aug 2009	MW-17-2	0.5 U	1.2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-17 Screen 2	Nov/Dec 2009	MW-17-2	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-17 Screen 2	Feb 2010	MW-17-2	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6 J		
MW-17 Screen 2	Apr/May 2010	MW-17-2	0.5 U	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2 J		
MW-17 Screen 2	Jul/Aug 2010	MW-17-2	0.5 U	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-17 Screen 2	Oct/Nov 2010	MW-17-2	0.5 U	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3		
MW-17 Screen 2	Feb/Mar 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.1		
MW-17 Screen 2	Apr/May 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	76.0		
MW-17 Screen 2	Aug/Sep 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	78.7 J		
MW-17 Screen 2	Nov/Dec 2011	MW-17-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	52.1		
MW-17 Screen 2	Jan/Feb 2012	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	90.1 J		
MW-17 Screen 2	Apr/May 2012	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1		
MW-17 Screen 2	Aug/Sep 2012	MW-17-2	0.5 U	0.1 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 2	Nov 2012	MW-17-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.8		
MW-17 Screen 2	Jan/Feb 2013	MW-17-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	22.0		
MW-17 Screen 2	Apr/May 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.6 J		
MW-17 Screen 2	Jul 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Oct/Nov 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-17 Screen 2	Apr/May 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jul/Aug 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Oct 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	NA	Bromodichloromethane	0.9
MW-17 Screen 3	Aug/Sep 1996	MW-17-3	2.0	7.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	NA	Bromodichloromethane	0.8
MW-17 Screen 3	Oct/Nov 1996	MW-17-3	3.3	18.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	7.8	NA	Bromodichloromethane	0.9
MW-17 Screen 3	Feb/Mar 1997	MW-17-3	5.1	23.0 E	1.1	0.5 U	0.5 U	0.5 U	0.5 U	5.6	NA	Bromodichloromethane	0.6
MW-17 Screen 3	June/July 1997	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	12.0		
MW-17 Screen 3	June/July 1997	MW-17-3	1.3	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	NA	Bromodichloromethane	0.9
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	6.6	22.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	8.5	55.0	Bromodichloromethane	0.7
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0 U		
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	3.3	8.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0	25.0	Bromodichloromethane	0.8
MW-17 Screen 3	Apr/May 1998	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	Apr/May 1998	MW-17-3	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	4.0 U	Bromodichloromethane	0.5
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	4.0 U		
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	5.1		
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.2		
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	May/Jun 1999	MW-17-3	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U		
MW-17 Screen 3	Aug 1999	MW-17-3	0.8	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	6.1		
MW-17 Screen 3	Nov/Dec 1999	MW-17-3	0.7	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	5.5		
MW-17 Screen 3	Mar/Apr 2000	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	5.0		
MW-17 Screen 3	Jul/Aug 2000	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	6.7		
MW-17 Screen 3	Sep/Oct 2000	MW-17-3	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U		
MW-17 Screen 3	Jan/Feb 2001	MW-17-3	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-17 Screen 3	Apr 2001	MW-17-3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.3	5.0		
MW-17 Screen 3	Jul 2001	MW-17-3	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	3.8 J		
MW-17 Screen 3	Oct 2001	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	7.3		
MW-17 Screen 3	Jan/Feb 2002	MW-17-3	0.7	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	6.3		
MW-17 Screen 3	Apr/May 2002	MW-17-3	1.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.7 B	Methylene chloride	0.3 J
MW-17 Screen 3	Jul 2002	MW-17-3	1.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.8 J		
MW-17 Screen 3	Oct/Nov 2002	MW-17-3	7.1	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	115.0		
MW-17 Screen 3	Dec 2002	MW-17-3	12.5	3.7	0.4 J	0.3 U	0.5 U	0.3 J	0.5 U	2.9	NA	NDPHA	0.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	13.1	3.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U	
MW-17 Screen 3	Apr/May 2003	MW-17-3	6.4	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	126.0	4-Methyl-2-pentanone 3.0 J
MW-17 Screen 3	Jul/Aug 2003	MW-17-3	13.0	3.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.6	209.0 J	
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	11.0	3.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6	199.0 J	
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	13.7	3.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.1	193.0 J	
MW-17 Screen 3	Feb 2004	MW-17-3	9.6	3.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	162.0	
MW-17 Screen 3	Apr/May 2004	MW-17-3	4.7	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.0 UJ	
MW-17 Screen 3	Jul/Aug 2004	MW-17-3	9.7	3.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.7	109.0	
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	14.9 J	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	133.0	
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	9.4	3.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.3	76.2	
MW-17 Screen 3	Apr/May 2005	MW-17-3	2.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	96.5	
MW-17 Screen 3	Jul/Sep 2005	MW-17-3	3.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.4	m,p-Xylene 0.4 J
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	5.2	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	76.7	
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	4.9	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.8	
MW-17 Screen 3	Mar/Apr 2006	MW-17-3	2.8	1.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	61.0	
MW-17 Screen 3	May/Jun 2006	MW-17-3	2.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0	
MW-17 Screen 3	Aug/Sep 2006	MW-17-3	3.3	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	61.0	
MW-17 Screen 3	Oct/Dec 2006	MW-17-3	2.5	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	5.9 J	
MW-17 Screen 3	Mar/Apr 2007	MW-17-3	2.4 J	1.2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	47.0	
MW-17 Screen 3	Jun/Jul 2007	MW-17-3	1.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0	
MW-17 Screen 3	Jun/Jul 2007	DUPE-3-2Q07	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0	
MW-17 Screen 3	Aug/Sep 2007	MW-17-3	1.8	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	34.0	
MW-17 Screen 3	Oct/Dec 2007	MW-17-3	1.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	33.0	
MW-17 Screen 3	Jan/Feb 2008	MW-17-3	1.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	24.0 J	
MW-17 Screen 3	Apr/May 2008	MW-17-3	0.7	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	22.0	
MW-17 Screen 3	Jul/Aug 2008	MW-17-3	1.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	17.3	
MW-17 Screen 3	Oct/Nov 2008	MW-17-3	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	16.6	
MW-17 Screen 3	Jan/Feb 2009	MW-17-3	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	13.9	
MW-17 Screen 3	Apr/May 2009	MW-17-3	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9	
MW-17 Screen 3	Jul/Aug 2009	MW-17-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5	
MW-17 Screen 3	Nov/Dec 2009	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2	
MW-17 Screen 3	Feb 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.7 J	
MW-17 Screen 3	Apr/May 2010	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9 J	
MW-17 Screen 3	Jul/Aug 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8	
MW-17 Screen 3	Oct/Nov 2010	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.2	
MW-17 Screen 3	Feb/Mar 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	
MW-17 Screen 3	Apr/May 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1	
MW-17 Screen 3	Aug/Sep 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J	
MW-17 Screen 3	Nov/Dec 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6	
MW-17 Screen 3	Nov/Dec 2011	DUPE-4-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8	
MW-17 Screen 3	Jan/Feb 2012	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3 J	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 3	Apr/May 2012	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-17 Screen 3	Aug/Sep 2012	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	8.1		
MW-17 Screen 3	Nov 2012	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.1		
MW-17 Screen 3	Jan/Feb 2013	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.5		
MW-17 Screen 3	Apr/May 2013	MW-17-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	6.3		
MW-17 Screen 3	Jul 2013	MW-17-3	0.3 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.6		
MW-17 Screen 3	Oct/Nov 2013	MW-17-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.1		
MW-17 Screen 3	Jan/Feb 2014	MW-17-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.4		
MW-17 Screen 3	Apr/May 2014	MW-17-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.6		
MW-17 Screen 3	Jul/Aug 2014	MW-17-3	0.2 J	0.6	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	6.4		
MW-17 Screen 3	Jul/Aug 2014	DUP-2-3Q14	0.2 J	0.6	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	6.6		
MW-17 Screen 3	Oct 2014	MW-17-3	0.5 U	0.5 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	6.2		
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	0.5 U	8.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA		
MW-17 Screen 4	Aug/Sep 1996	MW-17-4	0.5 U	9.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	NA		
MW-17 Screen 4	Oct/Nov 1996	MW-17-4	0.5 U	8.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	NA		
MW-17 Screen 4	Feb/Mar 1997	MW-17-4	0.5 U	5.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-17 Screen 4	June/July 1997	MW-17-4	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-17 Screen 4	June/July 1997	MW-17-4	NA	NA	NA	NA	NA	NA	NA	NA	13.0		
MW-17 Screen 4	Sep/Oct 1997	MW-17-4	0.5 U	6.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.0		
MW-17 Screen 4	Jan/Feb 1998	MW-17-4	0.5 U	7.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0		
MW-17 Screen 4	Apr/May 1998	MW-17-4	0.5 U	7.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	17.0		
MW-17 Screen 4	Jul/Aug 1998	MW-17-4	0.5 U	8.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.9	14.0		
MW-17 Screen 4	Oct/Nov 1998	MW-17-4	0.5 U	6.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.9	12.0		
MW-17 Screen 4	Feb/Mar 1999	MW-17-4	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.0 B	1.8	9.8		
MW-17 Screen 4	May/Jun 1999	MW-17-4	0.5 U	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	14.0		
MW-17 Screen 4	Aug 1999	MW-17-4	0.5 U	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0		
MW-17 Screen 4	Nov/Dec 1999	MW-17-4	0.5 U	6.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	10.0		
MW-17 Screen 4	Mar/Apr 2000	MW-17-4	0.5 U	9.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0		
MW-17 Screen 4	Jul/Aug 2000	MW-17-4	0.5 U	6.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	13.0		
MW-17 Screen 4	Sep/Oct 2000	MW-17-4	0.5 U	5.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	13.0		
MW-17 Screen 4	Jan/Feb 2001	MW-17-4	0.5 U	4.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.0	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-17 Screen 4	Apr 2001	MW-17-4	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.8	12.0	Methylene chloride	0.4 J
MW-17 Screen 4	Jul 2001	MW-17-4	0.5 U	5.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	10.0		
MW-17 Screen 4	Oct 2001	MW-17-4	0.5 U	4.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	8.2	Toluene	0.9
MW-17 Screen 4	Jan/Feb 2002	MW-17-4	0.5 U	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	11.0		
MW-17 Screen 4	Apr/May 2002	MW-17-4	0.8	15.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	2.2	7.0		
MW-17 Screen 4	Jul 2002	MW-17-4	0.5 U	4.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-17 Screen 4	Oct/Nov 2002	MW-17-4	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-17 Screen 4	Dec 2002	MW-17-4	0.2 U	3.6	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.6	NA	Methylene chloride	71.4 B
MW-17 Screen 4	Dec 2002		NA	NA	NA	NA	NA	NA	NA	NA	NA	Methylene chloride	85.0 B
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	NDPHA	0.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 4	Apr/May 2003	MW-17-4	0.5 U	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	6.5	4-Methyl-2-pentanone	4.0 J
MW-17 Screen 4	Jul/Aug 2003	MW-17-4	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Feb 2004	MW-17-4	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-17 Screen 4	Apr/May 2004	MW-17-4	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 UJ		
MW-17 Screen 4	Jul/Aug 2004	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	0.5 UJ	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.3 J
MW-17 Screen 4	Apr/May 2005	MW-17-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-17 Screen 4	Jul/Sep 2005	MW-17-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Mar/Apr 2006	MW-17-4	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	May/June 2006	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	1,4-Dioxane NDMA	4.8 U 0.0 U
MW-17 Screen 4	Aug/Sep 2006	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Oct/Dec 2006	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	NDPHA	0.0 J
MW-17 Screen 4	Mar/Apr 2007	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jun/Jul 2007	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	NDMA	0.0
MW-17 Screen 4	Aug/Sep 2007	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Oct/Dec 2007	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Jan/Feb 2008	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Apr/May 2008	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Jul/Aug 2008	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jul/Aug 2008	DUPE-3-3Q08	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5		
MW-17 Screen 4	Oct/Nov 2008	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Oct/Nov 2008	DUPE-03-4Q08	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jan/Feb 2009	MW-17-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Apr/May 2009	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	NDMA	0.0 J
MW-17 Screen 4	Jul/Aug 2009	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Nov/Dec 2009	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Feb 2010	MW-17-4	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Apr/May 2010	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jul/Aug 2010	MW-17-4	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Oct/Nov 2010	MW-17-4	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Feb/Mar 2011	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-17 Screen 4	Apr/May 2011	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-17 Screen 4	Aug/Sep 2011	MW-17-4	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J		
MW-17 Screen 4	Nov/Dec 2011	MW-17-4	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jan/Feb 2012	MW-17-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-17 Screen 4	Apr/May 2012	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-17 Screen 4	Aug/Sep 2012	MW-17-4	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.1 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 4	Nov 2012	MW-17-4	0.3 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.6		
MW-17 Screen 4	Jan/Feb 2013	MW-17-4	0.4 J	0.8	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	10.0		
MW-17 Screen 4	Apr/May 2013	MW-17-4	0.3 J	0.9	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	8.2		
MW-17 Screen 4	Jul 2013	MW-17-4	0.5 U	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.8 J	Styrene	0.1 J
MW-17 Screen 4	Oct/Nov 2013	MW-17-4	0.6	2.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	15.0		
MW-17 Screen 4	Jan/Feb 2014	MW-17-4	0.8	3.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	18.0		
MW-17 Screen 4	Apr/May 2014	MW-17-4	0.8	2.4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	17.0		
MW-17 Screen 4	Jul/Aug 2014	MW-17-4	0.9	3.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	18.0		
MW-17 Screen 4	Oct 2014	MW-17-4	0.3 J	1.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	6.8		
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	0.5 U	12.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	NA		
MW-17 Screen 5	Aug/Sep 1996	MW-17-5	0.5 U	13.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.7	NA		
MW-17 Screen 5	Oct/Nov 1996	MW-17-5	0.5 U	16.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.7	NA		
MW-17 Screen 5	Feb/Mar 1997	MW-17-5	0.5 U	14.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-17 Screen 5	June/July 1997	MW-17-5	0.5 U	11.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-17 Screen 5	June/July 1997	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	12.0		
MW-17 Screen 5	Sep/Oct 1997	MW-17-5	0.5 U	8.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	15.0		
MW-17 Screen 5	Jan/Feb 1998	MW-17-5	0.5 U	7.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	15.0		
MW-17 Screen 5	Apr/May 1998	MW-17-5	0.5 U	8.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0		
MW-17 Screen 5	Jul/Aug 1998	MW-17-5	0.5 U	8.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.0	13.0		
MW-17 Screen 5	Oct/Nov 1998	MW-17-5	0.5 U	11.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	2.7	12.0		
MW-17 Screen 5	Feb/Mar 1999	MW-17-5	0.5 U	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	6.4		
MW-17 Screen 5	May/June 1999	MW-17-5	0.5 U	6.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.0	12.0		
MW-17 Screen 5	Aug 1999	MW-17-5	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	11.0		
MW-17 Screen 5	Nov/Dec 1999	MW-17-5	0.5 U	6.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	9.1		
MW-17 Screen 5	Mar/Apr 2000	MW-17-5	0.5 U	8.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0		
MW-17 Screen 5	Jul/Aug 2000	MW-17-5	0.5 U	7.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0		
MW-17 Screen 5	Sep/Oct 2000	MW-17-5	0.5 U	6.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0		
MW-17 Screen 5	Jan/Feb 2001	MW-17-5	0.3 J	7.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.0	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-17 Screen 5	Apr 2001	MW-17-5	0.5 U	5.7	0.4 J	0.5 U	0.5 U	0.5 U	NA	1.2	19.0	Methylene chloride	0.4 J
MW-17 Screen 5	Jul 2001	MW-17-5	0.3 J	6.1	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	22.0		
MW-17 Screen 5	Oct 2001	MW-17-5	0.5 U	6.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	10.4	Toluene	0.7
MW-17 Screen 5	Jan/Feb 2002	MW-17-5	0.5 U	6.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	14.7		
MW-17 Screen 5	Apr/May 2002	MW-17-5	0.3 J	9.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.4	Methylene chloride	0.4 J
MW-17 Screen 5	Jul 2002	MW-17-5	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Oct/Nov 2002	MW-17-5	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2003	MW-17-5	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J	4-Methyl-2-pentanone	3.0 J
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2004	MW-17-5	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Jul/Sep 2005	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	May/June 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 5	Oct/Dec 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 5	Jun/Jul 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Oct/Dec 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-17 Screen 5	Apr/May 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene Methyl-tert-butyl ether (MTBE) 0.3 J 0.3 J
MW-17 Screen 5	Oct/Nov 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Apr/May 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Nov/Dec 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Apr/May 2010	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Oct/Nov 2010	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Apr/May 2011	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Nov/Dec 2011	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Apr/May 2012	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-17 Screen 5	Nov 2012	MW-17-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-17 Screen 5	Apr/May 2013	MW-17-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J	
MW-17 Screen 5	Oct/Nov 2013	MW-17-5	0.4 J	2.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	9.9	
MW-17 Screen 5	Apr/May 2014	MW-17-5	1.0	3.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.9	15.0	
MW-17 Screen 5	Oct 2014	MW-17-5	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-18 Screen 1	Aug/Sep 1996	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA	
MW-18 Screen 1	Feb/Mar 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	NA	Bromodichloromethane 0.5
MW-18 Screen 1	June/July 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA	
MW-18 Screen 1	June/July 1997	MW-18-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-18 Screen 1	Apr/May 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-18 Screen 1	Jul/Aug 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Oct/Nov 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Feb/Mar 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	May/June 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Jan/Feb 2001	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	Methylene chloride 1.4
MW-18 Screen 1	Apr/May 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 4.0 J
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Apr/May 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Apr/May 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Jul/Sep 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 0.0 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	May/June 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	May/June 2006	DUPE-4-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Oct/Dec 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Jun/Jul 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 1	Oct/Dec 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Apr/May 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Apr/May 2008	DUPE-2-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-18 Screen 1	Oct/Nov 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Apr/May 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Nov/Dec 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Apr/May 2010	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Oct/Nov 2010	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Apr/May 2011	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Nov/Dec 2011	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Apr/May 2012	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 1	Nov 2012	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 1	Apr/May 2013	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Aug/Sep 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5	NA	Bromodichloromethane 1.8
MW-18 Screen 2	Oct/Nov 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3	NA	Bromodichloromethane 1.9
MW-18 Screen 2	Feb/Mar 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	NA	
MW-18 Screen 2	June/July 1997	MW-18-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-18 Screen 2	June/July 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Bromodichloromethane 0.8
MW-18 Screen 2	Sep/Oct 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	Bromodichloromethane 0.5
MW-18 Screen 2	Jan/Feb 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	Bromodichloromethane 0.8
MW-18 Screen 2	Apr/May 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	Bromodichloromethane 0.6
MW-18 Screen 2	Jul/Aug 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	
MW-18 Screen 2	Oct/Nov 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Feb/Mar 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	Bromodichloromethane 0.8
MW-18 Screen 2	May/Jun 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-18 Screen 2	Aug 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Nov/Dec 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Mar/Apr 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	Bromodichloromethane 0.9
MW-18 Screen 2	Jul/Aug 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Sep/Oct 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jan/Feb 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Bromodichloromethane 0.4 J Methylene chloride 1.7 Methyl-tert-butyl ether (MTBE) 0.6 J
MW-18 Screen 2	Apr 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	1.2	4.0 U	Bromodichloromethane 0.4 J
MW-18 Screen 2	Jul 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Oct 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jan/Feb 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride 1.5
MW-18 Screen 2	Apr/May 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-18 Screen 2	Jul 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-18 Screen 2	Oct/Nov 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 2	Apr/May 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	4.0 J
MW-18 Screen 2	Jul/Aug 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Feb 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jul/Aug 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2005	DUPE-1-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jul/Sep 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane m,p-Xylene	0.5 U 0.0 U 0.3 J
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Mar/Apr 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	May/June 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Aug/Sep 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Oct/Dec 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Mar/Apr 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Mar/Apr 2007	DUPE-2-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Jun/Jul 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride	0.7 J
MW-18 Screen 2	Aug/Sep 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Oct/Dec 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Jan/Feb 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Apr/May 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Jul/Aug 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Oct/Nov 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Jan/Feb 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Apr/May 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Jul/Aug 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Nov/Dec 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7 J		
MW-18 Screen 2	Feb 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.4		
MW-18 Screen 2	Apr/May 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	85.9 J		
MW-18 Screen 2	Jul/Aug 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-18 Screen 2	Oct/Nov 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-18 Screen 2	Feb/Mar 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Apr/May 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Aug/Sep 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Aug/Sep 2011	DUPE-03-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Nov/Dec 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 2	Jan/Feb 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Apr/May 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-18 Screen 2	Aug/Sep 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Nov 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jan/Feb 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Apr/May 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jul 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Oct/Nov 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jan/Feb 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Apr/May 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Jul/Aug 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 2	Oct 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	0.7	4.7	2.8	0.5 U	0.5 U	0.5 U	0.5 U	5.1	NA	
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	1.0	5.2	3.5	0.5 U	0.5 U	0.5 U	0.7	5.0	NA	
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	0.5 U	4.3	2.2	0.5 U	0.5 U	0.5 U	0.5 U	4.0	NA	
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	0.7	6.4	3.2	0.5 U	0.5 U	0.5 U	0.5 U	5.6	NA	
MW-18 Screen 3	Feb/Mar 1997	MW-18-3	0.8	6.6	2.9	0.5 U	0.5 U	0.5 U	0.5 U	5.1	NA	
MW-18 Screen 3	June/July 1997	MW-18-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-18 Screen 3	June/July 1997	MW-18-3	0.6	2.4	1.8	0.5 U	0.5 U	0.5 U	0.5 U	4.4	NA	
MW-18 Screen 3	Sep/Oct 1997	MW-18-3	0.5 U	3.0	1.9	0.5 U	0.5 U	0.5 U	0.5 U	6.2	4.0 U	
MW-18 Screen 3	Jan/Feb 1998	MW-18-3	0.5 U	1.9	1.7	0.5 U	0.5 U	0.5 U	0.5 U	6.6	4.0 U	
MW-18 Screen 3	Apr/May 1998	MW-18-3	0.5	1.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	5.7	5.0	
MW-18 Screen 3	Jul/Aug 1998	MW-18-3	0.5 U	1.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.6	5.2	
MW-18 Screen 3	Oct/Nov 1998	MW-18-3	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	
MW-18 Screen 3	Feb/Mar 1999	MW-18-3	0.5 U	1.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U	
MW-18 Screen 3	May/June 1999	MW-18-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	Methylene chloride
MW-18 Screen 3	Aug 1999	MW-18-3	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.0 U	0.6
MW-18 Screen 3	Nov/Dec 1999	MW-18-3	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	
MW-18 Screen 3	Mar/Apr 2000	MW-18-3	0.5 U	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U	
MW-18 Screen 3	Jul/Aug 2000	MW-18-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	
MW-18 Screen 3	Sep/Oct 2000	MW-18-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.0 U	
MW-18 Screen 3	Jan/Feb 2001	MW-18-3	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)
MW-18 Screen 3	Apr 2001	MW-18-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	NA	1.9	4.0 U	0.4 J 0.8 J
MW-18 Screen 3	Jul 2001	MW-18-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	
MW-18 Screen 3	Oct 2001	MW-18-3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	
MW-18 Screen 3	Jan/Feb 2002	MW-18-3	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Methylene chloride
MW-18 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	0.9 J
MW-18 Screen 3	Apr/May 2002	MW-18-3	0.5 U	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	Methylene chloride
MW-18 Screen 3	Jul 2002	MW-18-3	0.5 U	0.4 J	0.5 U	0.4 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	0.4 J
MW-18 Screen 3	Oct/Nov 2002	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 3	Dec 2002	MW-18-3	0.2 U	0.6	0.3 J	0.3 U	0.5 U	0.5 U	0.5 U	1.6	NA	Methylene chloride	79.5 B
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0 U	NDPHA	0.0 J
MW-18 Screen 3	Apr/May 2003	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.3 J	4-Methyl-2-pentanone	4.0 J
MW-18 Screen 3	Jul/Aug 2003	MW-18-3	0.5 U	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.5	1.3 J		
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-18 Screen 3	Feb 2004	MW-18-3	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18 Screen 3	Apr/May 2004	MW-18-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.7 J		
MW-18 Screen 3	Jul/Aug 2004	MW-18-3	0.7	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	6.4		
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	5.2		
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	2.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18 Screen 3	Apr/May 2005	MW-18-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.3		
MW-18 Screen 3	Jul/Sep 2005	MW-18-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	5.7	1,2,3-Trichloropropane 1,2,3-Trichloropropane m,p-Xylene	0.5 U 0.0 U 0.4 J
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	3.5	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.7		
MW-18 Screen 3	Mar/Apr 2006	MW-18-3	3.5	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0		
MW-18 Screen 3	May/June 2006	MW-18-3	4.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	25.0		
MW-18 Screen 3	Aug/Sep 2006	MW-18-3	8.6	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	28.0		
MW-18 Screen 3	Oct/Dec 2006	MW-18-3	4.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	23.0	1,2,3-Trichloropropane	0.0 J
MW-18 Screen 3	Mar/Apr 2007	MW-18-3	6.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.0 U		
MW-18 Screen 3	Jun/Jul 2007	MW-18-3	7.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	29.0		
MW-18 Screen 3	Aug/Sep 2007	MW-18-3	8.3	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	25.0		
MW-18 Screen 3	Oct/Dec 2007	MW-18-3	8.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.9	1.3	29.0		
MW-18 Screen 3	Jan/Feb 2008	MW-18-3	13.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.8	29.0 J		
MW-18 Screen 3	Apr/May 2008	MW-18-3	8.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0		
MW-18 Screen 3	Jul/Aug 2008	MW-18-3	18.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	37.0		
MW-18 Screen 3	Jul/Aug 2008	DUPE-4-3Q08	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	36.3		
MW-18 Screen 3	Oct/Nov 2008	MW-18-3	15.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	39.8		
MW-18 Screen 3	Jan/Feb 2009	MW-18-3	20.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	45.3		
MW-18 Screen 3	Apr/May 2009	MW-18-3	15.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	55.9		
MW-18 Screen 3	Jul/Aug 2009	MW-18-3	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	49.3		
MW-18 Screen 3	Jul/Aug 2009	DUPE-3-3Q09	6.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	49.7		
MW-18 Screen 3	Nov/Dec 2009	MW-18-3	4.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0 J		
MW-18 Screen 3	Feb 2010	MW-18-3	17.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	45.1		
MW-18 Screen 3	Apr/May 2010	MW-18-3	11.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	62.4 J		
MW-18 Screen 3	Jul/Aug 2010	MW-18-3	22.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	65.1		
MW-18 Screen 3	Oct/Nov 2010	MW-18-3	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	65.2		
MW-18 Screen 3	Feb/Mar 2011	MW-18-3	6.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	53.5		
MW-18 Screen 3	Feb/Mar 2011	DUPE-03-1Q11	7.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	54.2		
MW-18 Screen 3	Apr/May 2011	MW-18-3	9.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	54.8		
MW-18 Screen 3	Aug/Sep 2011	MW-18-3	43.0	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.7	144.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 3	Nov/Dec 2011	MW-18-3	37.0	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.9	110.0	
MW-18 Screen 3	Jan/Feb 2012	MW-18-3	25.0	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	126.0	
MW-18 Screen 3	Apr/May 2012	MW-18-3	8.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	64.4	
MW-18 Screen 3	Aug/Sep 2012	MW-18-3	7.4	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.6	93.0	
MW-18 Screen 3	Aug/Sep 2012	DUPE-1-3Q12	5.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	91.0	
MW-18 Screen 3	Nov 2012	MW-18-3	9.4	1.2	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	1.7	54.0	
MW-18 Screen 3	Jan/Feb 2013	MW-18-3	7.2	0.7	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	1.5	46.0	
MW-18 Screen 3	Apr/May 2013	MW-18-3	7.3	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.5	36.0	
MW-18 Screen 3	Jul 2013	MW-18-3	10.0	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	1.5	44.0	
MW-18 Screen 3	Oct/Nov 2013	MW-18-3	16.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	2.2	44.0	
MW-18 Screen 3	Jan/Feb 2014	MW-18-3	5.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	35.0	
MW-18 Screen 3	Apr/May 2014	MW-18-3	6.4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	32.0	
MW-18 Screen 3	Apr/May 2014	DUP-3-2Q14	7.2	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	36.0	
MW-18 Screen 3	Jul/Aug 2014	MW-18-3	9.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.7	27.0	
MW-18 Screen 3	Oct 2014	MW-18-3	5.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	17.0	
MW-18 Screen 3	Oct 2014	DUP-5-4Q14	3.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.0	
MW-18 Screen 4	Aug/Sep 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-18 Screen 4	Oct/Nov 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-18 Screen 4	Feb/Mar 1997	MW-18-4	2.2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-18 Screen 4	June/July 1997	MW-18-4	NA	NA	NA	NA	NA	NA	NA	NA	11.0	
MW-18 Screen 4	June/July 1997	MW-18-4	1.9	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 4	Sep/Oct 1997	MW-18-4	2.4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.0	
MW-18 Screen 4	Jan/Feb 1998	MW-18-4	2.6	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	11.0	
MW-18 Screen 4	Apr/May 1998	MW-18-4	3.1	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0	
MW-18 Screen 4	Jul/Aug 1998	MW-18-4	2.5	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0	
MW-18 Screen 4	Oct/Nov 1998	MW-18-4	3.4	0.8	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	18.9	
MW-18 Screen 4	Feb/Mar 1999	MW-18-4	4.7	1.2	2.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	24.0	
MW-18 Screen 4	May/June 1999	MW-18-4	3.6	1.6	2.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0	Methylene chloride 0.7
MW-18 Screen 4	Aug 1999	MW-18-4	3.6	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0	
MW-18 Screen 4	Nov/Dec 1999	MW-18-4	3.8	1.2	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0	
MW-18 Screen 4	Mar/Apr 2000	MW-18-4	3.8	1.2	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0	
MW-18 Screen 4	Jul/Aug 2000	MW-18-4	3.6	1.1	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0	
MW-18 Screen 4	Sep/Oct 2000	MW-18-4	4.5	1.3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	25.0	
MW-18 Screen 4	Jan/Feb 2001	MW-18-4	3.5	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0	Methylene chloride 0.4 J
MW-18 Screen 4	Apr 2001	MW-18-4	2.6	1.5	1.9	0.5 U	0.5 U	0.5 U	NA	1.0	29.0	
MW-18 Screen 4	Jul 2001	MW-18-4	3.7	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	25.0	
MW-18 Screen 4	Oct 2001	MW-18-4	4.7	1.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	20.3	
MW-18 Screen 4	Jan/Feb 2002	MW-18-4	4.6	1.4	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	17.9	Methylene chloride 1.6
MW-18 Screen 4	Apr/May 2002	MW-18-4	11.7	5.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.8	24.5	Methylene chloride 0.4 J
MW-18 Screen 4	Jul 2002	MW-18-4	7.8	3.5	4.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	31.3	
MW-18 Screen 4	Oct/Nov 2002	MW-18-4	4.9	2.4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	28.2	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 4	Dec 2002	MW-18-4	9.2	3.2	5.5	0.3 U	0.5 U	0.5 U	0.5 U	1.4	NA	1,4-Dioxane TPH - Gasoline	1.9 40.0 J
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	6.7	2.6	4.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	24.6	1,2,3-Trichloropropane NDPHA	0.1 0.0 J
MW-18 Screen 4	Apr/May 2003	MW-18-4	2.4	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	23.9	4-Methyl-2-pentanone	7.0 J
MW-18 Screen 4	Apr/May 2003	DUPE-7-2Q03	2.4	0.9	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.8	4-Methyl-2-pentanone	6.0 J
MW-18 Screen 4	Jul/Aug 2003	MW-18-4	3.3	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.0	15.0		
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	3.4	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.2 J		
MW-18 Screen 4	Feb 2004	MW-18-4	3.1	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0		
MW-18 Screen 4	Apr/May 2004	MW-18-4	2.1	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	8.1 J		
MW-18 Screen 4	Jul/Aug 2004	MW-18-4	4.0	1.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	13.9		
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	6.4	1.5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0		
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	8.3	2.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.3	10.2		
MW-18 Screen 4	Apr/May 2005	MW-18-4	2.4	0.8	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	12.6	m,p-Xylene	0.3 J
MW-18 Screen 4	Jul/Sep 2005	MW-18-4	1.7	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	10.2	1,2,3-Trichloropropane	0.0
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	5.1	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	9.3		
MW-18 Screen 4	Mar/Apr 2006	MW-18-4	3.6	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	11.0		
MW-18 Screen 4	May/Jun 2006	MW-18-4	2.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	11.0		
MW-18 Screen 4	Aug/Sep 2006	MW-18-4	3.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	10.0		
MW-18 Screen 4	Oct/Dec 2006	MW-18-4	5.3	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	14.0	1,2,3-Trichloropropane 1,4-Dioxane	0.0 J 1.8
MW-18 Screen 4	Mar/Apr 2007	MW-18-4	7.1	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.0 U		
MW-18 Screen 4	Jun/Jul 2007	MW-18-4	5.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	21.0		
MW-18 Screen 4	Aug/Sep 2007	MW-18-4	9.1	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	20.0		
MW-18 Screen 4	Oct/Dec 2007	MW-18-4	8.8	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.8	1.9	26.0		
MW-18 Screen 4	Jan/Feb 2008	MW-18-4	10.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.0	28.0 J		
MW-18 Screen 4	Apr/May 2008	MW-18-4	8.1	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	34.0		
MW-18 Screen 4	Jul/Aug 2008	MW-18-4	11.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	29.5		
MW-18 Screen 4	Oct/Nov 2008	MW-18-4	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	34.3		
MW-18 Screen 4	Oct/Nov 2008	DUPE-02-4Q08	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	35.5		
MW-18 Screen 4	Jan/Feb 2009	MW-18-4	14.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	41.4		
MW-18 Screen 4	Apr/May 2009	MW-18-4	10.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	45.7		
MW-18 Screen 4	Jul/Aug 2009	MW-18-4	13.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	43.2		
MW-18 Screen 4	Nov/Dec 2009	MW-18-4	16.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	52.9 J		
MW-18 Screen 4	Feb 2010	MW-18-4	10.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	58.8		
MW-18 Screen 4	Feb 2010	DUPE-2-1Q10	8.9	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	60.1		
MW-18 Screen 4	Apr/May 2010	MW-18-4	7.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	67.2 J		
MW-18 Screen 4	Jul/Aug 2010	MW-18-4	9.1	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	54.5		
MW-18 Screen 4	Oct/Nov 2010	MW-18-4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	30.0	Methyl-tert-butyl ether (MTBE) Styrene	2.0 2.7
MW-18 Screen 4	Feb/Mar 2011	MW-18-4	12.0	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.4	46.8		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-18 Screen 4	Apr/May 2011	MW-18-4	3.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	38.3	
MW-18 Screen 4	Aug/Sep 2011	MW-18-4	1.9	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.9 J	
MW-18 Screen 4	Nov/Dec 2011	MW-18-4	2.8	1.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	11.6	
MW-18 Screen 4	Jan/Feb 2012	MW-18-4	1.6	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.5	
MW-18 Screen 4	Apr/May 2012	MW-18-4	4.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	47.3	
MW-18 Screen 4	Apr/May 2012	DUPE-6-2Q12	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	46.2	
MW-18 Screen 4	Aug/Sep 2012	MW-18-4	1.9	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0	
MW-18 Screen 4	Nov 2012	MW-18-4	1.7	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0	
MW-18 Screen 4	Jan/Feb 2013	MW-18-4	1.4	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	12.0	
MW-18 Screen 4	Apr/May 2013	MW-18-4	1.0	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	12.0	
MW-18 Screen 4	Jul 2013	MW-18-4	2.1	0.9	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	13.0	
MW-18 Screen 4	Jul 2013	DUPE-3-3Q13	1.5	0.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0	
MW-18 Screen 4	Oct/Nov 2013	MW-18-4	1.9	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0	
MW-18 Screen 4	Jan/Feb 2014	MW-18-4	1.8	1.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0	
MW-18 Screen 4	Apr/May 2014	MW-18-4	1.4	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0	
MW-18 Screen 4	Jul/Aug 2014	MW-18-4	4.2	2.2	2.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0	
MW-18 Screen 4	Jul/Aug 2014	DUP-3-3Q14	5.0	2.3	2.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0	
MW-18 Screen 4	Oct 2014	MW-18-4	1.5	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	15.0	
MW-18 Screen 5	Aug/Sep 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	Oct/Nov 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	Feb/Mar 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	June/July 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-18 Screen 5	June/July 1997	MW-18-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-18 Screen 5	Sep/Oct 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jan/Feb 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Apr/May 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jul/Aug 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Oct/Nov 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Feb/Mar 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	May/June 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8
MW-18 Screen 5	Aug 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Nov/Dec 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Mar/Apr 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jul/Aug 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Sep/Oct 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Jan/Feb 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Chloromethane 1.4 Methylene chloride 0.6 B Methyl-tert-butyl ether (MTBE) 0.6 J
MW-18 Screen 5	Apr 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-18 Screen 5	Jul 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-18 Screen 5	Oct 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 5	Jan/Feb 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	2.1
MW-18 Screen 5	Apr/May 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-18 Screen 5	Jul/Aug 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Feb 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul/Aug 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.7
												m,p-Xylene	3.0
												o-Xylene	0.9
MW-18 Screen 5	Apr/May 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5
MW-18 Screen 5	Jul/Sep 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane	0.5 U
												1,2,3-Trichloropropane	0.0 U
												m,p-Xylene	0.4 J
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Mar/Apr 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	May/June 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Aug/Sep 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Oct/Dec 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Mar/Apr 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jun/Jul 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Aug/Sep 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Dec 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Jan/Feb 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Apr/May 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Jul/Aug 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Nov 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jan/Feb 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jul/Aug 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Nov/Dec 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J		
MW-18 Screen 5	Feb 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J		
MW-18 Screen 5	Jul/Aug 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Nov 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Feb/Mar 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 5	Apr/May 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Aug/Sep 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Nov/Dec 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jan/Feb 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Aug/Sep 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Nov 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-18 Screen 5	Jan/Feb 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-18 Screen 5	Jul 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-18 Screen 5	Oct/Nov 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-18 Screen 5	Jan/Feb 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul/Aug 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 J	Styrene	0.1 J
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	NA		
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-19 Screen 1	Oct/Nov 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-19 Screen 1	Feb/Mar 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA		
MW-19 Screen 1	June/July 1997	MW-19-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 1	June/July 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	NA	Bromodichloromethane	0.5
MW-19 Screen 1	Sep/Oct 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-19 Screen 1	Jan/Feb 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 1	Apr/May 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb/Mar 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	May/June 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Aug 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Nov/Dec 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Mar/Apr 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Sep/Oct 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) Toluene	0.3 J 0.7 J 0.4 J
MW-19 Screen 1	Apr 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-19 Screen 1	Jul 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.1

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 1	Apr/May 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-19 Screen 1	Jul 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2004	DUPE-2-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Sep 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene Methyl-tert-butyl ether (MTBE)	0.6 0.6 J
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Mar/Apr 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2006	DUPE-3-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	May/June 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Aug/Sep 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Oct/Dec 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2007	DUPE-4-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Jun/Jul 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Aug/Sep 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Oct/Dec 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Jan/Feb 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 1	Apr/May 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Jul/Aug 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Oct/Nov 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-19 Screen 1	Jan/Feb 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3		
MW-19 Screen 1	Apr/May 2009	MW-19-1	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-19 Screen 1	Jul/Aug 2009	MW-19-1	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-19 Screen 1	Nov/Dec 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-19 Screen 1	Feb 2010	MW-19-1	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7		
MW-19 Screen 1	Apr/May 2010	MW-19-1	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0		
MW-19 Screen 1	Jul/Aug 2010	MW-19-1	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		
MW-19 Screen 1	Oct/Nov 2010	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.0 J		
MW-19 Screen 1	Feb/Mar 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-19 Screen 1	Apr/May 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 1	Aug/Sep 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8		
MW-19 Screen 1	Nov/Dec 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	3.4
MW-19 Screen 1	Nov/Dec 2011	DUPE-2-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	2.8
MW-19 Screen 1	Jan/Feb 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Apr/May 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Aug/Sep 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Nov 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2013	DUP-1-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	Aug/Sep 1996	MW-19-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	Oct/Nov 1996	MW-19-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	Feb/Mar 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	June/July 1997	MW-19-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	June/July 1997	MW-19-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 2	Sep/Oct 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jan/Feb 1998	MW-19-2	0.5 U	0.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Apr/May 1998	MW-19-2	0.5 U	0.9	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jul/Aug 1998	MW-19-2	0.5 U	0.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Oct/Nov 1998	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Feb/Mar 1999	MW-19-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	May/June 1999	MW-19-2	0.5 U	1.3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-19 Screen 2	Aug 1999	MW-19-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Nov/Dec 1999	MW-19-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Mar/Apr 2000	MW-19-2	0.5 U	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jul/Aug 2000	MW-19-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Sep/Oct 2000	MW-19-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jan/Feb 2001	MW-19-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.4 B
												Methyl-tert-butyl ether (MTBE)	0.6 J
MW-19 Screen 2	Jan/Feb 2001	DUP	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7 B
MW-19 Screen 2	Apr 2001	MW-19-2	0.5 U	1.2	0.5 J	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-19 Screen 2	Jul 2001	MW-19-2	0.5 U	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 2	Jul 2001	DUP	0.5 U	1.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Oct 2001	MW-19-2	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 2	Jan/Feb 2002	MW-19-2	0.5 U	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.9 J
MW-19 Screen 2	Apr/May 2002	MW-19-2	0.5 U	1.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride	0.5 J
MW-19 Screen 2	Jul 2002	MW-19-2	0.5 U	1.7	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-19 Screen 2	Oct/Nov 2002	MW-19-2	0.5 U	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	0.5 U	1.1	2.0	0.4 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-19 Screen 2	Apr/May 2003	MW-19-2	0.5 U	0.4 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.3		
MW-19 Screen 2	Jul/Aug 2003	MW-19-2	0.5 U	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J	Bromodichloromethane Dibromochloromethane	0.4 J 0.6
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	0.5 U	0.3 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.4 J	Bromodichloromethane Dibromochloromethane	0.5 0.4 J
MW-19 Screen 2	Feb 2004	MW-19-2	0.5 U	0.5 J	1.6	0.4 J	0.5 U	0.5 U	0.5 U	1.2	6.8	Bromodichloromethane Dibromochloromethane	0.7 1.3
MW-19 Screen 2	Apr/May 2004	MW-19-2	0.5 U	0.3 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.5	Bromodichloromethane	0.4 J
MW-19 Screen 2	Jul/Aug 2004	MW-19-2	0.5 U	0.5	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.9	7.1	Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane	0.4 J 0.3 J 0.4 J
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	0.5 UJ	0.3 J	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.0	8.0	Bromodichloromethane Dibromochloromethane	0.5 J 0.6
MW-19 Screen 2	Jan/Feb 2005	MW-19-2	0.5 U	0.5 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.5 0.6
MW-19 Screen 2	Apr/May 2005	MW-19-2	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	7.0	Bromodichloromethane	0.6
MW-19 Screen 2	Jul/Sep 2005	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.7	m,p-Xylene	0.4 J
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	0.5 U	0.6	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.6	Bromodichloromethane	0.3 J
MW-19 Screen 2	Mar/Apr 2006	MW-19-2	0.5 U	1.1	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.7	4.5	Bromodichloromethane cis-1,2-Dichloroethene	0.3 J 0.3
MW-19 Screen 2	May/June 2006	MW-19-2	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.4		
MW-19 Screen 2	Aug/Sep 2006	MW-19-2	0.5 U	1.2	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.1		
MW-19 Screen 2	Oct/Dec 2006	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Mar/Apr 2007	MW-19-2	0.5 U	1.2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 2	Jun/Jul 2007	MW-19-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	Methylene chloride	0.7 J
MW-19 Screen 2	Aug/Sep 2007	MW-19-2	0.5 U	1.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-19 Screen 2	Oct/Dec 2007	MW-19-2	0.5 U	1.0	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	8.0	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Jan/Feb 2008	MW-19-2	0.5 U	1.3	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.4	1,2,3-Trichlorobenzene cis-1,2-Dichloroethene	0.3 J 0.3 J
MW-19 Screen 2	Apr/May 2008	MW-19-2	0.5 U	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.0		
MW-19 Screen 2	Jul/Aug 2008	MW-19-2	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-19 Screen 2	Jul/Aug 2008	DUPE-2-3Q08	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-19 Screen 2	Oct/Nov 2008	MW-19-2	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-19 Screen 2	Jan/Feb 2009	MW-19-2	0.5 U	2.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.2		
MW-19 Screen 2	Apr/May 2009	MW-19-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1		
MW-19 Screen 2	Jul/Aug 2009	MW-19-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 2	Jul/Aug 2009	DUPE-1-3Q09	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-19 Screen 2	Nov/Dec 2009	MW-19-2	0.5 U	1.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5		
MW-19 Screen 2	Feb 2010	MW-19-2	0.5 U	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4		
MW-19 Screen 2	Apr/May 2010	MW-19-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8		
MW-19 Screen 2	Jul/Aug 2010	MW-19-2	0.5 U	1.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	6.0		
MW-19 Screen 2	Oct/Nov 2010	MW-19-2	0.5 U	1.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0 J		
MW-19 Screen 2	Feb/Mar 2011	MW-19-2	0.5 U	2.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-19 Screen 2	Apr/May 2011	MW-19-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1		
MW-19 Screen 2	Aug/Sep 2011	MW-19-2	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-19 Screen 2	Nov/Dec 2011	MW-19-2	0.5 U	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-19 Screen 2	Jan/Feb 2012	MW-19-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-19 Screen 2	Apr/May 2012	MW-19-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-19 Screen 2	Apr/May 2012	DUPE-5-2Q12	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-19 Screen 2	Aug/Sep 2012	MW-19-2	0.5 U	1.1	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.8	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Nov 2012	MW-19-2	0.5 U	1.4	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.5	1.2 J	Bromodichloromethane	0.2 J
												cis-1,2-Dichloroethene	0.2 J
MW-19 Screen 2	Jan/Feb 2013	MW-19-2	0.5 U	1.2	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.7	6.2	Bromodichloromethane	0.2 J
												cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Apr/May 2013	MW-19-2	0.5 U	0.7	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	4.2	Bromodichloromethane	0.2 J
												cis-1,2-Dichloroethene	0.2 J
MW-19 Screen 2	Jul 2013	MW-19-2	0.5 U	0.9	1.2	0.3 J	0.5 U	0.5 U	0.5 U	0.9	6.1	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Oct/Nov 2013	MW-19-2	0.5 U	0.5 J	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.6	6.1	Bromodichloromethane	0.2 J
												cis-1,2-Dichloroethene	0.2 J
MW-19 Screen 2	Jan/Feb 2014	MW-19-2	0.5 U	0.8	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.9	5.9	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 2	Apr/May 2014	MW-19-2	0.5 U	0.4 J	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.7	6.3	Bromodichloromethane	0.3 J
												cis-1,2-Dichloroethene	0.2 J
												Dibromochloromethane	0.2 J
MW-19 Screen 2	Jul/Aug 2014	MW-19-2	0.5 U	0.8	1.3	0.2 J	0.5 U	0.5 U	0.5 U	1.0	5.7	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	0.3 J
												Dibromochloromethane	0.2 J
MW-19 Screen 2	Oct 2014	MW-19-2	0.5 U	0.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.8	5.5	Bromodichloromethane	0.3 J
												cis-1,2-Dichloroethene	0.2 J
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Aug/Sep 1996	MW-19-3	0.5 U	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Oct/Nov 1996	MW-19-3	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Feb/Mar 1997	MW-19-3	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	June/July 1997	MW-19-3	NA	NA	NA	NA	NA	NA	NA	NA	4.1		
MW-19 Screen 3	June/July 1997	MW-19-3	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Sep/Oct 1997	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 U	Toluene	0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 3	Jan/Feb 1998	MW-19-3	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Apr/May 1998	MW-19-3	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jul/Aug 1998	MW-19-3	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-19 Screen 3	Oct/Nov 1998	MW-19-3	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-19 Screen 3	Feb/Mar 1999	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	May/Jun 1999	MW-19-3	0.5 U	0.9	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2		
MW-19 Screen 3	Aug 1999	MW-19-3	0.5 U	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-19 Screen 3	Nov/Dec 1999	MW-19-3	0.5 U	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-19 Screen 3	Mar/Apr 2000	MW-19-3	0.5 U	0.8	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-19 Screen 3	Jul/Aug 2000	MW-19-3	0.5 U	0.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-19 Screen 3	Sep/Oct 2000	MW-19-3	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-19 Screen 3	Jan/Feb 2001	MW-19-3	0.5 U	0.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methylene chloride Methylene chloride Methyl-tert-butyl ether (MTBE)	0.7 B 1.7 1.1
MW-19 Screen 3	Apr 2001	MW-19-3	0.5 U	0.5	1.2	0.5 U	0.5 U	0.5 U	NA	0.3 J	4.0 U		
MW-19 Screen 3	Jul 2001	MW-19-3	0.5 U	0.9	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 3	Oct 2001	MW-19-3	0.5 U	0.5 J	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jan/Feb 2002	MW-19-3	0.5 U	1.1	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.6	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride	0.7 J
MW-19 Screen 3	Apr/May 2002	MW-19-3	0.5 U	1.1	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 3	Jul 2002	MW-19-3	0.5 U	1.1	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 3	Oct/Nov 2002	MW-19-3	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 3	Dec 2002	MW-19-3	0.2 U	0.8 J	1.5 J	0.3 U	0.5 U	0.5 U	0.5 U	0.5 J	NA	NDPHA	0.0 J
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	0.5 U	0.5 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 3	Apr/May 2003	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-19 Screen 3	Jul/Aug 2003	MW-19-3	0.5 U	0.4 J	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Dibromochloromethane	0.4 J
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	0.5 U	0.3 J	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.1 J		
MW-19 Screen 3	Feb 2004	MW-19-3	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	Dibromochloromethane	0.9
MW-19 Screen 3	Feb 2004	DUPE-2-1Q04	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.3	Dibromochloromethane	0.9
MW-19 Screen 3	Apr/May 2004	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-19 Screen 3	Jul/Aug 2004	MW-19-3	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7		
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.8		
MW-19 Screen 3	Jan/Feb 2005	MW-19-3	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.6
MW-19 Screen 3	Jan/Feb 2005	DUPE-2-1Q05	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.6
MW-19 Screen 3	Apr/May 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jul/Sep 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J		
MW-19 Screen 3	Mar/Apr 2006	MW-19-3	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-19 Screen 3	May/Jun 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	May/Jun 2006	DUPE-1-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Aug/Sep 2006	MW-19-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 3	Oct/Dec 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Mar/Apr 2007	MW-19-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jun/Jul 2007	MW-19-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-19 Screen 3	Aug/Sep 2007	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Oct/Dec 2007	MW-19-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-19 Screen 3	Jan/Feb 2008	MW-19-3	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-19 Screen 3	Apr/May 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-19 Screen 3	Jul/Aug 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-19 Screen 3	Oct/Nov 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-19 Screen 3	Jan/Feb 2009	MW-19-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 3	Apr/May 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 3	Jul/Aug 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-19 Screen 3	Nov/Dec 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9		
MW-19 Screen 3	Feb 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-19 Screen 3	Apr/May 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8		
MW-19 Screen 3	Jul/Aug 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4		
MW-19 Screen 3	Oct/Nov 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-19 Screen 3	Feb/Mar 2011	MW-19-3	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		
MW-19 Screen 3	Apr/May 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-19 Screen 3	Apr/May 2011	DUPE-3-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-19 Screen 3	Aug/Sep 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-19 Screen 3	Nov/Dec 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	Styrene	0.8
MW-19 Screen 3	Jan/Feb 2012	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0		
MW-19 Screen 3	Apr/May 2012	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-19 Screen 3	Aug/Sep 2012	MW-19-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.0 J	cis-1,2-Dichloroethene	0.1 J
MW-19 Screen 3	Nov 2012	MW-19-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.8 J		
MW-19 Screen 3	Nov 2012	DUPE-1-4Q12	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jan/Feb 2013	MW-19-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.4 J		
MW-19 Screen 3	Apr/May 2013	MW-19-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U		
MW-19 Screen 3	Jul 2013	MW-19-3	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.8 J		
MW-19 Screen 3	Oct/Nov 2013	MW-19-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	3.4 J		
MW-19 Screen 3	Jan/Feb 2014	MW-19-3	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J		
MW-19 Screen 3	Apr/May 2014	MW-19-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.9 J		
MW-19 Screen 3	Jul/Aug 2014	MW-19-3	0.5 U	0.1 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.4		
MW-19 Screen 3	Oct 2014	MW-19-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.3 J		
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-19 Screen 4	Aug/Sep 1996	MW-19-4	0.5	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	NA		
MW-19 Screen 4	Oct/Nov 1996	MW-19-4	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	NA		
MW-19 Screen 4	Feb/Mar 1997	MW-19-4	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	NA		
MW-19 Screen 4	June/July 1997	MW-19-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 4	June/July 1997	MW-19-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-19 Screen 4	Sep/Oct 1997	MW-19-4	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.9	
MW-19 Screen 4	Jan/Feb 1998	MW-19-4	0.5 U	0.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-19 Screen 4	Apr/May 1998	MW-19-4	0.5 U	0.8	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0 U	
MW-19 Screen 4	Jul/Aug 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-19 Screen 4	Oct/Nov 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	
MW-19 Screen 4	Feb/Mar 1999	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	
MW-19 Screen 4	May/Jun 1999	MW-19-4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	
MW-19 Screen 4	Aug 1999	MW-19-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U	
MW-19 Screen 4	Nov/Dec 1999	MW-19-4	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	
MW-19 Screen 4	Mar/Apr 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	
MW-19 Screen 4	Jul/Aug 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	
MW-19 Screen 4	Sep/Oct 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	
MW-19 Screen 4	Jan/Feb 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	Bromodichloromethane Bromodichloromethane Methylene chloride Methyl-tert-butyl ether (MTBE) Toluene
												0.4 J 0.3 J 0.8 B 0.9 J 0.3 J
MW-19 Screen 4	Apr 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.0	4.0 U	
MW-19 Screen 4	Jul 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	
MW-19 Screen 4	Oct 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	
MW-19 Screen 4	Jan/Feb 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U	Methylene chloride
												0.5 J
MW-19 Screen 4	Apr/May 2002	MW-19-4	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	Methylene chloride
												0.4 J
MW-19 Screen 4	Jul 2002	MW-19-4	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	Bromodichloromethane
												0.5 J
MW-19 Screen 4	Oct/Nov 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	
MW-19 Screen 4	Apr/May 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-19 Screen 4	Jul/Aug 2003	MW-19-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	
MW-19 Screen 4	Jul/Aug 2003	DUPE-1-3Q03	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U	
MW-19 Screen 4	Feb 2004	MW-19-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.5 J	
MW-19 Screen 4	Apr/May 2004	MW-19-4	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-19 Screen 4	Jul/Aug 2004	MW-19-4	0.5 U	0.4 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	m,p-Xylene Toluene
												0.7 0.6
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	0.5 UJ	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	
MW-19 Screen 4	Jan/Feb 2005	MW-19-4	0.5 U	0.4 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-19 Screen 4	Apr/May 2005	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J	
MW-19 Screen 4	Jul/Sep 2005	MW-19-4	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.0 J	m,p-Xylene
												0.8
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.4 J	
MW-19 Screen 4	Mar/Apr 2006	MW-19-4	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-19 Screen 4	May/Jun 2006	MW-19-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-19 Screen 4	Aug/Sep 2006	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 4	Oct/Dec 2006	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 4	Mar/Apr 2007	MW-19-4	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 U	
MW-19 Screen 4	Jun/Jul 2007	MW-19-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-19 Screen 4	Aug/Sep 2007	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	
MW-19 Screen 4	Oct/Dec 2007	MW-19-4	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.4	
MW-19 Screen 4	Jan/Feb 2008	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U	
MW-19 Screen 4	Apr/May 2008	MW-19-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-19 Screen 4	Jul/Aug 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-19 Screen 4	Oct/Nov 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 4	Jan/Feb 2009	MW-19-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-19 Screen 4	Apr/May 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-19 Screen 4	Jul/Aug 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-19 Screen 4	Nov/Dec 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-19 Screen 4	Feb 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	
MW-19 Screen 4	Apr/May 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-19 Screen 4	Jul/Aug 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-19 Screen 4	Oct/Nov 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	
MW-19 Screen 4	Feb/Mar 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	
MW-19 Screen 4	Apr/May 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-19 Screen 4	Aug/Sep 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-19 Screen 4	Aug/Sep 2011	DUPE-01-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-19 Screen 4	Nov/Dec 2011	MW-19-4	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-19 Screen 4	Jan/Feb 2012	MW-19-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	
MW-19 Screen 4	Apr/May 2012	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	
MW-19 Screen 4	Aug/Sep 2012	MW-19-4	0.5 U	0.2 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.6 J	cis-1,2-Dichloroethene
MW-19 Screen 4	Nov 2012	MW-19-4	0.5 U	0.1 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.4 J	0.1 J
MW-19 Screen 4	Jan/Feb 2013	MW-19-4	0.5 U	0.2 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.3 J	
MW-19 Screen 4	Apr/May 2013	MW-19-4	0.5 U	0.1 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.9 J	
MW-19 Screen 4	Jul 2013	MW-19-4	0.5 U	0.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.2 J	
MW-19 Screen 4	Oct/Nov 2013	MW-19-4	0.5 U	0.1 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.9 J	
MW-19 Screen 4	Jan/Feb 2014	MW-19-4	0.5 U	0.1 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.4 J	
MW-19 Screen 4	Apr/May 2014	MW-19-4	0.5 U	0.1 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.3 J	
MW-19 Screen 4	Jul/Aug 2014	MW-19-4	0.5 U	0.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.4 J	
MW-19 Screen 4	Oct 2014	MW-19-4	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.1 J	
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 5	Aug/Sep 1996	MW-19-5	0.5 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-19 Screen 5	Oct/Nov 1996	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 5	Feb/Mar 1997	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 5	June/July 1997	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-19 Screen 5	June/July 1997	MW-19-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 5	Sep/Oct 1997	MW-19-5	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 5	Jan/Feb 1998	MW-19-5	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 1998	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 5	Jul/Aug 1998	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 1998	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Feb/Mar 1999	MW-19-5	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	May/Jun 1999	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	Methylene chloride	0.7
MW-19 Screen 5	Aug 1999	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-19 Screen 5	Nov/Dec 1999	MW-19-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Mar/Apr 2000	MW-19-5	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-19 Screen 5	Jul/Aug 2000	MW-19-5	0.5 U	0.5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.2		
MW-19 Screen 5	Sep/Oct 2000	MW-19-5	0.5 U	0.6	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jan/Feb 2001	MW-19-5	0.5 U	0.4 J	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE) Toluene	0.5 J 0.7 J 0.3 J
MW-19 Screen 5	Apr 2001	MW-19-5	0.5 U	0.4 J	2.5	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	1,2-Dichloroethene, Total cis-1,2-Dichloroethene	0.3 J 0.3 J
MW-19 Screen 5	Jul 2001	MW-19-5	0.5 U	0.4 J	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 5	Oct 2001	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-19 Screen 5	Jan/Feb 2002	MW-19-5	0.5 U	0.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	Methylene chloride	2.7
MW-19 Screen 5	Apr/May 2002	MW-19-5	0.5 U	0.6	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride	0.5 J
MW-19 Screen 5	Jul 2002	MW-19-5	0.5 U	0.6	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-19 Screen 5	Oct/Nov 2002	MW-19-5	0.5 U	0.4 J	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	Oct/Nov 2002	DUP	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Dec 2002	MW-19-5	0.2 U	0.6	5.4	0.3 U	0.5 U	0.5 U	0.5 U	0.4	NA	NDPHA	0.0
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	0.5 U	0.4 J	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 2003	MW-19-5	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 5	Jul/Aug 2003	MW-19-5	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	0.5 U	0.3 J	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-19 Screen 5	Feb 2004	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 2004	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jul/Aug 2004	MW-19-5	0.5 U	0.4 J	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	0.5 U	0.3 J	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	Jan/Feb 2005	MW-19-5	0.5 U	0.5	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.3 J
MW-19 Screen 5	Apr/May 2005	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jul/Sep 2005	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	Bromodichloromethane	0.4 J
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	0.5 U	0.4 J	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J		
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	0.5 U	0.3 J	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		
MW-19 Screen 5	Mar/Apr 2006	MW-19-5	0.5 U	0.5	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	May/Jun 2006	MW-19-5	0.5 U	0.4 J	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-19 Screen 5	Aug/Sep 2006	MW-19-5	0.5 U	0.4 J	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-19 Screen 5	Oct/Dec 2006	MW-19-5	0.5 U	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8 J	
MW-19 Screen 5	Mar/Apr 2007	MW-19-5	0.5 U	0.3 J	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-19 Screen 5	Jun/Jul 2007	MW-19-5	0.5 U	0.3 J	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-19 Screen 5	Aug/Sep 2007	MW-19-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-19 Screen 5	Oct/Dec 2007	MW-19-5	0.5 U	0.3 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.8	
MW-19 Screen 5	Jan/Feb 2008	MW-19-5	0.5 U	0.4 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U	
MW-19 Screen 5	Apr/May 2008	MW-19-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 5	Jul/Aug 2008	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	Chloromethane 1.0
MW-19 Screen 5	Oct/Nov 2008	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 5	Jan/Feb 2009	MW-19-5	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-19 Screen 5	Apr/May 2009	MW-19-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-19 Screen 5	Jul/Aug 2009	MW-19-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-19 Screen 5	Nov/Dec 2009	MW-19-5	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-19 Screen 5	Feb 2010	MW-19-5	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-19 Screen 5	Apr/May 2010	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	
MW-19 Screen 5	Jul/Aug 2010	MW-19-5	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	
MW-19 Screen 5	Oct/Nov 2010	MW-19-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J	
MW-19 Screen 5	Feb/Mar 2011	MW-19-5	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	
MW-19 Screen 5	Apr/May 2011	MW-19-5	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-19 Screen 5	Aug/Sep 2011	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-19 Screen 5	Nov/Dec 2011	MW-19-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	
MW-19 Screen 5	Jan/Feb 2012	MW-19-5	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	
MW-19 Screen 5	Apr/May 2012	MW-19-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-19 Screen 5	Aug/Sep 2012	MW-19-5	0.5 U	0.2 J	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.3 J	
MW-19 Screen 5	Nov 2012	MW-19-5	0.5 U	0.1 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.4 J	
MW-19 Screen 5	Jan/Feb 2013	MW-19-5	0.5 U	0.1 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.6 J	
MW-19 Screen 5	Apr/May 2013	MW-19-5	0.5 U	0.2 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Carbon disulfide 0.4 J
MW-19 Screen 5	Jul 2013	MW-19-5	0.5 U	0.2 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.1 J	Styrene 0.1 J
MW-19 Screen 5	Jul 2013	DUP-1-3Q13	0.5 U	0.1 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.0 J	
MW-19 Screen 5	Oct/Nov 2013	MW-19-5	0.5 U	0.1 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.8 J	
MW-19 Screen 5	Jan/Feb 2014	MW-19-5	0.5 U	0.1 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.8 J	
MW-19 Screen 5	Apr/May 2014	MW-19-5	0.5 U	0.1 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.1 J	
MW-19 Screen 5	Jul/Aug 2014	MW-19-5	0.5 U	0.1 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.3 J	
MW-19 Screen 5	Oct 2014	MW-19-5	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.2 J	
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 1	Aug/Sep 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA	
MW-20 Screen 1	Feb/Mar 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA	
MW-20 Screen 1	June/July 1997	MW-20-1	NA	NA	NA	NA	NA	NA	NA	NA	5.7	
MW-20 Screen 1	June/July 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	NA	
MW-20 Screen 1	Jan/Feb 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	6.3	
MW-20 Screen 1	Apr/May 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	5.5	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 1	Jul/Aug 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	5.9		
MW-20 Screen 1	Oct/Nov 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	7.8		
MW-20 Screen 1	Feb/Mar 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.9		
MW-20 Screen 1	May/Jun 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.4		
MW-20 Screen 1	Aug 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.5		
MW-20 Screen 1	Nov/Dec 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	7.7		
MW-20 Screen 1	Mar/Apr 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	7.6		
MW-20 Screen 1	Jul/Aug 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5		
MW-20 Screen 1	Sep/Oct 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	7.9		
MW-20 Screen 1	Jan/Feb 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	5.0	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.4 J 0.3 J
MW-20 Screen 1	Apr 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.9	4.0 U		
MW-20 Screen 1	Jul 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-20 Screen 1	Oct 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jan/Feb 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	Methylene chloride	0.7 J
MW-20 Screen 1	Apr/May 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-20 Screen 1	Jul 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 1	Oct/Nov 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-20 Screen 1	Apr/May 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Apr/May 2003	DUPE-3-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jul/Aug 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.5 J		
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.1 J	4-Methyl-2-pentanone Chloroethane Chloromethane	3.0 J 2.2 0.9
MW-20 Screen 1	Feb 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Apr/May 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jul/Aug 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2		
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-20 Screen 1	Apr/May 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jul/Sep 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J		
MW-20 Screen 1	Mar/Apr 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 1	May/Jun 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Aug/Sep 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Oct/Dec 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Mar/Apr 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jun/Jul 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jun/Jul 2007	DUPE-2-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP		
MW-20 Screen 1	Aug/Sep 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U			
MW-20 Screen 1	Oct/Dec 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0			
MW-20 Screen 1	Jan/Feb 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U			
MW-20 Screen 1	Apr/May 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U			
MW-20 Screen 1	Jul/Aug 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6			
MW-20 Screen 1	Oct/Nov 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7			
MW-20 Screen 1	Oct/Nov 2008	MW-20-1RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Jan/Feb 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Jan/Feb 2009	DUPE-04-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Apr/May 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Jul/Aug 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Nov/Dec 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Nov/Dec 2009	DUPE-01-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Feb 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Apr/May 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Jul/Aug 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Oct/Nov 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Feb/Mar 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Apr/May 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Aug/Sep 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 J			
MW-20 Screen 1	Nov/Dec 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Jan/Feb 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7			
MW-20 Screen 1	Apr/May 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U			
MW-20 Screen 1	Aug/Sep 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.6 J	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-20 Screen 1	Nov 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-20 Screen 1	Jan/Feb 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.2 J
MW-20 Screen 1	Apr/May 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Bromodichloromethane Methyl-tert-butyl ether (MTBE)	0.2 J 0.2 J
MW-20 Screen 1	Jul 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.2 J	Methyl-tert-butyl ether (MTBE)	0.2 J
MW-20 Screen 1	Oct/Nov 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	Carbon disulfide	0.4 J
MW-20 Screen 1	Jan/Feb 2014	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U		
MW-20 Screen 1	Jan/Feb 2014	DUPE-2-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U		
MW-20 Screen 1	Apr/May 2014	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	NA			
MW-20 Screen 2	Aug/Sep 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8	NA		Bromodichloromethane	0.9
MW-20 Screen 2	Oct/Nov 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	NA		Bromodichloromethane	0.6
MW-20 Screen 2	Feb/Mar 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	NA			
MW-20 Screen 2	June/July 1997	MW-20-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U			
MW-20 Screen 2	June/July 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	NA			
MW-20 Screen 2	Sep/Oct 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	4.0 U		Bromodichloromethane	0.5
MW-20 Screen 2	Jan/Feb 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U			

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 2	Apr/May 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U		
MW-20 Screen 2	Jul/Aug 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	Bromodichloromethane	0.5
MW-20 Screen 2	Oct/Nov 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	4.0 U		
MW-20 Screen 2	Feb/Mar 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U		
MW-20 Screen 2	May/Jun 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Aug 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Nov/Dec 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U		
MW-20 Screen 2	Mar/Apr 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U		
MW-20 Screen 2	Jul/Aug 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Sep/Oct 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.0 U	Bromodichloromethane	0.7
MW-20 Screen 2	Jan/Feb 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.0 U	Bromodichloromethane Bromodichloromethane	0.5 J 0.4 J
MW-20 Screen 2	Apr 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.9	4.0 U	Bromodichloromethane	0.4 J
MW-20 Screen 2	Jul 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	4.0 U		
MW-20 Screen 2	Oct 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	4.0 U		
MW-20 Screen 2	Jan/Feb 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	Bromodichloromethane	0.3 J
MW-20 Screen 2	Apr/May 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U		
MW-20 Screen 2	Jul 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	Bromodichloromethane	0.6
MW-20 Screen 2	Oct/Nov 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	Bromodichloromethane	0.5 J
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.0 U		
MW-20 Screen 2	Apr/May 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-20 Screen 2	Jul/Aug 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	Bromodichloromethane	0.3 J
MW-20 Screen 2	Feb 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-20 Screen 2	Apr/May 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-20 Screen 2	Jul/Aug 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-20 Screen 2	Apr/May 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-20 Screen 2	Jul/Sep 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.5 J
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-20 Screen 2	Mar/Apr 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U		
MW-20 Screen 2	May/Jun 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 2	Aug/Sep 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U		
MW-20 Screen 2	Oct/Dec 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 2	Mar/Apr 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U		
MW-20 Screen 2	Mar/Apr 2007	DUPE-3-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 U		
MW-20 Screen 2	Jun/Jul 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	1.0 U		
MW-20 Screen 2	Aug/Sep 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U		
MW-20 Screen 2	Oct/Dec 2007	MW-20-2	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-20 Screen 2	Jan/Feb 2008	MW-20-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6	
MW-20 Screen 2	Apr/May 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 U	
MW-20 Screen 2	Jul/Aug 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U	
MW-20 Screen 2	Oct/Nov 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.1	
MW-20 Screen 2	Oct/Nov 2008	MW-20-2RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-20 Screen 2	Jan/Feb 2009	MW-20-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-20 Screen 2	Jan/Feb 2009	DUPE-03-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-20 Screen 2	Apr/May 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 2	Jul/Aug 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	
MW-20 Screen 2	Nov/Dec 2009	MW-20-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	
MW-20 Screen 2	Feb 2010	MW-20-2	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	
MW-20 Screen 2	Apr/May 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	
MW-20 Screen 2	Apr/May 2010	DUPE-04-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	
MW-20 Screen 2	Jul/Aug 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-20 Screen 2	Oct/Nov 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	
MW-20 Screen 2	Feb/Mar 2011	MW-20-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	
MW-20 Screen 2	Apr/May 2011	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-20 Screen 2	Aug/Sep 2011	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 J	
MW-20 Screen 2	Nov/Dec 2011	MW-20-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	
MW-20 Screen 2	Jan/Feb 2012	MW-20-2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	
MW-20 Screen 2	Apr/May 2012	MW-20-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	
MW-20 Screen 2	Aug/Sep 2012	MW-20-2	0.5 U	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.2 J	Styrene 0.1 J
MW-20 Screen 2	Nov 2012	MW-20-2	0.5 U	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.5 J	Styrene 0.1 J
MW-20 Screen 2	Jan/Feb 2013	MW-20-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	3.4 J	Styrene 0.1 J
MW-20 Screen 2	Apr/May 2013	MW-20-2	0.5 U	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.9 J	Carbon disulfide 0.4 J
MW-20 Screen 2	Jul 2013	MW-20-2	0.5 U	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.9 J	
MW-20 Screen 2	Oct/Nov 2013	MW-20-2	0.5 U	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.3 J	
MW-20 Screen 2	Jan/Feb 2014	MW-20-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.6 J	Styrene 0.1 J
MW-20 Screen 2	Apr/May 2014	MW-20-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0	
MW-20 Screen 2	Jul/Aug 2014	MW-20-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.5 J	
MW-20 Screen 2	Jul/Aug 2014	DUP-1-3Q14	0.5 U	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.3 J	
MW-20 Screen 2	Oct 2014	MW-20-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.9 J	
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	Aug/Sep 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	Oct/Nov 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-20 Screen 3	Feb/Mar 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	June/July 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 3	June/July 1997	MW-20-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-20 Screen 3	Sep/Oct 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Jan/Feb 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 3	Apr/May 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 3	Jul/Aug 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Feb/Mar 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	May/Jun 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Aug 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Nov/Dec 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Mar/Apr 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Aug 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Sep/Oct 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-20 Screen 3	Apr 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 3	Jul 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2002	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-20 Screen 3	Apr/May 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Apr/May 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	4.0 J
MW-20 Screen 3	Jul/Aug 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Aug 2003	DUPE-2-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Feb 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-20 Screen 3	Apr/May 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Aug 2004	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.3 J
MW-20 Screen 3	Apr/May 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Sep 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Mar/Apr 2006	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	May/Jun 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Aug/Sep 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Oct/Dec 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Mar/Apr 2007	MW-20-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-20 Screen 3	Jun/Jul 2007	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Aug/Sep 2007	MW-20-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Oct/Dec 2007	MW-20-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Jan/Feb 2008	MW-20-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U		
MW-20 Screen 3	Apr/May 2008	MW-20-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Jul/Aug 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 3	Oct/Nov 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-20 Screen 3	Oct/Nov 2008	MW-20-3RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jan/Feb 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-20 Screen 3	Apr/May 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Apr/May 2009	DUPE-06-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jul/Aug 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jul/Aug 2009	DUPE-5-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Nov/Dec 2009	MW-20-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Feb 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Apr/May 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-20 Screen 3	Jul/Aug 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jul/Aug 2010	DUPE-2-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Oct/Nov 2010	MW-20-3	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Feb/Mar 2011	MW-20-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Apr/May 2011	MW-20-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Aug/Sep 2011	MW-20-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Nov/Dec 2011	MW-20-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jan/Feb 2012	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.6	Methyl-tert-butyl ether (MTBE) Styrene	1.2 1.7
MW-20 Screen 3	Apr/May 2012	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Aug/Sep 2012	MW-20-3	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile Carbon disulfide Styrene	2.8 J 0.6 J 0.4 J
MW-20 Screen 3	Nov 2012	MW-20-3	0.5 U	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile Carbon disulfide Ethylbenzene Styrene	2.0 J 0.6 J 0.1 J 0.3 J
MW-20 Screen 3	Jan/Feb 2013	MW-20-3	0.5 U	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile Ethylbenzene Styrene Toluene	2.2 J 0.1 J 0.5 J 0.1 J
MW-20 Screen 3	Apr/May 2013	MW-20-3	0.5 U	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile Carbon disulfide Ethylbenzene Styrene Toluene	2.5 J 0.6 J 0.1 J 0.4 J 0.1 J
MW-20 Screen 3	Apr/May 2013	DUP-1-2Q13	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile Carbon disulfide Ethylbenzene Styrene Toluene	2.8 J 0.5 J 0.1 J 0.3 J 0.1 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 3	Jul 2013	MW-20-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile	2.9 J
												Ethylbenzene	0.2 J
												Styrene	0.4 J
												Toluene	0.1 J
MW-20 Screen 3	Oct/Nov 2013	MW-20-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile	2.6 J
												Carbon disulfide	0.8 J
												Ethylbenzene	0.1 J
												Styrene	0.4 J
												Toluene	0.1 J
MW-20 Screen 3	Jan/Feb 2014	MW-20-3	0.5 U	0.1 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile	2.6 J
												Ethylbenzene	0.2 J
												Styrene	0.4 J
												Toluene	0.1 J
MW-20 Screen 3	Apr/May 2014	MW-20-3	0.5 U	0.1 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.6 J
												Ethylbenzene	0.1 J
												Styrene	0.3 J
MW-20 Screen 3	Jul/Aug 2014	MW-20-3	0.5 U	0.1 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile	2.0 J
												Ethylbenzene	0.2 J
												Styrene	0.3 J
MW-20 Screen 3	Oct 2014	MW-20-3	0.5 U	0.1 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acrylonitrile	1.8 J
												Carbon disulfide	0.5 J
												Ethylbenzene	0.1 J
												Styrene	0.3 J
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Aug/Sep 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Oct/Nov 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Feb/Mar 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	June/July 1997	MW-20-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-20 Screen 4	June/July 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Sep/Oct 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0		
MW-20 Screen 4	Jul/Aug 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.0		
MW-20 Screen 4	Feb/Mar 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	May/Jun 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Aug 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Nov/Dec 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Mar/Apr 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Aug 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Sep/Oct 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 4	Jan/Feb 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-20 Screen 4	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) Styrene	0.8 J 0.6
MW-20 Screen 4	Apr 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 4	Jul 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-20 Screen 4	Apr/May 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	30.0		
MW-20 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.3		
MW-20 Screen 4	Jul 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	58.5		
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	124.0		
MW-20 Screen 4	Jul/Aug 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Feb 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Aug 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-20 Screen 4	Apr/May 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Sep 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Mar/Apr 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	May/Jun 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Aug/Sep 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Oct/Dec 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Mar/Apr 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Jun/Jul 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Aug/Sep 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Oct/Dec 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Jan/Feb 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Apr/May 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Jul/Aug 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.2		
MW-20 Screen 4	Oct/Nov 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	39.4		
MW-20 Screen 4	Oct/Nov 2008	MW-20-4RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	42.4		
MW-20 Screen 4	Jan/Feb 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	61.0		
MW-20 Screen 4	Apr/May 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Apr/May 2009	DUPE-05-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Jul/Aug 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-20 Screen 4	Nov/Dec 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	76.0	
MW-20 Screen 4	Feb 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Apr/May 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	37.3	
MW-20 Screen 4	Jul/Aug 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Oct/Nov 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Feb/Mar 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Apr/May 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.1	
MW-20 Screen 4	Apr/May 2011	DUPE-2-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.8	
MW-20 Screen 4	Aug/Sep 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Aug/Sep 2011	DUPE-04-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Nov/Dec 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Jan/Feb 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	123.0 J	
MW-20 Screen 4	Apr/May 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-20 Screen 4	Aug/Sep 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Nov 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.4 J
MW-20 Screen 4	Jan/Feb 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-20 Screen 4	Apr/May 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.6 J
MW-20 Screen 4	Jul 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 4	Oct/Nov 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.5 J
MW-20 Screen 4	Oct/Nov 2013	DUPE-1-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.8 J
MW-20 Screen 4	Jan/Feb 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-20 Screen 4	Apr/May 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.5 J
MW-20 Screen 4	Jul/Aug 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acetone 5.5 J
MW-20 Screen 4	Oct 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.5 J
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	Aug/Sep 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	Oct/Nov 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	Feb/Mar 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	June/July 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-20 Screen 5	June/July 1997	MW-20-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-20 Screen 5	Sep/Oct 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Jan/Feb 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Apr/May 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0	
MW-20 Screen 5	Jul/Aug 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Oct/Nov 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.2	
MW-20 Screen 5	Feb/Mar 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	May/Jun 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Aug 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Nov/Dec 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Mar/Apr 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-20 Screen 5	Jul/Aug 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 5	Sep/Oct 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4 J
MW-20 Screen 5	Apr 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 5	Jul 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Oct 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7 J
MW-20 Screen 5	Apr/May 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.5 J
MW-20 Screen 5	Jul 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.5 J
MW-20 Screen 5	Oct/Nov 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.6
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	2-Butanone Styrene	3.0 J 0.6
MW-20 Screen 5	Apr/May 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.5 J
MW-20 Screen 5	Jul/Aug 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4 J
MW-20 Screen 5	Feb 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Apr/May 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4 J
MW-20 Screen 5	Jul/Aug 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4 J
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Styrene	0.5 0.5
MW-20 Screen 5	Apr/May 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jul/Sep 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 J		
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride Styrene	0.4 J 0.3 J
MW-20 Screen 5	Mar/Apr 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	May/Jun 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.4 J
MW-20 Screen 5	May/Jun 2006	DUPE-2-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 5	Aug/Sep 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Oct/Dec 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Mar/Apr 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Jun/Jul 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Aug/Sep 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Oct/Dec 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Jan/Feb 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-20 Screen 5	Apr/May 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	0.4 J
MW-20 Screen 5	Jul/Aug 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			
MW-20 Screen 5	Oct/Nov 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			
MW-20 Screen 5	Oct/Nov 2008	MW-20-5RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			
MW-20 Screen 5	Jan/Feb 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			
MW-20 Screen 5	Apr/May 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Jul/Aug 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 5	Nov/Dec 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	22.6		
MW-20 Screen 5	Feb 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Apr/May 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5		
MW-20 Screen 5	Jul/Aug 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Oct/Nov 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	Styrene	0.8
MW-20 Screen 5	Feb/Mar 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Apr/May 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-20 Screen 5	Aug/Sep 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Nov/Dec 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Jan/Feb 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	56.5		
MW-20 Screen 5	Apr/May 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Aug/Sep 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.8 J
												Styrene	0.4 J
MW-20 Screen 5	Nov 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
												Styrene	0.3 J
MW-20 Screen 5	Jan/Feb 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-20 Screen 5	Apr/May 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
												Styrene	0.2 J
MW-20 Screen 5	Jul 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-20 Screen 5	Oct/Nov 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.8 J
												Styrene	0.3 J
MW-20 Screen 5	Jan/Feb 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-20 Screen 5	Apr/May 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.2 J
MW-20 Screen 5	Jul/Aug 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.4 J
												Styrene	0.2 J
MW-20 Screen 5	Oct 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
												Styrene	0.2 J
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	0.5 U	35.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	NA		
MW-21 Screen 1	Aug/Sep 1996	MW-21-1	0.5 U	33.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	NA		
MW-21 Screen 1	Feb/Mar 1997	MW-21-1	0.5 U	29.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	NA		
MW-21 Screen 1	June/July 1997	MW-21-1	0.5 U	20.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA		
MW-21 Screen 1	June/July 1997	MW-21-1	NA	NA	NA	NA	NA	NA	NA	NA	19.0		
MW-21 Screen 1	Jan/Feb 1998	MW-21-1	0.5 U	16.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	14.0		
MW-21 Screen 1	Apr/May 1998	MW-21-1	0.5 U	16.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	14.0		
MW-21 Screen 1	Jul/Aug 1998	MW-21-1	0.5 U	16.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	13.0		
MW-21 Screen 1	Oct/Nov 1998	MW-21-1	0.5 U	10.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.2		
MW-21 Screen 1	Feb/Mar 1999	MW-21-1	0.5 U	20.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.8	14.0		
MW-21 Screen 1	May/Jun 1999	MW-21-1	0.5 U	20.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.6	15.0		
MW-21 Screen 1	Aug 1999	MW-21-1	0.5 U	17.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.7	12.0		
MW-21 Screen 1	Nov/Dec 1999	MW-21-1	0.5 U	15.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	16.0		
MW-21 Screen 1	Mar/Apr 2000	MW-21-1	0.5 U	17.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	12.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 1	Jul/Aug 2000	MW-21-1	0.5 U	12.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.7	16.0	
MW-21 Screen 1	Sep/Oct 2000	MW-21-1	0.5 U	12.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	16.0	
MW-21 Screen 1	Jan/Feb 2001	MW-21-1	0.5 U	9.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.6	11.0	
MW-21 Screen 1	Apr 2001	MW-21-1	0.5 U	3.3	0.6	0.7	0.5 U	0.5 U	NA	1.2	4.0 U	
MW-21 Screen 1	Jul 2001	MW-21-1	0.5 U	15.5	0.8	NA	0.5 U	0.5 U	0.5 U	1.5	8.0	
MW-21 Screen 1	Oct 2001	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 1	Jan/Feb 2002	MW-21-1	0.5 U	17.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.7	8.2	Methylene chloride 0.4 J
MW-21 Screen 1	Apr/May 2002	MW-21-1	0.5 U	8.3	0.8	0.4 J	0.5 U	0.5 U	0.5 U	1.7	4.0 U	Methylene chloride 2.4
MW-21 Screen 1	Jul 2002	MW-21-1	0.5 U	12.0	0.6	0.4 J	0.5 U	0.5 U	0.5 U	1.4	7.7	
MW-21 Screen 1	Oct/Nov 2002	MW-21-1	0.5 U	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	0.5 U	3.6	0.7	0.5	0.5 U	0.5 U	0.5 U	1.0	3.1	
MW-21 Screen 1	Apr/May 2003	MW-21-1	0.5 U	0.7	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	3.6 J	
MW-21 Screen 1	Jul/Aug 2003	MW-21-1	0.5 U	11.0	1.0	0.7	0.5 U	0.5 U	0.5 U	1.7	5.2	
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	6.5	
MW-21 Screen 1	Feb 2004	MW-21-1	0.5 U	1.2	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	5.7	
MW-21 Screen 1	Apr/May 2004	MW-21-1	0.5 U	0.9	0.4 J	0.6	0.5 U	0.5 U	0.5 U	0.7	5.6	
MW-21 Screen 1	Jul/Aug 2004	MW-21-1	0.5 U	4.2	0.5	0.6	0.5 U	0.5 U	0.5 U	0.8	5.1	
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	0.5 U	1.5	0.5	0.6	0.5 U	0.5 U	0.5 U	0.7	7.3	
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	0.5 U	0.7	0.5	0.9	0.5 U	0.5 U	0.5 U	0.6	4.0 U	m,p-Xylene 0.6
MW-21 Screen 1	Apr/May 2005	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Jul/Sep 2005	MW-21-1	0.5 U	0.8	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5	3.6 J	Bromodichloromethane 0.4 J
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	0.5 U	0.8	0.3 J	0.7	0.5 U	0.5 U	0.5 U	0.6	4.1	
MW-21 Screen 1	Mar/Apr 2006	MW-21-1	0.5 U	0.5 U	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	May/Jun 2006	MW-21-1	0.5 U	0.5 U	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Aug/Sep 2006	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-21 Screen 1	Oct/Dec 2006	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 1	Mar/Apr 2007	MW-21-1	0.5 U	0.5 U	0.3 J	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Jun/Jul 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 1	Aug/Sep 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-21 Screen 1	Oct/Dec 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.6	
MW-21 Screen 1	Jan/Feb 2008	MW-21-1	0.5 U	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-21 Screen 1	Apr/May 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-21 Screen 1	Jul/Aug 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4	
MW-21 Screen 1	Oct/Nov 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	
MW-21 Screen 1	Oct/Nov 2008	DUPE-01-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9	
MW-21 Screen 1	Jan/Feb 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.7	
MW-21 Screen 1	Jan/Feb 2009	DUPE-01-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0	
MW-21 Screen 1	Apr/May 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.4	
MW-21 Screen 1	Jul/Aug 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.8	
MW-21 Screen 1	Nov/Dec 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.4	
MW-21 Screen 1	Feb 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.5	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 1	Feb 2010	DUPE-1-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.3	
MW-21 Screen 1	Apr/May 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.8	
MW-21 Screen 1	Jul/Aug 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	3.3	
MW-21 Screen 1	Oct/Nov 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.4	
MW-21 Screen 1	Feb/Mar 2011	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.9	
MW-21 Screen 1	Apr/May 2011	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.6	
MW-21 Screen 1	Aug/Sep 2011	MW-21-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.4	
MW-21 Screen 1	Nov/Dec 2011	MW-21-1	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.0	2.1	
MW-21 Screen 1	Jan/Feb 2012	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.4 J	
MW-21 Screen 1	Apr/May 2012	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	2.8	
MW-21 Screen 1	Aug/Sep 2012	MW-21-1	0.5 U	0.1 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 1	Nov 2012	MW-21-1	0.5 U	0.1 J	1.1	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.7 J	cis-1,2-Dichloroethene 0.2 J
MW-21 Screen 1	Jan/Feb 2013	MW-21-1	0.5 U	0.1 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.1	3.2 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 1	Apr/May 2013	MW-21-1	0.5 U	0.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.4 J	
MW-21 Screen 1	Jul 2013	MW-21-1	0.5 U	0.2 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.1	3.1 J	
MW-21 Screen 1	Oct/Nov 2013	MW-21-1	0.5 U	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	9.3	
MW-21 Screen 1	Jan/Feb 2014	MW-21-1	0.5 U	1.2	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	11.0	
MW-21 Screen 1	Apr/May 2014	MW-21-1	0.5 U	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	12.0	
MW-21 Screen 2	Aug/Sep 1996	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	
MW-21 Screen 2	Oct/Nov 1996	MW-21-2	0.5 U	0.6	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-21 Screen 2	Feb/Mar 1997	MW-21-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-21 Screen 2	June/July 1997	MW-21-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-21 Screen 2	June/July 1997	MW-21-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-21 Screen 2	Sep/Oct 1997	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Jan/Feb 1998	MW-21-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Apr/May 1998	MW-21-2	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Jul/Aug 1998	MW-21-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-21 Screen 2	Oct/Nov 1998	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	
MW-21 Screen 2	Feb/Mar 1999	MW-21-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	May/June 1999	MW-21-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Aug 1999	MW-21-2	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Nov/Dec 1999	MW-21-2	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	
MW-21 Screen 2	Mar/Apr 2000	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	
MW-21 Screen 2	Jul/Aug 2000	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Sep/Oct 2000	MW-21-2	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Jan/Feb 2001	MW-21-2	0.5 U	0.3 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 2	Apr 2001	MW-21-2	0.5 U	0.3 J	0.9	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-21 Screen 2	Jul 2001	MW-21-2	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Oct 2001	MW-21-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.6 J
MW-21 Screen 2	Jan/Feb 2002	MW-21-2	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.3 B	
MW-21 Screen 2	Apr/May 2002	MW-21-2	0.5 U	0.4 J	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride 2.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 2	Jul 2002	MW-21-2	0.5 U	0.5	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Oct/Nov 2002	MW-21-2	0.5 U	0.5	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	0.5 U	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Apr/May 2003	MW-21-2	0.5 U	0.4 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	
MW-21 Screen 2	Jul/Aug 2003	MW-21-2	0.5 U	0.5 J	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	0.5 U	0.3 J	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.7 J	
MW-21 Screen 2	Feb 2004	MW-21-2	0.5 U	0.6	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.5	cis-1,2-Dichloroethene 0.3 J
MW-21 Screen 2	Apr/May 2004	MW-21-2	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 J	cis-1,2-Dichloroethene 0.3 J
MW-21 Screen 2	Jul/Aug 2004	MW-21-2	0.5 U	1.0	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene 0.5
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	0.5 U	1.1	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.9 J	cis-1,2-Dichloroethene 0.6
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	0.5 U	0.8	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 2	Apr/May 2005	MW-21-2	0.5 U	0.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	cis-1,2-Dichloroethene 0.4 J
MW-21 Screen 2	Jul/Sep 2005	MW-21-2	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.2 J	cis-1,2-Dichloroethene 0.4 J
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	0.5 U	0.4 J	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.9 J	cis-1,2-Dichloroethene 0.7 Dibromochloromethane 2.6
MW-21 Screen 2	Mar/Apr 2006	MW-21-2	0.5 U	0.7	4.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene 1.1
MW-21 Screen 2	May/Jun 2006	MW-21-2	0.5 U	0.6	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene 1.4
MW-21 Screen 2	Aug/Sep 2006	MW-21-2	0.5 U	1.0	11.0	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene 1.8
MW-21 Screen 2	Oct/Dec 2006	MW-21-2	0.5 U	1.1	12.0	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	cis-1,2-Dichloroethene 2.1
MW-21 Screen 2	Mar/Apr 2007	MW-21-2	0.5 U	1.1	7.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	cis-1,2-Dichloroethene 1.6
MW-21 Screen 2	Jun/Jul 2007	MW-21-2	0.5 U	0.8	6.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	cis-1,2-Dichloroethene 1.4
MW-21 Screen 2	Jun/Jul 2007	DUPE-1-2Q07	0.5 U	0.7	6.3	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	cis-1,2-Dichloroethene 1.4
MW-21 Screen 2	Aug/Sep 2007	MW-21-2	0.5 U	0.7	7.6	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	cis-1,2-Dichloroethene 1.4
MW-21 Screen 2	Oct/Dec 2007	MW-21-2	0.5 U	0.5	3.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	7.7	cis-1,2-Dichloroethene 1.0
MW-21 Screen 2	Jan/Feb 2008	MW-21-2	0.5 U	0.5	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.0 U	cis-1,2-Dichloroethene 0.5
MW-21 Screen 2	Apr/May 2008	MW-21-2	0.5 U	0.5 J	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	cis-1,2-Dichloroethene 0.9
MW-21 Screen 2	Jul/Aug 2008	MW-21-2	0.5 U	0.6	8.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.0	cis-1,2-Dichloroethene 1.5
MW-21 Screen 2	Oct/Nov 2008	MW-21-2	0.5 U	0.7	12.0	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.1	cis-1,2-Dichloroethene 1.6
MW-21 Screen 2	Jan/Feb 2009	MW-21-2	0.5 U	0.6	6.6	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.5	cis-1,2-Dichloroethene 1.1
MW-21 Screen 2	Apr/May 2009	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.1	cis-1,2-Dichloroethene 0.8
MW-21 Screen 2	Jul/Aug 2009	MW-21-2	0.5 U	0.9	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.1	cis-1,2-Dichloroethene 1.8
MW-21 Screen 2	Nov/Dec 2009	MW-21-2	0.5 U	0.8	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1.8	cis-1,2-Dichloroethene 1.8
MW-21 Screen 2	Feb 2010	MW-21-2	0.5 U	0.6	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2	cis-1,2-Dichloroethene 0.6
MW-21 Screen 2	Apr/May 2010	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.2	
MW-21 Screen 2	Jul/Aug 2010	MW-21-2	0.5 U	0.5 U	6.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	2.6	cis-1,2-Dichloroethene 0.7
MW-21 Screen 2	Oct/Nov 2010	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	4.0	2.5	cis-1,2-Dichloroethene 0.8
MW-21 Screen 2	Oct/Nov 2010	DUPE-01-4Q10	0.5 U	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	4.0	2.6	cis-1,2-Dichloroethene 0.8
MW-21 Screen 2	Feb/Mar 2011	MW-21-2	0.5 U	0.5 U	8.5	0.5 U	0.5 U	0.5 U	0.5 U	4.9	1.9	cis-1,2-Dichloroethene 0.6
MW-21 Screen 2	Apr/May 2011	MW-21-2	0.5 U	0.5 U	3.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	1.9	
MW-21 Screen 2	Aug/Sep 2011	MW-21-2	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	2.7	1.8	
MW-21 Screen 2	Nov/Dec 2011	MW-21-2	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	5.1	1.6	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 2	Nov/Dec 2011	DUPE-1-4Q11	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1.6		
MW-21 Screen 2	Jan/Feb 2012	MW-21-2	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	6.1	2.7 J		
MW-21 Screen 2	Jan/Feb 2012	DUPE-1-1Q12	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.9 J		
MW-21 Screen 2	Apr/May 2012	MW-21-2	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	2.8		
MW-21 Screen 2	Aug/Sep 2012	MW-21-2	0.5 U	0.2 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.1 J 0.2 J
MW-21 Screen 2	Nov 2012	MW-21-2	0.5 U	0.2 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	1.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21 Screen 2	Jan/Feb 2013	MW-21-2	0.5 U	0.3 J	2.2	0.5 U	0.5 U	0.5 U	0.5 U	1.1	1.8 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.3 J 0.2 J
MW-21 Screen 2	Apr/May 2013	MW-21-2	0.5 U	0.2 J	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.2 J 0.2 J
MW-21 Screen 2	Jul 2013	MW-21-2	0.5 U	0.4 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.7 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.2 J 0.2 J
MW-21 Screen 2	Oct/Nov 2013	MW-21-2	0.5 U	0.3 J	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.2 J 0.2 J
MW-21 Screen 2	Jan/Feb 2014	MW-21-2	0.5 U	0.3 J	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.2 J 0.2 J
MW-21 Screen 2	Apr/May 2014	MW-21-2	0.5 U	0.3 J	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.8 J	Methyl-tert-butyl ether (MTBE)	0.2 J
MW-21 Screen 2	Jul/Aug 2014	MW-21-2	0.5 U	0.3 J	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.3 J	Methyl-tert-butyl ether (MTBE)	0.2 J
MW-21 Screen 2	Oct 2014	MW-21-2	0.5 U	0.2 J	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.6 J	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-21 Screen 3	Aug/Sep 1996	MW-21-3	0.5 U	0.7	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA		
MW-21 Screen 3	Oct/Nov 1996	MW-21-3	0.5 U	0.9	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	Feb/Mar 1997	MW-21-3	0.5 U	0.8	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	June/July 1997	MW-21-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-21 Screen 3	June/July 1997	MW-21-3	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	Sep/Oct 1997	MW-21-3	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Jan/Feb 1998	MW-21-3	0.5 U	0.5	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Apr/May 1998	MW-21-3	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Jul/Aug 1998	MW-21-3	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Oct/Nov 1998	MW-21-3	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Feb/Mar 1999	MW-21-3	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-21 Screen 3	May/June 1999	MW-21-3	0.5 U	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Aug 1999	MW-21-3	0.5 U	0.6	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Nov/Dec 1999	MW-21-3	0.5 U	0.9	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.8		
MW-21 Screen 3	Mar/Apr 2000	MW-21-3	0.5 U	0.9	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 3	Jul/Aug 2000	MW-21-3	0.5 U	0.6	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-21 Screen 3	Sep/Oct 2000	MW-21-3	0.5 U	0.7	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Jan/Feb 2001	MW-21-3	0.5 U	0.9	2.5	0.5 U	0.5 U	0.5 J	0.5 U	1.1	4.0 U	1,2-Dichloroethene, Total	0.3 J
												Bromodichloromethane	0.6
												cis-1,2-Dichloroethene	0.3 J
												Dibromochloromethane	0.4 J
MW-21 Screen 3	Apr 2001	MW-21-3	0.5 U	1.8	1.4	0.5 U	0.5 U	0.5 U	NA	0.8	4.0 U	Bromodichloromethane	0.4 J
												Dibromochloromethane	0.4 J
MW-21 Screen 3	Jul 2001	MW-21-3	0.5 U	0.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-21 Screen 3	Oct 2001	MW-21-3	0.5 U	0.7	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U		
MW-21 Screen 3	Jan/Feb 2002	MW-21-3	0.5 U	1.6	3.5	0.5 U	0.5 U	0.5 U	0.5 U	1.3	4.1	Bromodichloromethane	0.6
												cis-1,2-Dichloroethene	0.4 J
												Dibromochloromethane	0.4 J
MW-21 Screen 3	Apr/May 2002	MW-21-3	0.5 U	1.5	4.2	0.3 J	0.5 U	0.5 U	0.5 U	1.5	4.0 U	Bromodichloromethane	0.6
												cis-1,2-Dichloroethene	0.5 J
												Methylene chloride	2.6
												trans-1,2-Dichloroethene	0.4 J
MW-21 Screen 3	Jul 2002	MW-21-3	0.5 U	0.9	2.0	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-21 Screen 3	Oct/Nov 2002	MW-21-3	0.5 U	1.0	1.8	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	trans-1,2-Dichloroethene	1.8
MW-21 Screen 3	Dec 2002	MW-21-3	0.2 U	1.1	2.0	0.3 U	0.5 U	0.5 U	0.5 U	1.0	NA	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	0.5 U	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 3	Apr/May 2003	MW-21-3	0.5 U	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J		
MW-21 Screen 3	Jul/Aug 2003	MW-21-3	0.5 U	1.0	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.7 J	cis-1,2-Dichloroethene	0.4 J
												Dibromochloromethane	0.4 J
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	0.5 U	0.7	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.6 J		
MW-21 Screen 3	Feb 2004	MW-21-3	0.5 U	1.3	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2		
MW-21 Screen 3	Apr/May 2004	MW-21-3	0.5 U	1.0	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.3	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 3	Jul/Aug 2004	MW-21-3	0.5 U	1.4	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	0.5 U	1.5	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.9	cis-1,2-Dichloroethene	0.6
												trans-1,2-Dichloroethene	0.4 J
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	0.5 U	1.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	cis-1,2-Dichloroethene	0.6
												m,p-Xylene	0.6
												trans-1,2-Dichloroethene	0.3 J
MW-21 Screen 3	Apr/May 2005	MW-21-3	0.5 U	0.8	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 3	Jul/Sep 2005	MW-21-3	0.5 U	0.9	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.1	3.0 J	Bromodichloromethane	0.4 J
												m,p-Xylene	0.4 J
MW-21 Screen 3	Jul/Sep 2005	DUPE-2-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	3.2 J		
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	0.5 U	0.7	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.9 J	cis-1,2-Dichloroethene	0.5 J
MW-21 Screen 3	Mar/Apr 2006	MW-21-3	0.5 U	0.9	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	May/June 2006	MW-21-3	0.5 U	0.6	2.7	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Aug/Sep 2006	MW-21-3	0.5 U	1.3	5.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Oct/Dec 2006	MW-21-3	0.5 U	1.2	5.2	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Mar/Apr 2007	MW-21-3	0.5 U	1.2	5.5	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	cis-1,2-Dichloroethene	0.9

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Jun/Jul 2007	MW-21-3	0.5 U	0.7	3.1	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	cis-1,2-Dichloroethene Methylene chloride	0.6 1.8 J
MW-21 Screen 3	Aug/Sep 2007	MW-21-3	0.5 U	1.5	7.8	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Oct/Dec 2007	MW-21-3	0.5 U	1.2	4.1	0.5 U	0.5 U	0.5 U	0.5 U	1.9	5.0	cis-1,2-Dichloroethene	0.8
MW-21 Screen 3	Jan/Feb 2008	MW-21-3	0.5 U	0.9	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.7	5.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Apr/May 2008	MW-21-3	0.5 U	1.1	4.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Jul/Aug 2008	MW-21-3	0.5 U	1.7	8.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	3.6	cis-1,2-Dichloroethene	1.2
MW-21 Screen 3	Oct/Nov 2008	MW-21-3	0.5 U	1.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.5	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Jan/Feb 2009	MW-21-3	0.5 U	1.5	6.8	0.5 U	0.5 U	0.5 U	0.5 U	2.5	3.0	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Apr/May 2009	MW-21-3	0.5 U	1.2	5.0	0.5 U	0.5 U	0.5 U	0.5 U	3.1	2.8	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Jul/Aug 2009	MW-21-3	0.5 U	0.9	4.3	0.5 U	0.5 U	0.5 U	0.5 U	1.8	2.4	cis-1,2-Dichloroethene	0.8
MW-21 Screen 3	Jul/Aug 2009	DUPE-4-3Q09	0.5 U	0.8	3.4	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.7	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Nov/Dec 2009	MW-21-3	0.5 U	1.5	8.6	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.9	cis-1,2-Dichloroethene	1.2
MW-21 Screen 3	Feb 2010	MW-21-3	0.5 U	1.4	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.8	cis-1,2-Dichloroethene	1.0
MW-21 Screen 3	Apr/May 2010	MW-21-3	0.5 U	0.9	3.9	0.5 U	0.5 U	0.5 U	0.5 U	2.8	3.4	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Jul/Aug 2010	MW-21-3	0.5 U	0.6	2.1	0.5 U	0.5 U	0.5 U	0.5 U	2.2	3.5		
MW-21 Screen 3	Oct/Nov 2010	MW-21-3	0.5 U	1.4	6.2	0.5 U	0.5 U	0.5 U	0.5 U	4.7	2.9	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Feb/Mar 2011	MW-21-3	0.5 U	1.2	5.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	1.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 3	Apr/May 2011	MW-21-3	0.5 U	1.0	3.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.5	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Aug/Sep 2011	MW-21-3	0.5 U	1.4	3.9	0.5 U	0.5 U	0.5 U	0.5 U	7.1	2.4	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Nov/Dec 2011	MW-21-3	0.5 U	1.2	3.7	0.5 U	0.5 U	0.5 U	0.5 U	6.3	2.1		
MW-21 Screen 3	Jan/Feb 2012	MW-21-3	0.5 U	1.3	4.7	0.5 U	0.5 U	0.5 U	0.5 U	5.5	3.8 J	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Apr/May 2012	MW-21-3	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	3.9	3.5		
MW-21 Screen 3	Aug/Sep 2012	MW-21-3	0.5 U	0.7	3.8	0.1 J	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.2 J
MW-21 Screen 3	Aug/Sep 2012	DUPE-7-3Q12	0.5 U	0.5	2.6	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.5 0.2 J
MW-21 Screen 3	Nov 2012	MW-21-3	0.5 U	0.8	5.9	0.1 J	0.5 U	0.5 U	0.5 U	4.0	1.6 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.2 J
MW-21 Screen 3	Jan/Feb 2013	MW-21-3	0.5 U	0.7	4.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.3 J
MW-21 Screen 3	Apr/May 2013	MW-21-3	0.5 U	0.7	4.1	0.1 J	0.5 U	0.5 U	0.5 U	2.4	3.4 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.3 J
MW-21 Screen 3	Jul 2013	MW-21-3	0.5 U	1.9	12.0	0.3 J	0.5 U	0.5 U	0.5 U	3.1	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	1.4 0.3 J
MW-21 Screen 3	Oct/Nov 2013	MW-21-3	0.5 U	0.9	3.6	0.2 J	0.5 U	0.5 U	0.5 U	1.4	3.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.3 J
MW-21 Screen 3	Jan/Feb 2014	MW-21-3	0.5 U	0.9	3.7	0.2 J	0.5 U	0.5 U	0.5 U	1.3	2.7 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.6 0.3 J
MW-21 Screen 3	Apr/May 2014	MW-21-3	0.5 U	1.1	3.1	0.2 J	0.5 U	0.5 U	0.5 U	1.0	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Jul/Aug 2014	MW-21-3	0.5 U	1.1	2.7	0.2 J	0.5 U	0.5 U	0.5 U	0.9	1.8 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21 Screen 3	Oct 2014	MW-21-3	0.5 U	1.3	3.0	0.2 J	0.5 U	0.5 U	0.5 U	1.0	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Aug/Sep 1996	MW-21-4	0.5 U	0.8	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Oct/Nov 1996	MW-21-4	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Feb/Mar 1997	MW-21-4	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	June/July 1997	MW-21-4	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	June/July 1997	MW-21-4	NA	NA	NA	NA	NA	NA	NA	NA	4.6		
MW-21 Screen 4	Sep/Oct 1997	MW-21-4	0.5 U	0.6	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-21 Screen 4	Jan/Feb 1998	MW-21-4	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 4	Apr/May 1998	MW-21-4	0.5 U	0.6	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	Jul/Aug 1998	MW-21-4	0.5 U	0.8	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Oct/Nov 1998	MW-21-4	0.5 U	1.1	8.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	cis-1,2-Dichloroethene	1.3
MW-21 Screen 4	Feb/Mar 1999	MW-21-4	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	May/June 1999	MW-21-4	0.5 U	0.5 U	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	cis-1,2-Dichloroethene	0.6
MW-21 Screen 4	Aug 1999	MW-21-4	0.5 U	0.7	6.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	cis-1,2-Dichloroethene	1.2
MW-21 Screen 4	Nov/Dec 1999	MW-21-4	0.5 U	0.6	6.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 4	Mar/Apr 2000	MW-21-4	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 4	Jul/Aug 2000	MW-21-4	0.5 U	0.5	6.2	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene	1.3
MW-21 Screen 4	Sep/Oct 2000	MW-21-4	0.5 U	0.8	8.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane	0.7 1.5 0.5
MW-21 Screen 4	Jan/Feb 2001	MW-21-4	0.5 U	1.2	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene	1.0 0.4 J 1.0
MW-21 Screen 4	Apr 2001	MW-21-4	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	NA	1.0	4.0 U	1,2-Dichloroethene, Total 2,2-Dichloropropane cis-1,2-Dichloroethene Methylene chloride	0.7 0.3 J 0.7 0.6
MW-21 Screen 4	Jul 2001	MW-21-4	0.5 U	0.6	8.1	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 1.5
MW-21 Screen 4	Oct 2001	MW-21-4	0.5 U	0.6	4.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	1.1 0.5 J 1.1 0.6 J
MW-21 Screen 4	Jan/Feb 2002	MW-21-4	0.5 U	0.8	9.9	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.7 B	Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane Methyl-tert-butyl ether (MTBE)	0.6 1.8 0.4 J 0.7 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 4	Apr/May 2002	MW-21-4	0.5 U	0.3 J	5.8	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	0.7
												Methylene chloride	2.2
MW-21 Screen 4	Jul 2002	MW-21-4	0.5 U	0.5 U	6.2	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0 U	cis-1,2-Dichloroethene	1.0
MW-21 Screen 4	Oct/Nov 2002	MW-21-4	0.5 U	0.4 J	5.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	1.1
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	0.5 U	0.3 J	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	Apr/May 2003	MW-21-4	0.5 U	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.9	2.1 J	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Jul/Aug 2003	MW-21-4	0.5 U	1.0	15.4	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2.7 J	Bromodichloromethane	0.5
												cis-1,2-Dichloroethene	2.2
												Dibromochloromethane	0.7
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	0.5 U	0.5 J	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.4 J	cis-1,2-Dichloroethene	1.3
												Dibromochloromethane	0.3 J
MW-21 Screen 4	Feb 2004	MW-21-4	0.5 U	0.4 J	5.0	0.5 U	0.5 U	0.5 U	0.5 U	2.8	3.5 J	cis-1,2-Dichloroethene	1.1
												Dibromochloromethane	1.0
MW-21 Screen 4	Apr/May 2004	MW-21-4	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.2	cis-1,2-Dichloroethene	0.7
MW-21 Screen 4	Jul/Aug 2004	MW-21-4	0.5 U	0.3 J	4.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	4.0 U	cis-1,2-Dichloroethene	1.2
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	0.5 U	0.5	7.4	0.5 U	0.5 U	0.5 U	0.5 U	2.7	3.8 J	cis-1,2-Dichloroethene	1.4
												Dibromochloromethane	0.4 J
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	0.5 U	0.6	8.7	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	cis-1,2-Dichloroethene	1.6
												m,p-Xylene	0.5 J
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	0.5 U	0.6	9.3	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	cis-1,2-Dichloroethene	1.8
												m,p-Xylene	0.5
MW-21 Screen 4	Apr/May 2005	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	Bromodichloromethane	0.5 J
												cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Jul/Sep 2005	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	2.7	2.0 J	Bromodichloromethane	0.5
												cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	0.5 U	0.5 U	4.8	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.2 J	cis-1,2-Dichloroethene	1.0
												m,p-Xylene	0.5 J
MW-21 Screen 4	Mar/Apr 2006	MW-21-4	0.5 U	0.3 J	3.0	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	May/June 2006	MW-21-4	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 4	Aug/Sep 2006	MW-21-4	0.5 U	0.5 U	4.9	0.5 U	0.5 U	0.5 U	0.5 U	4.4	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 4	Oct/Dec 2006	MW-21-4	0.5 U	0.6	8.0	0.5 U	0.5 U	0.5 U	0.5 U	5.9	4.0 U	cis-1,2-Dichloroethene	1.2
MW-21 Screen 4	Mar/Apr 2007	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U	cis-1,2-Dichloroethene	0.6
MW-21 Screen 4	Jun/Jul 2007	MW-21-4	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 4	Aug/Sep 2007	MW-21-4	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Benzene	0.3 J
												m,p-Xylene	0.9 J
												Methyl-tert-butyl ether (MTBE)	3.0
												Styrene	1.3
												Vinyl chloride	0.3 J
MW-21 Screen 4	Oct/Dec 2007	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	4.1	3.1	cis-1,2-Dichloroethene	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 4	Jan/Feb 2008	MW-21-4	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	5.4	3.0 U	cis-1,2-Dichloroethene 0.5
MW-21 Screen 4	Apr/May 2008	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	4.9	3.0 U	cis-1,2-Dichloroethene 0.4 J
MW-21 Screen 4	Jul/Aug 2008	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	4.8	2.1	
MW-21 Screen 4	Oct/Nov 2008	MW-21-4	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	5.5	2.3	
MW-21 Screen 4	Jan/Feb 2009	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	5.8	2.2	
MW-21 Screen 4	Apr/May 2009	MW-21-4	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	7.1	2.0	
MW-21 Screen 4	Apr/May 2009	DUPE-03-2Q09	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	7.5	1.9	
MW-21 Screen 4	Jul/Aug 2009	MW-21-4	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	7.2	2.1	
MW-21 Screen 4	Nov/Dec 2009	MW-21-4	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	7.6	2.8	
MW-21 Screen 4	Feb 2010	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	6.5	1.8	
MW-21 Screen 4	Apr/May 2010	MW-21-4	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	6.1	2.5	
MW-21 Screen 4	Jul/Aug 2010	MW-21-4	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	6.8	2.7	
MW-21 Screen 4	Oct/Nov 2010	MW-21-4	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	6.9	3.0	
MW-21 Screen 4	Feb/Mar 2011	MW-21-4	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	5.8	2.4	
MW-21 Screen 4	Feb/Mar 2011	DUPE-01-1Q11	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	4.9	2.6	
MW-21 Screen 4	Apr/May 2011	MW-21-4	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	6.1	2.1	
MW-21 Screen 4	Aug/Sep 2011	MW-21-4	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	7.1	2.2	
MW-21 Screen 4	Nov/Dec 2011	MW-21-4	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	6.9	2.0	
MW-21 Screen 4	Jan/Feb 2012	MW-21-4	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	7.0	2.9 J	
MW-21 Screen 4	Apr/May 2012	MW-21-4	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	4.9	2.4	
MW-21 Screen 4	Aug/Sep 2012	MW-21-4	0.5 U	0.1 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	6.8	4.0 U	
MW-21 Screen 4	Nov 2012	MW-21-4	0.5 U	0.1 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	7.0	1.4 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 4	Jan/Feb 2013	MW-21-4	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.4	2.7 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 4	Apr/May 2013	MW-21-4	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	5.2	2.4 J	
MW-21 Screen 4	Jul 2013	MW-21-4	0.5 U	0.2 J	1.1	0.5 U	0.5 U	0.5 U	0.5 U	9.2	2.0 J	cis-1,2-Dichloroethene 0.2 J
MW-21 Screen 4	Jul 2013	DUPE-7-3Q13	0.5 U	0.1 J	1.1	0.5 U	0.5 U	0.5 U	0.5 U	9.9	2.2 J	cis-1,2-Dichloroethene 0.2 J
MW-21 Screen 4	Oct/Nov 2013	MW-21-4	0.5 U	0.1 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	8.8	2.1 J	cis-1,2-Dichloroethene 0.2 J
MW-21 Screen 4	Jan/Feb 2014	MW-21-4	0.5 U	0.1 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	5.3	2.1 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 4	Apr/May 2014	MW-21-4	0.5 U	0.1 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	7.6	2.2 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 4	Jul/Aug 2014	MW-21-4	0.5 U	0.2 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	9.5	2.7 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 4	Jul/Aug 2014	DUP-6-3Q14	0.5 U	0.1 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	7.5	1.9 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 4	Oct 2014	MW-21-4	0.5 U	0.2 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	7.2	2.0 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-21 Screen 5	Aug/Sep 1996	MW-21-5	0.5 U	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA	
MW-21 Screen 5	Oct/Nov 1996	MW-21-5	0.5 U	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-21 Screen 5	Feb/Mar 1997	MW-21-5	0.5 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-21 Screen 5	June/July 1997	MW-21-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-21 Screen 5	June/July 1997	MW-21-5	0.5 U	0.5 U	3.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-21 Screen 5	Sep/Oct 1997	MW-21-5	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-21 Screen 5	Jan/Feb 1998	MW-21-5	0.5 U	0.5 U	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	cis-1,2-Dichloroethene 0.6
MW-21 Screen 5	Apr/May 1998	MW-21-5	0.5 U	0.5 U	6.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	cis-1,2-Dichloroethene 1.0

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 5	Jul/Aug 1998	MW-21-5	0.5 U	0.5 U	7.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	cis-1,2-Dichloroethene	1.5
MW-21 Screen 5	Oct/Nov 1998	MW-21-5	0.5 U	0.5 U	6.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	Feb/Mar 1999	MW-21-5	0.5 U	0.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.2	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	May/Jun 1999	MW-21-5	0.5 U	0.5 U	8.2	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene	1.5
MW-21 Screen 5	Aug 1999	MW-21-5	0.5 U	0.6	9.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.0 U	cis-1,2-Dichloroethene	1.6
MW-21 Screen 5	Nov/Dec 1999	MW-21-5	0.5 U	0.7	11.4	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.9	cis-1,2-Dichloroethene	2.2
MW-21 Screen 5	Mar/Apr 2000	MW-21-5	0.5 U	0.7	12.0	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.2	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.5
MW-21 Screen 5	Jul/Aug 2000	MW-21-5	0.5 U	0.6	11.0	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.2
MW-21 Screen 5	Sep/Oct 2000	MW-21-5	0.5 U	0.8	15.0	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.7
MW-21 Screen 5	Jan/Feb 2001	MW-21-5	0.5 U	0.7	15.1	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	2.6 0.6 2.6 0.4 J
MW-21 Screen 5	Apr 2001	MW-21-5	0.5 U	0.7	12.4	0.5 U	0.5 U	0.5 U	NA	1.4	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Dibromochloromethane Methylene chloride	2.3 0.5 2.3 0.4 J 0.4 J
MW-21 Screen 5	Jul 2001	MW-21-5	0.5 U	0.6	11.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.6 2.0
MW-21 Screen 5	Oct 2001	MW-21-5	0.5 U	0.5 J	7.8	0.5 U	0.5 U	0.5 U	0.5 U	1.5	4.0 U	1,2-Dichloroethene, Total Bromodichloromethane cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	1.6 0.4 J 1.6 0.6 J
MW-21 Screen 5	Jan/Feb 2002	MW-21-5	0.5 U	1.2	19.2	0.5 U	0.5 U	0.5 U	0.5 U	2.8	4.6	Bromodichloromethane cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.8 3.4 1.0 J
MW-21 Screen 5	Apr/May 2002	MW-21-5	0.5 U	1.3	28.6	0.4 J	0.5 U	0.5 U	0.5 U	3.4	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene Methylene chloride	0.7 3.3 2.7
MW-21 Screen 5	Jul 2002	MW-21-5	0.5 U	0.8	15.1	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.4 J 2.4
MW-21 Screen 5	Oct/Nov 2002	MW-21-5	0.5 U	0.6	10.9	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	Bromodichloromethane cis-1,2-Dichloroethene	0.3 J 2.1
MW-21 Screen 5	Dec 2002	MW-21-5	0.2 U	1.2	21.2	0.3 U	0.5 U	0.5 U	0.5 U	3.0	NA	cis-1,2-Dichloroethene NDMA NDPHA	2.7 0.0 J 0.0 J
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	0.5 U	0.7	8.0 J	0.5 U	0.5 U	0.5 U	0.5 U	2.5	4.0 U	cis-1,2-Dichloroethene	2.0

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 5	Apr/May 2003	MW-21-5	0.5 U	0.6	12.3	0.5 U	0.5 U	0.5 U	0.5 U	2.7	2.7 J	cis-1,2-Dichloroethene	1.7
MW-21 Screen 5	Jul/Aug 2003	MW-21-5	0.5 U	1.0	20.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.6 J	cis-1,2-Dichloroethene	2.5
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	0.5 U	0.5 J	8.8	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.6 J	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	Feb 2004	MW-21-5	0.5 U	0.6	9.0	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.3	cis-1,2-Dichloroethene	1.5
MW-21 Screen 5	Apr/May 2004	MW-21-5	0.5 U	0.5 J	6.4	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.6 J	cis-1,2-Dichloroethene	1.4
MW-21 Screen 5	Jul/Aug 2004	MW-21-5	0.5 U	0.5	8.5	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	cis-1,2-Dichloroethene	1.7
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	0.5 U	0.6	8.4	0.5 U	0.5 U	0.5 U	0.5 U	3.9	6.2	cis-1,2-Dichloroethene	1.4
												Ethylbenzene	2.9
												m,p-Xylene	11.2
												o-Xylene	1.9
												Toluene	1.7
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	0.5 U	0.6	9.0	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0 U	cis-1,2-Dichloroethene	1.5
												Ethylbenzene	0.3 J
												m,p-Xylene	1.0
MW-21 Screen 5	Apr/May 2005	MW-21-5	0.5 U	0.3 J	4.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	Bromodichloromethane	0.4 J
												cis-1,2-Dichloroethene	1.1
												m,p-Xylene	0.4 J
MW-21 Screen 5	Jul/Sep 2005	MW-21-5	0.5 U	0.5 U	4.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	3.3 J	m,p-Xylene	0.3 J
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	0.5 U	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.3 J	cis-1,2-Dichloroethene	0.6
MW-21 Screen 5	Mar/Apr 2006	MW-21-5	0.5 U	0.3 J	3.8	0.5 U	0.5 U	0.5 U	0.5 U	4.4	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 5	Mar/Apr 2006	DUPE-1-1Q06	0.5 U	0.3 J	3.2	0.5 U	0.5 U	0.5 U	0.5 U	3.9	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 5	May/June 2006	MW-21-5	0.5 U	0.4 J	5.0	0.5 U	0.5 U	0.5 U	0.5 U	4.9	4.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 5	Aug/Sep 2006	MW-21-5	0.5 U	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	5.1	4.0 U	cis-1,2-Dichloroethene	0.7
MW-21 Screen 5	Oct/Dec 2006	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U		
MW-21 Screen 5	Mar/Apr 2007	MW-21-5	0.5 U	0.3 J	3.1	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0 U	cis-1,2-Dichloroethene	0.5 J
MW-21 Screen 5	Jun/Jul 2007	MW-21-5	0.5 U	0.3	3.4	0.5 U	0.5 U	0.5 U	0.5 U	5.6	4.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 5	Aug/Sep 2007	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.3	4.0 U	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 5	Oct/Dec 2007	MW-21-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	4.6	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 5	Jan/Feb 2008	MW-21-5	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-21 Screen 5	Apr/May 2008	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	4.0	3.0 U		
MW-21 Screen 5	Jul/Aug 2008	MW-21-5	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	2.8		
MW-21 Screen 5	Oct/Nov 2008	MW-21-5	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	3.5	3.0		
MW-21 Screen 5	Jan/Feb 2009	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	3.7	3.2		
MW-21 Screen 5	Apr/May 2009	MW-21-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	3.1	3.0		
MW-21 Screen 5	Jul/Aug 2009	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.1	3.0		
MW-21 Screen 5	Nov/Dec 2009	MW-21-5	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.0	3.8		
MW-21 Screen 5	Feb 2010	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	3.5	3.0		
MW-21 Screen 5	Apr/May 2010	MW-21-5	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	3.4	3.5		
MW-21 Screen 5	Jul/Aug 2010	MW-21-5	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	3.7	3.6		
MW-21 Screen 5	Oct/Nov 2010	MW-21-5	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.3		
MW-21 Screen 5	Feb/Mar 2011	MW-21-5	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	4.3	3.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-21 Screen 5	Apr/May 2011	MW-21-5	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2.4	
MW-21 Screen 5	Aug/Sep 2011	MW-21-5	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	4.9	2.6	
MW-21 Screen 5	Nov/Dec 2011	MW-21-5	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	5.8	1.9	
MW-21 Screen 5	Jan/Feb 2012	MW-21-5	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	5.1	3.0 J	
MW-21 Screen 5	Apr/May 2012	MW-21-5	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.7	2.6	
MW-21 Screen 5	Aug/Sep 2012	MW-21-5	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.2	4.0 U	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 5	Nov 2012	MW-21-5	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	5.2	1.2 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 5	Jan/Feb 2013	MW-21-5	0.5 U	0.1 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	5.6	3.0 J	
MW-21 Screen 5	Apr/May 2013	MW-21-5	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	5.0	2.4 J	
MW-21 Screen 5	Jul 2013	MW-21-5	0.5 U	0.1 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	6.0	2.1 J	cis-1,2-Dichloroethene 0.1 J
MW-21 Screen 5	Oct/Nov 2013	MW-21-5	0.5 U	0.1 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	5.8	3.0 J	
MW-21 Screen 5	Jan/Feb 2014	MW-21-5	0.5 U	0.1 J	1.2	0.1 J	0.5 U	0.5 U	0.5 U	7.9	1.7 J	cis-1,2-Dichloroethene 0.2 J
MW-21 Screen 5	Apr/May 2014	MW-21-5	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.4	4.0 U	
MW-21 Screen 5	Jul/Aug 2014	MW-21-5	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	7.0	2.2 J	
MW-21 Screen 5	Oct 2014	MW-21-5	0.5 U	0.1 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.2	1.9 J	Acetone 12.0
MW-22 Screen 1	June/July 1997	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	NA	Bromodichloromethane 0.6 Bromoform 0.6 Dibromochloromethane 1.0
MW-22 Screen 1	Sep/Oct 1997	MW-22-1	0.5 U	0.5 U	2.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	Jan/Feb 1998	MW-22-1	0.5 U	0.5 U	2.3	0.8	0.5 U	0.5 U	0.5	0.5 U	4.0 U	
MW-22 Screen 1	Apr/May 1998	MW-22-1	0.5 U	0.9	2.1	0.8	0.5 U	0.5 U	0.5 U	0.5	5.4	
MW-22 Screen 1	Jul/Aug 1998	MW-22-1	0.5 U	0.9	1.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	6.4	
MW-22 Screen 1	Oct/Nov 1998	MW-22-1	0.5 U	0.5 U	1.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	5.0	
MW-22 Screen 1	Feb/Mar 1999	MW-22-1	0.5 U	0.6	3.6	1.0	0.5 U	0.5 U	1.3 B	0.5	6.4	
MW-22 Screen 1	May/Jun 1999	MW-22-1	0.5 U	0.5 U	2.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-22 Screen 1	Aug 1999	MW-22-1	0.5 U	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	Nov/Dec 1999	MW-22-1	0.5 U	0.5 U	3.6	0.9	0.5 U	0.5 U	0.5 U	0.5	4.2	
MW-22 Screen 1	Mar/Apr 2000	MW-22-1	0.5 U	0.5 U	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.3	
MW-22 Screen 1	Jul/Aug 2000	MW-22-1	0.5 U	0.5 U	3.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	4.4	
MW-22 Screen 1	Sep/Oct 2000	MW-22-1	0.5 U	0.5 U	2.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	5.6	
MW-22 Screen 1	Jan/Feb 2001	MW-22-1	0.5 U	0.5 U	2.0	0.7	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-22 Screen 1	Apr 2001	MW-22-1	0.5 U	0.5 U	4.0	0.5	0.5 U	0.5 U	NA	0.4 J	4.0 U	
MW-22 Screen 1	Apr 2001	DUP	0.5 U	0.5 U	1.8	0.3 J	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-22 Screen 1	Jul 2001	MW-22-1	0.5 U	0.5 U	1.9	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-22 Screen 1	Oct 2001	MW-22-1	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 1	Jan/Feb 2002	MW-22-1	0.5 U	0.5 U	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride 0.5 J
MW-22 Screen 1	Apr/May 2002	MW-22-1	0.5 U	0.4 J	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5	4.0 U	
MW-22 Screen 1	Jul 2002	MW-22-1	0.5 U	0.5 U	2.9	0.6	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-22 Screen 1	Oct/Nov 2002	MW-22-1	0.5 U	0.5 U	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	0.5 U	0.3 J	2.0	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-22 Screen 1	Apr/May 2003	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	4-Methyl-2-pentanone 3.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 1	Jul/Aug 2003	MW-22-1	0.5 U	0.3 J	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J	4-Methyl-2-pentanone	0.4 J
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-22 Screen 1	Feb 2004	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Apr/May 2004	MW-22-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jul/Aug 2004	MW-22-1	0.5 U	0.3 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	Methylene chloride	0.7
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	0.5 UJ	0.3 J	1.9	0.5 U	0.4 J	0.5 U	0.5 U	0.5 J	4.0 U		
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	0.5 U	0.4 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.0		
MW-22 Screen 1	Apr/May 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-22 Screen 1	Jul/Sep 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J		
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.0 J		
MW-22 Screen 1	Mar/Apr 2006	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	May/Jun 2006	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	May/Jun 2006	DUPE-5-2Q06	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Aug/Sep 2006	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Oct/Dec 2006	MW-22-1	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	Oct/Dec 2006	DUPE-5-4Q06	0.5 U	0.5 U	1.5	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	Mar/Apr 2007	MW-22-1	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-22 Screen 1	Jun/Jul 2007	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Aug/Sep 2007	MW-22-1	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-22 Screen 1	Oct/Dec 2007	MW-22-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0		
MW-22 Screen 1	Jan/Feb 2008	MW-22-1	0.5 U	0.3 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.1 J		
MW-22 Screen 1	Apr/May 2008	MW-22-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jul/Aug 2008	MW-22-1	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-22 Screen 1	Oct/Nov 2008	MW-22-1	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-22 Screen 1	Jan/Feb 2009	MW-22-1	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 1	Apr/May 2009	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 1	Jul/Aug 2009	MW-22-1	0.5 U	1.0	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.4		
MW-22 Screen 1	Nov/Dec 2009	MW-22-1	0.5 U	0.7	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-22 Screen 1	Feb 2010	MW-22-1	0.5 U	1.1	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-22 Screen 1	Apr/May 2010	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-22 Screen 1	Jul/Aug 2010	MW-22-1	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-22 Screen 1	Oct/Nov 2010	MW-22-1	0.5 U	0.5 U	2.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 1	Feb/Mar 2011	MW-22-1	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	22.9		
MW-22 Screen 1	Apr/May 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	40.1	Bromodichloromethane	2.3
												Dibromochloromethane	0.9
MW-22 Screen 1	Aug/Sep 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	98.7	Bromodichloromethane	1.7
												Dibromochloromethane	0.9
MW-22 Screen 1	Nov/Dec 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	85.2		
MW-22 Screen 1	Jan/Feb 2012	MW-22-1	0.5 U	0.5 U	1.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-22 Screen 1	Apr/May 2012	MW-22-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.5		
MW-22 Screen 1	Apr/May 2012	DUPE-1-2Q12	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.5		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-22 Screen 1	Aug/Sep 2012	MW-22-1	0.5 U	0.5 J	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	2.9 J	
MW-22 Screen 1	Nov 2012	MW-22-1	0.5 U	0.8	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-22 Screen 1	Jan/Feb 2013	MW-22-1	0.5 U	1.2	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	4.5	
MW-22 Screen 1	Apr/May 2013	MW-22-1	0.5 U	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 J	
MW-22 Screen 1	Jul 2013	MW-22-1	0.5 U	1.5	0.6	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	3.0 J	
MW-22 Screen 1	Oct/Nov 2013	MW-22-1	0.5 U	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J	
MW-22 Screen 1	Jan/Feb 2014	MW-22-1	0.5 U	2.0	0.6	0.1 J	0.5 U	0.5 U	0.5 U	0.5	3.3 J	
MW-22 Screen 1	Apr/May 2014	MW-22-1	0.5 U	1.4	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.0 J	
MW-22 Screen 1	Jul/Aug 2014	MW-22-1	0.5 U	2.2	0.6	0.1 J	0.5 U	0.5 U	0.5 U	0.5	3.2 J	
MW-22 Screen 1	Oct 2014	MW-22-1	0.5 U	2.0	0.6	0.1 J	0.5 U	0.5 U	0.5 U	0.6	3.3 J	
MW-22 Screen 2	June/July 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	NA	Dibromochloromethane 0.7
MW-22 Screen 2	Sep/Oct 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8
MW-22 Screen 2	Jan/Feb 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Apr/May 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jul/Aug 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	
MW-22 Screen 2	Oct/Nov 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Feb/Mar 1999	MW-22-2	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4 B	0.5 U	4.0 U	
MW-22 Screen 2	May/June 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Aug 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Nov/Dec 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Mar/Apr 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jul/Aug 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Sep/Oct 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jan/Feb 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-22 Screen 2	Apr 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	
MW-22 Screen 2	Jul 2001	MW-22-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Toluene 0.5
MW-22 Screen 2	Oct 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jan/Feb 2002	MW-22-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8 J
MW-22 Screen 2	Apr/May 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.3 J
MW-22 Screen 2	Jul 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Oct/Nov 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J	
MW-22 Screen 2	Apr/May 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J	4-Methyl-2-pentanone 5.0 J
MW-22 Screen 2	Jul/Aug 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	4-Methyl-2-pentanone 0.6 J
MW-22 Screen 2	Jul/Aug 2003	DUPE-5-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	4-Methyl-2-pentanone 0.4 J
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4 J	
MW-22 Screen 2	Feb 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Apr/May 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 2	Jul/Aug 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J	Methylene chloride 0.8
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene Methylene chloride	0.5 0.6
MW-22 Screen 2	Apr/May 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-22 Screen 2	Jul/Sep 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-22 Screen 2	Mar/Apr 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	May/Jun 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Aug/Sep 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Oct/Dec 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Mar/Apr 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Jun/Jul 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	Methylene chloride	5.9 J
MW-22 Screen 2	Aug/Sep 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Oct/Dec 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Jan/Feb 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-22 Screen 2	Apr/May 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-22 Screen 2	Jul/Aug 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Oct/Nov 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-22 Screen 2	Oct/Nov 2008	DUPE-06-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-22 Screen 2	Jan/Feb 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 2	Apr/May 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-22 Screen 2	Jul/Aug 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-22 Screen 2	Nov/Dec 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4		
MW-22 Screen 2	Feb 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-22 Screen 2	Apr/May 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-22 Screen 2	Jul/Aug 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4		
MW-22 Screen 2	Jul/Aug 2010	DUPE-4-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 2	Oct/Nov 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 2	Oct/Nov 2010	DUPE-03-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-22 Screen 2	Feb/Mar 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4		
MW-22 Screen 2	Apr/May 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-22 Screen 2	Aug/Sep 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-22 Screen 2	Nov/Dec 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-22 Screen 2	Jan/Feb 2012	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 2	Jan/Feb 2012	DUPE-4-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 2	Apr/May 2012	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 2	Aug/Sep 2012	MW-22-2	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.3 J	
MW-22 Screen 2	Nov 2012	MW-22-2	0.5 U	0.2 J	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	
MW-22 Screen 2	Jan/Feb 2013	MW-22-2	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.2 J	
MW-22 Screen 2	Apr/May 2013	MW-22-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.7 J	
MW-22 Screen 2	Jul 2013	MW-22-2	0.5 U	0.2 J	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	
MW-22 Screen 2	Oct/Nov 2013	MW-22-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.5 J	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-22 Screen 2	Jan/Feb 2014	MW-22-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.5 J	
MW-22 Screen 2	Apr/May 2014	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J	
MW-22 Screen 2	Jul/Aug 2014	MW-22-2	0.5 U	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U	
MW-22 Screen 2	Oct 2014	MW-22-2	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.2 J	
MW-22 Screen 3	June/July 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	NA	
MW-22 Screen 3	Sep/Oct 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-22 Screen 3	Jan/Feb 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Apr/May 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Jul/Aug 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Oct/Nov 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Feb/Mar 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 B	0.5 U	4.0 U	
MW-22 Screen 3	May/Jun 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	
MW-22 Screen 3	Aug 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Nov/Dec 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Mar/Apr 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Jul/Aug 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Sep/Oct 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Jan/Feb 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)
MW-22 Screen 3	Apr 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	0.4 J
MW-22 Screen 3	Jul 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Oct 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Jan/Feb 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	Methylene chloride
MW-22 Screen 3	Apr/May 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.6 J
MW-22 Screen 3	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-22 Screen 3	Jul 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.4 J
MW-22 Screen 3	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Oct/Nov 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 U	
MW-22 Screen 3	Apr/May 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	4-Methyl-2-pentanone
MW-22 Screen 3	Jul/Aug 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	4-Methyl-2-pentanone Chloroethane
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J	2.0 J 2.0
MW-22 Screen 3	Feb 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Apr/May 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 3	Jul/Aug 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	0.7
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J	
MW-22 Screen 3	Apr/May 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	
MW-22 Screen 3	Apr/May 2005	DUPE-5-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	
MW-22 Screen 3	Jul/Sep 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	
MW-22 Screen 3	Jul/Sep 2005	DUPE-5-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP		
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 J		
MW-22 Screen 3	Mar/Apr 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	May/Jun 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Aug/Sep 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Dec 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2007	DUPE-6-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	m,p-Xylene	0.9 J
MW-22 Screen 3	Jun/Jul 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Aug/Sep 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Dec 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 3	Jan/Feb 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3 J		
MW-22 Screen 3	Apr/May 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-22 Screen 3	Jul/Aug 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-22 Screen 3	Oct/Nov 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-22 Screen 3	Jan/Feb 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 3	Apr/May 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 3	Jul/Aug 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-22 Screen 3	Nov/Dec 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-22 Screen 3	Feb 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-22 Screen 3	Apr/May 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-22 Screen 3	Jul/Aug 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6		
MW-22 Screen 3	Oct/Nov 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-22 Screen 3	Feb/Mar 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-22 Screen 3	Apr/May 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8		
MW-22 Screen 3	Aug/Sep 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-22 Screen 3	Nov/Dec 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-22 Screen 3	Jan/Feb 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-22 Screen 3	Apr/May 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-22 Screen 3	Aug/Sep 2012	MW-22-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	3.8 J		
MW-22 Screen 3	Nov 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U		
MW-22 Screen 3	Jan/Feb 2013	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-22 Screen 3	Apr/May 2013	MW-22-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.3 J		
MW-22 Screen 3	Apr/May 2013	DUP-3-2Q13	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.6 J		
MW-22 Screen 3	Jul 2013	MW-22-3	0.5 U	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	3.6 J		
MW-22 Screen 3	Oct/Nov 2013	MW-22-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-22 Screen 3	Jan/Feb 2014	MW-22-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-22 Screen 3	Apr/May 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-22 Screen 3	Jul/Aug 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7 J		
MW-22 Screen 3	Oct 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-22 Screen 4	June/July 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	NA		Bromodichloromethane	0.5
													Dibromochloromethane	0.7

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-22 Screen 4	Sep/Oct 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Jan/Feb 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Apr/May 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Jul/Aug 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Oct/Nov 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Feb/Mar 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 B	0.5 U	4.0 U	
MW-22 Screen 4	May/Jun 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Aug 1999	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Nov/Dec 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Mar/Apr 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Jul/Aug 2000	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Sep/Oct 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Jan/Feb 2001	MW-22-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	
MW-22 Screen 4	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.7
MW-22 Screen 4	Apr 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Jul 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Oct 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Jan/Feb 2002	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 0.8 J
MW-22 Screen 4	Apr/May 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Jul 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Oct/Nov 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-22 Screen 4	Apr/May 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 9.0 J
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 3.0 J Chloroethane 3.2 Chloromethane 1.0
MW-22 Screen 4	Apr/May 2004	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	Apr/May 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-22 Screen 4	May/Jun 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-22 Screen 4	Oct/Dec 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-22 Screen 4	Jun/Jul 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride 2.7 J
MW-22 Screen 4	Oct/Dec 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-22 Screen 4	Apr/May 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-22 Screen 4	Oct/Nov 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 4	Apr/May 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 4	Nov/Dec 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 4	Nov/Dec 2009	DUPE-04-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 4	Apr/May 2010	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 4	Oct/Nov 2010	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-22 Screen 4	Apr/May 2011	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 4	Nov/Dec 2011	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2011	DUPE-6-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Apr/May 2012	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov 2012	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 2013	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 2013	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 2014	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct 2014	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J		
MW-22 Screen 4	Oct 2014	DUP-2-4Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J		
MW-22 Screen 5	June/July 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	NA	Dibromochloromethane	0.6
MW-22 Screen 5	Sep/Oct 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jan/Feb 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jul/Aug 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Feb/Mar 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3 B	0.5 U	4.0 U		
MW-22 Screen 5	May/Jun 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Nov/Dec 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jul/Aug 2000	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jan/Feb 2001	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-22 Screen 5	Jan/Feb 2002	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-22 Screen 5	Apr/May 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	2.0 J
MW-22 Screen 5	Apr/May 2004	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2004	DUPE-2-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	May/Jun 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Oct/Dec 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Jun/Jul 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Oct/Dec 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Apr/May 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Oct/Nov 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1		
MW-22 Screen 5	Apr/May 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Nov/Dec 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-22 Screen 5	Apr/May 2010	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Oct/Nov 2010	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Apr/May 2011	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.4		
MW-22 Screen 5	Nov/Dec 2011	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	47.3		
MW-22 Screen 5	Apr/May 2012	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 5	Nov 2012	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2013	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.6 J
MW-22 Screen 5	Oct/Nov 2013	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.7 J
MW-22 Screen 5	Apr/May 2014	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct 2014	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	June/July 1997	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7	NA	Bromodichloromethane	1.4
												Bromoform	1.5
												Dibromochloromethane	2.2
MW-23 Screen 1	Sep/Oct 1997	MW-23-1	0.5 U	3.1	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-23 Screen 1	Jan/Feb 1998	MW-23-1	0.5 U	4.2	1.6	1.2	0.5 U	0.5 U	0.5 U	0.9	5.2	1,2,3-Trichlorobenzene	0.6
MW-23 Screen 1	Jul/Aug 1998	MW-23-1	0.5	9.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	19.0	Methylene chloride	2.2
MW-23 Screen 1	Oct/Nov 1998	MW-23-1	0.8	15.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	20.8		
MW-23 Screen 1	Feb/Mar 1999	MW-23-1	0.6	15.0	1.1	1.4	0.5 U	0.5 U	0.5 U	1.9	8.4	1,2,3-Trichlorobenzene	0.6
MW-23 Screen 1	May/Jun 1999	MW-23-1	0.5 U	7.0	1.1	0.5 U	0.5 U	0.5 U	0.6	1.0	7.6	1,2,3-Trichlorobenzene	0.7
MW-23 Screen 1	Aug 1999	MW-23-1	0.5 U	3.5	1.1	1.0	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-23 Screen 1	Nov/Dec 1999	MW-23-1	0.5 U	1.2	1.3	1.0	0.5 U	0.5 U	0.5 U	0.5	4.1	1,2,3-Trichlorobenzene	1.1
MW-23 Screen 1	Mar/Apr 2000	MW-23-1	0.5 U	1.5	2.3	1.3	0.5 U	0.5 U	0.5 U	0.7	4.3	1,2,3-Trichlorobenzene	1.2
MW-23 Screen 1	Jul/Aug 2000	MW-23-1	0.5 U	1.4	0.9	0.5 U	0.5 U	0.6	0.5 U	0.5	4.9		
MW-23 Screen 1	Sep/Oct 2000	MW-23-1	0.5 U	0.6	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Jan/Feb 2001	MW-23-1	0.5 U	0.9	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-23 Screen 1	Apr 2001	MW-23-1	0.5 U	0.7	0.5 U	0.5	0.5 U	0.5 U	NA	0.5 J	4.0 U		
MW-23 Screen 1	Jul 2001	MW-23-1	0.6	1.9	0.9	0.4 J	0.5 U	0.5 U	0.5 U	NA	4.0 U		
MW-23 Screen 1	Oct 2001	MW-23-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Jan/Feb 2002	MW-23-1	0.5 U	1.3	1.4	0.7	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23 Screen 1	Apr/May 2002	MW-23-1	0.5 U	0.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride	0.4 J
MW-23 Screen 1	Jul 2002	MW-23-1	0.5 U	0.9	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-23 Screen 1	Oct/Nov 2002	MW-23-1	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	0.5 U	1.5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.9 J		
MW-23 Screen 1	Apr/May 2003	MW-23-1	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9 J	4-Methyl-2-pentanone	4.0 J
MW-23 Screen 1	Jul/Aug 2003	MW-23-1	0.5 U	0.3 J	1.5	0.5	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J		
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.1 J	4-Methyl-2-pentanone	2.0 J
												Chloroethane	2.7
												Chloromethane	0.6
MW-23 Screen 1	Feb 2004	MW-23-1	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.5		
MW-23 Screen 1	Apr/May 2004	MW-23-1	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23 Screen 1	Jul/Aug 2004	MW-23-1	0.5 U	0.8	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	0.5 U	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	0.5 U	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	m,p-Xylene	0.7
MW-23 Screen 1	Apr/May 2005	MW-23-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-23 Screen 1	Jul/Sep 2005	MW-23-1	0.5 U	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-23 Screen 1	Mar/Apr 2006	MW-23-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-23 Screen 1	May/Jun 2006	MW-23-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	May/Jun 2006	DUPE-6-2Q06	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Aug/Sep 2006	MW-23-1	0.5 U	0.4 J	1.0 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	
MW-23 Screen 1	Oct/Dec 2006	MW-23-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Mar/Apr 2007	MW-23-1	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Jun/Jul 2007	MW-23-1	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 1	Aug/Sep 2007	MW-23-1	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	
MW-23 Screen 1	Oct/Dec 2007	MW-23-1	0.5 U	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0	
MW-23 Screen 1	Jan/Feb 2008	MW-23-1	0.5 U	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.4	
MW-23 Screen 1	Apr/May 2008	MW-23-1	0.5 U	0.5	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	
MW-23 Screen 1	Jul/Aug 2008	MW-23-1	0.5 U	1.3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2	
MW-23 Screen 1	Oct/Nov 2008	MW-23-1	0.5 U	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	
MW-23 Screen 1	Jan/Feb 2009	MW-23-1	0.5 U	1.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	
MW-23 Screen 1	Apr/May 2009	MW-23-1	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	
MW-23 Screen 1	Jul/Aug 2009	MW-23-1	0.5 U	2.2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.2	
MW-23 Screen 1	Nov/Dec 2009	MW-23-1	0.5 U	2.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-23 Screen 1	Feb 2010	MW-23-1	0.5 U	3.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	
MW-23 Screen 1	Apr/May 2010	MW-23-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	
MW-23 Screen 1	Jul/Aug 2010	MW-23-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	28.3	
MW-23 Screen 1	Oct/Nov 2010	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	30.4 J	
MW-23 Screen 1	Oct/Nov 2010	DUPE-07-4Q10	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	29.9 J	
MW-23 Screen 1	Feb/Mar 2011	MW-23-1	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	302.0	
MW-23 Screen 1	Apr/May 2011	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	97.8	
MW-23 Screen 1	Aug/Sep 2011	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.7	
MW-23 Screen 1	Nov/Dec 2011	MW-23-1	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	103.0	
MW-23 Screen 1	Jan/Feb 2012	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	35.2	
MW-23 Screen 1	Jan/Feb 2012	DUPE-3-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	35.5	
MW-23 Screen 1	Apr/May 2012	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	11.2	
MW-23 Screen 1	Apr/May 2012	DUPE-3-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	12.5 J	
MW-23 Screen 1	Aug/Sep 2012	MW-23-1	0.5 U	0.3 J	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	4.5	
MW-23 Screen 1	Nov 2012	MW-23-1	0.5 U	1.0	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	2.3 J	
MW-23 Screen 1	Jan/Feb 2013	MW-23-1	0.5 U	1.9	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	3.8 J	
MW-23 Screen 1	Apr/May 2013	MW-23-1	0.5 U	2.8 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	2.7 J	cis-1,2-Dichloroethene 0.1 J
MW-23 Screen 1	Jul 2013	MW-23-1	0.5 U	2.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.2 J	
MW-23 Screen 1	Oct/Nov 2013	MW-23-1	0.5 U	2.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7	
MW-23 Screen 1	Jan/Feb 2014	MW-23-1	0.5 U	3.5	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	3.7 J	
MW-23 Screen 1	Apr/May 2014	MW-23-1	0.5 U	2.1	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.6 J	
MW-23 Screen 1	Jul/Aug 2014	MW-23-1	0.5 U	3.8	0.5	0.1 J	0.5 U	0.5 U	0.5 U	0.6	3.8 J	cis-1,2-Dichloroethene 0.1 J trans-1,2-Dichloroethene 0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 1	Oct 2014	MW-23-1	0.5 U	3.9	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.6	3.8 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE) trans-1,2-Dichloroethene	0.1 J 0.1 J 0.2 J
MW-23 Screen 2	June/July 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3	NA	Dibromochloromethane	0.6
MW-23 Screen 2	Sep/Oct 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6		
MW-23 Screen 2	Jan/Feb 1998	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	6.7		
MW-23 Screen 2	Jul/Aug 1998	MW-23-2	0.5 U	1.1	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	7.8	Methylene chloride	1.8
MW-23 Screen 2	Oct/Nov 1998	MW-23-2	0.5 U	0.6	0.7	0.6	0.5 U	0.5 U	0.5 U	0.6	16.3		
MW-23 Screen 2	Feb/Mar 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.7		
MW-23 Screen 2	May/Jun 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.6	7.8		
MW-23 Screen 2	Aug 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23 Screen 2	Nov/Dec 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5		
MW-23 Screen 2	Mar/Apr 2000	MW-23-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.2		
MW-23 Screen 2	Jul/Aug 2000	MW-23-2	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	6.6		
MW-23 Screen 2	Sep/Oct 2000	MW-23-2	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	7.0		
MW-23 Screen 2	Jan/Feb 2001	MW-23-2	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-23 Screen 2	Apr 2001	MW-23-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5	4.0 U		
MW-23 Screen 2	Jul 2001	MW-23-2	0.5 U	0.3 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichlorobenzene	1.2
MW-23 Screen 2	Oct 2001	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 2	Oct 2001	DUP	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-23 Screen 2	Jan/Feb 2002	MW-23-2	0.5 U	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0	Methylene chloride	0.9 J
MW-23 Screen 2	Apr/May 2002	MW-23-2	0.5 U	0.7	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride	0.4 J
MW-23 Screen 2	Jul 2002	MW-23-2	0.5 U	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 J		
MW-23 Screen 2	Oct/Nov 2002	MW-23-2	0.5 U	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.4 J		
MW-23 Screen 2	Apr/May 2003	MW-23-2	0.5 U	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.8 J	4-Methyl-2-pentanone	3.0 J
MW-23 Screen 2	Jul/Aug 2003	MW-23-2	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7	Methylene chloride	0.6
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	0.5 U	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.4 J	4-Methyl-2-pentanone Chloroethane Chloromethane	3.0 J 2.3 0.6
MW-23 Screen 2	Feb 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.9		
MW-23 Screen 2	Apr/May 2004	MW-23-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.4		
MW-23 Screen 2	Jul/Aug 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	0.5 U	0.5 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	0.5 U	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.6	m,p-Xylene	0.4 J
MW-23 Screen 2	Apr/May 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7 J		
MW-23 Screen 2	Jul/Sep 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9 J		
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.2		
MW-23 Screen 2	Mar/Apr 2006	MW-23-2	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-23 Screen 2	Mar/Apr 2006	DUPE-5-1Q06	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.3		
MW-23 Screen 2	May/Jun 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 2	Aug/Sep 2006	MW-23-2	0.5 U	0.7 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.6		
MW-23 Screen 2	Aug/Sep 2006	DUPE-2-3Q06	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1		
MW-23 Screen 2	Oct/Dec 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-23 Screen 2	Mar/Apr 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-23 Screen 2	Jun/Jul 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 2	Aug/Sep 2007	MW-23-2	0.5 U	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-23 Screen 2	Aug/Sep 2007	DUPE-2-3Q07	0.5 U	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-23 Screen 2	Oct/Dec 2007	MW-23-2	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.7		
MW-23 Screen 2	Jan/Feb 2008	MW-23-2	0.5 U	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	6.5		
MW-23 Screen 2	Apr/May 2008	MW-23-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1 J		
MW-23 Screen 2	Apr/May 2008	DUPE-3-2Q08	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-23 Screen 2	Jul/Aug 2008	MW-23-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.8		
MW-23 Screen 2	Oct/Nov 2008	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-23 Screen 2	Jan/Feb 2009	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-23 Screen 2	Apr/May 2009	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.1		
MW-23 Screen 2	Jul/Aug 2009	MW-23-2	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-23 Screen 2	Nov/Dec 2009	MW-23-2	0.5 U	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.4		
MW-23 Screen 2	Feb 2010	MW-23-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-23 Screen 2	Apr/May 2010	MW-23-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-23 Screen 2	Jul/Aug 2010	MW-23-2	0.5 U	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.9		
MW-23 Screen 2	Oct/Nov 2010	MW-23-2	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.4 J		
MW-23 Screen 2	Feb/Mar 2011	MW-23-2	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.4		
MW-23 Screen 2	Apr/May 2011	MW-23-2	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5		
MW-23 Screen 2	Aug/Sep 2011	MW-23-2	0.5 U	2.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0		
MW-23 Screen 2	Nov/Dec 2011	MW-23-2	0.5 U	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.8		
MW-23 Screen 2	Jan/Feb 2012	MW-23-2	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3		
MW-23 Screen 2	Apr/May 2012	MW-23-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-23 Screen 2	Aug/Sep 2012	MW-23-2	0.5 U	0.7	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	5.7		
MW-23 Screen 2	Aug/Sep 2012	DUPE-4-3Q12	0.5 U	0.7	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	4.6		
MW-23 Screen 2	Nov 2012	MW-23-2	0.5 U	0.6	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	2.5 J		
MW-23 Screen 2	Jan/Feb 2013	MW-23-2	0.5 U	0.7	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J		
MW-23 Screen 2	Apr/May 2013	MW-23-2	0.5 U	0.9	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	3.4 J		
MW-23 Screen 2	Jul 2013	MW-23-2	0.5 U	1.1	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.6	4.0		
MW-23 Screen 2	Oct/Nov 2013	MW-23-2	0.5 U	0.8	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 J	4.1		
MW-23 Screen 2	Jan/Feb 2014	MW-23-2	0.5 U	1.1	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	4.6		
MW-23 Screen 2	Apr/May 2014	MW-23-2	0.5 U	1.1	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	4.7		
MW-23 Screen 2	Jul/Aug 2014	MW-23-2	0.5 U	1.4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-23 Screen 2	Oct 2014	MW-23-2	0.5 U	1.3	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	4.1		
MW-23 Screen 3	June/July 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2	NA	Bromodichloromethane Bromoform Dibromochloromethane	0.8 0.9 1.3

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 3	Sep/Oct 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.7
MW-23 Screen 3	Oct/Nov 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Feb/Mar 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	May/Jun 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Aug 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Nov/Dec 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Mar/Apr 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Sep/Oct 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Apr 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-23 Screen 3	Jul 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.9 J
MW-23 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.5
MW-23 Screen 3	Apr/May 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-23 Screen 3	Jul 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-23 Screen 3	Apr/May 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-23 Screen 3	Jul/Aug 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone Chloroethane Chloromethane	2.0 J 2.3 0.6
MW-23 Screen 3	Feb 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Apr/May 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-23 Screen 3	Apr/May 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-23 Screen 3	Jul/Sep 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J		
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J		
MW-23 Screen 3	Mar/Apr 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	May/Jun 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Aug/Sep 2006	MW-23-3	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene	0.3 J
MW-23 Screen 3	Oct/Dec 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Mar/Apr 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 3	Jun/Jul 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Aug/Sep 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Oct/Dec 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jan/Feb 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Apr/May 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jul/Aug 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Oct/Nov 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Jan/Feb 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Apr/May 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Jul/Aug 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Nov/Dec 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Feb 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Apr/May 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2		
MW-23 Screen 3	Jul/Aug 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-23 Screen 3	Oct/Nov 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J		
MW-23 Screen 3	Feb/Mar 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2		
MW-23 Screen 3	Apr/May 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5		
MW-23 Screen 3	Aug/Sep 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2		
MW-23 Screen 3	Nov/Dec 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-23 Screen 3	Jan/Feb 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-23 Screen 3	Apr/May 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9		
MW-23 Screen 3	Aug/Sep 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9 J		
MW-23 Screen 3	Nov 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J		
MW-23 Screen 3	Jan/Feb 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-23 Screen 3	Apr/May 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-23 Screen 3	Jul 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-23 Screen 3	Oct/Nov 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1 J		
MW-23 Screen 3	Jan/Feb 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8 J		
MW-23 Screen 3	Apr/May 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J		
MW-23 Screen 3	Jul/Aug 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9 J		
MW-23 Screen 3	Oct 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-23 Screen 4	June/July 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	NA	Benzene	1.3
MW-23 Screen 4	Sep/Oct 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Jan/Feb 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Jul/Aug 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	2.3
MW-23 Screen 4	Oct/Nov 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Feb/Mar 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	May/Jun 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Aug 1999	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Nov/Dec 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Mar/Apr 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-23 Screen 4	Jul/Aug 2000	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Sep/Oct 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-23 Screen 4	Jan/Feb 2001	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Apr 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-23 Screen 4	Jul 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-23 Screen 4	Oct 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-23 Screen 4	Jan/Feb 2002	MW-23-4	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Apr/May 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-23 Screen 4	Jul 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 J	
MW-23 Screen 4	Oct/Nov 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-23 Screen 4	Apr/May 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 5.0 J
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 2.0 J Chloromethane 0.5
MW-23 Screen 4	Apr/May 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Apr/May 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J	
MW-23 Screen 4	Jul/Sep 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	May/Jun 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-23 Screen 4	Oct/Dec 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Methylene chloride 2.0
MW-23 Screen 4	Jun/Jul 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-23 Screen 4	Oct/Dec 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-23 Screen 4	Apr/May 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-23 Screen 4	Oct/Nov 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-23 Screen 4	Apr/May 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-23 Screen 4	Nov/Dec 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	
MW-23 Screen 4	Apr/May 2010	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	
MW-23 Screen 4	Oct/Nov 2010	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-23 Screen 4	Apr/May 2011	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-23 Screen 4	Nov/Dec 2011	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-23 Screen 4	Apr/May 2012	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	
MW-23 Screen 4	Nov 2012	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Apr/May 2013	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Oct/Nov 2013	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Apr/May 2014	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 4	Oct 2014	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1 J	
MW-23 Screen 5	Sep/Oct 1997	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 5	Jan/Feb 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-23 Screen 5	Jul/Aug 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride 1.7
MW-23 Screen 5	Oct/Nov 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.9	
MW-23 Screen 5	Feb/Mar 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 5	May/June 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Aug 1999	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Nov/Dec 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Mar/Apr 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul/Aug 2000	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Sep/Oct 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jan/Feb 2001	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-23 Screen 5	Apr 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	Styrene	0.4 J
MW-23 Screen 5	Jul 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Oct 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jan/Feb 2002	MW-23-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.9 J
MW-23 Screen 5	Apr/May 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Oct/Nov 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Apr/May 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	3.0 J
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Apr/May 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.4 J
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Vinyl chloride	0.6
MW-23 Screen 5	Apr/May 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	May/June 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.4 J
MW-23 Screen 5	Oct/Dec 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 5	Jun/Jul 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 5	Oct/Dec 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.3 J
MW-23 Screen 5	Apr/May 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Styrene	0.5 J
MW-23 Screen 5	Oct/Nov 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov/Dec 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	Styrene	0.6
MW-23 Screen 5	Apr/May 2010	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	Styrene	0.5
MW-23 Screen 5	Oct/Nov 2010	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2011	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov/Dec 2011	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2012	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov 2012	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene	0.1 J
MW-23 Screen 5	Apr/May 2013	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.3 J
MW-23 Screen 5	Oct/Nov 2013	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
												Ethylbenzene	0.1 J
												Styrene	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 5	Apr/May 2014	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.1 J 0.3 J
MW-23 Screen 5	Oct 2014	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.1 J 0.3 J
MW-24 Screen 1	June/July 1997	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	NA	Bromodichloromethane Dibromochloromethane	0.5 0.6
MW-24 Screen 1	Sep/Oct 1997	MW-24-1	5.0	5.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.1	92.0		
MW-24 Screen 1	Jan/Feb 1998	MW-24-1	30.0 E	15.0	0.5	0.5 U	0.8	0.5 U	0.6	15.0	330.0		
MW-24 Screen 1	Apr/May 1998	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Apr/May 1998	MW-24-1	6.7	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	74.0		
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	20.0		
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	1.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	16.3		
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	14.0		
MW-24 Screen 1	May/June 1999	MW-24-1	1.0	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0		
MW-24 Screen 1	Aug 1999	MW-24-1	1.8	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	22.0		
MW-24 Screen 1	Nov/Dec 1999	MW-24-1	6.3	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	91.0		
MW-24 Screen 1	Mar/Apr 2000	MW-24-1	15.0	8.6	0.6	0.5 U	0.5 U	0.5 U	0.6	5.1	270.0		
MW-24 Screen 1	Jul/Aug 2000	MW-24-1	18.0	7.7	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.5	440.0		
MW-24 Screen 1	Sep/Oct 2000	MW-24-1	28.0	8.4	1.1	0.5 U	0.5 U	0.6	0.6	5.5	590.0		
MW-24 Screen 1	Jan/Feb 2001	MW-24-1	12.1	5.5	0.6	0.5 U	0.4 J	0.4 J	1.5	7.5	4.0 U	1,4-Dioxane 2-Butanone	3.6 0.7 J
MW-24 Screen 1	Apr 2001	MW-24-1	12.6	6.5	0.5 U	0.5 U	0.4 J	0.5 U	NA	6.0	433.0		
MW-24 Screen 1	Jul 2001	MW-24-1	6.5	2.9	0.3 J	0.5 U	0.4 J	0.8	0.5 U	6.4	440.0		
MW-24 Screen 1	Oct 2001	MW-24-1	13.8	5.5	0.6	0.5 U	0.5 U	0.5	0.5 U	3.8	673.0		
MW-24 Screen 1	Jan/Feb 2002	MW-24-1	24.2	7.6	1.5	0.5 U	0.5 J	0.7	0.5 U	9.3	1460.0	1,4-Dioxane	3.0
MW-24 Screen 1	Apr/May 2002	MW-24-1	26.0	6.8	1.6	0.5 U	0.5 U	0.8	0.5 U	9.3	1280.0	Methylene chloride	0.5 J
MW-24 Screen 1	Jul 2002	MW-24-1	21.6	5.9	1.3	0.5 U	0.5 U	0.7	0.5 U	9.3	1230.0 J		
MW-24 Screen 1	Oct/Nov 2002	MW-24-1	22.2	8.3	1.2	0.5 U	0.4 J	1.0	0.5 U	13.4	985.0		
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	4.7	1.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	2.4	257.0		
MW-24 Screen 1	Apr/May 2003	MW-24-1	7.5	2.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2	854.0	1,4-Dioxane 4-Methyl-2-pentanone	3.6 4.0 J
MW-24 Screen 1	Jul/Aug 2003	MW-24-1	22.1	4.8	1.5	0.5 U	0.5 U	0.8	0.5 U	10.2	2450.0	4-Methyl-2-pentanone Methylene chloride	0.3 J 0.4 J
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	19.1	3.7	1.6	0.5 U	0.5 U	0.7	0.5 U	6.8	2760.0 J		
MW-24 Screen 1	Feb 2004	MW-24-1	6.7	1.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1120.0 J		
MW-24 Screen 1	Apr/May 2004	MW-24-1	8.3	1.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2240.0	1,4-Dioxane	3.2
MW-24 Screen 1	Jul/Aug 2004	MW-24-1	16.7	2.4	1.7	0.5 U	0.5 U	0.5 U	0.5 U	5.9	2170.0		
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	7.8	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4880.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	10.0	1.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1050.0		
MW-24 Screen 1	Apr/May 2005	MW-24-1	8.9	0.4 J	2.8	0.5 U	0.5 U	0.7	0.5 U	4.8	4090.0	1,4-Dioxane	2.2
MW-24 Screen 1	Jul/Sep 2005	MW-24-1	0.9	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	683.0	m,p-Xylene	0.5
MW-24 Screen 1	Jul/Sep 2005	DUPE-1-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	670.0		
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	104.0		
MW-24 Screen 1	Mar/Apr 2006	MW-24-1	0.6	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	230.0		
MW-24 Screen 1	May/June 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	46.0	1,4-Dioxane NDMA	1.0 J 0.0 U
MW-24 Screen 1	May/June 2006	DUPE-8-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	44.0	1,4-Dioxane	1.0 J
MW-24 Screen 1	Aug/Sep 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	35.0	Methylene chloride	1.0
MW-24 Screen 1	Oct/Dec 2006	MW-24-1	1.5	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	590.0		
MW-24 Screen 1	Mar/Apr 2007	MW-24-1	11.0 J	0.5 U	5.9	0.5 U	0.5 U	1.7	0.5 U	4.0	1900.0		
MW-24 Screen 1	Mar/Apr 2007	DUPE-5-1Q07	14.0 J	0.3 J	7.4	0.5 U	0.5 U	1.9	0.5 U	4.8	2000.0		
MW-24 Screen 1	Jun/Jul 2007	MW-24-1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	970.0	1,4-Dioxane	1.1 J
MW-24 Screen 1	Aug/Sep 2007	MW-24-1	5.8	0.5 U	4.5	0.5 U	0.5 U	0.7	0.5 U	4.4	1300.0	Bromodichloromethane Bromoform Dibromochloromethane	1.5 1.0 1.7
MW-24 Screen 1	Oct/Dec 2007	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	81.0	Bromodichloromethane Bromoform Dibromochloromethane Dibromomethane	2.9 2.5 3.5 0.3 J
MW-24 Screen 1	Oct/Dec 2007	DUPE-3-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	78.0	Bromodichloromethane Bromoform Dibromochloromethane Dibromomethane	3.4 2.7 4.1 0.3 J
MW-24 Screen 1	Jan/Feb 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	12.0	Bromodichloromethane	1.6
MW-24 Screen 1	Jan/Feb 2008	DUPE-5-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.0	Bromodichloromethane	1.2
MW-24 Screen 1	Apr/May 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	8.2	1,4-Dioxane Bromodichloromethane Dibromochloromethane	1.1 J 3.3 0.4 J
MW-24 Screen 1	Apr/May 2008	DUPE-4-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	9.4	1,4-Dioxane Bromodichloromethane Dibromochloromethane	1.0 J 3.0 0.4 J
MW-24 Screen 1	Jul/Aug 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	1.1	Bromodichloromethane	5.3 J
MW-24 Screen 1	Oct/Nov 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8		
MW-24 Screen 1	Jan/Feb 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	326.0		
MW-24 Screen 1	Apr/May 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	3.6	1,4-Dioxane NDMA	1.0 0.0 J
MW-24 Screen 1	Apr/May 2009	DUPE-02-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0	1,4-Dioxane	1.0
MW-24 Screen 1	Jul/Aug 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4.0	Bromodichloromethane	0.9
MW-24 Screen 1	Nov/Dec 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.1 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Feb 2010	MW-24-1	0.8	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	2.1	232.0		
MW-24 Screen 1	Feb 2010	DUPE-5-1Q10	0.8	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	228.0		
MW-24 Screen 1	Apr/May 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-24 Screen 1	Jul/Aug 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	5.8		
MW-24 Screen 1	Oct/Nov 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	9.2		
MW-24 Screen 1	Feb/Mar 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	14.3		
MW-24 Screen 1	Apr/May 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1	10.4	1,4-Dioxane NDMA	1.1 0.0 J
MW-24 Screen 1	Aug/Sep 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	12.2		
MW-24 Screen 1	Nov/Dec 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	4.6		
MW-24 Screen 1	Jan/Feb 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	5.8		
MW-24 Screen 1	Apr/May 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.2	1,4-Dioxane	0.9 J
MW-24 Screen 1	Aug/Sep 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	3.9 J	Bromodichloromethane Bromoform Dibromochloromethane	1.2 0.3 J 0.9
MW-24 Screen 1	Nov 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	4.0 U	Bromodichloromethane Dibromochloromethane	4.8 2.7
MW-24 Screen 1	Jan/Feb 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2	4.0 U	Benzene Bromodichloromethane Methylene chloride Methyl-tert-butyl ether (MTBE) Styrene	0.1 J 2.6 0.6 0.2 J 0.2 J
MW-24 Screen 1	Apr/May 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	4.0 U	Bromodichloromethane Carbon disulfide	0.9 0.4 J
MW-24 Screen 1	Jul 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	Bromodichloromethane	0.2 J
MW-24 Screen 1	Oct/Nov 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 J	2.3 J	Bromodichloromethane	0.2 J
MW-24 Screen 1	Jan/Feb 2014	MW-24-1	0.7	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.2 J	7.6	160.0	Bromodichloromethane	1.0
MW-24 Screen 1	Apr/May 2014	MW-24-1	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	5.9	45.0		
MW-24 Screen 1	Jul/Aug 2014	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U		
MW-24 Screen 1	Oct 2014	MW-24-1	0.3 J	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	140.0		
MW-24 Screen 2	June/July 1997	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3	NA		
MW-24 Screen 2	Sep/Oct 1997	MW-24-2	13.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	200.0		
MW-24 Screen 2	Jan/Feb 1998	MW-24-2	6.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	110.0		
MW-24 Screen 2	Apr/May 1998	MW-24-2	29.0	3.3	0.9	0.5 U	0.5 U	1.4	0.5 U	9.4	480.0		
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	58.0	4.2	1.5	0.5 U	0.5 U	2.0	0.5 U	8.4	500.0		
MW-24 Screen 2	Oct/Nov 1998	MW-24-2	19.0	2.3	0.8	0.5 U	0.5 U	0.8	0.5 U	5.9	490.0		
MW-24 Screen 2	Feb/Mar 1999	MW-24-2	30.0 E	3.0	1.0	0.5 U	0.5 U	1.5	0.5 U	6.6	580.0		
MW-24 Screen 2	May/June 1999	MW-24-2	33.0	4.3	1.3	0.5 U	0.5 U	1.8	0.5 U	7.7	690.0		
MW-24 Screen 2	Aug 1999	MW-24-2	35.0	3.6	0.9	0.5 U	0.5 U	1.4	0.5 U	7.5	700.0		
MW-24 Screen 2	Nov/Dec 1999	MW-24-2	25.0	3.7	0.9	0.5 U	0.5 U	1.4	0.5 U	7.4	570.0		
MW-24 Screen 2	Mar/Apr 2000	MW-24-2	28.0	4.3	1.1	0.5 U	0.5 U	1.9	0.5 U	8.0	570.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-24 Screen 2	Jul/Aug 2000	MW-24-2	23.0 E	3.3	0.8	0.5 U	0.5 U	1.2	0.5 U	7.7	530.0	
MW-24 Screen 2	Sep/Oct 2000	MW-24-2	21.0	3.0	0.8	0.5 U	0.5 U	1.4	0.5 U	6.6	430.0	
MW-24 Screen 2	Jan/Feb 2001	MW-24-2	0.5 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	42.0	
MW-24 Screen 2	Apr 2001	MW-24-2	10.6	2.0	0.5 U	0.5 U	0.4 J	0.6	NA	6.2	433.0	
MW-24 Screen 2	Jul 2001	MW-24-2	15.2	2.4	0.5	0.5 U	0.4 J	0.8	0.5 U	6.4	420.0	
MW-24 Screen 2	Oct 2001	MW-24-2	8.6	0.9	0.5 U	0.5 U	0.5 U	0.9	0.5 U	3.5	386.0	
MW-24 Screen 2	Jan/Feb 2002	MW-24-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.6	
MW-24 Screen 2	Apr/May 2002	MW-24-2	10.8	1.6	0.5 J	0.5 U	0.5 U	0.6	0.5 U	4.3	249.0	Methylene chloride 0.6 J
MW-24 Screen 2	Jul 2002	MW-24-2	10.6	1.7	0.5 U	0.5 U	0.5 U	0.7	0.5 U	4.6	246.0 J	
MW-24 Screen 2	Oct/Nov 2002	MW-24-2	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	2.6	0.6	0.5 J	0.3	0.5 U	0.5 U	0.5 U	1.1	106.0	TPH - Gasoline 20.0 J
MW-24 Screen 2	Apr/May 2003	MW-24-2	8.9	1.6	0.3 J	0.5 U	0.5 U	0.5	0.5 U	3.8	195.0	4-Methyl-2-pentanone 4.0 J
MW-24 Screen 2	Apr/May 2003	DUPE-4-2Q03	4.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	199.0	4-Methyl-2-pentanone 5.0 J Methylene chloride 2.5
MW-24 Screen 2	Jul/Aug 2003	MW-24-2	4.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	148.0	Methylene chloride 0.3 J
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	155.0 J	
MW-24 Screen 2	Feb 2004	MW-24-2	3.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	107.0	
MW-24 Screen 2	Apr/May 2004	MW-24-2	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	110.0	
MW-24 Screen 2	Jul/Aug 2004	MW-24-2	4.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	99.7	
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	4.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	56.2	
MW-24 Screen 2	Apr/May 2005	MW-24-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	87.5	
MW-24 Screen 2	Jul/Sep 2005	MW-24-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	79.1	
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	71.5	
MW-24 Screen 2	Mar/Apr 2006	MW-24-2	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	59.0	
MW-24 Screen 2	Mar/Apr 2006	DUPE-2-1Q06	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	62.0	
MW-24 Screen 2	May/Jun 2006	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	73.0	
MW-24 Screen 2	Aug/Sep 2006	MW-24-2	2.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U	
MW-24 Screen 2	Oct/Dec 2006	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.0	
MW-24 Screen 2	Mar/Apr 2007	MW-24-2	1.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	51.0	
MW-24 Screen 2	Jun/Jul 2007	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	43.0	
MW-24 Screen 2	Aug/Sep 2007	MW-24-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	35.0	
MW-24 Screen 2	Oct/Dec 2007	MW-24-2	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	36.0	
MW-24 Screen 2	Jan/Feb 2008	MW-24-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	23.0	
MW-24 Screen 2	Jan/Feb 2008	DUPE-4-1Q08	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	25.0	
MW-24 Screen 2	Apr/May 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	27.0	
MW-24 Screen 2	Jul/Aug 2008	MW-24-2	0.7 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.4	
MW-24 Screen 2	Oct/Nov 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.1	
MW-24 Screen 2	Jan/Feb 2009	MW-24-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.6	
MW-24 Screen 2	Apr/May 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9	
MW-24 Screen 2	Jul/Aug 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 2	Nov/Dec 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-24 Screen 2	Feb 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8		
MW-24 Screen 2	Apr/May 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.6		
MW-24 Screen 2	Jul/Aug 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.1		
MW-24 Screen 2	Jul/Aug 2010	DUPE-7-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.5		
MW-24 Screen 2	Oct/Nov 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.1		
MW-24 Screen 2	Feb/Mar 2011	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-24 Screen 2	Apr/May 2011	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.2		
MW-24 Screen 2	Apr/May 2011	DUPE-1-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.5		
MW-24 Screen 2	Aug/Sep 2011	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	33.0		
MW-24 Screen 2	Nov/Dec 2011	MW-24-2	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	38.5		
MW-24 Screen 2	Jan/Feb 2012	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.3		
MW-24 Screen 2	Apr/May 2012	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.1		
MW-24 Screen 2	Aug/Sep 2012	MW-24-2	0.3 J	0.1 J	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	14.0		
MW-24 Screen 2	Nov 2012	MW-24-2	0.4 J	0.1 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	8.7	Bromodichloromethane	0.2 J
MW-24 Screen 2	Nov 2012	DUPE-3-4Q12	0.2 J	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	8.4	Bromodichloromethane	0.1 J
MW-24 Screen 2	Jan/Feb 2013	MW-24-2	0.2 J	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	9.9	Bromodichloromethane	0.2 J
MW-24 Screen 2	Apr/May 2013	MW-24-2	0.6	0.2 J	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	1.1	11.0	Bromodichloromethane	0.5
MW-24 Screen 2	Jul 2013	MW-24-2	0.3 J	0.1 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	10.0	Bromodichloromethane	0.4 J
MW-24 Screen 2	Oct/Nov 2013	MW-24-2	0.4 J	0.2 J	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	1.1	9.7	Bromodichloromethane	0.8
MW-24 Screen 2	Jan/Feb 2014	MW-24-2	0.5 U	0.5 U	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.7	8.0	Bromodichloromethane	0.7
MW-24 Screen 2	Apr/May 2014	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	8.5	Bromodichloromethane	0.9
MW-24 Screen 2	Apr/May 2014	DUP-2-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	8.1	Bromodichloromethane Chloromethane	0.8 0.5
MW-24 Screen 2	Jul/Aug 2014	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	1.1	6.0	Bromodichloromethane	1.0
MW-24 Screen 2	Oct 2014	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.8	5.4	Bromodichloromethane	0.6
MW-24 Screen 3	June/July 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	NA	Bromodichloromethane Bromoform Dibromochloromethane	1.1 0.7 1.3
MW-24 Screen 3	Sep/Oct 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Apr/May 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Feb/Mar 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	May/Jun 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Aug 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Nov/Dec 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Mar/Apr 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Sep/Oct 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 3	Jan/Feb 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Apr 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-24 Screen 3	Jul 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	1.4
MW-24 Screen 3	Apr/May 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane	0.8
MW-24 Screen 3	Jul 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-24 Screen 3	Oct/Nov 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-24 Screen 3	Apr/May 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-24 Screen 3	Jul/Aug 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Feb 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-24 Screen 3	Apr/May 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-24 Screen 3	Apr/May 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Sep 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Mar/Apr 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	May/Jun 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Aug/Sep 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Oct/Dec 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Mar/Apr 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	m,p-Xylene	1.0 J
MW-24 Screen 3	Jun/Jul 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Aug/Sep 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Oct/Dec 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Jan/Feb 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Apr/May 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene	2.7
												Ethylbenzene	1.0
												Methyl-tert-butyl ether (MTBE)	2.0
												Styrene	1.1
												Vinyl chloride	2.0
MW-24 Screen 3	Jul/Aug 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2008	DUPE-08-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Jan/Feb 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.3		
MW-24 Screen 3	Apr/May 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-24 Screen 3	Apr/May 2009	DUPE-01-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Jul/Aug 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Nov/Dec 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	27.9 J	
MW-24 Screen 3	Feb 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Apr/May 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Jul/Aug 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Oct/Nov 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Feb/Mar 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Apr/May 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Aug/Sep 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Nov/Dec 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Nov/Dec 2011	DUPE-7-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Jan/Feb 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Apr/May 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Apr/May 2012	DUPE-2-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 3	Aug/Sep 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Aug/Sep 2012	DUPE-6-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Nov 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jan/Feb 2013	MW-24-3	0.5 U	0.5 U	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Apr/May 2013	MW-24-3	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.6 J
MW-24 Screen 3	Jul 2013	MW-24-3	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-24 Screen 3	Oct/Nov 2013	MW-24-3	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide 0.4 J
MW-24 Screen 3	Jan/Feb 2014	MW-24-3	0.5 U	0.5 U	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Apr/May 2014	MW-24-3	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Jul/Aug 2014	MW-24-3	0.5 U	0.5 U	0.1 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 3	Oct 2014	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene 0.1 J
MW-24 Screen 4	June/July 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0	NA	Bromodichloromethane 0.5 Dibromochloromethane 0.7
MW-24 Screen 4	Sep/Oct 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Jan/Feb 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Apr/May 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Oct/Nov 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Feb/Mar 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	May/Jun 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Nov/Dec 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Mar/Apr 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	
MW-24 Screen 4	Jul/Aug 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Jan/Feb 2001	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE) 0.5 J
MW-24 Screen 4	Jan/Feb 2002	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 4	Apr/May 2002	MW-24-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 4	Apr/May 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jul/Sep 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	May/June 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Oct/Dec 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Jun/Jul 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Oct/Dec 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Apr/May 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Oct/Nov 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8		
MW-24 Screen 4	Apr/May 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Nov/Dec 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Apr/May 2010	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3		
MW-24 Screen 4	Oct/Nov 2010	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Oct/Nov 2010	DUPE-06-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Apr/May 2011	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Nov/Dec 2011	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Apr/May 2012	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Nov 2012	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.1 J 0.2 J
MW-24 Screen 4	Apr/May 2013	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.1 J 0.2 J
MW-24 Screen 4	Oct/Nov 2013	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.2 J 0.2 J
MW-24 Screen 4	Apr/May 2014	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-24 Screen 4	Oct 2014	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.1 J 0.2 J
MW-24 Screen 4	Oct 2014	DUP-8-4Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.2 J 0.2 J
MW-24 Screen 5	Sep/Oct 1997	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jan/Feb 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Apr/May 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jul/Aug 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Oct/Nov 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Feb/Mar 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	May/June 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Nov/Dec 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-24 Screen 5	Jul/Aug 2000	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 2001	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 2002	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone 5.0 J
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Jul/Sep 2005	MW-24-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-24 Screen 5	Jul/Sep 2005	DUPE-10-9/9/05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U	
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	May/Jun 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Oct/Dec 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	Benzene Methyl-tert-butyl ether (MTBE) Styrene 0.6 0.7 0.5
MW-24 Screen 5	Jun/Jul 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Oct/Dec 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Apr/May 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-24 Screen 5	Oct/Nov 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Apr/May 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Nov/Dec 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Apr/May 2010	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Oct/Nov 2010	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Apr/May 2011	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Nov/Dec 2011	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Apr/May 2012	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-24 Screen 5	Nov 2012	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2013	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Oct/Nov 2013	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Apr/May 2014	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-24 Screen 5	Oct 2014	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane m,p-Xylene 0.0 J 0.3 J
MW-25 Screen 1	Apr/May 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9	
MW-25 Screen 1	Jul/Sep 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.7	
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	Methylene chloride 0.6
MW-25 Screen 1	Mar/Apr 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.2	
MW-25 Screen 1	May/Jun 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3	
MW-25 Screen 1	Aug/Sep 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.7	
MW-25 Screen 1	Oct/Dec 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 1	Oct/Dec 2006	DUPE-6-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0		
MW-25 Screen 1	Mar/Apr 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.9 J	
MW-25 Screen 1	Jun/Jul 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.5		
MW-25 Screen 1	Jun/Jul 2007	DUPE-6-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 1	Aug/Sep 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3		
MW-25 Screen 1	Oct/Dec 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-25 Screen 1	Jan/Feb 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.2		
MW-25 Screen 1	Jan/Feb 2008	DUPE-3-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 1	Apr/May 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0 J		
MW-25 Screen 1	Jul/Aug 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.2		
MW-25 Screen 1	Oct/Nov 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.1		
MW-25 Screen 1	Jan/Feb 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1		
MW-25 Screen 1	Jan/Feb 2009	DUPE-02-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.8		
MW-25 Screen 1	Apr/May 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.3	
MW-25 Screen 1	Jul/Aug 2009	MW-25-1	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.5	
MW-25 Screen 1	Nov/Dec 2009	MW-25-1	0.5 U	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.2	
MW-25 Screen 1	Feb 2010	MW-25-1	0.5 U	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.0	
MW-25 Screen 1	Apr/May 2010	MW-25-1	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-25 Screen 1	Jul/Aug 2010	MW-25-1	0.5 U	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.6	
MW-25 Screen 1	Oct/Nov 2010	MW-25-1	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.5		
MW-25 Screen 1	Feb/Mar 2011	MW-25-1	0.5 U	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.7	
MW-25 Screen 1	Apr/May 2011	MW-25-1	0.5 U	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.2	
MW-25 Screen 1	Aug/Sep 2011	MW-25-1	0.5 U	6.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	8.3	
MW-25 Screen 1	Nov/Dec 2011	MW-25-1	0.5 U	5.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8	
MW-25 Screen 1	Jan/Feb 2012	MW-25-1	0.5 U	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.6 J	
MW-25 Screen 1	Apr/May 2012	MW-25-1	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.6	
MW-25 Screen 1	Aug/Sep 2012	MW-25-1	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	12.0	
MW-25 Screen 1	Nov 2012	MW-25-1	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	6.0	Methyl-tert-butyl ether (MTBE) 0.2 J
MW-25 Screen 1	Jan/Feb 2013	MW-25-1	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.3	Methyl-tert-butyl ether (MTBE) 0.2 J
MW-25 Screen 1	Apr/May 2013	MW-25-1	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	9.2	Methyl-tert-butyl ether (MTBE) 0.2 J
MW-25 Screen 1	Jul 2013	MW-25-1	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0	Methyl-tert-butyl ether (MTBE) 0.3 J
MW-25 Screen 1	Oct/Nov 2013	MW-25-1	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0	Methyl-tert-butyl ether (MTBE) 0.3 J
MW-25 Screen 1	Jan/Feb 2014	MW-25-1	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	11.0	Methyl-tert-butyl ether (MTBE) 0.3 J
MW-25 Screen 1	Apr/May 2014	MW-25-1	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0	Methyl-tert-butyl ether (MTBE) 0.2 J
MW-25 Screen 1	Jul/Aug 2014	MW-25-1	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	11.0	Methyl-tert-butyl ether (MTBE) 0.3 J
MW-25 Screen 1	Oct 2014	MW-25-1	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.5	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-25 Screen 1	Oct 2014	DUP-4-4Q14	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	9.3	Methyl-tert-butyl ether (MTBE) 0.4 J
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane m,p-Xylene 0.0 J 0.5 J	
MW-25 Screen 2	Apr/May 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-25 Screen 2	Apr/May 2005	DUPE-6-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.4		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-25 Screen 2	Jul/Sep 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.4	
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5	Methylene chloride 0.9
MW-25 Screen 2	Mar/Apr 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0	
MW-25 Screen 2	May/Jun 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0	
MW-25 Screen 2	Aug/Sep 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	
MW-25 Screen 2	Oct/Dec 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-25 Screen 2	Mar/Apr 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0	
MW-25 Screen 2	Jun/Jul 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	14.0	
MW-25 Screen 2	Aug/Sep 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0	
MW-25 Screen 2	Oct/Dec 2007	MW-25-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	18.0	
MW-25 Screen 2	Jan/Feb 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-25 Screen 2	Apr/May 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-25 Screen 2	Jul/Aug 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1	
MW-25 Screen 2	Oct/Nov 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.6	
MW-25 Screen 2	Jan/Feb 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.2	
MW-25 Screen 2	Apr/May 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.4	
MW-25 Screen 2	Jul/Aug 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1	
MW-25 Screen 2	Nov/Dec 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.3	
MW-25 Screen 2	Feb 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.7	
MW-25 Screen 2	Apr/May 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.7	
MW-25 Screen 2	Apr/May 2010	DUPE-7-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.4	
MW-25 Screen 2	Jul/Aug 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.1	
MW-25 Screen 2	Oct/Nov 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.5	
MW-25 Screen 2	Feb/Mar 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0	
MW-25 Screen 2	Apr/May 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.3	
MW-25 Screen 2	Apr/May 2011	DUPE-4-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1	
MW-25 Screen 2	Aug/Sep 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.3	
MW-25 Screen 2	Aug/Sep 2011	DUPE-05-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.2	
MW-25 Screen 2	Nov/Dec 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.6	
MW-25 Screen 2	Jan/Feb 2012	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.8 J	
MW-25 Screen 2	Apr/May 2012	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.6	
MW-25 Screen 2	Aug/Sep 2012	MW-25-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0	
MW-25 Screen 2	Nov 2012	MW-25-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	11.0	
MW-25 Screen 2	Jan/Feb 2013	MW-25-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-25 Screen 2	Apr/May 2013	MW-25-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	14.0	
MW-25 Screen 2	Jul 2013	MW-25-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	16.0	
MW-25 Screen 2	Oct/Nov 2013	MW-25-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	15.0	
MW-25 Screen 2	Oct/Nov 2013	DUPE-4-4Q13	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	16.0	
MW-25 Screen 2	Jan/Feb 2014	MW-25-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	
MW-25 Screen 2	Apr/May 2014	MW-25-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	14.0	
MW-25 Screen 2	Jul/Aug 2014	MW-25-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-25 Screen 2	Jul/Aug 2014	DUP-4-3Q14	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	15.0	
MW-25 Screen 2	Oct 2014	MW-25-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	14.0	
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5	1,2,3-Trichloropropane m,p-Xylene
MW-25 Screen 3	Apr/May 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.4	
MW-25 Screen 3	Jul/Sep 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.3	
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	Methylene chloride
MW-25 Screen 3	Mar/Apr 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	9.7	
MW-25 Screen 3	May/Jun 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U	
MW-25 Screen 3	Aug/Sep 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0	
MW-25 Screen 3	Oct/Dec 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	11.0	
MW-25 Screen 3	Mar/Apr 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	9.3	m,p-Xylene
MW-25 Screen 3	Jun/Jul 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3 J	
MW-25 Screen 3	Aug/Sep 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	10.0	
MW-25 Screen 3	Oct/Dec 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	15.0	
MW-25 Screen 3	Jan/Feb 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	11.0	
MW-25 Screen 3	Apr/May 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	13.0	
MW-25 Screen 3	Jul/Aug 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.9	
MW-25 Screen 3	Oct/Nov 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.9	
MW-25 Screen 3	Jan/Feb 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.2	
MW-25 Screen 3	Apr/May 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	8.4	
MW-25 Screen 3	Apr/May 2009	DUPE-04-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	8.4	
MW-25 Screen 3	Jul/Aug 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1	
MW-25 Screen 3	Nov/Dec 2009	MW-25-3	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.0	
MW-25 Screen 3	Feb 2010	MW-25-3	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	9.8	
MW-25 Screen 3	Apr/May 2010	MW-25-3	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.3	
MW-25 Screen 3	Jul/Aug 2010	MW-25-3	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	10.5	
MW-25 Screen 3	Oct/Nov 2010	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0	
MW-25 Screen 3	Feb/Mar 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	9.8	
MW-25 Screen 3	Apr/May 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	8.5	
MW-25 Screen 3	Aug/Sep 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.1	
MW-25 Screen 3	Nov/Dec 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	8.5	
MW-25 Screen 3	Jan/Feb 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.3 J	
MW-25 Screen 3	Apr/May 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.6	
MW-25 Screen 3	Aug/Sep 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	11.0	
MW-25 Screen 3	Aug/Sep 2012	DUPE-2-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	11.0	
MW-25 Screen 3	Nov 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	6.0	
MW-25 Screen 3	Jan/Feb 2013	MW-25-3	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	11.0	
MW-25 Screen 3	Apr/May 2013	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	8.4	
MW-25 Screen 3	Jul 2013	MW-25-3	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0	
MW-25 Screen 3	Jul 2013	DUPE-4-3Q13	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	11.0	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 3	Oct/Nov 2013	MW-25-3	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	13.0		
MW-25 Screen 3	Jan/Feb 2014	MW-25-3	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	12.0		
MW-25 Screen 3	Apr/May 2014	MW-25-3	0.5 U	0.1 J	0.9	0.5 U	0.5 U	0.5 U	0.5 U	1.2	11.0		
MW-25 Screen 3	Jul/Aug 2014	MW-25-3	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	12.0		
MW-25 Screen 3	Oct 2014	MW-25-3	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.0		
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3	1,2,3-Trichloropropane m,p-Xylene	0.0 J 0.5
MW-25 Screen 4	Apr/May 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		
MW-25 Screen 4	Jul/Sep 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8	Methylene chloride	1.0
MW-25 Screen 4	Mar/Apr 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-25 Screen 4	May/Jun 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-25 Screen 4	Aug/Sep 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6		
MW-25 Screen 4	Oct/Dec 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-25 Screen 4	Mar/Apr 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5		
MW-25 Screen 4	Jun/Jul 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 4	Aug/Sep 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-25 Screen 4	Oct/Dec 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.5		
MW-25 Screen 4	Jan/Feb 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9		
MW-25 Screen 4	Apr/May 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.4		
MW-25 Screen 4	Jul/Aug 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.8		
MW-25 Screen 4	Oct/Nov 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6		
MW-25 Screen 4	Jan/Feb 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-25 Screen 4	Apr/May 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2		
MW-25 Screen 4	Jul/Aug 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-25 Screen 4	Nov/Dec 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-25 Screen 4	Nov/Dec 2009	DUPE-07-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.4		
MW-25 Screen 4	Feb 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3		
MW-25 Screen 4	Apr/May 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.1		
MW-25 Screen 4	Jul/Aug 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.0		
MW-25 Screen 4	Oct/Nov 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3		
MW-25 Screen 4	Feb/Mar 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3		
MW-25 Screen 4	Apr/May 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3		
MW-25 Screen 4	Aug/Sep 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6		
MW-25 Screen 4	Nov/Dec 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.0		
MW-25 Screen 4	Jan/Feb 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8 J		
MW-25 Screen 4	Apr/May 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 4	Aug/Sep 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3		
MW-25 Screen 4	Nov 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6		
MW-25 Screen 4	Jan/Feb 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	19.0		
MW-25 Screen 4	Jan/Feb 2013	DUP-2-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 4	Apr/May 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	Carbon disulfide	0.5 J
MW-25 Screen 4	Jul 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.3		
MW-25 Screen 4	Oct/Nov 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0	Carbon disulfide	0.5 J
MW-25 Screen 4	Jan/Feb 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-25 Screen 4	Apr/May 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5		
MW-25 Screen 4	Jul/Aug 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-25 Screen 4	Oct 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1		
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane Ethylbenzene m,p-Xylene o-Xylene Toluene	0.0 J 0.6 1.3 0.4 J 0.4 J
MW-25 Screen 5	Apr/May 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jul/Sep 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Mar/Apr 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	May/June 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Aug/Sep 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Dec 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Mar/Apr 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Jun/Jul 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Aug/Sep 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Oct/Dec 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Jan/Feb 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Apr/May 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Jul/Aug 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.8		
MW-25 Screen 5	Oct/Nov 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.5		
MW-25 Screen 5	Jan/Feb 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Apr/May 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Jul/Aug 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Nov/Dec 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.0		
MW-25 Screen 5	Feb 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Apr/May 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	44.5		
MW-25 Screen 5	Jul/Aug 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Oct/Nov 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Feb/Mar 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Apr/May 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	39.2		
MW-25 Screen 5	Aug/Sep 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Nov/Dec 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Jan/Feb 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	54.8 J		
MW-25 Screen 5	Apr/May 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 5	Aug/Sep 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Nov 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jan/Feb 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Apr/May 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jul 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Nov 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.7 J
MW-25 Screen 5	Jan/Feb 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
MW-25 Screen 5	Apr/May 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide	0.5 J
MW-25 Screen 5	Jul/Aug 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Apr/May 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene	0.4 J
MW-26 Screen 1	Jul/Sep 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Jul/Sep 2005	DUPE-6-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Mar/Apr 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	May/Jun 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Aug/Sep 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Oct/Dec 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Mar/Apr 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Jun/Jul 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Aug/Sep 2007	MW-26-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Oct/Dec 2007	MW-26-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7		
MW-26 Screen 1	Jan/Feb 2008	MW-26-1	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-26 Screen 1	Apr/May 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Jul/Aug 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0		
MW-26 Screen 1	Oct/Nov 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7		
MW-26 Screen 1	Jan/Feb 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4		
MW-26 Screen 1	Apr/May 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7 J		
MW-26 Screen 1	Jul/Aug 2009	MW-26-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1		
MW-26 Screen 1	Nov/Dec 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-26 Screen 1	Feb 2010	MW-26-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-26 Screen 1	Apr/May 2010	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-26 Screen 1	Jul/Aug 2010	MW-26-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-26 Screen 1	Oct/Nov 2010	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-26 Screen 1	Oct/Nov 2010	DUPE-08-4Q10	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5		
MW-26 Screen 1	Feb/Mar 2011	MW-26-1	0.5 U	0.6	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-26 Screen 1	Apr/May 2011	MW-26-1	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-26 Screen 1	Aug/Sep 2011	MW-26-1	0.5 U	0.6	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2		
MW-26 Screen 1	Nov/Dec 2011	MW-26-1	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3		
MW-26 Screen 1	Jan/Feb 2012	MW-26-1	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9 J		
MW-26 Screen 1	Apr/May 2012	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP
MW-26 Screen 1	Aug/Sep 2012	MW-26-1	0.5 U	0.2 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.4	
MW-26 Screen 1	Nov 2012	MW-26-1	0.5 U	0.3 J	0.8	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Bromodichloromethane 0.2 J
MW-26 Screen 1	Nov 2012	DUPE-2-4Q12	0.5 U	0.3 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Bromodichloromethane 0.1 J
MW-26 Screen 1	Jan/Feb 2013	MW-26-1	0.5 U	0.3 J	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.6	
MW-26 Screen 1	Apr/May 2013	MW-26-1	0.5 U	0.3 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.6 J	cis-1,2-Dichloroethene 0.1 J
MW-26 Screen 1	Jul 2013	MW-26-1	0.5 U	0.6	1.2	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene 0.1 J
MW-26 Screen 1	Oct/Nov 2013	MW-26-1	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.5	
MW-26 Screen 1	Oct/Nov 2013	DUPE-3-4Q13	0.5 U	0.4 J	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.2	
MW-26 Screen 1	Jan/Feb 2014	MW-26-1	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 J	
MW-26 Screen 1	Apr/May 2014	MW-26-1	0.5 U	0.4 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 J	
MW-26 Screen 1	Jul/Aug 2014	MW-26-1	0.5 U	0.4 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.9 J	
MW-26 Screen 1	Oct 2014	MW-26-1	0.5 U	0.1 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.2 J	
MW-26 Screen 1	Oct 2014	DUP-6-4Q14	0.5 U	0.1 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	1.9 J	
MW-26 Screen 2	Apr/May 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	m,p-Xylene 0.3 J
MW-26 Screen 2	Jul/Sep 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U	Bromodichloromethane 2.1 Chloromethane 0.3 J Dibromochloromethane 1.5 Methylene chloride 1.2
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U	Bromodichloromethane 1.9 Dibromochloromethane 1.3 Methylene chloride 1.4
MW-26 Screen 2	Mar/Apr 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 2	May/June 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Aug/Sep 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Oct/Dec 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	
MW-26 Screen 2	Mar/Apr 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Jun/Jul 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Aug/Sep 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Oct/Dec 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Jan/Feb 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Apr/May 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	
MW-26 Screen 2	Jul/Aug 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Oct/Nov 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Jan/Feb 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Apr/May 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Jul/Aug 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Nov/Dec 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Feb 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Apr/May 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	
MW-26 Screen 2	Jul/Aug 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26 Screen 2	Oct/Nov 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Feb/Mar 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Apr/May 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Aug/Sep 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Nov/Dec 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Jan/Feb 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Apr/May 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Aug/Sep 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Nov 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Jan/Feb 2013	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Apr/May 2013	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Jul 2013	MW-26-2	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	1.4 J		
MW-26 Screen 2	Oct/Nov 2013	MW-26-2	0.5 U	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	1.1	3.3 J	Bromodichloromethane cis-1,2-Dichloroethene	0.2 J 0.3 J
MW-26 Screen 2	Jan/Feb 2014	MW-26-2	0.5 U	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	1.2	2.6 J	Bromodichloromethane cis-1,2-Dichloroethene	0.2 J 0.3 J
MW-26 Screen 2	Apr/May 2014	MW-26-2	0.5 U	0.3 J	2.2	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.3 J	Bromodichloromethane cis-1,2-Dichloroethene	0.2 J 0.1 J
MW-26 Screen 2	Jul/Aug 2014	MW-26-2	0.5 U	0.3 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	1.3	3.1 J	Bromodichloromethane cis-1,2-Dichloroethene	0.2 J 0.2 J
MW-26 Screen 2	Oct 2014	MW-26-2	0.5 U	0.3 J	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.2	2.9 J	cis-1,2-Dichloroethene	0.2 J
California Maximum Contaminant Level (MCL)			0.5	5	5	5	0.5	6	1200	TTHM	6.0		
EPA Region IX Maximum Contaminant Level			5	5	5	NE	5	7	NE	TTHM	NE		
Notes													
DUPE Field Duplicate													
NA Not analyzed													
NE Not established													
TTHM Chloroform is regulated under the state and federal MCL of 80 µg/L for Total Trihalomethanes (TTHMs); the MCL applies to the sum of all four trihalomethanes (Bromodichloromethane, Bromoform, Dibromochloromethane, and Chloroform) as an annual average													
B Analyte is present in method blank													
E Analyte concentration is above calibration range													
J Analyte concentration is an estimated value													
U Analyte was analyzed for but not detected at or above the stated limit													
UB Analyte was analyzed for but not detected; analyte is present in method blank													
UJ Analyte was analyzed for but not detected; analyte concentration is an estimated value													

TABLE 2A
SUMMARY OF METALS DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L; except for Hexavalent Chromium, which is reported in mg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-1	Aug/Sep 1996	MW-1	NA	NA	10.0 U	NA
MW-1	Aug/Sep 1996	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Oct/Nov 1996	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Feb/Mar 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	June/July 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Sep/Oct 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jan/Feb 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Apr/May 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jul/Aug 1998	MW-1	5.0 U	9.100	55.0	0.005 U
MW-1	Oct/Nov 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Feb/Mar 1999	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	May/Jun 1999	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Nov/Dec 1999	MW-1	NA	NA	10.0 U	0.005 U
MW-1	Jul/Aug 2000	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jan/Feb 2001	MW-1	5.0 U	0.040 J	2.1 J	0.010 U
MW-1	Jan/Feb 2001	DUP	5.0 U	0.030 J	2.7 J	0.010 U
MW-1	Jan/Feb 2002	MW-1	1.5 B	1.000 U	2.7 J	0.010 U
MW-1	Apr/May 2003	MW-1	5.0 U	0.150 J	2.3	0.010 U
MW-1	Oct/Nov 2003	MW-1	NA	NA	2.4 J	0.010 U
MW-1	Apr/May 2004	MW-1	2.3 U	0.010 J	10.0	0.010 U
MW-1	Oct/Nov 2004	MW-1	NA	NA	13.9	0.010 U
MW-1	Apr/May 2005	MW-1	1.6 J	0.260 J	6.0	0.010 U
MW-1	Apr/May 2005	DUPE-2-2Q05	5.0 U	0.260 J	6.7	0.010 U
MW-1	Oct/Nov 2005	MW-1	NA	NA	8.6	0.010 U
MW-1	May/Jun 2006	MW-1	1.3	1.000 U	2.4	0.010 U
MW-1	Oct/Dec 2006	MW-1	NA	NA	2.2	0.010 U
MW-1	Jun/Jul 2007	MW-1	1.1	1.000 U	4.4	0.010 U
MW-1	Jun/Jul 2007	DUPE-7-2Q07	1.0	1.000 U	2.8	0.010 U
MW-1	Oct/Dec 2007	MW-1	NA	NA	10.4 E	0.010 U
MW-1	Apr/May 2008	MW-1	1.2	1.000 U	5.2	0.010 U
MW-1	Oct/Nov 2008	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2009	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov/Dec 2009	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2010	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Apr/May 2010	DUPE-8-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Oct/Nov 2010	MW-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-1	Apr/May 2011	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Apr/May 2011	DUPE-5-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov/Dec 2011	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2012	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov 2012	MW-1	NA	NA	3.0 U	0.002 U
MW-1	Apr/May 2013	MW-1	1.4 J	1.000 U	3.0 U	0.002 U
MW-1	Apr/May 2013	DUP-8-2Q13	1.1 J	1.000 U	3.0 U	0.002 U
MW-1	Oct/Nov 2013	MW-1	NA	NA	3.0 U	0.002 U
MW-1	Apr/May 2014	MW-1	2.0 U	1.000 U	0.5 J	0.002 U
MW-1	Apr/May 2014	DUP-6-2Q14	0.8 J	1.000 U	1.1 J	0.002 U
MW-1	Oct 2014	MW-1	NA	NA	0.6 J	0.002 U
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	NA	NA	10.0 U	NA
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Oct/Nov 1996	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Feb/Mar 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	June/July 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Sep/Oct 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jan/Feb 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Apr/May 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jul/Aug 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Oct/Nov 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Feb/Mar 1999	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	May/June 1999	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Nov/Dec 1999	MW-3-1	NA	NA	10.0 U	0.005 U
MW-3 Screen 1	Jul/Aug 2000	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jan/Feb 2001	MW-3-1	5.0 U	1.000 U	3.7 J	0.010 U
MW-3 Screen 1	Jan/Feb 2002	MW-3-1	5.0 U	0.060 J	3.3 J	0.010 U
MW-3 Screen 1	Apr/May 2003	MW-3-1	5.0 U	1.000 U	2.1	0.010 U
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	NA	NA	1.8 UJ	0.010 U
MW-3 Screen 1	Apr/May 2004	MW-3-1	5.0 UJ	0.120 U	7.6	0.010 U
MW-3 Screen 1	Apr/May 2004	DUPE-1-2Q04	5.0 UJ	0.001 J	8.2	0.010 U
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	NA	NA	12.9 J	0.010 U
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	NA	NA	13.0 J	0.010 U
MW-3 Screen 1	Apr/May 2005	MW-3-1	1.5 J	0.058 J	5.6	0.010 U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	NA	NA	6.0	0.010 U
MW-3 Screen 1	May/June 2006	MW-3-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-3 Screen 1	Oct/Dec 2006	MW-3-1	NA	NA	1.1 J	0.010 U
MW-3 Screen 1	Jun/Jul 2007	MW-3-1	1.0 U	1.000 U	1.2 J	0.010 U
MW-3 Screen 1	Oct/Dec 2007	MW-3-1	NA	NA	9.6	0.010 U
MW-3 Screen 1	Apr/May 2008	MW-3-1	1.0 U	1.000 U	4.4	0.010 U
MW-3 Screen 1	Oct/Nov 2008	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2008	DUPE-04-4Q08	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 1	Apr/May 2009	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2009	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2009	DUPE-02-4Q09	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2010	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2010	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2010	DUPE-04-4Q10	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2011	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2011	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2012	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2012	DUPE-4-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov 2012	MW-3-1	NA	NA	3.0 U	0.002 U
MW-3 Screen 1	Apr/May 2013	MW-3-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-3 Screen 1	Oct/Nov 2013	MW-3-1	NA	NA	3.0 U	0.002 U
MW-3 Screen 1	Apr/May 2014	MW-3-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-3 Screen 1	Oct 2014	MW-3-1	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	NA	NA	10.0 U	NA
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Oct/Nov 1996	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Feb/Mar 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	June/July 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Sep/Oct 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Jan/Feb 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Apr/May 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Jul/Aug 1998	MW-3-2	5.0 U	4.100	10.0 U	0.005 U
MW-3 Screen 2	Oct/Nov 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Feb/Mar 1999	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	May/June 1999	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Aug 1999	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Nov/Dec 1999	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Mar/Apr 2000	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Jul/Aug 2000	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Sep/Oct 2000	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Jan/Feb 2001	MW-3-2	5.0 U	1.000 U	3.3 J	0.010 U
MW-3 Screen 2	Apr 2001	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Jul 2001	MW-3-2	NA	NA	2.5 J	UNK U
MW-3 Screen 2	Oct 2001	MW-3-2	NA	NA	5.6	0.010 U
MW-3 Screen 2	Jan/Feb 2002	MW-3-2	5.0 U	1.000 U	4.4 J	0.010 U
MW-3 Screen 2	Jan/Feb 2002	DUP	NA	1.000 U	4.0 J	NA
MW-3 Screen 2	Apr/May 2002	MW-3-2	NA	NA	4.0	0.010 U
MW-3 Screen 2	Jul 2002	MW-3-2	NA	NA	1.0	UNK U
MW-3 Screen 2	Oct/Nov 2002	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	NA	NA	2.4	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 2	Apr/May 2003	MW-3-2	5.0 U	1.000 U	1.6	0.010 U
MW-3 Screen 2	Apr/May 2003	DUPE-5-2Q03	5.0 U	1.000 U	1.9	0.010 U
MW-3 Screen 2	Jul/Aug 2003	MW-3-2	NA	NA	2.4 J	0.010 U
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	NA	NA	1.6 UJ	0.010 U
MW-3 Screen 2	Feb 2004	MW-3-2	NA	NA	12.0	0.010 U
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	NA	NA	3.5	0.010 U
MW-3 Screen 2	Apr/May 2004	MW-3-2	5.0 UJ	0.120 U	7.3	0.010 U
MW-3 Screen 2	Jul/Aug 2004	MW-3-2	NA	NA	8.8	0.010 U
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	NA	NA	9.0 J	0.010 U
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	NA	NA	8.7	0.010 U
MW-3 Screen 2	Apr/May 2005	MW-3-2	5.0 U	0.062 J	5.2	0.010 U
MW-3 Screen 2	Jul/Sep 2005	MW-3-2	NA	NA	9.8	0.010 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	NA	NA	6.5	0.010 U
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	NA	NA	1.0 U	NA
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	NA	0.010 U
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	1.0 U	NA
MW-3 Screen 2	May/June 2006	MW-3-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2006	MW-3-2	NA	NA	1.8 U	0.010 U
MW-3 Screen 2	Oct/Dec 2006	MW-3-2	NA	NA	1.2	0.010 U
MW-3 Screen 2	Mar/Apr 2007	MW-3-2	NA	NA	1.4	0.010 U
MW-3 Screen 2	Jun/Jul 2007	MW-3-2	1.0 U	1.000 U	2.1	0.010 U
MW-3 Screen 2	Jun/Jul 2007	DUPE-4-2Q07	1.0 U	1.000 U	1.9 J	0.010 U
MW-3 Screen 2	Aug/Sep 2007	MW-3-2	NA	NA	12.4	0.010 U
MW-3 Screen 2	Oct/Dec 2007	MW-3-2	NA	NA	7.8	0.010 U
MW-3 Screen 2	Jan/Feb 2008	MW-3-2	NA	NA	7.6 E	0.010 U
MW-3 Screen 2	Apr/May 2008	MW-3-2	1.0 U	1.000 U	4.2	0.010 U
MW-3 Screen 2	Jul/Aug 2008	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Oct/Nov 2008	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Jan/Feb 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2009	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Jul/Aug 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Nov/Dec 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Feb 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2010	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2010	DUPE-05-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Jul/Aug 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Oct/Nov 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Feb/Mar 2011	MW-3-2	NA	NA	5.6	0.010 U
MW-3 Screen 2	Apr/May 2011	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2011	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Nov/Dec 2011	MW-3-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 2	Jan/Feb 2012	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2012	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2012	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Nov 2012	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Jan/Feb 2013	MW-3-2	NA	NA	0.7 J	0.002 U
MW-3 Screen 2	Apr/May 2013	MW-3-2	2.0 U	0.120 U	3.0 U	0.002 U
MW-3 Screen 2	Jul 2013	MW-3-2	NA	NA	0.6 J	0.002 U
MW-3 Screen 2	Jul 2013	DUPE-5-3Q13	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Oct/Nov 2013	MW-3-2	NA	NA	0.7 J	0.002 U
MW-3 Screen 2	Jan/Feb 2014	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Apr/May 2014	MW-3-2	2.0 U	1.000 U	3.0 U	0.001 J
MW-3 Screen 2	Jul/Aug 2014	MW-3-2	NA	NA	0.8 U	0.001 U
MW-3 Screen 2	Oct 2014	MW-3-2	NA	NA	0.7 U	0.002 U
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	NA	NA	10.0 U	NA
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Oct/Nov 1996	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Feb/Mar 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	June/July 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Sep/Oct 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Jan/Feb 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Apr/May 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Jul/Aug 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Oct/Nov 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Feb/Mar 1999	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	May/June 1999	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Aug 1999	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Nov/Dec 1999	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Mar/Apr 2000	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Jul/Aug 2000	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Sep/Oct 2000	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Jan/Feb 2001	MW-3-3	5.0 U	1.000 U	3.3 J	0.010 U
MW-3 Screen 3	Apr 2001	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Jul 2001	MW-3-3	NA	NA	2.4 J	UNK U
MW-3 Screen 3	Oct 2001	MW-3-3	NA	NA	3.3	0.010 U
MW-3 Screen 3	Oct 2001	DUP	NA	NA	3.3	NA
MW-3 Screen 3	Jan/Feb 2002	MW-3-3	5.0 U	1.000 U	3.4 J	0.010 U
MW-3 Screen 3	Apr/May 2002	MW-3-3	NA	NA	4.0	0.010 U
MW-3 Screen 3	Jul 2002	MW-3-3	NA	NA	4.0	UNK U
MW-3 Screen 3	Oct/Nov 2002	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Dec 2002	MW-3-3	NA	NA	NA	0.000 U
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	1.4	0.300	2.4	0.010 U
MW-3 Screen 3	Apr/May 2003	MW-3-3	5.0 U	1.000 U	0.8 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 3	Jul/Aug 2003	MW-3-3	NA	NA	2.0 J	0.010 U
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	NA	NA	2.0 UJ	0.010 U
MW-3 Screen 3	Feb 2004	MW-3-3	NA	NA	2.6	0.010 U
MW-3 Screen 3	Apr/May 2004	MW-3-3	4.8 UJ	0.120 U	4.8	0.010 U
MW-3 Screen 3	Jul/Aug 2004	MW-3-3	NA	NA	7.2	0.010 U
MW-3 Screen 3	Jul/Aug 2004	DUPE-4-3Q04	NA	NA	7.4	0.010 U
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	NA	NA	7.1 J	0.010 U
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	NA	NA	5.7	0.010 U
MW-3 Screen 3	Apr/May 2005	MW-3-3	1.1 J	0.052 J	5.5	0.010 U
MW-3 Screen 3	Jul/Sep 2005	MW-3-3	NA	NA	6.9	0.010 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	NA	NA	5.8	0.010 U
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	NA	NA	1.0 U	NA
MW-3 Screen 3	May/June 2006	MW-3-3	1.4	1.000 U	1.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2006	MW-3-3	NA	NA	2.0 U	0.010 U
MW-3 Screen 3	Oct/Dec 2006	MW-3-3	NA	NA	1.3	0.010 U
MW-3 Screen 3	Oct/Dec 2006	DUPE-2-4Q06	NA	NA	1.1	0.010 U
MW-3 Screen 3	Mar/Apr 2007	MW-3-3	NA	NA	1.0 U	0.010 U
MW-3 Screen 3	Jun/Jul 2007	MW-3-3	1.5	1.000 U	1.1	0.010 U
MW-3 Screen 3	Aug/Sep 2007	MW-3-3	NA	NA	8.7	0.010 U
MW-3 Screen 3	Oct/Dec 2007	MW-3-3	NA	NA	6.5	0.010 U
MW-3 Screen 3	Oct/Dec 2007	DUPE 1-4Q07	NA	NA	6.5	0.010 U
MW-3 Screen 3	Jan/Feb 2008	MW-3-3	NA	NA	6.0 E	0.010 U
MW-3 Screen 3	Apr/May 2008	MW-3-3	1.0	1.000 U	2.5	0.010 U
MW-3 Screen 3	Jul/Aug 2008	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Oct/Nov 2008	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2009	DUPE-05-1Q09	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2009	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Jul/Aug 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Nov/Dec 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Feb 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2010	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Jul/Aug 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Oct/Nov 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Feb/Mar 2011	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2011	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2011	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Nov/Dec 2011	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2012	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2012	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2012	MW-3-3	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 3	Nov 2012	MW-3-3	NA	NA	2.1 J	0.002
MW-3 Screen 3	Jan/Feb 2013	MW-3-3	NA	NA	2.5 J	0.002 U
MW-3 Screen 3	Apr/May 2013	MW-3-3	3.0	1.000 U	2.3 J	0.002 J
MW-3 Screen 3	Jul 2013	MW-3-3	NA	NA	2.4 J	0.002 U
MW-3 Screen 3	Oct/Nov 2013	MW-3-3	NA	NA	1.8 J	0.002 J
MW-3 Screen 3	Jan/Feb 2014	MW-3-3	NA	NA	1.4 J	0.002 U
MW-3 Screen 3	Jan/Feb 2014	DUPE-3-1Q14	NA	NA	6.3	0.002 U
MW-3 Screen 3	Apr/May 2014	MW-3-3	3.2	1.000 U	3.4 U	0.001 J
MW-3 Screen 3	Jul/Aug 2014	MW-3-3	NA	NA	3.0 U	0.001 U
MW-3 Screen 3	Jul/Aug 2014	DUP-5-3Q14	NA	NA	4.5	0.001 U
MW-3 Screen 3	Oct 2014	MW-3-3	NA	NA	4.4 U	0.002 U
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	NA	NA	10.0 U	NA
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Oct/Nov 1996	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Feb/Mar 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	June/July 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Sep/Oct 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Jan/Feb 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Apr/May 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Jul/Aug 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Oct/Nov 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Feb/Mar 1999	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	May/June 1999	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Aug 1999	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Nov/Dec 1999	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Mar/Apr 2000	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Jul/Aug 2000	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Sep/Oct 2000	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Jan/Feb 2001	MW-3-4	4.1 B	1.000 U	4.0 J	0.010 U
MW-3 Screen 4	Apr 2001	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Jul 2001	MW-3-4	NA	NA	3.9 J	UNK U
MW-3 Screen 4	Oct 2001	MW-3-4	NA	NA	4.9	0.010 U
MW-3 Screen 4	Jan/Feb 2002	MW-3-4	4.5 B	4.000 U	0.6 J	0.010 U
MW-3 Screen 4	Apr/May 2002	MW-3-4	NA	NA	5.0	0.010 U
MW-3 Screen 4	Apr/May 2002	DUP	NA	NA	4.0	0.010 U
MW-3 Screen 4	Jul 2002	MW-3-4	NA	NA	4.0	UNK U
MW-3 Screen 4	Jul 2002	DUP	NA	NA	4.0	UNK U
MW-3 Screen 4	Oct/Nov 2002	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	NA	NA	2.3	0.010 U
MW-3 Screen 4	Apr/May 2003	MW-3-4	5.0 U	1.000 U	1.7	0.010 U
MW-3 Screen 4	Jul/Aug 2003	MW-3-4	NA	NA	1.8 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	NA	NA	1.9 UJ	0.010 U
MW-3 Screen 4	Feb 2004	MW-3-4	NA	NA	4.8	0.010 U
MW-3 Screen 4	Apr/May 2004	MW-3-4	3.7 UJ	0.014 U	7.6	0.010 U
MW-3 Screen 4	Jul/Aug 2004	MW-3-4	NA	NA	6.6	0.010 U
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	NA	NA	7.7 J	0.010 U
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	NA	NA	8.6	0.010 U
MW-3 Screen 4	Apr/May 2005	MW-3-4	2.0 J	0.110 J	6.0	0.010 U
MW-3 Screen 4	Jul/Sep 2005	MW-3-4	NA	NA	6.9	0.010 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	NA	NA	7.2	0.010 U
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	NA	NA	6.9	0.010 U
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	NA	NA	1.0 U	NA
MW-3 Screen 4	May/June 2006	MW-3-4	2.0	1.000 U	1.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2006	MW-3-4	NA	NA	2.5 U	0.010 U
MW-3 Screen 4	Oct/Dec 2006	MW-3-4	NA	NA	1.2	0.010 U
MW-3 Screen 4	Mar/Apr 2007	MW-3-4	NA	NA	1.2	0.010 U
MW-3 Screen 4	Jun/Jul 2007	MW-3-4	3.7	1.000 U	1.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2007	MW-3-4	NA	NA	11.3	0.010 U
MW-3 Screen 4	Oct/Dec 2007	MW-3-4	NA	NA	6.9	0.010 U
MW-3 Screen 4	Jan/Feb 2008	MW-3-4	NA	NA	7.2 E	0.010 U
MW-3 Screen 4	Apr/May 2008	MW-3-4	2.3	1.000 U	5.0	0.010 U
MW-3 Screen 4	Jul/Aug 2008	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Oct/Nov 2008	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Jan/Feb 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2009	MW-3-4	2.2	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Jul/Aug 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb 2010	DUPE-3-1Q10	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2010	MW-3-4	2.6	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Jul/Aug 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Oct/Nov 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb/Mar 2011	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2011	MW-3-4	2.6	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2011	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2011	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2011	DUPE-3-4Q11	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Jan/Feb 2012	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2012	MW-3-4	6.3	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2012	MW-3-4	NA	NA	0.8 J	0.002 U
MW-3 Screen 4	Nov 2012	MW-3-4	NA	NA	3.0	0.001 J
MW-3 Screen 4	Jan/Feb 2013	MW-3-4	NA	NA	10.0	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 4	Apr/May 2013	MW-3-4	18.0	1.000 U	34.0	0.002 U
MW-3 Screen 4	Jul 2013	MW-3-4	NA	NA	22.0	0.002 U
MW-3 Screen 4	Oct/Nov 2013	MW-3-4	NA	NA	3.1	0.002 U
MW-3 Screen 4	Jan/Feb 2014	MW-3-4	NA	NA	6.2	0.001 J
MW-3 Screen 4	Apr/May 2014	MW-3-4	14.0	1.000 U	15.0	0.001 J
MW-3 Screen 4	Jul/Aug 2014	MW-3-4	NA	NA	6.9	0.001 U
MW-3 Screen 4	Oct 2014	MW-3-4	NA	NA	13.0	0.002 U
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	NA	NA	10.0 U	NA
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	11.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Oct/Nov 1996	MW-3-5	7.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Feb/Mar 1997	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	June/July 1997	MW-3-5	7.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Sep/Oct 1997	MW-3-5	10.0	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Jan/Feb 1998	MW-3-5	9.1	7.600	10.0 U	0.005 U
MW-3 Screen 5	Apr/May 1998	MW-3-5	5.0 U	2.000	10.0 U	0.005 U
MW-3 Screen 5	Jul/Aug 1998	MW-3-5	5.9	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Oct/Nov 1998	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Feb/Mar 1999	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	May/June 1999	MW-3-5	5.7	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Nov/Dec 1999	MW-3-5	NA	NA	10.0 U	0.005 U
MW-3 Screen 5	Jul/Aug 2000	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Jan/Feb 2001	MW-3-5	6.2	1.000 U	2.4 J	0.010 U
MW-3 Screen 5	Jan/Feb 2002	MW-3-5	4.7 B	1.000 U	1.7 J	0.010 U
MW-3 Screen 5	Jan/Feb 2003	MW-3-5	0.5	1.100	4.1	0.000 U
MW-3 Screen 5	Apr/May 2003	MW-3-5	4.3 J	1.000 U	0.5 J	0.010 U
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	NA	NA	0.7 UJ	0.010 U
MW-3 Screen 5	Apr/May 2004	MW-3-5	6.4 UJ	0.140 J	4.9	0.010 U
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	NA	NA	2.8 J	0.010 U
MW-3 Screen 5	Apr/May 2005	MW-3-5	2.1 J	0.055 J	4.9	0.010 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	NA	NA	6.3	0.010 U
MW-3 Screen 5	May/June 2006	MW-3-5	3.1	1.000 U	1.0 U	0.010 U
MW-3 Screen 5	Oct/Dec 2006	MW-3-5	NA	NA	1.4	0.010 U
MW-3 Screen 5	Jun/Jul 2007	MW-3-5	3.1	1.000 U	1.0 U	0.010 U
MW-3 Screen 5	Oct/Dec 2007	MW-3-5	NA	NA	6.0	0.010 U
MW-3 Screen 5	Apr/May 2008	MW-3-5	2.4	1.000 U	4.8	0.010 U
MW-3 Screen 5	Oct/Nov 2008	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2009	MW-3-5	2.6	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov/Dec 2009	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2010	MW-3-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Oct/Nov 2010	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2011	MW-3-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov/Dec 2011	MW-3-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 5	Apr/May 2012	MW-3-5	3.9	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov 2012	MW-3-5	NA	NA	9.2	0.002 U
MW-3 Screen 5	Apr/May 2013	MW-3-5	1.7 J	1.000 U	1.6 J	0.002 U
MW-3 Screen 5	Oct/Nov 2013	MW-3-5	NA	NA	7.3	0.001 J
MW-3 Screen 5	Apr/May 2014	MW-3-5	7.7	1.000 U	11.0	0.001 J
MW-3 Screen 5	Oct 2014	MW-3-5	NA	NA	30.0	0.002 U
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	NA	NA	10.0 U	NA
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Oct/Nov 1996	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Feb/Mar 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	June/July 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Sep/Oct 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Jan/Feb 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Apr/May 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Jul/Aug 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Oct/Nov 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Feb/Mar 1999	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	May/June 1999	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Aug 1999	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Nov/Dec 1999	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Mar/Apr 2000	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Jul/Aug 2000	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Sep/Oct 2000	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Jan/Feb 2001	MW-4-1	5.0 U	1.000 U	4.3 J	0.010 U
MW-4 Screen 1	Apr 2001	MW-4-1	NA	NA	NA	0.010 U
MW-4 Screen 1	Jul 2001	MW-4-1	NA	NA	5.0 U	UNK U
MW-4 Screen 1	Oct 2001	MW-4-1	NA	NA	3.3	0.010 U
MW-4 Screen 1	Oct 2001	DUP	NA	NA	3.8	0.010 U
MW-4 Screen 1	Jan/Feb 2002	MW-4-1	2.9 B	1.000 U	3.4 J	0.010 U
MW-4 Screen 1	Apr/May 2002	MW-4-1	NA	NA	1.0	0.010 U
MW-4 Screen 1	Jul 2002	MW-4-1	NA	NA	4.0	UNK U
MW-4 Screen 1	Oct/Nov 2002	MW-4-1	NA	NA	NA	0.010 U
MW-4 Screen 1	Dec 2002	MW-4-1	1.2	0.200	3.7	NA
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	NA	NA	2.2	0.000 U
MW-4 Screen 1	Apr/May 2003	MW-4-1	5.0 U	1.000 U	3.4 J	0.010 U
MW-4 Screen 1	Jul/Aug 2003	MW-4-1	NA	NA	2.7 J	0.010 U
MW-4 Screen 1	Jul/Aug 2003	DUPE-3-3Q03	NA	NA	2.5 J	0.010 U
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	NA	NA	2.6	0.010 U
MW-4 Screen 1	Feb 2004	MW-4-1	NA	NA	4.4	0.010 U
MW-4 Screen 1	Apr/May 2004	MW-4-1	5.0 UJ	0.330 J	0.6 UJ	0.006 J
MW-4 Screen 1	Jul/Aug 2004	MW-4-1	NA	NA	0.8 U	0.010 U
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	NA	NA	12.4 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	NA	NA	0.2	0.010 U
MW-4 Screen 1	Apr/May 2005	MW-4-1	5.0 U	0.031 J	4.9	0.010 U
MW-4 Screen 1	Jul/Sep 2005	MW-4-1	NA	NA	4.9	0.010 U
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	NA	NA	6.1	0.010 U
MW-4 Screen 1	Mar/Apr 2006	MW-4-1	NA	NA	1.0 U	0.010 U
MW-4 Screen 1	May/June 2006	MW-4-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2006	MW-4-1	NA	NA	1.7 J	0.010 U
MW-4 Screen 1	Aug/Sep 2006	DUPE-1-3Q06	NA	NA	1.8 J	0.010 U
MW-4 Screen 1	Oct/Dec 2006	MW-4-1	NA	NA	1.5 J	0.010 U
MW-4 Screen 1	Mar/Apr 2007	MW-4-1	NA	NA	1.7	0.010 U
MW-4 Screen 1	Jun/Jul 2007	MW-4-1	1.0 U	1.000 U	1.7	0.010 U
MW-4 Screen 1	Aug/Sep 2007	MW-4-1	NA	NA	3.0	0.010 U
MW-4 Screen 1	Aug/Sep 2007	DUPE-1-3Q07	NA	NA	2.6	0.010 U
MW-4 Screen 1	Oct/Dec 2007	MW-4-1	NA	NA	15.7	0.010 U
MW-4 Screen 1	Jan/Feb 2008	MW-4-1	NA	NA	8.2 E	0.010 U
MW-4 Screen 1	Jan/Feb 2008	DUPE-2-1Q08	NA	NA	8.0 E	0.010 U
MW-4 Screen 1	Apr/May 2008	MW-4-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Apr/May 2008	DUPE-1-2Q08	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2008	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Oct/Nov 2008	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jan/Feb 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2009	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Nov/Dec 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Feb 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2010	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2010	DUPE-3-3Q10	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Oct/Nov 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Feb/Mar 2011	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2011	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2011	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Nov/Dec 2011	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jan/Feb 2012	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2012	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2012	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Nov 2012	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Jan/Feb 2013	MW-4-1	NA	NA	0.7 J	0.002 U
MW-4 Screen 1	Apr/May 2013	MW-4-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 1	Jul 2013	MW-4-1	NA	NA	0.6 J	0.002 U
MW-4 Screen 1	Oct/Nov 2013	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Jan/Feb 2014	MW-4-1	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 1	Apr/May 2014	MW-4-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 1	Jul/Aug 2014	MW-4-1	NA	NA	3.0 UJ	0.002 U
MW-4 Screen 1	Oct 2014	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	NA	NA	10.0 U	NA
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	NA	NA	21.0	0.006 J
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	5.0 U	2.000 U	23.0	0.006 J
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.0 U	2.000 U	14.0	0.005 U
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.0 U	2.000 U	16.0	0.005 U
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	June/July 1997	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	June/July 1997	MW-4-2	5.0 U	2.000 U	13.0	0.005 U
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	5.0 U	2.000 U	12.0	0.005 U
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Apr/May 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	5.0 U	2.000 U	11.0	0.005 U
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	5.0 U	2.000 U	10.0	0.005 U
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	May/June 1999	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Aug 1999	MW-4-2	NA	NA	10.0	0.005 U
MW-4 Screen 2	Aug 1999	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 2000	MW-4-2	5.0 U	2.000 U	13.0	0.005 U
MW-4 Screen 2	Jul/Aug 2000	DUP	5.0 U	2.000 U	14.0	0.005 U
MW-4 Screen 2	Sep/Oct 2000	MW-4-2	NA	NA	25.0	0.005 U
MW-4 Screen 2	Sep/Oct 2000	DUP	NA	NA	24.0	0.005 U
MW-4 Screen 2	Jan/Feb 2001	MW-4-2	5.0 U	1.000 U	11.0	0.010 U
MW-4 Screen 2	Apr 2001	MW-4-2	NA	NA	NA	0.010 U
MW-4 Screen 2	Jul 2001	MW-4-2	NA	NA	8.6	UNK U
MW-4 Screen 2	Oct 2001	MW-4-2	NA	NA	8.6	0.010 U
MW-4 Screen 2	Oct 2001	DUP	NA	NA	8.5	NA
MW-4 Screen 2	Jan/Feb 2002	MW-4-2	2.4 B	1.000 U	10.9	0.010 U
MW-4 Screen 2	Apr/May 2002	MW-4-2	NA	NA	6.0	0.010 U
MW-4 Screen 2	Jul 2002	MW-4-2	NA	NA	3.0	UNK U
MW-4 Screen 2	Oct/Nov 2002	MW-4-2	NA	NA	NA	0.010 U
MW-4 Screen 2	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-4 Screen 2	Dec 2002	MW-4-2	1.0	0.100 J	4.0	NA
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	NA	NA	4.8	0.000 U
MW-4 Screen 2	Apr/May 2003	MW-4-2	5.0 U	1.000 U	6.4 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 2	Jul/Aug 2003	MW-4-2	NA	NA	5.2 J	0.010 U
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	NA	NA	3.7	0.010 U
MW-4 Screen 2	Feb 2004	MW-4-2	NA	NA	6.7	0.010 U
MW-4 Screen 2	Apr/May 2004	MW-4-2	5.0 UJ	0.270 UJ	3.8 J	0.004 J
MW-4 Screen 2	Apr/May 2004	DUPE-3-2Q04	5.0 UJ	0.082 UJ	4.3 J	0.006 J
MW-4 Screen 2	Jul/Aug 2004	MW-4-2	NA	NA	13.9	0.007 J
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	NA	NA	15.6 J	0.010 U
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	NA	NA	13.5 J	0.010 U
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	NA	NA	13.7	0.010 U
MW-4 Screen 2	Apr/May 2005	MW-4-2	1.0 J	0.050 J	7.3	0.010 U
MW-4 Screen 2	Jul/Sep 2005	MW-4-2	NA	NA	9.0	0.010 U
MW-4 Screen 2	Jul/Sep 2005	DUPE-3-3Q05	NA	NA	11.7	0.010 U
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	NA	NA	12.6	0.010 U
MW-4 Screen 2	Mar/Apr 2006	MW-4-2	NA	NA	2.8	0.010 U
MW-4 Screen 2	May/June 2006	MW-4-2	1.0 U	1.000 U	2.4	0.010 U
MW-4 Screen 2	Aug/Sep 2006	MW-4-2	NA	NA	2.2 J	0.010 U
MW-4 Screen 2	Oct/Dec 2006	MW-4-2	NA	NA	3.3 J	0.010 U
MW-4 Screen 2	Oct/Dec 2006	DUPE-3-4Q06	NA	NA	3.2 J	0.010 U
MW-4 Screen 2	Mar/Apr 2007	MW-4-2	NA	NA	2.8	0.010 U
MW-4 Screen 2	Jun/Jul 2007	MW-4-2	1.2	1.000 U	2.9 J	0.010 U
MW-4 Screen 2	Aug/Sep 2007	MW-4-2	NA	NA	13.5	0.010 U
MW-4 Screen 2	Oct/Dec 2007	MW-4-2	NA	NA	15.2	0.010 U
MW-4 Screen 2	Jan/Feb 2008	MW-4-2	NA	NA	9.1 E	0.010 U
MW-4 Screen 2	Apr/May 2008	MW-4-2	1.0 U	1.000 U	1.8 J	0.010 U
MW-4 Screen 2	Jul/Aug 2008	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Oct/Nov 2008	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jan/Feb 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2009	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2009	DUPE-6-3Q09	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Nov/Dec 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Feb 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2010	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Oct/Nov 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Feb/Mar 2011	MW-4-2	NA	NA	6.7	0.010 U
MW-4 Screen 2	Feb/Mar 2011	DUPE-04-1Q11	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2011	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Aug/Sep 2011	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Nov/Dec 2011	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jan/Feb 2012	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2012	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 2	Aug/Sep 2012	MW-4-2	NA	NA	2.4 J	0.002 U
MW-4 Screen 2	Nov 2012	MW-4-2	NA	NA	4.5	0.002 U
MW-4 Screen 2	Jan/Feb 2013	MW-4-2	NA	NA	5.6	0.002 U
MW-4 Screen 2	Apr/May 2013	MW-4-2	2.0 U	1.000 U	3.5	0.002 U
MW-4 Screen 2	Jul 2013	MW-4-2	NA	NA	3.2	0.002 J
MW-4 Screen 2	Oct/Nov 2013	MW-4-2	NA	NA	12.0	0.002 U
MW-4 Screen 2	Jan/Feb 2014	MW-4-2	NA	NA	2.4 J	0.001 J
MW-4 Screen 2	Apr/May 2014	MW-4-2	1.2 J	1.000 U	16.0	0.001 J
MW-4 Screen 2	Jul/Aug 2014	MW-4-2	NA	NA	2.8 U	0.002 U
MW-4 Screen 2	Oct 2014	MW-4-2	NA	NA	3.9	0.002 U
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	NA	NA	10.0 U	NA
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Oct/Nov 1996	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Feb/Mar 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	June/July 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Sep/Oct 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Jan/Feb 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Apr/May 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Jul/Aug 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Oct/Nov 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Feb/Mar 1999	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	May/June 1999	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Aug 1999	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Nov/Dec 1999	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Mar/Apr 2000	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Jul/Aug 2000	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Sep/Oct 2000	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Jan/Feb 2001	MW-4-3	5.0 U	1.000 U	5.1	0.010 U
MW-4 Screen 3	Apr 2001	MW-4-3	NA	NA	NA	0.010 U
MW-4 Screen 3	Jul 2001	MW-4-3	NA	NA	2.8 J	UNK U
MW-4 Screen 3	Oct 2001	MW-4-3	NA	NA	5.5	0.010 U
MW-4 Screen 3	Jan/Feb 2002	MW-4-3	2.4 B	1.000 U	3.4 J	0.010 U
MW-4 Screen 3	Jan/Feb 2002	DUP	1.9 B	NA	NA	0.010 U
MW-4 Screen 3	Apr/May 2002	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	Jul 2002	MW-4-3	NA	NA	UNK000 U	UNK U
MW-4 Screen 3	Oct/Nov 2002	MW-4-3	NA	NA	NA	0.010 U
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	NA	NA	4.3	0.010 U
MW-4 Screen 3	Apr/May 2003	MW-4-3	5.0 U	1.000 U	3.8 J	0.010 U
MW-4 Screen 3	Jul/Aug 2003	MW-4-3	NA	NA	0.4 U	0.010 U
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	NA	NA	0.4 U	0.010 U
MW-4 Screen 3	Feb 2004	MW-4-3	NA	NA	1.0 UJ	0.010 U
MW-4 Screen 3	Apr/May 2004	MW-4-3	5.0 UJ	0.430 J	0.2 UJ	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 3	Jul/Aug 2004	MW-4-3	NA	NA	1.0	0.010 U
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	NA	NA	0.6 UJ	0.010 U
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	NA	NA	0.1 J	0.010 U
MW-4 Screen 3	Apr/May 2005	MW-4-3	1.3 J	0.340 J	0.5 J	0.010 U
MW-4 Screen 3	Jul/Sep 2005	MW-4-3	NA	NA	0.7 J	0.010 U
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	NA	NA	0.9 J	0.010 U
MW-4 Screen 3	Mar/Apr 2006	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	May/June 2006	MW-4-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2006	MW-4-3	NA	NA	1.0 J	0.010 U
MW-4 Screen 3	Oct/Dec 2006	MW-4-3	NA	NA	1.3 J	0.010 U
MW-4 Screen 3	Mar/Apr 2007	MW-4-3	NA	NA	2.0	0.010 U
MW-4 Screen 3	Jun/Jul 2007	MW-4-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2007	MW-4-3	NA	NA	2.0 U	0.010 U
MW-4 Screen 3	Oct/Dec 2007	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2008	MW-4-3	NA	NA	1.0 U	0.004 J
MW-4 Screen 3	Apr/May 2008	MW-4-3	1.0 U	1.000 U	1.0	0.010 U
MW-4 Screen 3	Jul/Aug 2008	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2008	DUPE-5-3Q08	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Oct/Nov 2008	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2009	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2009	DUPE-05-4Q09	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Feb 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2010	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Oct/Nov 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Feb/Mar 2011	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2011	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2011	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2011	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2012	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2012	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2012	MW-4-3	NA	NA	3.0 U	0.003 J
MW-4 Screen 3	Nov 2012	MW-4-3	NA	NA	2.1 J	0.001 J
MW-4 Screen 3	Jan/Feb 2013	MW-4-3	NA	NA	3.5	0.001 J
MW-4 Screen 3	Jan/Feb 2013	DUP-4-1Q13	NA	NA	3.4	0.001 J
MW-4 Screen 3	Apr/May 2013	MW-4-3	1.0 J	1.000 U	1.2 J	0.002 U
MW-4 Screen 3	Jul 2013	MW-4-3	NA	NA	1.0 J	0.002 U
MW-4 Screen 3	Oct/Nov 2013	MW-4-3	NA	NA	1.9 J	0.002 U
MW-4 Screen 3	Jan/Feb 2014	MW-4-3	NA	NA	1.0 J	0.001 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 3	Jan/Feb 2014	DUP-1-1Q14	NA	NA	1.1 J	0.001 J
MW-4 Screen 3	Apr/May 2014	MW-4-3	1.4 J	1.000 U	2.3 U	0.002 U
MW-4 Screen 3	Jul/Aug 2014	MW-4-3	NA	NA	2.5 U	0.002 U
MW-4 Screen 3	Jul/Aug 2014	DUP-7-3Q14	NA	NA	3.1 U	0.002 U
MW-4 Screen 3	Oct 2014	MW-4-3	NA	NA	1.0 J	0.004 U
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	NA	NA	10.0 U	NA
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Oct/Nov 1996	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Feb/Mar 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	June/July 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Sep/Oct 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Jan/Feb 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Apr/May 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Jul/Aug 1998	MW-4-4	5.0 U	7.300	10.0 U	0.005 U
MW-4 Screen 4	Oct/Nov 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Feb/Mar 1999	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	May/June 1999	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Aug 1999	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Nov/Dec 1999	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Mar/Apr 2000	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Jul/Aug 2000	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Sep/Oct 2000	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Jan/Feb 2001	MW-4-4	5.0 U	1.000 U	5.0 U	0.010 U
MW-4 Screen 4	Apr 2001	MW-4-4	NA	NA	NA	0.010 U
MW-4 Screen 4	Jul 2001	MW-4-4	NA	NA	5.2	UNK U
MW-4 Screen 4	Oct 2001	MW-4-4	NA	NA	7.3	0.010 U
MW-4 Screen 4	Jan/Feb 2002	MW-4-4	3.2 B	1.000 U	6.5	0.010 U
MW-4 Screen 4	Apr/May 2002	MW-4-4	NA	NA	4.0	0.010 U
MW-4 Screen 4	Jul 2002	MW-4-4	NA	NA	7.0	UNK U
MW-4 Screen 4	Oct/Nov 2002	MW-4-4	NA	NA	NA	0.010 U
MW-4 Screen 4	Apr/May 2003	MW-4-4	5.0 U	1.000 U	3.5 J	0.010 U
MW-4 Screen 4	Apr/May 2003	DUPE-1-2Q03	5.0 U	1.000 U	2.8 J	0.010 U
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	NA	NA	2.4	0.010 U
MW-4 Screen 4	Apr/May 2004	MW-4-4	5.0 UJ	0.310 J	1.1 UJ	0.010 U
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	NA	NA	10.6 J	0.010 U
MW-4 Screen 4	Apr/May 2005	MW-4-4	1.5 J	0.044 J	3.8	0.010 U
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	NA	NA	8.5	0.010 U
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	NA	NA	7.8	0.010 U
MW-4 Screen 4	May/June 2006	MW-4-4	1.0 U	1.000 U	1.3	0.010 U
MW-4 Screen 4	Oct/Dec 2006	MW-4-4	NA	NA	2.7 J	0.010 U
MW-4 Screen 4	Jun/Jul 2007	MW-4-4	1.2	1.000 U	3.5 J	0.010 U
MW-4 Screen 4	Oct/Dec 2007	MW-4-4	NA	NA	9.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 4	Apr/May 2008	MW-4-4	1.1	1.000 U	1.2 J	0.010 U
MW-4 Screen 4	Oct/Nov 2008	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2009	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov/Dec 2009	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2010	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2010	DUPE-02-2Q10	NA	NA	NA	0.010 U
MW-4 Screen 4	Oct/Nov 2010	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2011	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov/Dec 2011	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2012	MW-4-4	4.5	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov 2012	MW-4-4	NA	NA	1.3 J	0.002 U
MW-4 Screen 4	Apr/May 2013	MW-4-4	0.8 J	1.000 U	0.9 J	0.002 U
MW-4 Screen 4	Oct/Nov 2013	MW-4-4	NA	NA	1.1 J	0.002 U
MW-4 Screen 4	Apr/May 2014	MW-4-4	2.0 U	1.000 U	2.0 U	0.001 U
MW-4 Screen 4	Oct 2014	MW-4-4	NA	NA	0.9 J	0.002 U
MW-4 Screen 4	Oct 2014	DUP-3-4Q14	NA	NA	0.8 J	0.002 U
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	NA	NA	10.0 U	NA
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Oct/Nov 1996	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Feb/Mar 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	June/July 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Sep/Oct 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Jan/Feb 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Apr/May 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Jul/Aug 1998	MW-4-5	5.1	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Oct/Nov 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Feb/Mar 1999	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	May/June 1999	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Aug 1999	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Nov/Dec 1999	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Mar/Apr 2000	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Jul/Aug 2000	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Sep/Oct 2000	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Jan/Feb 2001	MW-4-5	5.0 U	1.000 U	3.5 J	0.010 U
MW-4 Screen 5	Apr 2001	MW-4-5	NA	NA	NA	0.010 U
MW-4 Screen 5	Jul 2001	MW-4-5	NA	NA	11.9	UNK U
MW-4 Screen 5	Oct 2001	MW-4-5	NA	NA	7.9	0.010 U
MW-4 Screen 5	Jan/Feb 2002	MW-4-5	3.9 B	1.000 U	6.4	0.010 U
MW-4 Screen 5	Jan/Feb 2002	DUP	NA	1.000 U	6.4	NA
MW-4 Screen 5	Apr/May 2002	MW-4-5	NA	NA	5.0	0.010 U
MW-4 Screen 5	Jul 2002	MW-4-5	NA	NA	3.0	UNK U
MW-4 Screen 5	Oct/Nov 2002	MW-4-5	NA	NA	NA	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 5	Dec 2002	MW-4-5	0.9	0.063 J	1.8	NA
MW-4 Screen 5	Jan/Feb 2003	MW-4-5	NA	NA	NA	0.000 U
MW-4 Screen 5	Apr/May 2003	MW-4-5	5.0 U	1.000 U	3.0 J	0.010 U
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	NA	NA	3.5 J	0.010 U
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4Q03	NA	NA	5.6	0.010 U
MW-4 Screen 5	Apr/May 2004	MW-4-5	5.0 UJ	0.230 UJ	6.6 J	0.010 U
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	NA	NA	9.3 J	0.010 U
MW-4 Screen 5	Apr/May 2005	MW-4-5	1.1 J	0.061 J	3.2	0.010 U
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	NA	NA	8.9	0.010 U
MW-4 Screen 5	May/June 2006	MW-4-5	1.0 U	1.000 U	1.9	0.004 J
MW-4 Screen 5	Oct/Dec 2006	MW-4-5	NA	NA	2.6 J	0.010 U
MW-4 Screen 5	Jun/Jul 2007	MW-4-5	1.0 U	1.000 U	2.5 J	0.010 U
MW-4 Screen 5	Oct/Dec 2007	MW-4-5	NA	NA	9.6	0.005 J
MW-4 Screen 5	Apr/May 2008	MW-4-5	1.0 U	1.000 U	2.6 J	0.010 U
MW-4 Screen 5	Oct/Nov 2008	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2009	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov/Dec 2009	MW-4-5	NA	NA	5.2 J	0.010 U
MW-4 Screen 5	Apr/May 2010	MW-4-5	2.2	5.000 U	9.4	0.010 U
MW-4 Screen 5	Oct/Nov 2010	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2011	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov/Dec 2011	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2012	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov 2012	MW-4-5	NA	NA	3.0 U	0.002 U
MW-4 Screen 5	Apr/May 2013	MW-4-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 5	Oct/Nov 2013	MW-4-5	NA	NA	3.0 U	0.002 U
MW-4 Screen 5	Apr/May 2014	MW-4-5	2.0 U	1.000 U	3.0 U	0.001 U
MW-4 Screen 5	Oct 2014	MW-4-5	NA	NA	3.0 U	0.001 J
MW-5	Aug/Sep 1996	MW-5	NA	NA	10.0 U	NA
MW-5	Aug/Sep 1996	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Oct/Nov 1996	MW-5	5.0 U	2.600	10.0 U	0.005 U
MW-5	Feb/Mar 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	June/July 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Sep/Oct 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jan/Feb 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Apr/May 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jul/Aug 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Oct/Nov 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Feb/Mar 1999	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	May/June 1999	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Aug 1999	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Nov/Dec 1999	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Mar/Apr 2000	MW-5	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.000 U	12.0	0.005 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	20.0	0.005 U
MW-5	Jan/Feb 2001	MW-5	5.0 U	1.000 U	5.5	0.010 U
MW-5	Jul 2001	MW-5	NA	NA	3.0 J	UNK U
MW-5	Jul 2001	DUP	NA	NA	3.1 J	UNK U
MW-5	Oct 2001	MW-5	NA	NA	7.4	0.010 U
MW-5	Oct 2001	DUP	NA	NA	6.5	0.010 U
MW-5	Jan/Feb 2002	MW-5	5.0 U	0.170 J	6.8	0.010 U
MW-5	Apr/May 2002	MW-5	NA	NA	8.0	0.010 U
MW-5	Jul 2002	MW-5	NA	NA	5.0	UNK U
MW-5	Oct/Nov 2002	MW-5	NA	NA	NA	0.010 U
MW-5	Jan/Feb 2003	MW-5	NA	NA	6.8	0.010 U
MW-5	Apr/May 2003	MW-5	5.0 U	1.000 U	3.1 J	0.010 U
MW-5	Jul/Aug 2003	MW-5	NA	NA	3.1 J	0.010 U
MW-5	Oct/Nov 2003	MW-5	NA	NA	2.8 J	0.010 U
MW-5	Feb 2004	MW-5	NA	NA	5.1	0.010 U
MW-5	Apr/May 2004	MW-5	5.0 U	0.120 J	1.9	0.010 U
MW-5	Jul/Aug 2004	MW-5	NA	NA	10.9 J	0.010 U
MW-5	Jul/Aug 2004	DUPE-5-3Q04	NA	NA	11.6 J	0.010 U
MW-5	Oct/Nov 2004	MW-5	NA	NA	11.7 J	0.010 U
MW-5	Jan/Feb 2005	MW-5	NA	NA	4.5	0.010 U
MW-5	Jan/Feb 2005	DUPE-5-1Q05	NA	NA	5.6	0.010 U
MW-5	Apr/May 2005	MW-5	5.0 U	0.028 J	7.7	0.010 U
MW-5	Jul/Sep 2005	MW-5	NA	NA	6.4 J	0.010 U
MW-5	Jul/Sep 2005	DUPE-8-3Q05	NA	NA	6.2 J	0.010 U
MW-5	Oct/Nov 2005	MW-5	NA	NA	6.2 J	0.010 U
MW-5	Mar/Apr 2006	MW-5	NA	NA	1.0 U	0.010 U
MW-5	May/June 2006	MW-5	1.0 U	1.000 U	1.2	0.010 U
MW-5	Aug/Sep 2006	MW-5	NA	NA	2.0 U	0.010 U
MW-5	Oct/Dec 2006	MW-5	NA	NA	3.1	0.010 U
MW-5	Mar/Apr 2007	MW-5	NA	NA	8.6	0.010 U
MW-5	Jun/Jul 2007	MW-5	1.0 U	2.720	15.7	0.010 U
MW-5	Aug/Sep 2007	MW-5	NA	NA	14.7	0.010 U
MW-5	Oct/Dec 2007	MW-5	NA	NA	6.5 E	0.010 U
MW-5	Oct/Dec 2007	DUPE-8-4Q07	NA	NA	6.8 E	0.010 U
MW-5	Jan/Feb 2008	MW-5	NA	NA	9.7 E	0.005 J
MW-5	Apr/May 2008	MW-5	1.0 U	1.000 U	2.9	0.010 U
MW-5	Apr/May 2008	DUPE-8-2Q08	1.0 U	1.000 U	3.6	0.010 U
MW-5	Jul/Aug 2008	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Oct/Nov 2008	MW-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-5	Jan/Feb 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2009	MW-5	2.0 U	5.000 U	5.1	0.010 U
MW-5	Jul/Aug 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Nov/Dec 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb 2010	DUPE-6-1Q10	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2010	MW-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Jul/Aug 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Oct/Nov 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb/Mar 2011	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2011	MW-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Apr/May 2011	DUPE-6-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Aug/Sep 2011	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Nov/Dec 2011	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Jan/Feb 2012	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2012	MW-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Apr/May 2012	DUPE-7-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Aug/Sep 2012	MW-5	NA	NA	3.0 U	0.002 U
MW-5	Nov 2012	MW-5	NA	NA	1.1 J	0.002 U
MW-5	Jan/Feb 2013	MW-5	NA	NA	3.0 U	0.002 U
MW-5	Apr/May 2013	MW-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-5	Jul 2013	MW-5	NA	NA	0.8 U	0.002 U
MW-5	Oct/Nov 2013	MW-5	NA	NA	3.0 U	0.002 U
MW-5	Jan/Feb 2014	MW-5	NA	NA	0.7 J	0.002 U
MW-5	Jan/Feb 2014	DUPE-6-1Q14	NA	NA	0.7 J	0.002 U
MW-5	Apr/May 2014	MW-5	2.0 U	1.000 U	0.8 J	0.002 U
MW-5	Jul/Aug 2014	MW-5	NA	NA	7.8	0.002 U
MW-5	Oct 2014	MW-5	NA	NA	2.7 J	0.001 J
MW-6	Aug/Sep 1996	MW-6	NA	NA	10.0 U	NA
MW-6	Aug/Sep 1996	MW-6	5.0 U	2.000 U	50.0	0.005 U
MW-6	Oct/Nov 1996	MW-6	5.0 U	2.000 U	11.0	0.005 U
MW-6	Feb/Mar 1997	MW-6	5.0 U	2.000 U	14.0	0.005 U
MW-6	June/July 1997	MW-6	5.0 U	2.000 U	19.0	0.005 U
MW-6	Sep/Oct 1997	MW-6	5.0 U	2.000 U	10.0 U	0.005 U
MW-6	Jan/Feb 1998	MW-6	5.0 U	2.000 U	10.0 U	0.005 U
MW-6	Apr/May 1998	MW-6	5.0 U	2.000 U	12.0	0.005 U
MW-6	Jul/Aug 1998	MW-6	5.0 U	2.000 U	13.0	0.005 U
MW-6	Oct/Nov 1998	MW-6	5.0 U	2.000 U	37.0	0.005 U
MW-6	Feb/Mar 1999	MW-6	5.0 U	2.000 U	17.0	0.005 U
MW-6	May/June 1999	MW-6	5.0 U	2.000 U	36.0	0.005 U
MW-6	Aug 1999	MW-6	NA	NA	310.0	0.005 U
MW-6	Nov/Dec 1999	MW-6	NA	NA	12.0	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-6	Mar/Apr 2000	MW-6	NA	NA	82.0	0.005 U
MW-6	Jul/Aug 2000	MW-6	5.0 U	2.000 U	51.0	0.005 U
MW-6	Sep/Oct 2000	MW-6	NA	NA	22.0	0.005 U
MW-6	Jan/Feb 2001	MW-6	2.2 B	1.000 U	11.0	0.010 U
MW-6	Jul 2001	MW-6	NA	NA	20.9	UNK U
MW-6	Jul 2001	DUP	NA	NA	21.8	NA
MW-6	Oct 2001	MW-6	NA	NA	33.8	0.010 U
MW-6	Oct 2001	DUP	NA	NA	31.7	0.010 U
MW-6	Jan/Feb 2002	MW-6	3.4 B	0.060 J	10.1 J	0.010 U
MW-6	Apr/May 2002	MW-6	NA	NA	27.0	0.010 U
MW-6	Jul 2002	MW-6	NA	NA	15.0	UNK U
MW-6	Oct/Nov 2002	MW-6	NA	NA	NA	0.010 U
MW-6	Jan/Feb 2003	MW-6	NA	NA	6.4	0.010 U
MW-6	Apr/May 2003	MW-6	5.0 U	1.000 U	7.1 J	0.010 U
MW-6	Jul/Aug 2003	MW-6	NA	NA	6.6 J	0.010 U
MW-6	Oct/Nov 2003	MW-6	NA	NA	9.9 J	0.010 U
MW-6	Feb 2004	MW-6	NA	NA	10.0	0.010 U
MW-6	Apr/May 2004	MW-6	2.0 U	0.180	7.8	0.010 U
MW-6	Jul/Aug 2004	MW-6	NA	NA	28.4 J	0.010 U
MW-6	Oct/Nov 2004	MW-6	NA	NA	21.0 J	0.010 U
MW-6	Jan/Feb 2005	MW-6	NA	NA	20.0	0.010 U
MW-6	Apr/May 2005	MW-6	1.9 J	0.030 J	13.6	0.010 U
MW-6	Apr/May 2005	DUPE-8-2Q05	2.0 J	0.034 J	13.0	0.010 U
MW-6	Jul/Sep 2005	MW-6	NA	NA	13.8 J	0.010 U
MW-6	Oct/Nov 2005	MW-6	NA	NA	13.0 J	0.010 U
MW-6	Mar/Apr 2006	MW-6	NA	NA	4.9 J	0.010 U
MW-6	Mar/Apr 2006	DUPE-8-1Q06	NA	NA	4.9 J	0.010 U
MW-6	May/June 2006	MW-6	1.0 U	1.000 U	7.5	0.010 U
MW-6	Aug/Sep 2006	MW-6	NA	NA	3.7	0.010 U
MW-6	Aug/Sep 2006	DUPE-6-3Q06	NA	NA	5.4	0.010 U
MW-6	Oct/Dec 2006	MW-6	NA	NA	5.8 U	0.010 U
MW-6	Mar/Apr 2007	MW-6	NA	NA	10.1	0.010 U
MW-6	Jun/Jul 2007	MW-6	1.0 U	1.270	2.3	0.010 U
MW-6	Aug/Sep 2007	MW-6	NA	NA	15.1	0.010 U
MW-6	Aug/Sep 2007	DUPE-4-3Q07	NA	NA	15.9	0.010 U
MW-6	Oct/Dec 2007	MW-6	NA	NA	7.5 E	0.010 U
MW-6	Jan/Feb 2008	MW-6	NA	NA	5.1 E	0.006 J
MW-6	Apr/May 2008	MW-6	1.0 U	1.000 U	6.4	0.010 U
MW-6	Jul/Aug 2008	MW-6	NA	NA	9.9	0.010 U
MW-6	Oct/Nov 2008	MW-6	NA	NA	14.0	0.010 U
MW-6	Jan/Feb 2009	MW-6	NA	NA	18.0	0.010 U
MW-6	Apr/May 2009	MW-6	2.0 U	5.000 U	23.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-6	Jul/Aug 2009	MW-6	NA	NA	48.0	0.010 U
MW-6	Nov/Dec 2009	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Feb 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Apr/May 2010	MW-6	2.0 U	5.000 U	5.0 U	0.010 U
MW-6	Jul/Aug 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Oct/Nov 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Feb/Mar 2011	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Apr/May 2011	MW-6	2.0 U	5.000 U	5.0 U	0.010 U
MW-6	Apr/May 2011	DUPE-7-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-6	Aug/Sep 2011	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Aug/Sep 2011	DUPE-7-3Q11	NA	NA	5.0 U	NA
MW-6	Nov/Dec 2011	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Jan/Feb 2012	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Jan/Feb 2012	DUPE-5-1Q12	NA	NA	5.0 U	0.010 U
MW-6	Apr/May 2012	MW-6	2.5	5.000 U	83.0	0.010 U
MW-6	Aug/Sep 2012	MW-6	NA	NA	2.3 J	0.002 U
MW-6	Nov 2012	MW-6	NA	NA	2.2 J	0.001 J
MW-6	Nov 2012	DUPE-5-4Q12	NA	NA	2.5 J	0.001 J
MW-6	Jan/Feb 2013	MW-6	NA	NA	1.6 J	0.002 U
MW-6	Apr/May 2013	MW-6	2.0 U	1.000 U	5.1	0.002 J
MW-6	Apr/May 2013	DUP-7-2Q13	2.0 U	1.000 U	1.1 J	0.001 J
MW-6	Jul 2013	MW-6	NA	NA	2.9 U	0.002 U
MW-6	Oct/Nov 2013	MW-6	NA	NA	39.0	0.001 U
MW-6	Jan/Feb 2014	MW-6	NA	NA	8.1	0.002 U
MW-6	Apr/May 2014	MW-6	2.0 U	1.000 U	190.0	0.002 J
MW-6	Jul/Aug 2014	MW-6	NA	NA	26.0	0.002 U
MW-6	Oct 2014	MW-6	NA	NA	270.0	0.001 J
MW-7	Aug/Sep 1996	MW-7	NA	NA	10.0	NA
MW-7	Aug/Sep 1996	MW-7	NA	NA	10.0 U	NA
MW-7	Aug/Sep 1996	MW-7	NA	NA	12.0	0.011
MW-7	Aug/Sep 1996	MW-7	5.0 U	2.000 U	13.0	0.007
MW-7	Oct/Nov 1996	MW-7	5.0 U	2.000 U	19.0	0.019
MW-7	Feb/Mar 1997	MW-7	5.0 U	2.000 U	10.0 U	0.010
MW-7	June/July 1997	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Sep/Oct 1997	MW-7	5.0 U	2.000 U	18.0	0.030
MW-7	Jan/Feb 1998	MW-7	5.0 U	2.000 U	12.0	0.005 U
MW-7	Apr/May 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Jul/Aug 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Oct/Nov 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Feb/Mar 1999	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	May/June 1999	MW-7	5.0 U	2.000 U	11.0	0.005 U
MW-7	Aug 1999	MW-7	NA	NA	10.0 U	0.005

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-7	Nov/Dec 1999	MW-7	NA	NA	10.0	0.007
MW-7	Mar/Apr 2000	MW-7	NA	NA	12.0	0.008
MW-7	Jul/Aug 2000	MW-7	5.0 U	2.000 U	14.0	0.005 U
MW-7	Jan/Feb 2002	MW-7	2.2 B	NA	NA	0.010 U
MW-7	Apr/May 2002	MW-7	NA	NA	9.0	0.010 U
MW-7	Jul 2002	MW-7	NA	NA	6.0	UNK U
MW-7	Oct/Nov 2002	MW-7	NA	NA	NA	0.010 U
MW-7	Jan/Feb 2003	MW-7	0.6	0.064 J	6.4	0.002
MW-7	Jan/Feb 2003	DUPE-6-1Q03	NA	NA	7.3	0.010 U
MW-7	Apr/May 2003	MW-7	5.0 U	1.000 U	4.9	0.010 U
MW-7	Jul/Aug 2003	MW-7	NA	NA	4.6 J	0.010 U
MW-7	Oct/Nov 2003	MW-7	NA	NA	5.0 J	0.010 U
MW-7	Feb 2004	MW-7	NA	NA	5.7	0.010 U
MW-7	Apr/May 2004	MW-7	5.0 U	0.460	11.2	0.010 U
MW-7	Apr/May 2004	DUPE-7-2Q04	5.0 U	0.510	11.7	0.010 U
MW-7	Jul/Aug 2004	MW-7	NA	NA	8.7 J	0.010 U
MW-7	Oct/Nov 2004	MW-7	NA	NA	11.2 J	0.010 U
MW-7	Jan/Feb 2005	MW-7	NA	NA	7.6	0.010 U
MW-7	Apr/May 2005	MW-7	2.1 J	0.053 J	11.5	0.010 U
MW-7	Jul/Sep 2005	MW-7	NA	NA	9.1 J	0.010 U
MW-7	Oct/Nov 2005	MW-7	NA	NA	7.8	0.010 U
MW-7	Oct/Nov 2005	DUPE-8-4Q05	NA	NA	8.2	0.010 U
MW-7	Mar/Apr 2006	MW-7	NA	NA	1.1 J	0.010 U
MW-7	May/June 2006	MW-7	1.0 U	1.000 U	1.1	0.010 U
MW-7	Aug/Sep 2006	MW-7	NA	NA	2.9	0.010 U
MW-7	Oct/Dec 2006	MW-7	NA	NA	2.8	0.010 U
MW-7	Mar/Apr 2007	MW-7	NA	NA	10.6	0.005 J
MW-7	Jun/Jul 2007	MW-7	1.0 U	1.700 J	11.3	0.006 J
MW-7	Jun/Jul 2007	DUPE-8-2Q07	1.0 U	2.450 J	10.6	0.009 J
MW-7	Aug/Sep 2007	MW-7	NA	NA	14.5	0.010 U
MW-7	Oct/Dec 2007	MW-7	NA	NA	13.1	0.010 U
MW-7	Oct/Dec 2007	DUPE-4-4Q07	NA	NA	13.3	0.010 U
MW-7	Jan/Feb 2008	MW-7	NA	NA	9.5 J	0.012
MW-7	Jan/Feb 2008	DUPE-6-1Q08	NA	NA	9.1 J	0.013
MW-7	Apr/May 2008	MW-7	1.0 U	1.000 U	18.2 E	0.010 U
MW-7	Apr/May 2008	DUPE-5-2Q08	1.0 U	1.000 U	15.6 E	0.010 U
MW-7	Jul/Aug 2008	MW-7	NA	NA	6.5	0.010 U
MW-7	Oct/Nov 2008	MW-7	NA	NA	7.6	0.010 U
MW-7	Jan/Feb 2009	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Jan/Feb 2009	DUPE-06-1Q09	NA	NA	5.0 U	0.010 U
MW-7	Apr/May 2009	MW-7	2.0 U	5.000 U	11.0	0.013
MW-7	Jul/Aug 2009	MW-7	NA	NA	11.0 J	0.008 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-7	Nov/Dec 2009	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Feb 2010	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Apr/May 2010	MW-7	2.0 U	5.000 U	5.2	0.010 U
MW-7	Jul/Aug 2010	MW-7	NA	NA	6.0	0.007
MW-7	Oct/Nov 2010	MW-7	NA	NA	5.0 U	NA
MW-7	Feb/Mar 2011	MW-7	NA	NA	15.0	0.012
MW-7	Apr/May 2011	MW-7	2.0 U	5.000 U	15.0	0.014
MW-7	Aug/Sep 2011	MW-7	NA	NA	79.0	0.010 U
MW-7	Nov/Dec 2011	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Jan/Feb 2012	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Apr/May 2012	MW-7	2.0 U	5.000 U	5.0 U	0.010 U
MW-7	Aug/Sep 2012	MW-7	NA	NA	73.0	0.002 U
MW-7	Nov 2012	MW-7	NA	NA	9.0	0.002 J
MW-7	Jan/Feb 2013	MW-7	NA	NA	12.0	0.010 J
MW-7	Jan/Feb 2013	DUP-7-1Q13	NA	NA	13.0	0.009 J
MW-7	Apr/May 2013	MW-7	0.9 J	1.000 U	16.0 J	0.014
MW-7	Apr/May 2013	DUP-6-2Q13	0.9 J	1.000 U	17.0 J	0.013
MW-7	Jul 2013	MW-7	NA	NA	17.0	0.004
MW-7	Oct/Nov 2013	MW-7	NA	NA	16.0	0.004
MW-7	Jan/Feb 2014	MW-7	NA	NA	49.0	0.002
MW-7	Jan/Feb 2014	DUPE-5-1Q14	NA	NA	42.0	0.001 J
MW-7	Apr/May 2014	MW-7	2.0 U	0.100 J	15.0	0.007
MW-7	Apr/May 2014	DUP-8-2Q14	2.0 U	1.000 U	16.0	0.007
MW-7	Jul/Aug 2014	MW-7	NA	NA	9100.0	0.002 U
MW-8	Aug/Sep 1996	MW-8	NA	NA	10.0 U	NA
MW-8	Aug/Sep 1996	MW-8	5.0 U	2.000 U	10.0 U	0.009 J
MW-8	Oct/Nov 1996	MW-8	5.0 U	2.400	10.0 U	0.005 U
MW-8	Feb/Mar 1997	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	June/July 1997	MW-8	5.0 U	2.300	10.0 U	0.005 U
MW-8	Sep/Oct 1997	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Jan/Feb 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Apr/May 1998	MW-8	5.0 U	2.000 U	13.0	0.005 U
MW-8	Jul/Aug 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Oct/Nov 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Feb/Mar 1999	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	May/June 1999	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Aug 1999	MW-8	NA	NA	14.0	0.005 U
MW-8	Nov/Dec 1999	MW-8	NA	NA	10.0 U	0.005 U
MW-8	Mar/Apr 2000	MW-8	NA	NA	10.0 U	0.005 U
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.000 U	16.0	0.005 U
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.000 U	41.0	0.019
MW-8	Sep/Oct 2000	MW-8	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-8	Sep/Oct 2000	MW-8	NA	NA	36.0	0.028
MW-8	Jan/Feb 2001	MW-8	5.0 U	0.220 J	6.9	0.010 U
MW-8	Jul 2001	MW-8	NA	NA	3.2 J	UNK U
MW-8	Jul 2001	DUP	NA	NA	3.2 J	NA
MW-8	Oct 2001	MW-8	NA	NA	4.7	0.010 U
MW-8	Oct 2001	DUP	NA	NA	4.5	NA
MW-8	Jan/Feb 2002	MW-8	5.0 U	0.370 J	6.9	0.010 U
MW-8	Jan/Feb 2002	DUP	NA	0.400 J	7.1	NA
MW-8	Apr/May 2002	MW-8	NA	NA	4.0	0.010 U
MW-8	Jul 2002	MW-8	NA	NA	28.0	UNK U
MW-8	Oct/Nov 2002	MW-8	NA	NA	NA	0.010 U
MW-8	Jan/Feb 2003	MW-8	1.0	0.100 J	0.5	0.000 U
MW-8	Apr/May 2003	MW-8	2.0 J	1.000 U	1.4 J	0.010 U
MW-8	Jul/Aug 2003	MW-8	NA	NA	3.6 J	0.010 U
MW-8	Oct/Nov 2003	MW-8	NA	NA	1.5 UJ	0.008 J
MW-8	Oct/Nov 2003	DUPE-7-4Q03	NA	NA	1.8 UJ	0.010 U
MW-8	Feb 2004	MW-8	NA	NA	4.0	0.010 U
MW-8	Apr/May 2004	MW-8	5.0 U	0.024 U	6.0	0.010 U
MW-8	Jul/Aug 2004	MW-8	NA	NA	9.8 J	0.010 U
MW-8	Oct/Nov 2004	MW-8	NA	NA	8.5 J	0.010 U
MW-8	Jan/Feb 2005	MW-8	NA	NA	8.4	0.010 U
MW-8	Jan/Feb 2005	DUPE-6-1Q05	NA	NA	8.5	0.010 U
MW-8	Apr/May 2005	MW-8	1.7 J	0.025 J	7.3	0.010 U
MW-8	Jul/Sep 2005	MW-8	NA	NA	9.1	0.010 U
MW-8	Oct/Nov 2005	MW-8	NA	NA	9.5	0.010 U
MW-8	Mar/Apr 2006	MW-8	NA	NA	1.2 J	0.010 U
MW-8	May/Jun 2006	MW-8	1.0 U	1.000 U	12.6	0.010 U
MW-8	Aug/Sep 2006	MW-8	NA	NA	2.9	0.010 U
MW-8	Aug/Sep 2006	DUPE-5-3Q06	NA	NA	22.2	0.010 U
MW-8	Oct/Dec 2006	MW-8	NA	NA	11.7	0.010 U
MW-8	Mar/Apr 2007	MW-8	NA	NA	12.7	0.010 U
MW-8	Jun/Jul 2007	MW-8	1.0 U	3.240	13.2	0.010 U
MW-8	Aug/Sep 2007	MW-8	NA	NA	18.4	0.010 U
MW-8	Aug/Sep 2007	DUPE-7-3Q07	NA	NA	16.8	0.010 U
MW-8	Oct/Dec 2007	MW-8	NA	NA	16.3	0.010 U
MW-8	Jan/Feb 2008	MW-8	NA	NA	5.0 E	0.005 J
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	NA	NA	15.1 E	0.004 J
MW-8	Apr/May 2008	MW-8	1.0	1.800	8.8 E	0.007 J
MW-8	Jul/Aug 2008	MW-8	NA	NA	7.5	0.010 U
MW-8	Oct/Nov 2008	MW-8	NA	NA	13.0	0.010 U
MW-8	Jan/Feb 2009	MW-8	NA	NA	6.2	0.010 U
MW-8	Apr/May 2009	MW-8	2.0 U	12.000	7.5	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-8	Jul/Aug 2009	MW-8	NA	NA	5.3	0.010 U
MW-8	Nov/Dec 2009	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Feb 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Apr/May 2010	MW-8	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Jul/Aug 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Jul/Aug 2010	DUPE-1-3Q10	NA	NA	5.0 U	0.010 U
MW-8	Oct/Nov 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Feb/Mar 2011	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Apr/May 2011	MW-8	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Apr/May 2011	DUPE-8-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Aug/Sep 2011	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Nov/Dec 2011	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Jan/Feb 2012	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Apr/May 2012	MW-8	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Aug/Sep 2012	MW-8	NA	NA	3.7	0.002 U
MW-8	Nov 2012	MW-8	NA	NA	1.5 J	0.001 J
MW-8	Nov 2012	DUPE-8-4Q12	NA	NA	1.4 J	0.002 U
MW-8	Jan/Feb 2013	MW-8	NA	NA	0.6 J	0.002 U
MW-8	Jan/Feb 2013	DUP-6-1Q13	NA	NA	3.0 U	0.002 U
MW-8	Apr/May 2013	MW-8	0.9 J	1.000 U	0.7 J	0.002 U
MW-8	Jul 2013	MW-8	NA	NA	1.5 U	0.002 U
MW-8	Oct/Nov 2013	MW-8	NA	NA	2.4 J	0.001 J
MW-8	Oct/Nov 2013	DUPE-5-4Q13	NA	NA	2.1 J	0.001 J
MW-8	Jan/Feb 2014	MW-8	NA	NA	3.0	0.001 J
MW-8	Jan/Feb 2014	DUPE-7-1Q14	NA	NA	3.4	0.001 J
MW-8	Apr/May 2014	MW-8	2.0 U	1.000 U	1.7 J	0.001 J
MW-8	Jul/Aug 2014	MW-8	NA	NA	18.0	0.003
MW-8	Oct 2014	MW-8	NA	NA	20.0	0.008
MW-9	Aug/Sep 1996	MW-9	NA	NA	10.0 U	NA
MW-9	Aug/Sep 1996	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Oct/Nov 1996	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Feb/Mar 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	June/July 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Sep/Oct 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jan/Feb 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Apr/May 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jul/Aug 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Oct/Nov 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Feb/Mar 1999	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	May/June 1999	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Nov/Dec 1999	MW-9	NA	NA	10.0 U	0.005 U
MW-9	Jul/Aug 2000	MW-9	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-9	Jan/Feb 2001	MW-9	2.6 B	1.000 U	2.0 J	0.010 U
MW-9	Jan/Feb 2002	MW-9	2.3 B	1.000 U	3.9 J	0.010 U
MW-9	Apr/May 2003	MW-9	2.1 J	0.480 J	4.3	0.010 U
MW-9	Oct/Nov 2003	MW-9	NA	NA	5.5 J	0.010 U
MW-9	Apr/May 2004	MW-9	5.0 U	1.900	9.2	0.010 U
MW-9	Oct/Nov 2004	MW-9	NA	NA	14.5	0.010 U
MW-9	Apr/May 2005	MW-9	1.2 J	0.650 J	2.3	0.010 U
MW-9	Apr/May 2005	DUPE-3-2Q05	5.0 U	0.550 J	2.1	0.010 U
MW-9	Oct/Nov 2005	MW-9	NA	NA	4.5	0.010 U
MW-9	May/June 2006	MW-9	1.0 U	2.530	1.6	0.010 U
MW-9	Oct/Dec 2006	MW-9	NA	NA	3.6	0.010 U
MW-9	Oct/Dec 2006	DUPE-7-4Q06	NA	NA	3.9 U	0.010 U
MW-9	Jun/Jul 2007	MW-9	1.0 U	2.020	6.6	0.010 U
MW-9	Oct/Dec 2007	MW-9	NA	NA	11.3 E	0.010 U
MW-9	Apr/May 2008	MW-9	1.0 U	1.310	4.4	0.010 U
MW-9	Oct/Nov 2008	MW-9	NA	NA	5.0 U	0.010 U
MW-9	Apr/May 2009	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov/Dec 2009	MW-9	NA	NA	13.0	0.010 U
MW-9	Nov/Dec 2009	DUPE-8-4Q09	NA	NA	7.8	0.010 U
MW-9	Apr/May 2010	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Oct/Nov 2010	MW-9	NA	NA	5.0 U	0.010 U
MW-9	Apr/May 2011	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov/Dec 2011	MW-9	NA	NA	5.0 U	0.006 J
MW-9	Apr/May 2012	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov 2012	MW-9	NA	NA	0.7 J	0.002 U
MW-9	Apr/May 2013	MW-9	1.0 J	1.000 U	0.7 J	0.002 U
MW-9	Apr/May 2014	MW-9	2.0 U	1.000 U	3.0 U	0.002 U
MW-9	Apr/May 2014	DUP-5-2Q14	2.0 U	1.000 U	0.6 J	0.002 U
MW-9	Oct 2014	MW-9	NA	NA	3.0	0.002 U
MW-10	Aug/Sep 1996	MW-10	NA	NA	10.0 U	NA
MW-10	Aug/Sep 1996	MW-10	NA	NA	12.0	0.017
MW-10	Aug/Sep 1996	MW-10	NA	NA	20.0	NA
MW-10	Aug/Sep 1996	MW-10	5.0 U	2.000 U	11.0	0.010
MW-10	Oct/Nov 1996	MW-10	5.0 U	2.000 U	10.0	0.005 U
MW-10	Oct/Nov 1996	MW-10	5.0 U	2.900	11.0	0.005 U
MW-10	Feb/Mar 1997	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	June/July 1997	MW-10	5.0 U	2.000 U	13.0	0.005 U
MW-10	June/July 1997	MW-10	5.0 U	2.000 U	14.0	0.005 U
MW-10	Sep/Oct 1997	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Jan/Feb 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Apr/May 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Apr/May 1998	MW-10	5.0 U	8.300	10.0	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-10	Jul/Aug 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Oct/Nov 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Feb/Mar 1999	MW-10	5.0 U	2.000 U	12.0	0.005 U
MW-10	Feb/Mar 1999	MW-10	5.0 U	2.000 U	14.0	0.005 U
MW-10	May/June 1999	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Aug 1999	MW-10	NA	NA	10.0 U	0.005 U
MW-10	Nov/Dec 1999	MW-10	NA	NA	26.0	0.005 U
MW-10	Mar/Apr 2000	MW-10	NA	NA	34.0	0.005 U
MW-10	Mar/Apr 2000	MW-10	NA	NA	41.0	0.005 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.000 U	10.0 U	0.006
MW-10	Sep/Oct 2000	MW-10	NA	NA	10.0 U	0.005 U
MW-10	Sep/Oct 2000	DUP	NA	NA	29.0	0.005 U
MW-10	Jan/Feb 2001	MW-10	5.0 U	1.000 U	11.0	0.010 U
MW-10	Jul 2001	MW-10	NA	NA	16.3	UNK U
MW-10	Jul 2001	DUP	NA	NA	19.8	UNK U
MW-10	Oct 2001	MW-10	NA	NA	12.9	0.010 U
MW-10	Oct 2001	DUP	NA	NA	10.4	0.010 U
MW-10	Jan/Feb 2002	MW-10	1.8 B	0.030 J	8.2	0.010 U
MW-10	Apr/May 2002	MW-10	NA	NA	8.0	0.010 U
MW-10	Jul 2002	MW-10	NA	NA	13.0	UNK U
MW-10	Oct/Nov 2002	MW-10	NA	NA	NA	0.010 U
MW-10	Jan/Feb 2003	MW-10	0.5	0.300	4.5	0.001
MW-10	Apr/May 2003	MW-10	5.0 U	0.150 J	8.1 J	0.010 U
MW-10	Jul/Aug 2003	MW-10	NA	NA	11.0 J	0.010 U
MW-10	Oct/Nov 2003	MW-10	NA	NA	7.6 J	0.010 U
MW-10	Feb 2004	MW-10	NA	NA	24.0	0.010 U
MW-10	Apr/May 2004	MW-10	5.0 U	0.009 U	21.3	0.010 U
MW-10	Jul/Aug 2004	MW-10	NA	NA	24.2 J	0.010 U
MW-10	Jul/Aug 2004	DUPE-6-3Q04	NA	NA	23.8 J	0.010 U
MW-10	Oct/Nov 2004	MW-10	NA	NA	17.0 J	0.004 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	NA	NA	16.7 J	0.010 U
MW-10	Jan/Feb 2005	MW-10	NA	NA	20.0	0.010 U
MW-10	Apr/May 2005	MW-10	5.0 U	0.031 J	21.1	0.011
MW-10	Apr/May 2005	DUPE-9-2Q05	5.0 U	0.025 J	22.2	0.011
MW-10	Jul/Sep 2005	MW-10	NA	NA	25.4 J	0.014
MW-10	Jul/Sep 2005	DUPE-7-3Q05	NA	NA	24.6 J	0.014
MW-10	Oct/Nov 2005	MW-10	NA	NA	25.4	0.014
MW-10	Mar/Apr 2006	MW-10	NA	NA	14.8 J	0.010
MW-10	May/June 2006	MW-10	2.5 U	1.000 U	20.5	0.008 J
MW-10	Aug/Sep 2006	MW-10	NA	NA	22.6	0.010 U
MW-10	Oct/Dec 2006	MW-10	NA	NA	14.6	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-10	Oct/Dec 2006	DUPE-8-4Q06	NA	NA	14.0	0.010 U
MW-10	Mar/Apr 2007	MW-10	NA	NA	47.5	0.010 U
MW-10	Jun/Jul 2007	MW-10	1.0 U	1.110	14.0	0.010 U
MW-10	Aug/Sep 2007	MW-10	NA	NA	19.5	0.010 U
MW-10	Oct/Dec 2007	MW-10	NA	NA	26.2 E	0.010 U
MW-10	Oct/Dec 2007	DUPE-7-4Q07	NA	NA	24.0 E	0.010 U
MW-10	Jan/Feb 2008	MW-10	NA	NA	29.3 E	0.010 U
MW-10	Apr/May 2008	MW-10	1.0 U	4.470	8.5 E	0.010 U
MW-10	Jul/Aug 2008	MW-10	NA	NA	17.0	0.010 U
MW-10	Oct/Nov 2008	MW-10	NA	NA	22.0	0.010 U
MW-10	Jan/Feb 2009	MW-10	NA	NA	15.0	0.010 U
MW-10	Jan/Feb 2009	DUPE-07-1Q09	NA	NA	11.0	0.010 U
MW-10	Apr/May 2009	MW-10	2.0 U	5.000 U	11.0	0.010 U
MW-10	Jul/Aug 2009	MW-10	NA	NA	6.6	0.010 U
MW-10	Nov/Dec 2009	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Feb 2010	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Apr/May 2010	MW-10	2.0 U	5.000 U	5.5	0.010 U
MW-10	Jul/Aug 2010	MW-10	NA	NA	7.6	0.013
MW-10	Oct/Nov 2010	MW-10	NA	NA	5.7	0.010 U
MW-10	Feb/Mar 2011	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Feb/Mar 2011	DUPE-7-1Q11	NA	NA	5.0 U	0.010 U
MW-10	Apr/May 2011	MW-10	2.0 U	5.000 U	5.0 U	0.010 U
MW-10	Aug/Sep 2011	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Nov/Dec 2011	MW-10	NA	NA	5.4	0.010 U
MW-10	Jan/Feb 2012	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Apr/May 2012	MW-10	2.0 U	5.000 U	5.0 U	0.010 U
MW-10	Aug/Sep 2012	MW-10	NA	NA	23.0 J	0.002 U
MW-10	Nov 2012	MW-10	NA	NA	21.0	0.006 J
MW-10	Jan/Feb 2013	MW-10	NA	NA	5.8	0.003 J
MW-10	Apr/May 2013	MW-10	2.0 U	1.000 U	5.2	0.004
MW-10	Jul 2013	MW-10	NA	NA	3.3 U	0.002 J
MW-10	Oct/Nov 2013	MW-10	NA	NA	2.9 J	0.001 U
MW-10	Oct/Nov 2013	DUPE-8-4Q13	NA	NA	3.4	0.001 U
MW-10	Jan/Feb 2014	MW-10	NA	NA	7.9 U	0.002 U
MW-10	Apr/May 2014	MW-10	2.0 U	1.000 U	2.4 J	0.001 J
MW-10	Jul/Aug 2014	MW-10	NA	NA	5.7	0.001 J
MW-10	Oct 2014	MW-10	NA	NA	10.0	0.002 U
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	NA	NA	10.0 U	NA
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Oct/Nov 1996	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Feb/Mar 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	June/July 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 1	Sep/Oct 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Jan/Feb 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Apr/May 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Jul/Aug 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Oct/Nov 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Feb/Mar 1999	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	May/Jun 1999	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Aug 1999	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Nov/Dec 1999	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Mar/Apr 2000	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Jul/Aug 2000	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Sep/Oct 2000	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Jan/Feb 2001	MW-11-1	5.0 U	1.000 U	5.0	0.010 U
MW-11 Screen 1	Jul 2001	MW-11-1	NA	NA	2.2 J	UNK U
MW-11 Screen 1	Oct 2001	MW-11-1	NA	NA	3.5	0.010 U
MW-11 Screen 1	Jan/Feb 2002	MW-11-1	5.0 U	0.040 J	3.8 J	0.010 U
MW-11 Screen 1	Apr/May 2002	MW-11-1	NA	NA	5.0	0.010 U
MW-11 Screen 1	Jul 2002	MW-11-1	NA	NA	4.0	UNK U
MW-11 Screen 1	Oct/Nov 2002	MW-11-1	NA	NA	NA	0.010 U
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	NA	NA	2.6	0.010 U
MW-11 Screen 1	Apr/May 2003	MW-11-1	5.0 U	1.000 U	1.3	0.010 U
MW-11 Screen 1	Jul/Aug 2003	MW-11-1	NA	NA	2.0 J	0.010 U
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	NA	NA	2.0 J	0.010 U
MW-11 Screen 1	Feb 2004	MW-11-1	NA	NA	3.7	0.010 U
MW-11 Screen 1	Apr/May 2004	MW-11-1	5.0 U	0.027 U	7.4	0.010 U
MW-11 Screen 1	Jul/Aug 2004	MW-11-1	NA	NA	10.1	0.010 U
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	NA	NA	9.4 J	0.010 U
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	NA	NA	7.6	0.010 U
MW-11 Screen 1	Apr/May 2005	MW-11-1	5.0 U	0.068 J	9.8	0.010 U
MW-11 Screen 1	Jul/Sep 2005	MW-11-1	NA	NA	6.7	0.010 U
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	NA	NA	7.7	0.010 U
MW-11 Screen 1	Mar/Apr 2006	MW-11-1	NA	NA	1.0 U	0.010 U
MW-11 Screen 1	May/Jun 2006	MW-11-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2006	MW-11-1	NA	NA	1.5 J	0.010 U
MW-11 Screen 1	Oct/Dec 2006	MW-11-1	NA	NA	3.3	0.010 U
MW-11 Screen 1	Oct/Dec 2006	DUPE-4-4Q06	NA	NA	3.3	0.010 U
MW-11 Screen 1	Mar/Apr 2007	MW-11-1	NA	NA	1.0 U	0.010 U
MW-11 Screen 1	Jun/Jul 2007	MW-11-1	1.0	1.000 U	10.4	0.010 U
MW-11 Screen 1	Aug/Sep 2007	MW-11-1	NA	NA	15.8	0.010 U
MW-11 Screen 1	Oct/Dec 2007	MW-11-1	NA	NA	9.4	0.010 U
MW-11 Screen 1	Jan/Feb 2008	MW-11-1	NA	NA	9.5 E	0.010 U
MW-11 Screen 1	Jan/Feb 2008	DUPE-1-1Q08	NA	NA	8.6 E	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 1	Apr/May 2008	MW-11-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2008	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Oct/Nov 2008	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Jan/Feb 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2009	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Nov/Dec 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb 2010	DUPE-4-1Q10	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2010	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Oct/Nov 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb/Mar 2011	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2011	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2011	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2011	DUPE-06-3Q11	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Nov/Dec 2011	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Jan/Feb 2012	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2012	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2012	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Nov 2012	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Jan/Feb 2013	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Apr/May 2013	MW-11-1	1.8 J	1.000 U	0.5 J	0.002 U
MW-11 Screen 1	Apr/May 2013	DUP-5-2Q13	2.0 U	1.000 U	3.0 U	0.002 U
MW-11 Screen 1	Jul 2013	MW-11-1	NA	NA	3.6	0.002 U
MW-11 Screen 1	Oct/Nov 2013	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Jan/Feb 2014	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Apr/May 2014	MW-11-1	2.0 U	1.000 U	3.0 U	0.001 U
MW-11 Screen 1	Jul/Aug 2014	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Oct 2014	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	NA	NA	10.0 U	NA
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Oct/Nov 1996	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Feb/Mar 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	June/July 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Sep/Oct 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Jan/Feb 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Apr/May 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Jul/Aug 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Oct/Nov 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Feb/Mar 1999	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	May/June 1999	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 2	Aug 1999	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Nov/Dec 1999	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Mar/Apr 2000	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Jul/Aug 2000	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Sep/Oct 2000	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Jan/Feb 2001	MW-11-2	5.0 U	1.000 U	3.5 J	0.010 U
MW-11 Screen 2	Jul 2001	MW-11-2	NA	NA	3.0 J	UNK U
MW-11 Screen 2	Oct 2001	MW-11-2	NA	NA	3.5	0.010 U
MW-11 Screen 2	Jan/Feb 2002	MW-11-2	1.6 B	1.000 U	3.2 J	0.010 U
MW-11 Screen 2	Apr/May 2002	MW-11-2	NA	NA	5.0	0.010 U
MW-11 Screen 2	Jul 2002	MW-11-2	NA	NA	4.0	UNK U
MW-11 Screen 2	Oct/Nov 2002	MW-11-2	NA	NA	NA	0.010 U
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	NA	NA	2.3	0.010 U
MW-11 Screen 2	Apr/May 2003	MW-11-2	5.0 U	1.000 U	0.8 J	0.010 U
MW-11 Screen 2	Jul/Aug 2003	MW-11-2	NA	NA	1.5 J	0.010 U
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	NA	NA	1.0 UJ	0.010 U
MW-11 Screen 2	Feb 2004	MW-11-2	NA	NA	3.4	0.010 U
MW-11 Screen 2	Apr/May 2004	MW-11-2	5.0 U	0.120 U	5.7	0.010 U
MW-11 Screen 2	Jul/Aug 2004	MW-11-2	NA	NA	9.1	0.010 U
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	NA	NA	8.4 J	0.010 U
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	NA	NA	6.0	0.010 U
MW-11 Screen 2	Apr/May 2005	MW-11-2	5.0 U	0.044 J	8.7	0.010 U
MW-11 Screen 2	Jul/Sep 2005	MW-11-2	NA	NA	6.9	0.010 U
MW-11 Screen 2	Jul/Sep 2005	DUPE-4-3Q05	NA	NA	7.8	0.010 U
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	NA	NA	8.7	0.010 U
MW-11 Screen 2	Mar/Apr 2006	MW-11-2	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	Mar/Apr 2006	DUPE-7-1Q06	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	May/June 2006	MW-11-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2006	MW-11-2	NA	NA	1.6 J	0.010 U
MW-11 Screen 2	Oct/Dec 2006	MW-11-2	NA	NA	3.3	0.010 U
MW-11 Screen 2	Mar/Apr 2007	MW-11-2	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	Jun/Jul 2007	MW-11-2	1.1	1.000 U	9.1	0.010 U
MW-11 Screen 2	Aug/Sep 2007	MW-11-2	NA	NA	11.9	0.010 U
MW-11 Screen 2	Oct/Dec 2007	MW-11-2	NA	NA	7.4	0.010 U
MW-11 Screen 2	Oct/Dec 2007	DUPE-2-4Q07	NA	NA	3.9	0.006 J
MW-11 Screen 2	Jan/Feb 2008	MW-11-2	NA	NA	7.7 E	0.010 U
MW-11 Screen 2	Apr/May 2008	MW-11-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2008	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Oct/Nov 2008	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Jan/Feb 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2009	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2009	MW-11-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 2	Nov/Dec 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Feb 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2010	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Oct/Nov 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Feb/Mar 2011	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2011	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2011	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Nov/Dec 2011	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Nov/Dec 2011	DUP-8-4Q11	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Jan/Feb 2012	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2012	MW-11-2	3.2	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2012	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Nov 2012	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jan/Feb 2013	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Apr/May 2013	MW-11-2	1.2 J	1.000 U	3.0 U	0.001 J
MW-11 Screen 2	Jul 2013	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jul 2013	DUPE-6-3Q13	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Oct/Nov 2013	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jan/Feb 2014	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Apr/May 2014	MW-11-2	0.7 J	1.000 U	0.9 J	0.001 U
MW-11 Screen 2	Jul/Aug 2014	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Oct 2014	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	NA	NA	10.0 U	NA
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Oct/Nov 1996	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Feb/Mar 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	June/July 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Sep/Oct 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Jan/Feb 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Apr/May 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Jul/Aug 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Oct/Nov 1998	MW-11-3	5.0 U	8.000	10.0 U	0.005 U
MW-11 Screen 3	Feb/Mar 1999	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	May/June 1999	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Aug 1999	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Nov/Dec 1999	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Mar/Apr 2000	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Jul/Aug 2000	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Sep/Oct 2000	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Jan/Feb 2001	MW-11-3	5.0 U	1.000 U	3.3 J	0.010 U
MW-11 Screen 3	Jul 2001	MW-11-3	NA	NA	3.6 J	UNK U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 3	Oct 2001	MW-11-3	NA	NA	4.1	0.010 U
MW-11 Screen 3	Jan/Feb 2002	MW-11-3	2.5 B	1.000 U	3.2 J	0.010 U
MW-11 Screen 3	Jan/Feb 2002	DUP	NA	0.030 J	3.0 J	NA
MW-11 Screen 3	Apr/May 2002	MW-11-3	NA	NA	6.0	0.010 U
MW-11 Screen 3	Jul 2002	MW-11-3	NA	NA	5.0	UNK U
MW-11 Screen 3	Oct/Nov 2002	MW-11-3	NA	NA	NA	0.010 U
MW-11 Screen 3	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	NA	NA	2.3	0.010 U
MW-11 Screen 3	Apr/May 2003	MW-11-3	5.0 U	1.000 U	1.5	0.010 U
MW-11 Screen 3	Jul/Aug 2003	MW-11-3	NA	NA	2.3 J	0.010 U
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	NA	NA	3.4 J	0.010 U
MW-11 Screen 3	Feb 2004	MW-11-3	NA	NA	4.0	0.010 U
MW-11 Screen 3	Apr/May 2004	MW-11-3	5.0 U	0.055 U	1.1 U	0.010 U
MW-11 Screen 3	Apr/May 2004	DUPE-5-2Q04	5.0 U	0.049 U	0.7 U	0.005 J
MW-11 Screen 3	Jul/Aug 2004	MW-11-3	NA	NA	9.6	0.010 U
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	NA	NA	9.1 J	0.010 U
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	NA	NA	1.9 J	0.010 U
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	NA	NA	6.1	0.010 U
MW-11 Screen 3	Apr/May 2005	MW-11-3	5.0 U	0.110 J	7.6	0.010 U
MW-11 Screen 3	Apr/May 2005	DUPE-7-2Q05	5.0 U	0.055 J	8.1	0.010 U
MW-11 Screen 3	Jul/Sep 2005	MW-11-3	NA	NA	5.0	0.010 U
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	NA	NA	5.6	0.010 U
MW-11 Screen 3	Mar/Apr 2006	MW-11-3	NA	NA	1.0 U	0.010 U
MW-11 Screen 3	May/June 2006	MW-11-3	1.1	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	May/June 2006	DUPE-7-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	Aug/Sep 2006	MW-11-3	NA	NA	1.5 J	0.010 U
MW-11 Screen 3	Oct/Dec 2006	MW-11-3	NA	NA	2.4	0.010 U
MW-11 Screen 3	Mar/Apr 2007	MW-11-3	NA	NA	1.0 U	0.010 U
MW-11 Screen 3	Jun/Jul 2007	MW-11-3	1.0 U	1.000 U	1.9 J	0.010 U
MW-11 Screen 3	Aug/Sep 2007	MW-11-3	NA	NA	11.0	0.010 U
MW-11 Screen 3	Oct/Dec 2007	MW-11-3	NA	NA	7.2	0.010 U
MW-11 Screen 3	Jan/Feb 2008	MW-11-3	NA	NA	8.0 E	0.010 U
MW-11 Screen 3	Apr/May 2008	MW-11-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2008	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Oct/Nov 2008	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Jan/Feb 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2009	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Nov/Dec 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Feb 2010	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2010	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2010	MW-11-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 3	Jul/Aug 2010	DUPE-5-3Q10	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Oct/Nov 2010	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Feb/Mar 2011	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2011	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Aug/Sep 2011	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Nov/Dec 2011	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Jan/Feb 2012	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2012	MW-11-3	4.7	5.000 U	5.2	0.010 U
MW-11 Screen 3	Aug/Sep 2012	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Aug/Sep 2012	DUPE-3-3Q12	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Nov 2012	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Nov 2012	DUPE-4-4Q12	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Jan/Feb 2013	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Apr/May 2013	MW-11-3	1.4 J	1.000 U	0.9 J	0.002 U
MW-11 Screen 3	Jul 2013	MW-11-3	NA	NA	0.5 J	0.002 U
MW-11 Screen 3	Oct/Nov 2013	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Jan/Feb 2014	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Apr/May 2014	MW-11-3	1.9 J	1.000 U	1.0 U	0.001 U
MW-11 Screen 3	Jul/Aug 2014	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Oct 2014	MW-11-3	NA	NA	0.6 J	0.002 U
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	NA	NA	10.0 U	NA
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	5.0 U	2.000 U	10.0 U	0.006 J
MW-11 Screen 4	Oct/Nov 1996	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Feb/Mar 1997	MW-11-4	5.0 U	9.300	10.0 U	0.005 U
MW-11 Screen 4	June/July 1997	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Sep/Oct 1997	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jan/Feb 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Apr/May 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jul/Aug 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Oct/Nov 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Feb/Mar 1999	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	May/June 1999	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Nov/Dec 1999	MW-11-4	NA	NA	10.0 U	0.005 U
MW-11 Screen 4	Jul/Aug 2000	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jan/Feb 2001	MW-11-4	5.0 U	1.000 U	2.0 J	0.010 U
MW-11 Screen 4	Jan/Feb 2002	MW-11-4	5.0 U	0.220 J	2.1	0.010 U
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	NA	NA	NA	0.010 U
MW-11 Screen 4	Apr/May 2003	MW-11-4	5.0 U	1.000 U	0.3 J	0.010 U
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	NA	NA	0.8 UJ	0.010 U
MW-11 Screen 4	Apr/May 2004	MW-11-4	5.0 U	0.005 J	2.2	0.004 J
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	NA	NA	5.2 J	0.010 U
MW-11 Screen 4	Apr/May 2005	MW-11-4	5.0 U	0.091 J	3.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 4	Jul/Sep 2005	MW-11-4	NA	NA	2.7	0.010 U
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	NA	NA	3.6	0.010 U
MW-11 Screen 4	May/June 2006	MW-11-4	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 4	Oct/Dec 2006	MW-11-4	NA	NA	1.9	0.010 U
MW-11 Screen 4	Jun/Jul 2007	MW-11-4	1.0 U	1.000 U	1.4 J	0.010 U
MW-11 Screen 4	Oct/Dec 2007	MW-11-4	NA	NA	4.1	0.010 U
MW-11 Screen 4	Apr/May 2008	MW-11-4	1.0 U	1.000 U	1.7	0.010 U
MW-11 Screen 4	Oct/Nov 2008	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Oct/Nov 2008	DUPE-07-4Q08	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2009	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov/Dec 2009	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2010	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Oct/Nov 2010	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2011	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov/Dec 2011	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2012	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov 2012	MW-11-4	NA	NA	3.0 U	0.002 U
MW-11 Screen 4	Apr/May 2013	MW-11-4	0.7 J	1.000 U	1.3 J	0.002 U
MW-11 Screen 4	Oct/Nov 2013	MW-11-4	NA	NA	3.0 U	0.002 U
MW-11 Screen 4	Apr/May 2014	MW-11-4	2.0 U	1.000 U	0.9 U	0.001 U
MW-11 Screen 4	Oct 2014	MW-11-4	NA	NA	3.0 U	0.002 U
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	NA	NA	10.0 U	NA
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	7.0	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Oct/Nov 1996	MW-11-5	5.0	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Feb/Mar 1997	MW-11-5	5.0 U	2.400	10.0 U	0.005 U
MW-11 Screen 5	June/July 1997	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Sep/Oct 1997	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jan/Feb 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Apr/May 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jul/Aug 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Oct/Nov 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Feb/Mar 1999	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	May/June 1999	MW-11-5	5.3	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Nov/Dec 1999	MW-11-5	NA	NA	10.0 U	0.005 U
MW-11 Screen 5	Jul/Aug 2000	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jan/Feb 2001	MW-11-5	6.0	1.000 U	2.8 J	0.010 U
MW-11 Screen 5	Jan/Feb 2001	DUP	5.8	1.000 U	2.6 J	0.010 U
MW-11 Screen 5	Jan/Feb 2002	MW-11-5	5.0	0.160 J	2.3 J	0.010 U
MW-11 Screen 5	Apr/May 2003	MW-11-5	5.0 U	1.000 U	1.1	0.010 U
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	NA	NA	1.5 J	0.010 U
MW-11 Screen 5	Apr/May 2004	MW-11-5	5.0 U	0.099 U	0.7 U	0.004 J
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	NA	NA	1.8 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 5	Apr/May 2005	MW-11-5	5.0 U	0.330 J	5.7	0.010 U
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	NA	NA	5.1	0.010 U
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	NA	NA	5.5	0.010 U
MW-11 Screen 5	May/June 2006	MW-11-5	6.1	1.000 U	1.0 U	0.010 U
MW-11 Screen 5	Oct/Dec 2006	MW-11-5	NA	NA	1.4	0.010 U
MW-11 Screen 5	Jun/Jul 2007	MW-11-5	6.0	1.000 U	1.8 J	0.010 U
MW-11 Screen 5	Oct/Dec 2007	MW-11-5	NA	NA	1.8	0.008 J
MW-11 Screen 5	Apr/May 2008	MW-11-5	6.2	1.000 U	2.4	0.010 U
MW-11 Screen 5	Oct/Nov 2008	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2009	MW-11-5	5.1	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Nov/Dec 2009	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2010	MW-11-5	5.0	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Oct/Nov 2010	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2011	MW-11-5	6.2	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Nov/Dec 2011	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2012	MW-11-5	10.0	5.000 U	5.7	0.010 U
MW-11 Screen 5	Nov 2012	MW-11-5	NA	NA	0.9 J	0.002 U
MW-11 Screen 5	Apr/May 2013	MW-11-5	6.9	0.140 J	1.7 J	0.002 U
MW-11 Screen 5	Oct/Nov 2013	MW-11-5	NA	NA	3.0 U	0.002 U
MW-11 Screen 5	Apr/May 2014	MW-11-5	5.8	1.200	4.0	0.001 U
MW-11 Screen 5	Oct 2014	MW-11-5	NA	NA	1.2 J	0.002 U
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	NA	NA	10.0 U	NA
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	5.0 U	4.400	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	5.0 U	3.200	10.0 U	0.005 U
MW-12 Screen 1	June/July 1997	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Jan/Feb 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Apr/May 1998	MW-12-1	5.0 U	2.000 U	10.0	0.005 U
MW-12 Screen 1	Jul/Aug 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Oct/Nov 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1999	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	May/June 1999	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Aug 1999	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Nov/Dec 1999	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Mar/Apr 2000	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Jul/Aug 2000	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Sep/Oct 2000	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Jan/Feb 2001	MW-12-1	5.0 U	1.000 U	8.3	0.010 U
MW-12 Screen 1	Jul 2001	MW-12-1	NA	NA	8.8	UNK U
MW-12 Screen 1	Oct 2001	MW-12-1	NA	NA	6.7	0.010 U
MW-12 Screen 1	Jan/Feb 2002	MW-12-1	5.0 U	1.000 U	4.0 J	0.010 U
MW-12 Screen 1	Apr/May 2002	MW-12-1	NA	NA	5.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 1	Jul 2002	MW-12-1	NA	NA	5.0	UNK U
MW-12 Screen 1	Oct/Nov 2002	MW-12-1	NA	NA	NA	0.010 U
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	NA	NA	6.0	0.010 U
MW-12 Screen 1	Apr/May 2003	MW-12-1	5.0 U	1.000 U	9.7	0.010 U
MW-12 Screen 1	Jul/Aug 2003	MW-12-1	NA	NA	8.0 J	0.010 U
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	NA	NA	8.1 J	0.010 U
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4Q03	NA	NA	8.4 J	0.010 U
MW-12 Screen 1	Feb 2004	MW-12-1	NA	NA	9.5	0.010 U
MW-12 Screen 1	Apr/May 2004	MW-12-1	5.0 U	0.043 U	2.6	0.004 J
MW-12 Screen 1	Jul/Aug 2004	MW-12-1	NA	NA	11.7	0.010 U
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	NA	NA	14.6 J	0.010 U
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	NA	NA	7.1	0.010 U
MW-12 Screen 1	Apr/May 2005	MW-12-1	5.0 U	0.029 J	6.8	0.010 U
MW-12 Screen 1	Jul/Sep 2005	MW-12-1	NA	NA	10.1	0.010 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	NA	NA	8.1	0.010 U
MW-12 Screen 1	Mar/Apr 2006	MW-12-1	NA	NA	1.6	0.010 U
MW-12 Screen 1	Mar/Apr 2006	DUPE-6-1Q06	NA	NA	1.6	0.010 U
MW-12 Screen 1	May/Jun 2006	MW-12-1	1.0 U	1.000 U	2.0 J	0.004 J
MW-12 Screen 1	Aug/Sep 2006	MW-12-1	NA	NA	3.6 U	0.010 U
MW-12 Screen 1	Oct/Dec 2006	MW-12-1	NA	NA	4.3	0.010 U
MW-12 Screen 1	Mar/Apr 2007	MW-12-1	NA	NA	3.1 J	0.010 U
MW-12 Screen 1	Jun/Jul 2007	MW-12-1	1.0 U	1.000 U	5.2 J	0.010 U
MW-12 Screen 1	Jun/Jul 2007	DUPE-5-2Q07	1.0 U	1.000 U	5.4 J	0.010 U
MW-12 Screen 1	Aug/Sep 2007	MW-12-1	NA	NA	16.6	0.010 U
MW-12 Screen 1	Oct/Dec 2007	MW-12-1	NA	NA	10.2	0.010 U
MW-12 Screen 1	Jan/Feb 2008	MW-12-1	NA	NA	2.2	0.010 U
MW-12 Screen 1	Apr/May 2008	MW-12-1	1.0 U	1.000 U	8.1	0.010 U
MW-12 Screen 1	Jul/Aug 2008	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Oct/Nov 2008	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Jan/Feb 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2009	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 1	Jul/Aug 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Nov/Dec 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Feb 2010	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2010	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 1	Jul/Aug 2010	MW-12-1	NA	NA	6.5	0.010 U
MW-12 Screen 1	Oct/Nov 2010	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Feb/Mar 2011	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2011	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 1	Aug/Sep 2011	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Nov/Dec 2011	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Jan/Feb 2012	MW-12-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 1	Apr/May 2012	MW-12-1	2.0 U	5.000 U	5.0 U	0.003 J
MW-12 Screen 1	Aug/Sep 2012	MW-12-1	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Aug/Sep 2012	DUPE-5-3Q12	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Nov 2012	MW-12-1	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Jan/Feb 2013	MW-12-1	NA	NA	1.1 J	0.002 U
MW-12 Screen 1	Apr/May 2013	MW-12-1	2.0 U	1.000 U	0.6 J	0.002 U
MW-12 Screen 1	Jul 2013	MW-12-1	NA	NA	1.0 J	0.002 U
MW-12 Screen 1	Oct/Nov 2013	MW-12-1	NA	NA	1.9 J	0.001 J
MW-12 Screen 1	Jan/Feb 2014	MW-12-1	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Apr/May 2014	MW-12-1	2.0 U	1.000 U	1.1 J	0.002 U
MW-12 Screen 1	Apr/May 2014	DUP-4-2Q14	2.0 U	1.000 U	1.1 J	0.002 U
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	NA	NA	10.0 U	NA
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	5.0 U	24.000	10.0 U	0.005 U
MW-12 Screen 2	Oct/Nov 1996	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Feb/Mar 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	June/July 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Apr/May 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	5.0 U	2.700	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	5.0 U	5.800	10.0 U	0.005 U
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	May/June 1999	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Aug 1999	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 2000	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 2000	DUP	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 2000	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 2000	DUP	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Jan/Feb 2001	MW-12-2	5.0 U	1.000 U	4.8 J	0.010 U
MW-12 Screen 2	Jul 2001	MW-12-2	NA	NA	5.0	UNK U
MW-12 Screen 2	Oct 2001	MW-12-2	NA	NA	7.4	0.010 U
MW-12 Screen 2	Oct 2001	DUP	NA	NA	6.6	0.010 U
MW-12 Screen 2	Jan/Feb 2002	MW-12-2	5.0 U	1.000 U	3.0 J	0.010 U
MW-12 Screen 2	Jan/Feb 2002	DUP	1.7 B	1.000 U	4.1 J	0.010 U
MW-12 Screen 2	Apr/May 2002	MW-12-2	NA	NA	7.0	0.010 U
MW-12 Screen 2	Jul 2002	MW-12-2	NA	NA	3.0	UNK U
MW-12 Screen 2	Oct/Nov 2002	MW-12-2	NA	NA	NA	0.010 U
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	NA	NA	3.8	0.010 U
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	NA	NA	4.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 2	Apr/May 2003	MW-12-2	5.0 U	1.000 U	2.9	0.010 U
MW-12 Screen 2	Jul/Aug 2003	MW-12-2	NA	NA	3.8 J	0.010 U
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	NA	NA	2.9 J	0.010 U
MW-12 Screen 2	Feb 2004	MW-12-2	NA	NA	4.4	0.010 U
MW-12 Screen 2	Apr/May 2004	MW-12-2	5.0 U	0.120 U	10.9	0.010 U
MW-12 Screen 2	Jul/Aug 2004	MW-12-2	NA	NA	12.0	0.010 U
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	NA	NA	13.1 J	0.010 U
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	NA	NA	7.1	0.010 U
MW-12 Screen 2	Apr/May 2005	MW-12-2	5.0 U	0.036 J	6.6	0.010 U
MW-12 Screen 2	Jul/Sep 2005	MW-12-2	NA	NA	10.2	0.010 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	NA	NA	9.7	0.010 U
MW-12 Screen 2	Mar/Apr 2006	MW-12-2	NA	NA	1.7	0.010 U
MW-12 Screen 2	May/June 2006	MW-12-2	1.0 U	1.000 U	1.4 J	0.010 U
MW-12 Screen 2	Aug/Sep 2006	MW-12-2	NA	NA	2.1 U	0.004 J
MW-12 Screen 2	Oct/Dec 2006	MW-12-2	NA	NA	3.3	0.010 U
MW-12 Screen 2	Mar/Apr 2007	MW-12-2	NA	NA	1.2 J	0.010 U
MW-12 Screen 2	Jun/Jul 2007	MW-12-2	1.0 U	1.000 U	2.2 J	0.010 U
MW-12 Screen 2	Aug/Sep 2007	MW-12-2	NA	NA	15.7	0.010 U
MW-12 Screen 2	Oct/Dec 2007	MW-12-2	NA	NA	9.5	0.010 U
MW-12 Screen 2	Jan/Feb 2008	MW-12-2	NA	NA	1.0	0.010 U
MW-12 Screen 2	Apr/May 2008	MW-12-2	1.0 U	1.000 U	5.8	0.010 U
MW-12 Screen 2	Jul/Aug 2008	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2008	DUPE-7-3Q08	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Oct/Nov 2008	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jan/Feb 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2009	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2009	DUPE-7-3Q09	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Nov/Dec 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Feb 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2010	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2010	DUPE-03-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Oct/Nov 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Feb/Mar 2011	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2011	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Aug/Sep 2011	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Nov/Dec 2011	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jan/Feb 2012	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2012	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Aug/Sep 2012	MW-12-2	NA	NA	0.6 J	0.002 U
MW-12 Screen 2	Nov 2012	MW-12-2	NA	NA	1.0 J	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 2	Jan/Feb 2013	MW-12-2	NA	NA	2.0 J	0.002 U
MW-12 Screen 2	Apr/May 2013	MW-12-2	0.8 J	1.000 U	1.1 J	0.002 U
MW-12 Screen 2	Apr/May 2013	DUP-4-2Q13	2.0 U	1.000 U	1.2 J	0.002 U
MW-12 Screen 2	Jul 2013	MW-12-2	NA	NA	1.6 J	0.002 U
MW-12 Screen 2	Oct/Nov 2013	MW-12-2	NA	NA	1.0 J	0.002 U
MW-12 Screen 2	Jan/Feb 2014	MW-12-2	NA	NA	1.0 J	0.002 U
MW-12 Screen 2	Apr/May 2014	MW-12-2	2.0 U	1.000 U	1.0 J	0.002 U
MW-12 Screen 2	Jul/Aug 2014	MW-12-2	NA	NA	2.6 U	0.002 U
MW-12 Screen 2	Oct 2014	MW-12-2	NA	NA	2.8 J	0.002 U
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	NA	NA	10.0 U	NA
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Oct/Nov 1996	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Feb/Mar 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	June/July 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Sep/Oct 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Jan/Feb 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Apr/May 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Jul/Aug 1998	MW-12-3	5.0 U	18.000	10.0 U	0.005 U
MW-12 Screen 3	Oct/Nov 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Feb/Mar 1999	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	May/June 1999	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Aug 1999	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Nov/Dec 1999	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Mar/Apr 2000	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Jul/Aug 2000	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Sep/Oct 2000	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Jan/Feb 2001	MW-12-3	5.0 U	1.000 U	4.6 J	0.010 U
MW-12 Screen 3	Jul 2001	MW-12-3	NA	NA	2.5 J	UNK U
MW-12 Screen 3	Oct 2001	MW-12-3	NA	NA	6.4	0.010 U
MW-12 Screen 3	Oct 2001	DUP	NA	NA	6.0	NA
MW-12 Screen 3	Jan/Feb 2002	MW-12-3	5.0 U	0.070 J	4.0 J	0.010 U
MW-12 Screen 3	Jan/Feb 2002	DUP	NA	0.040 J	4.0 J	NA
MW-12 Screen 3	Apr/May 2002	MW-12-3	NA	NA	4.0	0.010 U
MW-12 Screen 3	Apr/May 2002	DUP	NA	NA	5.0	0.010 U
MW-12 Screen 3	Jul 2002	MW-12-3	NA	NA	2.0	UNK U
MW-12 Screen 3	Jul 2002	DUP	NA	NA	4.0	UNK U
MW-12 Screen 3	Oct/Nov 2002	MW-12-3	NA	NA	NA	0.010 U
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	0.7	0.090 J	3.9	0.000 U
MW-12 Screen 3	Apr/May 2003	MW-12-3	5.0 U	1.000 U	1.3	0.010 U
MW-12 Screen 3	Apr/May 2003	DUPE-6-2Q03	5.0 U	1.000 U	1.3	0.010 U
MW-12 Screen 3	Jul/Aug 2003	MW-12-3	NA	NA	2.4 J	0.010 U
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	NA	NA	1.6 UJ	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 3	Feb 2004	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	Apr/May 2004	MW-12-3	5.0 U	0.014 U	6.2	0.010 U
MW-12 Screen 3	Jul/Aug 2004	MW-12-3	NA	NA	6.5	0.010 U
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	NA	NA	8.8 J	0.010 U
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	NA	NA	5.1	0.010 U
MW-12 Screen 3	Apr/May 2005	MW-12-3	5.0 U	0.068 J	5.1	0.010 U
MW-12 Screen 3	Jul/Sep 2005	MW-12-3	NA	NA	6.7	0.010 U
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	NA	NA	6.0	0.010 U
MW-12 Screen 3	Mar/Apr 2006	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	May/June 2006	MW-12-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2006	MW-12-3	NA	NA	1.9 U	0.008 J
MW-12 Screen 3	Oct/Dec 2006	MW-12-3	NA	NA	1.5	0.010 U
MW-12 Screen 3	Mar/Apr 2007	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	Jun/Jul 2007	MW-12-3	1.0 U	1.000 U	1.2 J	0.010 U
MW-12 Screen 3	Aug/Sep 2007	MW-12-3	NA	NA	12.3	0.010 U
MW-12 Screen 3	Oct/Dec 2007	MW-12-3	NA	NA	8.0	0.010 U
MW-12 Screen 3	Jan/Feb 2008	MW-12-3	NA	NA	1.2	0.010 U
MW-12 Screen 3	Apr/May 2008	MW-12-3	1.0 U	1.000 U	4.4	0.010 U
MW-12 Screen 3	Jul/Aug 2008	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2008	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Jan/Feb 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2009	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2009	DUPE-07-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Jul/Aug 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2009	DUPE-06-4Q09	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Feb 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2010	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Jul/Aug 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2010	DUPE-05-4Q10	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Feb/Mar 2011	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2011	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2011	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2011	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Jan/Feb 2012	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2012	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2012	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Nov 2012	MW-12-3	NA	NA	3.0 U	0.001 J
MW-12 Screen 3	Jan/Feb 2013	MW-12-3	NA	NA	1.1 J	0.002 U
MW-12 Screen 3	Apr/May 2013	MW-12-3	1.3 J	1.000 U	3.0 U	0.002 U
MW-12 Screen 3	Jul 2013	MW-12-3	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 3	Oct/Nov 2013	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Jan/Feb 2014	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Apr/May 2014	MW-12-3	0.8 J	1.000 U	3.0 U	0.002 U
MW-12 Screen 3	Jul/Aug 2014	MW-12-3	NA	NA	1.1 U	0.002 U
MW-12 Screen 3	Oct 2014	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Oct 2014	DUP-7-4Q14	NA	NA	0.6 J	0.002 U
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	NA	NA	10.0 U	NA
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	5.0 U	4.500	10.0 U	0.005 U
MW-12 Screen 4	Oct/Nov 1996	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Feb/Mar 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	June/July 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Sep/Oct 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jan/Feb 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Apr/May 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jul/Aug 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Oct/Nov 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Feb/Mar 1999	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	May/June 1999	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Nov/Dec 1999	MW-12-4	NA	NA	10.0 U	0.005 U
MW-12 Screen 4	Jul/Aug 2000	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jan/Feb 2001	MW-12-4	5.0 U	1.000 U	5.9	0.010 U
MW-12 Screen 4	Jan/Feb 2002	MW-12-4	5.0 U	1.000 U	3.9 J	0.010 U
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	NA	NA	NA	0.010 U
MW-12 Screen 4	Apr/May 2003	MW-12-4	5.0 U	1.000 U	1.3	0.010 U
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	NA	NA	2.8 J	0.010 U
MW-12 Screen 4	Apr/May 2004	MW-12-4	5.0 U	0.120 U	9.0	0.010 U
MW-12 Screen 4	Apr/May 2004	DUPE-4-2Q04	5.0 U	0.001 J	8.2	0.004 J
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	NA	NA	12.1 J	0.010 U
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	NA	NA	12.8 J	0.010 U
MW-12 Screen 4	Apr/May 2005	MW-12-4	5.0 U	0.016 J	5.5	0.010 U
MW-12 Screen 4	Jul/Sep 2005	MW-12-4	NA	NA	10.1	0.010 U
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	NA	NA	6.4	0.010 U
MW-12 Screen 4	May/June 2006	MW-12-4	1.5 J	1.000 U	1.0 U	0.010 U
MW-12 Screen 4	Oct/Dec 2006	MW-12-4	NA	NA	2.6	0.010 U
MW-12 Screen 4	Jun/Jul 2007	MW-12-4	1.9	1.000 U	2.0 J	0.010 U
MW-12 Screen 4	Oct/Dec 2007	MW-12-4	NA	NA	10.2	0.010 U
MW-12 Screen 4	Apr/May 2008	MW-12-4	1.8	1.000 U	4.7	0.010 U
MW-12 Screen 4	Oct/Nov 2008	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2009	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov/Dec 2009	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2010	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Oct/Nov 2010	MW-12-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 4	Apr/May 2011	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov/Dec 2011	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2012	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov 2012	MW-12-4	NA	NA	3.0 U	0.001 J
MW-12 Screen 4	Apr/May 2013	MW-12-4	1.7 J	1.000 U	0.8 J	0.001 J
MW-12 Screen 4	Oct/Nov 2013	MW-12-4	NA	NA	0.9 J	0.001 J
MW-12 Screen 4	Apr/May 2014	MW-12-4	2.3	1.000 U	3.0 U	0.002 U
MW-12 Screen 4	Oct 2014	MW-12-4	NA	NA	0.8 J	0.002 U
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	NA	NA	10.0 U	NA
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	5.0 U	2.000 U	10.0 U	0.006 J
MW-12 Screen 5	Oct/Nov 1996	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Feb/Mar 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	June/July 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Sep/Oct 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jan/Feb 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Apr/May 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jul/Aug 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Oct/Nov 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Feb/Mar 1999	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	May/Jun 1999	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Nov/Dec 1999	MW-12-5	NA	NA	10.0 U	0.005 U
MW-12 Screen 5	Jul/Aug 2000	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jan/Feb 2001	MW-12-5	2.7 B	1.000 U	6.4	0.010 U
MW-12 Screen 5	Jan/Feb 2001	DUP	5.0 U	1.000 U	5.2	0.010 U
MW-12 Screen 5	Jan/Feb 2002	MW-12-5	1.8 B	1.050	4.3 J	0.010 U
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	0.6	0.200	1.2	0.000 U
MW-12 Screen 5	Apr/May 2003	MW-12-5	5.0 U	1.000 U	1.2	0.010 U
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	NA	NA	4.7 J	0.010 U
MW-12 Screen 5	Apr/May 2004	MW-12-5	5.0 U	0.048 U	1.8	0.005 J
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	NA	NA	3.8 J	0.010 U
MW-12 Screen 5	Apr/May 2005	MW-12-5	5.0 U	0.034 J	5.4	0.010 U
MW-12 Screen 5	Jul/Sep 2005	MW-12-5	NA	NA	9.9	0.010 U
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	NA	NA	7.4	0.010 U
MW-12 Screen 5	May/Jun 2006	MW-12-5	2.2 J	1.000 U	1.7 J	0.010 U
MW-12 Screen 5	Oct/Dec 2006	MW-12-5	NA	NA	5.0	0.010 U
MW-12 Screen 5	Jun/Jul 2007	MW-12-5	2.0	1.000 U	3.0	0.010 U
MW-12 Screen 5	Oct/Dec 2007	MW-12-5	NA	NA	9.3	0.010 U
MW-12 Screen 5	Apr/May 2008	MW-12-5	2.3	1.000 U	10.6	0.010 U
MW-12 Screen 5	Oct/Nov 2008	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2009	MW-12-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov/Dec 2009	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2010	MW-12-5	2.1	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 5	Oct/Nov 2010	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2011	MW-12-5	2.9	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov/Dec 2011	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2012	MW-12-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov 2012	MW-12-5	NA	NA	2.2 J	0.003
MW-12 Screen 5	Apr/May 2013	MW-12-5	2.2	1.000 U	1.8 J	0.002
MW-12 Screen 5	Oct/Nov 2013	MW-12-5	NA	NA	1.5 J	0.002 J
MW-12 Screen 5	Apr/May 2014	MW-12-5	1.9 J	1.000 U	1.8 J	0.001 J
MW-12 Screen 5	Oct 2014	MW-12-5	NA	NA	2.7 J	0.001 J
MW-13	Aug/Sep 1996	MW-13	NA	NA	44.0	NA
MW-13	Aug/Sep 1996	MW-13	5.0 U	2.000 U	46.0	0.047
MW-13	Oct/Nov 1996	MW-13	5.0 U	4.500	30.0	0.031
MW-13	Oct/Nov 1996	MW-13	5.0 U	5.400	31.0	0.028
MW-13	Feb/Mar 1997	MW-13	5.0 U	2.000 U	32.0	0.035
MW-13	June/July 1997	MW-13	5.0 U	2.000 U	36.0	0.037
MW-13	June/July 1997	MW-13	5.0 U	2.000 U	38.0	0.037
MW-13	Sep/Oct 1997	MW-13	5.0 U	2.000 U	50.0	0.045
MW-13	Sep/Oct 1997	MW-13	5.0 U	2.000 U	55.0	0.045
MW-13	Jan/Feb 1998	MW-13	5.0 U	2.000 U	43.0	0.035
MW-13	Jan/Feb 1998	MW-13	5.0 U	2.800	40.0	0.036
MW-13	Apr/May 1998	MW-13	5.0 U	2.000 U	80.0	0.024
MW-13	Apr/May 1998	MW-13	5.0 U	2.000 U	82.0	0.024
MW-13	Jul/Aug 1998	MW-13	5.0 U	2.000 U	25.0	0.023
MW-13	Oct/Nov 1998	MW-13	5.0 U	2.000 U	36.0	0.029
MW-13	Oct/Nov 1998	MW-13	5.0 U	2.000 U	37.0	0.029
MW-13	Feb/Mar 1999	MW-13	5.0 U	2.000 U	27.0	0.018
MW-13	Feb/Mar 1999	MW-13	5.0 U	2.000 U	30.0	0.019
MW-13	May/June 1999	MW-13	5.0 U	2.000 U	24.0	0.024
MW-13	May/June 1999	MW-13	5.0 U	2.000 U	25.0	0.025
MW-13	Aug 1999	MW-13	NA	NA	33.0	0.031
MW-13	Aug 1999	MW-13	NA	NA	37.0	0.031
MW-13	Nov/Dec 1999	MW-13	NA	NA	33.0	0.029
MW-13	Nov/Dec 1999	MW-13	NA	NA	34.0	0.029
MW-13	Mar/Apr 2000	MW-13	NA	NA	32.0	0.029
MW-13	Mar/Apr 2000	MW-13	NA	NA	34.0	0.030
MW-13	Jan/Feb 2001	MW-13	5.0 U	1.000 U	110.0	0.032
MW-13	Jul 2001	MW-13	NA	NA	13.7	UNK U
MW-13	Jul 2001	DUP	NA	NA	13.4	NA
MW-13	Oct 2001	MW-13	NA	NA	33.2	0.028
MW-13	Oct 2001	DUP	NA	NA	35.6	NA
MW-13	Jan/Feb 2002	MW-13	2.7 B	1.000 U	11.8 J	0.034
MW-13	Apr/May 2002	MW-13	NA	NA	58.0	0.037

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-13	Jul 2002	MW-13	NA	NA	28.0	0.010
MW-13	Jul 2002	DUP	NA	NA	28.0	0.010
MW-13	Oct/Nov 2002	MW-13	NA	NA	NA	0.050
MW-13	Jan/Feb 2003	MW-13	NA	NA	90.0	0.055
MW-13	Apr/May 2003	MW-13	5.0 U	1.000 U	16.0 J	0.024
MW-13	Jul/Aug 2003	MW-13	NA	NA	8.5 J	0.010 U
MW-13	Oct/Nov 2003	MW-13	NA	NA	18.0 J	0.020
MW-13	Feb 2004	MW-13	NA	NA	63.0	0.052
MW-13	Apr/May 2004	MW-13	5.0 U	0.120 U	31.5	0.024
MW-13	Jul/Aug 2004	MW-13	NA	NA	26.1 J	0.011
MW-13	Oct/Nov 2004	MW-13	NA	NA	55.1 J	0.048
MW-13	Jan/Feb 2005	MW-13	NA	NA	50.9	0.032
MW-13	Apr/May 2005	MW-13	1.3 J	0.039 J	25.7	0.020
MW-13	Jul/Sep 2005	MW-13	NA	NA	31.7	0.024
MW-13	Oct/Nov 2005	MW-13	NA	NA	89.9	0.013
MW-13	Mar/Apr 2006	MW-13	NA	NA	48.2 J	0.024
MW-13	May/June 2006	MW-13	1.0 U	1.000 U	16.2	0.008 J
MW-13	May/June 2006	DUPE-9-2Q06	1.0 U	1.000 U	17.1	0.010 U
MW-13	Aug/Sep 2006	MW-13	NA	NA	14.8	0.008 J
MW-13	Aug/Sep 2006	DUPE-3-3Q06	NA	NA	15.7	0.008 J
MW-13	Oct/Dec 2006	MW-13	NA	NA	131.0	0.084
MW-13	Mar/Apr 2007	MW-13	NA	NA	70.3	0.041
MW-13	Jun/Jul 2007	MW-13	1.0 U	22.200	66.2 J	0.066
MW-13	Aug/Sep 2007	MW-13	NA	NA	83.2	0.070
MW-13	Aug/Sep 2007	DUPE-6-3Q07	NA	NA	85.7	0.060
MW-13	Oct/Dec 2007	MW-13	NA	NA	37.9	0.020
MW-13	Oct/Dec 2007	DUPE-6-4Q07	NA	NA	38.5	0.020
MW-13	Jan/Feb 2008	MW-13	NA	NA	13.8 E	0.008 J
MW-13	Apr/May 2008	MW-13	1.0 U	1.000 U	51.6 E	0.058
MW-13	Jul/Aug 2008	MW-13	NA	NA	51.0	0.039
MW-13	Oct/Nov 2008	MW-13	NA	NA	88.0	0.033
MW-13	Jan/Feb 2009	MW-13	NA	NA	31.0	0.010 U
MW-13	Apr/May 2009	MW-13	2.0 U	10.000	33.0	0.028
MW-13	Jul/Aug 2009	MW-13	NA	NA	31.0	0.031
MW-13	Nov/Dec 2009	MW-13	NA	NA	12.0	0.010 U
MW-13	Feb 2010	MW-13	NA	NA	5.0 U	NA
MW-13	Apr/May 2010	MW-13	2.0 U	5.000 U	22.0	0.022
MW-13	Jul/Aug 2010	MW-13	NA	NA	12.0	0.015
MW-13	Oct/Nov 2010	MW-13	NA	NA	8.1	0.009 J
MW-13	Feb/Mar 2011	MW-13	NA	NA	15.0	0.008 J
MW-13	Apr/May 2011	MW-13	2.0 U	5.000 U	15.0	0.009 J
MW-13	Aug/Sep 2011	MW-13	NA	NA	6.0	0.006 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-13	Nov/Dec 2011	MW-13	NA	NA	14.0 J	0.005 J
MW-13	Jan/Feb 2012	MW-13	NA	NA	5.8	0.007 J
MW-13	Jan/Feb 2012	DUPE-6-1Q12	NA	NA	5.6	0.008 J
MW-13	Apr/May 2012	MW-13	2.0 U	5.000 U	11.0	0.008 J
MW-13	Aug/Sep 2012	MW-13	NA	NA	11.0	0.005
MW-13	Nov 2012	MW-13	NA	NA	23.0	0.007
MW-13	Nov 2012	DUPE-7-4Q12	NA	NA	43.0	0.007
MW-13	Jan/Feb 2013	MW-13	NA	NA	17.0	0.006
MW-13	Jan/Feb 2013	DUP-5-1Q13	NA	NA	15.0	0.006
MW-13	Apr/May 2013	MW-13	0.7 J	0.100 J	14.0 J	0.005
MW-13	Jul 2013	MW-13	NA	NA	140.0	0.004
MW-13	Oct/Nov 2013	MW-13	NA	NA	67.0	0.002 J
MW-13	Jan/Feb 2014	MW-13	NA	NA	150.0	0.002 U
MW-13	Jan/Feb 2014	DUPE-4-1Q14	NA	NA	150.0	0.002 U
MW-13	Apr/May 2014	MW-13	2.0 U	1.000 U	220.0	0.002 U
MW-13	Jul/Aug 2014	MW-13	NA	NA	51000.0	0.002 U
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	NA	NA	10.0 U	NA
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Oct/Nov 1996	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Feb/Mar 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	June/July 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Sep/Oct 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Jan/Feb 1998	MW-14-1	5.0 U	4.300	10.0 U	0.005 U
MW-14 Screen 1	Apr/May 1998	MW-14-1	5.0 U	2.000 U	11.0	0.005 U
MW-14 Screen 1	Jul/Aug 1998	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Oct/Nov 1998	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Feb/Mar 1999	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	May/June 1999	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Aug 1999	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Mar/Apr 2000	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Sep/Oct 2000	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Jan/Feb 2001	MW-14-1	5.0 U	1.000 U	5.0 J	0.010 U
MW-14 Screen 1	Apr 2001	MW-14-1	NA	NA	NA	0.010 U
MW-14 Screen 1	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-14 Screen 1	Jul 2001	MW-14-1	NA	NA	2.6 J	UNK U
MW-14 Screen 1	Oct 2001	MW-14-1	NA	NA	11.7	0.010 U
MW-14 Screen 1	Jan/Feb 2002	MW-14-1	5.0 U	1.000 U	4.9 J	0.010 U
MW-14 Screen 1	Apr/May 2002	MW-14-1	NA	NA	9.0	0.010 U
MW-14 Screen 1	Jul 2002	MW-14-1	NA	NA	7.0	UNK U
MW-14 Screen 1	Oct/Nov 2002	MW-14-1	NA	NA	NA	0.010 U
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	NA	NA	3.5	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 1	Apr/May 2003	MW-14-1	5.0 U	1.000 U	4.6 J	0.010 U
MW-14 Screen 1	Jul/Aug 2003	MW-14-1	NA	NA	3.9 J	0.010 U
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	NA	NA	0.0 UJ	0.010 U
MW-14 Screen 1	Feb 2004	MW-14-1	NA	NA	4.4	0.010 U
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	NA	NA	5.3	0.010 U
MW-14 Screen 1	Apr/May 2004	MW-14-1	5.0 UJ	0.120 U	15.0	0.010 U
MW-14 Screen 1	Jul/Aug 2004	MW-14-1	NA	NA	12.8 J	0.010 U
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	NA	NA	13.5 J	0.010 U
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	NA	NA	12.0	0.010 U
MW-14 Screen 1	Apr/May 2005	MW-14-1	1.8 J	0.100 J	8.3	0.010 U
MW-14 Screen 1	Jul/Sep 2005	MW-14-1	NA	NA	11.5	0.010 U
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	NA	NA	10.8	0.010 U
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	NA	NA	11.9	0.010 U
MW-14 Screen 1	Mar/Apr 2006	MW-14-1	NA	NA	1.6	0.010 U
MW-14 Screen 1	May/June 2006	MW-14-1	1.0 U	1.000 U	1.7 J	0.010 U
MW-14 Screen 1	Aug/Sep 2006	MW-14-1	NA	NA	2.3 U	0.010 U
MW-14 Screen 1	Oct/Dec 2006	MW-14-1	NA	NA	1.8	0.010 U
MW-14 Screen 1	Mar/Apr 2007	MW-14-1	NA	NA	1.0 U	NA
MW-14 Screen 1	Jun/Jul 2007	MW-14-1	1.3	1.000 U	2.8	0.010 U
MW-14 Screen 1	Aug/Sep 2007	MW-14-1	NA	NA	11.2 E	0.010 U
MW-14 Screen 1	Oct/Dec 2007	MW-14-1	NA	NA	10.4 E	0.010 U
MW-14 Screen 1	Jan/Feb 2008	MW-14-1	NA	NA	1.0 U	0.010 U
MW-14 Screen 1	Apr/May 2008	MW-14-1	1.0 U	1.000 U	9.2	0.010 U
MW-14 Screen 1	Jul/Aug 2008	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Oct/Nov 2008	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jan/Feb 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2009	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2009	DUPE-2-3Q09	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Nov/Dec 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2010	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Oct/Nov 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb/Mar 2011	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb/Mar 2011	DUPE-02-1Q11	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2011	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Aug/Sep 2011	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Aug/Sep 2011	DUPE-02-3Q11	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Nov/Dec 2011	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jan/Feb 2012	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2012	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 1	Aug/Sep 2012	MW-14-1	NA	NA	0.9 J	0.002 U
MW-14 Screen 1	Nov 2012	MW-14-1	NA	NA	3.0 U	0.002 U
MW-14 Screen 1	Jan/Feb 2013	MW-14-1	NA	NA	1.3 J	0.002 U
MW-14 Screen 1	Apr/May 2013	MW-14-1	2.0 U	1.000 U	0.8 J	0.009
MW-14 Screen 1	Jul 2013	MW-14-1	NA	NA	1.3 J	0.002 U
MW-14 Screen 1	Oct/Nov 2013	MW-14-1	NA	NA	0.8 J	0.002 U
MW-14 Screen 1	Oct/Nov 2013	DUPE-2-4Q13	NA	NA	1.0 J	0.002 U
MW-14 Screen 1	Jan/Feb 2014	MW-14-1	NA	NA	3.0 U	0.001 J
MW-14 Screen 1	Apr/May 2014	MW-14-1	2.0 U	1.000 U	0.7 U	0.002 U
MW-14 Screen 1	Jul/Aug 2014	MW-14-1	NA	NA	0.5 J	0.001 J
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	NA	NA	10.0 U	NA
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Oct/Nov 1996	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Feb/Mar 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	June/July 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Sep/Oct 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Jan/Feb 1998	MW-14-2	5.0 U	2.700	10.0 U	0.005 U
MW-14 Screen 2	Apr/May 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Jul/Aug 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Oct/Nov 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Feb/Mar 1999	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	May/June 1999	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Aug 1999	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Nov/Dec 1999	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Mar/Apr 2000	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Sep/Oct 2000	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Jan/Feb 2001	MW-14-2	5.0 U	1.000 U	5.0 J	0.010 U
MW-14 Screen 2	Apr 2001	MW-14-2	NA	NA	NA	0.010 U
MW-14 Screen 2	Jul 2001	MW-14-2	NA	NA	4.1 J	UNK U
MW-14 Screen 2	Jul 2001	DUP	NA	NA	1.0 J	UNK U
MW-14 Screen 2	Oct 2001	MW-14-2	NA	NA	8.4	0.010 U
MW-14 Screen 2	Jan/Feb 2002	MW-14-2	5.0 U	1.000 U	4.9 J	0.010 U
MW-14 Screen 2	Apr/May 2002	MW-14-2	NA	NA	2.0	0.010 U
MW-14 Screen 2	Jul 2002	MW-14-2	NA	NA	8.0	UNK U
MW-14 Screen 2	Oct/Nov 2002	MW-14-2	NA	NA	NA	0.010 U
MW-14 Screen 2	Dec 2002	MW-14-2	0.5 U	0.079 J	3.5 U	0.000 U
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	NA	NA	3.7	0.010 U
MW-14 Screen 2	Apr/May 2003	MW-14-2	5.0 U	1.000 U	4.4 J	0.010 U
MW-14 Screen 2	Jul/Aug 2003	MW-14-2	NA	NA	1.9 J	0.010 U
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	NA	NA	2.3 J	0.010 U
MW-14 Screen 2	Feb 2004	MW-14-2	NA	NA	2.9	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 2	Apr/May 2004	MW-14-2	2.6 UJ	0.120 U	11.0	0.010 U
MW-14 Screen 2	Jul/Aug 2004	MW-14-2	NA	NA	6.9 J	0.010 U
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	NA	NA	10.7 J	0.010 U
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	NA	NA	10.7	0.010 U
MW-14 Screen 2	Apr/May 2005	MW-14-2	5.0 U	0.087 J	7.6	0.010 U
MW-14 Screen 2	Jul/Sep 2005	MW-14-2	NA	NA	10.4	0.010 U
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	NA	NA	9.8	0.010 U
MW-14 Screen 2	Mar/Apr 2006	MW-14-2	NA	NA	1.0	0.010 U
MW-14 Screen 2	May/June 2006	MW-14-2	1.0 U	1.000 U	1.5 J	0.010 U
MW-14 Screen 2	Aug/Sep 2006	MW-14-2	NA	NA	2.8 U	0.010 U
MW-14 Screen 2	Oct/Dec 2006	MW-14-2	NA	NA	1.5	0.010 U
MW-14 Screen 2	Mar/Apr 2007	MW-14-2	NA	NA	1.8	NA
MW-14 Screen 2	Jun/Jul 2007	MW-14-2	1.3	1.000 U	3.6	0.010 U
MW-14 Screen 2	Aug/Sep 2007	MW-14-2	NA	NA	15.3 E	0.010 U
MW-14 Screen 2	Oct/Dec 2007	MW-14-2	NA	NA	14.5 E	0.010 U
MW-14 Screen 2	Jan/Feb 2008	MW-14-2	NA	NA	8.8	0.010 U
MW-14 Screen 2	Apr/May 2008	MW-14-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2008	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2008	DUPE-01-3Q08	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2008	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jan/Feb 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2009	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Nov/Dec 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Feb 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2010	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2010	DUPE-02-4Q10	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Feb/Mar 2011	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2011	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Aug/Sep 2011	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Nov/Dec 2011	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jan/Feb 2012	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2012	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Aug/Sep 2012	MW-14-2	NA	NA	0.7 J	0.002 U
MW-14 Screen 2	Nov 2012	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Jan/Feb 2013	MW-14-2	NA	NA	0.7 J	0.002 U
MW-14 Screen 2	Apr/May 2013	MW-14-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-14 Screen 2	Jul 2013	MW-14-2	NA	NA	1.3 J	0.002 U
MW-14 Screen 2	Jul 2013	DUPE-2-3Q13	NA	NA	1.3 J	0.002 U
MW-14 Screen 2	Oct/Nov 2013	MW-14-2	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 2	Jan/Feb 2014	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Apr/May 2014	MW-14-2	2.0 U	1.000 U	2.2 U	0.002 U
MW-14 Screen 2	Apr/May 2014	DUP-1-2Q14	2.0 U	1.000 U	3.0 U	0.002 U
MW-14 Screen 2	Jul/Aug 2014	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Oct 2014	MW-14-2	NA	NA	0.7 U	0.002 U
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	NA	NA	10.0 U	NA
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Oct/Nov 1996	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Feb/Mar 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	June/July 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Sep/Oct 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Jan/Feb 1998	MW-14-3	5.0 U	2.800	26.0	0.005 U
MW-14 Screen 3	Apr/May 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Jul/Aug 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Oct/Nov 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Feb/Mar 1999	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	May/June 1999	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Aug 1999	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Nov/Dec 1999	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Mar/Apr 2000	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Sep/Oct 2000	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Jan/Feb 2001	MW-14-3	5.0 U	1.000 U	3.8 J	0.010 U
MW-14 Screen 3	Apr 2001	MW-14-3	NA	NA	NA	0.010 U
MW-14 Screen 3	Jul 2001	MW-14-3	NA	NA	4.3 J	UNK U
MW-14 Screen 3	Jul 2001	DUP	NA	NA	4.0 J	NA
MW-14 Screen 3	Oct 2001	MW-14-3	NA	NA	6.7	0.010 U
MW-14 Screen 3	Oct 2001	DUP	NA	NA	7.1	NA
MW-14 Screen 3	Jan/Feb 2002	MW-14-3	5.0 U	1.000 U	3.9 J	0.010 U
MW-14 Screen 3	Apr/May 2002	MW-14-3	NA	NA	6.0	0.010 U
MW-14 Screen 3	Jul 2002	MW-14-3	NA	NA	7.0	UNK U
MW-14 Screen 3	Oct/Nov 2002	MW-14-3	NA	NA	NA	0.010 U
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	NA	NA	3.6	0.010 U
MW-14 Screen 3	Apr/May 2003	MW-14-3	5.0 U	1.000 U	3.2 J	0.010 U
MW-14 Screen 3	Apr/May 2003	DUPE-2-2Q03	5.0 U	1.000 U	2.6 J	0.010 U
MW-14 Screen 3	Jul/Aug 2003	MW-14-3	NA	NA	3.6 J	0.010 U
MW-14 Screen 3	Jul/Aug 2003	DUPE-4-3-Q03	NA	NA	3.4 J	0.010 U
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	NA	NA	2.7 J	0.010 U
MW-14 Screen 3	Feb 2004	MW-14-3	NA	NA	3.9	0.010 U
MW-14 Screen 3	Apr/May 2004	MW-14-3	2.9 UJ	0.120 U	10.1	0.010 U
MW-14 Screen 3	Jul/Aug 2004	MW-14-3	NA	NA	5.2 J	0.010 U
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	NA	NA	8.6 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	NA	NA	8.6	0.010 U
MW-14 Screen 3	Apr/May 2005	MW-14-3	1.1 J	0.150 J	5.6	0.010 U
MW-14 Screen 3	Jul/Sep 2005	MW-14-3	NA	NA	8.6	0.010 U
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	NA	NA	9.1	0.010 U
MW-14 Screen 3	Mar/Apr 2006	MW-14-3	NA	NA	1.0 U	0.010 U
MW-14 Screen 3	May/June 2006	MW-14-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2006	MW-14-3	NA	NA	2.2 U	0.006 J
MW-14 Screen 3	Oct/Dec 2006	MW-14-3	NA	NA	1.1	0.010 U
MW-14 Screen 3	Mar/Apr 2007	MW-14-3	NA	NA	1.0 U	NA
MW-14 Screen 3	Jun/Jul 2007	MW-14-3	1.3	1.000 U	3.3	0.010 U
MW-14 Screen 3	Aug/Sep 2007	MW-14-3	NA	NA	13.6 E	0.010 U
MW-14 Screen 3	Oct/Dec 2007	MW-14-3	NA	NA	12.6 E	0.010 U
MW-14 Screen 3	Jan/Feb 2008	MW-14-3	NA	NA	7.9	0.010 U
MW-14 Screen 3	Apr/May 2008	MW-14-3	1.0 U	1.000 U	9.0	0.010 U
MW-14 Screen 3	Jul/Aug 2008	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2008	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2008	DUPE-05-4Q08	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Jan/Feb 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2009	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Jul/Aug 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Nov/Dec 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Feb 2010	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2010	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2010	DUPE-01-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Jul/Aug 2010	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2010	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Feb/Mar 2011	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2011	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2011	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Nov/Dec 2011	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Jan/Feb 2012	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2012	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2012	MW-14-3	NA	NA	0.9 J	0.002 U
MW-14 Screen 3	Nov 2012	MW-14-3	NA	NA	3.0 U	0.002 U
MW-14 Screen 3	Jan/Feb 2013	MW-14-3	NA	NA	1.2 J	0.002 U
MW-14 Screen 3	Apr/May 2013	MW-14-3	2.0 U	1.000 U	3.0 U	0.002 U
MW-14 Screen 3	Jul 2013	MW-14-3	NA	NA	1.1 J	0.002 U
MW-14 Screen 3	Oct/Nov 2013	MW-14-3	NA	NA	3.0 U	0.002 U
MW-14 Screen 3	Jan/Feb 2014	MW-14-3	NA	NA	0.8 J	0.001 J
MW-14 Screen 3	Apr/May 2014	MW-14-3	2.0 U	1.000 U	3.0 U	0.001 U
MW-14 Screen 3	Jul/Aug 2014	MW-14-3	NA	NA	0.9 J	0.002 U
MW-14 Screen 3	Oct 2014	MW-14-3	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	NA	NA	10.0 U	NA
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	5.0 U	2.000 U	10.0 U	0.006 J
MW-14 Screen 4	Oct/Nov 1996	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Feb/Mar 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	June/July 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Sep/Oct 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Jan/Feb 1998	MW-14-4	5.0 U	2.400	10.0 U	0.005 U
MW-14 Screen 4	Apr/May 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Jul/Aug 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Oct/Nov 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Feb/Mar 1999	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	May/June 1999	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Aug 1999	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Nov/Dec 1999	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Mar/Apr 2000	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Sep/Oct 2000	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Jan/Feb 2001	MW-14-4	2.2 B	1.000 U	5.0 J	0.010 U
MW-14 Screen 4	Apr 2001	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Jul 2001	MW-14-4	NA	NA	3.4 J	UNK U
MW-14 Screen 4	Oct 2001	MW-14-4	NA	NA	7.3	0.010 U
MW-14 Screen 4	Jan/Feb 2002	MW-14-4	5.0 U	1.000 U	5.6	0.010 U
MW-14 Screen 4	Apr/May 2002	MW-14-4	NA	NA	8.0	0.010 U
MW-14 Screen 4	Apr/May 2002	DUP	NA	NA	8.0	0.010 U
MW-14 Screen 4	Jul 2002	MW-14-4	NA	NA	8.0	UNK U
MW-14 Screen 4	Jul 2002	DUP	NA	NA	7.0	UNK U
MW-14 Screen 4	Oct/Nov 2002	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Dec 2002	MW-14-4	0.8	0.200 U	4.4	0.002
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	NA	NA	NA	0.010 U
MW-14 Screen 4	Apr/May 2003	MW-14-4	5.0 U	1.000 U	3.8 J	0.010 U
MW-14 Screen 4	Jul/Aug 2003	MW-14-4	NA	NA	1.6 J	0.010 U
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	NA	NA	3.7 J	0.010 U
MW-14 Screen 4	Apr/May 2004	MW-14-4	5.0 UJ	0.120 U	9.2	0.010 U
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	NA	NA	8.4 J	0.010 U
MW-14 Screen 4	Apr/May 2005	MW-14-4	5.0 U	0.130 J	6.3	0.010 U
MW-14 Screen 4	Apr/May 2005	DUPE-4-2Q05	5.0 U	0.043 J	6.9	0.010 U
MW-14 Screen 4	Jul/Sep 2005	MW-14-4	NA	NA	9.8	0.010 U
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	NA	NA	8.1	0.010 U
MW-14 Screen 4	May/June 2006	MW-14-4	1.0 U	1.000 U	3.2 J	0.010 U
MW-14 Screen 4	Oct/Dec 2006	MW-14-4	NA	NA	3.1	0.010 U
MW-14 Screen 4	Jun/Jul 2007	MW-14-4	1.1	1.000 U	5.1	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 4	Oct/Dec 2007	MW-14-4	NA	NA	11.7 E	0.010 U
MW-14 Screen 4	Apr/May 2008	MW-14-4	1.0 U	1.000 U	8.7	0.010 U
MW-14 Screen 4	Oct/Nov 2008	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2009	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2009	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2010	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Oct/Nov 2010	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2011	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2011	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2011	DUPE-5-4Q11	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2012	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov 2012	MW-14-4	NA	NA	0.8 J	0.001 J
MW-14 Screen 4	Apr/May 2013	MW-14-4	2.0 U	1.000 U	2.1 J	0.001 J
MW-14 Screen 4	Apr/May 2013	DUP-2-2Q13	2.0 U	1.000 U	5.0	0.001 J
MW-14 Screen 4	Oct/Nov 2013	MW-14-4	NA	NA	3.0 U	0.002 J
MW-14 Screen 4	Apr/May 2014	MW-14-4	2.0 U	1.000 U	2.1 U	0.003 U
MW-14 Screen 4	Oct 2014	MW-14-4	NA	NA	2.4 U	0.002 J
MW-14 Screen 4	Oct 2014	DUP-1-4Q14	NA	NA	2.5 U	0.002 J
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	NA	NA	10.0 U	NA
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Oct/Nov 1996	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Feb/Mar 1997	MW-14-5	5.0 U	28.000	10.0 U	0.005 U
MW-14 Screen 5	June/July 1997	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Sep/Oct 1997	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jan/Feb 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Apr/May 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jul/Aug 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Oct/Nov 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Feb/Mar 1999	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	May/Jun 1999	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Nov/Dec 1999	MW-14-5	NA	NA	10.0 U	0.005 U
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jan/Feb 2001	MW-14-5	2.7 B	1.000 U	2.8 J	0.010 U
MW-14 Screen 5	Jan/Feb 2002	MW-14-5	5.0 U	1.000 U	2.1 J	0.010 U
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	NA	NA	NA	0.010 U
MW-14 Screen 5	Apr/May 2003	MW-14-5	5.0 U	1.000 U	2.1 J	0.010 U
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	NA	NA	1.8 UJ	0.010 U
MW-14 Screen 5	Apr/May 2004	MW-14-5	3.2 UJ	0.120 U	5.8	0.010 U
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	NA	NA	4.5 J	0.010 U
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	NA	NA	6.3 J	0.010 U
MW-14 Screen 5	Apr/May 2005	MW-14-5	3.0 J	0.040 J	3.9	0.010 U
MW-14 Screen 5	Jul/Sep 2005	MW-14-5	NA	NA	7.6	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	NA	NA	5.1	0.010 U
MW-14 Screen 5	May/June 2006	MW-14-5	1.6 J	1.000 U	1.0 U	0.010 U
MW-14 Screen 5	Oct/Dec 2006	MW-14-5	NA	NA	1.6	0.010 U
MW-14 Screen 5	Jun/Jul 2007	MW-14-5	1.2	1.000 U	2.5	0.010 U
MW-14 Screen 5	Oct/Dec 2007	MW-14-5	NA	NA	7.7 E	0.010 U
MW-14 Screen 5	Apr/May 2008	MW-14-5	1.3	1.000 U	5.5	0.010 U
MW-14 Screen 5	Oct/Nov 2008	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2009	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov/Dec 2009	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2010	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Oct/Nov 2010	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2011	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov/Dec 2011	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2012	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov 2012	MW-14-5	NA	NA	3.0 U	0.002 U
MW-14 Screen 5	Apr/May 2013	MW-14-5	1.3 J	1.000 U	3.0 U	0.002 U
MW-14 Screen 5	Oct/Nov 2013	MW-14-5	NA	NA	3.0 U	0.002 U
MW-14 Screen 5	Apr/May 2014	MW-14-5	1.0 J	0.660 U	3.0 U	0.001 U
MW-14 Screen 5	Oct 2014	MW-14-5	NA	NA	3.0 U	0.002 U
MW-15	Aug/Sep 1996	MW-15	NA	NA	10.0 U	NA
MW-15	Aug/Sep 1996	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Oct/Nov 1996	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Feb/Mar 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	June/July 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Sep/Oct 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Jan/Feb 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Apr/May 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Jul/Aug 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Oct/Nov 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Feb/Mar 1999	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	May/June 1999	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Nov/Dec 1999	MW-15	NA	NA	10.0 U	0.005 U
MW-15	Jan/Feb 2001	MW-15	5.0 U	1.000 U	3.7 J	0.010 U
MW-15	Jan/Feb 2002	MW-15	3.0 B	1.000 U	12.7	0.010 U
MW-15	Jan/Feb 2002	DUP	3.4 B	1.000 U	10.3	0.010 U
MW-15	Jan/Feb 2003	MW-15	NA	NA	6.3	0.010 U
MW-15	Apr/May 2003	MW-15	2.1 J	0.150 J	3.9 J	0.010 U
MW-15	Jul/Aug 2003	MW-15	NA	NA	3.9 J	0.010 U
MW-15	Jul/Aug 2003	DUPE-6-3Q03	NA	NA	3.6 J	0.010 U
MW-15	Oct/Nov 2003	MW-15	NA	NA	3.4 J	0.010 U
MW-15	Oct/Nov 2003	DUPE-2-4Q03	NA	NA	3.4 J	0.010 U
MW-15	Feb 2004	MW-15	NA	NA	1.3	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-15	Apr/May 2004	MW-15	3.2 U	0.036 J	12.1	0.010 U
MW-15	Apr/May 2004	DUPE-6-2Q04	5.0 U	0.049 J	11.6	0.010 U
MW-15	Jul/Aug 2004	MW-15	NA	NA	12.6 J	0.010 U
MW-15	Oct/Nov 2004	MW-15	NA	NA	21.0	0.010 U
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	NA	NA	12.0	0.010 U
MW-15	Jan/Feb 2005	MW-15	NA	NA	10.0	0.010 U
MW-15	Apr/May 2005	MW-15	1.5 J	0.490 J	5.7	0.009 J
MW-15	Jul/Sep 2005	MW-15	NA	NA	9.9 J	0.010 U
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	NA	NA	6.9 J	0.010 U
MW-15	Oct/Nov 2005	MW-15	NA	NA	7.7 J	0.010 U
MW-15	Mar/Apr 2006	MW-15	NA	NA	1.5	0.010 U
MW-15	May/June 2006	MW-15	1.0 U	2.360	3.8	0.010 U
MW-15	Aug/Sep 2006	MW-15	NA	NA	6.0	0.010 U
MW-15	Aug/Sep 2006	DUPE-7-3Q06	NA	NA	2.0 U	0.010 U
MW-15	Oct/Dec 2006	MW-15	NA	NA	3.3	0.010 U
MW-15	Mar/Apr 2007	MW-15	NA	NA	8.4	0.010 U
MW-15	Mar/Apr 2007	DUPE-8-1Q07	NA	NA	8.1	0.010 U
MW-15	Jun/Jul 2007	MW-15	1.0 U	1.960	5.6	0.010 U
MW-15	Aug/Sep 2007	MW-15	NA	NA	11.7	0.010 U
MW-15	Aug/Sep 2007	DUPE-3-3Q07	NA	NA	12.3	0.010 U
MW-15	Oct/Dec 2007	MW-15	NA	NA	14.0	0.010 U
MW-15	Jan/Feb 2008	MW-15	NA	NA	19.1 E	0.010 U
MW-15	Apr/May 2008	MW-15	1.8	1.000 U	16.2 E	0.010 U
MW-15	Apr/May 2008	DUPE-7-2Q08	1.7	1.340	9.9 E	0.010 U
MW-15	Jul/Aug 2008	MW-15	NA	NA	5.1	0.010 U
MW-15	Oct/Nov 2008	MW-15	NA	NA	7.6	0.010 U
MW-15	Jan/Feb 2009	MW-15	NA	NA	15.0	0.010 U
MW-15	Apr/May 2009	MW-15	2.0 U	17.000	6.8	0.010 U
MW-15	Jul/Aug 2009	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Nov/Dec 2009	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb 2010	DUPE-7-1Q10	NA	NA	5.0 U	0.010 U
MW-15	Apr/May 2010	MW-15	2.0 U	5.000 U	5.0 U	0.010 U
MW-15	Jul/Aug 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Oct/Nov 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb/Mar 2011	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Apr/May 2011	MW-15	2.0 U	5.000 U	5.0 U	0.010 U
MW-15	Aug/Sep 2011	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Nov/Dec 2011	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Jan/Feb 2012	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Apr/May 2012	MW-15	2.0 U	5.000 U	5.0 U	0.010 U
MW-15	Aug/Sep 2012	MW-15	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-15	Nov 2012	MW-15	NA	NA	0.9 J	0.002 U
MW-15	Nov 2012	DUPE-6-4Q12	NA	NA	3.0 U	0.002 U
MW-15	Jan/Feb 2013	MW-15	NA	NA	0.6 J	0.002 U
MW-15	Apr/May 2013	MW-15	1.5 J	1.000 U	0.5 J	0.002 U
MW-15	Jul 2013	MW-15	NA	NA	4.2	0.002 U
MW-15	Oct/Nov 2013	MW-15	NA	NA	3.0 U	0.002 U
MW-15	Oct/Nov 2013	DUPE-6-4Q13	NA	NA	3.0 U	0.002 U
MW-15	Jan/Feb 2014	MW-15	NA	NA	3.0 U	0.002 U
MW-15	Apr/May 2014	MW-15	1.0 J	1.000 U	1.0 J	0.002 U
MW-15	Apr/May 2014	DUP-7-2Q14	1.0 J	1.000 U	1.4 J	0.002 U
MW-15	Jul/Aug 2014	MW-15	NA	NA	2.7 U	0.002 U
MW-15	Oct 2014	MW-15	NA	NA	0.8 J	0.002 U
MW-16	Aug/Sep 1996	MW-16	NA	NA	10.0 U	NA
MW-16	Aug/Sep 1996	MW-16	5.0 U	2.000 U	18.0	0.005 U
MW-16	Feb/Mar 1997	MW-16	5.0 U	2.000 U	10.0 U	0.007
MW-16	June/July 1997	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Apr/May 1998	MW-16	5.0 U	2.000 U	14.0	0.005 U
MW-16	Jul/Aug 1998	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Oct/Nov 1998	MW-16	5.0 U	2.000 U	13.0	0.005 U
MW-16	Feb/Mar 1999	MW-16	5.0 U	2.000 U	13.0	0.005
MW-16	May/June 1999	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Aug 1999	MW-16	NA	NA	10.0 U	0.007
MW-16	Nov/Dec 1999	MW-16	NA	NA	10.0 U	0.006
MW-16	Mar/Apr 2000	MW-16	NA	NA	10.0 U	0.005 U
MW-16	Jan/Feb 2001	MW-16	2.4 B	1.000 U	7.8	0.010 U
MW-16	Jul 2001	MW-16	NA	NA	13.0 J	UNK U
MW-16	Jul 2001	DUP	NA	NA	9.9 J	UNK U
MW-16	Oct 2001	MW-16	NA	NA	140.8	0.010 U
MW-16	Jan/Feb 2002	MW-16	2.8 B	0.220 J	14.4	0.010 U
MW-16	Jan/Feb 2002	DUP	3.1 B	0.200 J	14.0	0.010 U
MW-16	Apr/May 2002	MW-16	NA	NA	9.0	0.010 U
MW-16	Apr/May 2002	DUP	NA	NA	11.0	0.010 U
MW-16	Jul 2002	MW-16	NA	NA	11.0	UNK U
MW-16	Oct/Nov 2002	MW-16	NA	NA	NA	0.010 U
MW-16	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-16	Jan/Feb 2003	MW-16	1.2	0.100 J	2.0	0.000 U
MW-16	Apr/May 2003	MW-16	5.0 U	1.000 U	4.5 J	0.010 U
MW-16	Jul/Aug 2003	MW-16	NA	NA	2.7 J	0.010 U
MW-16	Oct/Nov 2003	MW-16	NA	NA	3.3 J	0.010 U
MW-16	Feb 2004	MW-16	NA	NA	8.2	0.010 U
MW-16	Apr/May 2004	MW-16	1.7 U	0.120 U	9.2	0.010 U
MW-16	Jul/Aug 2004	MW-16	NA	NA	9.1 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-16	Oct/Nov 2004	MW-16	NA	NA	11.6 J	0.010 U
MW-16	Jan/Feb 2005	MW-16	NA	NA	14.9	0.010 U
MW-16	Jan/Feb 2005	DUPE-7-1Q05	NA	NA	14.4	0.010 U
MW-16	Apr/May 2005	MW-16	1.6 J	0.032 J	7.3	0.010 U
MW-16	Jul/Sep 2005	MW-16	NA	NA	38.0 J	0.010 U
MW-16	Oct/Nov 2005	MW-16	NA	NA	7.6 J	0.010 U
MW-16	Mar/Apr 2006	MW-16	NA	NA	13.9 J	0.005 J
MW-16	May/June 2006	MW-16	1.0 U	1.000 U	7.5 J	0.010 U
MW-16	Aug/Sep 2006	MW-16	NA	NA	8.4	0.010 U
MW-16	Aug/Sep 2006	DUPE-4-3Q06	NA	NA	2.1	0.010 U
MW-16	Oct/Dec 2006	MW-16	NA	NA	73.7	0.010 U
MW-16	Mar/Apr 2007	MW-16	NA	NA	11.3	0.010 U
MW-16	Mar/Apr 2007	DUPE-7-1Q07	NA	NA	10.5	0.010 U
MW-16	Jun/Jul 2007	MW-16	1.9	1.000 U	9.4	0.010 U
MW-16	Aug/Sep 2007	MW-16	NA	NA	12.7	0.010 U
MW-16	Aug/Sep 2007	DUPE-5-3Q07	NA	NA	13.0	0.010 U
MW-16	Oct/Dec 2007	MW-16	NA	NA	10.8	0.010 U
MW-16	Oct/Dec 2007	DUPE-5-4Q07	NA	NA	10.1	0.010 U
MW-16	Jan/Feb 2008	MW-16	NA	NA	2.0 J	0.010 U
MW-16	Apr/May 2008	MW-16	2.5	1.000 U	18.1 E	0.017
MW-16	Apr/May 2008	DUPE-6-2Q08	2.3	1.000 U	17.4 E	0.021
MW-16	Jul/Aug 2008	MW-16	NA	NA	8.1	0.010 U
MW-16	Oct/Nov 2008	MW-16	NA	NA	5.8	0.010 U
MW-16	Jan/Feb 2009	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2009	MW-16	2.0 U	13.000	28.0	0.025
MW-16	Jul/Aug 2009	MW-16	NA	NA	16.0 J	0.013
MW-16	Nov/Dec 2009	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Feb 2010	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2010	MW-16	3.6	5.000 U	17.0	0.018
MW-16	Jul/Aug 2010	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Oct/Nov 2010	MW-16	NA	NA	32.0	NA
MW-16	Feb/Mar 2011	MW-16	NA	NA	29.0	0.027
MW-16	Apr/May 2011	MW-16	4.7	5.000 U	5.9	0.005 J
MW-16	Aug/Sep 2011	MW-16	NA	NA	5.1	0.010 U
MW-16	Nov/Dec 2011	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Jan/Feb 2012	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Jan/Feb 2012	DUPE-7-1Q12	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2012	MW-16	6.7	5.000 U	5.0 U	0.010 U
MW-16	Apr/May 2012	DUPE-8-2Q12	6.8	5.000 U	5.0 U	0.010 U
MW-16	Aug/Sep 2012	MW-16	NA	NA	93.0	0.006
MW-16	Nov 2012	MW-16	NA	NA	18.0	0.016
MW-16	Jan/Feb 2013	MW-16	NA	NA	17.0	0.018 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-16	Apr/May 2013	MW-16	4.8	1.000 U	14.0	0.010
MW-16	Jul 2013	MW-16	NA	NA	15.0	0.014
MW-16	Oct/Nov 2013	MW-16	NA	NA	260.0	0.014
MW-16	Oct/Nov 2013	DUPE-7-4Q13	NA	NA	180.0	0.014
MW-16	Jan/Feb 2014	MW-16	NA	NA	410.0	0.015
MW-16	Apr/May 2014	MW-16	11.0	3.200	690.0	0.007
MW-16	Jul/Aug 2014	MW-16	NA	NA	2900.0	0.002
MW-17 Screen 1	Aug/Sep 1996	MW-17-1	5.0 U	2.000 U	NA	NA
MW-17 Screen 1	Oct/Nov 1996	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Feb/Mar 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	June/July 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Sep/Oct 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jan/Feb 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Apr/May 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jul/Aug 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Oct/Nov 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	May/Jun 1999	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Nov/Dec 1999	MW-17-1	NA	NA	10.0 U	0.005 U
MW-17 Screen 1	Jul/Aug 2000	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jan/Feb 2001	MW-17-1	5.0 U	1.000 U	1.7 J	0.010 U
MW-17 Screen 1	Jan/Feb 2002	MW-17-1	5.0 U	0.030 J	2.9 J	0.010 U
MW-17 Screen 1	Apr/May 2003	MW-17-1	5.0 U	1.000 U	2.9	0.010 U
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	NA	NA	2.1 J	0.010 U
MW-17 Screen 1	Apr/May 2004	MW-17-1	5.0 U	0.120 U	7.3	0.010 U
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	NA	NA	8.9 J	0.010 U
MW-17 Screen 1	Apr/May 2005	MW-17-1	5.0 U	0.023 J	5.1	0.010 U
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	NA	NA	5.8	0.010 U
MW-17 Screen 1	May/Jun 2006	MW-17-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-17 Screen 1	May/Jun 2006	DUPE-3-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-17 Screen 1	Oct/Dec 2006	MW-17-1	NA	NA	1.0 U	0.010 U
MW-17 Screen 1	Jun/Jul 2007	MW-17-1	1.0 U	1.000 U	7.1	0.010 U
MW-17 Screen 1	Oct/Dec 2007	MW-17-1	NA	NA	12.4 E	0.010 U
MW-17 Screen 1	Apr/May 2008	MW-17-1	1.0 U	1.000 U	2.2	0.010 U
MW-17 Screen 1	Oct/Nov 2008	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2009	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Nov/Dec 2009	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Nov/Dec 2009	DUPE-03-4Q09	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2010	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2010	DUPE-6-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Oct/Nov 2010	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2011	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 1	Nov/Dec 2011	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2012	MW-17-1	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Nov 2012	MW-17-1	NA	NA	3.0 U	0.002 U
MW-17 Screen 1	Apr/May 2013	MW-17-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-17 Screen 1	Oct/Nov 2013	MW-17-1	NA	NA	3.0 U	0.002 U
MW-17 Screen 1	Apr/May 2014	MW-17-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 1996	MW-17-2	5.0 U	2.000 U	NA	NA
MW-17 Screen 2	Oct/Nov 1996	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Feb/Mar 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	June/July 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Sep/Oct 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Jan/Feb 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Apr/May 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Jul/Aug 1998	MW-17-2	5.0 U	6.700	10.0 U	0.005 U
MW-17 Screen 2	Oct/Nov 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Feb/Mar 1999	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	May/June 1999	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Aug 1999	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Nov/Dec 1999	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Mar/Apr 2000	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Jul/Aug 2000	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Sep/Oct 2000	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Jan/Feb 2001	MW-17-2	5.0 U	1.000 U	2.8 J	0.010 U
MW-17 Screen 2	Jan/Feb 2001	DUP	5.0 U	1.000 U	1.6 J	0.010 U
MW-17 Screen 2	Apr 2001	MW-17-2	NA	NA	NA	0.010 U
MW-17 Screen 2	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-17 Screen 2	Jul 2001	MW-17-2	NA	NA	NA	UNK U
MW-17 Screen 2	Oct 2001	MW-17-2	NA	NA	5.0	0.010 U
MW-17 Screen 2	Jan/Feb 2002	MW-17-2	5.0 U	0.030 J	2.5 J	0.010 U
MW-17 Screen 2	Jan/Feb 2002	DUP	NA	1.000 U	3.0 J	NA
MW-17 Screen 2	Apr/May 2002	MW-17-2	NA	NA	3.0	0.010 U
MW-17 Screen 2	Jul 2002	MW-17-2	NA	NA	2.0	UNK U
MW-17 Screen 2	Oct/Nov 2002	MW-17-2	NA	NA	NA	0.010 U
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	NA	NA	2.1	0.010 U
MW-17 Screen 2	Apr/May 2003	MW-17-2	5.0 U	0.140 J	2.0	0.010 U
MW-17 Screen 2	Jul/Aug 2003	MW-17-2	NA	NA	2.6 J	0.010 U
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	NA	NA	2.8 J	0.010 U
MW-17 Screen 2	Feb 2004	MW-17-2	NA	NA	3.2	0.010 U
MW-17 Screen 2	Apr/May 2004	MW-17-2	5.0 U	0.009 U	7.6	0.010 U
MW-17 Screen 2	Jul/Aug 2004	MW-17-2	NA	NA	10.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	NA	NA	11.8 J	0.010 U
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	NA	NA	7.6	0.010 U
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	NA	NA	8.1	0.010 U
MW-17 Screen 2	Apr/May 2005	MW-17-2	5.0 U	0.032 J	8.6	0.010 U
MW-17 Screen 2	Jul/Sep 2005	MW-17-2	NA	NA	9.6	0.010 U
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	NA	NA	8.8	0.010 U
MW-17 Screen 2	Mar/Apr 2006	MW-17-2	NA	NA	1.0 U	0.010 U
MW-17 Screen 2	May/June 2006	MW-17-2	1.0 U	1.000 U	1.6 J	0.010 U
MW-17 Screen 2	Aug/Sep 2006	MW-17-2	NA	NA	2.9 U	0.010 U
MW-17 Screen 2	Oct/Dec 2006	MW-17-2	NA	NA	3.3	0.010 U
MW-17 Screen 2	Oct/Dec 2006	DUPE-1-4Q06	NA	NA	2.4	0.010 U
MW-17 Screen 2	Mar/Apr 2007	MW-17-2	NA	NA	1.7	NA
MW-17 Screen 2	Mar/Apr 2007	DUPE-1-1Q07	NA	NA	1.8	NA
MW-17 Screen 2	Jun/Jul 2007	MW-17-2	1.0 U	1.000 U	10.2	0.010 U
MW-17 Screen 2	Aug/Sep 2007	MW-17-2	NA	NA	14.1 E	0.010 U
MW-17 Screen 2	Oct/Dec 2007	MW-17-2	NA	NA	14.8 E	0.010 U
MW-17 Screen 2	Jan/Feb 2008	MW-17-2	NA	NA	10.4	0.010 U
MW-17 Screen 2	Apr/May 2008	MW-17-2	1.0 U	1.000 U	3.0	0.010 U
MW-17 Screen 2	Jul/Aug 2008	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Oct/Nov 2008	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2009	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Jul/Aug 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Nov/Dec 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Feb 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2010	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Jul/Aug 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Oct/Nov 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Feb/Mar 2011	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2011	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 2011	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Nov/Dec 2011	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 2012	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2012	MW-17-2	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 2012	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Nov 2012	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Jan/Feb 2013	MW-17-2	NA	NA	0.6 J	0.002 U
MW-17 Screen 2	Apr/May 2013	MW-17-2	2.0 U	1.000 U	0.7 J	0.002 U
MW-17 Screen 2	Jul 2013	MW-17-2	NA	NA	0.7 J	0.002 U
MW-17 Screen 2	Oct/Nov 2013	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Jan/Feb 2014	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Apr/May 2014	MW-17-2	2.0 U	1.000 U	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 2	Jul/Aug 2014	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Oct 2014	MW-17-2	NA	NA	3.0 U	0.004 U
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 1996	MW-17-3	5.0 U	2.300	NA	NA
MW-17 Screen 3	Oct/Nov 1996	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Feb/Mar 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	June/July 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	NA	NA	NA	0.008
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.006
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Apr/May 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	May/June 1999	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Aug 1999	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Nov/Dec 1999	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Mar/Apr 2000	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Jul/Aug 2000	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Sep/Oct 2000	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Jan/Feb 2001	MW-17-3	3.2 B	1.000 U	3.2 J	0.010 U
MW-17 Screen 3	Apr 2001	MW-17-3	NA	NA	NA	0.010 U
MW-17 Screen 3	Jul 2001	MW-17-3	NA	NA	5.0	UNK U
MW-17 Screen 3	Oct 2001	MW-17-3	NA	NA	6.3	0.010 U
MW-17 Screen 3	Jan/Feb 2002	MW-17-3	2.0 B	0.770 J	4.6 J	0.010 U
MW-17 Screen 3	Apr/May 2002	MW-17-3	NA	NA	4.0	0.010 U
MW-17 Screen 3	Jul 2002	MW-17-3	NA	NA	6.0	UNK U
MW-17 Screen 3	Oct/Nov 2002	MW-17-3	NA	NA	NA	0.010 U
MW-17 Screen 3	Dec 2002	MW-17-3	2.1	0.100 J	2.8	0.000 U
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	NA	NA	3.8	0.010 U
MW-17 Screen 3	Apr/May 2003	MW-17-3	5.0 U	0.160 J	3.0	0.010 U
MW-17 Screen 3	Jul/Aug 2003	MW-17-3	NA	NA	4.0 J	0.010 U
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	NA	NA	3.8 J	0.010 U
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	NA	NA	3.7 J	0.010 U
MW-17 Screen 3	Feb 2004	MW-17-3	NA	NA	3.6	0.010 U
MW-17 Screen 3	Apr/May 2004	MW-17-3	2.5 J	0.001 J	8.1	0.010 U
MW-17 Screen 3	Jul/Aug 2004	MW-17-3	NA	NA	10.3	0.010 U
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	NA	NA	10.2 J	0.006 J
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	NA	NA	7.2	0.010 U
MW-17 Screen 3	Apr/May 2005	MW-17-3	5.0 U	0.097 J	3.1	0.010 U
MW-17 Screen 3	Jul/Sep 2005	MW-17-3	NA	NA	10.8	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	NA	NA	11.0	0.010 U
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	NA	NA	9.1	0.010 U
MW-17 Screen 3	Mar/Apr 2006	MW-17-3	NA	NA	2.2	0.010 U
MW-17 Screen 3	May/June 2006	MW-17-3	1.1 J	1.000 U	3.1 J	0.010 U
MW-17 Screen 3	Aug/Sep 2006	MW-17-3	NA	NA	4.0 U	0.010 U
MW-17 Screen 3	Oct/Dec 2006	MW-17-3	NA	NA	2.7	0.010 U
MW-17 Screen 3	Mar/Apr 2007	MW-17-3	NA	NA	2.3	NA
MW-17 Screen 3	Jun/Jul 2007	MW-17-3	2.0	1.000 U	9.2	0.010 U
MW-17 Screen 3	Jun/Jul 2007	DUPE-3-2Q07	2.3	1.000 U	9.1	0.010 U
MW-17 Screen 3	Aug/Sep 2007	MW-17-3	NA	NA	13.9 E	0.010 U
MW-17 Screen 3	Oct/Dec 2007	MW-17-3	NA	NA	13.2 E	0.010 U
MW-17 Screen 3	Jan/Feb 2008	MW-17-3	NA	NA	3.2 U	0.004 J
MW-17 Screen 3	Apr/May 2008	MW-17-3	1.5	1.000 U	5.7	0.010 U
MW-17 Screen 3	Jul/Aug 2008	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Oct/Nov 2008	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2009	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Jul/Aug 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Feb 2010	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2010	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Jul/Aug 2010	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Oct/Nov 2010	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Feb/Mar 2011	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2011	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 2011	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2011	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2011	DUPE-4-4Q11	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 2012	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2012	MW-17-3	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 2012	MW-17-3	NA	NA	1.3 J	0.002 U
MW-17 Screen 3	Nov 2012	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Jan/Feb 2013	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Apr/May 2013	MW-17-3	1.0 J	1.000 U	0.6 J	0.002 U
MW-17 Screen 3	Jul 2013	MW-17-3	NA	NA	0.9 J	0.002 U
MW-17 Screen 3	Oct/Nov 2013	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Jan/Feb 2014	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Apr/May 2014	MW-17-3	1.0 J	1.000 U	1.2 J	0.002 J
MW-17 Screen 3	Jul/Aug 2014	MW-17-3	NA	NA	3.0 U	0.001 J
MW-17 Screen 3	Jul/Aug 2014	DUP-2-3Q14	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Oct 2014	MW-17-3	NA	NA	0.7 J	0.002 U
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	5.0 U	2.000 U	10.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 1996	MW-17-4	5.0 U	2.000 U	NA	NA
MW-17 Screen 4	Oct/Nov 1996	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Feb/Mar 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	June/July 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Sep/Oct 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Jan/Feb 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Apr/May 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Jul/Aug 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Oct/Nov 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Feb/Mar 1999	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	May/June 1999	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Aug 1999	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Nov/Dec 1999	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Mar/Apr 2000	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Jul/Aug 2000	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Sep/Oct 2000	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Jan/Feb 2001	MW-17-4	3.7 B	0.120 J	2.1 J	0.010 U
MW-17 Screen 4	Apr 2001	MW-17-4	NA	NA	NA	0.010 U
MW-17 Screen 4	Jul 2001	MW-17-4	NA	NA	3.6 J	UNK U
MW-17 Screen 4	Oct 2001	MW-17-4	NA	NA	5.7	0.010 U
MW-17 Screen 4	Jan/Feb 2002	MW-17-4	2.9 B	0.290 J	3.9 J	0.010 U
MW-17 Screen 4	Apr/May 2002	MW-17-4	NA	NA	4.0	0.010 U
MW-17 Screen 4	Jul 2002	MW-17-4	NA	NA	2.0	UNK U
MW-17 Screen 4	Oct/Nov 2002	MW-17-4	NA	NA	NA	0.045
MW-17 Screen 4	Dec 2002	MW-17-4	2.8	0.200 U	1.7	0.000 U
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	NA	NA	2.5	0.010 U
MW-17 Screen 4	Apr/May 2003	MW-17-4	2.2 J	0.230 J	2.2	0.010 U
MW-17 Screen 4	Jul/Aug 2003	MW-17-4	NA	NA	1.9 J	0.010 U
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	NA	NA	1.5 UJ	0.010 U
MW-17 Screen 4	Feb 2004	MW-17-4	NA	NA	2.1	0.010 U
MW-17 Screen 4	Apr/May 2004	MW-17-4	3.9 J	0.140	5.6	0.010 U
MW-17 Screen 4	Jul/Aug 2004	MW-17-4	NA	NA	5.7	0.010 U
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	NA	NA	6.1 J	0.010 U
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	NA	NA	3.7	0.010 U
MW-17 Screen 4	Apr/May 2005	MW-17-4	5.0 U	0.052 J	3.7	0.010 U
MW-17 Screen 4	Jul/Sep 2005	MW-17-4	NA	NA	6.1	0.010 U
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	NA	NA	4.6	0.010 U
MW-17 Screen 4	Mar/Apr 2006	MW-17-4	NA	NA	1.0 U	0.010 U
MW-17 Screen 4	May/June 2006	MW-17-4	4.2 J	1.000 U	1.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2006	MW-17-4	NA	NA	2.9 U	0.010 U
MW-17 Screen 4	Oct/Dec 2006	MW-17-4	NA	NA	1.1	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 4	Mar/Apr 2007	MW-17-4	NA	NA	1.0 U	NA
MW-17 Screen 4	Jun/Jul 2007	MW-17-4	4.5	1.000 U	4.8	0.010 U
MW-17 Screen 4	Aug/Sep 2007	MW-17-4	NA	NA	8.7 E	0.010 U
MW-17 Screen 4	Oct/Dec 2007	MW-17-4	NA	NA	6.9 E	0.010 U
MW-17 Screen 4	Jan/Feb 2008	MW-17-4	NA	NA	5.4	0.010 U
MW-17 Screen 4	Apr/May 2008	MW-17-4	4.1	1.000 U	2.4	0.010 U
MW-17 Screen 4	Jul/Aug 2008	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2008	DUPE-3-3Q08	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2008	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2008	DUPE-03-4Q08	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jan/Feb 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2009	MW-17-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Nov/Dec 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Feb 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2010	MW-17-4	3.0	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Feb/Mar 2011	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2011	MW-17-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2011	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Nov/Dec 2011	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jan/Feb 2012	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2012	MW-17-4	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2012	MW-17-4	NA	NA	0.9 J	0.002 U
MW-17 Screen 4	Nov 2012	MW-17-4	NA	NA	1.4 J	0.002 J
MW-17 Screen 4	Jan/Feb 2013	MW-17-4	NA	NA	1.8 J	0.002 U
MW-17 Screen 4	Apr/May 2013	MW-17-4	2.4	1.000 U	1.1 J	0.002 U
MW-17 Screen 4	Jul 2013	MW-17-4	NA	NA	0.6 J	0.002 U
MW-17 Screen 4	Oct/Nov 2013	MW-17-4	NA	NA	2.0 J	0.002 J
MW-17 Screen 4	Jan/Feb 2014	MW-17-4	NA	NA	4.0	0.003
MW-17 Screen 4	Apr/May 2014	MW-17-4	1.9 J	1.000 U	2.5 J	0.002
MW-17 Screen 4	Jul/Aug 2014	MW-17-4	NA	NA	2.8 J	0.002
MW-17 Screen 4	Oct 2014	MW-17-4	NA	NA	0.6 J	0.002 U
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 5	Aug/Sep 1996	MW-17-5	5.0 U	2.000 U	NA	NA
MW-17 Screen 5	Oct/Nov 1996	MW-17-5	5.0 U	5.300	10.0 U	0.005 U
MW-17 Screen 5	Feb/Mar 1997	MW-17-5	5.0 U	2.500	10.0 U	0.005 U
MW-17 Screen 5	June/July 1997	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Sep/Oct 1997	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Jan/Feb 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 5	Apr/May 1998	MW-17-5	5.0 U	2.100	10.0 U	0.005 U
MW-17 Screen 5	Jul/Aug 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Oct/Nov 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Feb/Mar 1999	MW-17-5	5.0 U	7.400	10.0 U	0.005 U
MW-17 Screen 5	May/June 1999	MW-17-5	5.0 U	4.100	10.0 U	0.005 U
MW-17 Screen 5	Nov/Dec 1999	MW-17-5	NA	NA	10.0 U	0.005 U
MW-17 Screen 5	Jul/Aug 2000	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Jan/Feb 2001	MW-17-5	2.8 B	0.190 J	3.5 J	0.010 U
MW-17 Screen 5	Jan/Feb 2002	MW-17-5	5.0 U	2.770	3.7 J	0.010 U
MW-17 Screen 5	Apr/May 2003	MW-17-5	3.2 J	0.590 J	1.6	0.010 U
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	NA	NA	1.7 UJ	0.010 U
MW-17 Screen 5	Apr/May 2004	MW-17-5	12.0	73.300	8.3	0.010 U
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	NA	NA	2.2 J	0.010 U
MW-17 Screen 5	Apr/May 2005	MW-17-5	5.0 U	1.700	0.6 J	0.010 U
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	NA	NA	0.7 J	0.010 U
MW-17 Screen 5	May/June 2006	MW-17-5	7.1 J	1.910 J	1.2 J	0.010 U
MW-17 Screen 5	Oct/Dec 2006	MW-17-5	NA	NA	1.0 U	0.010 U
MW-17 Screen 5	Jun/Jul 2007	MW-17-5	7.7	1.890	1.5	0.010 U
MW-17 Screen 5	Oct/Dec 2007	MW-17-5	NA	NA	1.3 U	0.010 U
MW-17 Screen 5	Apr/May 2008	MW-17-5	8.3	1.200	1.9	0.010 U
MW-17 Screen 5	Oct/Nov 2008	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2009	MW-17-5	7.3	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov/Dec 2009	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2010	MW-17-5	7.2	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Oct/Nov 2010	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2011	MW-17-5	8.1	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov/Dec 2011	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2012	MW-17-5	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov 2012	MW-17-5	NA	NA	3.0 U	0.002 U
MW-17 Screen 5	Apr/May 2013	MW-17-5	6.6	0.340 J	3.0 U	0.002 U
MW-17 Screen 5	Oct/Nov 2013	MW-17-5	NA	NA	3.0 U	0.002 U
MW-17 Screen 5	Apr/May 2014	MW-17-5	3.3	0.250 J	1.5 J	0.002 U
MW-17 Screen 5	Oct 2014	MW-17-5	NA	NA	0.7 J	0.002 U
MW-18 Screen 1	Aug/Sep 1996	MW-18-1	5.0 U	2.000 U	NA	NA
MW-18 Screen 1	Feb/Mar 1997	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	June/July 1997	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Apr/May 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Jul/Aug 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Oct/Nov 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Feb/Mar 1999	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	May/June 1999	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Apr/May 2003	MW-18-1	5.0 UJ	1.000 U	0.4 UJ	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	NA	NA	1.5 U	0.010 U
MW-18 Screen 1	Apr/May 2004	MW-18-1	5.0 U	0.120 U	8.4 J	0.010 U
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	NA	NA	10.6 J	0.010 U
MW-18 Screen 1	Apr/May 2005	MW-18-1	5.9	0.098 J	5.9	0.010 U
MW-18 Screen 1	Jul/Sep 2005	MW-18-1	NA	NA	8.2	0.010 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	NA	NA	4.6	0.010 U
MW-18 Screen 1	May/June 2006	MW-18-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-18 Screen 1	May/June 2006	DUPE-4-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-18 Screen 1	Oct/Dec 2006	MW-18-1	NA	NA	2.7 J	0.010 U
MW-18 Screen 1	Jun/Jul 2007	MW-18-1	1.0 U	1.000 U	6.6	0.010 U
MW-18 Screen 1	Oct/Dec 2007	MW-18-1	NA	NA	9.9	0.010 U
MW-18 Screen 1	Apr/May 2008	MW-18-1	1.0 U	1.000 U	4.1	0.010 U
MW-18 Screen 1	Apr/May 2008	DUPE-2-2Q08	1.0 U	1.000 U	2.2	0.010 U
MW-18 Screen 1	Oct/Nov 2008	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2009	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Nov/Dec 2009	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2010	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Oct/Nov 2010	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2011	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Nov/Dec 2011	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2012	MW-18-1	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 1	Nov 2012	MW-18-1	NA	NA	3.0 U	0.002 U
MW-18 Screen 1	Apr/May 2013	MW-18-1	2.0 U	0.720 J	3.0 U	0.004 U
MW-18 Screen 2	Aug/Sep 1996	MW-18-2	5.0 U	2.000 U	NA	NA
MW-18 Screen 2	Oct/Nov 1996	MW-18-2	5.0 U	3.400	10.0 U	0.005 U
MW-18 Screen 2	Feb/Mar 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	June/July 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Sep/Oct 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Jan/Feb 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Apr/May 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Jul/Aug 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Oct/Nov 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Feb/Mar 1999	MW-18-2	5.0 U	5.300	10.0 U	0.005 U
MW-18 Screen 2	May/June 1999	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Aug 1999	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Nov/Dec 1999	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Mar/Apr 2000	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Jul/Aug 2000	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Sep/Oct 2000	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Jan/Feb 2001	MW-18-2	5.0 U	1.000 U	4.0 J	0.010 U
MW-18 Screen 2	Apr 2001	MW-18-2	NA	NA	NA	0.010 U
MW-18 Screen 2	Jul 2001	MW-18-2	NA	NA	3.6 J	UNK U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 2	Oct 2001	MW-18-2	NA	NA	4.3	0.010 U
MW-18 Screen 2	Jan/Feb 2002	MW-18-2	5.0 U	1.000 U	2.6 J	0.010 U
MW-18 Screen 2	Apr/May 2002	MW-18-2	NA	NA	6.0	0.010 U
MW-18 Screen 2	Jul 2002	MW-18-2	NA	NA	3.0	UNK U
MW-18 Screen 2	Oct/Nov 2002	MW-18-2	NA	NA	NA	0.010 U
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	NA	NA	3.6	0.010 U
MW-18 Screen 2	Apr/May 2003	MW-18-2	5.0 UJ	1.000 U	1.0 UJ	0.010 U
MW-18 Screen 2	Jul/Aug 2003	MW-18-2	NA	NA	2.1 J	0.010 U
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	NA	NA	1.9 U	0.010 U
MW-18 Screen 2	Feb 2004	MW-18-2	NA	NA	3.5	0.010 U
MW-18 Screen 2	Apr/May 2004	MW-18-2	5.0 U	0.120 U	9.3 J	0.010 U
MW-18 Screen 2	Jul/Aug 2004	MW-18-2	NA	NA	4.6 J	0.010 U
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	NA	NA	11.9 J	0.010 U
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	NA	NA	5.1	0.010 U
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	NA	NA	6.9	0.010 U
MW-18 Screen 2	Apr/May 2005	MW-18-2	4.4 J	0.086 J	6.6	0.010 U
MW-18 Screen 2	Apr/May 2005	DUPE-1-2Q05	3.7 J	0.064 J	7.6	0.010 U
MW-18 Screen 2	Jul/Sep 2005	MW-18-2	NA	NA	7.7	0.010 U
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	NA	NA	6.2	0.010 U
MW-18 Screen 2	Mar/Apr 2006	MW-18-2	NA	NA	1.0 U	0.010 U
MW-18 Screen 2	May/June 2006	MW-18-2	1.6 J	1.000 U	1.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2006	MW-18-2	NA	NA	1.8 U	0.010 U
MW-18 Screen 2	Oct/Dec 2006	MW-18-2	NA	NA	1.4 J	0.010 U
MW-18 Screen 2	Mar/Apr 2007	MW-18-2	NA	NA	1.0 U	NA
MW-18 Screen 2	Mar/Apr 2007	DUPE-2-1Q07	NA	NA	1.0 U	NA
MW-18 Screen 2	Jun/Jul 2007	MW-18-2	1.6	1.000 U	7.7	0.010 U
MW-18 Screen 2	Aug/Sep 2007	MW-18-2	NA	NA	12.4 E	0.010 U
MW-18 Screen 2	Oct/Dec 2007	MW-18-2	NA	NA	11.4	0.010 U
MW-18 Screen 2	Jan/Feb 2008	MW-18-2	NA	NA	9.1	0.010 U
MW-18 Screen 2	Apr/May 2008	MW-18-2	1.2	1.000 U	3.6	0.010 U
MW-18 Screen 2	Jul/Aug 2008	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Oct/Nov 2008	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Jan/Feb 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2009	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 2	Jul/Aug 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Nov/Dec 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Feb 2010	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2010	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 2	Jul/Aug 2010	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Oct/Nov 2010	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Feb/Mar 2011	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2011	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 2	Aug/Sep 2011	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2011	DUPE-03-3Q11	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Nov/Dec 2011	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Jan/Feb 2012	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2012	MW-18-2	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2012	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Nov 2012	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Jan/Feb 2013	MW-18-2	NA	NA	3.0 U	0.004 U
MW-18 Screen 2	Apr/May 2013	MW-18-2	0.9 J	1.000 U	3.0 U	0.002 U
MW-18 Screen 2	Jul 2013	MW-18-2	NA	NA	0.6 J	0.002 U
MW-18 Screen 2	Oct/Nov 2013	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Jan/Feb 2014	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Apr/May 2014	MW-18-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-18 Screen 2	Jul/Aug 2014	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Oct 2014	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	5.0 U	2.000 U	NA	NA
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	5.0 U	2.400	10.0 U	0.005 U
MW-18 Screen 3	Feb/Mar 1997	MW-18-3	5.0 U	2.000 U	15.0	0.007
MW-18 Screen 3	June/July 1997	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Sep/Oct 1997	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Jan/Feb 1998	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Apr/May 1998	MW-18-3	5.0 U	2.000 U	12.0	0.007
MW-18 Screen 3	Jul/Aug 1998	MW-18-3	5.0 U	2.000 U	14.0	0.005 U
MW-18 Screen 3	Oct/Nov 1998	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Feb/Mar 1999	MW-18-3	5.0 U	2.000 U	10.0 U	0.007
MW-18 Screen 3	May/June 1999	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Aug 1999	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Nov/Dec 1999	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Mar/Apr 2000	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Jul/Aug 2000	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Sep/Oct 2000	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Jan/Feb 2001	MW-18-3	5.0 U	1.000 U	7.5	0.010 U
MW-18 Screen 3	Apr 2001	MW-18-3	NA	NA	NA	0.010 U
MW-18 Screen 3	Jul 2001	MW-18-3	NA	NA	6.5	UNK U
MW-18 Screen 3	Oct 2001	MW-18-3	NA	NA	7.7	0.010 U
MW-18 Screen 3	Jan/Feb 2002	MW-18-3	5.0 U	1.000 U	5.6	0.010 U
MW-18 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	5.3	0.010 U
MW-18 Screen 3	Apr/May 2002	MW-18-3	NA	NA	10.0	0.010 U
MW-18 Screen 3	Jul 2002	MW-18-3	NA	NA	7.0	0.010
MW-18 Screen 3	Oct/Nov 2002	MW-18-3	NA	NA	NA	0.010 U
MW-18 Screen 3	Dec 2002	MW-18-3	1.5	0.058 J	7.2	0.003

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	NA	NA	7.8	0.010 U
MW-18 Screen 3	Apr/May 2003	MW-18-3	5.0 UJ	1.000 U	5.4 J	0.010 U
MW-18 Screen 3	Jul/Aug 2003	MW-18-3	NA	NA	5.9 J	0.010 U
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	NA	NA	5.9	0.010 U
MW-18 Screen 3	Feb 2004	MW-18-3	NA	NA	8.6	0.010 U
MW-18 Screen 3	Apr/May 2004	MW-18-3	5.0 U	0.120 U	15.5 J	0.010 U
MW-18 Screen 3	Jul/Aug 2004	MW-18-3	NA	NA	9.3 J	0.010 U
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	NA	NA	19.2 J	0.010 U
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	NA	NA	10.8	0.010 U
MW-18 Screen 3	Apr/May 2005	MW-18-3	6.5	0.082 J	11.7	0.010 U
MW-18 Screen 3	Jul/Sep 2005	MW-18-3	NA	NA	11.8	0.010 U
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	NA	NA	14.0	0.005 J
MW-18 Screen 3	Mar/Apr 2006	MW-18-3	NA	NA	5.4 J	0.010 U
MW-18 Screen 3	May/June 2006	MW-18-3	1.7 J	1.000 U	6.1 J	0.010 U
MW-18 Screen 3	Aug/Sep 2006	MW-18-3	NA	NA	5.7	0.010 U
MW-18 Screen 3	Oct/Dec 2006	MW-18-3	NA	NA	5.4 J	0.010 U
MW-18 Screen 3	Mar/Apr 2007	MW-18-3	NA	NA	4.9	NA
MW-18 Screen 3	Jun/Jul 2007	MW-18-3	1.7	1.000 U	12.9	0.010 U
MW-18 Screen 3	Aug/Sep 2007	MW-18-3	NA	NA	14.2 E	0.010 U
MW-18 Screen 3	Oct/Dec 2007	MW-18-3	NA	NA	16.6	0.010 U
MW-18 Screen 3	Jan/Feb 2008	MW-18-3	NA	NA	12.9	0.005 J
MW-18 Screen 3	Apr/May 2008	MW-18-3	1.5	1.000 U	7.4	0.010 U
MW-18 Screen 3	Jul/Aug 2008	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2008	DUPE-4-3Q08	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Oct/Nov 2008	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jan/Feb 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2009	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2009	DUPE-3-3Q09	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Nov/Dec 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2010	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Oct/Nov 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb/Mar 2011	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb/Mar 2011	DUPE-03-1Q11	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2011	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Aug/Sep 2011	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Nov/Dec 2011	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jan/Feb 2012	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2012	MW-18-3	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 3	Aug/Sep 2012	MW-18-3	NA	NA	2.5 J	0.002 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 3	Aug/Sep 2012	DUPE-1-3Q12	NA	NA	2.1 J	0.002 J
MW-18 Screen 3	Nov 2012	MW-18-3	NA	NA	1.7 J	0.002
MW-18 Screen 3	Jan/Feb 2013	MW-18-3	NA	NA	2.1 J	0.002 U
MW-18 Screen 3	Apr/May 2013	MW-18-3	2.0 U	1.000 U	2.2 J	0.001 J
MW-18 Screen 3	Jul 2013	MW-18-3	NA	NA	2.8 J	0.001 J
MW-18 Screen 3	Oct/Nov 2013	MW-18-3	NA	NA	2.9 J	0.001 J
MW-18 Screen 3	Jan/Feb 2014	MW-18-3	NA	NA	1.8 J	0.002 J
MW-18 Screen 3	Apr/May 2014	MW-18-3	1.0 J	1.000 U	2.6 U	0.002
MW-18 Screen 3	Apr/May 2014	DUP-3-2Q14	2.0 U	1.000 U	2.7 U	0.002
MW-18 Screen 3	Jul/Aug 2014	MW-18-3	NA	NA	1.9 J	0.002 J
MW-18 Screen 3	Oct 2014	MW-18-3	NA	NA	2.2 U	0.002 J
MW-18 Screen 3	Oct 2014	DUP-5-4Q14	NA	NA	2.4 U	0.002 J
MW-18 Screen 4	Aug/Sep 1996	MW-18-4	5.0 U	2.000 U	NA	NA
MW-18 Screen 4	Oct/Nov 1996	MW-18-4	5.0 U	2.500	10.0 U	0.005 U
MW-18 Screen 4	Feb/Mar 1997	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	June/July 1997	MW-18-4	5.0	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Sep/Oct 1997	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Jan/Feb 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Apr/May 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Jul/Aug 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Oct/Nov 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Feb/Mar 1999	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	May/June 1999	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Aug 1999	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Nov/Dec 1999	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Mar/Apr 2000	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Jul/Aug 2000	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Sep/Oct 2000	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Jan/Feb 2001	MW-18-4	5.0 U	1.000 U	4.3 J	0.010 U
MW-18 Screen 4	Apr 2001	MW-18-4	NA	NA	NA	0.010 U
MW-18 Screen 4	Jul 2001	MW-18-4	NA	NA	5.3	UNK U
MW-18 Screen 4	Oct 2001	MW-18-4	NA	NA	7.1	0.010 U
MW-18 Screen 4	Jan/Feb 2002	MW-18-4	5.0 U	0.250 J	5.6	0.010 U
MW-18 Screen 4	Apr/May 2002	MW-18-4	NA	NA	6.0	0.010 U
MW-18 Screen 4	Jul 2002	MW-18-4	NA	NA	4.0	UNK U
MW-18 Screen 4	Oct/Nov 2002	MW-18-4	NA	NA	NA	0.010 U
MW-18 Screen 4	Dec 2002	MW-18-4	1.0	0.200 U	3.2	0.001
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	NA	NA	4.1	0.010 U
MW-18 Screen 4	Apr/May 2003	MW-18-4	5.0 UJ	0.140 J	2.0 J	0.010 U
MW-18 Screen 4	Apr/May 2003	DUPE-7-2Q03	5.0 UJ	0.130 J	2.2 J	0.010 U
MW-18 Screen 4	Jul/Aug 2003	MW-18-4	NA	NA	2.7 J	0.010 U
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	NA	NA	2.6 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 4	Feb 2004	MW-18-4	NA	NA	5.4	0.010 U
MW-18 Screen 4	Apr/May 2004	MW-18-4	5.0 U	0.120 U	6.9 J	0.010 U
MW-18 Screen 4	Jul/Aug 2004	MW-18-4	NA	NA	5.4 J	0.010 U
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	NA	NA	12.9 J	0.010 U
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	NA	NA	7.0	0.010 U
MW-18 Screen 4	Apr/May 2005	MW-18-4	3.6 J	0.036 J	7.4	0.010 U
MW-18 Screen 4	Jul/Sep 2005	MW-18-4	NA	NA	7.0	0.010 U
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	NA	NA	7.0	0.010 U
MW-18 Screen 4	Mar/Apr 2006	MW-18-4	NA	NA	1.8 J	0.010 U
MW-18 Screen 4	May/June 2006	MW-18-4	1.3 J	1.000 U	1.9 J	0.010 U
MW-18 Screen 4	Aug/Sep 2006	MW-18-4	NA	NA	3.1 U	0.010 U
MW-18 Screen 4	Oct/Dec 2006	MW-18-4	NA	NA	2.3 J	0.010 U
MW-18 Screen 4	Mar/Apr 2007	MW-18-4	NA	NA	1.7	NA
MW-18 Screen 4	Jun/Jul 2007	MW-18-4	1.2	1.000 U	7.2	0.010 U
MW-18 Screen 4	Aug/Sep 2007	MW-18-4	NA	NA	9.5 E	0.010 U
MW-18 Screen 4	Oct/Dec 2007	MW-18-4	NA	NA	12.0	0.010 U
MW-18 Screen 4	Jan/Feb 2008	MW-18-4	NA	NA	9.6	0.010 U
MW-18 Screen 4	Apr/May 2008	MW-18-4	1.4	1.000 U	6.0	0.010 U
MW-18 Screen 4	Jul/Aug 2008	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2008	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2008	DUPE-02-4Q08	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Jan/Feb 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2009	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Jul/Aug 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Nov/Dec 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Feb 2010	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Feb 2010	DUPE-2-1Q10	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2010	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Jul/Aug 2010	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2010	MW-18-4	NA	NA	7.1	0.010 U
MW-18 Screen 4	Feb/Mar 2011	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2011	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Aug/Sep 2011	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Nov/Dec 2011	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Jan/Feb 2012	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2012	MW-18-4	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 4	Apr/May 2012	DUPE-6-2Q12	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 4	Aug/Sep 2012	MW-18-4	NA	NA	2.8 J	0.002 J
MW-18 Screen 4	Nov 2012	MW-18-4	NA	NA	2.1 J	0.002 U
MW-18 Screen 4	Jan/Feb 2013	MW-18-4	NA	NA	2.2 J	0.002 U
MW-18 Screen 4	Apr/May 2013	MW-18-4	1.2 J	1.000 U	1.2 J	0.002 U
MW-18 Screen 4	Jul 2013	MW-18-4	NA	NA	2.5 J	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 4	Jul 2013	DUPE-3-3Q13	NA	NA	2.1 J	0.002 U
MW-18 Screen 4	Oct/Nov 2013	MW-18-4	NA	NA	3.5	0.001 J
MW-18 Screen 4	Jan/Feb 2014	MW-18-4	NA	NA	2.8 J	0.002
MW-18 Screen 4	Apr/May 2014	MW-18-4	1.5 J	1.000 U	3.4	0.002
MW-18 Screen 4	Jul/Aug 2014	MW-18-4	NA	NA	2.4 J	0.002 J
MW-18 Screen 4	Jul/Aug 2014	DUP-3-3Q14	NA	NA	2.4 J	0.002 J
MW-18 Screen 4	Oct 2014	MW-18-4	NA	NA	1.6 U	0.001 J
MW-18 Screen 5	Aug/Sep 1996	MW-18-5	5.0 U	2.000 U	NA	NA
MW-18 Screen 5	Oct/Nov 1996	MW-18-5	5.0 U	2.300	10.0 U	0.005 U
MW-18 Screen 5	Feb/Mar 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	June/July 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Sep/Oct 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jan/Feb 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Apr/May 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jul/Aug 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Oct/Nov 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Feb/Mar 1999	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	May/June 1999	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Nov/Dec 1999	MW-18-5	NA	NA	10.0 U	0.005 U
MW-18 Screen 5	Jul/Aug 2000	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jan/Feb 2001	MW-18-5	2.2 B	1.000 U	4.1 J	0.010 U
MW-18 Screen 5	Apr 2001	MW-18-5	NA	NA	NA	0.010 U
MW-18 Screen 5	Jul 2001	MW-18-5	NA	NA	NA	UNK U
MW-18 Screen 5	Jan/Feb 2002	MW-18-5	5.0 U	0.060 J	1.8 J	0.010 U
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	NA	NA	NA	0.010 U
MW-18 Screen 5	Apr/May 2003	MW-18-5	5.0 UJ	1.000 U	0.4 UJ	0.010 U
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	NA	NA	1.0 U	0.010 U
MW-18 Screen 5	Apr/May 2004	MW-18-5	5.0 U	0.120 U	6.1 J	0.010 U
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	NA	NA	9.0 J	0.010 U
MW-18 Screen 5	Apr/May 2005	MW-18-5	3.6 J	0.035 J	4.3	0.010 U
MW-18 Screen 5	Jul/Sep 2005	MW-18-5	NA	NA	6.9	0.010 U
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	NA	NA	4.2	0.010 U
MW-18 Screen 5	May/June 2006	MW-18-5	1.2 J	1.000 U	1.0 U	0.010 U
MW-18 Screen 5	Oct/Dec 2006	MW-18-5	NA	NA	1.4 J	0.010 U
MW-18 Screen 5	Jun/Jul 2007	MW-18-5	1.1	1.000 U	5.2	0.010 U
MW-18 Screen 5	Oct/Dec 2007	MW-18-5	NA	NA	8.4	0.010 U
MW-18 Screen 5	Apr/May 2008	MW-18-5	1.0	1.000 U	3.2	0.010 U
MW-18 Screen 5	Oct/Nov 2008	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2009	MW-18-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Nov/Dec 2009	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2010	MW-18-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Oct/Nov 2010	MW-18-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 5	Apr/May 2011	MW-18-5	2.1	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Nov/Dec 2011	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2012	MW-18-5	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 5	Nov 2012	MW-18-5	NA	NA	3.0 U	0.002 U
MW-18 Screen 5	Apr/May 2013	MW-18-5	1.3 J	1.000 U	3.0 U	0.002 U
MW-18 Screen 5	Oct/Nov 2013	MW-18-5	NA	NA	3.0 U	0.002 U
MW-18 Screen 5	Apr/May 2014	MW-18-5	1.0 J	1.000 U	0.7 U	0.002 U
MW-18 Screen 5	Oct 2014	MW-18-5	NA	NA	3.0 U	0.002 U
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	5.0 U	2.000 U	NA	NA
MW-19 Screen 1	Oct/Nov 1996	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Feb/Mar 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	June/July 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Sep/Oct 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jan/Feb 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Apr/May 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jul/Aug 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Oct/Nov 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Feb/Mar 1999	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	May/June 1999	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Nov/Dec 1999	MW-19-1	NA	NA	10.0 U	0.005 U
MW-19 Screen 1	Jul/Aug 2000	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jan/Feb 2001	MW-19-1	5.0 U	1.000 U	3.4 J	0.010 U
MW-19 Screen 1	Jan/Feb 2002	MW-19-1	5.0 U	1.000 U	2.9 J	0.010 U
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	NA	NA	NA	0.010 U
MW-19 Screen 1	Apr/May 2003	MW-19-1	5.0 U	1.000 U	1.7 J	0.010 U
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	NA	NA	1.2 U	0.010 U
MW-19 Screen 1	Apr/May 2004	MW-19-1	5.0 U	0.230	0.6 U	0.010 U
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	NA	NA	0.2 U	0.010 U
MW-19 Screen 1	Apr/May 2005	MW-19-1	1.7 J	0.033 J	2.5	0.010 U
MW-19 Screen 1	Jul/Sep 2005	MW-19-1	NA	NA	6.3	0.010 U
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	NA	NA	5.9	0.010 U
MW-19 Screen 1	May/June 2006	MW-19-1	1.0 U	1.000 U	1.0 U	0.003 J
MW-19 Screen 1	Oct/Dec 2006	MW-19-1	NA	NA	1.0 U	0.010 U
MW-19 Screen 1	Jun/Jul 2007	MW-19-1	1.0 U	1.000 U	6.7	0.008 J
MW-19 Screen 1	Oct/Dec 2007	MW-19-1	NA	NA	1.0 U	0.010 U
MW-19 Screen 1	Apr/May 2008	MW-19-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 1	Oct/Nov 2008	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2009	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2009	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2010	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 1	Oct/Nov 2010	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2011	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2011	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2011	DUPE-2-4Q11	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2012	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov 2012	MW-19-1	NA	NA	3.0 U	0.002 U
MW-19 Screen 1	Apr/May 2013	MW-19-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-19 Screen 1	Oct/Nov 2013	MW-19-1	NA	NA	2.3 J	0.002 U
MW-19 Screen 1	Apr/May 2014	MW-19-1	2.0 U	1.000 U	0.6 U	0.002 U
MW-19 Screen 1	Oct 2014	MW-19-1	NA	NA	1.0 J	0.002 U
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 2	Aug/Sep 1996	MW-19-2	5.0 U	2.000 U	NA	NA
MW-19 Screen 2	Oct/Nov 1996	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Feb/Mar 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	June/July 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Sep/Oct 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jan/Feb 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Apr/May 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jul/Aug 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Oct/Nov 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Feb/Mar 1999	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	May/June 1999	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Nov/Dec 1999	MW-19-2	NA	NA	10.0 U	0.005 U
MW-19 Screen 2	Jul/Aug 2000	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jan/Feb 2001	MW-19-2	5.0 U	1.000 U	3.6 J	0.010 U
MW-19 Screen 2	Jan/Feb 2001	DUP	5.0 U	1.000 U	3.5 J	0.010 U
MW-19 Screen 2	Jan/Feb 2002	MW-19-2	5.0 U	1.000 U	4.3 J	0.010 U
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	NA	NA	NA	0.010 U
MW-19 Screen 2	Apr/May 2003	MW-19-2	5.0 U	1.000 U	4.2 J	0.010 U
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	NA	NA	4.0	0.010 U
MW-19 Screen 2	Apr/May 2004	MW-19-2	5.0 U	0.001 J	10.0	0.010 U
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	NA	NA	5.1	0.010 U
MW-19 Screen 2	Apr/May 2005	MW-19-2	1.8 J	0.027 J	4.3	0.010 U
MW-19 Screen 2	Jul/Sep 2005	MW-19-2	NA	NA	14.1	0.010 U
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	NA	NA	11.1	0.010 U
MW-19 Screen 2	May/June 2006	MW-19-2	1.0 U	1.000 U	1.9 J	0.010 U
MW-19 Screen 2	Oct/Dec 2006	MW-19-2	NA	NA	1.9	0.010 U
MW-19 Screen 2	Jun/Jul 2007	MW-19-2	1.3	1.000 U	10.8	0.010
MW-19 Screen 2	Oct/Dec 2007	MW-19-2	NA	NA	3.0	0.010 U
MW-19 Screen 2	Apr/May 2008	MW-19-2	1.0 U	1.000 U	2.1	0.010 U
MW-19 Screen 2	Oct/Nov 2008	MW-19-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 2	Apr/May 2009	MW-19-2	2.0 U	5.000 U	5.3	0.010 U
MW-19 Screen 2	Nov/Dec 2009	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2010	MW-19-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Oct/Nov 2010	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2011	MW-19-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Nov/Dec 2011	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2012	MW-19-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2012	DUPE-5-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Nov 2012	MW-19-2	NA	NA	24.0	0.002 J
MW-19 Screen 2	Apr/May 2013	MW-19-2	2.0 U	1.000 U	1.7 J	0.002 U
MW-19 Screen 2	Oct/Nov 2013	MW-19-2	NA	NA	2.1 J	0.002 U
MW-19 Screen 2	Apr/May 2014	MW-19-2	2.0 U	1.000 U	2.9 U	0.001 J
MW-19 Screen 2	Oct 2014	MW-19-2	NA	NA	2.0 J	0.002 U
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	5.0 U	2.100	10.0 U	0.010 U
MW-19 Screen 3	Aug/Sep 1996	MW-19-3	5.0 U	2.000 U	NA	NA
MW-19 Screen 3	Oct/Nov 1996	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Feb/Mar 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	June/July 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Sep/Oct 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jan/Feb 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Apr/May 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jul/Aug 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Oct/Nov 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Feb/Mar 1999	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	May/June 1999	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Nov/Dec 1999	MW-19-3	NA	NA	10.0 U	0.005 U
MW-19 Screen 3	Jul/Aug 2000	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jan/Feb 2001	MW-19-3	5.0 U	1.000 U	6.1	0.010 U
MW-19 Screen 3	Jan/Feb 2002	MW-19-3	5.0 U	1.000 U	5.3	0.010 U
MW-19 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	5.6	0.010 U
MW-19 Screen 3	Dec 2002	MW-19-3	1.0	0.300	4.1	0.000
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	NA	NA	NA	0.010 U
MW-19 Screen 3	Apr/May 2003	MW-19-3	5.0 U	1.000 U	5.0 J	0.010 U
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	NA	NA	4.3 J	0.010 U
MW-19 Screen 3	Apr/May 2004	MW-19-3	5.0 U	0.120 U	10.7	0.010 U
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	NA	NA	15.8	0.010 U
MW-19 Screen 3	Apr/May 2005	MW-19-3	4.3 J	0.032 J	4.8	0.010 U
MW-19 Screen 3	Jul/Sep 2005	MW-19-3	NA	NA	9.8	0.010 U
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	NA	NA	9.2	0.010 U
MW-19 Screen 3	May/June 2006	MW-19-3	1.0 U	1.000 U	2.4 J	0.003 J
MW-19 Screen 3	May/June 2006	DUPE-1-2Q06	1.0 U	1.000 U	2.5 J	0.003 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 3	Oct/Dec 2006	MW-19-3	NA	NA	2.6	0.010 U
MW-19 Screen 3	Jun/Jul 2007	MW-19-3	1.4	1.000 U	10.6	0.005 J
MW-19 Screen 3	Oct/Dec 2007	MW-19-3	NA	NA	2.8	0.010 U
MW-19 Screen 3	Apr/May 2008	MW-19-3	1.1	1.000 U	2.7	0.010 U
MW-19 Screen 3	Oct/Nov 2008	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2009	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov/Dec 2009	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2010	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Oct/Nov 2010	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2011	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2011	DUPE-3-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov/Dec 2011	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2012	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov 2012	MW-19-3	NA	NA	2.4 J	0.002
MW-19 Screen 3	Nov 2012	DUPE-1-4Q12	NA	NA	2.9 J	0.002
MW-19 Screen 3	Apr/May 2013	MW-19-3	0.9 J	1.000 U	1.9 J	0.001 J
MW-19 Screen 3	Oct/Nov 2013	MW-19-3	NA	NA	2.6 J	0.002 U
MW-19 Screen 3	Apr/May 2014	MW-19-3	1.0 J	1.000 U	3.0 U	0.002 J
MW-19 Screen 3	Oct 2014	MW-19-3	NA	NA	2.5 J	0.002 U
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 4	Aug/Sep 1996	MW-19-4	5.0 U	2.000 U	NA	NA
MW-19 Screen 4	Oct/Nov 1996	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Feb/Mar 1997	MW-19-4	5.0 U	2.500	10.0 U	0.005 U
MW-19 Screen 4	June/July 1997	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Sep/Oct 1997	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jan/Feb 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Apr/May 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jul/Aug 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Oct/Nov 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Feb/Mar 1999	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	May/June 1999	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Nov/Dec 1999	MW-19-4	NA	NA	10.0 U	0.005 U
MW-19 Screen 4	Jul/Aug 2000	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jan/Feb 2001	MW-19-4	3.2 B	1.000 U	2.2 J	0.010 U
MW-19 Screen 4	Jan/Feb 2002	MW-19-4	5.0 U	1.000 U	2.6 J	0.010 U
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	NA	NA	NA	0.010 U
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	NA	NA	NA	0.010 U
MW-19 Screen 4	Apr/May 2003	MW-19-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	NA	NA	2.4 U	0.010 U
MW-19 Screen 4	Apr/May 2004	MW-19-4	5.0 U	0.120 U	7.3	0.010 U
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	NA	NA	10.7	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 4	Apr/May 2005	MW-19-4	3.1 J	0.019 J	3.2	0.010 U
MW-19 Screen 4	Jul/Sep 2005	MW-19-4	NA	NA	10.1	0.010 U
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	NA	NA	8.3	0.010 U
MW-19 Screen 4	May/June 2006	MW-19-4	1.0 U	1.000 U	1.4 J	0.003 J
MW-19 Screen 4	Oct/Dec 2006	MW-19-4	NA	NA	1.6	0.010 U
MW-19 Screen 4	Jun/Jul 2007	MW-19-4	1.4	1.000 U	8.7	0.010 U
MW-19 Screen 4	Oct/Dec 2007	MW-19-4	NA	NA	1.2	0.010 U
MW-19 Screen 4	Apr/May 2008	MW-19-4	1.1	1.000 U	1.5	0.010 U
MW-19 Screen 4	Oct/Nov 2008	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2009	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2009	DUPE-08-2Q09	NA	NA	NA	0.010 U
MW-19 Screen 4	Nov/Dec 2009	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2010	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Oct/Nov 2010	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2011	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Nov/Dec 2011	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2012	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Nov 2012	MW-19-4	NA	NA	2.3 J	0.003
MW-19 Screen 4	Apr/May 2013	MW-19-4	1.3 J	1.000 U	1.1 J	0.002 J
MW-19 Screen 4	Oct/Nov 2013	MW-19-4	NA	NA	2.5 J	0.002 J
MW-19 Screen 4	Apr/May 2014	MW-19-4	1.3 J	1.000 U	2.6 J	0.001 J
MW-19 Screen 4	Oct 2014	MW-19-4	NA	NA	1.3 J	0.002 U
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 5	Aug/Sep 1996	MW-19-5	5.0 U	2.000 U	NA	NA
MW-19 Screen 5	Oct/Nov 1996	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Feb/Mar 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	June/July 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Sep/Oct 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jan/Feb 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Apr/May 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jul/Aug 1998	MW-19-5	5.0 U	9.900	10.0 U	0.005 U
MW-19 Screen 5	Oct/Nov 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Feb/Mar 1999	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	May/June 1999	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Nov/Dec 1999	MW-19-5	NA	NA	10.0 U	0.005 U
MW-19 Screen 5	Jul/Aug 2000	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jan/Feb 2001	MW-19-5	5.0 U	1.000 U	4.6 J	0.010 U
MW-19 Screen 5	Jan/Feb 2002	MW-19-5	5.0 U	0.050 J	5.1	0.010 U
MW-19 Screen 5	Dec 2002	MW-19-5	0.5	0.100 J	2.5	0.000 U
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	NA	NA	NA	0.010 U
MW-19 Screen 5	Apr/May 2003	MW-19-5	5.0 U	1.000 U	2.5 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	NA	NA	1.8 U	0.010 U
MW-19 Screen 5	Apr/May 2004	MW-19-5	5.0 U	0.120 U	5.4	0.010 U
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	NA	NA	9.0	0.010 U
MW-19 Screen 5	Apr/May 2005	MW-19-5	4.1 J	0.077 J	3.6	0.010 U
MW-19 Screen 5	Jul/Sep 2005	MW-19-5	NA	NA	9.0	0.010 U
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	NA	NA	6.5	0.010 U
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	NA	NA	6.7	0.010 U
MW-19 Screen 5	May/June 2006	MW-19-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 5	Oct/Dec 2006	MW-19-5	NA	NA	1.0 U	0.010 U
MW-19 Screen 5	Jun/Jul 2007	MW-19-5	1.0 U	1.000 U	8.3	0.010 U
MW-19 Screen 5	Oct/Dec 2007	MW-19-5	NA	NA	1.0 U	0.010 U
MW-19 Screen 5	Apr/May 2008	MW-19-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 5	Oct/Nov 2008	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2009	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Nov/Dec 2009	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2010	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Oct/Nov 2010	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2011	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Nov/Dec 2011	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2012	MW-19-5	3.6	5.000 U	5.4	0.010 U
MW-19 Screen 5	Nov 2012	MW-19-5	NA	NA	0.8 J	0.001 J
MW-19 Screen 5	Apr/May 2013	MW-19-5	1.1 J	1.000 U	3.0 U	0.002 U
MW-19 Screen 5	Oct/Nov 2013	MW-19-5	NA	NA	1.1 J	0.002 U
MW-19 Screen 5	Apr/May 2014	MW-19-5	1.5 J	1.000 U	1.4 J	0.002 U
MW-19 Screen 5	Oct 2014	MW-19-5	NA	NA	0.8 J	0.002 U
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 1996	MW-20-1	5.0 U	2.000 U	NA	NA
MW-20 Screen 1	Feb/Mar 1997	MW-20-1	5.0 U	2.000 U	2.0 U	0.005 U
MW-20 Screen 1	June/July 1997	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Jan/Feb 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Apr/May 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Jul/Aug 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Oct/Nov 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Feb/Mar 1999	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	May/June 1999	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Aug 1999	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Nov/Dec 1999	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Mar/Apr 2000	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Jul/Aug 2000	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Sep/Oct 2000	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Jan/Feb 2001	MW-20-1	5.0 U	1.000 U	3.9 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 1	Apr 2001	MW-20-1	NA	NA	NA	0.010 U
MW-20 Screen 1	Jul 2001	MW-20-1	NA	NA	3.1 J	UNK U
MW-20 Screen 1	Oct 2001	MW-20-1	NA	NA	3.6	0.010 U
MW-20 Screen 1	Jan/Feb 2002	MW-20-1	5.0 U	0.030 J	2.6 J	0.010 U
MW-20 Screen 1	Apr/May 2002	MW-20-1	NA	NA	5.0	0.010 U
MW-20 Screen 1	Jul 2002	MW-20-1	NA	NA	4.0	UNK U
MW-20 Screen 1	Oct/Nov 2002	MW-20-1	NA	NA	NA	0.010 U
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	NA	NA	2.8	0.010 U
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	NA	NA	2.5	0.010 U
MW-20 Screen 1	Apr/May 2003	MW-20-1	5.0 U	1.000 U	2.4 J	0.010 U
MW-20 Screen 1	Apr/May 2003	DUPE-3-2Q03	5.0 U	1.000 U	2.1 J	0.010 U
MW-20 Screen 1	Jul/Aug 2003	MW-20-1	NA	NA	1.8 J	0.010 U
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	NA	NA	1.9 J	0.010 U
MW-20 Screen 1	Feb 2004	MW-20-1	NA	NA	3.2	0.010 U
MW-20 Screen 1	Apr/May 2004	MW-20-1	5.0 U	0.120 U	6.6 J	0.010 U
MW-20 Screen 1	Jul/Aug 2004	MW-20-1	NA	NA	10.5	0.010 U
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	NA	0.016 U	7.0 J	0.010 U
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	NA	NA	3.5	0.010 U
MW-20 Screen 1	Apr/May 2005	MW-20-1	5.0 U	0.031 J	4.8	0.010 U
MW-20 Screen 1	Jul/Sep 2005	MW-20-1	NA	NA	7.0	0.010 U
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	NA	NA	8.0	0.010 U
MW-20 Screen 1	Mar/Apr 2006	MW-20-1	NA	NA	1.0 U	0.010 U
MW-20 Screen 1	May/Jun 2006	MW-20-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2006	MW-20-1	NA	NA	2.4 J	0.005 J
MW-20 Screen 1	Oct/Dec 2006	MW-20-1	NA	NA	1.0 U	0.010 U
MW-20 Screen 1	Mar/Apr 2007	MW-20-1	NA	NA	1.0	NA
MW-20 Screen 1	Jun/Jul 2007	MW-20-1	1.0 U	1.000 U	7.4	0.010 U
MW-20 Screen 1	Jun/Jul 2007	DUPE-2-2Q07	1.0 U	1.000 U	7.7	0.006 J
MW-20 Screen 1	Aug/Sep 2007	MW-20-1	NA	NA	10.9	0.010 U
MW-20 Screen 1	Oct/Dec 2007	MW-20-1	NA	NA	8.8	0.010 U
MW-20 Screen 1	Jan/Feb 2008	MW-20-1	NA	NA	6.8	0.010 U
MW-20 Screen 1	Apr/May 2008	MW-20-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2008	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2008	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2008	MW-20-1RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2009	DUPE-04-1Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2009	MW-20-1	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2009	DUPE-01-4Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Feb 2010	MW-20-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 1	Apr/May 2010	MW-20-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2010	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2010	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Feb/Mar 2011	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2011	MW-20-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2011	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2011	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2012	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2012	MW-20-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2012	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Nov 2012	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 2013	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Apr/May 2013	MW-20-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-20 Screen 1	Jul 2013	MW-20-1	NA	NA	1.1 J	0.002 U
MW-20 Screen 1	Oct/Nov 2013	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 2014	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 2014	DUPE-2-1Q14	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Apr/May 2014	MW-20-1	2.0 U	1.000 U	0.8 U	0.002 U
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 1996	MW-20-2	5.0 U	2.000 U	NA	NA
MW-20 Screen 2	Oct/Nov 1996	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Feb/Mar 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	June/July 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Sep/Oct 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Jan/Feb 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Apr/May 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Jul/Aug 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Oct/Nov 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Feb/Mar 1999	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	May/June 1999	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Aug 1999	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Nov/Dec 1999	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Mar/Apr 2000	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Jul/Aug 2000	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Sep/Oct 2000	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Jan/Feb 2001	MW-20-2	5.0 U	1.000 U	2.3 J	0.010 U
MW-20 Screen 2	Apr 2001	MW-20-2	NA	NA	NA	0.010 U
MW-20 Screen 2	Jul 2001	MW-20-2	NA	NA	2.1 J	UNK U
MW-20 Screen 2	Oct 2001	MW-20-2	NA	NA	4.4	0.010 U
MW-20 Screen 2	Jan/Feb 2002	MW-20-2	5.0 U	1.000 U	1.4 J	0.010 U
MW-20 Screen 2	Apr/May 2002	MW-20-2	NA	NA	3.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 2	Jul 2002	MW-20-2	NA	NA	1.0	UNK U
MW-20 Screen 2	Oct/Nov 2002	MW-20-2	NA	NA	NA	0.010 U
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	NA	NA	2.2	0.010 U
MW-20 Screen 2	Apr/May 2003	MW-20-2	5.0 U	1.000 U	2.1 J	0.010 U
MW-20 Screen 2	Jul/Aug 2003	MW-20-2	NA	NA	1.5 J	0.010 U
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	NA	NA	1.3 UJ	0.010 U
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4Q03	NA	NA	1.4 UJ	0.010 U
MW-20 Screen 2	Feb 2004	MW-20-2	NA	NA	2.6	0.010 U
MW-20 Screen 2	Apr/May 2004	MW-20-2	5.0 U	0.120 U	5.1 J	0.010 U
MW-20 Screen 2	Jul/Aug 2004	MW-20-2	NA	NA	0.9	0.010 U
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	NA	0.120 U	5.6 J	0.010 U
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	NA	NA	4.2	0.010 U
MW-20 Screen 2	Apr/May 2005	MW-20-2	5.0 U	0.009 J	3.8	0.010 U
MW-20 Screen 2	Jul/Sep 2005	MW-20-2	NA	NA	6.3	0.010 U
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	NA	NA	6.0	0.010 U
MW-20 Screen 2	Mar/Apr 2006	MW-20-2	NA	NA	1.0 U	0.010 U
MW-20 Screen 2	May/Jun 2006	MW-20-2	1.1 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2006	MW-20-2	NA	NA	1.2 J	0.010 U
MW-20 Screen 2	Oct/Dec 2006	MW-20-2	NA	NA	1.0 U	0.010 U
MW-20 Screen 2	Mar/Apr 2007	MW-20-2	NA	NA	1.0 U	NA
MW-20 Screen 2	Mar/Apr 2007	DUPE-3-1Q07	NA	NA	1.0 U	NA
MW-20 Screen 2	Jun/Jul 2007	MW-20-2	1.3	1.000 U	5.6	0.010 U
MW-20 Screen 2	Aug/Sep 2007	MW-20-2	NA	NA	9.4	0.010 U
MW-20 Screen 2	Oct/Dec 2007	MW-20-2	NA	NA	9.3	0.010 U
MW-20 Screen 2	Jan/Feb 2008	MW-20-2	NA	NA	7.4	0.010 U
MW-20 Screen 2	Apr/May 2008	MW-20-2	1.2	1.000 U	1.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2008	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2008	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2008	MW-20-2RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2009	DUPE-03-1Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2009	MW-20-2	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Nov/Dec 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Feb 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2010	MW-20-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2010	DUPE-04-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Feb/Mar 2011	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2011	MW-20-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2011	MW-20-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 2	Nov/Dec 2011	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2012	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2012	MW-20-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2012	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Nov 2012	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Jan/Feb 2013	MW-20-2	NA	NA	0.6 J	0.002 U
MW-20 Screen 2	Apr/May 2013	MW-20-2	0.7 J	1.000 U	3.0 U	0.002 U
MW-20 Screen 2	Jul 2013	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Oct/Nov 2013	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Jan/Feb 2014	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Apr/May 2014	MW-20-2	2.0 U	1.000 U	2.2 U	0.001 J
MW-20 Screen 2	Jul/Aug 2014	MW-20-2	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 2	Jul/Aug 2014	DUP-1-3Q14	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 2	Oct 2014	MW-20-2	NA	NA	1.0 J	0.002 U
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 1996	MW-20-3	5.0 U	2.000 U	NA	NA
MW-20 Screen 3	Oct/Nov 1996	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Feb/Mar 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	June/July 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Sep/Oct 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Jan/Feb 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Apr/May 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Jul/Aug 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Oct/Nov 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Feb/Mar 1999	MW-20-3	5.0 U	9.500	10.0 U	0.005 U
MW-20 Screen 3	May/June 1999	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Aug 1999	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Nov/Dec 1999	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Mar/Apr 2000	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Jul/Aug 2000	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Sep/Oct 2000	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Jan/Feb 2001	MW-20-3	5.0 U	1.000 U	3.6 J	0.010 U
MW-20 Screen 3	Apr 2001	MW-20-3	NA	NA	NA	0.010 U
MW-20 Screen 3	Jul 2001	MW-20-3	NA	NA	4.0 J	UNK U
MW-20 Screen 3	Oct 2001	MW-20-3	NA	NA	7.4	0.010 U
MW-20 Screen 3	Jan/Feb 2002	MW-20-3	5.0 U	1.000 U	4.9 J	0.010 U
MW-20 Screen 3	Apr/May 2002	MW-20-3	NA	NA	7.0	0.010 U
MW-20 Screen 3	Jul 2002	MW-20-3	NA	NA	2.0	UNK U
MW-20 Screen 3	Oct/Nov 2002	MW-20-3	NA	NA	NA	0.010 U
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	NA	NA	1.7 U	0.010 U
MW-20 Screen 3	Apr/May 2003	MW-20-3	5.0 U	1.000 U	4.2 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 3	Jul/Aug 2003	MW-20-3	NA	NA	4.0 J	0.010 U
MW-20 Screen 3	Jul/Aug 2003	DUPE-2-3Q03	NA	NA	4.0 J	0.010 U
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	NA	NA	2.9 J	0.010 U
MW-20 Screen 3	Feb 2004	MW-20-3	NA	NA	4.2	0.010 U
MW-20 Screen 3	Apr/May 2004	MW-20-3	2.5 J	0.120 U	10.5 J	0.010 U
MW-20 Screen 3	Jul/Aug 2004	MW-20-3	NA	NA	12.7	0.010 U
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	NA	0.120 U	10.4 J	0.010 U
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	NA	NA	5.5	0.010 U
MW-20 Screen 3	Apr/May 2005	MW-20-3	5.0 U	0.014 J	5.3	0.010 U
MW-20 Screen 3	Jul/Sep 2005	MW-20-3	NA	NA	11.6	0.010 U
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	NA	NA	8.8	0.010 U
MW-20 Screen 3	Mar/Apr 2006	MW-20-3	NA	NA	2.0	0.010 U
MW-20 Screen 3	May/June 2006	MW-20-3	1.6 J	1.000 U	2.0 J	0.004 J
MW-20 Screen 3	Aug/Sep 2006	MW-20-3	NA	NA	2.9 J	0.010 U
MW-20 Screen 3	Oct/Dec 2006	MW-20-3	NA	NA	1.7	0.010 U
MW-20 Screen 3	Mar/Apr 2007	MW-20-3	NA	NA	1.9	NA
MW-20 Screen 3	Jun/Jul 2007	MW-20-3	2.0	1.000 U	9.7	0.010 U
MW-20 Screen 3	Aug/Sep 2007	MW-20-3	NA	NA	15.1	0.010 U
MW-20 Screen 3	Oct/Dec 2007	MW-20-3	NA	NA	11.8	0.010 U
MW-20 Screen 3	Jan/Feb 2008	MW-20-3	NA	NA	7.7	0.010 U
MW-20 Screen 3	Apr/May 2008	MW-20-3	1.4	1.000 U	1.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2008	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2008	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2008	MW-20-3RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2009	MW-20-3	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2009	DUPE-06-2Q09	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2009	DUPE-5-3Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Nov/Dec 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Feb 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2010	MW-20-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2010	DUPE-2-3Q10	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Feb/Mar 2011	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2011	MW-20-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 2011	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Nov/Dec 2011	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 2012	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2012	MW-20-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 2012	MW-20-3	NA	NA	0.6 J	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 3	Nov 2012	MW-20-3	NA	NA	3.0 U	0.001 J
MW-20 Screen 3	Jan/Feb 2013	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Apr/May 2013	MW-20-3	1.0 J	1.000 U	3.0 U	0.002 U
MW-20 Screen 3	Apr/May 2013	DUP-1-2Q13	1.1 J	1.000 U	3.0 U	0.002 U
MW-20 Screen 3	Jul 2013	MW-20-3	NA	NA	0.9 J	0.002 U
MW-20 Screen 3	Oct/Nov 2013	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Jan/Feb 2014	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Apr/May 2014	MW-20-3	2.0 U	1.000 U	0.9 U	0.002 U
MW-20 Screen 3	Jul/Aug 2014	MW-20-3	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 3	Oct 2014	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 1996	MW-20-4	5.0 U	2.000 U	NA	NA
MW-20 Screen 4	Oct/Nov 1996	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Feb/Mar 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	June/July 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Sep/Oct 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Jan/Feb 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Apr/May 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Jul/Aug 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Oct/Nov 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Feb/Mar 1999	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	May/June 1999	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Aug 1999	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Nov/Dec 1999	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Mar/Apr 2000	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Jul/Aug 2000	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Sep/Oct 2000	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Jan/Feb 2001	MW-20-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-20 Screen 4	Jan/Feb 2001	DUP	5.0 U	1.000 U	2.3 J	0.010 U
MW-20 Screen 4	Apr 2001	MW-20-4	NA	NA	NA	0.010 U
MW-20 Screen 4	Jul 2001	MW-20-4	NA	NA	2.4 J	UNK U
MW-20 Screen 4	Oct 2001	MW-20-4	NA	NA	3.1	0.010 U
MW-20 Screen 4	Jan/Feb 2002	MW-20-4	5.0 U	1.000 U	1.6 J	0.010 U
MW-20 Screen 4	Apr/May 2002	MW-20-4	NA	NA	4.0	0.010 U
MW-20 Screen 4	Apr/May 2002	DUP	NA	NA	4.0	0.010 U
MW-20 Screen 4	Jul 2002	MW-20-4	NA	NA	3.0	UNK U
MW-20 Screen 4	Jul 2002	DUP	NA	NA	3.0	UNK U
MW-20 Screen 4	Oct/Nov 2002	MW-20-4	NA	NA	NA	0.010 U
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	NA	NA	2.4	0.010 U
MW-20 Screen 4	Apr/May 2003	MW-20-4	5.0 U	1.000 U	2.2 J	0.010 U
MW-20 Screen 4	Jul/Aug 2003	MW-20-4	NA	NA	1.9 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	NA	NA	1.6 J	0.010 U
MW-20 Screen 4	Feb 2004	MW-20-4	NA	NA	2.7	0.010 U
MW-20 Screen 4	Apr/May 2004	MW-20-4	5.0 U	0.120 U	6.5 J	0.010 U
MW-20 Screen 4	Jul/Aug 2004	MW-20-4	NA	NA	6.2	0.010 U
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	NA	0.018 U	5.0 J	0.010 U
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	NA	NA	3.8	0.010 U
MW-20 Screen 4	Apr/May 2005	MW-20-4	5.0 U	0.050 J	1.9	0.010 U
MW-20 Screen 4	Jul/Sep 2005	MW-20-4	NA	NA	5.8	0.010 U
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	NA	NA	5.7	0.010 U
MW-20 Screen 4	Mar/Apr 2006	MW-20-4	NA	NA	1.0 U	0.010 U
MW-20 Screen 4	May/June 2006	MW-20-4	2.2 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2006	MW-20-4	NA	NA	1.6 J	0.010 U
MW-20 Screen 4	Oct/Dec 2006	MW-20-4	NA	NA	1.0 U	0.010 U
MW-20 Screen 4	Mar/Apr 2007	MW-20-4	NA	NA	1.0 U	NA
MW-20 Screen 4	Jun/Jul 2007	MW-20-4	1.9	1.000 U	5.3	0.010 U
MW-20 Screen 4	Aug/Sep 2007	MW-20-4	NA	NA	8.3	0.010 U
MW-20 Screen 4	Oct/Dec 2007	MW-20-4	NA	NA	6.3	0.010 U
MW-20 Screen 4	Jan/Feb 2008	MW-20-4	NA	NA	4.7	0.010 U
MW-20 Screen 4	Apr/May 2008	MW-20-4	1.6	1.000 U	1.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2008	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2008	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2008	MW-20-4RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2009	MW-20-4	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2009	DUPE-05-2Q09	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Nov/Dec 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Feb 2010	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2010	MW-20-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2010	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2010	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Feb/Mar 2011	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2011	MW-20-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2011	DUPE-2-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2011	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2011	DUPE-04-3Q11	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Nov/Dec 2011	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 2012	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2012	MW-20-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2012	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Nov 2012	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Jan/Feb 2013	MW-20-4	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 4	Apr/May 2013	MW-20-4	1.8 J	1.000 U	2.8 J	0.002 U
MW-20 Screen 4	Jul 2013	MW-20-4	NA	NA	0.9 J	0.002 U
MW-20 Screen 4	Oct/Nov 2013	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Oct/Nov 2013	DUPE-1-4Q13	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Jan/Feb 2014	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Apr/May 2014	MW-20-4	1.1 J	1.000 U	0.5 U	0.010 U
MW-20 Screen 4	Jul/Aug 2014	MW-20-4	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 4	Oct 2014	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 1996	MW-20-5	5.0 U	2.000 U	NA	NA
MW-20 Screen 5	Oct/Nov 1996	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Feb/Mar 1997	MW-20-5	5.0 U	3.800	10.0 U	0.005 U
MW-20 Screen 5	June/July 1997	MW-20-5	6.0	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Sep/Oct 1997	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Jan/Feb 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Apr/May 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Jul/Aug 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Oct/Nov 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Feb/Mar 1999	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	May/June 1999	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Aug 1999	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Nov/Dec 1999	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Mar/Apr 2000	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Jul/Aug 2000	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Sep/Oct 2000	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Jan/Feb 2001	MW-20-5	5.0 U	1.000 U	2.4 J	0.010 U
MW-20 Screen 5	Apr 2001	MW-20-5	NA	NA	NA	0.010 U
MW-20 Screen 5	Jul 2001	MW-20-5	NA	NA	2.2 J	UNK U
MW-20 Screen 5	Oct 2001	MW-20-5	NA	NA	3.4	0.010 U
MW-20 Screen 5	Jan/Feb 2002	MW-20-5	5.0 U	1.000 U	2.2 J	0.010 U
MW-20 Screen 5	Apr/May 2002	MW-20-5	NA	NA	4.0	0.010 U
MW-20 Screen 5	Jul 2002	MW-20-5	NA	NA	3.0	UNK U
MW-20 Screen 5	Oct/Nov 2002	MW-20-5	NA	NA	NA	0.010 U
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	NA	NA	2.7	0.010 U
MW-20 Screen 5	Apr/May 2003	MW-20-5	5.0 U	1.000 U	1.7 J	0.010 U
MW-20 Screen 5	Jul/Aug 2003	MW-20-5	NA	NA	1.6 J	0.010 U
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	NA	NA	1.3 UJ	0.010 U
MW-20 Screen 5	Feb 2004	MW-20-5	NA	NA	2.8	0.010 U
MW-20 Screen 5	Apr/May 2004	MW-20-5	5.0 U	0.120 U	4.5 J	0.010 U
MW-20 Screen 5	Jul/Aug 2004	MW-20-5	NA	NA	6.8	0.010 U
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	NA	0.014 U	5.2 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	NA	NA	3.6	0.010 U
MW-20 Screen 5	Apr/May 2005	MW-20-5	4.6 J	0.032 J	3.4	0.010 U
MW-20 Screen 5	Jul/Sep 2005	MW-20-5	NA	NA	4.7	0.010 U
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	NA	NA	5.2	0.010 U
MW-20 Screen 5	Mar/Apr 2006	MW-20-5	NA	NA	1.0 U	0.010 U
MW-20 Screen 5	May/June 2006	MW-20-5	1.1 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	May/June 2006	DUPE-2-2Q06	1.1 J	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2006	MW-20-5	NA	NA	1.6 J	0.010 U
MW-20 Screen 5	Oct/Dec 2006	MW-20-5	NA	NA	1.0 U	0.010 U
MW-20 Screen 5	Mar/Apr 2007	MW-20-5	NA	NA	1.0 U	NA
MW-20 Screen 5	Jun/Jul 2007	MW-20-5	1.0	1.000 U	4.9	0.010 U
MW-20 Screen 5	Aug/Sep 2007	MW-20-5	NA	NA	6.3	0.010 U
MW-20 Screen 5	Oct/Dec 2007	MW-20-5	NA	NA	5.0	0.010 U
MW-20 Screen 5	Jan/Feb 2008	MW-20-5	NA	NA	4.8	0.010 U
MW-20 Screen 5	Apr/May 2008	MW-20-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2008	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2008	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2008	MW-20-5RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Jan/Feb 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2009	MW-20-5	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Nov/Dec 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Feb 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2010	MW-20-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Feb/Mar 2011	MW-20-5	NA	NA	28.0	0.010 U
MW-20 Screen 5	Apr/May 2011	MW-20-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2011	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Nov/Dec 2011	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Jan/Feb 2012	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2012	MW-20-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2012	MW-20-5	NA	NA	0.9 J	0.002 U
MW-20 Screen 5	Nov 2012	MW-20-5	NA	NA	3.0 U	0.001 J
MW-20 Screen 5	Jan/Feb 2013	MW-20-5	NA	NA	3.0 U	0.002 U
MW-20 Screen 5	Apr/May 2013	MW-20-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-20 Screen 5	Jul 2013	MW-20-5	NA	NA	1.5 J	0.002 U
MW-20 Screen 5	Oct/Nov 2013	MW-20-5	NA	NA	3.0 U	0.002 U
MW-20 Screen 5	Jan/Feb 2014	MW-20-5	NA	NA	3.0 U	0.001 J
MW-20 Screen 5	Apr/May 2014	MW-20-5	2.0 U	1.000 U	0.7 U	0.002 U
MW-20 Screen 5	Jul/Aug 2014	MW-20-5	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 5	Oct 2014	MW-20-5	NA	NA	0.9 J	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 1996	MW-21-1	5.0 U	2.000 U	NA	NA
MW-21 Screen 1	Feb/Mar 1997	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	June/July 1997	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jan/Feb 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Apr/May 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jul/Aug 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Oct/Nov 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Feb/Mar 1999	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	May/June 1999	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Nov/Dec 1999	MW-21-1	NA	NA	10.0 U	0.005 U
MW-21 Screen 1	Jul/Aug 2000	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jan/Feb 2001	MW-21-1	5.0 U	1.000 U	5.6	0.010 U
MW-21 Screen 1	Jan/Feb 2002	MW-21-1	5.0 U	1.000 U	4.0 J	0.010 U
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	NA	NA	4.8	0.010 U
MW-21 Screen 1	Apr/May 2003	MW-21-1	5.0 U	1.000 U	3.5 J	0.010 U
MW-21 Screen 1	Jul/Aug 2003	MW-21-1	NA	NA	3.8 J	0.010 U
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	NA	NA	3.0 J	0.010 U
MW-21 Screen 1	Feb 2004	MW-21-1	NA	NA	5.1	0.010 U
MW-21 Screen 1	Apr/May 2004	MW-21-1	5.0 U	0.120 U	10.9	0.010 U
MW-21 Screen 1	Jul/Aug 2004	MW-21-1	NA	NA	5.3 J	0.010 U
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	NA	NA	14.1 J	0.010 U
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	NA	NA	6.8	0.010 U
MW-21 Screen 1	Apr/May 2005	MW-21-1	2.7 J	0.056 J	5.7	0.010 U
MW-21 Screen 1	Jul/Sep 2005	MW-21-1	NA	NA	7.9	0.010 U
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	NA	NA	8.3	0.010 U
MW-21 Screen 1	Mar/Apr 2006	MW-21-1	NA	NA	1.0 U	0.010 U
MW-21 Screen 1	May/June 2006	MW-21-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 2006	MW-21-1	NA	NA	2.6 U	0.010 U
MW-21 Screen 1	Oct/Dec 2006	MW-21-1	NA	NA	1.3	0.004 J
MW-21 Screen 1	Mar/Apr 2007	MW-21-1	NA	NA	1.0 U	NA
MW-21 Screen 1	Jun/Jul 2007	MW-21-1	1.3	1.000 U	9.2	0.010 U
MW-21 Screen 1	Aug/Sep 2007	MW-21-1	NA	NA	11.5	0.010 U
MW-21 Screen 1	Oct/Dec 2007	MW-21-1	NA	NA	1.4	0.010 U
MW-21 Screen 1	Jan/Feb 2008	MW-21-1	NA	NA	7.8	0.010 U
MW-21 Screen 1	Apr/May 2008	MW-21-1	1.0 U	1.000 U	1.1 J	0.010 U
MW-21 Screen 1	Jul/Aug 2008	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2008	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2008	DUPE-01-4Q08	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2009	DUPE-01-1Q09	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 1	Apr/May 2009	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Jul/Aug 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Nov/Dec 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb 2010	DUPE-1-1Q10	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2010	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Jul/Aug 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb/Mar 2011	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2011	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 2011	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Nov/Dec 2011	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2012	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2012	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 2012	MW-21-1	NA	NA	1.4 J	0.002 U
MW-21 Screen 1	Nov 2012	MW-21-1	NA	NA	0.7 J	0.001 J
MW-21 Screen 1	Jan/Feb 2013	MW-21-1	NA	NA	1.7 J	0.002 U
MW-21 Screen 1	Apr/May 2013	MW-21-1	2.0 U	1.000 U	1.4 J	0.001 J
MW-21 Screen 1	Jul 2013	MW-21-1	NA	NA	1.4 U	0.001 J
MW-21 Screen 1	Oct/Nov 2013	MW-21-1	NA	NA	3.9 U	0.002 U
MW-21 Screen 1	Jan/Feb 2014	MW-21-1	NA	NA	1.8 J	0.002
MW-21 Screen 1	Apr/May 2014	MW-21-1	2.0 U	1.000 U	1.6 J	0.002 U
MW-21 Screen 2	Aug/Sep 1996	MW-21-2	5.0 U	2.000 U	NA	NA
MW-21 Screen 2	Oct/Nov 1996	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Feb/Mar 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	June/July 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Sep/Oct 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jan/Feb 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Apr/May 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jul/Aug 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Oct/Nov 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Feb/Mar 1999	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	May/June 1999	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Nov/Dec 1999	MW-21-2	NA	NA	10.0 U	0.005 U
MW-21 Screen 2	Jul/Aug 2000	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jan/Feb 2001	MW-21-2	5.0 U	1.000 U	8.0	0.010 U
MW-21 Screen 2	Jan/Feb 2002	MW-21-2	5.0 U	0.020 J	5.8	0.010 U
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	NA	NA	6.7	0.010 U
MW-21 Screen 2	Apr/May 2003	MW-21-2	5.0 U	1.000 U	4.7 J	0.010 U
MW-21 Screen 2	Jul/Aug 2003	MW-21-2	NA	NA	4.2 J	0.010 U
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	NA	NA	4.5 J	0.010 U
MW-21 Screen 2	Feb 2004	MW-21-2	NA	NA	5.0	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 2	Apr/May 2004	MW-21-2	5.0 U	0.013 J	11.7	0.010 U
MW-21 Screen 2	Jul/Aug 2004	MW-21-2	NA	NA	7.8 J	0.010 U
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	NA	NA	20.8 J	0.010 U
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	NA	NA	9.8	0.010 U
MW-21 Screen 2	Apr/May 2005	MW-21-2	5.0 U	0.093 J	5.0	0.010 U
MW-21 Screen 2	Jul/Sep 2005	MW-21-2	NA	NA	11.3	0.010 U
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	NA	NA	12.5	0.010 U
MW-21 Screen 2	Mar/Apr 2006	MW-21-2	NA	NA	1.4	0.010 U
MW-21 Screen 2	May/June 2006	MW-21-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2006	MW-21-2	NA	NA	2.0 U	0.010 U
MW-21 Screen 2	Oct/Dec 2006	MW-21-2	NA	NA	1.0 U	0.004 J
MW-21 Screen 2	Mar/Apr 2007	MW-21-2	NA	NA	1.0 J	NA
MW-21 Screen 2	Jun/Jul 2007	MW-21-2	1.2	1.000 U	12.9	0.010 U
MW-21 Screen 2	Jun/Jul 2007	DUPE-1-2Q07	1.4	1.000 U	12.4	0.010 U
MW-21 Screen 2	Aug/Sep 2007	MW-21-2	NA	NA	15.9	0.010 U
MW-21 Screen 2	Oct/Dec 2007	MW-21-2	NA	NA	2.6	0.010 U
MW-21 Screen 2	Jan/Feb 2008	MW-21-2	NA	NA	10.0	0.010 U
MW-21 Screen 2	Apr/May 2008	MW-21-2	1.0 U	1.000 U	1.0 J	0.010 U
MW-21 Screen 2	Jul/Aug 2008	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2008	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2009	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Jul/Aug 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Feb 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2010	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Jul/Aug 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2010	DUPE-01-4Q10	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Feb/Mar 2011	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2011	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2011	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2011	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2011	DUPE-1-4Q11	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2012	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2012	DUPE-1-1Q12	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2012	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2012	MW-21-2	NA	NA	3.0 U	0.002 U
MW-21 Screen 2	Nov 2012	MW-21-2	NA	NA	3.0 U	0.001 J
MW-21 Screen 2	Jan/Feb 2013	MW-21-2	NA	NA	3.0 U	0.002 U
MW-21 Screen 2	Apr/May 2013	MW-21-2	2.0 U	1.000 U	3.3	0.001 J
MW-21 Screen 2	Jul 2013	MW-21-2	NA	NA	1.2 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 2	Oct/Nov 2013	MW-21-2	NA	NA	1.3 U	0.002 U
MW-21 Screen 2	Jan/Feb 2014	MW-21-2	NA	NA	3.0 U	0.001 J
MW-21 Screen 2	Apr/May 2014	MW-21-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-21 Screen 2	Jul/Aug 2014	MW-21-2	NA	NA	0.9 U	0.001 U
MW-21 Screen 2	Oct 2014	MW-21-2	NA	NA	0.5 U	0.002 U
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 1996	MW-21-3	5.0 U	2.000 U	NA	NA
MW-21 Screen 3	Oct/Nov 1996	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Feb/Mar 1997	MW-21-3	5.0 U	3.200	10.0 U	0.005 U
MW-21 Screen 3	June/July 1997	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Sep/Oct 1997	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jan/Feb 1998	MW-21-3	5.0 U	3.000	10.0 U	0.005 U
MW-21 Screen 3	Apr/May 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jul/Aug 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Oct/Nov 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Feb/Mar 1999	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	May/June 1999	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Nov/Dec 1999	MW-21-3	NA	NA	10.0 U	0.005 U
MW-21 Screen 3	Jul/Aug 2000	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jan/Feb 2001	MW-21-3	5.0 U	1.000 U	6.9	0.010 U
MW-21 Screen 3	Jan/Feb 2002	MW-21-3	5.0 U	0.050 J	7.0	0.010 U
MW-21 Screen 3	Dec 2002	MW-21-3	0.7	0.300	4.2	0.001
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	NA	NA	5.9	0.010 U
MW-21 Screen 3	Apr/May 2003	MW-21-3	5.0 U	1.000 U	3.7 J	0.010 U
MW-21 Screen 3	Jul/Aug 2003	MW-21-3	NA	NA	3.7 J	0.010 U
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	NA	NA	4.1 J	0.010 U
MW-21 Screen 3	Feb 2004	MW-21-3	NA	NA	4.4	0.010 U
MW-21 Screen 3	Apr/May 2004	MW-21-3	5.0 U	0.120 U	12.2	0.010 U
MW-21 Screen 3	Jul/Aug 2004	MW-21-3	NA	NA	8.2 J	0.010 U
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	NA	NA	18.4 J	0.010 U
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	NA	NA	8.8	0.010 U
MW-21 Screen 3	Apr/May 2005	MW-21-3	4.2 J	0.058 J	0.9 J	0.010 U
MW-21 Screen 3	Jul/Sep 2005	MW-21-3	NA	NA	12.9	0.010 U
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	NA	NA	12.2	0.010 U
MW-21 Screen 3	Mar/Apr 2006	MW-21-3	NA	NA	1.5	0.010 U
MW-21 Screen 3	May/June 2006	MW-21-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2006	MW-21-3	NA	NA	2.6 U	0.010 U
MW-21 Screen 3	Oct/Dec 2006	MW-21-3	NA	NA	1.1	0.010 U
MW-21 Screen 3	Mar/Apr 2007	MW-21-3	NA	NA	1.4 J	NA
MW-21 Screen 3	Jun/Jul 2007	MW-21-3	1.3	1.000 U	14.2	0.010 U
MW-21 Screen 3	Aug/Sep 2007	MW-21-3	NA	NA	16.1	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 3	Oct/Dec 2007	MW-21-3	NA	NA	2.0	0.010 U
MW-21 Screen 3	Jan/Feb 2008	MW-21-3	NA	NA	9.9	0.005 J
MW-21 Screen 3	Apr/May 2008	MW-21-3	1.0 U	1.000 U	1.0 J	0.010 U
MW-21 Screen 3	Jul/Aug 2008	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Oct/Nov 2008	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jan/Feb 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2009	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2009	DUPE-4-3Q09	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Nov/Dec 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Feb 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2010	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Oct/Nov 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Feb/Mar 2011	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2011	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2011	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Nov/Dec 2011	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jan/Feb 2012	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2012	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2012	MW-21-3	NA	NA	0.6 J	0.002 U
MW-21 Screen 3	Aug/Sep 2012	DUPE-7-3Q12	NA	NA	3.0 U	0.002 U
MW-21 Screen 3	Nov 2012	MW-21-3	NA	NA	3.0 U	0.002 J
MW-21 Screen 3	Jan/Feb 2013	MW-21-3	NA	NA	1.0 J	0.002 U
MW-21 Screen 3	Apr/May 2013	MW-21-3	0.9 J	1.000 U	0.7 J	0.001 J
MW-21 Screen 3	Jul 2013	MW-21-3	NA	NA	1.0 U	0.002 U
MW-21 Screen 3	Oct/Nov 2013	MW-21-3	NA	NA	2.0 U	0.002 U
MW-21 Screen 3	Jan/Feb 2014	MW-21-3	NA	NA	0.6 J	0.001 J
MW-21 Screen 3	Apr/May 2014	MW-21-3	2.0 U	1.000 U	3.0 U	0.002 U
MW-21 Screen 3	Jul/Aug 2014	MW-21-3	NA	NA	1.3 U	0.001 U
MW-21 Screen 3	Oct 2014	MW-21-3	NA	NA	0.8 U	0.002 U
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 1996	MW-21-4	5.0 U	2.000 U	NA	NA
MW-21 Screen 4	Oct/Nov 1996	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Feb/Mar 1997	MW-21-4	5.0 U	3.500	10.0 U	0.005 U
MW-21 Screen 4	June/July 1997	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Sep/Oct 1997	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jan/Feb 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Apr/May 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jul/Aug 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Oct/Nov 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 4	Feb/Mar 1999	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	May/Jun 1999	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Nov/Dec 1999	MW-21-4	NA	NA	10.0 U	0.005 U
MW-21 Screen 4	Jul/Aug 2000	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jan/Feb 2001	MW-21-4	5.0 U	1.000 U	6.0	0.010 U
MW-21 Screen 4	Jan/Feb 2002	MW-21-4	5.0 U	1.000 U	6.9	0.010 U
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	NA	NA	4.7	0.010 U
MW-21 Screen 4	Apr/May 2003	MW-21-4	2.2 J	1.000 U	3.8 J	0.010 U
MW-21 Screen 4	Jul/Aug 2003	MW-21-4	NA	NA	4.0 J	0.010 U
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	NA	NA	4.3 J	0.010 U
MW-21 Screen 4	Feb 2004	MW-21-4	NA	NA	5.3	0.010 U
MW-21 Screen 4	Apr/May 2004	MW-21-4	5.0 U	0.120 U	8.3	0.010 U
MW-21 Screen 4	Jul/Aug 2004	MW-21-4	NA	NA	6.9 J	0.010 U
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	NA	NA	16.5 J	0.010 U
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	NA	NA	7.2	0.010 U
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	NA	NA	8.4	0.010 U
MW-21 Screen 4	Apr/May 2005	MW-21-4	3.5 J	0.052 J	5.6	0.010 U
MW-21 Screen 4	Jul/Sep 2005	MW-21-4	NA	NA	9.4	0.010 U
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	NA	NA	9.7	0.010 U
MW-21 Screen 4	Mar/Apr 2006	MW-21-4	NA	NA	2.4	0.010 U
MW-21 Screen 4	May/Jun 2006	MW-21-4	1.0 U	1.000 U	1.5 J	0.004 J
MW-21 Screen 4	Aug/Sep 2006	MW-21-4	NA	NA	3.9 U	0.010 U
MW-21 Screen 4	Oct/Dec 2006	MW-21-4	NA	NA	2.5	0.006 J
MW-21 Screen 4	Mar/Apr 2007	MW-21-4	NA	NA	2.4 J	NA
MW-21 Screen 4	Jun/Jul 2007	MW-21-4	1.3	1.000 U	9.7	0.010 U
MW-21 Screen 4	Aug/Sep 2007	MW-21-4	NA	NA	13.0	0.010 U
MW-21 Screen 4	Oct/Dec 2007	MW-21-4	NA	NA	2.2	0.010 U
MW-21 Screen 4	Jan/Feb 2008	MW-21-4	NA	NA	7.1	0.010 U
MW-21 Screen 4	Apr/May 2008	MW-21-4	1.0 U	1.000 U	1.6 J	0.010 U
MW-21 Screen 4	Jul/Aug 2008	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Oct/Nov 2008	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Jan/Feb 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2009	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2009	DUPE-03-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Jul/Aug 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Nov/Dec 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb 2010	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2010	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Jul/Aug 2010	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Oct/Nov 2010	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb/Mar 2011	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb/Mar 2011	DUPE-01-1Q11	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 4	Apr/May 2011	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 2011	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Nov/Dec 2011	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Jan/Feb 2012	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2012	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 2012	MW-21-4	NA	NA	0.7 J	0.002 U
MW-21 Screen 4	Nov 2012	MW-21-4	NA	NA	0.8 J	0.002 J
MW-21 Screen 4	Jan/Feb 2013	MW-21-4	NA	NA	1.1 J	0.002 U
MW-21 Screen 4	Apr/May 2013	MW-21-4	0.8 J	1.000 U	1.5 J	0.001 J
MW-21 Screen 4	Jul 2013	MW-21-4	NA	NA	1.6 J	0.002 U
MW-21 Screen 4	Jul 2013	DUPE-7-3Q13	NA	NA	1.6 J	0.002 U
MW-21 Screen 4	Oct/Nov 2013	MW-21-4	NA	NA	1.9 U	0.002 U
MW-21 Screen 4	Jan/Feb 2014	MW-21-4	NA	NA	0.9 J	0.001 J
MW-21 Screen 4	Apr/May 2014	MW-21-4	2.0 U	1.000 U	1.2 J	0.002 U
MW-21 Screen 4	Jul/Aug 2014	MW-21-4	NA	NA	1.9 J	0.002 U
MW-21 Screen 4	Jul/Aug 2014	DUP-6-3Q14	NA	NA	1.7 U	0.002 U
MW-21 Screen 4	Oct 2014	MW-21-4	NA	NA	1.2 U	0.002 U
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 1996	MW-21-5	5.0 U	2.000 U	NA	NA
MW-21 Screen 5	Oct/Nov 1996	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Feb/Mar 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	June/July 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Sep/Oct 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jan/Feb 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Apr/May 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jul/Aug 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Oct/Nov 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Feb/Mar 1999	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	May/June 1999	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Nov/Dec 1999	MW-21-5	NA	NA	10.0 U	0.005 U
MW-21 Screen 5	Jul/Aug 2000	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jan/Feb 2001	MW-21-5	5.0 U	0.100 J	6.0	0.010 U
MW-21 Screen 5	Jan/Feb 2002	MW-21-5	5.0 U	0.300 J	7.5	0.010 U
MW-21 Screen 5	Dec 2002	MW-21-5	1.0	0.600	9.2	0.002
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	NA	NA	5.7	0.010 U
MW-21 Screen 5	Apr/May 2003	MW-21-5	5.0 U	1.000 U	2.7 J	0.010 U
MW-21 Screen 5	Jul/Aug 2003	MW-21-5	NA	NA	2.9 J	0.010 U
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	NA	NA	4.0 J	0.010 U
MW-21 Screen 5	Feb 2004	MW-21-5	NA	NA	5.0	0.010 U
MW-21 Screen 5	Apr/May 2004	MW-21-5	5.0 U	0.026 J	8.3	0.010 U
MW-21 Screen 5	Jul/Aug 2004	MW-21-5	NA	NA	6.0 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	NA	NA	12.7 J	0.010 U
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	NA	NA	5.6	0.010 U
MW-21 Screen 5	Apr/May 2005	MW-21-5	2.1 J	0.069 J	5.5	0.010 U
MW-21 Screen 5	Jul/Sep 2005	MW-21-5	NA	NA	9.2	0.010 U
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	NA	NA	9.5	0.010 U
MW-21 Screen 5	Mar/Apr 2006	MW-21-5	NA	NA	2.4	0.010 U
MW-21 Screen 5	Mar/Apr 2006	DUPE-1-1Q06	NA	NA	2.1	0.010 U
MW-21 Screen 5	May/June 2006	MW-21-5	1.0 U	1.000 U	1.5 J	0.010 U
MW-21 Screen 5	Aug/Sep 2006	MW-21-5	NA	NA	2.9 U	0.010 U
MW-21 Screen 5	Oct/Dec 2006	MW-21-5	NA	NA	1.8	0.010 U
MW-21 Screen 5	Mar/Apr 2007	MW-21-5	NA	NA	1.8 J	NA
MW-21 Screen 5	Jun/Jul 2007	MW-21-5	1.4	1.000 U	9.6	0.010 U
MW-21 Screen 5	Aug/Sep 2007	MW-21-5	NA	NA	10.3	0.005 J
MW-21 Screen 5	Oct/Dec 2007	MW-21-5	NA	NA	2.5	0.010 U
MW-21 Screen 5	Jan/Feb 2008	MW-21-5	NA	NA	7.2	0.010 U
MW-21 Screen 5	Apr/May 2008	MW-21-5	1.0 U	1.000 U	1.7 J	0.010 U
MW-21 Screen 5	Jul/Aug 2008	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Oct/Nov 2008	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Jan/Feb 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2009	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Jul/Aug 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Nov/Dec 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Feb 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2010	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Jul/Aug 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Oct/Nov 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Feb/Mar 2011	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2011	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 2011	MW-21-5	NA	NA	5.8	0.010 U
MW-21 Screen 5	Nov/Dec 2011	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Jan/Feb 2012	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2012	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 2012	MW-21-5	NA	NA	0.8 J	0.001 J
MW-21 Screen 5	Nov 2012	MW-21-5	NA	NA	0.7 J	0.001 J
MW-21 Screen 5	Jan/Feb 2013	MW-21-5	NA	NA	1.5 J	0.002 U
MW-21 Screen 5	Apr/May 2013	MW-21-5	1.6 J	1.000 U	1.9 J	0.002 J
MW-21 Screen 5	Jul 2013	MW-21-5	NA	NA	1.7 J	0.001 J
MW-21 Screen 5	Oct/Nov 2013	MW-21-5	NA	NA	2.3 U	0.001 J
MW-21 Screen 5	Jan/Feb 2014	MW-21-5	NA	NA	1.1 U	0.002 J
MW-21 Screen 5	Apr/May 2014	MW-21-5	2.0 U	1.000 U	1.2 J	0.002 U
MW-21 Screen 5	Jul/Aug 2014	MW-21-5	NA	NA	2.0 U	0.002 U
MW-21 Screen 5	Oct 2014	MW-21-5	NA	NA	1.4 U	0.001 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 1	Sep/Oct 1997	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Jan/Feb 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Apr/May 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Jul/Aug 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Oct/Nov 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Feb/Mar 1999	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	May/Jun 1999	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Aug 1999	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Nov/Dec 1999	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Mar/Apr 2000	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Jul/Aug 2000	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Sep/Oct 2000	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Jan/Feb 2001	MW-22-1	5.0 U	1.000 U	6.0	0.010 U
MW-22 Screen 1	Apr 2001	MW-22-1	NA	NA	NA	0.010 U
MW-22 Screen 1	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-22 Screen 1	Jul 2001	MW-22-1	NA	NA	3.3 J	UNK U
MW-22 Screen 1	Oct 2001	MW-22-1	NA	NA	7.8	0.010 U
MW-22 Screen 1	Jan/Feb 2002	MW-22-1	5.0 U	1.000 U	5.1	0.010 U
MW-22 Screen 1	Apr/May 2002	MW-22-1	NA	NA	10.0	0.010 U
MW-22 Screen 1	Jul 2002	MW-22-1	NA	NA	10.0	UNK U
MW-22 Screen 1	Oct/Nov 2002	MW-22-1	NA	NA	NA	0.010 U
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	NA	NA	4.1	0.010 U
MW-22 Screen 1	Apr/May 2003	MW-22-1	5.0 U	1.000 U	1.9 J	0.010 U
MW-22 Screen 1	Jul/Aug 2003	MW-22-1	NA	NA	4.2 J	0.010 U
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	NA	NA	3.0 J	0.010 U
MW-22 Screen 1	Feb 2004	MW-22-1	NA	NA	6.8	0.010 U
MW-22 Screen 1	Apr/May 2004	MW-22-1	5.0 UJ	0.020 U	10.3	0.010 U
MW-22 Screen 1	Jul/Aug 2004	MW-22-1	NA	NA	7.3 J	0.010 U
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	NA	NA	18.8 J	0.010 U
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	NA	NA	0.3	0.010 U
MW-22 Screen 1	Apr/May 2005	MW-22-1	5.0 U	0.150 J	5.7	0.010 U
MW-22 Screen 1	Jul/Sep 2005	MW-22-1	NA	NA	9.6	0.010 U
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	NA	NA	10.8	0.010 U
MW-22 Screen 1	Mar/Apr 2006	MW-22-1	NA	NA	1.8	0.010 U
MW-22 Screen 1	May/Jun 2006	MW-22-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 1	May/Jun 2006	DUPE-5-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2006	MW-22-1	NA	NA	2.1 U	0.007 J
MW-22 Screen 1	Oct/Dec 2006	MW-22-1	NA	NA	3.0	0.010 U
MW-22 Screen 1	Oct/Dec 2006	DUPE-5-4Q06	NA	NA	3.8	0.010 U
MW-22 Screen 1	Mar/Apr 2007	MW-22-1	NA	NA	8.0 J	0.010 U
MW-22 Screen 1	Jun/Jul 2007	MW-22-1	1.0 U	1.000 U	10.3 J	0.010 U
MW-22 Screen 1	Aug/Sep 2007	MW-22-1	NA	NA	17.4	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 1	Oct/Dec 2007	MW-22-1	NA	NA	14.6	0.010 U
MW-22 Screen 1	Jan/Feb 2008	MW-22-1	NA	NA	11.6 E	0.004 J
MW-22 Screen 1	Apr/May 2008	MW-22-1	1.0 U	1.000 U	9.2	0.010 U
MW-22 Screen 1	Jul/Aug 2008	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Oct/Nov 2008	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Jan/Feb 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2009	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Jul/Aug 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Nov/Dec 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Feb 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2010	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Jul/Aug 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Oct/Nov 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Feb/Mar 2011	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2011	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2011	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Nov/Dec 2011	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Jan/Feb 2012	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2012	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2012	DUPE-1-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2012	MW-22-1	NA	NA	0.6 J	0.002 U
MW-22 Screen 1	Nov 2012	MW-22-1	NA	NA	0.8 J	0.002 U
MW-22 Screen 1	Jan/Feb 2013	MW-22-1	NA	NA	1.7 J	0.004 U
MW-22 Screen 1	Apr/May 2013	MW-22-1	2.0 U	1.000 U	0.6 J	0.002 U
MW-22 Screen 1	Jul 2013	MW-22-1	NA	NA	0.9 J	0.002 U
MW-22 Screen 1	Oct/Nov 2013	MW-22-1	NA	NA	1.0 U	0.002 U
MW-22 Screen 1	Jan/Feb 2014	MW-22-1	NA	NA	2.7 J	0.002 U
MW-22 Screen 1	Apr/May 2014	MW-22-1	2.0 U	1.000 U	0.7 U	0.002 U
MW-22 Screen 1	Jul/Aug 2014	MW-22-1	NA	NA	3.0 U	0.002 U
MW-22 Screen 1	Oct 2014	MW-22-1	NA	NA	1.3 J	0.002 U
MW-22 Screen 2	Sep/Oct 1997	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Jan/Feb 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Apr/May 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Jul/Aug 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Oct/Nov 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Feb/Mar 1999	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	May/June 1999	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Aug 1999	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Nov/Dec 1999	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Mar/Apr 2000	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Jul/Aug 2000	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Sep/Oct 2000	MW-22-2	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 2	Jan/Feb 2001	MW-22-2	2.9 B	1.000 U	4.1 J	0.010 U
MW-22 Screen 2	Apr 2001	MW-22-2	NA	NA	NA	0.010 U
MW-22 Screen 2	Jul 2001	MW-22-2	NA	NA	2.6 J	UNK U
MW-22 Screen 2	Oct 2001	MW-22-2	NA	NA	6.2	0.010 U
MW-22 Screen 2	Jan/Feb 2002	MW-22-2	5.0 U	1.000 U	4.5 J	0.010 U
MW-22 Screen 2	Apr/May 2002	MW-22-2	NA	NA	8.0	0.010 U
MW-22 Screen 2	Jul 2002	MW-22-2	NA	NA	6.0	UNK U
MW-22 Screen 2	Oct/Nov 2002	MW-22-2	NA	NA	NA	0.010 U
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	NA	NA	3.5	0.010 U
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	NA	NA	3.2	0.010 U
MW-22 Screen 2	Apr/May 2003	MW-22-2	5.0 U	1.000 U	0.6 UJ	0.010 U
MW-22 Screen 2	Jul/Aug 2003	MW-22-2	NA	NA	2.7 J	0.010 U
MW-22 Screen 2	Jul/Aug 2003	DUPE-5-3Q03	NA	NA	2.5 J	0.010 U
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	NA	NA	0.9 UJ	0.010 U
MW-22 Screen 2	Feb 2004	MW-22-2	NA	NA	4.7	0.010 U
MW-22 Screen 2	Apr/May 2004	MW-22-2	5.0 UJ	0.120 U	7.6	0.010 U
MW-22 Screen 2	Jul/Aug 2004	MW-22-2	NA	NA	9.8 J	0.010 U
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	NA	NA	13.4 J	0.010 U
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	NA	NA	4.6	0.010 U
MW-22 Screen 2	Apr/May 2005	MW-22-2	5.0 U	0.110 J	4.7	0.010 U
MW-22 Screen 2	Jul/Sep 2005	MW-22-2	NA	NA	7.2	0.010 U
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	NA	NA	9.2	0.010 U
MW-22 Screen 2	Mar/Apr 2006	MW-22-2	NA	NA	2.8	0.010 U
MW-22 Screen 2	May/June 2006	MW-22-2	1.1 J	1.000 U	1.7 J	0.010 U
MW-22 Screen 2	Aug/Sep 2006	MW-22-2	NA	NA	3.2 U	0.008 J
MW-22 Screen 2	Oct/Dec 2006	MW-22-2	NA	NA	4.0	0.010 U
MW-22 Screen 2	Mar/Apr 2007	MW-22-2	NA	NA	8.5 J	0.010 U
MW-22 Screen 2	Jun/Jul 2007	MW-22-2	1.6	1.000 U	8.4 J	0.010 U
MW-22 Screen 2	Aug/Sep 2007	MW-22-2	NA	NA	13.6	0.010 U
MW-22 Screen 2	Oct/Dec 2007	MW-22-2	NA	NA	9.0	0.010 U
MW-22 Screen 2	Jan/Feb 2008	MW-22-2	NA	NA	8.7 E	0.010 U
MW-22 Screen 2	Apr/May 2008	MW-22-2	1.2	1.000 U	7.6	0.010 U
MW-22 Screen 2	Jul/Aug 2008	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2008	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2008	DUPE-06-4Q08	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2009	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Jul/Aug 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Nov/Dec 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Feb 2010	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2010	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Jul/Aug 2010	MW-22-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 2	Jul/Aug 2010	DUPE-4-3Q10	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2010	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2010	DUPE-03-4Q10	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Feb/Mar 2011	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2011	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Aug/Sep 2011	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Nov/Dec 2011	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2012	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2012	DUPE-4-1Q12	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2012	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Aug/Sep 2012	MW-22-2	NA	NA	1.0 J	0.001 J
MW-22 Screen 2	Nov 2012	MW-22-2	NA	NA	1.4 J	0.001 J
MW-22 Screen 2	Jan/Feb 2013	MW-22-2	NA	NA	2.0 J	0.002 U
MW-22 Screen 2	Apr/May 2013	MW-22-2	0.9 J	1.000 U	1.7 J	0.001 J
MW-22 Screen 2	Jul 2013	MW-22-2	NA	NA	1.9 J	0.001 J
MW-22 Screen 2	Oct/Nov 2013	MW-22-2	NA	NA	2.4 U	0.001 J
MW-22 Screen 2	Jan/Feb 2014	MW-22-2	NA	NA	1.4 J	0.002 U
MW-22 Screen 2	Apr/May 2014	MW-22-2	1.2 U	1.000 U	1.7 U	0.002 U
MW-22 Screen 2	Jul/Aug 2014	MW-22-2	NA	NA	1.0 J	0.002 J
MW-22 Screen 2	Oct 2014	MW-22-2	NA	NA	2.0 J	0.001 J
MW-22 Screen 3	Sep/Oct 1997	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jan/Feb 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Apr/May 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jul/Aug 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Oct/Nov 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Feb/Mar 1999	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	May/Jun 1999	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Nov/Dec 1999	MW-22-3	NA	NA	10.0 U	0.005 U
MW-22 Screen 3	Jul/Aug 2000	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jan/Feb 2001	MW-22-3	2.7 B	1.000 U	5.6	0.010 U
MW-22 Screen 3	Jan/Feb 2002	MW-22-3	1.8 B	1.000 U	4.9 J	0.010 U
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	NA	NA	3.6	0.010 U
MW-22 Screen 3	Apr/May 2003	MW-22-3	5.0 U	1.000 U	0.8 UJ	0.010 U
MW-22 Screen 3	Jul/Aug 2003	MW-22-3	NA	NA	2.9 J	0.010 U
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	NA	NA	3.2 J	0.010 U
MW-22 Screen 3	Feb 2004	MW-22-3	NA	NA	6.6	0.010 U
MW-22 Screen 3	Apr/May 2004	MW-22-3	5.0 UJ	0.120 U	8.5	0.010 U
MW-22 Screen 3	Jul/Aug 2004	MW-22-3	NA	NA	10.0 J	0.010 U
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	NA	NA	13.2 J	0.010 U
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	NA	NA	4.8	0.010 U
MW-22 Screen 3	Apr/May 2005	MW-22-3	5.0 U	0.043 J	5.0	0.010 U
MW-22 Screen 3	Apr/May 2005	DUPE-5-2Q05	5.0 U	0.054 J	5.3	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 3	Jul/Sep 2005	MW-22-3	NA	NA	8.2	0.010 U
MW-22 Screen 3	Jul/Sep 2005	DUPE-5-3Q05	NA	NA	7.7	0.010 U
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	NA	NA	9.2	0.010 U
MW-22 Screen 3	Mar/Apr 2006	MW-22-3	NA	NA	3.0	0.010 U
MW-22 Screen 3	May/June 2006	MW-22-3	1.0 U	1.000 U	2.0 J	0.010 U
MW-22 Screen 3	Aug/Sep 2006	MW-22-3	NA	NA	3.4 U	0.010 U
MW-22 Screen 3	Oct/Dec 2006	MW-22-3	NA	NA	4.0	0.010 U
MW-22 Screen 3	Mar/Apr 2007	MW-22-3	NA	NA	9.6 J	0.010 U
MW-22 Screen 3	Mar/Apr 2007	DUPE-6-1Q07	NA	NA	8.0 J	0.010 U
MW-22 Screen 3	Jun/Jul 2007	MW-22-3	1.3	1.000 U	9.0 J	0.010 U
MW-22 Screen 3	Aug/Sep 2007	MW-22-3	NA	NA	14.7	0.010 U
MW-22 Screen 3	Oct/Dec 2007	MW-22-3	NA	NA	9.7	0.006 J
MW-22 Screen 3	Jan/Feb 2008	MW-22-3	NA	NA	9.8 E	0.010 U
MW-22 Screen 3	Apr/May 2008	MW-22-3	1.0	1.000 U	8.2	0.010 U
MW-22 Screen 3	Jul/Aug 2008	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Oct/Nov 2008	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Jan/Feb 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2009	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Jul/Aug 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Nov/Dec 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Feb 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2010	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Jul/Aug 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Oct/Nov 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Feb/Mar 2011	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2011	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Aug/Sep 2011	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Nov/Dec 2011	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Jan/Feb 2012	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2012	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Aug/Sep 2012	MW-22-3	NA	NA	0.5 J	0.002 J
MW-22 Screen 3	Nov 2012	MW-22-3	NA	NA	2.3 J	0.002 J
MW-22 Screen 3	Jan/Feb 2013	MW-22-3	NA	NA	2.5 J	0.001 J
MW-22 Screen 3	Apr/May 2013	MW-22-3	2.0 U	1.000 U	2.1 J	0.002 J
MW-22 Screen 3	Apr/May 2013	DUP-3-2Q13	2.0 U	1.000 U	2.0 J	0.001 J
MW-22 Screen 3	Jul 2013	MW-22-3	NA	NA	2.7 J	0.002 J
MW-22 Screen 3	Oct/Nov 2013	MW-22-3	NA	NA	3.2 U	0.002
MW-22 Screen 3	Jan/Feb 2014	MW-22-3	NA	NA	1.4 J	0.003 U
MW-22 Screen 3	Apr/May 2014	MW-22-3	1.2 U	1.000 U	2.5 U	0.003 U
MW-22 Screen 3	Jul/Aug 2014	MW-22-3	NA	NA	1.4 J	0.002
MW-22 Screen 3	Oct 2014	MW-22-3	NA	NA	2.5 J	0.002 J
MW-22 Screen 4	Sep/Oct 1997	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 4	Jan/Feb 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Apr/May 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jul/Aug 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Oct/Nov 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Feb/Mar 1999	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	May/June 1999	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Nov/Dec 1999	MW-22-4	NA	NA	10.0 U	0.005 U
MW-22 Screen 4	Jul/Aug 2000	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jan/Feb 2001	MW-22-4	2.3 B	1.000 U	4.9 J	0.010 U
MW-22 Screen 4	Jan/Feb 2001	DUP	3.1 B	1.000 U	4.3 J	0.010 U
MW-22 Screen 4	Jan/Feb 2002	MW-22-4	1.6 B	1.000 U	4.5 J	0.010 U
MW-22 Screen 4	Apr/May 2003	MW-22-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	NA	NA	3.1 J	0.010 U
MW-22 Screen 4	Apr/May 2004	MW-22-4	3.0 UJ	0.120 U	8.1	0.010 U
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	NA	NA	12.6 J	0.010 U
MW-22 Screen 4	Apr/May 2005	MW-22-4	5.0 U	0.100 J	3.1	0.010 U
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	NA	NA	9.1	0.010 U
MW-22 Screen 4	May/June 2006	MW-22-4	1.2 J	1.000 U	2.9 J	0.010 U
MW-22 Screen 4	Oct/Dec 2006	MW-22-4	NA	NA	3.1	0.010 U
MW-22 Screen 4	Jun/Jul 2007	MW-22-4	1.4	1.000 U	9.0 J	0.010 U
MW-22 Screen 4	Oct/Dec 2007	MW-22-4	NA	NA	9.7	0.008 J
MW-22 Screen 4	Apr/May 2008	MW-22-4	1.2	1.000 U	8.2	0.010 U
MW-22 Screen 4	Oct/Nov 2008	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2009	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2009	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2009	DUPE-04-4Q09	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2010	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Oct/Nov 2010	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2011	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2011	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2011	DUPE-6-4Q11	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2012	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov 2012	MW-22-4	NA	NA	2.5 J	0.002
MW-22 Screen 4	Apr/May 2013	MW-22-4	1.0 J	1.000 U	2.2 J	0.001 J
MW-22 Screen 4	Oct/Nov 2013	MW-22-4	NA	NA	2.0 U	0.002 J
MW-22 Screen 4	Apr/May 2014	MW-22-4	1.1 U	1.000 U	1.9 U	0.002 U
MW-22 Screen 4	Oct 2014	MW-22-4	NA	NA	2.3 J	0.002 J
MW-22 Screen 4	Oct 2014	DUP-2-4Q14	NA	NA	2.2 J	0.002 J
MW-22 Screen 5	Sep/Oct 1997	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jan/Feb 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Apr/May 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jul/Aug 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 5	Oct/Nov 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Feb/Mar 1999	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	May/Jun 1999	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Nov/Dec 1999	MW-22-5	NA	NA	10.0 U	0.005 U
MW-22 Screen 5	Jul/Aug 2000	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jan/Feb 2001	MW-22-5	3.9 B	1.000 U	1.9 J	0.010 U
MW-22 Screen 5	Jan/Feb 2002	MW-22-5	1.8 B	0.040 J	1.9 J	0.010 U
MW-22 Screen 5	Apr/May 2003	MW-22-5	5.0 U	1.000 U	1.0 UJ	0.010 U
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	NA	NA	0.7 UJ	0.010 U
MW-22 Screen 5	Apr/May 2004	MW-22-5	2.7 UJ	0.017 U	2.6 J	0.004 J
MW-22 Screen 5	Apr/May 2004	DUPE-2-2Q04	5.0 UJ	0.039 U	4.6 J	0.004 J
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	NA	NA	7.0 J	0.010 U
MW-22 Screen 5	Apr/May 2005	MW-22-5	5.0 U	0.067 J	2.0	0.010 U
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	NA	NA	4.0	0.010 U
MW-22 Screen 5	May/Jun 2006	MW-22-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 5	Oct/Dec 2006	MW-22-5	NA	NA	1.0 U	0.010 U
MW-22 Screen 5	Jun/Jul 2007	MW-22-5	1.0 U	1.000 U	2.8	0.010 U
MW-22 Screen 5	Oct/Dec 2007	MW-22-5	NA	NA	3.3	0.010 U
MW-22 Screen 5	Apr/May 2008	MW-22-5	1.0 U	1.000 U	2.7	0.010 U
MW-22 Screen 5	Oct/Nov 2008	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2009	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov/Dec 2009	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2010	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Oct/Nov 2010	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2011	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov/Dec 2011	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2012	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov 2012	MW-22-5	NA	NA	3.0 U	0.002 U
MW-22 Screen 5	Apr/May 2013	MW-22-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-22 Screen 5	Oct/Nov 2013	MW-22-5	NA	NA	3.0 U	0.002 U
MW-22 Screen 5	Apr/May 2014	MW-22-5	0.7 U	1.000 U	3.0 U	0.002 U
MW-22 Screen 5	Oct 2014	MW-22-5	NA	NA	3.0 U	0.002 U
MW-23 Screen 1	Sep/Oct 1997	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Jan/Feb 1998	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Jul/Aug 1998	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Oct/Nov 1998	MW-23-1	5.0 U	2.000 U	10.0	0.005 U
MW-23 Screen 1	Feb/Mar 1999	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	May/Jun 1999	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Aug 1999	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Nov/Dec 1999	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Mar/Apr 2000	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Jul/Aug 2000	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 1	Sep/Oct 2000	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Jan/Feb 2001	MW-23-1	5.0 U	1.000 U	6.2	0.010 U
MW-23 Screen 1	Apr 2001	MW-23-1	NA	NA	NA	0.010 U
MW-23 Screen 1	Jul 2001	MW-23-1	NA	NA	3.5 J	UNK U
MW-23 Screen 1	Jul 2001	DUP	NA	NA	4.0 J	NA
MW-23 Screen 1	Oct 2001	MW-23-1	NA	NA	6.7	0.010 U
MW-23 Screen 1	Jan/Feb 2002	MW-23-1	1.8 B	1.000 U	6.2	0.010 U
MW-23 Screen 1	Apr/May 2002	MW-23-1	NA	NA	7.0	0.010 U
MW-23 Screen 1	Jul 2002	MW-23-1	NA	NA	3.0	UNK U
MW-23 Screen 1	Oct/Nov 2002	MW-23-1	NA	NA	NA	0.010 U
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	NA	NA	3.4	0.010 U
MW-23 Screen 1	Apr/May 2003	MW-23-1	5.0 U	1.000 U	4.4	0.010 U
MW-23 Screen 1	Jul/Aug 2003	MW-23-1	NA	NA	4.2 J	0.010 U
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	NA	NA	4.6 J	0.010 U
MW-23 Screen 1	Feb 2004	MW-23-1	NA	NA	8.1	0.010 U
MW-23 Screen 1	Apr/May 2004	MW-23-1	5.0 U	0.024 U	11.9	0.010 U
MW-23 Screen 1	Jul/Aug 2004	MW-23-1	NA	NA	15.2	0.010 U
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	NA	NA	16.4 J	0.010 U
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	NA	NA	6.5	0.010 U
MW-23 Screen 1	Apr/May 2005	MW-23-1	5.0 U	0.041 J	1.3	0.010 U
MW-23 Screen 1	Jul/Sep 2005	MW-23-1	NA	NA	0.9 J	0.010 U
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	NA	NA	11.1	0.010 U
MW-23 Screen 1	Mar/Apr 2006	MW-23-1	NA	NA	1.1	0.010 U
MW-23 Screen 1	May/June 2006	MW-23-1	1.0 U	1.000 U	1.5	0.010 U
MW-23 Screen 1	May/June 2006	DUPE-6-2Q06	1.0 U	1.000 U	1.2	0.010 U
MW-23 Screen 1	Aug/Sep 2006	MW-23-1	NA	NA	2.4 U	0.020 U
MW-23 Screen 1	Oct/Dec 2006	MW-23-1	NA	NA	2.1	0.010 U
MW-23 Screen 1	Mar/Apr 2007	MW-23-1	NA	NA	2.8	0.010 U
MW-23 Screen 1	Jun/Jul 2007	MW-23-1	1.0 U	1.000 U	3.2 J	0.010 U
MW-23 Screen 1	Aug/Sep 2007	MW-23-1	NA	NA	19.8	0.010 U
MW-23 Screen 1	Oct/Dec 2007	MW-23-1	NA	NA	1.4 E	0.006 J
MW-23 Screen 1	Jan/Feb 2008	MW-23-1	NA	NA	8.2 E	0.010 U
MW-23 Screen 1	Apr/May 2008	MW-23-1	1.0 J	1.000 U	5.4	0.010 U
MW-23 Screen 1	Jul/Aug 2008	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Oct/Nov 2008	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2009	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Jul/Aug 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Nov/Dec 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Feb 2010	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2010	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Jul/Aug 2010	MW-23-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 1	Oct/Nov 2010	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Oct/Nov 2010	DUPE-07-4Q10	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Feb/Mar 2011	MW-23-1	NA	NA	7.2	0.010 U
MW-23 Screen 1	Apr/May 2011	MW-23-1	2.0 U	5.000 U	7.6	0.010 U
MW-23 Screen 1	Aug/Sep 2011	MW-23-1	NA	NA	7.2	0.010 U
MW-23 Screen 1	Nov/Dec 2011	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2012	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2012	DUPE-3-1Q12	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2012	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2012	DUPE-3-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Aug/Sep 2012	MW-23-1	NA	NA	3.0 U	0.002 U
MW-23 Screen 1	Nov 2012	MW-23-1	NA	NA	7.5	0.002 U
MW-23 Screen 1	Jan/Feb 2013	MW-23-1	NA	NA	1.6 J	0.002 U
MW-23 Screen 1	Apr/May 2013	MW-23-1	2.0 U	1.000 U	2.7 J	0.002 U
MW-23 Screen 1	Jul 2013	MW-23-1	NA	NA	7.0	0.002 U
MW-23 Screen 1	Oct/Nov 2013	MW-23-1	NA	NA	2.0 J	0.002 U
MW-23 Screen 1	Jan/Feb 2014	MW-23-1	NA	NA	1.6 J	0.002 U
MW-23 Screen 1	Apr/May 2014	MW-23-1	2.0 U	1.000 U	1.0 U	0.001 U
MW-23 Screen 1	Jul/Aug 2014	MW-23-1	NA	NA	1.2 J	0.001 J
MW-23 Screen 1	Oct 2014	MW-23-1	NA	NA	0.7 J	0.001 J
MW-23 Screen 2	Sep/Oct 1997	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Jan/Feb 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Jul/Aug 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Oct/Nov 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Feb/Mar 1999	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	May/June 1999	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Aug 1999	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Nov/Dec 1999	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Mar/Apr 2000	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Jul/Aug 2000	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Sep/Oct 2000	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Jan/Feb 2001	MW-23-2	2.7 B	1.000 U	5.6	0.010 U
MW-23 Screen 2	Apr 2001	MW-23-2	NA	NA	NA	0.010 U
MW-23 Screen 2	Jul 2001	MW-23-2	NA	NA	4.3 J	UNK U
MW-23 Screen 2	Oct 2001	MW-23-2	NA	NA	7.4	0.010 U
MW-23 Screen 2	Oct 2001	DUP	NA	NA	6.3	0.010 U
MW-23 Screen 2	Jan/Feb 2002	MW-23-2	5.0 U	0.140 J	4.7 J	0.010 U
MW-23 Screen 2	Apr/May 2002	MW-23-2	NA	NA	9.0	0.010 U
MW-23 Screen 2	Jul 2002	MW-23-2	NA	NA	7.0	UNK U
MW-23 Screen 2	Oct/Nov 2002	MW-23-2	NA	NA	NA	0.010 U
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	NA	NA	3.8	0.010 U
MW-23 Screen 2	Apr/May 2003	MW-23-2	5.0 U	1.000 U	2.9	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 2	Jul/Aug 2003	MW-23-2	NA	NA	3.9 J	0.010 U
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	NA	NA	3.5 J	0.010 U
MW-23 Screen 2	Feb 2004	MW-23-2	NA	NA	5.9	0.010 U
MW-23 Screen 2	Apr/May 2004	MW-23-2	2.5 U	0.004 J	9.8	0.005 J
MW-23 Screen 2	Jul/Aug 2004	MW-23-2	NA	NA	14.1	0.010 U
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	NA	NA	14.1 J	0.010 U
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	NA	NA	5.0	0.010 U
MW-23 Screen 2	Apr/May 2005	MW-23-2	5.0 U	0.024 J	6.0	0.010 U
MW-23 Screen 2	Jul/Sep 2005	MW-23-2	NA	NA	10.7	0.010 U
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	NA	NA	9.3	0.010 U
MW-23 Screen 2	Mar/Apr 2006	MW-23-2	NA	NA	1.6	0.010 U
MW-23 Screen 2	Mar/Apr 2006	DUPE-5-1Q06	NA	NA	1.7	0.010 U
MW-23 Screen 2	May/June 2006	MW-23-2	1.0 U	1.000 U	2.2	0.010 U
MW-23 Screen 2	Aug/Sep 2006	MW-23-2	NA	NA	2.9 U	0.010 U
MW-23 Screen 2	Aug/Sep 2006	DUPE-2-3Q06	NA	NA	3.0 U	0.010 U
MW-23 Screen 2	Oct/Dec 2006	MW-23-2	NA	NA	2.0 U	0.010 U
MW-23 Screen 2	Mar/Apr 2007	MW-23-2	NA	NA	2.0 J	0.010 U
MW-23 Screen 2	Jun/Jul 2007	MW-23-2	1.0 U	1.000 U	8.4 J	0.010 U
MW-23 Screen 2	Aug/Sep 2007	MW-23-2	NA	NA	14.6	0.010 U
MW-23 Screen 2	Aug/Sep 2007	DUPE-2-3Q07	NA	NA	14.7	0.010 U
MW-23 Screen 2	Oct/Dec 2007	MW-23-2	NA	NA	9.3 E	0.010
MW-23 Screen 2	Jan/Feb 2008	MW-23-2	NA	NA	6.0 E	0.010 U
MW-23 Screen 2	Apr/May 2008	MW-23-2	1.0 J	1.000 U	6.9	0.010 U
MW-23 Screen 2	Apr/May 2008	DUPE-3-2Q08	1.0 J	1.000 U	6.6	0.010 U
MW-23 Screen 2	Jul/Aug 2008	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Oct/Nov 2008	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Jan/Feb 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2009	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Jul/Aug 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Nov/Dec 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Feb 2010	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2010	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Jul/Aug 2010	MW-23-2	NA	NA	5.4 J	0.010 U
MW-23 Screen 2	Oct/Nov 2010	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Feb/Mar 2011	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2011	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Aug/Sep 2011	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Nov/Dec 2011	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Jan/Feb 2012	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2012	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Aug/Sep 2012	MW-23-2	NA	NA	3.0 U	0.002 U
MW-23 Screen 2	Aug/Sep 2012	DUPE-4-3Q12	NA	NA	3.0 U	0.002 J

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 2	Nov 2012	MW-23-2	NA	NA	1.8 J	0.002 J
MW-23 Screen 2	Jan/Feb 2013	MW-23-2	NA	NA	1.6 J	0.002 U
MW-23 Screen 2	Apr/May 2013	MW-23-2	0.8 J	1.000 U	1.9 J	0.002 J
MW-23 Screen 2	Jul 2013	MW-23-2	NA	NA	1.4 J	0.001 J
MW-23 Screen 2	Oct/Nov 2013	MW-23-2	NA	NA	0.9 J	0.001 J
MW-23 Screen 2	Jan/Feb 2014	MW-23-2	NA	NA	1.2 J	0.002 U
MW-23 Screen 2	Apr/May 2014	MW-23-2	2.0 U	1.000 U	0.6 U	0.002 U
MW-23 Screen 2	Jul/Aug 2014	MW-23-2	NA	NA	1.3 J	0.001 J
MW-23 Screen 2	Oct 2014	MW-23-2	NA	NA	0.7 J	0.001 J
MW-23 Screen 3	Sep/Oct 1997	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Jan/Feb 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Jul/Aug 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Oct/Nov 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Feb/Mar 1999	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	May/June 1999	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Aug 1999	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Nov/Dec 1999	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Mar/Apr 2000	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Jul/Aug 2000	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Sep/Oct 2000	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Jan/Feb 2001	MW-23-3	3.6 B	1.000 U	5.4	0.010 U
MW-23 Screen 3	Apr 2001	MW-23-3	NA	NA	NA	0.010 U
MW-23 Screen 3	Jul 2001	MW-23-3	NA	NA	4.6 J	UNK U
MW-23 Screen 3	Oct 2001	MW-23-3	NA	NA	5.8	0.010 U
MW-23 Screen 3	Jan/Feb 2002	MW-23-3	5.0 U	1.000 U	5.8	0.010 U
MW-23 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	6.2	0.010 U
MW-23 Screen 3	Apr/May 2002	MW-23-3	NA	NA	6.0	0.010 U
MW-23 Screen 3	Jul 2002	MW-23-3	NA	NA	7.0	UNK U
MW-23 Screen 3	Oct/Nov 2002	MW-23-3	NA	NA	NA	0.010 U
MW-23 Screen 3	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	NA	NA	3.9	0.010 U
MW-23 Screen 3	Apr/May 2003	MW-23-3	5.0 U	1.000 U	3.7	0.010 U
MW-23 Screen 3	Jul/Aug 2003	MW-23-3	NA	NA	3.5 J	0.010 U
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	NA	NA	4.2 J	0.010 U
MW-23 Screen 3	Feb 2004	MW-23-3	NA	NA	5.2	0.010 U
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	NA	NA	5.0	0.010 U
MW-23 Screen 3	Apr/May 2004	MW-23-3	5.0 U	0.120 U	8.3	0.004 J
MW-23 Screen 3	Jul/Aug 2004	MW-23-3	NA	NA	11.2	0.010 U
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	NA	NA	11.8 J	0.010 U
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	NA	NA	4.8	0.010 U
MW-23 Screen 3	Apr/May 2005	MW-23-3	5.0 U	0.036 J	3.1	0.010 U
MW-23 Screen 3	Jul/Sep 2005	MW-23-3	NA	NA	10.6	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	NA	NA	8.3	0.010 U
MW-23 Screen 3	Mar/Apr 2006	MW-23-3	NA	NA	2.9	0.010 U
MW-23 Screen 3	May/June 2006	MW-23-3	1.0	1.000 U	3.1	0.010 U
MW-23 Screen 3	Aug/Sep 2006	MW-23-3	NA	NA	4.9 U	0.010 U
MW-23 Screen 3	Oct/Dec 2006	MW-23-3	NA	NA	4.1	0.010 U
MW-23 Screen 3	Mar/Apr 2007	MW-23-3	NA	NA	3.1 J	0.010 U
MW-23 Screen 3	Jun/Jul 2007	MW-23-3	1.4	1.000 U	9.0 J	0.010 U
MW-23 Screen 3	Aug/Sep 2007	MW-23-3	NA	NA	11.7	0.010 U
MW-23 Screen 3	Oct/Dec 2007	MW-23-3	NA	NA	7.9 E	0.008 J
MW-23 Screen 3	Jan/Feb 2008	MW-23-3	NA	NA	5.9 E	0.004 J
MW-23 Screen 3	Apr/May 2008	MW-23-3	1.3 J	1.000 U	3.3	0.010 U
MW-23 Screen 3	Jul/Aug 2008	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Oct/Nov 2008	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Jan/Feb 2009	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2009	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Jul/Aug 2009	MW-23-3	NA	NA	5.3	0.010 U
MW-23 Screen 3	Nov/Dec 2009	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Feb 2010	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2010	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Jul/Aug 2010	MW-23-3	NA	NA	6.0 J	0.010 U
MW-23 Screen 3	Oct/Nov 2010	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Feb/Mar 2011	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2011	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Aug/Sep 2011	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Nov/Dec 2011	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Jan/Feb 2012	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2012	MW-23-3	2.0 U	5.000 U	7.8	0.010 U
MW-23 Screen 3	Aug/Sep 2012	MW-23-3	NA	NA	2.5 J	0.003 J
MW-23 Screen 3	Nov 2012	MW-23-3	NA	NA	2.8 J	0.003
MW-23 Screen 3	Jan/Feb 2013	MW-23-3	NA	NA	3.2	0.002 J
MW-23 Screen 3	Apr/May 2013	MW-23-3	1.2 J	1.000 U	3.0	0.003 J
MW-23 Screen 3	Jul 2013	MW-23-3	NA	NA	3.1	0.003
MW-23 Screen 3	Oct/Nov 2013	MW-23-3	NA	NA	2.7 J	0.003
MW-23 Screen 3	Jan/Feb 2014	MW-23-3	NA	NA	3.1	0.003 U
MW-23 Screen 3	Apr/May 2014	MW-23-3	1.0 J	1.000 U	3.1 U	0.004 U
MW-23 Screen 3	Jul/Aug 2014	MW-23-3	NA	NA	3.2	0.003
MW-23 Screen 3	Oct 2014	MW-23-3	NA	NA	2.9 J	0.003
MW-23 Screen 4	Sep/Oct 1997	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Jan/Feb 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Jul/Aug 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Oct/Nov 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Feb/Mar 1999	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 4	May/June 1999	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Aug 1999	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Nov/Dec 1999	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Mar/Apr 2000	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Jul/Aug 2000	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Sep/Oct 2000	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Jan/Feb 2001	MW-23-4	4.2 B	0.780 J	2.7 J	0.010 U
MW-23 Screen 4	Apr 2001	MW-23-4	NA	NA	NA	0.010 U
MW-23 Screen 4	Jul 2001	MW-23-4	NA	NA	3.8 J	UNK U
MW-23 Screen 4	Oct 2001	MW-23-4	NA	NA	5.9	0.010 U
MW-23 Screen 4	Jan/Feb 2002	MW-23-4	5.0 U	1.000 U	3.7 J	0.010 U
MW-23 Screen 4	Apr/May 2002	MW-23-4	NA	NA	5.0	0.010 U
MW-23 Screen 4	Jul 2002	MW-23-4	NA	NA	2.0	UNK U
MW-23 Screen 4	Oct/Nov 2002	MW-23-4	NA	NA	NA	0.010 U
MW-23 Screen 4	Jan/Feb 2003	MW-23-4	NA	NA	2.5	0.010 U
MW-23 Screen 4	Apr/May 2003	MW-23-4	5.0 U	1.000 U	2.2	0.010 U
MW-23 Screen 4	Jul/Aug 2003	MW-23-4	NA	NA	2.6 J	0.010 U
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	NA	NA	2.6 J	0.010 U
MW-23 Screen 4	Feb 2004	MW-23-4	NA	NA	3.3	0.010 U
MW-23 Screen 4	Apr/May 2004	MW-23-4	3.3 U	0.005 J	6.7	0.004 J
MW-23 Screen 4	Jul/Aug 2004	MW-23-4	NA	NA	7.9	0.010 U
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	NA	NA	9.9 J	0.010 U
MW-23 Screen 4	Jan/Feb 2005	MW-23-4	NA	NA	2.9	0.010 U
MW-23 Screen 4	Apr/May 2005	MW-23-4	5.0 U	0.019 J	4.2	0.010 U
MW-23 Screen 4	Jul/Sep 2005	MW-23-4	NA	NA	8.4	0.010 U
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	NA	NA	7.2	0.010 U
MW-23 Screen 4	Mar/Apr 2006	MW-23-4	NA	NA	1.9	0.010 U
MW-23 Screen 4	May/June 2006	MW-23-4	1.7	1.000 U	2.3	0.010 U
MW-23 Screen 4	Aug/Sep 2006	MW-23-4	NA	NA	3.0 U	0.010 U
MW-23 Screen 4	Oct/Dec 2006	MW-23-4	NA	NA	3.4	0.010 U
MW-23 Screen 4	Mar/Apr 2007	MW-23-4	NA	NA	2.5 J	0.010 U
MW-23 Screen 4	Jun/Jul 2007	MW-23-4	2.0	1.000 U	8.1 J	0.010 U
MW-23 Screen 4	Aug/Sep 2007	MW-23-4	NA	NA	10.6	0.010 U
MW-23 Screen 4	Oct/Dec 2007	MW-23-4	NA	NA	6.1 E	0.009 J
MW-23 Screen 4	Jan/Feb 2008	MW-23-4	NA	NA	3.2 E	0.010 U
MW-23 Screen 4	Apr/May 2008	MW-23-4	1.9 J	1.000 U	5.2	0.010 U
MW-23 Screen 4	Jul/Aug 2008	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Oct/Nov 2008	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Jan/Feb 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2009	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Jul/Aug 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Nov/Dec 2009	MW-23-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 4	Feb 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2010	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Jul/Aug 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Oct/Nov 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Feb/Mar 2011	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Feb/Mar 2011	DUPE-05-1Q11	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2011	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Aug/Sep 2011	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Nov/Dec 2011	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Jan/Feb 2012	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2012	MW-23-4	3.3	5.000 U	7.1	0.010 U
MW-23 Screen 4	Aug/Sep 2012	MW-23-4	NA	NA	2.2 J	0.003 J
MW-23 Screen 4	Nov 2012	MW-23-4	NA	NA	3.0	0.003
MW-23 Screen 4	Jan/Feb 2013	MW-23-4	NA	NA	3.0	0.002 J
MW-23 Screen 4	Jan/Feb 2013	DUP-3-1Q13	NA	NA	3.1	0.002 J
MW-23 Screen 4	Apr/May 2013	MW-23-4	1.7 J	1.000 U	2.7 J	0.002 J
MW-23 Screen 4	Jul 2013	MW-23-4	NA	NA	3.3	0.002 J
MW-23 Screen 4	Oct/Nov 2013	MW-23-4	NA	NA	2.3 J	0.003
MW-23 Screen 4	Jan/Feb 2014	MW-23-4	NA	NA	2.6 J	0.003
MW-23 Screen 4	Apr/May 2014	MW-23-4	1.3 J	1.000 U	3.1 U	0.004 U
MW-23 Screen 4	Jul/Aug 2014	MW-23-4	NA	NA	2.8 J	0.003
MW-23 Screen 4	Oct 2014	MW-23-4	NA	NA	2.0 J	0.002
MW-23 Screen 5	Sep/Oct 1997	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jan/Feb 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jul/Aug 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Oct/Nov 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Feb/Mar 1999	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	May/June 1999	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Nov/Dec 1999	MW-23-5	NA	NA	10.0 U	0.005 U
MW-23 Screen 5	Jul/Aug 2000	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jan/Feb 2001	MW-23-5	6.2	1.000 U	2.9 J	0.010 U
MW-23 Screen 5	Jan/Feb 2002	MW-23-5	3.4 B	0.750 J	2.5 J	0.010 U
MW-23 Screen 5	Apr/May 2003	MW-23-5	3.2 J	0.570 J	1.6	0.010 U
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	NA	NA	1.8 UJ	0.010 U
MW-23 Screen 5	Apr/May 2004	MW-23-5	4.0 U	1.200	7.1	0.004 J
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	NA	NA	9.2 J	0.010 U
MW-23 Screen 5	Apr/May 2005	MW-23-5	5.0 U	0.810 J	3.3	0.010 U
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	NA	NA	5.7	0.010 U
MW-23 Screen 5	May/June 2006	MW-23-5	3.0	1.230	1.0 U	0.010 U
MW-23 Screen 5	Oct/Dec 2006	MW-23-5	NA	NA	1.8	0.010 U
MW-23 Screen 5	Jun/Jul 2007	MW-23-5	5.3	1.290	8.1 J	0.010 U
MW-23 Screen 5	Oct/Dec 2007	MW-23-5	NA	NA	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 5	Apr/May 2008	MW-23-5	3.9 J	1.000 U	3.7	0.010 U
MW-23 Screen 5	Oct/Nov 2008	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2009	MW-23-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Nov/Dec 2009	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2010	MW-23-5	4.4	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Oct/Nov 2010	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2011	MW-23-5	4.7	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Nov/Dec 2011	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2012	MW-23-5	2.0 U	5.000 U	5.4	0.010 U
MW-23 Screen 5	Nov 2012	MW-23-5	NA	NA	3.0 U	0.002 U
MW-23 Screen 5	Apr/May 2013	MW-23-5	3.7	0.150 J	3.0 U	0.002 U
MW-23 Screen 5	Oct/Nov 2013	MW-23-5	NA	NA	3.0 U	0.002 U
MW-23 Screen 5	Apr/May 2014	MW-23-5	2.0 U	1.000 U	0.6 U	0.001 U
MW-23 Screen 5	Oct 2014	MW-23-5	NA	NA	3.0 U	0.002 U
MW-24 Screen 1	Sep/Oct 1997	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Jan/Feb 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Apr/May 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	May/June 1999	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Aug 1999	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Nov/Dec 1999	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Mar/Apr 2000	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Jul/Aug 2000	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Sep/Oct 2000	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Jan/Feb 2001	MW-24-1	5.0 U	1.000 U	6.1	0.010 U
MW-24 Screen 1	Apr 2001	MW-24-1	NA	NA	NA	0.010 U
MW-24 Screen 1	Jul 2001	MW-24-1	NA	NA	3.1 J	UNK U
MW-24 Screen 1	Oct 2001	MW-24-1	NA	NA	5.7	0.010 U
MW-24 Screen 1	Jan/Feb 2002	MW-24-1	1.7 B	0.390 J	5.2	0.010 U
MW-24 Screen 1	Apr/May 2002	MW-24-1	NA	NA	5.0	0.010 U
MW-24 Screen 1	Jul 2002	MW-24-1	NA	NA	7.0	UNK U
MW-24 Screen 1	Oct/Nov 2002	MW-24-1	NA	NA	NA	0.010 U
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	NA	NA	4.9	0.010 U
MW-24 Screen 1	Apr/May 2003	MW-24-1	5.0 U	1.000 U	5.7	0.010 U
MW-24 Screen 1	Jul/Aug 2003	MW-24-1	NA	NA	3.0	0.010 U
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	NA	NA	4.0	0.010 U
MW-24 Screen 1	Feb 2004	MW-24-1	NA	NA	5.8	0.010 U
MW-24 Screen 1	Apr/May 2004	MW-24-1	2.0 U	0.024 J	7.9	0.010 U
MW-24 Screen 1	Jul/Aug 2004	MW-24-1	NA	NA	11.2	0.010 U
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	NA	NA	4.3 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	NA	NA	12.0	0.010 U
MW-24 Screen 1	Apr/May 2005	MW-24-1	5.0 U	0.130 J	6.1	0.010 U
MW-24 Screen 1	Jul/Sep 2005	MW-24-1	NA	NA	9.8	0.010 U
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	NA	NA	9.3 J	0.010 U
MW-24 Screen 1	Mar/Apr 2006	MW-24-1	NA	NA	1.5	0.010 U
MW-24 Screen 1	May/June 2006	MW-24-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-24 Screen 1	May/June 2006	DUPE-8-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2006	MW-24-1	NA	NA	2.0 U	0.010 U
MW-24 Screen 1	Oct/Dec 2006	MW-24-1	NA	NA	2.0 U	0.010 U
MW-24 Screen 1	Mar/Apr 2007	MW-24-1	NA	NA	8.5 J	0.015 J
MW-24 Screen 1	Mar/Apr 2007	DUPE-5-1Q07	NA	NA	7.8 J	0.010 U
MW-24 Screen 1	Jun/Jul 2007	MW-24-1	1.0 U	1.000 U	3.3 J	0.010 U
MW-24 Screen 1	Aug/Sep 2007	MW-24-1	NA	NA	5.1	0.010 U
MW-24 Screen 1	Oct/Dec 2007	MW-24-1	NA	NA	9.1	0.010 U
MW-24 Screen 1	Oct/Dec 2007	DUPE-3-4Q07	NA	NA	9.3	0.010 U
MW-24 Screen 1	Jan/Feb 2008	MW-24-1	NA	NA	6.7	0.010 U
MW-24 Screen 1	Jan/Feb 2008	DUPE-5-1Q08	NA	NA	7.4	0.010 U
MW-24 Screen 1	Apr/May 2008	MW-24-1	1.0 U	1.000 U	3.8 J	0.010 U
MW-24 Screen 1	Apr/May 2008	DUPE-4-2Q08	1.0 U	1.000 U	4.7 J	0.010 U
MW-24 Screen 1	Jul/Aug 2008	MW-24-1	NA	NA	11.0	0.010 U
MW-24 Screen 1	Oct/Nov 2008	MW-24-1	NA	NA	8.6	0.010 U
MW-24 Screen 1	Jan/Feb 2009	MW-24-1	NA	NA	8.6	0.010 U
MW-24 Screen 1	Apr/May 2009	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2009	DUPE-02-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Jul/Aug 2009	MW-24-1	NA	NA	8.6	0.010 U
MW-24 Screen 1	Nov/Dec 2009	MW-24-1	NA	NA	13.0	0.010 U
MW-24 Screen 1	Feb 2010	MW-24-1	NA	NA	25.0	NA
MW-24 Screen 1	Feb 2010	DUPE-5-1Q10	NA	NA	13.0	NA
MW-24 Screen 1	Apr/May 2010	MW-24-1	2.0 U	5.000 U	12.0	0.010 U
MW-24 Screen 1	Jul/Aug 2010	MW-24-1	NA	NA	6.4 J	0.010 U
MW-24 Screen 1	Oct/Nov 2010	MW-24-1	NA	NA	6.0	0.010 U
MW-24 Screen 1	Feb/Mar 2011	MW-24-1	NA	NA	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2011	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2011	MW-24-1	NA	NA	7.9	0.010 U
MW-24 Screen 1	Nov/Dec 2011	MW-24-1	NA	NA	5.8	0.010 U
MW-24 Screen 1	Jan/Feb 2012	MW-24-1	NA	NA	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2012	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2012	MW-24-1	NA	NA	2.7 J	0.002 U
MW-24 Screen 1	Nov 2012	MW-24-1	NA	NA	4.2	0.001 J
MW-24 Screen 1	Jan/Feb 2013	MW-24-1	NA	NA	19.0	0.002 U
MW-24 Screen 1	Apr/May 2013	MW-24-1	2.0 U	1.000 U	20.0	0.002
MW-24 Screen 1	Jul 2013	MW-24-1	NA	NA	13.0	0.007

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 1	Oct/Nov 2013	MW-24-1	NA	NA	9.9	0.006
MW-24 Screen 1	Jan/Feb 2014	MW-24-1	NA	NA	16.0	0.002 U
MW-24 Screen 1	Apr/May 2014	MW-24-1	2.0 U	1.000 U	16.0	0.006
MW-24 Screen 1	Jul/Aug 2014	MW-24-1	NA	NA	6.1	0.002 U
MW-24 Screen 1	Oct 2014	MW-24-1	NA	NA	4.7	0.002 U
MW-24 Screen 2	Sep/Oct 1997	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Jan/Feb 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Apr/May 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	NA	2.000 U	NA	NA
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	5.0 U	NA	10.0 U	0.005 U
MW-24 Screen 2	Oct/Nov 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Feb/Mar 1999	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	May/Jun 1999	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Aug 1999	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Nov/Dec 1999	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Mar/Apr 2000	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Jul/Aug 2000	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Sep/Oct 2000	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Jan/Feb 2001	MW-24-2	5.0 U	1.000 U	3.3 J	0.010 U
MW-24 Screen 2	Apr 2001	MW-24-2	NA	NA	NA	0.010 U
MW-24 Screen 2	Jul 2001	MW-24-2	NA	NA	4.0 J	UNK U
MW-24 Screen 2	Oct 2001	MW-24-2	NA	NA	4.7	0.010 U
MW-24 Screen 2	Jan/Feb 2002	MW-24-2	2.2 B	1.000 U	3.7 J	0.010 U
MW-24 Screen 2	Apr/May 2002	MW-24-2	NA	NA	2.0	0.010 U
MW-24 Screen 2	Jul 2002	MW-24-2	NA	NA	6.0	UNK U
MW-24 Screen 2	Oct/Nov 2002	MW-24-2	NA	NA	NA	0.010 U
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	2.0	0.048 J	2.8	0.000 U
MW-24 Screen 2	Apr/May 2003	MW-24-2	5.0 U	1.000 U	2.2	0.010 U
MW-24 Screen 2	Apr/May 2003	DUPE-4-2Q03	5.0 U	1.000 U	2.0	0.010 U
MW-24 Screen 2	Jul/Aug 2003	MW-24-2	NA	NA	2.0	0.010 U
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	NA	NA	2.7 U	0.010 U
MW-24 Screen 2	Feb 2004	MW-24-2	NA	NA	2.3	0.010 U
MW-24 Screen 2	Apr/May 2004	MW-24-2	3.5 U	0.120 U	6.2	0.010 U
MW-24 Screen 2	Jul/Aug 2004	MW-24-2	NA	NA	9.2	0.010 U
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	NA	NA	7.9 J	0.010 U
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	NA	NA	8.8	0.010 U
MW-24 Screen 2	Apr/May 2005	MW-24-2	5.0 U	0.028 J	4.7	0.010 U
MW-24 Screen 2	Jul/Sep 2005	MW-24-2	NA	NA	7.9	0.010 U
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	NA	NA	9.2 J	0.010 U
MW-24 Screen 2	Mar/Apr 2006	MW-24-2	NA	NA	2.9	0.010 U
MW-24 Screen 2	Mar/Apr 2006	DUPE-2-1Q06	NA	NA	3.0	0.010 U
MW-24 Screen 2	May/Jun 2006	MW-24-2	2.3	1.000 U	1.8 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 2	Aug/Sep 2006	MW-24-2	NA	NA	4.1 U	0.010 U
MW-24 Screen 2	Oct/Dec 2006	MW-24-2	NA	NA	2.6	0.010 U
MW-24 Screen 2	Mar/Apr 2007	MW-24-2	NA	NA	8.0 J	0.010 U
MW-24 Screen 2	Jun/Jul 2007	MW-24-2	2.3	1.000 U	3.4 J	0.010 U
MW-24 Screen 2	Aug/Sep 2007	MW-24-2	NA	NA	13.1	0.010 U
MW-24 Screen 2	Oct/Dec 2007	MW-24-2	NA	NA	7.8	0.010 U
MW-24 Screen 2	Jan/Feb 2008	MW-24-2	NA	NA	5.9	0.010 U
MW-24 Screen 2	Jan/Feb 2008	DUPE-4-1Q08	NA	NA	5.6	0.010 U
MW-24 Screen 2	Apr/May 2008	MW-24-2	2.1	1.000 U	2.3 J	0.010 U
MW-24 Screen 2	Jul/Aug 2008	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Oct/Nov 2008	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jan/Feb 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2009	MW-24-2	2.4	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Nov/Dec 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Feb 2010	MW-24-2	NA	NA	5.0 U	NA
MW-24 Screen 2	Apr/May 2010	MW-24-2	2.3	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2010	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2010	DUPE-7-3Q10	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Oct/Nov 2010	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Feb/Mar 2011	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2011	MW-24-2	2.1	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2011	DUPE-1-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Aug/Sep 2011	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Nov/Dec 2011	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jan/Feb 2012	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2012	MW-24-2	3.0	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Aug/Sep 2012	MW-24-2	NA	NA	1.7 J	0.002 J
MW-24 Screen 2	Nov 2012	MW-24-2	NA	NA	3.1	0.002
MW-24 Screen 2	Nov 2012	DUPE-3-4Q12	NA	NA	2.7 J	0.002
MW-24 Screen 2	Jan/Feb 2013	MW-24-2	NA	NA	2.9 J	0.001 J
MW-24 Screen 2	Apr/May 2013	MW-24-2	2.4	1.000 U	1.8 J	0.002
MW-24 Screen 2	Jul 2013	MW-24-2	NA	NA	2.4 J	0.001 J
MW-24 Screen 2	Oct/Nov 2013	MW-24-2	NA	NA	2.3 U	0.002 J
MW-24 Screen 2	Jan/Feb 2014	MW-24-2	NA	NA	2.6 J	0.002
MW-24 Screen 2	Apr/May 2014	MW-24-2	2.2	1.000 U	2.0 J	0.003
MW-24 Screen 2	Apr/May 2014	DUP-2-2Q14	2.5	1.000 U	2.4 J	0.003
MW-24 Screen 2	Jul/Aug 2014	MW-24-2	NA	NA	1.7 J	0.002
MW-24 Screen 2	Oct 2014	MW-24-2	NA	NA	2.6 J	0.002 J
MW-24 Screen 3	Sep/Oct 1997	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Jan/Feb 1998	MW-24-3	6.0	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Apr/May 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	NA	2.000 U	NA	NA
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	5.0 U	NA	10.0 U	0.005 U
MW-24 Screen 3	Oct/Nov 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Feb/Mar 1999	MW-24-3	6.0	2.000 U	13.0	0.005 U
MW-24 Screen 3	May/June 1999	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Aug 1999	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Nov/Dec 1999	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Mar/Apr 2000	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Jul/Aug 2000	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Sep/Oct 2000	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Jan/Feb 2001	MW-24-3	5.0 U	1.000 U	3.9 J	0.010 U
MW-24 Screen 3	Apr 2001	MW-24-3	NA	NA	NA	0.010 U
MW-24 Screen 3	Jul 2001	MW-24-3	NA	NA	5.2	UNK U
MW-24 Screen 3	Jul 2001	DUP	NA	NA	4.5 J	UNK U
MW-24 Screen 3	Oct 2001	MW-24-3	NA	NA	6.9	0.010 U
MW-24 Screen 3	Jan/Feb 2002	MW-24-3	4.3 B	0.130 J	5.9	0.010 U
MW-24 Screen 3	Apr/May 2002	MW-24-3	NA	NA	5.0	0.010 U
MW-24 Screen 3	Jul 2002	MW-24-3	NA	NA	5.0	UNK U
MW-24 Screen 3	Oct/Nov 2002	MW-24-3	NA	NA	NA	0.010 U
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	NA	NA	2.5	0.010 U
MW-24 Screen 3	Apr/May 2003	MW-24-3	4.4 J	1.000 U	2.2	0.010 U
MW-24 Screen 3	Jul/Aug 2003	MW-24-3	NA	NA	1.3 U	0.010 U
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	NA	NA	1.7 U	0.010 U
MW-24 Screen 3	Feb 2004	MW-24-3	NA	NA	3.6	0.010 U
MW-24 Screen 3	Apr/May 2004	MW-24-3	4.3 U	0.012 J	5.1	0.010 U
MW-24 Screen 3	Jul/Aug 2004	MW-24-3	NA	NA	7.3	0.010 U
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	NA	NA	7.2 J	0.010 U
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	NA	NA	8.2	0.010 U
MW-24 Screen 3	Apr/May 2005	MW-24-3	5.0 U	0.046 J	3.6	0.010 U
MW-24 Screen 3	Jul/Sep 2005	MW-24-3	NA	NA	6.4	0.010 U
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	NA	NA	7.7 J	0.010 U
MW-24 Screen 3	Mar/Apr 2006	MW-24-3	NA	NA	1.0	0.010 U
MW-24 Screen 3	May/June 2006	MW-24-3	2.6	1.000 U	1.2 J	0.010 U
MW-24 Screen 3	Aug/Sep 2006	MW-24-3	NA	NA	4.3 U	0.010 U
MW-24 Screen 3	Oct/Dec 2006	MW-24-3	NA	NA	2.0 U	0.010 U
MW-24 Screen 3	Mar/Apr 2007	MW-24-3	NA	NA	6.9 J	0.010 U
MW-24 Screen 3	Jun/Jul 2007	MW-24-3	2.8	1.000 U	5.9 J	0.010 U
MW-24 Screen 3	Aug/Sep 2007	MW-24-3	NA	NA	11.0	0.010 U
MW-24 Screen 3	Oct/Dec 2007	MW-24-3	NA	NA	6.1	0.010 U
MW-24 Screen 3	Jan/Feb 2008	MW-24-3	NA	NA	4.5	0.010 U
MW-24 Screen 3	Apr/May 2008	MW-24-3	2.8	3.620 J	14.5	0.010 U
MW-24 Screen 3	Jul/Aug 2008	MW-24-3	NA	NA	5.9	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 3	Oct/Nov 2008	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Oct/Nov 2008	DUPE-08-4Q08	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Jan/Feb 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2009	MW-24-3	3.0	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2009	DUPE-01-2Q09	3.5	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Jul/Aug 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Feb 2010	MW-24-3	NA	NA	5.0 U	NA
MW-24 Screen 3	Apr/May 2010	MW-24-3	2.5	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Jul/Aug 2010	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Oct/Nov 2010	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Feb/Mar 2011	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2011	MW-24-3	3.0	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Aug/Sep 2011	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2011	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2011	DUPE-7-4Q11	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Jan/Feb 2012	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2012	MW-24-3	5.2	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2012	DUPE-2-2Q12	4.9	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Aug/Sep 2012	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Aug/Sep 2012	DUPE-6-3Q12	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Nov 2012	MW-24-3	NA	NA	0.5 J	0.002 U
MW-24 Screen 3	Jan/Feb 2013	MW-24-3	NA	NA	0.7 J	0.002 U
MW-24 Screen 3	Apr/May 2013	MW-24-3	2.3	1.000 U	3.0 U	0.004 U
MW-24 Screen 3	Jul 2013	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Oct/Nov 2013	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Jan/Feb 2014	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Apr/May 2014	MW-24-3	2.2 U	1.000 U	3.0 U	0.001 U
MW-24 Screen 3	Jul/Aug 2014	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Oct 2014	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Sep/Oct 1997	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Jan/Feb 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Apr/May 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	NA	2.000 U	NA	NA
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	5.0 U	NA	10.0 U	0.005 U
MW-24 Screen 4	Oct/Nov 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Feb/Mar 1999	MW-24-4	5.0 U	3.100	10.0 U	0.005 U
MW-24 Screen 4	May/June 1999	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Aug 1999	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Nov/Dec 1999	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Mar/Apr 2000	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Jul/Aug 2000	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 4	Sep/Oct 2000	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Jan/Feb 2001	MW-24-4	5.0 U	1.000 U	2.4 J	0.010 U
MW-24 Screen 4	Apr 2001	MW-24-4	NA	NA	NA	0.010 U
MW-24 Screen 4	Jul 2001	MW-24-4	NA	NA	4.0 J	UNK U
MW-24 Screen 4	Oct 2001	MW-24-4	NA	NA	5.2	0.010 U
MW-24 Screen 4	Jan/Feb 2002	MW-24-4	1.9 B	1.000 U	2.4 J	0.010 U
MW-24 Screen 4	Jan/Feb 2002	DUP	NA	1.000 U	2.0 J	NA
MW-24 Screen 4	Apr/May 2002	MW-24-4	NA	NA	1.0 U	0.010 U
MW-24 Screen 4	Jul 2002	MW-24-4	NA	NA	3.0	UNK U
MW-24 Screen 4	Oct/Nov 2002	MW-24-4	NA	NA	NA	0.010 U
MW-24 Screen 4	Jan/Feb 2003	MW-24-4	NA	NA	1.5	0.010 U
MW-24 Screen 4	Apr/May 2003	MW-24-4	5.0 U	1.000 U	0.3 J	0.010 U
MW-24 Screen 4	Jul/Aug 2003	MW-24-4	NA	NA	0.7 UJ	0.010 U
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	NA	NA	1.2 U	0.010 U
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	NA	NA	1.1 U	0.010 U
MW-24 Screen 4	Feb 2004	MW-24-4	NA	NA	1.5	0.010 U
MW-24 Screen 4	Apr/May 2004	MW-24-4	2.2 U	0.120 U	4.3	0.010 U
MW-24 Screen 4	Jul/Aug 2004	MW-24-4	NA	NA	6.2	0.010 U
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	NA	NA	4.9 J	0.010 U
MW-24 Screen 4	Jan/Feb 2005	MW-24-4	NA	NA	7.3	0.010 U
MW-24 Screen 4	Apr/May 2005	MW-24-4	5.0 U	0.077 J	2.6	0.010 U
MW-24 Screen 4	Jul/Sep 2005	MW-24-4	NA	NA	5.0	0.010 U
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	NA	NA	5.3 J	0.010 U
MW-24 Screen 4	Mar/Apr 2006	MW-24-4	NA	NA	1.0 U	0.010 U
MW-24 Screen 4	May/June 2006	MW-24-4	2.3	1.000 U	1.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2006	MW-24-4	NA	NA	3.3 U	0.010 U
MW-24 Screen 4	Oct/Dec 2006	MW-24-4	NA	NA	2.6 U	0.010 U
MW-24 Screen 4	Mar/Apr 2007	MW-24-4	NA	NA	4.9 J	0.006 J
MW-24 Screen 4	Jun/Jul 2007	MW-24-4	1.5	1.000 U	1.3 J	0.010 U
MW-24 Screen 4	Aug/Sep 2007	MW-24-4	NA	NA	8.7	0.010 U
MW-24 Screen 4	Oct/Dec 2007	MW-24-4	NA	NA	4.1	0.010 U
MW-24 Screen 4	Jan/Feb 2008	MW-24-4	NA	NA	3.2	0.010 U
MW-24 Screen 4	Apr/May 2008	MW-24-4	1.4	1.000 U	1.6 J	0.007 J
MW-24 Screen 4	Jul/Aug 2008	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Oct/Nov 2008	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Jan/Feb 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2009	MW-24-4	3.3	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Jul/Aug 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Nov/Dec 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Feb 2010	MW-24-4	NA	NA	5.0 U	NA
MW-24 Screen 4	Apr/May 2010	MW-24-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Jul/Aug 2010	MW-24-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 4	Oct/Nov 2010	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Oct/Nov 2010	DUPE-06-4Q10	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Feb/Mar 2011	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2011	MW-24-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2011	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Nov/Dec 2011	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Jan/Feb 2012	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2012	MW-24-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2012	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Nov 2012	MW-24-4	NA	NA	0.6 J	0.002 U
MW-24 Screen 4	Jan/Feb 2013	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Apr/May 2013	MW-24-4	1.1 J	1.000 U	3.0 U	0.002 U
MW-24 Screen 4	Jul 2013	MW-24-4	NA	NA	0.6 J	0.002 U
MW-24 Screen 4	Oct/Nov 2013	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Jan/Feb 2014	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Apr/May 2014	MW-24-4	1.3 U	1.000 U	0.6 U	0.002 U
MW-24 Screen 4	Jul/Aug 2014	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Oct 2014	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Oct 2014	DUP-8-4Q14	NA	NA	0.7 J	0.002 U
MW-24 Screen 5	Sep/Oct 1997	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jan/Feb 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Apr/May 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jul/Aug 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Oct/Nov 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Feb/Mar 1999	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	May/Jun 1999	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Nov/Dec 1999	MW-24-5	NA	NA	10.0 U	0.005 U
MW-24 Screen 5	Jul/Aug 2000	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jan/Feb 2001	MW-24-5	5.0 U	1.000 U	5.2	0.010 U
MW-24 Screen 5	Jan/Feb 2002	MW-24-5	3.2 B	1.000 U	5.0	0.010 U
MW-24 Screen 5	Jan/Feb 2002	DUP	3.9 B	1.000 U	4.7 J	0.010 U
MW-24 Screen 5	Apr/May 2003	MW-24-5	2.7 J	1.000 U	4.1	0.010 U
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	NA	NA	3.7	0.010 U
MW-24 Screen 5	Apr/May 2004	MW-24-5	3.8 U	0.120 U	7.6	0.010 U
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	NA	NA	9.7 J	0.010 U
MW-24 Screen 5	Apr/May 2005	MW-24-5	5.0 U	0.077 J	5.6	0.010 U
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	NA	NA	9.8 J	0.010 U
MW-24 Screen 5	May/Jun 2006	MW-24-5	2.5	1.000 U	2.7 J	0.010 U
MW-24 Screen 5	Oct/Dec 2006	MW-24-5	NA	NA	3.3	0.010 U
MW-24 Screen 5	Jun/Jul 2007	MW-24-5	2.4	1.000 U	3.9 J	0.010 U
MW-24 Screen 5	Oct/Dec 2007	MW-24-5	NA	NA	8.6	0.010 U
MW-24 Screen 5	Apr/May 2008	MW-24-5	2.4	1.000 U	3.4 J	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 5	Oct/Nov 2008	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2009	MW-24-5	3.2	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov/Dec 2009	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2010	MW-24-5	3.0	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Oct/Nov 2010	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2011	MW-24-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov/Dec 2011	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2012	MW-24-5	2.8	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov 2012	MW-24-5	NA	NA	2.9 J	0.002
MW-24 Screen 5	Apr/May 2013	MW-24-5	2.4	0.140 U	2.3 J	0.003
MW-24 Screen 5	Oct/Nov 2013	MW-24-5	NA	NA	3.1 U	0.001 J
MW-24 Screen 5	Apr/May 2014	MW-24-5	2.4 U	1.000 U	2.5 U	0.003 U
MW-24 Screen 5	Oct 2014	MW-24-5	NA	NA	1.1 J	0.002
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	5.0 U	0.045 J	4.4	0.010 U
MW-25 Screen 1	Apr/May 2005	MW-25-1	5.0 U	0.097 J	4.2	0.010 U
MW-25 Screen 1	Jul/Sep 2005	MW-25-1	NA	NA	6.9	0.010 U
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	NA	NA	9.7	0.010 U
MW-25 Screen 1	Mar/Apr 2006	MW-25-1	NA	NA	2.3 J	0.010 U
MW-25 Screen 1	May/June 2006	MW-25-1	1.0 U	1.000 U	1.4 J	0.010 U
MW-25 Screen 1	Aug/Sep 2006	MW-25-1	NA	NA	2.7 U	0.010 U
MW-25 Screen 1	Oct/Dec 2006	MW-25-1	NA	NA	2.4 U	0.010 U
MW-25 Screen 1	Oct/Dec 2006	DUPE-6-4Q06	NA	NA	2.9 U	0.010 U
MW-25 Screen 1	Mar/Apr 2007	MW-25-1	NA	NA	1.8	0.010 U
MW-25 Screen 1	Jun/Jul 2007	MW-25-1	1.0 U	1.000 U	1.7	0.010 U
MW-25 Screen 1	Jun/Jul 2007	DUPE-6-2Q07	1.0 U	1.000 U	1.7	0.010 U
MW-25 Screen 1	Aug/Sep 2007	MW-25-1	NA	NA	2.0 U	0.010 U
MW-25 Screen 1	Oct/Dec 2007	MW-25-1	NA	NA	7.6 E	0.010 U
MW-25 Screen 1	Jan/Feb 2008	MW-25-1	NA	NA	9.1 E	0.010 U
MW-25 Screen 1	Jan/Feb 2008	DUPE-3-1Q08	NA	NA	8.5 E	0.010 U
MW-25 Screen 1	Apr/May 2008	MW-25-1	1.0 U	1.000 U	4.8	0.010 U
MW-25 Screen 1	Jul/Aug 2008	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Oct/Nov 2008	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2009	DUPE-02-1Q09	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2009	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Jul/Aug 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Nov/Dec 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Feb 2010	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2010	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Jul/Aug 2010	MW-25-1	NA	NA	7.1	0.010 U
MW-25 Screen 1	Oct/Nov 2010	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Feb/Mar 2011	MW-25-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 1	Apr/May 2011	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Aug/Sep 2011	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Nov/Dec 2011	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2012	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2012	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Aug/Sep 2012	MW-25-1	NA	NA	1.5 J	0.002 U
MW-25 Screen 1	Nov 2012	MW-25-1	NA	NA	5.0	0.002 U
MW-25 Screen 1	Jan/Feb 2013	MW-25-1	NA	NA	2.1 J	0.004 U
MW-25 Screen 1	Apr/May 2013	MW-25-1	2.0 U	1.000 U	1.6 J	0.002 U
MW-25 Screen 1	Jul 2013	MW-25-1	NA	NA	1.7 J	0.002 U
MW-25 Screen 1	Oct/Nov 2013	MW-25-1	NA	NA	2.3 U	0.002 U
MW-25 Screen 1	Jan/Feb 2014	MW-25-1	NA	NA	2.0 U	0.002 U
MW-25 Screen 1	Apr/May 2014	MW-25-1	2.0 U	1.000 U	1.5 J	0.002 U
MW-25 Screen 1	Jul/Aug 2014	MW-25-1	NA	NA	1.5 U	0.002 U
MW-25 Screen 1	Oct 2014	MW-25-1	NA	NA	1.4 J	0.002 U
MW-25 Screen 1	Oct 2014	DUP-4-4Q14	NA	NA	1.5 J	0.002 U
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	5.0 U	0.090 J	1.0	0.010 U
MW-25 Screen 2	Apr/May 2005	MW-25-2	5.0 U	0.060 J	3.2	0.010 U
MW-25 Screen 2	Apr/May 2005	DUPE-6-2Q05	5.0 U	0.053 J	3.5	0.010 U
MW-25 Screen 2	Jul/Sep 2005	MW-25-2	NA	NA	5.2	0.010 U
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	NA	NA	6.3	0.010 U
MW-25 Screen 2	Mar/Apr 2006	MW-25-2	NA	NA	2.3 J	0.010 U
MW-25 Screen 2	May/June 2006	MW-25-2	1.2 J	1.000 U	2.3 J	0.010 U
MW-25 Screen 2	Aug/Sep 2006	MW-25-2	NA	NA	3.4 U	0.010 U
MW-25 Screen 2	Oct/Dec 2006	MW-25-2	NA	NA	3.7 U	0.010 U
MW-25 Screen 2	Mar/Apr 2007	MW-25-2	NA	NA	8.7 J	0.010 U
MW-25 Screen 2	Jun/Jul 2007	MW-25-2	1.6	1.000 U	5.4	0.010 U
MW-25 Screen 2	Aug/Sep 2007	MW-25-2	NA	NA	12.2 E	0.010 U
MW-25 Screen 2	Oct/Dec 2007	MW-25-2	NA	NA	10.1 E	0.010 U
MW-25 Screen 2	Jan/Feb 2008	MW-25-2	NA	NA	10.3 E	0.010 U
MW-25 Screen 2	Apr/May 2008	MW-25-2	1.2	1.000 U	6.5	0.010 U
MW-25 Screen 2	Jul/Aug 2008	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Oct/Nov 2008	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Jan/Feb 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2009	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Jul/Aug 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Nov/Dec 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Feb 2010	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2010	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2010	DUPE-7-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Jul/Aug 2010	MW-25-2	NA	NA	6.5 J	0.010 U
MW-25 Screen 2	Oct/Nov 2010	MW-25-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 2	Feb/Mar 2011	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2011	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2011	DUPE-4-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Aug/Sep 2011	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Aug/Sep 2011	DUPE-05-3Q11	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Nov/Dec 2011	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Jan/Feb 2012	MW-25-2	NA	NA	5.0	0.010 U
MW-25 Screen 2	Apr/May 2012	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Aug/Sep 2012	MW-25-2	NA	NA	2.8 J	0.002 J
MW-25 Screen 2	Nov 2012	MW-25-2	NA	NA	2.8 J	0.002
MW-25 Screen 2	Jan/Feb 2013	MW-25-2	NA	NA	3.7	0.004 U
MW-25 Screen 2	Apr/May 2013	MW-25-2	0.8 J	1.000 U	2.8 J	0.002 J
MW-25 Screen 2	Jul 2013	MW-25-2	NA	NA	2.9 J	0.002 J
MW-25 Screen 2	Oct/Nov 2013	MW-25-2	NA	NA	2.5 J	0.001 J
MW-25 Screen 2	Oct/Nov 2013	DUPE-4-4Q13	NA	NA	3.7 U	0.001 J
MW-25 Screen 2	Jan/Feb 2014	MW-25-2	NA	NA	4.0	0.002 J
MW-25 Screen 2	Apr/May 2014	MW-25-2	0.8 J	1.000 U	2.8 U	0.002 J
MW-25 Screen 2	Jul/Aug 2014	MW-25-2	NA	NA	3.0	0.002
MW-25 Screen 2	Jul/Aug 2014	DUP-4-3Q14	NA	NA	2.7 J	0.002
MW-25 Screen 2	Oct 2014	MW-25-2	NA	NA	2.3 J	0.002
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	5.0 U	0.012 J	5.2	0.010 U
MW-25 Screen 3	Apr/May 2005	MW-25-3	5.0 U	0.057 J	6.5	0.010 U
MW-25 Screen 3	Jul/Sep 2005	MW-25-3	NA	NA	8.5	0.010 U
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	NA	NA	10.2	0.010 U
MW-25 Screen 3	Mar/Apr 2006	MW-25-3	NA	NA	3.9 J	0.020
MW-25 Screen 3	May/June 2006	MW-25-3	1.6 J	1.000 U	3.7 J	0.010 U
MW-25 Screen 3	Aug/Sep 2006	MW-25-3	NA	NA	4.5 U	0.010 U
MW-25 Screen 3	Oct/Dec 2006	MW-25-3	NA	NA	3.2	0.010 U
MW-25 Screen 3	Mar/Apr 2007	MW-25-3	NA	NA	9.6 J	0.010 U
MW-25 Screen 3	Jun/Jul 2007	MW-25-3	1.4	1.000 U	5.0	0.010 U
MW-25 Screen 3	Aug/Sep 2007	MW-25-3	NA	NA	13.1 E	0.010 U
MW-25 Screen 3	Oct/Dec 2007	MW-25-3	NA	NA	11.0 E	0.010 U
MW-25 Screen 3	Jan/Feb 2008	MW-25-3	NA	NA	10.5 E	0.010 U
MW-25 Screen 3	Apr/May 2008	MW-25-3	1.4	1.000 U	7.4	0.010 U
MW-25 Screen 3	Jul/Aug 2008	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Oct/Nov 2008	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Jan/Feb 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2009	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2009	DUPE-04-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Jul/Aug 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Nov/Dec 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Feb 2010	MW-25-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 3	Apr/May 2010	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Jul/Aug 2010	MW-25-3	NA	NA	5.9	0.010 U
MW-25 Screen 3	Oct/Nov 2010	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Feb/Mar 2011	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2011	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Aug/Sep 2011	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Nov/Dec 2011	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Jan/Feb 2012	MW-25-3	NA	NA	5.1	0.010 U
MW-25 Screen 3	Apr/May 2012	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Aug/Sep 2012	MW-25-3	NA	NA	3.2	0.003
MW-25 Screen 3	Aug/Sep 2012	DUPE-2-3Q12	NA	NA	3.2	0.003
MW-25 Screen 3	Nov 2012	MW-25-3	NA	NA	3.1	0.004
MW-25 Screen 3	Jan/Feb 2013	MW-25-3	NA	NA	3.5	0.001 J
MW-25 Screen 3	Apr/May 2013	MW-25-3	0.9 J	0.230 J	3.2	0.002 J
MW-25 Screen 3	Jul 2013	MW-25-3	NA	NA	3.3	0.003
MW-25 Screen 3	Jul 2013	DUPE-4-3Q13	NA	NA	3.1	0.003
MW-25 Screen 3	Oct/Nov 2013	MW-25-3	NA	NA	2.4 J	0.002
MW-25 Screen 3	Jan/Feb 2014	MW-25-3	NA	NA	1.8 J	0.003
MW-25 Screen 3	Apr/May 2014	MW-25-3	1.0 J	1.000 U	2.7 U	0.003
MW-25 Screen 3	Jul/Aug 2014	MW-25-3	NA	NA	3.5	0.003
MW-25 Screen 3	Oct 2014	MW-25-3	NA	NA	2.6 J	0.003
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	5.0 U	0.026 J	5.3	0.010 U
MW-25 Screen 4	Apr/May 2005	MW-25-4	5.0 U	0.073 J	6.6	0.010 U
MW-25 Screen 4	Jul/Sep 2005	MW-25-4	NA	NA	9.1	0.010 U
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	NA	NA	10.4	0.010 U
MW-25 Screen 4	Mar/Apr 2006	MW-25-4	NA	NA	2.3 J	0.010 U
MW-25 Screen 4	May/June 2006	MW-25-4	1.4 J	1.000 U	2.2 J	0.010 U
MW-25 Screen 4	Aug/Sep 2006	MW-25-4	NA	NA	3.1 U	0.010 U
MW-25 Screen 4	Oct/Dec 2006	MW-25-4	NA	NA	2.8 E	0.010 U
MW-25 Screen 4	Mar/Apr 2007	MW-25-4	NA	NA	9.5 J	0.010 U
MW-25 Screen 4	Jun/Jul 2007	MW-25-4	1.6	1.000 U	3.8	0.010 U
MW-25 Screen 4	Aug/Sep 2007	MW-25-4	NA	NA	12.9 E	0.010 U
MW-25 Screen 4	Oct/Dec 2007	MW-25-4	NA	NA	11.6 E	0.010 U
MW-25 Screen 4	Jan/Feb 2008	MW-25-4	NA	NA	11.1 E	0.010 U
MW-25 Screen 4	Apr/May 2008	MW-25-4	1.4	1.000 U	6.4	0.010 U
MW-25 Screen 4	Jul/Aug 2008	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Oct/Nov 2008	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Jan/Feb 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2009	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Jul/Aug 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2009	DUPE-07-4Q09	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 4	Feb 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2010	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Jul/Aug 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Oct/Nov 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Feb/Mar 2011	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2011	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Aug/Sep 2011	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2011	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Jan/Feb 2012	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2012	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Aug/Sep 2012	MW-25-4	NA	NA	1.1 J	0.002 U
MW-25 Screen 4	Nov 2012	MW-25-4	NA	NA	1.4 J	0.001 J
MW-25 Screen 4	Jan/Feb 2013	MW-25-4	NA	NA	2.0 J	0.002 U
MW-25 Screen 4	Jan/Feb 2013	DUP-2-1Q13	NA	NA	1.8 J	0.002 U
MW-25 Screen 4	Apr/May 2013	MW-25-4	0.8 J	1.000 U	1.3 J	0.002 U
MW-25 Screen 4	Jul 2013	MW-25-4	NA	NA	1.5 J	0.002 U
MW-25 Screen 4	Oct/Nov 2013	MW-25-4	NA	NA	1.1 J	0.002 U
MW-25 Screen 4	Jan/Feb 2014	MW-25-4	NA	NA	0.9 J	0.001 J
MW-25 Screen 4	Apr/May 2014	MW-25-4	0.8 J	1.000 U	1.4 U	0.001 J
MW-25 Screen 4	Jul/Aug 2014	MW-25-4	NA	NA	1.4 J	0.001 J
MW-25 Screen 4	Oct 2014	MW-25-4	NA	NA	0.9 J	0.001 J
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	5.0 U	0.120 U	2.2	0.010 U
MW-25 Screen 5	Apr/May 2005	MW-25-5	5.0 U	0.020 J	3.3	0.010 U
MW-25 Screen 5	Jul/Sep 2005	MW-25-5	NA	NA	6.4	0.010 U
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	NA	NA	7.3	0.010 U
MW-25 Screen 5	Mar/Apr 2006	MW-25-5	NA	NA	1.0 U	0.010 U
MW-25 Screen 5	May/June 2006	MW-25-5	2.3 J	1.000 U	1.0 U	0.010 U
MW-25 Screen 5	Aug/Sep 2006	MW-25-5	NA	NA	2.7 U	0.010 U
MW-25 Screen 5	Oct/Dec 2006	MW-25-5	NA	NA	1.7 E	0.010 U
MW-25 Screen 5	Mar/Apr 2007	MW-25-5	NA	NA	3.6 J	0.010 U
MW-25 Screen 5	Jun/Jul 2007	MW-25-5	4.4	1.000 U	1.6	0.010 U
MW-25 Screen 5	Aug/Sep 2007	MW-25-5	NA	NA	5.4 E	0.010 U
MW-25 Screen 5	Oct/Dec 2007	MW-25-5	NA	NA	3.8 E	0.010 U
MW-25 Screen 5	Jan/Feb 2008	MW-25-5	NA	NA	4.7 E	0.010 U
MW-25 Screen 5	Apr/May 2008	MW-25-5	3.1	1.000 U	2.3	0.010 U
MW-25 Screen 5	Jul/Aug 2008	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Oct/Nov 2008	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Jan/Feb 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2009	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Jul/Aug 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Nov/Dec 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Feb 2010	MW-25-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 5	Apr/May 2010	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Jul/Aug 2010	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Oct/Nov 2010	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Feb/Mar 2011	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2011	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Aug/Sep 2011	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Nov/Dec 2011	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Jan/Feb 2012	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2012	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Aug/Sep 2012	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Nov 2012	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Jan/Feb 2013	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Apr/May 2013	MW-25-5	2.1	0.370 J	3.0 U	0.002 U
MW-25 Screen 5	Jul 2013	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Oct/Nov 2013	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Jan/Feb 2014	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Apr/May 2014	MW-25-5	1.7 J	1.000 U	3.0 U	0.002 U
MW-25 Screen 5	Jul/Aug 2014	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Oct 2014	MW-25-5	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Apr/May 2005	MW-26-1	3.6 J	0.023 J	7.1	0.010 U
MW-26 Screen 1	Jul/Sep 2005	MW-26-1	NA	NA	13.2	0.010 U
MW-26 Screen 1	Jul/Sep 2005	DUPE-6-3Q05	NA	NA	15.0	0.010 U
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	NA	NA	12.0	0.010 U
MW-26 Screen 1	Mar/Apr 2006	MW-26-1	NA	NA	1.0 U	0.010 U
MW-26 Screen 1	May/June 2006	MW-26-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2006	MW-26-1	NA	NA	2.0 U	0.010 U
MW-26 Screen 1	Oct/Dec 2006	MW-26-1	NA	NA	3.3	0.010 U
MW-26 Screen 1	Mar/Apr 2007	MW-26-1	NA	NA	9.7	0.010 U
MW-26 Screen 1	Jun/Jul 2007	MW-26-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2007	MW-26-1	NA	NA	14.3 E	0.010 U
MW-26 Screen 1	Oct/Dec 2007	MW-26-1	NA	NA	10.4	0.010 U
MW-26 Screen 1	Jan/Feb 2008	MW-26-1	NA	NA	14.2 E	0.010 U
MW-26 Screen 1	Apr/May 2008	MW-26-1	1.0 U	1.000 U	5.4	0.010 U
MW-26 Screen 1	Jul/Aug 2008	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Oct/Nov 2008	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Jan/Feb 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2009	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Jul/Aug 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Nov/Dec 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Feb 2010	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2010	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Jul/Aug 2010	MW-26-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-26 Screen 1	Oct/Nov 2010	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Oct/Nov 2010	DUPE-08-4Q10	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Feb/Mar 2011	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2011	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2011	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Nov/Dec 2011	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Jan/Feb 2012	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2012	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2012	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Nov 2012	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Nov 2012	DUPE-2-4Q12	NA	NA	0.5 J	0.002 U
MW-26 Screen 1	Jan/Feb 2013	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Apr/May 2013	MW-26-1	2.0 U	0.130 J	0.9 J	0.002 U
MW-26 Screen 1	Jul 2013	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct/Nov 2013	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct/Nov 2013	DUPE-3-4Q13	NA	NA	7.2	0.002 U
MW-26 Screen 1	Jan/Feb 2014	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Apr/May 2014	MW-26-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-26 Screen 1	Jul/Aug 2014	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct 2014	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct 2014	DUP-6-4Q14	NA	NA	3.0 U	0.002 U
MW-26 Screen 2	Apr/May 2005	MW-26-2	1.3 J	1.000 U	11.1	0.010 U
MW-26 Screen 2	Jul/Sep 2005	MW-26-2	NA	NA	12.7	0.010 U
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	NA	NA	12.8	0.010 U
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	NA	NA	11.9	0.010 U
MW-26 Screen 2	Mar/Apr 2006	MW-26-2	NA	NA	2.9 J	0.010 U
MW-26 Screen 2	May/June 2006	MW-26-2	1.8	1.000 U	1.7 J	0.010 U
MW-26 Screen 2	Aug/Sep 2006	MW-26-2	NA	NA	3.7 U	0.010 U
MW-26 Screen 2	Oct/Dec 2006	MW-26-2	NA	NA	4.6	0.010 U
MW-26 Screen 2	Mar/Apr 2007	MW-26-2	NA	NA	10.0	0.010 U
MW-26 Screen 2	Jun/Jul 2007	MW-26-2	1.9	1.000 U	2.1	0.010 U
MW-26 Screen 2	Aug/Sep 2007	MW-26-2	NA	NA	14.4 E	0.010 U
MW-26 Screen 2	Oct/Dec 2007	MW-26-2	NA	NA	10.2	0.010 U
MW-26 Screen 2	Jan/Feb 2008	MW-26-2	NA	NA	12.9 E	0.010 U
MW-26 Screen 2	Apr/May 2008	MW-26-2	3.4	1.000 U	9.9	0.010 U
MW-26 Screen 2	Jul/Aug 2008	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Oct/Nov 2008	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Jan/Feb 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2009	MW-26-2	3.0	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Jul/Aug 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Nov/Dec 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Feb 2010	MW-26-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-26 Screen 2	Apr/May 2010	MW-26-2	2.2	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Jul/Aug 2010	MW-26-2	NA	NA	6.8	0.010 U
MW-26 Screen 2	Oct/Nov 2010	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Feb/Mar 2011	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2011	MW-26-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Aug/Sep 2011	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Nov/Dec 2011	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Jan/Feb 2012	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2012	MW-26-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Aug/Sep 2012	MW-26-2	NA	NA	3.0 U	0.002 U
MW-26 Screen 2	Nov 2012	MW-26-2	NA	NA	0.8 J	0.001 J
MW-26 Screen 2	Jan/Feb 2013	MW-26-2	NA	NA	3.6	0.002 U
MW-26 Screen 2	Apr/May 2013	MW-26-2	1.2 J	1.000 U	2.9 J	0.002 U
MW-26 Screen 2	Jul 2013	MW-26-2	NA	NA	2.6 J	0.002 U
MW-26 Screen 2	Oct/Nov 2013	MW-26-2	NA	NA	2.1 J	0.002 U
MW-26 Screen 2	Jan/Feb 2014	MW-26-2	NA	NA	3.0 U	0.001 U
MW-26 Screen 2	Apr/May 2014	MW-26-2	2.3	1.000 U	5.0	0.002 U
MW-26 Screen 2	Jul/Aug 2014	MW-26-2	NA	NA	2.0 J	0.002 U
MW-26 Screen 2	Oct 2014	MW-26-2	NA	NA	2.3 U	0.002 U
California Maximum Contaminant Level (MCL)			10	15 *	50	0.01 **
EPA Region IX Maximum Contaminant Level			50	15 *	100	NE

Notes

DUPE Field Duplicate

NA Not analyzed

NE Not established

UNK PQL value unknown

* Interim Action Level - California Department of Health Services

** As of January 6, 2004, hexavalent chromium is regulated under the 50-µg/L MCL for total chromium.

DHS will be adopting an MCL that is specific for hexavalent chromium (DHS, 2004).

As of December 31, 2010, a draft PHG of 0.02 µg/L has been established by Cal/EPA (e.g., Health and Safety Code requirement to establish the MCL); however, the CDPH (formerly DHS) has not established an MCL.

On August 23, 2013, the California Department of Public Health (CDPH) proposed to establish a specific MCL for Cr(VI) at a concentration of 0.010 milligram per liter (10.0 µg/L equivalent).

On July 1, 2014 the State Water Resources Control Board (CalEPA) adopted an MCL for Cr(VI) of 10.0 µg/L.

B Analyte is present in method blank

E Analyte concentration is above calibration range

J Analyte concentration is an estimated value

U Analyte was analyzed for but not detected at or above the stated limit

UJ Analyte was analyzed for but not detected; analyte concentration is an estimated value

TABLE 3A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE REPORTED IN
MUNICIPAL PRODUCTION WELLS NEAR JPL DURING THE LONG-TERM QUARTERLY
GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO.	WELL 03	5/13/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	0.5 U	6.1
		6/17/96	NA	0.6	0.6	10.0
		8/05/96	NA	0.5 U	0.5 U	0.5 U
		9/03/96	NA	0.9	0.9	6.2
		10/07/96	NA	1.2	1.4	9.1
		11/04/96	NA	1.1	2.9	17.5
		12/02/96	NA	0.7	0.7	16.8
		1/13/97	NA	0.5	0.5	15.9
		5/05/97	NA	0.5 U	0.5 U	0.5 U
		6/02/97	7.0	0.6	0.7	9.6
		7/07/97	NA	0.5 U	0.7	10.5
		7/17/97	10.0	NA	NA	NA
		8/04/97	NA	1.5	1.1	12.7
		8/15/97	9.0	NA	NA	NA
		9/02/97	NA	0.9	1.1	15.2
		9/15/97	11.1	NA	NA	NA
		9/16/97	13.0	NA	NA	NA
		9/22/97	9.5	NA	NA	NA
		9/29/97	11.6	NA	NA	NA
		10/06/97	11.5	0.9	1.1	13.2
		10/13/97	10.6	NA	NA	NA
		10/20/97	12.4	NA	NA	NA
		11/03/97	11.1	0.5	1.1	13.1
		11/10/97	10.9	NA	NA	NA
		11/17/97	16.0	NA	NA	NA
		11/24/97	12.5	NA	NA	NA
		12/01/97	9.2	0.6	0.9	12.4
		12/08/97	10.5	NA	NA	NA
		12/15/97	9.6	NA	NA	NA
		12/22/97	11.6	NA	NA	NA
		1/05/98	11.9	0.8	0.5	8.8
		1/12/98	12.9	NA	NA	NA
		2/02/98	NA	0.9	0.8	11.2
4/07/98	NA	NA	NA	0.9		
5/04/98	NA	0.5 U	0.5 U	0.5 U		
6/01/98	NA	0.5 U	0.5 U	0.5 U		
12/14/98	NA	0.5 U	0.5 U	0.5 U		
1/04/99	NA	0.5 U	0.5 U	1.0		
1/11/99	6.5	NA	NA	NA		
2/01/99	NA	0.5 U	0.5	3.7		
4/10/99	0.0 U	NA	NA	NA		
6/01/99	NA	0.5 U	0.5 U	0.8		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	7/06/99	5.0 U	0.5 U	0.5 U	5.5
		7/12/99	4.6	NA	NA	NA
		7/22/99	3.1	NA	NA	NA
		7/29/99	4.0	NA	NA	NA
		8/02/99	3.5	0.5 U	1.5	4.4
		8/09/99	3.4	NA	NA	NA
		8/16/99	3.2	NA	NA	NA
		8/30/99	2.5	NA	NA	NA
		9/07/99	4.8	0.5	0.5	6.1
		9/13/99	3.7	NA	NA	NA
		9/27/99	0.0 U	NA	NA	NA
		10/04/99	NA	0.7	0.8	8.4
		11/01/99	NA	0.7	0.7	7.5
		3/13/00	NA	0.5 U	0.5 U	0.5 U
		5/08/00	NA	0.5 U	0.5 U	0.5 U
		7/03/00	NA	0.5 U	0.5 U	0.5 U
		8/07/00	NA	0.5	0.7	5.6
		9/05/00	NA	0.5 U	0.5 U	6.0
		3/12/01	NA	0.5 U	0.5 U	0.7
		4/02/01	NA	0.5 U	0.5 U	3.1
		5/23/01	0.0 U	0.5 U	0.5 U	0.5 U
		6/04/01	NA	0.5 U	0.5 U	0.5 U
		7/02/01	NA	0.5 U	0.5 U	3.2
		8/06/01	NA	0.5 U	0.5 U	3.7
		9/04/01	NA	0.5 U	0.6	5.4
		12/10/01	0.0 U	NA	NA	NA
		5/05/02	4.0 U	0.5 U	0.5 U	0.5 U
		7/08/02	NA	0.5 U	0.5 U	0.5 U
		8/05/02	NA	0.5 U	0.5 U	2.7
		9/03/02	NA	0.5 U	0.5 U	2.1
		10/07/02	NA	0.5 U	0.5 U	3.6
		5/14/03	NA	0.5 U	0.5 U	0.5 U
		5/27/03	NA	0.5 U	0.5 U	0.5 U
		6/03/03	NA	0.5 U	0.5 U	2.6
		7/08/03	NA	0.5 U	0.5 U	4.0
		8/05/03	NA	1.0	0.5 U	1.9
		9/02/03	NA	1.3	0.5 U	2.9
		10/07/03	NA	1.8	0.5 U	3.3
		11/04/03	NA	1.8	0.5 U	1.6
		5/18/04	10.0	1.0	0.5 U	1.9
		5/25/04	14.0	NA	NA	NA
		6/01/04	10.0	NA	NA	NA
6/08/04	10.0	NA	NA	NA		
6/15/04	11.0	0.9	0.5 U	1.8		
6/29/04	8.9	NA	NA	NA		
7/06/04	8.4	NA	NA	NA		
7/15/04	8.9	0.9	0.5 U	1.8		
7/27/04	11.0	NA	NA	NA		
8/03/04	7.3	1.7	0.5 U	2.0		
9/07/04	17.0	2.7	0.5 U	2.9		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	10/05/04	28.0	2.4	0.5 U	2.7
		10/26/04	31.0	NA	NA	NA
		11/02/04	31.0	4.0	0.6	4.0
		11/09/04	33.0	NA	NA	NA
		11/16/04	35.0	NA	NA	NA
		11/23/04	32.0	NA	NA	NA
		11/30/04	35.0	NA	NA	NA
		12/07/04	28.0	2.8	0.5	3.4
		12/14/04	31.0	NA	NA	NA
		12/21/04	28.0	NA	NA	NA
		12/28/04	29.0	NA	NA	NA
		1/04/05	30.0	2.8	0.6	3.8
		1/11/05	31.0	NA	NA	NA
		1/18/05	28.0	NA	NA	NA
		1/25/05	30.0	NA	NA	NA
		2/08/05	24.0	NA	NA	NA
		2/15/05	22.0	NA	NA	NA
		2/22/05	32.0	NA	NA	NA
		3/01/05	22.0	2.9	0.6	3.9
		3/08/05	29.0	NA	NA	NA
		3/15/05	21.0	NA	NA	NA
		3/22/05	22.0	NA	NA	NA
		3/29/05	23.0	NA	NA	NA
		4/05/05	25.0	3.0	0.6	2.9
		4/12/05	24.0	NA	NA	NA
		4/19/05	25.0	NA	NA	NA
		4/26/05	24.0	NA	NA	NA
		5/03/05	NA	2.0	0.5 U	2.3
		5/10/05	46.0	3.2	0.6	3.1
		5/17/05	27.0	NA	NA	NA
		5/24/05	24.0	NA	NA	NA
		5/31/05	25.0	NA	NA	NA
		6/07/05	24.0	2.9	0.6	3.2
		6/14/05	23.0	NA	NA	NA
		6/21/05	27.0	NA	NA	NA
		6/28/05	25.0	NA	NA	NA
		7/05/05	26.0	3.1	0.6	3.1
		7/12/05	29.0	NA	NA	NA
		7/19/05	26.0	NA	NA	NA
		7/26/05	27.0	NA	NA	NA
8/02/05	25.0	3.2	0.6	3.2		
8/09/05	47.0	NA	NA	NA		
9/13/05	23.0	2.9	0.6	2.9		
9/20/05	25.0	NA	NA	NA		
9/27/05	26.0	2.1	0.5 U	2.6		
10/04/05	33.0	3.0	0.6	3.2		
10/11/05	28.0	NA	NA	NA		
10/18/05	38.0	NA	NA	NA		
10/25/05	27.0	NA	NA	NA		
11/01/05	27.0	3.0	0.6	3.4		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	11/08/05	25.0	NA	NA	NA
		11/17/05	24.0	NA	NA	NA
		11/22/05	24.0	NA	NA	NA
		11/29/05	27.0	NA	NA	NA
		12/06/05	25.0	3.3	0.7	3.5
		12/13/05	28.0	NA	NA	NA
		12/20/05	24.0	NA	NA	NA
		12/27/05	29.0	NA	NA	NA
		1/03/06	24.0	2.6	0.6	3.0
		1/10/06	27.0	NA	NA	NA
		1/17/06	23.0	NA	NA	NA
		3/14/06	9.3	0.8	0.5 U	1.0
		3/21/06	21.0	NA	NA	NA
		3/28/06	26.0	NA	NA	NA
		4/07/06	18.0	2.3	0.5	2.3
		5/02/06	18.0	2.1	0.5 U	2.2
		5/09/06	17.0	NA	NA	NA
		5/16/06	19.0	NA	NA	NA
		5/23/06	20.0	NA	NA	NA
		5/30/06	21.0	NA	NA	NA
		6/06/06	21.0	1.6	0.5 U	1.9
		6/13/06	23.0	NA	NA	NA
		6/20/06	21.0	NA	NA	NA
		6/27/06	23.0	NA	NA	NA
		7/05/06	21.0	2.7	0.6	2.6
		7/11/06	22.0	NA	NA	NA
		7/18/06	19.0	NA	NA	NA
		7/25/06	21.0	NA	NA	NA
		8/01/06	20.0	2.9	0.6	2.8
		8/08/06	21.0	NA	NA	NA
		8/15/06	22.0	NA	NA	NA
		8/17/06	NA	1.9	0.5 U	2.4
		8/22/06	20.0	NA	NA	NA
		8/29/06	21.0	NA	NA	NA
		9/05/06	20.0	2.8	0.6	3.0
		9/12/06	22.0	NA	NA	NA
		9/19/06	21.0	NA	NA	NA
		9/26/06	22.0	NA	NA	NA
		10/03/06	22.0	3.1	0.6	3.3
		10/10/06	21.0	NA	NA	NA
10/17/06	27.0	NA	NA	NA		
10/24/06	20.0	NA	NA	NA		
10/31/06	24.0	NA	NA	NA		
11/07/06	23.0	2.9	0.6	2.9		
11/14/06	23.0	NA	NA	NA		
11/28/06	22.0	NA	NA	NA		
12/05/06	NA	2.4	0.6	2.7		
12/12/06	22.0	NA	NA	NA		
12/19/06	22.0	NA	NA	NA		
12/26/06	21.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	1/02/07	20.0	2.6	0.6	2.8
		1/09/07	22.0	NA	NA	NA
		1/19/07	21.0	NA	NA	NA
		1/23/07	21.0	NA	NA	NA
		1/30/07	22.0	NA	NA	NA
		2/06/07	21.0	2.7	0.6	3.0
		2/13/07	23.0	NA	NA	NA
		2/20/07	20.0	NA	NA	NA
		2/27/07	21.0	NA	NA	NA
		3/06/07	20.0	2.4	0.5	2.6
		3/13/07	20.0	NA	NA	NA
		3/20/07	20.0	NA	NA	NA
		3/27/07	21.0	NA	NA	NA
		4/03/07	19.0	2.3	0.6	2.5
		4/10/07	21.0	NA	NA	NA
		4/17/07	16.0	NA	NA	NA
		4/24/07	19.0	NA	NA	NA
		5/01/07	20.0	2.5	0.6	2.8
		5/18/07	15.0	NA	NA	NA
		5/22/07	18.0	NA	NA	NA
		5/29/07	20.0	NA	NA	NA
		6/12/07	19.0	NA	NA	NA
		6/19/07	20.0	NA	NA	NA
		6/26/07	18.0	NA	NA	NA
		7/17/07	22.0	NA	NA	NA
		7/24/07	20.0	NA	NA	NA
		7/31/07	20.0	NA	NA	NA
		8/07/07	19.0	2.2	0.6	2.7
		8/14/07	20.0	NA	NA	NA
		8/21/07	19.0	NA	NA	NA
		8/28/07	20.0	NA	NA	NA
		9/04/07	19.0	1.7	0.5 U	2.0
		9/11/07	18.0	NA	NA	NA
		9/18/07	18.0	NA	NA	NA
		9/25/07	19.0	NA	NA	NA
		10/02/07	16.0	1.8	0.5 U	2.3
		10/09/07	25.0	NA	NA	NA
		10/16/07	24.0	NA	NA	NA
		11/06/07	20.0	1.6	0.5	2.3
		11/13/07	21.0	NA	NA	NA
		11/20/07	20.0	NA	NA	NA
		11/27/07	18.0	NA	NA	NA
12/04/07	19.0	2.2	0.6	2.7		
12/11/07	19.0	NA	NA	NA		
12/18/07	19.0	NA	NA	NA		
12/26/07	18.0	NA	NA	NA		
1/02/08	20.0	1.9	0.6	2.3		
1/08/08	19.0	NA	NA	NA		
1/15/08	20.0	NA	NA	NA		
1/22/08	19.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	1/31/08	18.0	NA	NA	NA
		2/05/08	17.0	1.7	0.6	2.4
		2/12/08	17.0	2.2	0.6	2.7
		2/19/08	17.0	NA	NA	NA
		2/26/08	16.0	NA	NA	NA
		3/04/08	15.0	NA	NA	NA
		3/05/08	NA	1.5	0.6	2.0
		3/11/08	16.0	NA	NA	NA
		3/18/08	20.0	NA	NA	NA
		3/25/08	16.0	NA	NA	NA
		4/01/08	17.0	1.6	0.6	2.3
		4/08/08	16.0	NA	NA	NA
		4/15/08	17.0	NA	NA	NA
		4/22/08	15.0	NA	NA	NA
		6/03/08	9.9	1.6	0.5 U	2.1
		6/10/08	15.0	NA	NA	NA
		6/17/08	16.0	NA	NA	NA
		6/24/08	17.0	NA	NA	NA
		8/18/08	NA	2.2	0.7	2.8
		8/19/08	17.0	NA	NA	NA
		8/26/08	19.0	NA	NA	NA
		9/02/08	17.0	2.1	0.7	2.7
		9/09/08	15.0	NA	NA	NA
		9/16/08	20.0	NA	NA	NA
		9/23/08	18.0	NA	NA	NA
		9/30/08	17.0	NA	NA	NA
		10/07/08	16.0	1.9	0.7	2.5
		10/14/08	16.0	NA	NA	NA
		10/21/08	16.0	NA	NA	NA
		10/28/08	17.0	NA	NA	NA
		11/25/08	20.0	NA	NA	NA
		12/02/08	19.0	2.2	0.7	2.7
		12/17/08	16.0	NA	NA	NA
		12/23/08	16.0	NA	NA	NA
		12/30/08	19.0	NA	NA	NA
		1/06/09	19.0	1.8	0.8	2.9
		1/13/09	19.0	NA	NA	NA
		1/20/09	18.0	NA	NA	NA
		1/27/09	19.0	NA	NA	NA
		2/18/09	17.0	NA	NA	NA
		2/25/09	15.0	NA	NA	NA
		3/03/09	15.0	1.7	0.6	2.4
3/10/09	15.0	NA	NA	NA		
3/17/09	17.0	NA	NA	NA		
3/24/09	18.0	NA	NA	NA		
3/31/09	18.0	NA	NA	NA		
4/07/09	19.0	1.6	0.6	2.5		
4/14/09	20.0	NA	NA	NA		
4/21/09	19.0	NA	NA	NA		
4/28/09	20.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	5/04/09	19.0	1.7	0.6	2.0
		5/12/09	17.0	NA	NA	NA
		5/19/09	20.0	NA	NA	NA
		5/26/09	21.0	NA	NA	NA
		6/01/09	19.0	1.6	0.6	2.3
		6/09/09	20.0	NA	NA	NA
		6/16/09	21.0	NA	NA	NA
		6/23/09	20.0	NA	NA	NA
		6/30/09	21.0	NA	NA	NA
		7/07/09	21.0	1.5	0.5 U	2.1
		7/14/09	21.0	NA	NA	NA
		7/21/09	24.0	NA	NA	NA
		7/28/09	24.0	NA	NA	NA
		8/04/09	24.0	0.7	0.6	1.9
		8/06/09	NA	1.4	0.5	2.0
		8/11/09	19.0	NA	NA	NA
		8/18/09	19.0	NA	NA	NA
		8/25/09	20.0	NA	NA	NA
		9/01/09	20.0	1.5	0.7	2.1
		9/08/09	25.0	NA	NA	NA
		9/15/09	25.0	NA	NA	NA
		9/29/09	27.0	NA	NA	NA
		10/06/09	27.0	2.3	0.8	2.9
		10/13/09	28.0	NA	NA	NA
		10/20/09	28.0	NA	NA	NA
		10/27/09	28.0	NA	NA	NA
		11/10/09	29.0	1.4	0.7	2.6
		11/17/09	29.0	NA	NA	NA
		12/15/09	29.0	NA	NA	NA
		12/22/09	29.0	NA	NA	NA
		12/29/09	29.0	NA	NA	NA
		1/05/10	31.0	1.4	0.5	1.9
		1/12/10	26.0	NA	NA	NA
		1/19/10	29.0	NA	NA	NA
		1/26/10	27.0	NA	NA	NA
		2/02/10	34.0	1.5	0.6	2.0
		2/09/10	30.0	NA	NA	NA
		2/16/10	31.0	NA	NA	NA
		3/02/10	35.0	1.4	0.6	1.9
		3/09/10	39.0	NA	NA	NA
		5/24/10	4.0 U	NA	NA	NA
7/08/10	36.0	0.5 U	0.5	0.7		
7/13/10	36.0	NA	NA	NA		
7/27/10	31.0	NA	NA	NA		
8/03/10	30.0	0.6	0.5 U	NA		
8/10/10	30.0	NA	NA	NA		
8/17/10	32.0	NA	NA	NA		
8/24/10	35.0	NA	NA	NA		
8/26/10	NA	0.9	0.5 U	1.6		
8/31/10	34.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	9/07/10	34.0	1.0	0.5	1.4
		9/14/10	35.0	NA	NA	NA
		9/21/10	37.0	NA	NA	NA
		9/28/10	38.0	NA	NA	NA
		10/05/10	34.0	1.0	0.5	1.4
		10/12/10	38.0	NA	NA	NA
		10/19/10	38.0	NA	NA	NA
		11/09/10	39.0	NA	NA	NA
		11/16/10	38.0	NA	NA	NA
		11/23/10	41.0	NA	NA	NA
		11/30/10	40.0	NA	NA	NA
		2/10/11	34.0	0.5 U	0.5 U	0.5 U
		2/15/11	36.0	NA	NA	NA
		2/22/11	39.0	NA	NA	NA
		3/15/11	42.0	NA	NA	NA
		3/22/11	38.0	NA	NA	NA
		4/01/11	41.0	NA	NA	NA
		4/05/11	46.0	1.0	0.5	1.5
		7/31/11	22.0	NA	NA	NA
		8/02/11	22.0	0.5 U	0.5 U	0.5 U
		8/04/11	NA	0.5 U	0.5 U	0.5 U
		8/16/11	26.0	NA	NA	NA
		8/23/11	30.0	NA	NA	NA
		8/30/11	34.0	NA	NA	NA
		9/06/11	37.0	0.5 U	0.5 U	0.6
		9/13/11	38.0	NA	NA	NA
		9/20/11	40.0	NA	NA	NA
		9/27/11	44.0	NA	NA	NA
		10/04/11	35.0	1.2	0.5 U	1.3
		10/11/11	36.0	NA	NA	NA
		10/18/11	35.0	NA	NA	NA
		10/25/11	35.0	NA	NA	NA
		11/01/11	35.0	1.1	0.5 U	1.6
		11/08/11	31.0	NA	NA	NA
		11/15/11	35.0	NA	NA	NA
		11/22/11	10.0	NA	NA	NA
		12/06/11	26.0	0.5 U	0.5 U	0.5 U
		12/13/11	24.0	NA	NA	NA
		1/05/12	24.0	0.5 U	0.5 U	0.5 U
		1/11/12	24.0	NA	NA	NA
		1/17/12	26.0	NA	NA	NA
		2/03/12	4.0 U	0.5 U	0.5 U	0.5 U
2/14/12	18.0	NA	NA	NA		
3/09/12	24.0	0.5 U	0.5 U	0.5 U		
3/16/12	18.0	NA	NA	NA		
4/10/12	14.0	0.5 U	0.5 U	0.5 U		
5/22/12	14.0	NA	NA	NA		
5/30/12	13.0	NA	NA	NA		
6/05/12	16.0	0.5 U	0.5 U	0.5 U		
6/12/12	17.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	6/19/12	18.0	NA	NA	NA
		6/26/12	19.0	NA	NA	NA
		7/03/12	19.0	0.5	0.5 U	0.6
		7/10/12	19.0	NA	NA	NA
		7/17/12	19.0	NA	NA	NA
		7/24/12	20.0	NA	NA	NA
		7/31/12	19.0	NA	NA	NA
		8/06/12	NA	0.7	0.5 U	0.9
		8/07/12	19.0	0.7	0.5 U	0.8
		8/14/12	20.0	NA	NA	NA
		8/21/12	20.0	NA	NA	NA
		8/28/12	20.0	NA	NA	NA
		9/18/12	20.0	NA	NA	NA
		9/25/12	22.0	NA	NA	NA
		10/02/12	21.0	1.0	0.5 U	1.3
		10/09/12	22.0	NA	NA	NA
		10/16/12	20.0	NA	NA	NA
		10/31/12	13.0	NA	NA	NA
		11/07/12	18.0	0.9	0.5 U	0.9
		11/13/12	18.0	NA	NA	NA
		12/21/12	6.5	0.5 U	0.5 U	0.5 U
		1/17/13	4.9	0.5 U	0.5 U	0.5 U
		2/12/13	11.0	NA	NA	NA
		2/19/13	13.0	NA	NA	NA
		2/26/13	15.0	NA	NA	NA
		3/05/13	18.0	0.9	0.5 U	1.2
		3/12/13	18.0	NA	NA	NA
		3/19/13	18.0	NA	NA	NA
		4/01/13	19.0	1.2	0.5 U	1.2
		4/09/13	19.0	NA	NA	NA
		4/23/13	18.0	NA	NA	NA
		5/07/13	18.0	1.1	0.5 U	1.3
		5/14/13	18.0	NA	NA	NA
		5/21/13	18.0	NA	NA	NA
		5/28/13	18.0	NA	NA	NA
		6/04/13	18.0	1.1	0.5 U	1.4
		6/11/13	16.0	NA	NA	NA
		6/18/13	16.0	NA	NA	NA
		6/25/13	16.0	NA	NA	NA
		7/02/13	16.0	1.4	0.4	1.6
		7/09/13	18.0	NA	NA	NA
7/16/13	18.0	NA	NA	NA		
7/23/13	19.0	NA	NA	NA		
7/30/13	17.0	NA	NA	NA		
8/06/13	17.0	1.1	0.5 U	1.2		
8/13/13	18.0	NA	NA	NA		
8/20/13	17.0	NA	NA	NA		
8/26/13	NA	1.3	0.5 U	1.5		
8/27/13	17.0	NA	NA	NA		
9/03/13	17.0	1.4	0.5 U	1.6		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE	
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	9/10/13	19.0	NA	NA	NA	
		9/17/13	19.0	NA	NA	NA	
		9/24/13	19.0	NA	NA	NA	
		11/05/13	25.0	1.8	0.5 U	1.8	
		11/12/13	24.0	NA	NA	NA	
		11/19/13	22.0	NA	NA	NA	
		12/03/13	26.0	2.0	0.5 U	1.9	
		12/10/13	27.0	NA	NA	NA	
		12/17/13	29.0	NA	NA	NA	
		12/23/13	27.0	NA	NA	NA	
		2/11/14	13.0	NA	NA	NA	
		2/18/14	28.0	NA	NA	NA	
		2/25/14	27.0	NA	NA	NA	
		3/04/14	30.0	2.0	0.5 U	1.9	
		3/14/14	29.0	NA	NA	NA	
		3/18/14	27.0	NA	NA	NA	
		3/25/14	27.0	NA	NA	NA	
		4/01/14	26.0	2.5	0.6	2.6	
		4/08/14	25.0	NA	NA	NA	
		4/15/14	25.0	NA	NA	NA	
		4/22/14	25.0	NA	NA	NA	
		4/29/14	24.0	NA	NA	NA	
		5/20/14	22.0	NA	NA	NA	
		5/27/14	22.0	NA	NA	NA	
		6/03/14	23.0	2.1	0.5	1.9	
		6/10/14	22.0	NA	NA	NA	
		6/17/14	22.0	NA	NA	NA	
		6/24/14	22.0	NA	NA	NA	
		7/01/14	23.0	2.1	0.5	2.2	
		7/08/14	23.0	NA	NA	NA	
		7/15/14	24.0	NA	NA	NA	
		7/16/14	NA	2.6	0.5	2.3	
		7/22/14	23.0	NA	NA	NA	
		7/29/14	25.0	NA	NA	NA	
		8/12/14	25.0	NA	NA	NA	
		8/19/14	25.0	NA	NA	NA	
	8/26/14	25.0	NA	NA	NA		
	9/02/14	24.0	2.8	0.6	2.2		
	9/09/14	24.0	NA	NA	NA		
	9/16/14	22.0	NA	NA	NA		
	9/23/14	23.0	NA	NA	NA		
		WELL 05	6/17/96	NA	0.6	1.0	28.1
			7/01/96	NA	1.4	1.4	23.8
			8/05/96	NA	0.6	1.2	22.4
			6/02/97	6.0	0.5 U	0.7	13.3
			7/17/97	6.0	NA	NA	NA
			9/19/97	5.0 U	NA	NA	NA
	6/01/98		NA	0.5 U	0.5 U	11.4	
	10/19/98		4.4	NA	NA	NA	
		12/07/98	NA	0.5 U	0.5 U	9.0	

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	1/11/99	4.1	NA	NA	NA
		1/19/99	NA	0.5 U	0.5 U	3.6
		2/01/99	NA	0.5 U	0.5 U	3.2
		4/10/99	0.0 U	NA	NA	NA
		6/01/99	NA	0.5 U	0.5 U	5.8
		7/06/99	5.4	0.5 U	0.5	10.7
		7/12/99	3.9	NA	NA	NA
		7/22/99	3.7	NA	NA	NA
		7/29/99	4.3	NA	NA	NA
		8/02/99	2.0	1.0	1.7	8.3
		8/09/99	2.1	NA	NA	NA
		8/16/99	2.6	NA	NA	NA
		8/23/99	2.5	NA	NA	NA
		8/30/99	0.0 U	NA	NA	NA
		9/07/99	3.5	0.5 U	0.5 U	8.4
		9/27/99	4.9	NA	NA	NA
		10/04/99	NA	0.5 U	0.5	8.5
		11/01/99	NA	0.5 U	0.5 U	7.1
		5/08/00	NA	0.5 U	0.5 U	3.5
		7/03/00	NA	0.5 U	0.5 U	3.8
		8/07/00	NA	0.5 U	0.5	6.3
		9/05/00	NA	0.5 U	0.5 U	6.0
		5/23/01	0.0 U	0.5 U	0.5 U	3.8
		6/04/01	NA	0.5 U	0.5 U	2.4
		7/02/01	NA	0.5 U	0.5 U	5.1
		8/06/01	NA	0.5 U	0.5 U	3.5
		9/04/01	NA	0.5 U	0.5 U	4.4
		12/10/01	4.2	NA	NA	NA
		5/05/02	4.8	0.5 U	0.5 U	2.4
		6/03/02	NA	0.5 U	0.5 U	2.7
		7/01/02	NA	0.5 U	0.5 U	4.6
		8/05/02	NA	0.5 U	0.5 U	4.6
		9/03/02	NA	0.5 U	0.5 U	3.1
		5/14/03	NA	0.7	1.3	17.0
		5/27/03	NA	0.5 U	0.5 U	3.5
		6/03/03	NA	0.5 U	0.5 U	4.7
		7/08/03	NA	0.5 U	0.5 U	8.6
		8/05/03	NA	0.5 U	0.5 U	3.8
		9/02/03	NA	0.5 U	0.5 U	4.7
		10/07/03	NA	0.5 U	0.5 U	4.8
		11/04/03	NA	0.5 U	0.5 U	2.9
		5/18/04	14.0	0.8	0.9	16.0
5/25/04	13.0	NA	NA	NA		
6/01/04	8.9	NA	NA	NA		
6/08/04	7.8	NA	NA	NA		
6/15/04	7.0	0.5 U	0.7	7.7		
6/22/04	5.0	NA	NA	NA		
6/29/04	5.0	NA	NA	NA		
7/06/04	4.6	NA	NA	NA		
7/15/04	4.4	0.5 U	0.6	6.0		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	7/27/04	4.4	NA	NA	NA
		8/03/04	4.0	0.5 U	0.5 U	6.0
		9/07/04	4.0 U	0.5 U	0.5 U	4.7
		10/05/04	4.5	0.5 U	0.5 U	3.9
		11/16/04	9.0	NA	NA	NA
		11/23/04	5.0	NA	NA	NA
		11/30/04	5.3	NA	NA	NA
		12/07/04	4.6	0.5 U	0.5 U	4.8
		12/14/04	5.0	NA	NA	NA
		12/21/04	4.5	NA	NA	NA
		1/11/05	5.8	0.5 U	0.5 U	4.4
		1/18/05	5.2	NA	NA	NA
		1/25/05	5.7	NA	NA	NA
		3/15/05	4.6	0.5 U	0.5	4.7
		4/05/05	4.9	0.5 U	0.6	4.7
		4/19/05	4.7	NA	NA	NA
		4/26/05	5.1	NA	NA	NA
		5/03/05	NA	0.5 U	0.5 U	0.5 U
		7/05/05	5.9	0.5 U	0.6	4.6
		7/12/05	6.1	NA	NA	NA
		8/02/05	5.1	0.5 U	0.6	4.2
		8/09/05	10.0	NA	NA	NA
		9/13/05	4.7	0.5	0.6	4.6
		9/20/05	5.5	NA	NA	NA
		9/27/05	5.7	0.5 U	0.5 U	3.3
		10/04/05	6.6	0.5	0.6	4.1
		10/11/05	6.0	NA	NA	NA
		10/18/05	9.0	NA	NA	NA
		10/25/05	6.2	NA	NA	NA
		11/01/05	6.0	0.5 U	0.5	4.0
		11/08/05	5.3	NA	NA	NA
		11/17/05	4.0	NA	NA	NA
		11/22/05	5.5	NA	NA	NA
		11/29/05	5.6	NA	NA	NA
		12/06/05	6.0	0.6	0.5	4.4
		12/13/05	5.8	NA	NA	NA
		12/20/05	5.6	NA	NA	NA
		12/27/05	6.6	NA	NA	NA
		1/03/06	5.6	0.6	0.5	3.9
		1/10/06	6.1	NA	NA	NA
		1/17/06	5.3	NA	NA	NA
		3/21/06	7.5	0.7	0.6	4.7
4/07/06	7.0	0.7	0.6	4.7		
5/09/06	7.4	0.8	0.7	5.8		
5/18/06	7.1	NA	NA	NA		
5/30/06	7.2	NA	NA	NA		
6/06/06	7.0	0.7	0.6	4.9		
6/13/06	6.6	NA	NA	NA		
6/20/06	6.8	NA	NA	NA		
6/27/06	7.3	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	7/05/06	7.3	0.8	0.6	4.0
		7/11/06	7.3	NA	NA	NA
		7/18/06	7.6	NA	NA	NA
		7/25/06	7.1	NA	NA	NA
		8/01/06	7.0	0.9	0.6	3.9
		8/08/06	7.6	NA	NA	NA
		8/15/06	7.4	NA	NA	NA
		8/17/06	NA	0.6	0.5 U	3.5
		8/22/06	7.6	NA	NA	NA
		8/29/06	7.5	NA	NA	NA
		9/13/06	8.1	1.1	0.6	4.3
		9/19/06	8.3	NA	NA	NA
		9/26/06	7.7	NA	NA	NA
		10/03/06	7.9	1.1	0.6	3.8
		10/10/06	7.8	NA	NA	NA
		10/17/06	9.9	NA	NA	NA
		10/24/06	8.0	NA	NA	NA
		10/31/06	9.1	NA	NA	NA
		11/07/06	8.4	1.2	0.6	3.8
		11/14/06	7.7	NA	NA	NA
		11/28/06	9.4	NA	NA	NA
		12/05/06	NA	1.2	0.6	3.4
		12/12/06	9.5	NA	NA	NA
		12/19/06	9.4	NA	NA	NA
		12/26/06	9.5	NA	NA	NA
		1/02/07	9.3	1.3	0.6	3.5
		1/09/07	9.9	NA	NA	NA
		1/16/07	9.8	NA	NA	NA
		1/23/07	9.9	NA	NA	NA
		1/30/07	9.3	NA	NA	NA
		2/06/07	9.9	1.5	0.6	3.6
		2/13/07	11.0	NA	NA	NA
		2/20/07	9.6	NA	NA	NA
		2/27/07	10.0	NA	NA	NA
		3/06/07	9.7	1.3	0.5	3.0
		3/13/07	10.0	NA	NA	NA
		3/20/07	9.0	NA	NA	NA
		3/27/07	11.0	NA	NA	NA
		4/03/07	9.3	1.4	0.6	3.0
		4/10/07	12.0	NA	NA	NA
		4/17/07	7.6	NA	NA	NA
		4/24/07	8.7	NA	NA	NA
5/01/07	9.7	1.4	0.5	3.1		
5/18/07	10.0	NA	NA	NA		
5/22/07	11.0	NA	NA	NA		
5/29/07	11.0	NA	NA	NA		
6/05/07	11.0	1.3	0.5	2.9		
6/12/07	10.0	NA	NA	NA		
6/19/07	9.8	NA	NA	NA		
6/26/07	9.8	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	8/21/07	12.0	1.4	0.5	2.7
		8/28/07	11.0	NA	NA	NA
		9/04/07	11.0	1.3	0.5 U	2.4
		9/11/07	10.0	NA	NA	NA
		9/18/07	11.0	NA	NA	NA
		9/25/07	13.0	NA	NA	NA
		10/02/07	9.3	1.3	0.5 U	2.4
		10/09/07	15.0	NA	NA	NA
		10/16/07	14.0	NA	NA	NA
		11/06/07	13.0	1.1	0.5 U	2.4
		11/13/07	12.0	NA	NA	NA
		11/20/07	12.0	NA	NA	NA
		11/27/07	11.0	NA	NA	NA
		12/11/07	11.0	1.4	NA	2.4
		12/26/07	10.0	NA	NA	NA
		1/02/08	11.0	1.4	0.5	2.5
		1/08/08	11.0	NA	NA	NA
		1/15/08	12.0	NA	NA	NA
		1/22/08	12.0	NA	NA	NA
		1/29/08	11.0	NA	NA	NA
		2/05/08	12.0	1.4	0.6	2.6
		3/04/08	13.0	NA	NA	NA
		3/05/08	NA	1.6	0.6	2.7
		3/11/08	12.0	NA	NA	NA
		3/18/08	17.0	NA	NA	NA
		3/25/08	13.0	NA	NA	NA
		4/08/08	14.0	1.5	0.6	2.8
		4/15/08	15.0	NA	NA	NA
		4/22/08	13.0	NA	NA	NA
		6/03/08	17.0	1.5	0.5 U	2.4
		6/10/08	14.0	NA	NA	NA
		6/17/08	15.0	NA	NA	NA
		6/24/08	15.0	NA	NA	NA
		8/18/08	NA	1.8	0.5	2.7
		8/19/08	13.0	NA	NA	NA
		8/26/08	14.0	NA	NA	NA
		9/02/08	16.0	1.9	0.6	2.9
		9/09/08	12.0	NA	NA	NA
		9/16/08	15.0	NA	NA	NA
		9/30/08	13.0	NA	NA	NA
		10/07/08	12.0	2.0	0.6	2.5
10/14/08	12.0	NA	NA	NA		
10/21/08	12.0	NA	NA	NA		
10/28/08	9.9	NA	NA	NA		
11/25/08	15.0	NA	NA	NA		
12/02/08	14.0	2.2	0.7	2.8		
12/17/08	12.0	NA	NA	NA		
12/23/08	12.0	NA	NA	NA		
12/30/08	14.0	NA	NA	NA		
1/06/09	14.0	1.6	0.7	2.5		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	1/13/09	14.0	NA	NA	NA
		1/20/09	14.0	NA	NA	NA
		2/18/09	13.0	NA	NA	NA
		2/24/09	13.0	NA	NA	NA
		3/10/09	13.0	2.0	0.7	2.6
		4/07/09	16.0	2.1	0.8	3.1
		4/14/09	16.0	NA	NA	NA
		4/21/09	14.0	NA	NA	NA
		4/28/09	15.0	NA	NA	NA
		5/04/09	14.0	2.2	0.7	2.4
		5/12/09	13.0	NA	NA	NA
		5/19/09	15.0	NA	NA	NA
		5/26/09	15.0	NA	NA	NA
		6/01/09	15.0	2.5	0.7	3.8
		6/09/09	15.0	NA	NA	NA
		6/16/09	15.0	NA	NA	NA
		6/23/09	15.0	NA	NA	NA
		7/07/09	16.0	2.2	0.8	2.9
		7/14/09	16.0	NA	NA	NA
		7/21/09	16.0	NA	NA	NA
		7/28/09	16.0	NA	NA	NA
		8/04/09	16.0	1.4	0.6	2.4
		8/06/09	NA	1.9	0.6	2.5
		8/11/09	12.0	NA	NA	NA
		8/18/09	13.0	NA	NA	NA
		3/11/11	21.0	2.1	1.3	4.9
		3/23/11	NA	2.2	0.9	3.1
		4/01/11	36.0	3.5	1.0	3.9
		4/12/11	32.0	NA	NA	NA
		7/07/11	44.0	4.1	1.1	4.0
		7/12/11	37.0	NA	NA	NA
		7/19/11	35.0	NA	NA	NA
		7/26/11	33.0	NA	NA	NA
		8/02/11	31.0	3.2	0.8	3.2
		8/09/11	30.0	NA	NA	NA
		8/16/11	29.0	NA	NA	NA
		8/23/11	29.0	NA	NA	NA
		8/30/11	29.0	NA	NA	NA
		9/06/11	30.0	2.3	0.7	2.4
		11/18/11	31.0	2.4	0.5	2.1
		11/22/11	30.0	NA	NA	NA
11/29/11	30.0	NA	NA	NA		
12/06/11	29.0	2.4	0.7	3.0		
12/13/11	29.0	NA	NA	NA		
12/20/11	32.0	NA	NA	NA		
12/27/11	30.0	NA	NA	NA		
1/03/12	30.0	2.3	0.6	2.3		
1/10/12	29.0	NA	NA	NA		
1/17/12	29.0	NA	NA	NA		
1/24/12	27.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	1/31/12	28.0	NA	NA	NA
		2/06/12	NA	2.8	0.7	2.4
		2/07/12	27.0	2.4	0.7	2.3
		2/14/12	27.0	NA	NA	NA
		2/21/12	29.0	NA	NA	NA
		2/28/12	27.0	NA	NA	NA
		3/06/12	27.0	2.3	0.6	2.1
		3/13/12	27.0	NA	NA	NA
		3/20/12	28.0	NA	NA	NA
		3/27/12	28.0	NA	NA	NA
		4/03/12	29.0	2.4	0.6	2.1
		4/10/12	29.0	NA	NA	NA
		4/17/12	31.0	NA	NA	NA
		4/24/12	32.0	NA	NA	NA
		5/22/12	30.0	NA	NA	NA
		5/29/12	28.0	NA	NA	NA
		6/05/12	28.0	2.5	0.7	2.0
		6/12/12	27.0	NA	NA	NA
		6/19/12	27.0	NA	NA	NA
		6/26/12	27.0	NA	NA	NA
		7/03/12	27.0	2.1	0.7	1.8
		7/10/12	26.0	NA	NA	NA
		7/17/12	26.0	NA	NA	NA
		7/24/12	26.0	NA	NA	NA
		7/31/12	26.0	NA	NA	NA
		8/07/12	26.0	2.2	0.6	2.0
		8/14/12	26.0	NA	NA	NA
		8/21/12	26.0	NA	NA	NA
		8/28/12	26.0	NA	NA	NA
		9/18/12	24.0	NA	NA	NA
		9/25/12	25.0	NA	NA	NA
		10/02/12	23.0	2.2	0.7	2.0
		10/09/12	23.0	NA	NA	NA
		10/16/12	22.0	NA	NA	NA
		10/23/12	21.0	NA	NA	NA
		10/30/12	21.0	NA	NA	NA
		11/06/12	21.0	2.0	0.6	1.5
		11/13/12	23.0	NA	NA	NA
		11/20/12	23.0	NA	NA	NA
		11/27/12	23.0	NA	NA	NA
12/04/12	23.0	2.0	0.8	1.7		
12/11/12	27.0	NA	NA	NA		
12/18/12	22.0	NA	NA	NA		
12/26/12	24.0	NA	NA	NA		
1/02/13	22.0	2.1	0.7	1.9		
1/08/13	23.0	NA	NA	NA		
1/15/13	22.0	NA	NA	NA		
1/22/13	23.0	NA	NA	NA		
1/29/13	22.0	NA	NA	NA		
2/12/13	21.0	1.9	0.6	1.7		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	2/19/13	23.0	NA	NA	NA
		2/26/13	20.0	NA	NA	NA
		2/28/13	NA	2.3	0.6	1.8
		3/05/13	19.0	1.9	0.6	1.9
		3/26/13	20.0	NA	NA	NA
		4/01/13	21.0	2.0	0.6	1.7
		4/09/13	20.0	NA	NA	NA
		4/16/13	20.0	NA	NA	NA
		4/23/13	20.0	NA	NA	NA
		5/07/13	18.0	2.0	0.6	1.9
		5/14/13	19.0	NA	NA	NA
		5/21/13	18.0	NA	NA	NA
		5/28/13	19.0	NA	NA	NA
		6/04/13	18.0	1.9	0.6	2.0
		6/11/13	17.0	NA	NA	NA
		6/18/13	16.0	NA	NA	NA
		6/25/13	17.0	NA	NA	NA
		7/02/13	16.0	2.0	0.7	1.9
		7/09/13	17.0	NA	NA	NA
		7/16/13	19.0	NA	NA	NA
		7/23/13	17.0	NA	NA	NA
		7/30/13	17.0	NA	NA	NA
		8/06/13	16.0	1.8	0.6	1.6
		8/13/13	17.0	NA	NA	NA
		8/20/13	16.0	NA	NA	NA
		8/27/13	17.0	NA	NA	NA
		9/03/13	18.0	1.9	0.6	1.8
		9/10/13	16.0	NA	NA	NA
		9/17/13	16.0	NA	NA	NA
		9/24/13	16.0	NA	NA	NA
		11/05/13	15.0	1.5	0.5 U	1.5
		11/12/13	14.0	NA	NA	NA
		11/19/13	14.0	NA	NA	NA
		11/26/13	15.0	NA	NA	NA
		12/04/13	14.0	1.5	0.5	1.3
		12/10/13	14.0	NA	NA	NA
		12/17/13	16.0	NA	NA	NA
		12/23/13	13.0	NA	NA	NA
		2/11/14	27.0	NA	NA	NA
		2/20/14	13.0	NA	NA	NA
2/25/14	13.0	NA	NA	NA		
3/14/14	14.0	2.5	0.8	2.0		
3/18/14	12.0	NA	NA	NA		
3/25/14	11.0	NA	NA	NA		
4/01/14	12.0	1.5	0.6	1.6		
4/08/14	12.0	NA	NA	NA		
4/15/14	13.0	NA	NA	NA		
4/22/14	10.0	NA	NA	NA		
4/29/14	11.0	NA	NA	NA		
5/20/14	11.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	5/27/14	10.0	NA	NA	NA
		6/03/14	11.0	1.3	0.6	1.4
		6/10/14	10.0	NA	NA	NA
		6/17/14	11.0	NA	NA	NA
		6/24/14	13.0	NA	NA	NA
		7/01/14	11.0	1.2	0.5	1.2
		7/08/14	11.0	NA	NA	NA
		7/15/14	10.0	NA	NA	NA
		7/22/14	9.9	NA	NA	NA
		7/29/14	11.0	NA	NA	NA
		8/12/14	11.0	NA	NA	NA
		8/19/14	11.0	NA	NA	NA
		8/26/14	10.0	NA	NA	NA
		9/02/14	10.0	1.3	0.5	1.4
		9/09/14	11.0	NA	NA	NA
		9/16/14	9.9	NA	NA	NA
9/23/14	9.9	NA	NA	NA		
RUBIO CANON LAND & WATER ASSOCIATION	WELL 04	6/17/97	6.0	NA	NA	NA
		6/24/97	4.0	NA	NA	NA
		9/16/97	5.0	NA	NA	NA
		6/01/98	NA	NA	NA	0.5 U
		7/06/98	NA	0.5 U	0.5 U	0.5 U
		7/26/99	5.1	0.5 U	0.5 U	0.5 U
		4/24/00	5.0 U	0.5 U	0.5 U	0.5 U
		7/03/00	5.3	NA	NA	NA
		10/02/00	5.0 U	NA	NA	NA
		1/02/01	5.0 U	NA	NA	NA
		1/29/01	NA	0.5 U	0.5 U	0.5 U
		1/28/02	NA	0.5 U	0.5 U	0.5 U
		4/29/02	4.2	NA	NA	NA
		7/01/02	4.4	NA	NA	NA
		1/13/03	0.0 U	0.5 U	0.5 U	0.5 U
		4/07/03	4.0 U	NA	NA	NA
		7/08/03	4.0 U	NA	NA	NA
		10/06/03	4.3	NA	NA	NA
		1/20/04	NA	0.5 U	0.5 U	0.5 U
		4/05/04	4.0 U	NA	NA	NA
		5/03/04	4.0 U	NA	NA	NA
		6/01/04	4.0 U	NA	NA	NA
		7/06/04	4.0 U	NA	NA	NA
		8/02/04	4.0 U	NA	NA	NA
		9/07/04	4.0 U	NA	NA	NA
		10/04/04	4.0 U	NA	NA	NA
		11/01/04	5.5	NA	NA	NA
		12/06/04	4.0 U	NA	NA	NA
1/03/05	4.0 U	NA	NA	NA		
1/18/05	NA	0.5 U	0.5 U	0.5 U		
2/07/05	4.0 U	NA	NA	NA		
3/07/05	4.0 U	NA	NA	NA		
4/04/05	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	5/02/05	4.0 U	NA	NA	NA
		6/06/05	4.0 U	NA	NA	NA
		7/05/05	4.0 U	NA	NA	NA
		8/01/05	4.0 U	NA	NA	NA
		9/06/05	4.0 U	NA	NA	NA
		10/03/05	4.0	NA	NA	NA
		11/07/05	4.0 U	NA	NA	NA
		12/05/05	4.0 U	NA	NA	NA
		1/03/06	4.0 U	NA	NA	NA
		1/23/06	NA	0.5 U	0.5 U	0.5 U
		2/07/06	4.0 U	NA	NA	NA
		3/06/06	4.0 U	NA	NA	NA
		4/03/06	4.0 U	NA	NA	NA
		5/01/06	4.0 U	NA	NA	NA
		6/05/06	4.0 U	NA	NA	NA
		7/03/06	4.0 U	NA	NA	NA
		8/07/06	4.0 U	NA	NA	NA
		9/05/06	4.0 U	NA	NA	NA
		10/02/06	4.0 U	NA	NA	NA
		11/06/06	4.0 U	NA	NA	NA
		1/02/07	4.0 U	NA	NA	NA
		2/05/07	4.0 U	NA	NA	NA
		3/05/07	4.0 U	NA	NA	NA
		3/12/07	NA	0.5 U	0.5 U	0.5 U
		4/02/07	4.0 U	NA	NA	NA
		5/07/07	4.0 U	NA	NA	NA
		6/04/07	4.0 U	NA	NA	NA
		8/06/07	4.0 U	NA	NA	NA
		9/04/07	4.0 U	NA	NA	NA
		10/01/07	4.0 U	NA	NA	NA
		11/05/07	4.0 U	NA	NA	NA
		12/03/07	4.0 U	NA	NA	NA
		1/02/08	4.0 U	NA	NA	NA
		1/14/08	4.0 U	0.5 U	0.5 U	0.5 U
		2/05/08	4.0 U	NA	NA	NA
		3/03/08	4.0 U	NA	NA	NA
		4/07/08	4.0 U	NA	NA	NA
		6/02/08	4.0 U	NA	NA	NA
		9/02/08	4.0 U	NA	NA	NA
		10/06/08	4.0 U	NA	NA	NA
11/24/08	4.0 U	NA	NA	NA		
12/01/08	4.0 U	NA	NA	NA		
12/08/08	4.0 U	NA	NA	NA		
12/15/08	4.0 U	NA	NA	NA		
12/22/08	4.0 U	NA	NA	NA		
12/29/08	4.0 U	NA	NA	NA		
1/05/09	4.0 U	NA	NA	NA		
2/23/09	4.0 U	NA	NA	NA		
3/02/09	4.0 U	NA	NA	NA		
3/09/09	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	3/16/09	4.0 U	NA	NA	NA
		3/23/09	4.0 U	NA	NA	NA
		3/30/09	4.0 U	NA	NA	NA
		4/06/09	4.0 U	NA	NA	NA
		4/13/09	4.0 U	NA	NA	NA
		4/20/09	4.0 U	NA	NA	NA
		4/27/09	4.0 U	NA	NA	NA
		5/04/09	4.0 U	NA	NA	NA
		5/05/09	4.0 U	NA	NA	NA
		5/06/09	4.0 U	NA	NA	NA
		5/07/09	4.0 U	NA	NA	NA
		5/08/09	4.0 U	NA	NA	NA
		5/09/09	4.0 U	NA	NA	NA
		5/10/09	4.0 U	NA	NA	NA
		5/11/09	4.0 U	NA	NA	NA
		5/12/09	4.0 U	NA	NA	NA
		5/13/09	4.0 U	NA	NA	NA
		5/14/09	4.0 U	NA	NA	NA
		5/15/09	4.0 U	NA	NA	NA
		5/16/09	4.0 U	NA	NA	NA
		5/17/09	4.0 U	NA	NA	NA
		5/18/09	4.0 U	NA	NA	NA
		5/19/09	4.0 U	NA	NA	NA
		5/20/09	4.0 U	NA	NA	NA
		5/21/09	4.0 U	NA	NA	NA
		5/22/09	4.0 U	NA	NA	NA
		5/23/09	4.0 U	NA	NA	NA
		5/24/09	4.0 U	NA	NA	NA
		5/25/09	4.0 U	NA	NA	NA
		5/26/09	4.0 U	NA	NA	NA
		5/27/09	4.0 U	NA	NA	NA
		5/29/09	4.0 U	NA	NA	NA
		5/30/09	4.0 U	NA	NA	NA
		5/31/09	4.0 U	NA	NA	NA
		6/01/09	4.0 U	NA	NA	NA
		6/02/09	4.0 U	NA	NA	NA
		6/03/09	4.0 U	NA	NA	NA
		6/04/09	4.0 U	NA	NA	NA
		6/05/09	4.0 U	NA	NA	NA
		6/06/09	4.0 U	NA	NA	NA
6/07/09	4.0 U	NA	NA	NA		
6/08/09	4.0 U	NA	NA	NA		
6/09/09	4.0 U	NA	NA	NA		
6/10/09	4.0 U	NA	NA	NA		
6/11/09	4.0 U	NA	NA	NA		
6/12/09	4.0 U	NA	NA	NA		
6/15/09	4.0 U	NA	NA	NA		
6/16/09	4.0 U	NA	NA	NA		
6/17/09	4.0 U	NA	NA	NA		
6/18/09	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	6/19/09	4.0 U	NA	NA	NA
		6/22/09	4.0 U	NA	NA	NA
		6/23/09	4.0 U	NA	NA	NA
		6/24/09	4.0 U	NA	NA	NA
		6/25/09	4.0 U	NA	NA	NA
		6/29/09	4.0 U	NA	NA	NA
		7/06/09	4.0 U	NA	NA	NA
		7/13/09	4.0 U	NA	NA	NA
		7/20/09	4.0 U	NA	NA	NA
		7/27/09	4.0 U	NA	NA	NA
		8/03/09	4.0 U	NA	NA	NA
		8/05/09	4.0 U	NA	NA	NA
		8/10/09	4.0 U	NA	NA	NA
		8/17/09	4.0 U	NA	NA	NA
		8/24/09	4.0 U	NA	NA	NA
		8/31/09	4.0 U	NA	NA	NA
		9/08/09	4.0 U	NA	NA	NA
		9/14/09	4.0 U	NA	NA	NA
		9/21/09	4.0 U	NA	NA	NA
		9/28/09	4.0 U	NA	NA	NA
		10/05/09	4.0 U	NA	NA	NA
		10/12/09	4.0 U	NA	NA	NA
		11/02/09	4.0 U	NA	NA	NA
		11/09/09	4.0 U	NA	NA	NA
		11/16/09	4.0 U	NA	NA	NA
		12/14/09	4.0 U	NA	NA	NA
		12/21/09	4.0 U	NA	NA	NA
		12/28/09	4.0 U	NA	NA	NA
		1/04/10	4.0 U	NA	NA	NA
		1/11/10	4.0 U	NA	NA	NA
		2/08/10	4.0 U	NA	NA	NA
		2/16/10	4.0 U	NA	NA	NA
		2/22/10	4.0 U	NA	NA	NA
		3/01/10	4.0 U	NA	NA	NA
		3/08/10	4.0 U	NA	NA	NA
		3/15/10	4.0 U	NA	NA	NA
		3/22/10	4.0 U	NA	NA	NA
		3/29/10	4.0 U	NA	NA	NA
		4/05/10	4.0 U	NA	NA	NA
		4/12/10	4.0 U	NA	NA	NA
4/19/10	4.0 U	NA	NA	NA		
4/26/10	4.0 U	NA	NA	NA		
6/01/10	4.0 U	NA	NA	NA		
6/07/10	4.0 U	NA	NA	NA		
6/14/10	4.0 U	NA	NA	NA		
6/21/10	4.0 U	NA	NA	NA		
6/28/10	4.0 U	NA	NA	NA		
7/06/10	4.0 U	NA	NA	NA		
7/12/10	4.0 U	NA	NA	NA		
7/19/10	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (cont)	WELL 04 (cont)	7/26/10	4.0 U	NA	NA	NA
		8/02/10	4.0 U	NA	NA	NA
		8/09/10	4.0 U	NA	NA	NA
		8/16/10	4.0 U	NA	NA	NA
		8/23/10	4.0 U	NA	NA	NA
		8/30/10	4.0 U	NA	NA	NA
		9/07/10	4.0 U	NA	NA	NA
		9/13/10	4.0 U	NA	NA	NA
		9/20/10	4.0 U	NA	NA	NA
		9/27/10	4.0 U	NA	NA	NA
		10/04/10	4.0 U	NA	NA	NA
		10/11/10	4.0 U	NA	NA	NA
		10/18/10	4.0 U	NA	NA	NA
		10/25/10	4.0 U	NA	NA	NA
		11/15/10	4.0 U	NA	NA	NA
		11/22/10	4.0 U	NA	NA	NA
		11/29/10	4.0 U	NA	NA	NA
		12/06/10	4.0 U	NA	NA	NA
		12/13/10	4.0 U	NA	NA	NA
		12/20/10	4.0 U	NA	NA	NA
		12/27/10	4.0 U	NA	NA	NA
		1/03/11	4.0 U	NA	NA	NA
		2/07/11	4.0 U	0.5 U	0.5 U	0.5 U
		2/14/11	4.0 U	NA	NA	NA
		2/22/11	4.0 U	NA	NA	NA
		3/14/11	4.0 U	NA	NA	NA
		3/16/11	4.0 U	NA	NA	NA
		3/21/11	4.0 U	NA	NA	NA
		3/22/11	4.0 U	NA	NA	NA
		3/23/11	4.0 U	NA	NA	NA
		3/24/11	4.0 U	NA	NA	NA
		3/28/11	4.0 U	NA	NA	NA
		3/30/11	4.0 U	NA	NA	NA
		4/04/11	4.0 U	NA	NA	NA
		4/11/11	4.0 U	NA	NA	NA
		4/18/11	4.0 U	NA	NA	NA
		4/25/11	4.0 U	NA	NA	NA
		5/23/11	4.0 U	NA	NA	NA
		5/31/11	4.0 U	NA	NA	NA
		6/06/11	4.0 U	NA	NA	NA
6/13/11	4.0 U	NA	NA	NA		
6/20/11	4.0 U	NA	NA	NA		
6/27/11	4.0 U	NA	NA	NA		
7/05/11	4.0 U	NA	NA	NA		
7/11/11	4.0 U	NA	NA	NA		
7/18/11	4.0 U	NA	NA	NA		
7/25/11	4.0 U	NA	NA	NA		
8/01/11	4.0 U	NA	NA	NA		
8/08/11	4.0 U	NA	NA	NA		
8/15/11	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (cont)	WELL 04 (cont)	8/22/11	4.0 U	NA	NA	NA
		8/29/11	4.0 U	NA	NA	NA
		9/06/11	4.0 U	NA	NA	NA
		9/12/11	4.0 U	NA	NA	NA
		9/19/11	4.0 U	NA	NA	NA
		10/03/11	4.0 U	NA	NA	NA
		10/10/11	4.0 U	0.5 U	0.5 U	0.5 U
		3/19/12	4.0 U	0.5 U	0.5 U	0.5 U
		4/02/12	4.0 U	NA	NA	NA
		4/09/12	4.0 U	NA	NA	NA
		4/16/12	4.0 U	NA	NA	NA
		4/23/12	4.0 U	NA	NA	NA
		5/21/12	4.0 U	NA	NA	NA
		5/29/12	4.0 U	NA	NA	NA
		6/04/12	4.0 U	NA	NA	NA
		6/11/12	4.0 U	NA	NA	NA
		6/18/12	4.0 U	NA	NA	NA
		6/25/12	4.0 U	NA	NA	NA
		7/02/12	4.0 U	NA	NA	NA
		7/09/12	4.0 U	NA	NA	NA
		7/16/12	4.0 U	NA	NA	NA
		7/23/12	4.0 U	NA	NA	NA
		7/30/12	4.0 U	NA	NA	NA
		8/06/12	4.0 U	NA	NA	NA
		8/13/12	4.0 U	NA	NA	NA
		8/20/12	4.0 U	NA	NA	NA
		8/27/12	4.0 U	NA	NA	NA
		9/17/12	4.0 U	NA	NA	NA
		9/24/12	4.0 U	NA	NA	NA
		10/15/12	4.0 U	NA	NA	NA
		10/29/12	4.0 U	NA	NA	NA
		11/05/12	4.0 U	NA	NA	NA
		11/13/12	4.0 U	NA	NA	NA
		11/19/12	4.0 U	NA	NA	NA
		11/26/12	4.0 U	NA	NA	NA
		12/03/12	4.0 U	NA	NA	NA
		12/10/12	4.0 U	NA	NA	NA
		12/17/12	4.0 U	NA	NA	NA
		12/24/12	4.0 U	NA	NA	NA
		12/31/12	4.0 U	NA	NA	NA
1/07/13	4.0 U	NA	NA	NA		
1/14/13	4.0 U	NA	NA	NA		
1/22/13	4.0 U	NA	NA	NA		
1/28/13	4.0 U	NA	NA	NA		
2/11/13	4.0 U	NA	NA	NA		
2/19/13	4.0 U	NA	NA	NA		
2/25/13	4.0 U	NA	NA	NA		
3/04/13	4.0 U	NA	NA	NA		
3/11/13	4.0 U	NA	NA	NA		
3/18/13	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (cont)	WELL 04 (cont)	3/25/13	4.0 U	NA	NA	NA
		4/01/13	4.0 U	NA	NA	NA
		4/08/13	4.0 U	NA	NA	NA
		4/15/13	4.0 U	NA	NA	NA
		4/22/13	4.0 U	NA	NA	NA
		5/13/13	4.0 U	NA	NA	NA
		5/20/13	4.0 U	NA	NA	NA
		5/28/13	4.0 U	NA	NA	NA
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	4.0 U	NA	NA	NA
		6/17/13	4.0 U	NA	NA	NA
		6/24/13	4.0 U	NA	NA	NA
		7/01/13	4.0 U	NA	NA	NA
		7/08/13	4.0 U	NA	NA	NA
		7/15/13	4.0 U	NA	NA	NA
		7/22/13	4.0 U	NA	NA	NA
		7/29/13	4.0 U	NA	NA	NA
		8/05/13	4.0 U	NA	NA	NA
		8/12/13	4.0 U	NA	NA	NA
		8/19/13	4.0 U	NA	NA	NA
		8/26/13	4.0 U	NA	NA	NA
		9/03/13	4.0 U	NA	NA	NA
		9/09/13	4.0 U	NA	NA	NA
		9/16/13	4.0 U	NA	NA	NA
		9/19/13	4.0 U	NA	NA	NA
		9/23/13	4.0 U	NA	NA	NA
		11/04/13	4.0 U	NA	NA	NA
		11/12/13	4.0 U	NA	NA	NA
		11/18/13	4.0 U	NA	NA	NA
		11/25/13	4.0 U	NA	NA	NA
		12/02/13	4.0 U	NA	NA	NA
		12/09/13	4.0 U	NA	NA	NA
		12/16/13	4.0 U	NA	NA	NA
		12/23/13	4.0 U	NA	NA	NA
		2/10/14	4.0 U	NA	NA	NA
		2/18/14	4.0 U	NA	NA	NA
		2/24/14	4.0 U	NA	NA	NA
		3/03/14	4.0 U	NA	NA	NA
		3/10/14	4.0 U	NA	NA	NA
		3/17/14	4.0 U	NA	NA	NA
3/24/14	4.0 U	NA	NA	NA		
3/31/14	4.0 U	NA	NA	NA		
4/07/14	4.0 U	NA	NA	NA		
4/14/14	4.0 U	NA	NA	NA		
4/21/14	4.0 U	NA	NA	NA		
4/28/14	4.0 U	NA	NA	NA		
5/19/14	4.0 U	NA	NA	NA		
5/27/14	4.0 U	NA	NA	NA		
6/02/14	4.0 U	NA	NA	NA		
6/09/14	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (cont)	WELL 04 (cont)	6/16/14	4.0 U	NA	NA	NA
		6/23/14	4.0 U	NA	NA	NA
		6/30/14	4.0 U	NA	NA	NA
		7/07/14	4.0 U	NA	NA	NA
		7/14/14	4.0 U	NA	NA	NA
		7/21/14	4.0 U	NA	NA	NA
		7/28/14	4.0 U	NA	NA	NA
		8/11/14	4.0 U	NA	NA	NA
		8/18/14	4.0 U	NA	NA	NA
		8/25/14	4.0 U	NA	NA	NA
		9/02/14	4.0 U	NA	NA	NA
		9/08/14	4.0 U	NA	NA	NA
		9/15/14	4.0 U	NA	NA	NA
		9/22/14	4.0 U	NA	NA	NA
	9/29/14	4.0 U	NA	NA	NA	
	WELL 07	3/04/96	NA	NA	NA	0.5 U
		6/03/96	NA	NA	NA	0.5 U
		9/03/96	NA	NA	NA	0.5 U
		12/02/96	NA	NA	NA	0.5 U
		3/03/97	NA	NA	NA	0.5 U
		6/02/97	NA	NA	NA	0.5 U
		6/17/97	0.0 U	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		9/02/97	NA	NA	NA	0.5 U
		9/16/97	0.0 U	NA	NA	NA
		12/01/97	NA	NA	NA	0.5 U
		3/02/98	NA	NA	NA	0.5 U
		6/01/98	NA	NA	NA	0.5 U
		7/06/98	NA	0.5 U	0.5 U	0.5 U
		9/01/98	NA	NA	NA	0.5 U
		12/07/98	NA	NA	NA	0.5 U
		3/01/99	NA	NA	NA	0.5 U
		6/01/99	NA	NA	NA	0.5 U
		7/26/99	5.0 U	0.5 U	0.5 U	0.5 U
		9/07/99	NA	NA	NA	0.5 U
		12/06/99	NA	NA	NA	0.5 U
		3/06/00	NA	NA	NA	0.5 U
		4/24/00	5.0 U	0.5 U	0.5 U	0.5 U
		6/05/00	NA	NA	NA	0.5 U
		7/03/00	5.0 U	NA	NA	NA
		9/11/00	NA	NA	NA	0.5 U
10/02/00		5.0 U	NA	NA	NA	
12/04/00		NA	NA	NA	0.5 U	
1/02/01		5.0 U	NA	NA	NA	
1/29/01		NA	0.5 U	0.5 U	0.5 U	
3/05/01	NA	NA	NA	0.5 U		
6/04/01	NA	NA	NA	0.5 U		
9/04/01	NA	NA	NA	0.5 U		
12/03/01	NA	NA	NA	0.5 U		
1/28/02	NA	0.5 U	0.5 U	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	3/04/02	NA	NA	NA	0.5 U
		4/29/02	4.0 U	NA	NA	NA
		6/03/02	NA	NA	NA	0.5 U
		7/01/02	4.0 U	NA	NA	NA
		9/03/02	NA	NA	NA	0.5 U
		10/07/02	4.0 U	NA	NA	NA
		12/02/02	NA	NA	NA	0.5 U
		1/13/03	0.0 U	0.5 U	0.5 U	0.5 U
		4/07/03	4.0 U	NA	NA	NA
		10/06/03	4.0 U	NA	NA	NA
		10/20/03	NA	NA	NA	0.5 U
		1/20/04	NA	0.5 U	0.5 U	0.5 U
		4/05/04	4.0 U	NA	NA	NA
		5/03/04	4.0 U	NA	NA	NA
		6/01/04	4.0 U	NA	NA	NA
		7/06/04	4.0 U	NA	NA	NA
		8/02/04	4.0 U	NA	NA	NA
		9/07/04	4.0 U	NA	NA	NA
		10/04/04	4.0 U	NA	NA	NA
		11/01/04	4.0 U	NA	NA	NA
		12/06/04	4.0 U	NA	NA	NA
		1/03/05	4.0 U	NA	NA	NA
		1/18/05	NA	0.5 U	0.5	0.5 U
		2/07/05	4.0 U	NA	NA	NA
		3/07/05	4.0 U	NA	NA	NA
		4/04/05	4.0 U	NA	0.5 U	NA
		5/02/05	4.0 U	NA	NA	NA
		6/06/05	4.0 U	NA	NA	NA
		7/05/05	4.0 U	NA	0.5 U	NA
		8/01/05	4.0 U	NA	NA	NA
		9/06/05	4.0 U	NA	NA	NA
		10/03/05	4.0 U	NA	NA	NA
		11/07/05	4.0 U	NA	NA	NA
		12/05/05	4.0 U	NA	NA	NA
		1/03/06	4.0 U	NA	NA	NA
		1/09/06	NA	NA	0.5 U	NA
		1/23/06	NA	0.5 U	0.5 U	0.5 U
		2/06/06	4.0 U	NA	NA	NA
		3/06/06	4.0 U	NA	NA	NA
		4/03/06	4.0 U	NA	NA	NA
		4/06/06	NA	NA	0.5 U	NA
5/01/06	4.0 U	NA	NA	NA		
6/05/06	4.0 U	NA	NA	NA		
7/03/06	4.0 U	NA	0.5 U	NA		
8/07/06	4.0 U	NA	NA	NA		
9/05/06	4.0 U	NA	NA	NA		
10/02/06	4.0 U	NA	0.5 U	NA		
11/06/06	4.0 U	NA	NA	NA		
1/02/07	4.0 U	NA	NA	NA		
1/08/07	NA	NA	0.5 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	2/05/07	4.0 U	NA	NA	NA
		3/05/07	4.0 U	NA	NA	NA
		3/12/07	NA	0.5 U	0.5 U	0.5 U
		4/02/07	4.0 U	NA	NA	NA
		5/07/07	4.0 U	NA	NA	NA
		6/04/07	4.0 U	NA	NA	NA
		8/06/07	4.0 U	NA	NA	NA
		9/04/07	4.0 U	NA	NA	NA
		10/01/07	4.0 U	NA	0.5 U	NA
		11/05/07	4.0 U	NA	NA	NA
		12/03/07	4.0 U	NA	NA	NA
		1/02/08	4.0 U	NA	0.5 U	NA
		1/05/08	4.0 U	NA	NA	NA
		1/14/08	4.0 U	0.5 U	0.5 U	0.5 U
		2/05/08	4.0 U	NA	NA	NA
		3/03/08	4.0 U	NA	NA	NA
		4/07/08	4.0 U	NA	0.5 U	NA
		6/02/08	4.0 U	NA	NA	NA
		9/02/08	4.0 U	NA	NA	NA
		10/06/08	4.0 U	NA	0.5 U	NA
		11/24/08	4.0 U	NA	NA	NA
		12/01/08	4.0 U	NA	NA	NA
		12/08/08	4.0 U	NA	NA	NA
		12/15/08	4.0 U	NA	NA	NA
		12/22/08	4.0 U	NA	NA	NA
		12/29/08	4.0 U	NA	NA	NA
		2/23/09	4.0 U	NA	NA	NA
		3/02/09	4.0 U	NA	0.7	NA
		3/09/09	4.0 U	NA	NA	NA
		3/16/09	4.0 U	NA	NA	NA
		3/23/09	4.0 U	NA	NA	NA
		3/30/09	4.0 U	NA	NA	NA
		4/06/09	4.0 U	NA	NA	NA
		4/08/09	NA	NA	0.6	NA
		4/13/09	4.0 U	NA	NA	NA
		4/20/09	4.0 U	NA	NA	NA
		4/27/09	4.0 U	NA	NA	NA
		5/04/09	4.0 U	NA	NA	NA
		5/05/09	4.0 U	NA	NA	NA
		5/06/09	4.0 U	NA	NA	NA
5/07/09	4.0 U	NA	NA	NA		
5/08/09	4.0 U	NA	NA	NA		
5/09/09	4.0 U	NA	NA	NA		
5/10/09	4.0 U	NA	NA	NA		
5/11/09	4.0 U	NA	NA	NA		
5/12/09	4.0 U	NA	NA	NA		
5/13/09	4.0 U	NA	NA	NA		
5/14/09	4.0 U	NA	NA	NA		
5/15/09	4.0 U	NA	NA	NA		
5/16/09	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (cont)	WELL 07 (cont)	5/17/09	4.0 U	NA	NA	NA
		5/18/09	4.0 U	NA	NA	NA
		5/19/09	4.0 U	NA	NA	NA
		5/20/09	4.0 U	NA	NA	NA
		5/21/09	4.0 U	NA	NA	NA
		5/22/09	4.0 U	NA	NA	NA
		5/23/09	4.0 U	NA	NA	NA
		5/24/09	4.0 U	NA	NA	NA
		5/25/09	4.0 U	NA	NA	NA
		5/26/09	4.0 U	NA	NA	NA
		5/27/09	4.0 U	NA	NA	NA
		5/29/09	4.0 U	NA	NA	NA
		5/30/09	4.0 U	NA	NA	NA
		5/31/09	4.0 U	NA	NA	NA
		6/01/09	4.0 U	NA	NA	NA
		6/02/09	4.0 U	NA	NA	NA
		6/03/09	4.0 U	NA	NA	NA
		6/04/09	4.0 U	NA	NA	NA
		6/05/09	4.0 U	NA	NA	NA
		6/06/09	4.0 U	NA	NA	NA
		6/07/09	4.0 U	NA	NA	NA
		6/08/09	4.0 U	NA	NA	NA
		6/09/09	4.0 U	NA	NA	NA
		6/10/09	4.0 U	NA	NA	NA
		6/11/09	4.0 U	NA	NA	NA
		6/12/09	4.0 U	NA	NA	NA
		6/15/09	4.0 U	NA	NA	NA
		6/16/09	4.0 U	NA	NA	NA
		6/17/09	4.0 U	NA	NA	NA
		6/18/09	4.0 U	NA	NA	NA
		6/19/09	4.0 U	NA	NA	NA
		6/22/09	4.0 U	NA	NA	NA
		6/23/09	4.0 U	NA	NA	NA
		6/24/09	4.0 U	NA	NA	NA
		6/25/09	4.0 U	NA	NA	NA
		6/29/09	4.0 U	NA	NA	NA
		7/06/09	4.0 U	NA	0.5 U	NA
		7/13/09	4.0 U	NA	NA	NA
		7/20/09	4.0 U	NA	NA	NA
		7/27/09	4.0 U	NA	NA	NA
		8/03/09	4.0 U	NA	0.5 U	NA
		8/05/09	4.0 U	NA	NA	NA
8/10/09	4.0 U	NA	NA	NA		
8/17/09	4.0 U	NA	NA	NA		
8/24/09	4.0 U	NA	NA	NA		
8/31/09	4.0 U	NA	NA	NA		
9/08/09	4.0 U	NA	0.5 U	NA		
9/14/09	4.0 U	NA	NA	NA		
9/21/09	4.0 U	NA	NA	NA		
9/28/09	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	10/05/09	4.0 U	NA	0.5 U	NA
		10/12/09	4.0 U	NA	NA	NA
		10/19/09	4.0 U	NA	NA	NA
		10/26/09	4.0 U	NA	NA	NA
		11/02/09	4.0 U	NA	0.5 U	NA
		11/09/09	4.0 U	NA	NA	NA
		11/16/09	4.0 U	NA	NA	NA
		12/14/09	4.0 U	NA	NA	NA
		12/21/09	4.0 U	NA	NA	NA
		12/28/09	4.0 U	NA	NA	NA
		1/04/10	4.0 U	NA	0.7	NA
		1/11/10	4.0 U	NA	NA	NA
		2/08/10	4.0 U	NA	0.9	NA
		2/16/10	4.0 U	NA	NA	NA
		2/22/10	4.0 U	NA	NA	NA
		3/01/10	4.0 U	NA	0.9	NA
		3/08/10	4.0 U	NA	NA	NA
		3/15/10	4.0 U	NA	NA	NA
		3/22/10	4.0 U	NA	NA	NA
		3/29/10	4.0 U	NA	NA	NA
		4/05/10	4.0 U	NA	0.7	NA
		4/12/10	4.0 U	NA	NA	NA
		4/19/10	4.0 U	NA	NA	NA
		4/26/10	4.0 U	NA	NA	NA
		5/24/10	4.0 U	NA	NA	NA
		6/01/10	4.0 U	NA	0.5 U	NA
		6/07/10	4.0 U	NA	NA	NA
		6/14/10	4.0 U	NA	NA	NA
		6/21/10	4.0 U	NA	NA	NA
		6/28/10	4.0 U	NA	NA	NA
		7/06/10	4.0 U	NA	0.5 U	NA
		7/12/10	4.0 U	NA	NA	NA
		7/19/10	4.0 U	NA	NA	NA
		7/26/10	4.0 U	NA	NA	NA
		8/02/10	4.0 U	NA	0.5 U	NA
		8/09/10	4.0 U	NA	NA	NA
		8/16/10	4.0 U	NA	NA	NA
		8/23/10	4.0 U	NA	NA	NA
		8/30/10	4.0 U	NA	NA	NA
		9/07/10	4.0 U	NA	0.5 U	NA
9/13/10	4.0 U	NA	NA	NA		
9/20/10	4.0 U	NA	NA	NA		
9/27/10	4.0 U	NA	NA	NA		
10/04/10	4.0 U	NA	0.5 U	NA		
10/11/10	4.0 U	NA	NA	NA		
10/18/10	4.0 U	NA	NA	NA		
10/25/10	4.0 U	NA	NA	NA		
11/15/10	4.0 U	NA	NA	NA		
11/22/10	4.0 U	NA	NA	NA		
11/29/10	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	12/06/10	4.0 U	NA	0.5 U	NA
		12/13/10	4.0 U	NA	NA	NA
		12/20/10	4.0 U	NA	NA	NA
		12/27/10	4.0 U	NA	NA	NA
		1/03/11	4.0 U	NA	0.8	NA
		2/07/11	4.0 U	0.5 U	0.8	0.5
		2/14/11	4.0 U	NA	NA	NA
		2/22/11	4.0 U	NA	NA	NA
		3/14/11	4.0 U	NA	NA	NA
		3/16/11	4.0 U	NA	NA	NA
		3/21/11	4.0 U	NA	NA	NA
		3/22/11	4.0 U	NA	NA	NA
		3/23/11	4.0 U	NA	NA	NA
		3/24/11	4.0 U	NA	NA	NA
		3/28/11	4.0 U	NA	NA	NA
		3/30/11	4.0 U	NA	NA	NA
		4/04/11	4.0 U	NA	0.6	NA
		4/11/11	4.0 U	NA	NA	NA
		4/18/11	4.0 U	NA	NA	NA
		4/25/11	4.0 U	NA	NA	NA
		5/23/11	4.0 U	NA	NA	NA
		5/31/11	4.0 U	NA	NA	NA
		6/06/11	4.0 U	NA	NA	NA
		6/13/11	4.0 U	NA	NA	NA
		6/20/11	4.0 U	NA	NA	NA
		6/27/11	4.0 U	NA	NA	NA
		7/05/11	4.0 U	NA	0.5 U	NA
		7/11/11	4.0 U	NA	NA	NA
		7/18/11	4.0 U	NA	NA	NA
		7/25/11	4.0 U	NA	NA	NA
		8/01/11	4.0 U	NA	NA	NA
		8/08/11	4.0 U	NA	NA	NA
		8/15/11	4.0 U	NA	NA	NA
		8/22/11	4.0 U	NA	NA	NA
		8/29/11	4.0 U	NA	NA	NA
		9/06/11	4.0 U	NA	NA	NA
		9/12/11	4.0 U	NA	NA	NA
		9/19/11	4.0 U	NA	NA	NA
		9/26/11	4.0 U	NA	NA	NA
		10/03/11	4.0 U	NA	0.5 U	NA
10/10/11	4.0 U	0.5 U	0.5 U	0.5 U		
10/17/11	4.0 U	NA	NA	NA		
10/24/11	4.0 U	NA	NA	NA		
10/31/11	4.0 U	NA	NA	NA		
11/07/11	4.0 U	NA	NA	NA		
11/14/11	4.0 U	NA	NA	NA		
11/21/11	4.0 U	NA	NA	NA		
11/28/11	4.0 U	NA	NA	NA		
12/05/11	4.0 U	NA	NA	NA		
12/12/11	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (cont)	WELL 07 (cont)	12/19/11	4.0 U	NA	NA	NA
		12/27/11	4.0 U	NA	NA	NA
		1/03/12	4.0 U	NA	0.5 U	NA
		1/09/12	4.0 U	NA	NA	NA
		1/17/12	4.0 U	NA	NA	NA
		1/23/12	4.0 U	NA	NA	NA
		1/30/12	4.0 U	NA	NA	NA
		2/06/12	4.0 U	0.5 U	0.5 U	0.5 U
		2/13/12	4.0 U	NA	NA	NA
		2/21/12	4.0 U	NA	NA	NA
		2/27/12	4.0 U	NA	NA	NA
		3/05/12	4.0 U	NA	NA	NA
		3/12/12	4.0 U	NA	NA	NA
		3/19/12	4.0 U	NA	NA	NA
		3/26/12	4.0 U	NA	NA	NA
		4/02/12	4.0 U	NA	0.5 U	NA
		4/09/12	4.0 U	NA	NA	NA
		4/16/12	4.0 U	NA	NA	NA
		4/23/12	4.0 U	NA	NA	NA
		5/21/12	4.0 U	NA	NA	NA
		5/29/12	4.0 U	NA	NA	NA
		6/04/12	4.0 U	NA	NA	NA
		6/11/12	4.0 U	NA	NA	NA
		6/18/12	4.0 U	NA	NA	NA
		6/25/12	4.0 U	NA	NA	NA
		7/02/12	4.0 U	NA	0.5 U	NA
		7/09/12	4.0 U	NA	NA	NA
		7/16/12	4.0 U	NA	NA	NA
		7/23/12	4.0 U	NA	NA	NA
		7/30/12	4.0 U	NA	NA	NA
		8/06/12	4.0 U	NA	NA	NA
		8/13/12	4.0 U	NA	NA	NA
		8/20/12	4.0 U	NA	NA	NA
		8/27/12	4.0 U	NA	NA	NA
		9/17/12	4.0 U	NA	NA	NA
		9/24/12	4.0 U	NA	NA	NA
		10/15/12	4.0 U	NA	NA	NA
		10/29/12	4.0 U	NA	NA	NA
		11/05/12	4.0 U	NA	NA	NA
		11/13/12	4.0 U	NA	NA	NA
11/19/12	4.0 U	NA	NA	NA		
11/26/12	4.0 U	NA	NA	NA		
12/03/12	4.0 U	NA	NA	NA		
12/10/12	4.0 U	NA	NA	NA		
12/17/12	4.0 U	NA	NA	NA		
12/24/12	4.0 U	NA	NA	NA		
12/31/12	4.0 U	NA	NA	NA		
1/07/13	4.0 U	NA	0.5 U	NA		
1/14/13	4.0 U	NA	NA	NA		
1/22/13	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	1/28/13	4.0 U	NA	NA	NA
		2/11/13	4.0 U	NA	NA	NA
		2/19/13	4.0 U	NA	NA	NA
		2/25/13	4.0 U	NA	NA	NA
		3/04/13	4.0 U	NA	NA	NA
		3/11/13	4.0 U	NA	NA	NA
		3/18/13	4.0 U	NA	NA	NA
		3/25/13	4.0 U	NA	NA	NA
		4/01/13	4.0 U	NA	0.5 U	NA
		4/08/13	4.0 U	NA	NA	NA
		4/15/13	4.0 U	NA	NA	NA
		4/22/13	4.0 U	NA	NA	NA
		5/28/13	4.0 U	NA	NA	NA
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	4.0 U	NA	NA	NA
		6/17/13	4.0 U	NA	NA	NA
		6/24/13	4.0 U	NA	NA	NA
		7/01/13	4.0 U	NA	0.5	NA
		7/08/13	4.0 U	NA	NA	NA
		7/15/13	4.0 U	NA	NA	NA
		7/22/13	4.0 U	NA	NA	NA
		7/29/13	4.0 U	NA	NA	NA
		8/05/13	4.0 U	NA	NA	NA
		8/12/13	4.0 U	NA	NA	NA
		8/19/13	4.0 U	NA	NA	NA
		8/26/13	4.0 U	NA	NA	NA
		9/03/13	4.0 U	NA	NA	NA
		9/09/13	4.0 U	NA	NA	NA
		9/16/13	4.0 U	NA	NA	NA
		9/19/13	4.0 U	NA	NA	NA
		9/23/13	4.0 U	NA	NA	NA
		2/10/14	4.0 U	NA	NA	NA
		2/18/14	4.0 U	NA	NA	NA
		2/24/14	4.0 U	NA	NA	NA
		3/03/14	4.0 U	NA	NA	NA
		3/10/14	4.0 U	NA	NA	NA
		3/17/14	4.0 U	NA	NA	NA
		3/24/14	4.0 U	NA	NA	NA
		3/31/14	4.0 U	NA	NA	NA
		4/07/14	4.0 U	NA	0.5 U	NA
4/14/14	4.0 U	NA	NA	NA		
4/21/14	4.0 U	NA	NA	NA		
4/28/14	4.0 U	NA	NA	NA		
5/19/14	4.0 U	NA	NA	NA		
5/27/14	4.0 U	NA	NA	NA		
6/02/14	4.0 U	NA	NA	NA		
6/09/14	4.0 U	NA	NA	NA		
6/16/14	4.0 U	NA	NA	NA		
6/23/14	4.0 U	NA	NA	NA		
6/30/14	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	7/07/14	4.0 U	NA	0.6	NA
		7/14/14	4.0 U	NA	NA	NA
		7/21/14	4.0 U	NA	NA	NA
		7/28/14	4.0 U	NA	NA	NA
		8/11/14	4.0 U	NA	NA	NA
		8/18/14	4.0 U	NA	NA	NA
		8/25/14	4.0 U	NA	NA	NA
		9/02/14	4.0 U	NA	NA	NA
		9/08/14	4.0 U	NA	NA	NA
		9/15/14	4.0 U	NA	NA	NA
		9/22/14	4.0 U	NA	NA	NA
9/29/14	4.0 U	NA	NA	NA	NA	
LAS FLORES WATER CO.	WELL 02	12/09/96	NA	0.5 U	0.5 U	0.5 U
		6/17/97	5.0	NA	NA	NA
		6/24/97	5.0	NA	NA	NA
		9/15/97	4.0	NA	NA	NA
		12/17/97	NA	0.5 U	4.7	0.5 U
		1/05/98	NA	0.5 U	4.8	0.5 U
		1/06/98	NA	NA	4.8	NA
		5/11/98	NA	NA	9.0	NA
		5/20/98	NA	NA	8.8	NA
		7/13/98	NA	NA	4.7	NA
		8/17/98	NA	NA	7.8	NA
		8/24/98	NA	NA	7.1	NA
		9/18/98	NA	NA	8.0	NA
		10/12/98	NA	NA	8.9	NA
		12/14/98	NA	0.5 U	9.3	0.5 U
		1/11/99	NA	NA	12.6	NA
		1/20/99	NA	NA	8.7	NA
		2/08/99	NA	NA	11.0	NA
		2/16/99	NA	NA	9.1	NA
		3/08/99	NA	NA	9.1	NA
		3/16/99	NA	NA	9.5	NA
		3/22/99	NA	NA	9.9	NA
		3/29/99	NA	NA	6.9	NA
		4/05/99	NA	NA	8.7	NA
		4/13/99	NA	NA	3.0	NA
		4/19/99	NA	NA	7.9	NA
		4/26/99	NA	NA	10.7	NA
		5/03/99	NA	NA	9.3	NA
		5/10/99	NA	NA	7.5	NA
		5/17/99	NA	NA	7.4	NA
		5/24/99	NA	NA	7.6	NA
		6/01/99	NA	NA	4.6	NA
6/07/99	NA	NA	9.8	NA		
6/14/99	NA	NA	5.6	NA		
6/21/99	NA	NA	10.6	NA		
6/28/99	NA	NA	6.3	NA		
7/06/99	NA	NA	7.0	NA		
7/12/99	NA	NA	9.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	7/19/99	NA	NA	8.1	NA
		7/27/99	NA	NA	8.7	NA
		7/29/99	5.3	NA	NA	NA
		8/03/99	NA	NA	6.0	NA
		8/09/99	NA	NA	11.6	NA
		8/16/99	NA	NA	8.4	NA
		8/23/99	NA	NA	9.2	NA
		8/30/99	NA	NA	10.7	NA
		9/07/99	NA	0.5 U	11.5	0.5 U
		9/13/99	NA	NA	11.2	NA
		9/20/99	NA	NA	9.2	NA
		9/27/99	NA	NA	11.5	NA
		10/04/99	NA	NA	9.8	NA
		10/11/99	NA	NA	9.3	NA
		10/18/99	NA	NA	11.2	NA
		10/25/99	NA	NA	9.8	NA
		11/01/99	NA	NA	11.2	NA
		11/08/99	NA	NA	9.9	NA
		11/15/99	NA	NA	8.1	NA
		11/22/99	NA	NA	10.0	NA
		11/29/99	NA	NA	11.8	NA
		12/06/99	NA	NA	13.7	NA
		12/13/99	6.3	0.5 U	10.2	0.5 U
		12/20/99	NA	NA	14.5	NA
		1/03/00	NA	NA	13.5	NA
		1/11/00	NA	NA	7.6	NA
		1/17/00	NA	NA	14.8	NA
		1/24/00	NA	NA	13.2	NA
		1/31/00	NA	NA	14.0	NA
		2/07/00	NA	NA	11.7	NA
		2/14/00	NA	NA	12.4	NA
		2/22/00	NA	NA	16.5	NA
		2/28/00	NA	NA	8.0	NA
		3/06/00	NA	NA	12.0	NA
		3/12/00	NA	NA	11.0	NA
		3/20/00	NA	NA	13.0	NA
		3/27/00	8.0	NA	12.0	NA
		4/03/00	NA	0.5 U	12.0	0.5 U
		4/10/00	NA	NA	11.0	NA
		4/17/00	NA	NA	12.0	NA
		4/24/00	NA	NA	13.0	NA
		5/01/00	NA	NA	9.7	NA
5/08/00	NA	NA	13.5	NA		
5/15/00	NA	NA	13.3	NA		
5/22/00	NA	NA	9.9	NA		
5/30/00	NA	NA	13.6	NA		
6/05/00	NA	NA	9.2	NA		
6/12/00	NA	NA	11.8	NA		
6/19/00	NA	NA	11.2	NA		
6/26/00	NA	NA	9.9	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	7/03/00	NA	NA	11.0	NA
		7/10/00	7.0	0.5 U	9.6	0.5 U
		8/11/00	NA	NA	13.7	NA
		8/21/00	NA	NA	11.2	NA
		8/28/00	NA	NA	10.0	NA
		9/05/00	NA	NA	13.0	NA
		9/11/00	NA	NA	16.0	NA
		9/18/00	NA	NA	12.0	NA
		9/25/00	NA	NA	10.0	NA
		10/02/00	NA	NA	15.0	NA
		10/09/00	NA	NA	16.0	NA
		10/16/00	NA	NA	13.0	NA
		10/23/00	5.6	NA	14.2	NA
		10/30/00	NA	NA	16.8	NA
		11/06/00	NA	NA	10.4	NA
		11/13/00	NA	NA	17.2	NA
		11/27/00	NA	NA	15.9	NA
		12/04/00	NA	NA	8.0	NA
		12/11/00	NA	NA	13.5	NA
		12/18/00	NA	NA	14.6	NA
		12/26/00	5.3	0.5 U	10.3	0.5 U
		1/02/01	NA	NA	15.0	NA
		1/08/01	NA	NA	6.9	NA
		1/15/01	NA	NA	9.3	NA
		1/22/01	NA	NA	13.5	NA
		1/29/01	NA	NA	13.0	NA
		2/05/01	NA	NA	13.9	NA
		2/12/01	NA	NA	7.7	NA
		2/20/01	NA	NA	7.5	NA
		2/26/01	NA	NA	13.0	NA
		3/05/01	NA	NA	5.5	NA
		3/12/01	NA	NA	9.7	NA
		3/19/01	NA	NA	4.1	NA
		3/26/01	NA	NA	14.0	NA
		4/02/01	NA	NA	6.3	NA
		4/09/01	NA	NA	12.0	NA
		4/16/01	NA	NA	12.0	NA
		4/23/01	NA	NA	13.0	NA
		4/30/01	NA	NA	12.0	NA
		5/07/01	7.4	NA	11.0	NA
		5/14/01	NA	NA	11.8	NA
		5/21/01	NA	NA	12.0	NA
5/29/01	NA	NA	14.0	NA		
6/04/01	NA	NA	14.0	NA		
6/11/01	NA	NA	13.1	NA		
6/18/01	NA	NA	17.0	NA		
6/25/01	NA	NA	15.0	NA		
7/02/01	NA	NA	15.0	NA		
7/09/01	NA	NA	11.0	NA		
7/16/01	NA	NA	13.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (cont)	WELL 02 (cont)	7/23/01	NA	NA	14.0	NA
		7/30/01	NA	NA	13.0	NA
		8/06/01	NA	NA	11.0	NA
		8/13/01	NA	NA	12.0	NA
		8/20/01	NA	NA	15.0	NA
		8/27/01	NA	NA	13.0	NA
		9/04/01	NA	NA	15.0	NA
		9/10/01	9.0	NA	14.0	NA
		9/17/01	NA	NA	13.0	NA
		9/24/01	NA	NA	16.0	NA
		10/01/01	NA	NA	12.0	NA
		10/08/01	NA	NA	13.0	NA
		10/15/01	NA	NA	14.0	NA
		10/22/01	NA	NA	12.0	NA
		10/29/01	NA	NA	14.0	NA
		11/05/01	NA	NA	12.0	NA
		11/12/01	NA	NA	15.0	NA
		11/19/01	NA	NA	15.0	NA
		11/26/01	NA	NA	13.0	NA
		12/03/01	NA	NA	13.0	NA
		12/10/01	NA	NA	9.8	NA
		12/17/01	NA	NA	14.0	NA
		12/26/01	NA	NA	11.0	NA
		1/02/02	NA	NA	11.0	NA
		1/07/02	NA	NA	14.0	NA
		1/14/02	NA	NA	13.0	NA
		1/21/02	NA	NA	13.0	NA
		1/28/02	7.2	NA	13.0	NA
		2/04/02	NA	NA	12.0	NA
		2/11/02	7.6	NA	13.0	NA
		2/19/02	NA	NA	14.0	NA
		2/25/02	7.1	NA	13.0	NA
		3/04/02	6.6	NA	12.0	NA
		3/11/02	5.6	0.5 U	13.0	0.5 U
		3/18/02	5.7	NA	11.0	NA
		3/25/02	5.9	NA	11.0	NA
		4/01/02	7.1	NA	12.0	NA
		4/08/02	6.0	NA	6.2	NA
		4/15/02	7.2	NA	14.0	NA
		4/22/02	7.7	NA	12.0	NA
		4/29/02	6.2	NA	12.0	NA
		5/06/02	6.3	NA	12.0	NA
5/13/02	7.0	NA	12.0	NA		
5/20/02	6.6	NA	13.0	NA		
5/28/02	6.6	NA	12.0	NA		
6/03/02	7.5	0.5 U	14.0	0.5 U		
6/10/02	6.8	NA	13.0	NA		
6/17/02	6.0	NA	12.0	NA		
6/24/02	6.6	NA	14.0	NA		
7/01/02	6.0	NA	13.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	7/08/02	4.8	NA	11.0	NA
		7/15/02	7.3	NA	15.0	NA
		7/22/02	6.8	NA	12.0	NA
		7/29/02	4.2	NA	13.0	NA
		8/05/02	6.8	NA	14.0	NA
		8/12/02	6.9	NA	15.0	NA
		8/26/02	7.0	NA	12.0	NA
		9/03/02	8.9	NA	14.0	NA
		9/09/02	6.2	0.5 U	15.0	0.5 U
		9/16/02	5.8	NA	14.0	NA
		9/23/02	6.4	NA	15.0	NA
		3/03/03	5.8	NA	11.0	NA
		3/27/03	6.1	0.5 U	2.2	0.5 U
		3/31/03	4.8	NA	5.4	NA
		4/07/03	0.0 U	NA	7.8	NA
		4/14/03	5.7	NA	6.4	NA
		4/21/03	5.9	NA	4.1	NA
		4/28/03	6.0	NA	11.0	NA
		5/05/03	6.8	NA	9.1	NA
		5/12/03	5.7	NA	8.9	NA
		5/19/03	6.8	NA	11.0	NA
		5/27/03	6.1	NA	10.0	NA
		6/02/03	6.8	0.5 U	14.0	0.5 U
		6/09/03	6.5	NA	6.3	NA
		6/16/03	5.8	0.5 U	11.0	0.5 U
		6/23/03	6.7	NA	10.0	NA
		6/30/03	6.9	NA	12.0	NA
		7/07/03	5.4	NA	10.0	NA
		7/14/03	7.1	NA	10.0	NA
		7/21/03	6.9	NA	13.0	NA
		7/28/03	7.9	NA	10.0	NA
		8/04/03	6.5	NA	10.0	NA
		8/11/03	6.1	NA	8.9	NA
		8/18/03	5.1	NA	11.0	NA
		9/02/03	6.8	NA	11.0	NA
		9/08/03	6.1	NA	11.0	NA
		9/15/03	5.7	NA	10.0	NA
		9/22/03	6.5	0.5 U	8.7	0.5 U
		9/29/03	6.3	NA	13.0	NA
		10/06/03	6.3	NA	13.0	NA
10/13/03	6.6	NA	13.0	NA		
10/20/03	5.6	NA	14.0	NA		
10/27/03	4.5	NA	8.8	NA		
11/03/03	5.6	NA	18.0	NA		
11/10/03	4.9	NA	13.0	NA		
11/17/03	6.6	NA	11.0	NA		
11/24/03	7.3	NA	11.0	NA		
12/01/03	7.0	NA	13.0	NA		
12/08/03	7.2	NA	NA	NA		
12/15/03	6.7	NA	13.0	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (cont)	WELL 02 (cont)	12/22/03	7.0	NA	9.1	NA
		12/29/03	7.7	NA	12.0	NA
		1/05/04	7.6	NA	10.0	NA
		1/12/04	7.2	NA	9.4	NA
		1/19/04	5.4	NA	9.7	NA
		1/26/04	5.5	NA	9.6	NA
		2/02/04	5.3	NA	9.5	NA
		2/09/04	5.6	NA	9.2	NA
		2/17/04	5.5	NA	9.1	NA
		2/23/04	4.1	NA	9.0	NA
		3/01/04	4.0 U	NA	9.8	NA
		3/08/04	6.1	NA	9.4	NA
		3/15/04	4.0 U	0.5 U	9.5	0.5 U
		3/22/04	6.6	NA	8.9	NA
		3/29/04	5.5	NA	8.7	NA
		4/05/04	5.8	NA	8.4	NA
		4/12/04	4.0 U	NA	9.3	NA
		4/19/04	5.5	NA	8.4	NA
		4/26/04	5.6	NA	7.1	NA
		5/03/04	5.8	NA	7.9	NA
		5/10/04	4.6	NA	7.3	NA
		5/17/04	4.8	NA	6.9	NA
		5/24/04	4.2	NA	6.6	NA
		6/01/04	5.1	NA	7.5	NA
		6/07/04	4.9	NA	5.7	NA
		6/14/04	4.5	NA	6.5	NA
		6/21/04	4.0 U	NA	6.3	NA
		6/28/04	4.0 U	NA	6.0	NA
		7/06/04	4.4	NA	5.1	NA
		7/12/04	4.3	NA	6.5	NA
		7/19/04	4.8	NA	5.4	NA
		7/26/04	4.4	NA	6.0	NA
		8/02/04	4.0 U	NA	5.4	NA
		8/09/04	4.0 U	0.5 U	5.4	0.5 U
		8/16/04	4.0 U	NA	5.6	NA
		8/23/04	4.0 U	NA	5.0	NA
		8/30/04	4.0 U	NA	5.2	NA
		9/07/04	4.0 U	NA	5.7	NA
		9/13/04	5.8	NA	5.7	NA
		9/20/04	4.8	NA	5.2	NA
		9/27/04	5.5	NA	5.8	NA
		10/04/04	5.6	NA	4.7	NA
10/11/04	5.9	NA	5.1	NA		
10/25/04	6.0	NA	6.4	NA		
11/01/04	8.8	NA	6.4	NA		
11/08/04	6.5	NA	NA	NA		
11/15/04	6.0	NA	5.8	NA		
11/22/04	5.9	NA	5.5	NA		
11/29/04	6.0	NA	4.7	NA		
12/06/04	6.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	12/13/04	8.1	NA	5.5	NA
		12/20/04	5.3	NA	5.4	NA
		12/27/04	5.5	NA	5.9	NA
		1/03/05	5.6	NA	5.0	NA
		1/10/05	7.0	NA	5.5	NA
		1/17/05	6.7	NA	6.1	NA
		1/24/05	5.9	NA	6.1	NA
		2/07/05	7.6	0.5 U	5.1	0.5 U
		2/14/05	5.0	NA	2.7	NA
		2/22/05	7.6	NA	3.5	NA
		2/28/05	5.9	NA	4.9	NA
		3/07/05	7.0	NA	3.5	NA
		3/14/05	4.3	NA	3.3	NA
		3/20/05	4.0 U	NA	0.5 U	NA
		3/28/05	5.8	NA	3.4	NA
		4/04/05	6.2	NA	4.7	NA
		4/11/05	6.2	NA	3.3	NA
		4/18/05	6.3	NA	1.5	NA
		4/25/05	7.1	NA	3.5	NA
		5/02/05	7.4	NA	3.2	NA
		5/09/05	6.3	NA	3.1	NA
		5/16/05	7.8	NA	2.9	NA
		5/23/05	6.1	NA	3.1	NA
		5/31/05	6.4	NA	2.6	NA
		6/06/05	5.8	NA	2.6	NA
		6/13/05	6.8	NA	2.5	NA
		6/20/05	6.7	NA	2.3	NA
		6/27/05	6.3	NA	2.6	NA
		7/05/05	6.6	NA	2.6	NA
		7/11/05	6.8	NA	2.0	NA
		7/18/05	6.1	NA	2.6	NA
		7/25/05	6.1	NA	2.5	NA
		8/01/05	6.9	NA	1.2	NA
		8/08/05	4.7	NA	2.2	NA
		8/15/05	5.8	NA	2.2	NA
		8/22/05	6.5	NA	2.0	NA
		8/29/05	5.1	NA	2.2	NA
		9/06/05	6.4	NA	2.1	NA
		9/12/05	5.4	NA	1.9	NA
		9/19/05	5.8	NA	1.9	NA
9/26/05	6.3	NA	2.0	NA		
10/03/05	7.0	NA	1.9	NA		
10/10/05	7.0	NA	1.9	NA		
10/17/05	7.0	NA	1.7	NA		
10/24/05	6.8	NA	1.4	NA		
10/31/05	6.0	NA	1.7	NA		
11/07/05	6.0	NA	1.7	NA		
11/14/05	7.2	NA	1.7	NA		
11/21/05	5.0	NA	NA	NA		
11/28/05	6.0	NA	1.6	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	12/05/05	5.4	NA	1.5	NA
		12/12/05	6.2	NA	1.5	NA
		12/19/05	8.0	NA	1.3	NA
		12/27/05	7.1	NA	1.4	NA
		1/03/06	5.8	NA	1.3	NA
		1/09/06	7.8	NA	1.3	NA
		1/16/06	6.0	NA	1.2	NA
		1/30/06	5.8	NA	1.1	NA
		2/06/06	6.0	NA	1.2	NA
		2/13/06	5.4	NA	1.2	NA
		2/21/06	5.5	0.5 U	1.2	0.5 U
		2/27/06	5.0	NA	1.0	NA
		3/06/06	5.2	NA	0.7	NA
		3/13/06	5.8	NA	0.6	NA
		3/20/06	8.0	NA	0.8	NA
		4/03/06	7.0	NA	0.5	NA
		4/10/06	6.5	NA	0.6	NA
		4/17/06	6.0	NA	0.6	NA
		4/24/06	6.0	NA	0.7	NA
		5/01/06	6.0	NA	0.5 U	NA
		5/08/06	6.9	NA	0.6	NA
		5/15/06	6.2	NA	0.7	NA
		5/22/06	6.0	NA	0.6	NA
		5/30/06	6.8	NA	0.5	NA
		6/05/06	6.7	NA	0.7	NA
		6/12/06	6.1	NA	0.6	NA
		6/19/06	7.0	NA	0.6	NA
		6/26/06	6.9	NA	0.6	NA
		7/03/06	6.4	NA	0.7	NA
		7/12/06	6.7	NA	0.8	NA
		7/17/06	6.6	NA	0.7	NA
		7/24/06	6.3	NA	0.7	NA
		7/31/06	6.6	NA	0.8	NA
		8/07/06	6.5	NA	0.5	NA
		8/14/06	6.3	NA	0.7	NA
		8/21/06	5.9	NA	0.8	NA
		8/28/06	5.5	NA	0.8	NA
		9/05/06	5.6	NA	0.8	NA
		9/11/06	6.2	NA	0.8	NA
		9/18/06	6.3	NA	0.7	NA
9/25/06	6.4	NA	0.7	NA		
10/02/06	6.2	NA	0.8	NA		
10/09/06	6.7	NA	0.8	NA		
10/16/06	7.3	NA	0.7	NA		
10/23/06	6.0	NA	0.8	NA		
10/30/06	5.9	NA	0.8	NA		
11/06/06	5.3	NA	0.8	NA		
11/13/06	5.4	NA	0.8	NA		
11/20/06	6.6	NA	0.7	NA		
12/11/06	6.4	NA	0.7	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (cont)	WELL 02 (cont)	12/21/06	6.3	NA	0.7	NA
		12/26/06	6.2	NA	0.7	NA
		1/02/07	5.6	NA	0.7	NA
		1/08/07	6.4	NA	0.7	NA
		1/15/07	5.8	NA	0.7	NA
		1/22/07	6.4	NA	0.8	NA
		1/29/07	5.5	NA	0.7	NA
		2/05/07	5.9	NA	0.8	0.5 U
		2/12/07	6.8	NA	0.8	NA
		2/20/07	6.3	NA	0.6	NA
		2/26/07	6.2	NA	0.6	NA
		3/05/07	5.9	NA	0.6	NA
		3/12/07	5.8	NA	0.6	NA
		3/19/07	5.3	NA	0.5	NA
		3/26/07	5.7	NA	0.5 U	NA
		4/02/07	5.0	NA	0.5 U	NA
		4/09/07	4.8	NA	0.5	NA
		4/16/07	4.7	NA	0.5	NA
		4/23/07	5.1	NA	0.5	NA
		4/30/07	5.0	NA	0.5	NA
		5/07/07	6.0	NA	0.5	NA
		5/14/07	5.3	NA	0.5	NA
		5/21/07	5.0	NA	0.5 U	NA
		5/29/07	5.9	NA	0.5 U	NA
		6/04/07	5.8	NA	0.5	NA
		6/11/07	5.2	NA	0.5 U	NA
		6/18/07	5.5	NA	0.5 U	NA
		6/25/07	4.6	NA	0.5 U	NA
		9/17/07	4.0 U	NA	0.5	NA
		9/24/07	4.3	NA	0.6	NA
		10/01/07	4.9	NA	0.6	NA
		10/08/07	5.1	NA	0.5	NA
		10/15/07	15.0	NA	0.5	NA
		10/22/07	5.9	NA	0.5 U	NA
		10/29/07	6.8	NA	0.5 U	NA
		11/05/07	8.1	NA	0.6	NA
		11/12/07	8.8	NA	0.5	NA
		11/19/07	8.2	NA	0.5	NA
		11/26/07	5.8	NA	0.5	NA
		12/03/07	5.8	NA	0.5	NA
		12/10/07	6.1	NA	0.5	NA
		12/17/07	5.0	NA	0.6	NA
12/26/07	4.9	NA	0.5	NA		
1/02/08	5.9	NA	0.6	NA		
1/07/08	5.4	NA	0.6	NA		
1/14/08	4.9	NA	0.6	NA		
1/21/08	6.1	NA	0.7	NA		
1/28/08	5.5	NA	0.7	NA		
2/04/08	6.2	0.5 U	0.7	0.5 U		
2/11/08	7.4	NA	0.7	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	2/19/08	6.9	NA	0.6	NA
		2/25/08	5.9	NA	0.8	NA
		3/03/08	6.5	NA	0.6	NA
		3/10/08	6.0	NA	0.7	NA
		3/17/08	7.4	NA	0.7	NA
		3/24/08	6.0	NA	0.6	NA
		3/31/08	5.4	NA	0.7	NA
		4/07/08	5.7	NA	0.7	NA
		4/14/08	6.0	NA	0.6	NA
		4/21/08	6.5	NA	0.6	NA
		6/02/08	5.7	NA	0.6	NA
		6/09/08	5.9	NA	0.7	NA
		6/16/08	6.2	NA	0.6	NA
		6/23/08	5.9	NA	0.9	NA
		8/18/08	5.7	NA	0.8	NA
		8/25/08	5.4	NA	0.9	NA
		9/02/08	5.3	NA	0.9	NA
		9/08/08	4.5	NA	0.9	NA
		9/15/08	6.6	NA	0.9	NA
		9/22/08	4.5	NA	0.9	NA
		9/29/08	5.3	NA	0.9	NA
		10/06/08	4.9	NA	0.9	NA
		10/13/08	5.2	NA	0.7	NA
		10/20/08	5.4	NA	1.0	NA
		10/27/08	4.0 U	NA	1.0	NA
		12/01/08	5.6	NA	1.1	NA
		12/08/08	5.5	NA	1.1	NA
		12/15/08	4.8	NA	0.9	NA
		12/22/08	4.6	NA	0.9	NA
		12/29/08	4.6	NA	1.0	NA
		1/05/09	5.6	NA	0.9	NA
		1/12/09	5.5	NA	0.9	NA
		1/19/09	5.6	NA	1.0	NA
		1/26/09	5.2	NA	0.9	NA
		2/23/09	4.7	NA	0.8	NA
		3/02/09	4.2	NA	0.8	NA
		3/09/09	4.4	NA	0.8	NA
		3/16/09	4.4	NA	0.7	NA
		3/23/09	5.7	NA	0.7	NA
		3/30/09	4.9	NA	0.7	NA
4/06/09	5.8	NA	0.7	NA		
4/13/09	5.8	NA	0.5	NA		
4/20/09	6.3	NA	0.6	NA		
4/27/09	5.5	NA	0.8	NA		
5/04/09	6.3	NA	0.8	NA		
5/11/09	6.0	NA	0.8	NA		
5/18/09	5.7	NA	0.7	NA		
6/01/09	5.9	NA	0.7	NA		
6/08/09	6.0	NA	0.8	NA		
6/15/09	5.5	NA	0.8	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	6/22/09	5.8	NA	0.7	NA
		6/29/09	5.9	NA	0.8	NA
		7/06/09	4.5	NA	0.8	NA
		7/13/09	4.0 U	NA	0.8	NA
		7/20/09	5.4	NA	0.6	NA
		7/27/09	5.3	NA	0.7	NA
		8/03/09	5.4	NA	0.8	NA
		8/10/09	5.7	NA	0.5 U	NA
		8/17/09	4.5	NA	0.7	NA
		8/24/09	4.1	NA	0.7	NA
		8/31/09	4.4	NA	0.7	NA
		9/08/09	5.5	NA	0.5	NA
		9/14/09	5.5	NA	0.6	NA
		9/21/09	5.4	NA	0.6	NA
		9/28/09	5.6	NA	4.4	NA
		10/05/09	7.1	NA	1.0	NA
		10/12/09	5.5	NA	0.5	NA
		10/19/09	6.1	NA	0.6	NA
		10/26/09	5.3	NA	0.5	NA
		11/02/09	5.5	NA	0.5 U	NA
		11/09/09	5.2	NA	0.6	NA
		11/16/09	5.4	NA	0.8	NA
		12/14/09	5.4	NA	0.6	NA
		12/21/09	5.3	NA	0.7	NA
		12/28/09	5.7	NA	0.8	NA
		1/04/10	6.3	NA	0.5 U	NA
		1/11/10	5.2	NA	0.6	NA
		1/18/10	5.0	NA	0.5 U	NA
		2/01/10	5.7	NA	0.5 U	NA
		2/08/10	6.0	NA	0.7	NA
		2/16/10	6.4	NA	0.6	NA
		2/22/10	6.4	NA	0.8	NA
		3/01/10	7.1	NA	0.5 U	NA
		3/15/10	6.6	NA	0.5 U	NA
		3/22/10	5.6	NA	0.5	NA
		3/29/10	4.0	NA	0.5 U	NA
		4/05/10	5.4	NA	0.5 U	NA
		4/12/10	6.4	NA	0.5	NA
		4/19/10	6.3	NA	0.5 U	NA
		4/26/10	6.8	NA	0.5 U	NA
		5/24/10	6.0	NA	0.5 U	NA
		6/01/10	5.9	NA	0.5 U	NA
6/07/10	5.1	NA	0.5 U	NA		
6/14/10	5.5	NA	0.5 U	NA		
6/21/10	5.6	NA	0.5 U	NA		
6/28/10	6.7	NA	0.5 U	NA		
7/06/10	6.1	NA	0.5 U	NA		
7/12/10	4.1	NA	0.5 U	NA		
7/19/10	6.0	NA	0.5 U	NA		
7/26/10	6.9	NA	0.5 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	8/09/10	6.7	NA	0.5 U	NA
		8/16/10	5.4	NA	0.5 U	NA
		8/23/10	5.2	NA	0.5 U	NA
		8/30/10	5.1	NA	0.5 U	NA
		9/07/10	5.1	NA	0.5 U	NA
		9/13/10	4.9	NA	0.5 U	NA
		9/20/10	6.0	NA	0.5 U	NA
		9/27/10	6.1	NA	0.5 U	NA
		10/04/10	5.6	NA	0.5 U	NA
		10/11/10	5.1	NA	0.5 U	NA
		10/18/10	6.1	NA	0.5 U	NA
		10/25/10	5.8	NA	0.5 U	NA
		11/15/10	5.9	NA	0.5 U	NA
		11/23/10	6.2	NA	0.5 U	NA
		11/29/10	5.3	NA	0.5 U	NA
		12/06/10	6.3	NA	0.5 U	NA
		12/13/10	6.1	NA	0.5 U	NA
		12/20/10	5.9	NA	0.5 U	NA
		12/27/10	8.4	NA	0.5 U	NA
		1/04/11	5.5	NA	0.5 U	NA
		1/10/11	6.8	NA	0.5 U	NA
		1/17/11	6.4	NA	0.5 U	NA
		1/24/11	6.2	NA	0.5 U	NA
		1/31/11	6.2	NA	0.5 U	NA
		2/07/11	6.7	NA	0.5 U	NA
		2/14/11	6.9	NA	0.5 U	NA
		2/22/11	7.3	NA	0.5 U	NA
		3/14/11	5.1	NA	0.5 U	NA
		3/28/11	6.6	NA	0.5 U	NA
		4/04/11	9.6	NA	0.5 U	NA
		4/11/11	7.0	NA	0.5 U	NA
		4/18/11	7.1	NA	0.5 U	NA
		4/25/11	7.1	NA	0.5 U	NA
		5/23/11	6.0	NA	0.5 U	NA
		5/31/11	7.4	NA	0.5 U	NA
		6/06/11	8.5	NA	0.5 U	NA
		6/13/11	7.1	NA	0.5 U	NA
		6/20/11	7.7	NA	0.5 U	NA
		6/27/11	6.9	NA	0.5 U	NA
		7/05/11	7.0	NA	0.5 U	NA
		7/11/11	6.3	NA	0.5 U	NA
		7/18/11	6.0	NA	0.5 U	NA
7/25/11	5.5	NA	0.5 U	NA		
8/01/11	5.7	0.5 U	0.5 U	0.5 U		
8/08/11	5.4	NA	0.5 U	NA		
8/15/11	6.4	NA	0.5 U	NA		
8/22/11	7.6	NA	0.5 U	NA		
8/29/11	5.9	NA	0.5 U	NA		
9/06/11	6.6	NA	0.5 U	NA		
9/12/11	6.2	NA	0.5 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	9/19/11	7.0	NA	0.5 U	NA
		9/26/11	6.1	NA	0.5 U	NA
		10/03/11	5.4	NA	0.5 U	NA
		10/10/11	7.1	NA	0.5 U	NA
		10/17/11	5.7	NA	0.5 U	NA
		10/24/11	5.6	NA	0.5 U	NA
		10/31/11	5.6	NA	0.5	NA
		11/07/11	5.4	NA	0.5 U	NA
		11/14/11	6.0	NA	0.5 U	NA
		11/21/11	5.7	NA	0.5 U	NA
		11/28/11	5.6	NA	0.5 U	NA
		12/05/11	5.7	NA	0.5 U	NA
		12/12/11	5.7	NA	0.5 U	NA
		12/19/11	5.1	NA	0.5 U	NA
		12/27/11	5.6	NA	0.6	NA
		1/03/12	6.0	NA	0.5 U	NA
		1/09/12	6.1	NA	0.5	NA
		1/16/12	5.5	NA	0.6	NA
		1/23/12	4.9	NA	0.5	NA
		1/30/12	4.6	NA	0.5	NA
		2/06/12	4.8	NA	0.6	NA
		2/13/12	5.0	NA	0.5 U	NA
		2/21/12	4.2	NA	0.5	NA
		2/27/12	4.0	NA	0.6	NA
		3/05/12	4.9	NA	0.6	NA
		3/12/12	4.4	NA	0.5	NA
		3/19/12	5.4	NA	0.5	NA
		3/26/12	4.5	NA	0.5	NA
		4/02/12	4.6	NA	0.5	NA
		4/09/12	4.4	NA	0.5 U	NA
		4/16/12	4.0	NA	0.5	NA
		4/23/12	5.6	NA	0.5 U	NA
		5/21/12	4.8	NA	0.5 U	NA
		5/29/12	4.9	NA	0.5 U	NA
		6/04/12	4.8	NA	0.5 U	NA
		6/11/12	4.6	NA	0.5 U	NA
		6/18/12	5.5	NA	0.5 U	NA
		6/25/12	4.6	NA	0.5 U	NA
		7/02/12	4.5	NA	0.5 U	NA
		7/09/12	4.2	NA	0.5 U	NA
		7/16/12	4.3	NA	0.5 U	NA
		7/23/12	4.6	NA	0.5 U	NA
7/30/12	5.5	NA	0.5 U	NA		
8/06/12	4.0 U	NA	0.5 U	NA		
8/13/12	5.2	NA	0.5	NA		
8/20/12	4.3	NA	0.5 U	NA		
8/27/12	5.6	NA	0.8	NA		
9/17/12	4.4	NA	0.5 U	NA		
9/24/12	4.0 U	NA	0.5 U	NA		
10/01/12	4.3	NA	0.5 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	10/08/12	4.2	NA	0.5 U	NA
		10/15/12	4.0 U	NA	0.5 U	NA
		10/22/12	4.1	NA	0.5 U	NA
		10/29/12	4.0 U	NA	0.5 U	NA
		11/05/12	4.0 U	NA	0.5 U	NA
		11/12/12	4.0 U	NA	0.5 U	NA
		11/19/12	5.4	NA	0.5 U	NA
		11/26/12	5.1	NA	0.5 U	NA
		12/03/12	4.8	NA	0.7	NA
		12/10/12	4.0	NA	0.8	NA
		12/17/12	5.1	NA	0.5	NA
		12/26/12	5.1	NA	0.5	NA
		1/02/13	5.3	NA	0.5 U	NA
		1/07/13	5.4	NA	0.5 U	NA
		1/14/13	5.2	NA	0.5 U	NA
		1/21/13	4.8	NA	0.5 U	NA
		1/28/13	5.3	NA	0.5 U	NA
		2/11/13	5.2	NA	0.5 U	NA
		2/19/13	4.7	NA	0.5 U	NA
		3/11/13	5.3	NA	0.5 U	NA
		3/18/13	5.9	NA	0.5 U	NA
		3/25/13	6.4	NA	0.5 U	NA
		4/01/13	5.2	NA	0.5 U	NA
		4/08/13	5.6	NA	0.5 U	NA
		4/15/13	5.3	NA	0.5 U	NA
		4/22/13	5.6	NA	0.5 U	NA
		5/13/13	5.0	NA	0.5 U	NA
		5/20/13	4.5	NA	0.5 U	NA
		5/28/13	5.5	NA	0.5 U	NA
		6/03/13	5.2	NA	0.5 U	NA
		6/10/13	4.9	NA	0.5 U	NA
		6/17/13	4.7	NA	0.5 U	NA
		6/24/13	4.0	NA	0.5 U	NA
		7/01/13	4.0 U	NA	0.5	NA
		7/08/13	4.3	NA	0.5 U	NA
		7/15/13	4.0 U	NA	0.5	NA
		7/22/13	4.0	NA	0.6	NA
		7/29/13	4.5	NA	0.6	NA
		8/05/13	4.0	NA	0.5 U	NA
		8/12/13	5.2	NA	0.6	NA
8/19/13	5.6	NA	0.5	NA		
8/26/13	5.3	NA	0.6	NA		
9/03/13	5.5	NA	0.6	NA		
9/09/13	5.7	NA	0.8	NA		
9/16/13	4.8	NA	0.7	NA		
9/23/13	5.2	NA	0.7	NA		
11/04/13	5.1	NA	1.2	NA		
11/11/13	4.8	NA	1.3	NA		
11/18/13	4.6	NA	1.3	NA		
11/25/13	4.3	NA	1.5	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	12/02/13	4.0 U	NA	1.5	NA
		12/09/13	4.8	NA	1.7	NA
		12/16/13	4.9	NA	1.7	NA
		12/23/13	4.8	NA	1.8	NA
		2/10/14	4.3	0.5 U	2.6	0.5 U
		2/18/14	5.1	NA	2.8	NA
		2/24/14	5.0	NA	2.6	NA
		3/03/14	4.5	NA	2.7	NA
		3/10/14	5.2	NA	4.8	NA
		3/17/14	4.2	NA	3.9	NA
		3/24/14	4.7	NA	3.9	NA
		3/31/14	5.6	NA	4.1	NA
		4/07/14	4.7	NA	3.1	NA
		4/14/14	4.9	NA	3.3	NA
		4/21/14	4.0 U	NA	3.9	NA
		4/28/14	5.4	NA	3.4	NA
		5/19/14	4.2	NA	2.8	NA
		5/27/14	4.0 U	NA	3.4	NA
		6/02/14	4.3	NA	3.8	NA
		6/09/14	5.1	NA	3.5	NA
		6/16/14	4.3	NA	3.7	NA
		6/23/14	4.9	NA	4.2	NA
		6/30/14	5.2	NA	3.7	NA
		7/07/14	4.9	NA	3.8	NA
		7/14/14	4.8	NA	3.4	NA
		7/21/14	4.1	NA	3.6	NA
		8/11/14	4.9	NA	2.5	NA
		8/18/14	4.7	NA	3.1	NA
		8/25/14	4.7	NA	3.0	NA
		9/02/14	4.8	NA	3.0	NA
9/08/14	4.6	NA	3.1	NA		
9/15/14	4.5	NA	3.6	NA		
9/22/14	4.1	NA	2.7	NA		
LA CANADA IRRIGATION DIST.	WELL 01	3/27/97	NA	0.5 U	0.6	0.5 U
		6/17/97	5.0 U	NA	NA	NA
		6/23/97	NA	NA	0.5 U	NA
		9/12/97	NA	NA	0.5 U	NA
		12/15/97	5.0 U	NA	NA	NA
		3/16/98	5.0 U	0.5 U	0.5 U	0.5 U
		6/29/98	4.8	NA	0.5 U	NA
		8/24/98	5.0 U	NA	0.5 U	NA
		12/19/98	5.0 U	NA	0.5 U	NA
		3/28/99	5.0 U	0.5 U	0.5 U	0.5 U
		6/13/99	5.0 U	NA	NA	NA
		9/27/99	5.0 U	NA	NA	NA
		12/28/99	5.0 U	NA	NA	NA
		3/17/00	5.0 U	0.5 U	0.5 U	0.5 U
		6/19/00	5.0 U	NA	NA	NA
9/25/00	5.0 U	NA	NA	NA		
12/18/00	5.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 01 (con't)	3/19/01	NA	0.5 U	0.5 U	0.5 U
		3/25/02	NA	0.5 U	0.6	0.5 U
		6/24/02	NA	NA	0.8	NA
		9/23/02	NA	NA	1.4	NA
		3/24/03	NA	0.5 U	0.7	0.5 U
		6/23/03	NA	NA	0.6	NA
		9/22/03	NA	NA	0.7	NA
		12/08/03	NA	NA	1.6	NA
		3/15/04	NA	0.5 U	0.5 U	0.8
		6/07/04	NA	NA	0.6	0.5 U
		9/13/04	NA	NA	0.5 U	0.5 U
		12/20/04	NA	NA	0.8	0.5
		3/28/05	NA	0.5 U	1.5	1.0
		6/13/05	NA	NA	0.8	0.6
		9/26/05	NA	NA	0.5 U	0.5 U
		12/19/05	NA	NA	1.6	1.0
		3/27/06	NA	0.5 U	1.1	1.1
		6/26/06	NA	NA	0.8	0.9
		9/25/06	NA	NA	0.6	0.9
		12/26/06	NA	NA	0.5 U	0.5 U
		3/26/07	NA	0.5 U	0.5 U	1.3
		6/18/07	NA	NA	0.5	1.0
		9/24/07	NA	NA	0.6	1.1
		12/03/07	NA	NA	0.5	1.2
		3/17/08	NA	0.5 U	0.5	1.2
		6/09/08	NA	NA	0.5 U	1.1
		8/25/08	4.0 U	NA	NA	NA
		9/29/08	NA	NA	0.7	1.3
		10/14/08	4.0 U	NA	NA	NA
		12/22/08	NA	NA	0.7	1.6
		2/23/09	4.0 U	NA	NA	NA
		3/16/09	NA	0.5 U	0.7	1.8
		8/10/09	4.0 U	NA	NA	NA
		2/28/10	4.5	NA	NA	NA
		3/22/10	4.0	0.5 U	0.5 U	0.9
		5/24/10	4.0 U	NA	NA	NA
		6/28/10	NA	NA	0.8	1.5
		8/30/10	4.0 U	NA	NA	NA
		9/27/10	NA	NA	0.8	1.7
		11/29/10	4.0	NA	NA	NA
12/27/10	NA	NA	0.7	1.9		
2/22/11	5.0	NA	NA	NA		
3/15/11	NA	0.5 U	0.6	1.9		
5/23/11	4.0 U	NA	NA	NA		
6/13/11	NA	NA	0.8	1.7		
8/22/11	4.3	NA	NA	NA		
9/19/11	NA	NA	0.6	1.2		
3/26/12	NA	0.5 U	0.6	1.7		
5/29/12	4.0 U	NA	NA	NA		
6/30/12	NA	NA	0.8	1.9		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 01 (con't)	8/27/12	4.7	NA	NA	NA
		9/24/12	NA	NA	0.8	2.2
		11/26/12	4.0 U	NA	NA	NA
		12/26/12	NA	NA	0.6	2.0
		2/19/13	4.0	NA	NA	NA
		3/11/13	4.9	0.5 U	0.8	2.2
		5/20/13	4.0 U	NA	NA	NA
		6/10/13	NA	NA	0.6	1.7
		8/19/13	4.0 U	NA	NA	NA
		9/03/13	NA	NA	0.7	1.9
		11/25/13	4.0 U	NA	NA	NA
		2/24/14	4.0 U	NA	NA	NA
		5/27/14	4.0 U	NA	NA	NA
		6/23/14	NA	NA	0.5 U	0.6
	WELL 06	10/16/97	5.0 U	0.5 U	0.5 U	0.5 U
		3/13/98	5.0 U	NA	NA	NA
		6/08/98	5.0 U	NA	NA	NA
		8/24/98	5.0 U	NA	NA	NA
		12/19/98	5.0 U	0.5 U	0.5 U	0.5 U
		3/28/99	5.0 U	NA	NA	NA
		6/13/99	5.0 U	NA	NA	NA
		9/27/99	5.0 U	NA	NA	NA
		12/28/99	5.0 U	0.5 U	0.5 U	0.5 U
		3/17/00	5.0 U	NA	NA	NA
		6/19/00	5.0 U	NA	NA	NA
		9/25/00	5.0 U	NA	NA	NA
		12/18/00	5.0 U	0.5 U	0.7	0.5 U
		3/19/01	NA	NA	0.5 U	NA
		6/26/01	NA	NA	0.7	NA
		9/30/01	NA	NA	0.5 U	NA
		12/31/01	NA	0.5 U	0.8	0.5 U
		3/25/02	NA	NA	0.9	NA
		6/24/02	NA	NA	0.8	NA
		9/23/02	NA	NA	1.4	NA
		3/24/03	NA	NA	0.7	NA
		6/23/03	NA	NA	0.8	NA
		9/22/03	NA	NA	0.8	NA
		12/08/03	NA	0.5 U	1.4	1.3
		3/29/04	NA	NA	0.7	0.6
		6/07/04	NA	NA	0.5 U	0.5 U
		9/13/04	NA	NA	0.5 U	0.5 U
		12/20/04	NA	0.5 U	0.5 U	0.5 U
3/28/05		NA	NA	0.9	0.7	
6/13/05		NA	NA	0.8	0.6	
9/26/05	NA	NA	0.5 U	0.5 U		
12/19/05	NA	0.5 U	1.7	1.0		
3/27/06	NA	NA	0.5 U	0.5		
6/26/06	NA	NA	0.5 U	0.5 U		
9/25/06	NA	NA	0.7	0.9		
12/26/06	NA	0.5 U	0.5 U	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 06 (con't)	3/26/07	NA	NA	0.7	0.9
		6/18/07	NA	NA	0.5 U	0.5
		9/24/07	NA	NA	0.5 U	0.9
		12/31/07	NA	0.5 U	0.5 U	0.5 U
		3/24/08	NA	NA	0.5 U	0.5
		6/09/08	NA	NA	0.5 U	0.6
		9/29/08	NA	NA	0.5 U	0.5 U
		10/14/08	4.0 U	NA	NA	NA
		12/08/08	NA	0.5 U	0.5 U	0.5 U
		3/16/09	NA	NA	0.5 U	0.5 U
		6/15/09	NA	NA	0.5 U	0.6
		9/28/09	4.0 U	NA	0.5 U	0.6
		12/28/09	NA	0.5 U	0.7	2.0
		3/22/10	NA	NA	0.6	1.2
		6/01/10	NA	NA	0.5 U	0.5 U
		9/27/10	4.0 U	NA	0.5 U	0.5 U
		12/27/10	NA	0.5 U	0.5 U	0.8
		3/21/11	NA	NA	0.5 U	0.5
		6/27/11	NA	NA	0.5 U	0.5 U
		9/26/11	5.5	NA	0.5 U	0.6
		12/05/11	NA	0.5 U	0.5 U	0.6
		3/23/12	NA	NA	0.5 U	0.7
		6/30/12	NA	NA	0.5 U	0.9
		9/24/12	4.0 U	NA	0.8	2.0
		12/17/12	4.0 U	0.5 U	0.5 U	0.9
		3/03/13	NA	NA	0.5 U	0.6
		6/17/13	NA	NA	0.5 U	0.8
		7/29/13	4.0 U	NA	NA	NA
9/09/13	NA	NA	0.5 U	0.5 U		
3/17/14	NA	NA	0.6	1.4		
6/09/14	NA	NA	0.5 U	0.7		
9/15/14	NA	NA	0.6	1.1		
VALLEY WATER CO.	WELL 01	5/01/96	NA	0.5 U	10.0	0.5 U
		6/05/96	NA	0.5 U	54.0	3.4
		7/09/96	NA	0.5 U	73.9	4.8
		8/19/96	NA	0.5 U	52.5	4.5
		11/18/96	NA	0.5 U	0.5 U	0.5 U
		5/12/97	NA	0.5 U	27.5	2.3
		6/10/97	NA	0.5 U	31.0	2.9
		6/17/97	5.0	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/07/97	NA	0.5 U	38.0	3.5
		8/11/97	NA	0.5 U	NA	NA
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/04/98	NA	0.5 U	10.1	0.5
		6/01/98	NA	0.5 U	8.7	0.8
		7/06/98	NA	0.5 U	7.8	1.1
		8/03/98	NA	0.5 U	13.0	1.2
9/01/98	NA	0.5 U	9.9	1.4		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	10/05/98	NA	0.5 U	10.0	1.8
		5/03/99	NA	0.5 U	2.8	0.5 U
		7/08/99	5.9	NA	NA	NA
		8/02/99	5.2	0.5 U	10.0	1.4
		9/07/99	0.0 U	0.5 U	8.7	1.7
		10/04/99	NA	0.5 U	8.7	1.3
		12/06/99	6.4	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	3.2	0.5 U
		6/05/00	0.0 U	0.5 U	4.8	0.7
		7/05/00	5.5	0.5 U	5.8	1.0
		8/01/00	NA	0.5 U	7.4	1.4
		9/05/00	0.0 U	NA	NA	NA
		10/02/00	NA	0.5 U	12.0	2.0
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	0.0 U	NA	NA	NA
		5/01/01	0.0 U	0.5 U	1.3	0.5 U
		6/04/01	NA	0.5 U	4.2	0.8
		7/02/01	NA	0.5 U	4.1	0.9
		8/06/01	NA	0.5 U	4.7	1.1
		9/04/01	NA	0.5 U	6.2	1.9
		10/01/01	5.5	0.5 U	7.0	2.2
		5/01/02	NA	0.5 U	0.5 U	0.5 U
		6/03/02	NA	0.5 U	2.7	0.5 U
		7/01/02	NA	0.5 U	3.3	0.7
		8/05/02	NA	0.5 U	3.9	0.9
		9/03/02	NA	0.5 U	3.8	1.1
		9/06/02	4.2	NA	NA	NA
		10/02/02	NA	0.5 U	4.1	1.2
		5/05/03	NA	0.5 U	1.6	0.5 U
		6/12/03	NA	0.5 U	3.4	0.6
		7/14/03	NA	0.5 U	3.4	0.6
		8/18/03	NA	0.5 U	3.1	0.6
		9/02/03	NA	0.5 U	4.3	1.4
		10/06/03	NA	0.5 U	3.8	1.4
		5/06/04	NA	0.5 U	0.5 U	0.5 U
		6/08/04	NA	0.5 U	1.5	0.5 U
		7/07/04	NA	0.5 U	1.5	0.5
		8/19/04	NA	0.5 U	2.1	1.1
		9/07/04	NA	0.5 U	3.6	1.0
		10/04/04	NA	0.5 U	3.4	1.2
3/03/05	NA	0.5 U	0.5 U	0.5 U		
5/19/05	NA	0.5 U	0.7	0.5 U		
6/06/05	NA	0.5 U	0.8	0.5 U		
7/06/05	NA	0.5 U	1.6	0.5 U		
8/09/05	NA	0.5 U	1.6	0.5		
9/06/05	NA	0.5 U	2.5	0.6		
10/04/05	NA	0.5 U	2.7	0.7		
6/14/06	NA	0.5 U	1.0	0.5 U		
7/05/06	NA	0.5 U	1.5	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	8/03/06	NA	0.5 U	2.2	0.5 U
		9/06/06	NA	0.5 U	3.1	0.5
		10/02/06	NA	0.5 U	4.3	0.8
		5/08/07	NA	0.5 U	1.3	0.5 U
		6/04/07	NA	0.5 U	2.5	0.6
		8/02/07	NA	0.5 U	3.3	0.6
		9/04/07	NA	0.5 U	4.8	0.8
		11/05/07	NA	0.5	4.3	1.0
		1/08/08	4.0 U	NA	NA	NA
		5/01/08	4.0 U	NA	NA	NA
		6/10/08	4.0 U	0.5 U	2.4	0.9
		7/07/08	NA	0.5 U	2.7	0.8
		8/05/08	NA	NA	3.4	0.9
		9/02/08	4.1	0.5	3.1	0.9
		10/07/08	4.0	0.5	2.6	1.0
		5/18/09	NA	0.5 U	1.4	0.5 U
		6/01/09	4.0 U	NA	NA	NA
		6/09/09	4.0	0.5 U	1.6	1.1
		7/07/09	4.0 U	0.5 U	1.9	1.0
		8/04/09	4.4	0.5 U	2.2	1.1
		9/08/09	4.2	0.5 U	2.7	1.2
		10/05/09	4.1	NA	NA	NA
		10/26/09	NA	0.5 U	2.2	1.2
		11/03/09	4.0 U	0.5 U	1.6	1.0
		6/02/10	4.9	0.5 U	2.4	1.3
		7/06/10	4.0 U	NA	NA	NA
		7/07/10	NA	0.5 U	2.2	1.2
		8/03/10	5.3	0.5 U	2.0	1.2
		9/07/10	4.1	NA	NA	NA
		9/09/10	NA	0.5 U	2.1	1.5
		10/07/10	4.0 U	0.5 U	2.0	1.6
		5/11/11	4.9	NA	NA	NA
		6/03/11	4.0 U	0.5 U	2.0	0.6
		7/06/11	4.0 U	0.5 U	2.2	1.0
		8/03/11	4.0 U	0.5 U	1.9	0.6
		5/23/12	4.0 U	0.5 U	2.2	0.6
		6/07/12	4.0 U	0.5 U	2.4	1.2
		7/02/12	4.2	NA	NA	NA
		7/05/12	NA	0.5 U	2.4	1.3
		8/02/12	4.0 U	0.5 U	1.8	1.3
		10/02/12	4.3	0.5 U	1.9	1.4
		11/08/12	4.1	0.5 U	2.1	1.6
5/07/13	NA	0.5 U	1.6	0.5 U		
6/03/13	4.0 U	NA	NA	NA		
6/10/13	NA	0.5 U	1.5	1.1		
7/02/13	4.5	0.5 U	2.2	1.2		
8/06/13	4.0 U	0.5 U	0.5 U	0.5 U		
9/03/13	5.2	0.5 U	1.8	1.3		
10/03/13	4.0 U	0.5 U	1.8	1.5		
5/07/14	NA	0.5 U	2.6	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	6/04/14	4.0 U	0.5 U	2.5	0.5 U
		7/02/14	4.0 U	0.5 U	2.1	1.4
		9/03/14	4.1	0.5	1.5	1.6
	WELL 02	5/06/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	3.2	0.5 U
		7/01/96	NA	0.5 U	4.1	0.5 U
		8/05/96	NA	0.5 U	4.7	0.6
		9/03/96	NA	0.5 U	8.5	0.8
		10/01/96	NA	0.5 U	9.3	0.8
		5/05/97	NA	0.5 U	4.5	0.5 U
		6/17/97	4.0	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	7.6	0.7
		8/04/97	NA	0.5 U	8.4	0.9
		9/02/97	NA	0.5 U	9.1	1.0
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/06/98	NA	0.5 U	0.5 U	0.5 U
		6/01/98	NA	0.5 U	4.0	0.5 U
		7/06/98	NA	0.5 U	7.0	0.5
		8/03/98	NA	0.5 U	9.2	0.5
		9/01/98	NA	0.5 U	7.7	0.5
		5/03/99	NA	0.5 U	0.5 U	0.5 U
		6/01/99	NA	0.5 U	5.4	0.5 U
		7/08/99	7.4	NA	NA	NA
		8/02/99	5.9	0.5 U	9.6	0.8
		9/07/99	0.0 U	0.5 U	7.6	0.8
		12/06/99	0.0 U	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	3.6	0.5 U
		6/05/00	6.2	0.5 U	6.4	0.6
		7/05/00	0.0 U	0.5 U	7.3	0.6
		8/01/00	NA	0.5 U	8.3	0.8
		9/05/00	5.0	NA	NA	NA
		9/07/00	NA	0.5 U	5.0	1.0
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	0.0 U	NA	NA	NA
		5/01/01	0.0 U	0.5 U	0.5 U	0.5 U
		6/04/01	NA	0.5 U	10.0	0.7
		7/02/01	NA	0.5 U	7.7	0.6
		8/06/01	NA	0.5 U	8.4	0.7
		10/01/01	6.4	0.5 U	11.0	0.8
		4/23/02	4.0 U	NA	NA	NA
5/06/02	NA	0.5 U	0.5 U	0.5 U		
6/03/02	NA	0.5 U	0.5 U	0.5 U		
7/01/02	NA	0.5 U	0.5 U	0.5 U		
8/05/02	NA	0.5 U	0.5 U	0.5 U		
5/05/03	NA	0.5 U	8.7	0.6		
6/12/03	NA	0.5 U	9.0	0.8		
7/14/03	NA	0.5 U	0.5 U	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 02 (con't)	8/18/03	NA	0.5 U	3.4	0.5 U
		9/18/03	NA	0.5 U	0.5 U	0.5 U
		5/06/04	NA	0.5 U	0.5 U	0.5 U
		6/08/04	NA	0.5 U	0.5 U	0.5 U
		7/07/04	NA	0.5 U	0.5 U	0.5 U
		8/19/04	NA	0.5 U	0.5 U	0.5 U
		3/09/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5 U	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		6/14/06	NA	0.5 U	0.5 U	0.5 U
		7/05/06	NA	0.5 U	0.5 U	0.5 U
		8/03/06	NA	0.5 U	0.5 U	0.5 U
		9/06/06	NA	0.5 U	6.0	0.5 U
		12/07/06	NA	0.5 U	0.5 U	0.5 U
		5/08/07	NA	0.5 U	2.6	0.5 U
		6/04/07	NA	0.5 U	4.1	0.5
		8/02/07	NA	0.5 U	3.8	0.5
		1/08/08	5.5	NA	NA	NA
		6/10/08	4.0 U	0.5 U	4.0	0.5
		7/07/08	NA	0.5 U	3.8	0.5 U
		8/05/08	NA	0.5	4.6	0.6
		10/15/08	4.0	0.5	3.3	0.5
		3/10/09	4.0 U	0.5 U	0.5 U	0.5 U
		5/18/09	NA	0.5 U	4.3	0.7
		6/09/09	4.7	0.5 U	3.9	0.6
		7/07/09	4.0 U	0.5 U	4.2	0.6
		8/04/09	4.5	0.5 U	4.2	0.6
		6/02/10	4.5	0.5 U	5.3	0.8
		7/07/10	4.4	0.5 U	5.5	0.7
		7/15/10	4.7	NA	NA	NA
		8/03/10	5.4	0.5 U	3.6	0.7
		9/07/10	4.4	NA	NA	NA
		9/09/10	NA	0.5 U	2.8	0.7
		10/07/10	4.4	0.5 U	4.3	0.6
		3/18/11	4.0 U	0.5 U	0.5 U	0.5 U
		5/11/11	4.0 U	NA	NA	NA
		6/03/11	4.0 U	0.5 U	4.0	0.5
		7/06/11	4.0 U	0.5 U	5.9	0.7
8/03/11	4.0 U	0.5 U	4.8	0.6		
9/06/11	NA	0.5 U	2.4	0.9		
9/09/11	4.2	NA	NA	NA		
10/03/11	4.5	0.5 U	2.1	1.1		
11/01/11	5.1	0.5 U	2.0	1.0		
5/23/12	4.1	0.5 U	4.7	0.7		
6/07/12	4.0	0.5 U	5.6	0.7		
7/05/12	4.0 U	0.5 U	4.7	0.6		
8/02/12	4.0 U	0.5 U	4.4	0.6		
2/13/13	4.0	0.5	0.5	0.5		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (cont)	WELL 02 (cont)	5/07/13	NA	0.5 U	3.8	0.5
		6/10/13	4.0 U	0.5 U	3.4	0.5
		7/02/13	4.1	0.5 U	4.3	0.6
		8/06/13	4.0 U	0.5 U	0.5 U	0.5 U
		9/03/13	5.3	0.5 U	2.2	0.8
		10/03/13	4.0 U	0.5 U	1.5	0.9
		5/07/14	NA	0.5 U	3.1	0.9
		6/04/14	4.4	0.5 U	2.0	1.1
		7/02/14	4.4	0.5 U	1.9	1.2
		9/03/14	4.4	0.5	1.5	1.1
	WELL 03	5/06/96	NA	0.5 U	2.6	0.5 U
		6/05/96	NA	0.5 U	2.0	0.5 U
		7/09/96	NA	0.5 U	2.1	0.5 U
		8/06/96	NA	0.5 U	1.8	0.5 U
		9/03/96	NA	0.5 U	1.0	0.5 U
		10/01/96	NA	0.5 U	1.0	0.5 U
		5/05/97	NA	0.5 U	0.5 U	0.5 U
		6/17/97	0.0 U	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	1.1	0.5 U
		8/04/97	NA	0.5 U	1.0	0.5 U
		9/02/97	NA	0.5 U	1.0	0.5 U
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/06/98	NA	0.5 U	3.8	0.5 U
		6/01/98	NA	0.5 U	2.9	0.5 U
		7/06/98	NA	0.5 U	2.1	0.5 U
		8/03/98	NA	0.5 U	2.3	0.5 U
		9/01/98	NA	0.5 U	1.7	0.5 U
		5/03/99	NA	0.5 U	1.7	0.5 U
		6/01/99	NA	0.5 U	4.3	0.6
		7/06/99	NA	0.5 U	2.8	0.5
		7/08/99	7.3	NA	NA	NA
		8/02/99	5.4	0.5 U	3.1	0.6
		9/07/99	6.5	0.5 U	2.4	0.5 U
		12/06/99	6.7	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	3.5	0.5 U
		6/05/00	0.0 U	0.5 U	1.4	0.5 U
		7/05/00	5.2	0.5 U	2.4	0.6
		8/01/00	NA	0.5 U	2.6	0.7
		9/05/00	6.0	NA	NA	NA
12/05/00	0.0 U	NA	NA	NA		
3/13/01	4.1	NA	NA	NA		
5/01/01	5.1	0.5 U	2.4	0.5 U		
6/04/01	NA	0.5 U	3.4	0.6		
7/02/01	NA	0.5 U	2.5	0.5 U		
8/06/01	NA	0.5 U	2.0	0.5 U		
10/01/01	6.0	0.5 U	2.6	0.6		
4/23/02	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 03 (con't)	5/06/02	NA	0.5 U	5.1	0.5
		6/03/02	NA	0.5 U	6.0	0.7
		7/01/02	NA	0.5 U	5.5	0.8
		8/05/02	NA	0.5 U	4.0	0.5
		5/05/03	NA	0.5 U	4.4	0.6
		6/12/03	NA	0.5 U	2.2	0.5 U
		7/14/03	NA	0.5 U	2.6	0.5 U
		8/18/03	NA	0.5 U	1.6	0.5 U
		5/06/04	NA	0.5 U	1.1	0.5 U
		6/08/04	NA	0.5 U	2.9	0.5 U
		7/07/04	NA	0.5 U	2.2	0.5 U
		8/19/04	NA	0.5 U	2.8	0.9
		3/09/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5 U	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		6/14/06	NA	0.5 U	2.1	0.5 U
		7/05/06	NA	0.5 U	2.1	0.5
		8/03/06	NA	0.5 U	0.5 U	0.5 U
		9/06/06	NA	0.5 U	2.5	0.6
		5/08/07	NA	0.5 U	1.9	0.6
		6/04/07	NA	0.5 U	1.9	0.6
		8/02/07	NA	0.5 U	1.5	0.6
		1/08/08	4.9	NA	NA	NA
		6/10/08	4.3	0.5 U	1.6	0.7
		7/07/08	NA	0.5 U	1.7	0.6
		8/05/08	NA	0.5	1.7	0.8
		5/18/09	NA	0.5 U	2.2	1.2
		6/09/09	5.4	0.5 U	1.9	1.0
		7/07/09	4.7	0.5 U	1.7	0.9
		8/04/09	5.4	0.5 U	1.7	0.9
		6/02/10	5.6	0.5 U	2.1	0.9
		7/07/10	4.8	0.5 U	2.2	0.8
		8/03/10	5.6	0.5 U	1.7	0.6
		9/07/10	4.0 U	NA	NA	NA
		5/11/11	4.6	NA	NA	NA
		6/03/11	4.0 U	0.5 U	1.4	0.6
		7/06/11	4.0 U	0.5 U	1.6	0.6
		8/03/11	4.0 U	0.5 U	1.1	0.5 U
5/23/12	4.7	0.5 U	1.9	1.0		
6/07/12	4.7	0.5 U	2.2	0.9		
7/05/12	4.6	0.5 U	1.6	0.9		
8/02/12	4.6	0.5 U	1.5	1.0		
5/07/13	NA	0.5 U	1.5	1.1		
6/10/13	4.2	0.5 U	1.2	1.1		
7/02/13	4.9	0.5 U	1.6	1.2		
8/06/13	4.0 U	0.5 U	0.5 U	0.5 U		
9/03/13	4.1	NA	NA	NA		
5/07/14	NA	0.5 U	1.8	1.1		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 03 (con't)	6/04/14	4.7	0.5 U	1.4	1.0
		7/02/14	4.8	0.5 U	1.5	1.0
		9/03/14	4.7	NA	NA	NA
	WELL 04	5/06/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	10.5	1.2
		7/01/96	NA	0.5 U	15.4	1.8
		8/05/96	NA	0.5 U	16.2	3.6
		9/16/96	NA	0.5 U	17.0	2.7
		5/12/97	NA	0.5 U	15.8	1.7
		6/10/97	NA	0.5 U	18.7	2.3
		6/17/97	5.0	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/07/97	NA	0.5 U	22.6	2.6
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/04/98	NA	0.5 U	1.1	0.5 U
		6/01/98	NA	0.5 U	3.7	0.5 U
		7/06/98	NA	0.5 U	5.4	0.5
		8/03/98	NA	0.5 U	6.9	0.5 U
		9/01/98	NA	0.5 U	5.5	0.5
		10/05/98	NA	0.5 U	4.3	0.5
		5/03/99	NA	0.5 U	0.5 U	0.5 U
		6/01/99	NA	0.5 U	2.5	0.5 U
		7/08/99	8.0	NA	NA	NA
		8/02/99	6.1	0.5 U	5.2	0.5 U
		9/07/99	5.3	0.5 U	4.3	0.6
		10/06/99	NA	0.5 U	5.2	0.5
		12/06/99	0.0 U	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	2.0	0.5 U
		6/05/00	NA	0.5 U	2.7	0.5 U
		7/05/00	0.0 U	0.5 U	3.1	0.5 U
		8/01/00	NA	0.5 U	3.9	0.6
		9/05/00	0.0 U	NA	NA	NA
		10/02/00	NA	0.5 U	3.0	1.0
		12/05/00	0.0 U	NA	NA	NA
		5/01/01	4.6	0.5 U	0.8	0.5 U
		6/04/01	NA	0.5 U	4.0	0.5
		7/02/01	NA	0.5 U	3.9	0.5 U
		8/06/01	NA	0.5 U	4.3	0.6
		9/04/01	NA	0.5 U	4.5	0.7
		10/01/01	6.5	0.5 U	5.4	0.8
5/01/02	NA	0.5 U	0.5 U	0.5 U		
6/03/02	NA	0.5 U	1.0	0.5 U		
7/01/02	NA	0.5 U	1.3	0.5 U		
8/05/02	NA	0.5 U	1.4	0.5 U		
9/03/02	NA	0.5 U	1.7	0.5 U		
9/06/02	4.0 U	NA	NA	NA		
10/02/02	NA	0.5 U	1.5	0.5 U		
5/05/03	NA	0.5 U	3.7	0.5 U		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE	
VALLEY WATER CO. (con't)	WELL 04 (con't)	6/12/03	NA	0.5 U	3.7	0.6	
		7/14/03	NA	0.5 U	1.8	0.5 U	
		8/18/03	NA	0.5 U	1.6	0.5 U	
		9/02/03	NA	0.5 U	1.6	0.5 U	
		5/06/04	NA	0.5 U	0.5 U	0.5 U	
		6/08/04	NA	0.5 U	0.6	0.5 U	
		7/07/04	NA	0.5 U	0.7	0.5 U	
		8/19/04	NA	0.5 U	1.0	0.5	
		9/07/04	NA	0.5 U	2.3	0.6	
		3/03/05	NA	0.5 U	0.5 U	0.5 U	
		5/19/05	NA	0.5 U	0.5 U	0.5 U	
		6/06/05	NA	0.5 U	0.5 U	0.5 U	
		7/06/05	NA	0.5 U	0.5	0.5 U	
		8/09/05	NA	0.5 U	0.5 U	0.5 U	
		9/06/05	NA	0.5 U	0.7	0.5 U	
		10/04/05	NA	0.5 U	0.8	0.5 U	
		6/14/06	NA	0.5 U	1.0	0.5 U	
		7/05/06	NA	0.5 U	0.8	0.5 U	
		8/03/06	NA	0.5 U	1.7	0.6	
		9/06/06	NA	0.5 U	2.2	0.7	
		10/02/06	NA	0.5 U	1.3	0.7	
		12/07/06	NA	0.5 U	0.5 U	0.5 U	
		5/08/07	NA	0.5 U	1.0	0.5 U	
		6/04/07	NA	0.5 U	1.6	0.8	
		8/02/07	NA	0.5 U	1.9	1.1	
		9/04/07	NA	0.5 U	2.3	1.1	
		1/08/08		4.6	NA	NA	NA
		6/10/08		4.0 U	0.5 U	2.1	0.7
		7/07/08		NA	0.5 U	2.3	1.0
		8/05/08		NA	0.5	1.8	1.3
		9/02/08		4.2	0.5	1.8	1.0
		10/07/08		4.0	0.5	1.9	1.1
		5/18/09		NA	0.5 U	1.6	1.0
		6/09/09		4.0 U	0.5 U	1.6	0.6
		7/07/09		4.0	0.5 U	2.2	0.7
		8/04/09		4.3	0.5 U	2.2	1.2
		9/08/09		4.4	0.5 U	2.4	1.4
		10/05/09		4.4	NA	NA	NA
		10/26/09		NA	0.5 U	2.2	1.1
		6/02/10		5.3	0.5 U	2.1	1.2
		7/06/10		4.0	NA	NA	NA
		7/07/10		NA	0.5 U	2.4	1.1
12/06/10		NA	0.5 U	2.2	2.6		
5/11/11		4.0 U	NA	NA	NA		
6/03/11		4.0 U	0.5 U	1.5	1.4		
7/06/11		4.0 U	0.5 U	1.7	1.5		
8/03/11		4.0 U	0.5 U	1.8	1.5		
5/23/12		4.5	0.5 U	1.6	2.4		
6/07/12		4.3	0.5 U	2.0	1.8		
7/02/12		4.5	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 04 (con't)	7/05/12	NA	0.5 U	1.8	1.5
		8/02/12	4.4	0.5 U	2.0	1.6
		10/02/12	4.9	0.5 U	1.8	1.5
		5/07/13	NA	0.5 U	1.3	1.7
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	NA	0.5 U	1.4	1.3
		7/02/13	4.1	0.5 U	2.0	1.5
		8/06/13	4.0 U	0.5 U	0.5 U	0.5 U
		9/03/13	4.6 U	NA	NA	NA
		5/07/14	NA	0.5 U	1.5	2.0
		6/04/14	4.0	0.5 U	1.3	2.1
		7/02/14	4.0 U	0.5 U	1.5	1.2
9/03/14	4.0	NA	NA	NA		
PASADENA-CITY, WATER DEPT.	ARROYO	1/03/96	NA	3.2	0.5 U	3.6
		3/07/96	NA	0.5 U	0.5 U	0.5 U
		4/03/96	NA	2.0	0.7	1.6
		4/16/96	NA	2.6	0.5 U	2.4
		5/01/96	NA	2.6	0.5 U	2.4
		6/05/96	NA	3.4	0.5 U	2.6
		7/02/96	NA	2.5	0.5 U	2.2
		8/01/96	NA	NA	0.5 U	NA
		8/07/96	NA	3.7	NA	3.6
		9/04/96	NA	4.7	0.5	3.8
		10/02/96	NA	4.4	0.5	4.0
		11/01/96	NA	NA	0.5 U	NA
		11/06/96	NA	2.5	NA	2.8
		12/01/96	NA	NA	0.5 U	NA
		12/04/96	NA	3.2	NA	3.5
		1/08/97	NA	3.0	0.6	2.9
		3/01/97	NA	NA	0.5 U	NA
		3/03/97	NA	3.3	NA	2.4
		3/05/97	NA	4.1	NA	2.9
		4/02/97	NA	4.1	0.5 U	2.7
		5/01/97	NA	NA	0.0 U	NA
		5/07/97	NA	3.6	NA	2.2
		6/04/97	NA	4.7	1.1	3.5
		6/09/97	46.0	NA	NA	NA
		6/13/97	50.0	NA	NA	NA
		6/19/97	54.0	NA	NA	NA
		7/30/97	110.0	NA	NA	NA
		8/15/97	110.0	NA	NA	NA
		8/16/97	90.0	NA	NA	NA
		8/20/97	120.0	NA	NA	NA
		8/27/97	130.0	NA	NA	NA
		9/03/97	160.0	NA	NA	NA
2/02/98	144.0	10.1	0.5 U	3.9		
3/22/11	76.4	0.7	0.6	1.1		
3/29/11	77.8	0.6	0.6	0.9		
7/07/11	108.0	0.9	0.6	0.9		
7/12/11	75.3	1.1	0.5	0.8		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	7/19/11	79.5	1.5	0.5	0.8
		7/26/11	79.5	1.7	0.5	0.8
		8/02/11	77.4	2.1	0.6	0.8
		8/09/11	81.6	2.2	0.5	0.8
		8/16/11	78.2	2.6	0.6	0.8
		8/17/11	76.4	NA	NA	NA
		8/23/11	80.1	2.8	0.5	0.8
		8/30/11	76.5	2.6	0.5	0.8
		9/06/11	77.9	3.1	0.5	0.8
		9/13/11	66.8	3.1	0.5	0.8
		9/20/11	70.3	3.1	0.5	0.8
		9/27/11	58.7	3.0	0.5	0.8
		10/04/11	57.0	2.8	0.5 U	0.5 U
		10/11/11	61.7	2.5	0.5 U	0.8
		10/18/11	57.8	2.8	0.5	0.9
		10/25/11	60.2	2.8	0.6	0.9
		11/01/11	59.2	3.0	0.6	0.9
		11/08/11	55.5	2.7	0.5	0.8
		11/15/11	53.5	3.1	0.6	0.9
		11/22/11	55.8	3.0	0.6	0.9
		11/29/11	52.9	2.9	0.5	0.9
		12/06/11	52.4	2.8	0.5 U	0.8
		12/13/11	50.6	2.8	0.5	0.8
		12/20/11	53.3	2.9	0.5	0.8
		12/27/11	46.9	2.7	0.5 U	0.8
		1/03/12	47.9	2.8	0.5 U	0.8
		1/10/12	50.3	2.6	0.5 U	0.8
		1/17/12	46.5	3.9	0.6	0.9
		1/24/12	51.1	2.7	0.5 U	0.8
		1/31/12	46.1	2.7	0.5 U	0.8
		2/07/12	45.2	3.6	0.5 U	0.6
		2/15/12	41.2	3.5	0.5 U	0.8
		2/21/12	NA	2.8	0.5 U	0.6
		2/28/12	42.2	2.8	0.5 U	0.7
		3/06/12	43.5	3.3	0.6	0.9
		3/13/12	43.9	3.2	0.6	0.9
		3/20/12	48.3	2.5	0.5 U	0.7
		3/27/12	44.9	3.0	0.5 U	0.9
		4/12/12	48.4	NA	NA	NA
		6/12/12	41.6	2.9	0.5 U	0.8
		6/19/12	36.5	2.7	0.5 U	0.8
6/26/12	35.6	2.8	0.5 U	0.7		
7/03/12	41.4	0.5 U	0.5 U	0.5 U		
7/10/12	39.8	3.2	0.5 U	0.7		
7/17/12	39.4	3.5	0.5 U	0.8		
7/24/12	38.2	3.0	0.5 U	0.7		
8/01/12	NA	2.8	0.5 U	0.6		
8/07/12	36.8	2.7	0.5 U	0.6		
8/14/12	36.5	3.0	0.5 U	0.7		
8/21/12	35.1	3.0	0.5 U	0.6		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	8/28/12	39.9	3.8	0.5 U	0.7
		9/18/12	37.3	3.1	0.5 U	0.7
		9/19/12	35.0	NA	NA	NA
		9/25/12	37.9	2.7	0.5 U	0.6
		10/02/12	37.3	3.1	0.5 U	0.7
		10/09/12	39.0	3.0	0.5 U	0.7
		10/17/12	41.4	2.8	0.5 U	0.6
		10/23/12	39.8	3.0	0.5 U	0.6
		10/30/12	41.5	2.8	0.5 U	0.6
		11/06/12	40.6	3.7	0.5 U	0.8
		11/13/12	38.1	3.4	0.5 U	0.7
		11/20/12	40.2	4.0	0.5 U	0.8
		11/27/12	38.7	3.8	0.5 U	0.7
		12/04/12	39.8	2.7	0.5 U	0.6
		12/11/12	43.2	2.9	0.5 U	0.6
		12/18/12	43.2	3.0	0.5 U	0.6
		12/24/12	39.8	3.4	0.5 U	0.7
		1/02/13	40.0	3.1	0.5 U	0.7
		1/08/13	38.1	2.8	0.5 U	0.6
		1/15/13	43.3	2.8	0.5 U	0.6
		1/22/13	37.3	2.9	0.5 U	0.6
		1/29/13	43.7	3.2	0.5 U	0.7
		2/13/13	37.4	3.0	0.5 U	0.6
		2/19/13	41.2	3.2	0.5 U	0.6
		2/26/13	40.3	2.8	0.5 U	0.6
		3/05/13	36.0	2.7	0.5 U	0.6
		3/12/13	39.7	2.6	0.5 U	0.6
		3/19/13	42.1	2.4	0.5 U	0.6
		3/26/13	38.6	2.7	0.5 U	0.6
		4/02/13	43.0	2.3	0.5 U	0.6
		4/10/13	44.6	2.2	0.5 U	0.6
		4/16/13	37.4	2.4	0.5 U	0.6
		4/23/13	35.0	2.3	0.5 U	0.6
		4/30/13	34.6	2.0	0.5 U	0.5
		5/07/13	45.5	2.2	0.5 U	0.6
		5/14/13	31.4	1.7	0.5 U	0.5
		5/22/13	31.7	1.9	0.5 U	0.6
		5/28/13	28.5	2.8	0.5 U	0.6
		6/04/13	29.6	2.7	0.5 U	0.6
		6/11/13	30.2	2.1	0.5 U	0.6
6/18/13	31.4	1.7	0.5 U	0.6		
6/25/13	25.7	1.7	0.5 U	0.6		
7/02/13	28.1	1.5	0.5 U	0.6		
7/09/13	27.8	1.1	0.5 U	0.5		
7/16/13	28.2	1.7	0.5 U	0.6		
7/23/13	27.0	1.5	0.5 U	0.6		
8/02/13	28.5	1.6	0.5 U	0.6		
8/06/13	28.7	1.7	0.5 U	0.7		
8/13/13	29.9	1.5	0.5 U	0.6		
8/20/13	26.9	2.4	0.5 U	0.6		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	8/27/13	29.6	2.3	0.5 U	0.6
		9/03/13	26.1	1.9	0.5 U	0.7
		9/10/13	28.5	1.5	0.5 U	0.7
		9/17/13	27.2	2.0	0.5 U	0.7
		9/24/13	23.9	1.7	0.5 U	0.7
		11/05/13	28.3	1.4	0.5 U	0.6
		11/13/13	28.9	1.8	0.5 U	0.6
		11/19/13	26.2	1.8	0.5 U	0.7
		11/26/13	23.9	1.8	0.5 U	0.7
		12/03/13	24.4	1.6	0.5 U	0.6
		12/10/13	25.1	1.7	0.5 U	0.6
		12/17/13	24.3	1.9	0.5 U	0.7
		12/24/13	25.1	1.7	0.5 U	0.7
		12/31/13	24.8	1.7	0.5 U	0.8
		2/11/14	25.2	1.5	0.5 U	0.7
		2/18/14	24.8	1.6	0.5 U	0.7
		2/25/14	23.8	1.6	0.5 U	0.6
		3/11/14	23.1	1.0	0.5 U	0.5 U
		3/18/14	23.8	1.4	0.5 U	0.5
		3/25/14	25.0	1.4	0.5 U	0.5
		4/01/14	25.5	1.3	0.5 U	0.5
		4/08/14	26.0	1.3	0.5 U	0.6
		4/15/14	23.7	1.2	0.5 U	0.6
		4/22/14	NA	1.6	0.5 U	0.7
		4/29/14	NA	1.4	0.5 U	0.6
		5/20/14	21.6	1.5	0.5 U	0.7
		5/27/14	18.6	1.8	0.5 U	0.7
		6/03/14	18.1	1.5	0.5 U	0.7
		6/10/14	19.0	1.7	0.5 U	0.8
		6/24/14	19.5	1.5	0.5 U	0.7
	7/01/14	19.5	1.6	0.5 U	0.8	
	7/08/14	19.4	1.9	0.5 U	0.9	
	7/15/14	19.3	1.8	0.5 U	0.9	
	7/22/14	18.4	1.1	0.5 U	0.7	
	7/29/14	18.4	1.7	0.5 U	0.8	
	8/12/14	17.7	1.4	0.5 U	0.7	
	8/19/14	18.8	1.5	0.5 U	0.7	
	8/26/14	19.5	2.2	0.5 U	1.0	
	9/02/14	18.1	1.3	0.5 U	0.7	
	9/09/14	17.6	1.2	0.5 U	0.8	
	9/16/14	18.6	1.1	0.5 U	0.7	
	9/23/14	16.6	1.2	0.5 U	0.8	
9/30/14	17.3	1.0	0.5 U	0.8		
VENTURA	2/01/96	NA	0.5 U	0.0 U	0.5 J	
	3/01/96	NA	0.5 U	0.5 U	0.5 U	
	5/01/96	NA	0.5 U	0.6	NA	
	6/01/96	NA	0.5 U	0.6	0.7	
	7/01/96	NA	0.5 U	0.0 U	0.6	
	8/01/96	NA	0.5 U	NA	NA	
	8/07/96	NA	NA	0.5	0.7	

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	9/01/96	NA	0.5 U	NA	NA
		9/04/96	NA	NA	0.6	0.8
		10/01/96	NA	0.5 U	NA	NA
		10/02/96	NA	NA	0.6	0.7
		11/06/96	NA	0.5 U	0.5 U	0.5 U
		12/01/96	NA	0.5 U	NA	NA
		12/05/96	NA	NA	0.7	0.8
		1/01/97	NA	0.5 U	0.0 U	NA
		1/08/97	NA	NA	NA	0.5
		3/01/97	NA	0.0 U	NA	NA
		3/03/97	NA	NA	NA	0.7
		3/05/97	NA	NA	0.6	1.2
		4/01/97	NA	0.5 U	0.0 U	NA
		4/02/97	NA	NA	NA	0.5
		5/01/97	NA	0.5 U	0.0 U	0.5 U
		6/04/97	NA	0.5 U	0.7	0.9
		6/09/97	0.0 U	NA	NA	NA
		6/13/97	0.0 U	NA	NA	NA
		6/19/97	0.0 U	NA	NA	NA
		7/02/97	NA	0.5 U	0.5 U	0.5 U
		7/03/97	5.0	NA	NA	NA
		8/01/97	NA	0.5 U	0.0 U	0.5 U
		8/15/97	0.0 U	NA	NA	NA
		9/01/97	NA	0.5 U	0.0 U	NA
		9/03/97	NA	NA	NA	0.7
		9/17/97	0.0 U	NA	NA	NA
		9/22/97	NA	NA	NA	0.6
		10/01/97	4.0	0.5 U	0.5 U	0.5 U
		11/01/97	NA	0.5 U	0.0 U	NA
		11/05/97	NA	NA	NA	0.6
		12/03/97	NA	NA	NA	0.9
		12/18/97	0.0 U	NA	NA	NA
		1/01/98	NA	0.5 U	NA	NA
		1/06/98	4.0	NA	0.5	1.0
		1/14/98	5.0	NA	NA	NA
		1/16/98	4.0	NA	NA	NA
		1/21/98	4.0	NA	NA	NA
		1/28/98	5.5	NA	NA	NA
		2/02/98	5.9	NA	0.5	0.8
		2/03/98	NA	0.5 U	0.6	1.1
		2/19/98	4.7	NA	NA	0.9
3/01/98	NA	0.5 U	NA	NA		
3/03/98	0.0 U	NA	NA	0.6		
3/11/98	0.0 U	NA	0.7	1.6		
3/18/98	5.4	NA	NA	NA		
3/25/98	4.9	NA	NA	NA		
4/01/98	6.0	0.5 U	0.0 U	0.8		
4/08/98	4.0	NA	NA	NA		
4/13/98	0.0 U	NA	NA	NA		
4/19/98	5.4	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	4/23/98	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/01/98	NA	0.5 U	NA	NA
		5/06/98	NA	NA	0.6	1.1
		5/07/98	0.0 U	NA	NA	NA
		5/27/98	4.0 U	NA	NA	NA
		6/03/98	0.0 U	NA	0.7	1.3
		6/10/98	0.0 U	NA	NA	NA
		6/24/98	4.0 U	NA	NA	NA
		7/01/98	0.0 U	0.5 U	0.0 U	1.0
		7/08/98	5.0	NA	NA	NA
		7/15/98	5.0	NA	NA	NA
		8/01/98	4.0 U	0.5 U	0.5	1.0
		8/03/98	7.7	NA	NA	NA
		8/07/98	6.0	NA	NA	NA
		8/13/98	5.0	NA	NA	NA
		8/19/98	5.0	NA	NA	NA
		8/27/98	4.5	NA	NA	NA
		9/01/98	4.0 U	0.5 U	0.6	1.2
		9/07/98	4.0 U	NA	NA	NA
		9/08/98	6.0	NA	NA	NA
		9/15/98	5.0	NA	NA	NA
		9/23/98	5.0	NA	NA	NA
		9/30/98	0.0 U	NA	NA	NA
		10/01/98	0.0 U	NA	NA	NA
		10/07/98	NA	0.5 U	0.5	1.2
		10/08/98	5.9	NA	NA	NA
		10/15/98	0.0 U	NA	NA	NA
		10/23/98	5.3	NA	NA	NA
		10/30/98	4.4	NA	NA	NA
		11/01/98	NA	0.5 U	0.5	1.1
		11/02/98	4.2	NA	NA	NA
		11/09/98	4.4	NA	NA	NA
		11/16/98	4.6	NA	NA	NA
		11/23/98	5.2	NA	NA	NA
		12/01/98	6.3	0.5 U	0.5	1.3
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/22/98	4.2	NA	NA	NA
		12/24/98	4.0	NA	NA	NA
		12/29/98	5.0	NA	NA	NA
		12/30/98	0.0 U	NA	NA	NA
1/01/99	NA	0.5 U	0.5	1.1		
1/06/99	4.8	NA	NA	NA		
1/13/99	5.7	NA	NA	NA		
1/20/99	0.0 U	NA	NA	NA		
1/27/99	5.1	NA	NA	NA		
2/01/99	NA	0.5 U	0.6	1.1		
2/03/99	6.2	NA	NA	NA		
2/10/99	5.2	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	3/04/99	2.9	0.5 U	0.6	1.0
		3/17/99	0.0 U	NA	NA	NA
		5/01/99	NA	0.5 U	0.6	1.3
		5/12/99	3.6	NA	NA	NA
		5/18/99	2.7	NA	NA	NA
		5/26/99	2.9	NA	NA	NA
		6/01/99	NA	0.5 U	0.7	1.4
		6/02/99	2.7	NA	NA	NA
		6/09/99	5.2	NA	NA	NA
		6/10/99	0.0 U	NA	NA	NA
		6/16/99	3.4	NA	NA	NA
		6/23/99	3.1	NA	NA	NA
		6/30/99	3.1	NA	NA	NA
		7/01/99	NA	0.5 U	0.6	1.1
		7/07/99	3.7	NA	NA	NA
		7/14/99	5.0 U	NA	NA	NA
		7/21/99	5.0 U	NA	NA	NA
		7/28/99	5.0 U	NA	NA	NA
		8/04/99	0.0 U	0.5 U	0.7	1.0
		8/09/99	3.6	NA	NA	NA
		8/11/99	8.4	NA	NA	NA
		8/12/99	0.0 U	NA	NA	NA
		8/15/99	0.0 U	NA	NA	NA
		8/18/99	3.0	NA	NA	NA
		8/25/99	3.2	NA	NA	NA
		8/31/99	0.0 U	NA	NA	NA
		9/01/99	0.0 U	NA	NA	NA
		9/08/99	8.3	0.5 U	0.7	1.1
		9/15/99	0.0 U	NA	NA	NA
		9/30/99	4.2	NA	NA	NA
		10/11/99	5.0	0.5 U	0.6	0.9
		11/10/99	NA	0.5 U	0.7	1.0
		12/01/99	NA	0.5 U	0.9	1.2
		1/01/00	NA	0.5 U	0.5	0.8
		1/07/00	4.0 U	NA	NA	NA
		1/13/00	4.0 U	NA	NA	NA
		1/26/00	0.0 U	NA	NA	NA
		2/02/00	0.0 U	NA	NA	NA
		2/10/00	0.0 U	0.5 U	0.5 U	1.0
		2/18/00	0.0 U	NA	NA	NA
		2/28/00	0.0 U	NA	NA	NA
		3/02/00	4.0	NA	NA	NA
		3/06/00	NA	0.5 U	1.0	1.0
3/16/00	4.0 U	NA	NA	NA		
3/23/00	4.0 U	NA	NA	NA		
3/29/00	4.0 U	NA	NA	NA		
4/01/00	4.0 U	NA	NA	NA		
4/07/00	4.0 U	NA	NA	NA		
4/12/00	NA	0.5 U	0.5 U	0.6		
4/13/00	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	5/01/00	8.2	NA	NA	NA
		5/10/00	NA	0.5 U	0.5 U	0.7
		6/07/00	NA	0.5 U	1.0	1.0
		6/08/00	0.0 U	NA	NA	NA
		6/22/00	0.0 U	NA	NA	NA
		7/06/00	0.0 U	NA	NA	NA
		7/12/00	6.1	0.5 U	0.5 U	1.0
		8/01/00	NA	0.5 U	0.5 U	0.5 U
		8/02/00	7.0	NA	NA	NA
		8/10/00	4.0 U	NA	NA	NA
		8/17/00	3.0	NA	NA	NA
		8/23/00	4.0	NA	NA	NA
		8/30/00	5.0	NA	NA	NA
		9/01/00	4.5	NA	NA	NA
		9/04/00	NA	0.5 U	1.0	1.0
		9/07/00	4.0	NA	NA	NA
		9/12/00	4.0	NA	NA	NA
		9/21/00	4.0	NA	NA	NA
		9/28/00	4.0	NA	NA	NA
		10/04/00	5.0	NA	NA	NA
		10/09/00	NA	0.5 U	0.5	0.7
		10/11/00	6.3	NA	NA	NA
		10/18/00	3.5	NA	NA	NA
		10/25/00	3.5	NA	NA	NA
		11/02/00	2.9	NA	NA	NA
		11/06/00	NA	0.5 U	0.6	0.7
		11/07/00	4.7	NA	NA	NA
		11/15/00	3.8	NA	NA	NA
		11/22/00	4.5	NA	NA	NA
		11/30/00	5.2	NA	NA	NA
		12/07/00	5.5	NA	NA	NA
		12/12/00	NA	0.5 U	0.7	0.7
		12/13/00	6.5	NA	NA	NA
		12/21/00	5.2	NA	NA	NA
		12/28/00	6.1	NA	NA	NA
		1/02/01	NA	0.5 U	0.6	0.7
		1/04/01	6.6	NA	NA	NA
		1/23/01	6.8	0.5 U	0.9	0.8
		2/01/01	4.6	NA	NA	NA
		2/07/01	4.1	NA	NA	NA
		2/13/01	4.0 J	NA	NA	NA
		2/19/01	3.6 J	NA	NA	NA
5/01/01	NA	0.5 U	0.6	0.9		
5/07/01	7.2	NA	NA	NA		
5/22/01	7.0	NA	NA	NA		
5/30/01	4.3 U	NA	NA	NA		
6/01/01	NA	0.5 U	0.5	0.6		
6/05/01	5.7	NA	NA	NA		
6/13/01	5.7	NA	NA	NA		
6/20/01	4.8	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	6/26/01	4.2	NA	NA	NA
		7/03/01	5.7	NA	NA	NA
		7/11/01	5.0	0.5 U	0.5	0.7
		7/18/01	5.8	NA	NA	NA
		7/25/01	6.0	NA	NA	NA
		8/01/01	5.0	NA	NA	NA
		8/08/01	4.1	NA	NA	NA
		8/15/01	5.1	0.5 U	0.6	0.8
		8/22/01	4.9	NA	NA	NA
		8/29/01	4.9	NA	NA	NA
		9/05/01	5.3	NA	NA	NA
		9/12/01	5.0	0.5 U	0.5 U	0.6
		9/19/01	5.8	NA	NA	NA
		9/27/01	5.7	NA	NA	NA
		10/02/01	NA	0.5 U	0.5 U	0.5
		10/03/01	6.1	NA	NA	NA
		10/10/01	5.4	NA	NA	NA
		10/17/01	5.3	NA	NA	NA
		10/24/01	4.8	NA	NA	NA
		10/31/01	5.4	NA	NA	NA
		11/07/01	5.8	0.5 U	0.5	0.6
		11/13/01	5.1	NA	NA	NA
		11/21/01	5.0	NA	NA	NA
		11/29/01	4.9	NA	NA	NA
		12/05/01	4.3	0.5 U	0.6	0.8
		12/12/01	4.8	NA	NA	NA
		12/19/01	5.0	NA	NA	NA
		12/26/01	4.8	NA	NA	NA
		1/02/02	6.0	NA	NA	NA
		1/09/02	5.6	0.5 U	0.6	0.8
		1/16/02	5.7	NA	NA	NA
		4/24/02	5.6	0.5 U	1.3	1.1
		5/15/02	6.2	0.5 U	0.8	0.8
		6/05/02	6.3	0.5 U	0.8	0.7
		7/17/02	5.0	0.5 U	0.9	0.7
		8/14/02	5.4	0.5 U	0.7	0.6
		9/18/02	7.1	0.5 U	0.8	0.7
		10/09/02	5.8	0.5 U	0.6	0.6
		10/11/11	5.9	0.5 U	0.9	2.7
		10/18/11	4.5	0.5 U	0.9	2.4
		10/25/11	5.1	0.5 U	1.0	2.4
		11/01/11	5.4	0.5 U	1.0	2.5
11/08/11	4.7	0.5 U	0.9	2.2		
11/15/11	4.4	0.5 U	1.0	2.5		
11/22/11	5.1	0.5 U	0.9	2.6		
11/29/11	5.0	0.5 U	0.9	2.5		
12/06/11	5.4	0.5 U	0.8	2.4		
12/13/11	5.2	0.5 U	0.9	2.4		
12/20/11	5.4	0.5 U	0.9	2.5		
12/27/11	4.8	0.5 U	0.9	2.4		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	1/03/12	4.6	0.5 U	0.8	2.2
		1/10/12	5.0	0.5 U	0.8	2.3
		1/17/12	4.9	0.5 U	0.9	2.4
		1/24/12	5.2	0.5 U	0.8	2.4
		1/31/12	4.6	0.5 U	0.9	2.5
		2/07/12	4.6	0.5 U	0.8	2.6
		2/15/12	4.5	0.5 U	0.9	2.4
		2/21/12	4.3	0.5 U	1.0	2.3
		2/28/12	4.4	0.5 U	0.7	2.1
		3/06/12	4.7	0.5 U	1.0	2.2
		3/13/12	4.7	0.5 U	1.1	2.6
		3/20/12	5.3	0.5 U	0.8	2.2
		3/27/12	4.9	0.5 U	0.9	2.7
		4/12/12	5.2	NA	NA	NA
		6/12/12	4.4	0.5 U	0.8	2.7
		6/19/12	4.1	0.5 U	0.8	2.6
		6/26/12	4.3	0.5 U	0.9	2.2
		7/03/12	4.5	0.5 U	0.9	2.5
		7/10/12	5.0	0.5 U	0.9	2.5
		7/17/12	4.9	0.5 U	0.9	2.6
		7/24/12	4.9	0.5 U	0.8	2.5
		8/01/12	4.7	0.5 U	0.8	2.3
		8/07/12	4.2	0.5 U	0.8	2.3
		8/14/12	5.0	0.5 U	0.9	2.5
		8/21/12	4.5	0.5 U	0.9	2.5
		8/29/12	4.7	0.5 U	0.9	2.5
		9/18/12	5.1	0.5 U	0.8	2.5
		9/19/12	5.5	NA	NA	NA
		9/25/12	5.1	0.5 U	0.9	2.6
		10/30/12	5.7	0.5 U	1.0	3.6
		1/29/13	5.1	0.5 U	1.1	4.3
		4/10/13	5.5	0.5 U	1.0	4.2
		8/14/13	5.9	0.5 U	0.8	4.2
		9/10/13	5.5	0.5 U	1.0	4.6
		11/19/13	4.2	0.5 U	1.0	4.3
		12/19/13	4.6	0.5 U	1.0	4.5
		2/18/14	5.6	0.5 U	1.0	4.3
		2/25/14	4.8	0.5 U	1.0	4.4
		3/11/14	5.7	0.5 U	1.1	4.3
		3/18/14	6.1	0.5 U	1.0	4.2
		3/25/14	7.7	0.5 U	1.0	4.4
		4/01/14	7.7	0.5 U	0.9	4.0
		4/08/14	6.3	0.5 U	0.9	4.2
		4/15/14	5.7	NA	NA	NA
		4/22/14	NA	0.5 U	1.0	4.6
		4/29/14	NA	0.5 U	0.9	4.1
	7/15/14	5.1	0.5 U	1.3	5.2	
	WELL 52	1/03/96	NA	0.5 U	0.5 U	3.9
		3/07/96	NA	0.5 U	0.5 U	5.3
		4/03/96	NA	0.5	0.2	4.5

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	4/16/96	NA	0.5 U	0.5 U	3.7
		5/01/96	NA	0.5 U	0.5 U	3.2
		6/05/96	NA	0.5 U	0.5 U	3.3
		7/02/96	NA	0.5 U	0.5 U	2.5
		8/01/96	NA	NA	0.0 U	NA
		8/07/96	NA	0.5	NA	3.6
		9/01/96	NA	NA	0.0 U	NA
		9/04/96	NA	0.7	NA	4.4
		10/01/96	NA	NA	0.0 U	NA
		10/02/96	NA	0.7	NA	4.7
		1/16/97	26.0	NA	NA	NA
		3/01/97	NA	0.5 U	0.0 U	NA
		3/03/97	NA	NA	NA	5.8
		3/05/97	NA	NA	NA	7.3
		4/01/97	NA	0.5 U	0.0 U	NA
		4/02/97	NA	NA	NA	4.1
		5/01/97	NA	0.5 U	0.0 U	NA
		5/07/97	NA	NA	NA	3.1
		6/04/97	NA	0.5 U	0.5 U	4.6
		6/09/97	6.0	NA	NA	NA
		6/13/97	6.0	NA	NA	NA
		6/19/97	7.0	NA	NA	NA
		7/01/97	NA	0.5 U	0.0 U	NA
		7/02/97	NA	NA	NA	3.4
		7/03/97	10.0	NA	NA	NA
		8/01/97	NA	0.5 U	0.0 U	NA
		8/06/97	10.0	NA	NA	2.0
		8/15/97	11.0	NA	NA	NA
		9/01/97	NA	NA	0.0 U	NA
		9/03/97	NA	0.8	NA	3.5
		9/04/97	15.0	NA	NA	NA
		9/10/97	16.0	NA	NA	NA
		9/17/97	15.0	NA	NA	NA
		9/20/97	15.0	NA	NA	NA
		9/22/97	NA	1.2	NA	4.3
		9/30/97	16.0	NA	NA	NA
		10/01/97	8.0	0.7	0.0 U	3.4
		10/10/97	14.0	NA	NA	NA
		10/20/97	16.0	NA	NA	NA
		11/01/97	18.0	NA	NA	NA
		11/05/97	NA	1.3	0.5 U	3.9
		12/01/97	22.0	NA	0.0 U	NA
		12/04/97	7.0	NA	NA	NA
12/08/97	NA	0.8	NA	5.8		
12/14/97	7.0	NA	NA	NA		
12/18/97	19.0	NA	NA	NA		
12/24/97	22.0	NA	NA	NA		
1/01/98	19.0	NA	0.0 U	NA		
1/06/98	26.0	0.7	NA	4.7		
1/07/98	22.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	1/14/98	27.0	NA	NA	NA
		1/16/98	26.0	NA	NA	NA
		1/19/98	7.0	NA	NA	NA
		1/21/98	7.0	NA	NA	NA
		1/25/98	27.0	NA	NA	NA
		1/28/98	31.3	NA	NA	NA
		2/01/98	31.3	NA	NA	NA
		2/03/98	NA	2.1	0.5 U	3.1
		3/01/98	24.5	NA	0.0 U	NA
		3/04/98	7.8	0.6	NA	5.3
		3/07/98	7.8	NA	NA	NA
		3/11/98	8.4	1.7	NA	4.5
		3/13/98	8.4	NA	NA	NA
		3/18/98	24.0	NA	NA	NA
		3/19/98	24.0	NA	NA	NA
		3/25/98	24.5	NA	NA	NA
		4/01/98	20.7	1.0	0.0 U	3.2
		4/07/98	20.7	NA	NA	NA
		4/08/98	22.0	NA	NA	NA
		4/13/98	22.0	NA	NA	NA
		4/16/98	23.0	NA	NA	NA
		4/19/98	23.0	NA	NA	NA
		4/23/98	18.0	NA	NA	NA
		4/30/98	15.0	NA	NA	NA
		5/01/98	18.0	NA	0.0 U	NA
		5/06/98	NA	1.3	NA	3.6
		5/07/98	16.0	NA	NA	NA
		5/13/98	17.0	NA	NA	NA
		5/19/98	17.0	NA	NA	NA
		5/25/98	16.0	NA	NA	NA
		5/27/98	16.0	NA	NA	NA
		6/01/98	16.0	NA	NA	0.5 U
		6/03/98	17.0	1.5	3.8	NA
		6/07/98	17.0	NA	NA	NA
		6/10/98	12.0	NA	NA	NA
		6/13/98	12.0	NA	NA	NA
		6/19/98	17.0	NA	NA	NA
		6/24/98	15.0	NA	NA	NA
		6/25/98	15.0	NA	NA	NA
		7/01/98	13.0	1.3	0.0 U	3.1
		7/07/98	19.0	NA	NA	NA
7/08/98	19.0	NA	NA	NA		
7/13/98	22.0	NA	NA	NA		
7/15/98	22.0	NA	NA	NA		
7/19/98	22.0	NA	NA	NA		
8/01/98	20.0	1.6	0.0 U	3.5		
8/03/98	15.8	NA	NA	NA		
8/07/98	24.0	NA	NA	NA		
8/13/98	25.0	NA	NA	NA		
8/19/98	25.0	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	8/27/98	25.0	NA	NA	NA
		9/01/98	15.0	1.6	NA	3.3
		9/07/98	15.0	NA	NA	NA
		9/08/98	22.0	NA	NA	NA
		9/13/98	22.0	NA	NA	NA
		9/15/98	23.0	NA	NA	NA
		9/19/98	23.0	NA	NA	NA
		9/23/98	28.0	NA	NA	NA
		9/30/98	27.0	NA	NA	NA
		10/01/98	27.0	NA	NA	NA
		10/07/98	22.8	1.5	0.5 U	3.0
		10/08/98	22.8	NA	NA	NA
		10/13/98	20.7	NA	NA	NA
		10/15/98	20.7	NA	NA	NA
		10/19/98	22.6	NA	NA	NA
		10/23/98	22.6	NA	NA	NA
		10/25/98	16.8	NA	NA	NA
		10/30/98	16.8	NA	NA	NA
		11/01/98	21.6	1.6 U	0.0 U	2.7
		11/02/98	21.6	NA	NA	NA
		11/07/98	19.0	NA	NA	NA
		11/09/98	19.0	NA	NA	NA
		11/13/98	19.8	NA	NA	NA
		11/16/98	19.8	NA	NA	NA
		11/19/98	20.2	NA	NA	NA
		11/23/98	20.2	NA	NA	NA
		12/01/98	25.3	2.3	0.0 U	3.7
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/19/98	16.0	NA	NA	NA
		12/22/98	16.0	NA	NA	NA
		12/29/98	0.0 U	NA	NA	NA
		1/06/99	0.0 U	NA	NA	NA
		1/07/99	27.9	NA	NA	NA
		1/13/99	27.9	NA	NA	NA
		1/19/99	20.3	NA	NA	NA
		1/20/99	18.9	NA	NA	NA
		1/27/99	20.3	NA	NA	NA
		2/01/99	NA	2.1	0.0 U	3.1
		2/03/99	25.3	NA	NA	NA
		2/07/99	25.7	NA	NA	NA
		2/10/99	25.7	NA	NA	NA
3/04/99	18.0	2.2	0.5 U	3.4		
3/17/99	18.6	NA	NA	NA		
4/14/99	3.0 J	NA	NA	NA		
5/01/99	NA	1.2	0.0 U	2.0		
5/12/99	13.9	NA	NA	NA		
5/18/99	18.4	NA	NA	NA		
5/26/99	22.9	NA	NA	NA		
6/01/99	NA	3.0	0.5	3.7		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	6/02/99	23.0	NA	NA	NA
		6/09/99	26.4	NA	NA	NA
		6/10/99	23.4	NA	NA	NA
		6/16/99	27.3	NA	NA	NA
		6/23/99	26.0	NA	NA	NA
		6/30/99	17.2	NA	NA	NA
		7/01/99	33.5	2.5	0.0 U	3.2
		7/07/99	24.4	NA	NA	NA
		7/14/99	23.5	NA	NA	NA
		7/21/99	21.3 U	NA	NA	NA
		7/28/99	27.3	NA	NA	NA
		8/04/99	23.6	2.3	0.5 U	3.4
		8/09/99	24.8	NA	NA	NA
		8/11/99	25.2	NA	NA	NA
		8/12/99	24.3	NA	NA	NA
		8/15/99	21.2	NA	NA	NA
		8/18/99	21.0	NA	NA	NA
		8/19/99	27.3	NA	NA	NA
		8/25/99	23.3	NA	NA	NA
		8/31/99	27.3	NA	NA	NA
		9/01/99	19.6	NA	NA	NA
		9/07/99	24.8	NA	NA	NA
		9/08/99	24.8	2.3	0.6	3.5
		9/15/99	21.2	NA	NA	NA
		9/25/99	24.6	NA	NA	NA
		9/30/99	26.5	NA	NA	NA
		10/01/99	23.4	NA	NA	NA
		10/07/99	30.9	NA	NA	NA
		10/11/99	22.5	1.9	0.5 U	2.9
		10/13/99	26.1	NA	NA	NA
		10/19/99	28.0	NA	NA	NA
		11/01/99	24.7	NA	NA	NA
		11/10/99	NA	2.3	0.5 U	3.2
		11/13/99	24.0	NA	NA	NA
		11/19/99	20.1	NA	NA	NA
		12/01/99	NA	2.3	0.6	3.9
		12/07/99	24.3	NA	NA	NA
		12/13/99	29.1	NA	NA	NA
		12/19/99	33.5	NA	NA	NA
		12/25/99	24.3	NA	NA	NA
		1/01/00	27.4	2.1	0.0 U	3.3
		1/07/00	23.5	NA	NA	NA
1/13/00	21.5	NA	NA	NA		
1/26/00	24.9	NA	NA	NA		
2/02/00	22.6	NA	NA	NA		
2/10/00	25.8	2.0	0.5 U	3.0		
2/18/00	25.7	NA	NA	NA		
2/28/00	19.8	NA	NA	NA		
3/02/00	30.0	NA	NA	NA		
3/06/00	NA	2.0	0.5 U	3.0		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	3/07/00	26.9	NA	NA	NA
		3/16/00	20.0	NA	NA	NA
		3/23/00	19.0	NA	NA	NA
		3/29/00	20.0	NA	NA	NA
		4/01/00	21.7	NA	NA	NA
		4/07/00	22.1	NA	NA	NA
		4/12/00	NA	4.4	0.5 U	3.1
		4/13/00	21.9	NA	NA	NA
		4/19/00	27.0	NA	NA	NA
		5/01/00	21.7	NA	NA	NA
		5/07/00	29.8	NA	NA	NA
		5/10/00	NA	3.2	0.5 U	3.3
		6/07/00	NA	3.0	1.0	2.0
		6/08/00	21.1	NA	NA	NA
		6/14/00	22.7	NA	NA	NA
		6/22/00	23.7	NA	NA	NA
		7/06/00	16.5	NA	NA	NA
		7/12/00	33.5	3.0	0.5 U	3.0
		7/13/00	27.0	NA	NA	NA
		7/19/00	38.8	NA	NA	NA
		8/01/00	28.9	3.0	0.5 U	3.0
		8/02/00	16.0	NA	NA	NA
		8/07/00	28.5	NA	NA	NA
		8/10/00	23.0 U	NA	NA	NA
		8/13/00	25.6	NA	NA	NA
		8/17/00	23.0	NA	NA	NA
		8/19/00	19.6	NA	NA	NA
		8/23/00	24.0	NA	NA	NA
		8/24/00	24.0	NA	NA	NA
		8/30/00	29.0	NA	NA	NA
		9/01/00	28.9	NA	NA	NA
		9/04/00	NA	2.0	0.5 U	3.0
		9/07/00	29.0	NA	NA	NA
		9/12/00	26.0	NA	NA	NA
		9/21/00	20.0	NA	NA	NA
		9/28/00	20.0	NA	NA	NA
		10/04/00	30.3	NA	NA	NA
		10/09/00	NA	2.8	0.5 U	3.4
		10/11/00	27.1	NA	NA	NA
		10/18/00	20.5	NA	NA	NA
		10/25/00	23.1	NA	NA	NA
11/02/00	16.9	NA	NA	NA		
11/06/00	NA	3.0	0.5 U	3.2		
11/09/00	26.0	NA	NA	NA		
11/15/00	22.7	NA	NA	NA		
11/22/00	24.2	NA	NA	NA		
11/30/00	27.1	NA	NA	NA		
12/07/00	24.1	NA	NA	NA		
12/12/00	NA	0.5 U	1.7	1.8		
12/13/00	27.4	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	12/21/00	23.0	NA	NA	NA
		12/28/00	26.9	NA	NA	NA
		1/02/01	NA	2.5	0.5	3.5
		1/04/01	30.0	NA	NA	NA
		1/23/01	24.4	NA	NA	NA
		2/01/01	28.9	NA	NA	NA
		2/07/01	28.5	NA	NA	NA
		2/13/01	25.6	NA	NA	NA
		2/19/01	19.6	NA	NA	NA
		3/01/01	NA	1.9	2.9	0.5 U
		3/14/01	17.3	NA	NA	NA
		3/21/01	20.8	NA	NA	NA
		3/29/01	19.8	NA	NA	NA
		4/01/01	NA	3.2	0.7	3.6
		4/04/01	26.7	NA	NA	NA
		4/07/01	35.1	NA	NA	NA
		5/01/01	NA	2.6	0.0 U	2.8
		5/22/01	34.7	NA	NA	NA
		5/30/01	32.7 U	NA	NA	NA
		6/01/01	NA	2.6	0.0 U	2.6
		6/05/01	34.9	NA	NA	NA
		6/13/01	33.7	NA	NA	NA
		6/20/01	33.3	NA	NA	NA
		6/26/01	30.1	NA	NA	NA
		7/03/01	31.4	NA	NA	NA
		7/11/01	33.3	3.2	0.5 U	3.1
		7/18/01	30.4	NA	NA	NA
		7/25/01	27.0	NA	NA	NA
		8/01/01	25.5 U	NA	NA	NA
		8/08/01	24.1	NA	NA	NA
		8/15/01	22.4	3.2	0.5 U	3.3
		8/22/01	22.6	NA	NA	NA
		8/29/01	22.0	NA	NA	NA
		9/05/01	23.7	NA	NA	NA
		9/12/01	22.5	2.6	0.5 U	3.0
		9/19/01	23.1	NA	NA	NA
		9/27/01	26.4	NA	NA	NA
		10/02/01	NA	1.7	0.5 U	1.9
		10/03/01	27.5	NA	NA	NA
		10/10/01	27.0	NA	NA	NA
10/17/01	22.5	NA	NA	NA		
10/24/01	22.6	NA	NA	NA		
10/31/01	25.0	NA	NA	NA		
11/07/01	27.1	1.7	0.5 U	1.9		
11/13/01	22.7	NA	NA	NA		
11/21/01	22.6	NA	NA	NA		
11/29/01	22.4	NA	NA	NA		
12/05/01	21.4	1.8	0.5 U	2.8		
12/12/01	21.6	NA	NA	NA		
12/19/01	22.3	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	12/26/01	20.8	NA	NA	NA
		1/02/02	26.0	NA	NA	NA
		1/09/02	23.2	2.3	0.5 U	2.8
		1/16/02	23.3	NA	NA	NA
		4/24/02	15.0	1.2	1.0	3.4
		5/15/02	16.2	1.6	0.9	3.0
		6/01/02	NA	1.2	0.9	2.5
		6/05/02	14.7	1.2	0.9	2.5
		7/01/02	NA	0.7	1.0	2.5
		7/02/02	11.9	NA	NA	NA
		7/17/02	11.9	0.7	1.0	2.5
		8/01/02	NA	0.5 U	1.0	2.5
		8/02/02	12.4	NA	NA	NA
		8/14/02	12.4	1.0	1.0	2.5
		9/01/02	NA	0.6	0.8	1.6
		9/18/02	12.2	1.2	1.2	2.6
		10/09/02	10.5	0.6	0.8	1.6
		3/22/11	15.8	0.5 U	0.8	0.9
		3/29/11	16.8	0.5 U	0.6	0.7
		10/02/12	6.7	0.5 U	0.5 U	0.6
		10/09/12	7.2	0.5 U	0.5 U	0.6
		10/11/12	7.4	NA	NA	NA
		10/17/12	6.9	0.5 U	0.5 U	0.6
		10/23/12	7.8	0.5 U	0.5 U	0.6
		10/30/12	6.8	0.5 U	0.5 U	0.6
		11/06/12	8.1	0.5 U	0.5 U	0.8
		11/13/12	7.6	0.5 U	0.5 U	0.8
		11/20/12	7.5	0.5 U	0.5	0.9
		11/27/12	7.2	3.8	0.5	1.0
		12/04/12	7.6	0.5 U	0.5 U	0.9
		12/11/12	9.7	0.5 U	0.5 U	0.9
		12/18/12	7.3	0.5 U	0.5 U	1.0
		12/24/12	7.9	0.5 U	0.5 U	1.1
		1/02/13	8.4	0.5 U	0.5	1.2
		1/08/13	7.2	0.5 U	0.5 U	1.1
		1/15/13	7.5	0.5 U	0.5 U	1.0
		1/22/13	8.2	0.5 U	0.5	1.5
		2/13/13	8.2	0.5 U	0.5 U	1.3
		2/19/13	9.0	0.5 U	0.5	1.3
		2/26/13	8.4	0.5 U	0.5 U	1.3
		3/05/13	7.5	0.5 U	0.5 U	1.2
		3/12/13	6.0	0.5 U	0.5 U	1.3
3/19/13	11.4	0.5 U	0.5 U	1.3		
3/26/13	6.3	0.5 U	0.5 U	1.4		
4/02/13	9.7	0.5 U	0.5	1.4		
4/10/13	10.1	0.5 U	0.5 U	1.4		
8/14/13	7.5	0.5 U	0.8	4.2		
9/10/13	8.0	0.5 U	0.7	2.4		
9/17/13	7.7	0.5 U	0.6	2.2		
9/24/13	6.9	0.5 U	0.6	2.2		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (cont)	WELL 52 (cont)	11/05/13	6.8	0.5 U	0.5 U	1.7
		11/13/13	6.5	0.5 U	0.6	2.1
		11/19/13	6.3	0.5 U	0.6	2.1
		11/26/13	5.8	0.5 U	0.6	2.1
		12/03/13	6.3	0.5 U	0.6	2.0
		12/10/13	6.0	0.5 U	0.6	2.1
		12/17/13	5.7	0.5 U	0.7	2.3
		12/24/13	6.1	0.5 U	0.7	2.3
		12/31/13	5.6	0.5 U	0.6	2.1
		2/11/14	7.3	0.5 U	0.7	2.5
		2/18/14	5.9	0.5 U	0.6	2.3
		2/25/14	6.1	0.5 U	0.6	2.2
		3/11/14	6.4	0.5 U	0.6	2.4
		3/18/14	6.7	0.5 U	0.6	2.3
		3/25/14	7.0	0.5 U	0.6	2.3
		4/01/14	6.9	0.5 U	0.6	2.2
		4/08/14	8.2	0.5 U	0.6	2.2
		4/15/14	7.0	0.5 U	0.6	2.3
		4/22/14	7.0	0.5 U	0.7	2.6
		4/29/14	NA	0.5 U	0.7	2.6
		5/20/14	5.5	0.5 U	0.6	3.1
		5/27/14	4.5	0.5 U	0.6	2.7
		6/03/14	5.2	0.5 U	0.6	2.7
		6/10/14	5.1	0.5 U	0.7	3.0
		6/24/14	NA	0.5 U	0.7	2.8
		7/01/14	5.3	0.5 U	0.7	3.3
		7/08/14	5.5	0.5 U	0.8	3.5
		7/15/14	5.7	0.5 U	0.8	3.7
		7/22/14	5.8	0.5 U	0.7	2.8
		7/29/14	4.9	0.5 U	0.8	3.4
		8/12/14	5.3	0.5 U	0.5 U	1.9
		8/19/14	5.2	0.5 U	0.7	3.0
		8/26/14	5.2	0.5 U	0.8	3.8
	9/02/14	5.2	0.5 U	0.7	3.0	
	WINDSOR	1/03/96	NA	0.5 U	0.5 U	0.7
		3/07/96	NA	0.5 U	0.5 U	0.5 U
		4/03/96	NA	0.5 U	0.7	0.9
		4/16/96	NA	0.5 U	0.9	0.9
		5/01/96	NA	0.5 U	0.8	1.1
		6/05/96	NA	0.5 U	1.0	0.8
		6/19/96	NA	0.5 U	0.5 U	0.5 U
		7/02/96	NA	0.5 U	0.5 U	0.5 U
		8/01/96	NA	0.5 U	NA	NA
8/07/96		NA	NA	0.8	0.8	
9/01/96		NA	0.5 U	NA	NA	
9/04/96		NA	NA	1.1	0.9	
10/01/96		NA	0.5 U	NA	NA	
10/02/96	NA	NA	1.0	0.9		
11/06/96	NA	0.5 U	0.5 U	0.5 U		
12/01/96	NA	0.5 U	0.0 U	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	12/04/96	NA	NA	NA	0.8
		1/01/97	NA	0.5 U	NA	NA
		1/08/97	NA	NA	0.6	0.8
		3/01/97	NA	0.5 U	0.0 U	NA
		3/03/97	NA	NA	NA	0.8
		3/05/97	NA	NA	1.0	1.2
		4/01/97	NA	0.5 U	NA	NA
		4/02/97	NA	NA	0.8	0.9
		5/07/97	NA	0.5 U	0.5 U	0.5 U
		6/01/97	NA	0.5 U	NA	NA
		6/04/97	NA	NA	1.1	1.0
		6/13/97	0.0 U	NA	NA	NA
		6/19/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	0.0 U	0.5 U
		7/03/97	0.0 U	NA	NA	NA
		8/01/97	NA	0.5 U	NA	0.5 U
		8/06/97	NA	NA	0.6	NA
		9/03/97	NA	NA	1.0	0.7
		9/17/97	0.0 U	NA	NA	NA
		9/22/97	NA	0.5 U	0.5 U	0.5 U
		10/01/97	NA	0.5 U	0.6	0.5 U
		11/01/97	NA	0.5 U	NA	NA
		11/05/97	NA	NA	0.8	0.6
		12/01/97	NA	0.5 U	NA	NA
		12/03/97	NA	NA	1.1	1.1
		12/18/97	0.0 U	NA	NA	NA
		12/24/97	4.0	NA	NA	NA
		1/01/98	NA	0.5 U	NA	NA
		1/06/98	0.0 U	NA	NA	NA
		1/07/98	NA	NA	0.7	0.8
		1/14/98	0.0 U	NA	NA	NA
		1/16/98	0.0 U	NA	NA	NA
		1/21/98	0.0 U	NA	NA	NA
		2/03/98	NA	0.5 U	1.1	1.2
		4/01/98	NA	0.5 U	NA	0.5 U
		4/13/98	0.0 U	NA	0.7	NA
		4/16/98	0.0 U	NA	NA	NA
		4/23/98	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/01/98	NA	0.5 U	NA	0.5 U
		5/06/98	NA	NA	1.0	NA
		5/07/98	0.0 U	NA	NA	NA
5/13/98	0.0 U	NA	1.1	NA		
5/27/98	0.0 U	NA	NA	NA		
6/01/98	NA	0.5 U	NA	NA		
6/03/98	0.0 U	NA	1.3	0.5		
6/10/98	0.0 U	NA	NA	NA		
6/24/98	0.0 U	NA	NA	NA		
7/01/98	0.0 U	0.5 U	0.8	0.6		
7/08/98	0.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	7/15/98	3.0	NA	NA	NA
		8/01/98	NA	0.5 U	1.0	0.7
		8/03/98	10.7	NA	NA	NA
		8/27/98	2.7	NA	NA	NA
		9/01/98	0.0 U	0.5 U	1.2	0.9
		9/08/98	0.0 U	NA	NA	NA
		9/15/98	0.0 U	NA	NA	NA
		9/23/98	0.0 U	NA	NA	NA
		9/30/98	0.0 U	NA	NA	NA
		10/01/98	0.0 U	NA	NA	NA
		10/07/98	NA	0.5 U	1.2	1.0
		10/08/98	0.0 U	NA	NA	NA
		10/15/98	0.0 U	NA	NA	NA
		10/23/98	0.0 U	NA	NA	NA
		10/30/98	0.0 U	NA	NA	NA
		11/01/98	NA	0.5 U	1.0	1.0
		11/02/98	0.0 U	NA	NA	NA
		11/09/98	0.0 U	NA	NA	NA
		11/16/98	0.0 U	NA	NA	NA
		11/23/98	0.0 U	NA	NA	NA
		12/01/98	0.0 U	0.5 U	1.0	1.1
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/22/98	0.0 U	NA	NA	NA
		12/29/98	0.0 U	NA	NA	NA
		12/30/98	0.0 U	NA	NA	NA
		1/01/99	NA	0.5 U	0.8	0.7
		1/06/99	0.0 U	NA	NA	NA
		1/13/99	4.3	NA	NA	NA
		1/20/99	0.0 U	NA	NA	NA
		1/27/99	4.1	NA	NA	NA
		2/01/99	NA	0.5 U	1.1	1.2
		2/03/99	5.1	NA	NA	NA
		2/10/99	0.0 U	NA	NA	NA
		3/04/99	2.6	0.5 U	1.5	1.3
		3/17/99	0.0 U	NA	NA	NA
		5/01/99	NA	0.5 U	1.5	1.8
		5/12/99	3.3	NA	NA	NA
		5/18/99	2.6	NA	NA	NA
		5/26/99	2.0	NA	NA	NA
		6/01/99	NA	0.5 U	1.2	1.3
		6/02/99	3.9	NA	NA	NA
6/09/99	0.0 U	NA	NA	NA		
6/10/99	0.0 U	NA	NA	NA		
6/16/99	2.8	NA	NA	NA		
6/23/99	4.9	NA	NA	NA		
6/30/99	5.0 U	NA	NA	NA		
7/01/99	4.0 U	0.5 U	1.2	1.2		
7/07/99	1.9	NA	NA	NA		
7/14/99	4.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	7/21/99	4.0 U	NA	NA	NA
		7/28/99	4.0 U	NA	NA	NA
		8/04/99	0.0 U	0.5 U	0.9	1.0
		8/09/99	3.6	NA	NA	NA
		8/11/99	0.0 U	NA	NA	NA
		8/12/99	0.0 U	NA	NA	NA
		8/15/99	0.0 U	NA	NA	NA
		8/18/99	0.0 U	NA	NA	NA
		8/25/99	0.0 U	NA	NA	NA
		8/31/99	0.0 U	NA	NA	NA
		9/01/99	0.0 U	NA	NA	NA
		9/08/99	0.0 U	0.5 U	1.6	1.4
		9/15/99	0.0 U	NA	NA	NA
		9/25/99	4.0 U	NA	NA	NA
		9/30/99	0.0 U	NA	NA	NA
		10/01/99	4.0 U	NA	NA	NA
		10/07/99	4.0 U	NA	NA	NA
		10/11/99	2.9	0.5 U	1.2	1.1
		10/19/99	4.0 U	NA	NA	NA
		11/01/99	4.0 U	NA	NA	NA
		11/07/99	4.0 U	NA	NA	NA
		11/10/99	NA	0.5 U	1.3	1.3
		11/13/99	4.0 U	NA	NA	NA
		11/19/99	4.0 U	NA	NA	NA
		12/01/99	4.0 U	0.5 U	1.8	1.7
		12/07/99	4.0 U	NA	NA	NA
		1/01/00	NA	0.5 U	1.3	1.3
		1/26/00	0.0 U	NA	NA	NA
		2/02/00	0.0 U	NA	NA	NA
		2/10/00	0.0 U	0.5 U	1.0	1.0
		2/18/00	0.0 U	NA	NA	NA
		2/28/00	0.0 U	NA	NA	NA
		3/02/00	0.0 U	NA	NA	NA
		3/06/00	NA	0.5 U	1.0	1.0
		3/16/00	0.0 U	NA	NA	NA
		3/23/00	0.0 U	NA	NA	NA
		4/12/00	NA	0.5 U	0.5 U	0.6
		5/01/00	0.0 U	NA	NA	NA
		5/10/00	NA	0.5 U	1.3	1.3
		6/07/00	NA	0.5 U	1.0	1.0
		6/08/00	0.0 U	NA	NA	NA
6/14/00	0.0 U	NA	NA	NA		
6/22/00	0.0 U	NA	NA	NA		
7/06/00	0.0 U	NA	NA	NA		
7/12/00	5.4	0.5 U	1.0	1.0		
8/01/00	NA	0.5 U	1.0	1.0		
8/02/00	6.0 U	NA	NA	NA		
8/10/00	7.0 U	NA	NA	NA		
8/17/00	4.0	NA	NA	NA		
8/23/00	0.0 U	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	8/30/00	4.0	NA	NA	NA
		9/01/00	4.0 U	NA	NA	NA
		9/04/00	NA	0.5 U	1.0	2.0
		9/07/00	5.0	NA	NA	NA
		9/12/00	3.0	NA	NA	NA
		9/21/00	3.0	NA	NA	NA
		9/28/00	0.0 U	NA	NA	NA
		10/04/00	5.7	NA	NA	NA
		10/09/00	NA	0.5 U	1.5	1.7
		10/11/00	5.3	NA	NA	NA
		10/18/00	3.5	NA	NA	NA
		10/25/00	3.8	NA	NA	NA
		11/02/00	3.9	NA	NA	NA
		11/06/00	NA	0.5 U	1.5	1.6
		11/09/00	4.9	NA	NA	NA
		11/13/00	4.0	NA	NA	NA
		11/22/00	4.5	NA	NA	NA
		11/30/00	6.3	NA	NA	NA
		12/07/00	6.1	NA	NA	NA
		12/12/00	NA	2.3	0.5	3.3
		12/13/00	6.2	NA	NA	NA
		12/21/00	5.6	NA	NA	NA
		12/28/00	7.4	NA	NA	NA
		1/02/01	NA	0.5 U	1.5	1.6
		1/04/01	8.6	NA	NA	NA
		1/23/01	5.2	0.5 U	0.8	1.1
		2/01/01	4.0 U	NA	NA	NA
		2/07/01	4.8	NA	NA	NA
		2/13/01	3.2 J	NA	NA	NA
		2/19/01	3.1 J	NA	NA	NA
		3/01/01	NA	0.5 U	1.4	1.8
		3/14/01	6.0	NA	NA	NA
		3/21/01	5.6	NA	NA	NA
		3/29/01	4.9	NA	NA	NA
		4/01/01	NA	0.5 U	1.6	1.9
		4/04/01	5.9	NA	NA	NA
		4/12/01	5.8	NA	NA	NA
		4/18/01	5.5	NA	NA	NA
		4/25/01	5.7	NA	NA	NA
		5/01/01	NA	0.5 U	1.5	1.8
		5/02/01	5.8	NA	NA	NA
		5/09/01	6.5	NA	NA	NA
5/16/01	6.0	NA	NA	NA		
5/22/01	5.7	NA	NA	NA		
5/30/01	4.1	NA	NA	NA		
6/01/01	NA	0.5 U	1.1	1.2		
6/05/01	5.1	NA	NA	NA		
6/13/01	4.7	NA	NA	NA		
6/20/01	4.3	NA	NA	NA		
6/26/01	3.7	NA	NA	NA		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	7/03/01	3.9	NA	NA	NA
		7/11/01	5.9	0.5 U	1.2	1.4
		7/18/01	5.5	NA	NA	NA
		7/25/01	3.9	NA	NA	NA
		8/01/01	4.8	NA	NA	NA
		8/08/01	4.7	NA	NA	NA
		8/15/01	4.4	0.5 U	1.2	1.5
		8/22/01	4.8	NA	NA	NA
		8/29/01	4.8	NA	NA	NA
		9/05/01	0.0 U	NA	NA	NA
		9/11/01	NA	0.5 U	1.2	1.5
		9/12/01	5.2	NA	NA	NA
		9/19/01	0.0 U	NA	NA	NA
		9/27/01	6.4	NA	NA	NA
		10/02/01	NA	0.5 U	1.1	1.0
		10/03/01	4.5	NA	NA	NA
		10/10/01	4.7	NA	NA	NA
		10/17/01	4.1	NA	NA	NA
		10/24/01	4.6	NA	NA	NA
		10/31/01	4.9	NA	NA	NA
		11/07/01	5.1	0.5 U	1.1	1.1
		11/13/01	4.0	NA	NA	NA
		11/21/01	4.0	NA	NA	NA
		11/29/01	4.8	NA	NA	NA
		12/05/01	3.9	0.5 U	1.6	1.6
		12/12/01	4.1	NA	NA	NA
		12/19/01	4.0	NA	NA	NA
		12/26/01	4.0	NA	NA	NA
		1/02/02	5.6	NA	NA	NA
		1/09/02	4.9	0.5 U	1.7	1.6
		1/16/02	4.8	NA	NA	NA
		4/24/02	5.8	0.5 U	2.6	2.4
		5/15/02	5.5	0.5 U	2.2	1.9
6/05/02	5.7	0.5 U	2.2	1.6		
7/17/02	4.3	0.5 U	1.4	1.7		
8/14/02	4.8	0.5 U	1.3	1.4		

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	9/18/02	5.4	0.5 U	1.7	1.8
		10/09/02	4.7	0.5 U	1.3	1.2
		7/09/13	4.0 U	NA	NA	NA
		7/23/13	NA	0.5 U	0.5 U	0.5 U
California Maximum Contaminant Level (MCL)			6.0	0.5	5.0	5.0
EPA Region IX Maximum Contaminant Level			NE	5.0	5.0	5.0
<p>Notes</p> <p>NA Not analyzed</p> <p>NE Not established</p> <p>Source California Department of Public Health Drinking Water Program, California Drinking Water Data, January 4, 2005</p> <p>U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.</p>						

**ATTACHMENT 8: SUMMARY OF CONSTRUCTION DETAILS FOR ALL JPL
GROUNDWATER MONITORING WELLS**

**TABLE 4
SUMMARY OF CONSTRUCTION DETAILS FOR ALL JPL GROUNDWATER MONITORING WELLS**

Well Number	Well Type	Year Installed	Drilling Method	Depth to Bottom of Casing (feet below ground surface)	Depth of Screened Interval (feet below ground surface)	Elevation Top 4-inch Casing (feet above mean sea level)	Elevation of Screened Interval (feet above mean sea level) ⁽¹⁾	Reference Point for Static Water Elevations (feet above mean sea level) ⁽²⁾	Multi-Port Well Screen Number
MW-1	Shallow Standpipe	1989	Mud Rotary	120	70-110	1116.70	1006.70-1046.70	1116.70	--
					170-180		919.82-929.82		1
MW-3	Deep Multi-Port	1990	Mud Rotary	700	250-260	1099.82	839.82-849.82	1100.34	2
					344-354		745.82-755.82		3
					555-565		534.82-544.82		4
					650-660		534.82-544.82		5
MW-4	Deep Multi-Port	1990	Mud Rotary	559	147-157	1082.72	925.72-935.72	1082.84	1
					237-247		835.72-845.72		2
					318-328		754.72-764.72		3
					389-399		683.72-693.72		4
					509-519		563.72-573.72		5
MW-5	Shallow Standpipe	1990	Air Percussion	140	85-135	1071.60	936.60-986.60	1071.60	--
MW-6	Shallow Standpipe	1990	Air Percussion	245	195-245	1188.52	943.52-993.52	1188.52	--
MW-7	Shallow Standpipe	1990	Air Percussion	275	225-275	1212.88	937.88-987.88	1212.88	--
MW-8	Shallow Standpipe	1992	Air Percussion	205	155-205	1139.53	934.53-984.53	1139.53	--
MW-9	Shallow Standpipe	1992	Air Percussion	68	18-68	1106.02	1038.02-1088.02	1106.02	--
MW-10	Shallow Standpipe	1992	Air Percussion	155	105-155	1087.71	932.71-982.71	1087.71	--
					140-150		989.35-999.35		1
					250-260		879.35-889.35		2
					420-430		709.35-719.35		3
					515-525		614.35-624.35		4
MW-11	Deep Multi-Port	1992	Mud Rotary	680	630-640	1139.35	499.35-509.35	1139.30	5
					135-145		957.14-967.14		1
					240-250		852.14-862.14		2
					315-325		777.14-787.14		3
					430-440		662.14-672.14		4
MW-12	Deep Multi-Port	1994	Mud Rotary	596	546-556	1102.14	546.14-556.14	1102.14	5
					430-440		662.14-672.14		4
MW-13	Shallow Standpipe	1994	Air Rotary	235	180-230	1183.47	953.47-1003.47	1183.47	--

Well Number	Well Type	Year Installed	Drilling Method	Depth to Bottom of Casing (feet below ground surface)	Depth of Screened Interval (feet below ground surface)	Elevation Top 4-inch Casing (feet above mean sea level)	Elevation of Screened Interval (feet above mean sea level) ⁽¹⁾	Reference Point for Static Water Elevations (feet above mean sea level) ⁽²⁾	Multi-Port Well Screen Number
MW-14	Deep Multi-Port	1994	Mud Rotary	588	205-215	1173.42	958.42-968.42	1173.47	1
					275-285		888.42-898.42		2
					380-390		783.42-793.42		3
					453-463		710.42-720.42		4
					538-548		625.42-635.42		5
MW-15	Shallow Standpipe	1994	Air Percussion	74	19-69	1120.66	1051.66-1101.66	1120.66	--
MW-16	Shallow Standpipe	1994	Air Percussion	285	230-280	1236.27	956.27-1006.27	1236.27	--
MW-17	Deep Multi-Port	1995	Mud Rotary	774	246-256	1190.99	934.99-944.99	1191.21	1
					366-376		814.99-824.99		2
					466-476		714.99-724.99		3
					578-588		602.99-612.99		4
					723-733		457.99-467.99		5
MW-18	Deep Multi-Port	1995	Mud Rotary	732	266-276	1225.34	949.34-959.34	1225.41	1
					326-336		889.34-899.34		2
					421-431		794.34-804.34		3
					561-571		654.34-664.34		4
					681-691		534.34-544.34		5
MW-19	Deep Multi-Port	1995	Mud Rotary	543	240-250	1143.20	893.20-903.20	1142.94	1
					310-320		823.20-833.20		2
					390-400		743.20-753.20		3
					442-452		691.20-701.20		4
					492-502		641.20-651.20		5
MW-20	Deep Multi-Port	1995	Mud Rotary	948	228-238	1164.89	926.89-936.89	1165.05	1
					388-398		766.89-776.89		2
					558-568		596.89-606.89		3
					698-708		456.89-466.89		4
					898-908		256.89-266.89		5
MW-21	Deep Multi-Port	1995	Mud Rotary	416	86-96	1058.99	962.99-972.99	1059.10	1
					156-166		892.99-902.99		2
					236-246		812.99-822.99		3
					306-316		742.99-752.99		4
					366-376		682.99-692.99		5
MW-22	Deep Multi-Port	1997	Mud Rotary	634	239-249	1176.81	927.81-937.81	1176.98	1
					324-334		842.81-852.81		2
					384-394		782.81-792.81		3
					464-474		702.81-712.81		4
					584-594		582.81-592.81		5
MW-23	Deep Multi-Port	1997	Mud Rotary	590	170-180	1108.34	928.34-938.34	1108.84	1
					250-260		848.34-858.34		2
					315-325		783.34-793.34		3
					440-450		658.34-668.34		4
					540-550		558.34-568.34		5

Well Number	Well Type	Year Installed	Drilling Method	Depth to Bottom of Casing (feet below ground surface)	Depth of Screened Interval (feet below ground surface)	Elevation Top 4-inch Casing (feet above mean sea level)	Elevation of Screened Interval (feet above mean sea level) ⁽¹⁾	Reference Point for Static Water Elevations (feet above mean sea level) ⁽²⁾	Multi-Port Well Screen Number
MW-24	Deep Multi-Port	1997	Mud Rotary	725	275-285	1200.91	915.91-925.91	1200.94	1
					370-380		820.91-830.91		2
					430-440		760.91-770.91		3
					550-560		640.91-650.91		4
					675-685		515.91-525.91		5
MW-25	Deep Multi-Port	2004	Mud Rotary	740	355-365	934.52	569.52-579.52	934.52	1
					420-430		504.52-514.52		2
					500-510		424.52-434.52		3
					630-640		294.52-304.52		4
					710-720		214.52-224.52		5
MW-26	Deep Multi-Port	2005	Mud Rotary	240	130-140	1059.08	919.08-929.08	1059.08	1
					210-220		839.08-849.08		2

Notes:

(1) All screens, except in well MW-1, are 4-inch diameter, wire-wrap stainless steel with 0.010-inch slot size. The screen in well MW-1 is 4-inch diameter, schedule 40 PVC with 0.020-inch slot size.

(2) Reference point = top of Westbay® well casing (multi-port wells) and top of well casing (shallow standpipe wells).