Attachment 7: TABLES 1A, 2A AND 3A

This attachment presents historical Perchlorate, VOC's and Metals from 1996 to present.

TABLE 1A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCL or action levels.)

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-1													
MW-1	Aug/Sep 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Oct/Nov 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.9**
MW-1	Feb/Mar 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	June/July 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Sep/Oct 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Toluene**	**1.3** **1.2**
MW-1	Jan/Feb 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Feb/Mar 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Nov/Dec 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 2000	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jan/Feb 2001	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene**	**0.5 J**
MW-1	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene**	**0.8**
MW-1	Jan/Feb 2002	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-1	Apr/May 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**2.0 J**
MW-1	Oct/Nov 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	DUPE-2-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jun/Jul 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Jun/Jul 2007	DUPE-7-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Apr/May 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Nov 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-1	Apr/May 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov/Dec 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2010	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2010	DUPE-8-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Oct/Nov 2010	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2011	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2011	DUPE-5-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov/Dec 2011	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2012	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov 2012	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2013	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2013	DUP-8-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2013	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2014	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2014	DUP-6-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct 2014	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2015	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2015	Dup-8-2Q15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct 2015	MW-1	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2016	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct 2016	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2017	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	October 2017	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	October 2017	DUP-8-4Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	April 2018	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct 2018	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2019	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-1	Apr/May 2019	DUP-8-2Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct 2019	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jun 2020	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jun 2020	Dup-8-2Q2020	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2020	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2020	DUP-6-4Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/June 2021	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1													
MW-3-Screen-1	Aug/Sep 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	NA		
MW-3-Screen-1	Oct/Nov 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**	NA	**Bromodichloromethane**	**0.9**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-1	Feb/Mar 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Carbon disulfide**	**2.6**
MW-3-Screen-1	June/July 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Sep/Oct 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Jan/Feb 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Jul/Aug 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct/Nov 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Feb/Mar 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	May/Jun 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Nov/Dec 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Jul/Aug 2000	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Jan/Feb 2001	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.4 J**
MW-3-Screen-1	Jan/Feb 2002	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-3-Screen-1	Apr/May 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-3-Screen-1	Oct/Nov 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2004	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3-Screen-1	Apr/May 2004	DUPE-1-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3-Screen-1	Oct/Nov 2004	MW-3-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct/Nov 2004	DUPE-1-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct/Nov 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	May/Jun 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-1	Oct/Dec 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-1	Jun/Jul 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**2.8 J**
MW-3-Screen-1	Oct/Dec 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.7**		
MW-3-Screen-1	Apr/May 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-3-Screen-1	Oct/Nov 2008	DUPE-04-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Oct/Nov 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Apr/May 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Nov/Dec 2009	DUPE-02-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Nov/Dec 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Apr/May 2010	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Oct/Nov 2010	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Oct/Nov 2010	DUPE-04-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Apr/May 2011	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Nov/Dec 2011	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-1	Apr/May 2012	DUPE-4-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Apr/May 2012	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-1	Nov 2012	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2013	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct/Nov 2013	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2014	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct 2014	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2015	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct 2015	MW-3-1	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2016	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct 2016	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2017	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	October 2017	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	April 2018	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct 2018	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Apr/May 2019	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct 2019	MW-3-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Jun 2020	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	Oct/Nov 2020	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-1	May/June 2021	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2													
MW-3-Screen-2	Aug/Sep 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA	**Bromodichloromethane**	**1.4**
MW-3-Screen-2	Oct/Nov 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Bromodichloromethane**	**1.1**
MW-3-Screen-2	Feb/Mar 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Bromodichloromethane** **Carbon disulfide**	**0.7** **8.0**
MW-3-Screen-2	June/July 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**1.2**	4.0 U		
MW-3-Screen-2	Sep/Oct 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-3-Screen-2	Jan/Feb 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Apr/May 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jul/Aug 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Oct/Nov 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Feb/Mar 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	May/Jun 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Aug 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Nov/Dec 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Mar/Apr 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jul/Aug 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-2	Sep/Oct 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jan/Feb 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-3-Screen-2	Apr 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	Methylene chloride	0.5 J
MW-3-Screen-2	Jul 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Oct 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.7 J
MW-3-Screen-2	Jan/Feb 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	4.2
MW-3-Screen-2	Apr/May 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.4 J
MW-3-Screen-2	Jul 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Oct/Nov 2002	MW-3-2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.9 B	Methylene chloride	0.3 J
MW-3-Screen-2	Jan/Feb 2003	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Apr/May 2003	MW-3-2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4-Methyl-2-pentanone	3.0 J
MW-3-Screen-2	Apr/May 2003	DUPE-5-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	4-Methyl-2-pentanone	3.0 J
MW-3-Screen-2	Jul/Aug 2003	MW-3-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9 J		
MW-3-Screen-2	Oct/Nov 2003	MW-3-2	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6 J		
MW-3-Screen-2	Feb 2004	MW-3-2	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.3		
MW-3-Screen-2	Feb 2004	DUPE-1-1Q04	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	10.4		
MW-3-Screen-2	Apr/May 2004	MW-3-2	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.5 J		
MW-3-Screen-2	Jul/Aug 2004	MW-3-2	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5		
MW-3-Screen-2	Oct/Nov 2004	MW-3-2	1.7 J	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	46.6		
MW-3-Screen-2	Jan/Feb 2005	MW-3-2	4.3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	139.0		
MW-3-Screen-2	Apr/May 2005	MW-3-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	89.3		
MW-3-Screen-2	Jul/Sep 2005	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.2	m,p-Xylene	0.4 J
MW-3-Screen-2	Oct/Nov 2005	MW-3-2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	44.1		
MW-3-Screen-2	Mar/Apr 2006	DUPE-4-1Q06	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3-Screen-2	Mar/Apr 2006	MW-3-2	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	34.0		
MW-3-Screen-2	May/Jun 2006	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.0		
MW-3-Screen-2	Aug/Sep 2006	MW-3-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.0		
MW-3-Screen-2	Oct/Dec 2006	MW-3-2	1.4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	78.0 J		
MW-3-Screen-2	Mar/Apr 2007	MW-3-2	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	45.0		
MW-3-Screen-2	Jun/Jul 2007	DUPE-4-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	71.0	Methylene chloride	3.4 J
MW-3-Screen-2	Jun/Jul 2007	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	78.0	Methylene chloride	2.2 J
MW-3-Screen-2	Aug/Sep 2007	MW-3-2	3.3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	49.0		
MW-3-Screen-2	Oct/Dec 2007	MW-3-2	4.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	80.0		
MW-3-Screen-2	Jan/Feb 2008	MW-3-2	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	240.0		
MW-3-Screen-2	Apr/May 2008	MW-3-2	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	270.0		
MW-3-Screen-2	Jul/Aug 2008	MW-3-2	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	206.0		
MW-3-Screen-2	Oct/Nov 2008	MW-3-2	2.4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	114.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-2	Jan/Feb 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**98.7**	**Bromodichloromethane** **Dibromochloromethane**	**1.0** **1.1**
MW-3-Screen-2	Apr/May 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**121.0**	**Bromodichloromethane** **Dibromochloromethane**	**0.8** **0.9**
MW-3-Screen-2	Jul/Aug 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**219.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.2** **0.6** **1.2**
MW-3-Screen-2	Nov/Dec 2009	MW-3-2	**4.4**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**109.0**		
MW-3-Screen-2	Feb 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**184.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**2.2** **0.6** **1.2**
MW-3-Screen-2	Apr/May 2010	DUPE-05-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**175.0**	**Bromodichloromethane**	**1.3**
MW-3-Screen-2	Apr/May 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**173.0**	**Bromodichloromethane**	**1.2**
MW-3-Screen-2	Jul/Aug 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**164.0**	**Bromodichloromethane**	**1.0**
MW-3-Screen-2	Oct/Nov 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**180.0**	**Bromodichloromethane**	**0.7**
MW-3-Screen-2	Feb/Mar 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**45.8**		
MW-3-Screen-2	Apr/May 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.9**		
MW-3-Screen-2	Aug/Sep 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-3-Screen-2	Nov/Dec 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-2	Jan/Feb 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-2	Apr/May 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-3-Screen-2	Aug/Sep 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Nov 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jan/Feb 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-3-Screen-2	Apr/May 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jul 2013	DUPE-5-3Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jul 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Oct/Nov 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jan/Feb 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-3-Screen-2	Apr/May 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**25.0**	**Bromodichloromethane**	**0.2 J**
MW-3-Screen-2	Jul/Aug 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**31.0**	**Bromodichloromethane**	**0.4 J**
MW-3-Screen-2	Oct 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**32.0**	**Bromodichloromethane**	**0.5**
MW-3-Screen-2	Jan/Feb 2015	MW-3-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**12.0**	**Bromodichloromethane**	**0.6**
MW-3-Screen-2	Apr/May 2015	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**33.0**	**Bromodichloromethane**	**0.4 J**
MW-3-Screen-2	Jul/Aug 2015	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**37.0**	**Bromodichloromethane**	**0.2 J**
MW-3-Screen-2	Oct 2015	MW-3-2	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**37.0**	**Bromodichloromethane**	**0.2 J**
MW-3-Screen-2	Jan/Feb 2016	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**46.0**	**Bromodichloromethane**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-2	Apr/May 2016	MW-3-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**68.0**		
MW-3-Screen-2	Jul/Aug 2016	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**46.0**		
MW-3-Screen-2	Oct 2016	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**23.0**		
MW-3-Screen-2	Jan/Feb 2017	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**11.0**		
MW-3-Screen-2	Apr/May 2017	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-3-Screen-2	Jul/Aug 2017	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-3-Screen-2	October 2017	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jan/Feb 2018	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**9.3**		
MW-3-Screen-2	April 2018	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 J**		
MW-3-Screen-2	Jul/Aug 2018	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-3-Screen-2	Oct 2018	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Feb/Mar 2019	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-3-Screen-2	Feb/Mar 2019	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-3-Screen-2	Apr/May 2019	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jul/Aug 2019	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Oct 2019	MW-3-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Feb 2020	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Jun 2020	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Aug 2020	MW-3-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Oct/Nov 2020	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	Mar/Apr 2021	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-2	May/June 2021	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3													
MW-3-Screen-3	Aug/Sep 1996	MW-3-3	**0.6**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	NA		
MW-3-Screen-3	Oct/Nov 1996	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-3-Screen-3	Feb/Mar 1997	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-3-Screen-3	June/July 1997	MW-3-3	**1.2**	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	**2.8**	**1.8**	**21.0**		
MW-3-Screen-3	Sep/Oct 1997	MW-3-3	**1.2**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**13.0**		
MW-3-Screen-3	Jan/Feb 1998	MW-3-3	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**6.5**		
MW-3-Screen-3	Apr/May 1998	MW-3-3	**3.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**6.2**		
MW-3-Screen-3	Jul/Aug 1998	MW-3-3	**2.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**10.0**		
MW-3-Screen-3	Oct/Nov 1998	MW-3-3	**5.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.0**	4.0 U	**Carbon disulfide**	**2.7**
MW-3-Screen-3	Feb/Mar 1999	MW-3-3	**4.5**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**42.0**	4.0 U		
MW-3-Screen-3	May/Jun 1999	MW-3-3	**42.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**26.0**	**8.9**		
MW-3-Screen-3	Aug 1999	MW-3-3	**15.0**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**37.0**	4.0 U		
MW-3-Screen-3	Nov/Dec 1999	MW-3-3	**26.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**43.0**	**5.2**		
MW-3-Screen-3	Mar/Apr 2000	MW-3-3	**42.0**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**32.0**	**19.4**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-3	Jul/Aug 2000	MW-3-3	**8.6**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**37.0**	4.0 U		
MW-3-Screen-3	Sep/Oct 2000	MW-3-3	**22.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**25.0**	**25.0**		
MW-3-Screen-3	Jan/Feb 2001	MW-3-3	**2.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.9**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.6 J**
MW-3-Screen-3	Apr 2001	MW-3-3	**8.0**	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	NA	**17.0**	**13.0**	**Methylene chloride**	**0.4 J**
MW-3-Screen-3	Jul 2001	MW-3-3	**7.7**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**26.4**	**8.4**	**Xylenes**	**0.4 J**
MW-3-Screen-3	Oct 2001	MW-3-3	**15.3**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.5**	**15.4**	**Methyl-tert-butyl ether (MTBE)**	**1.7**
MW-3-Screen-3	Jan/Feb 2002	MW-3-3	**11.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**22.7**	**4.6**		
MW-3-Screen-3	Apr/May 2002	MW-3-3	0.5 U	**0.7**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U	**Methylene chloride**	**0.5 J**
MW-3-Screen-3	Jul 2002	MW-3-3	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U		
MW-3-Screen-3	Oct/Nov 2002	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Methylene chloride**	**0.3 J**
MW-3-Screen-3	Dec 2002	MW-3-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	**1,4-Dioxane**	**0.6 J**
MW-3-Screen-3	Jan/Feb 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-3-Screen-3	Jan/Feb 2003	MW-3-3	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-3-Screen-3	Apr/May 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-3-Screen-3	Jul/Aug 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Oct/Nov 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-3-Screen-3	Feb 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-3-Screen-3	Apr/May 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3-Screen-3	Jul/Aug 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.6** **0.4 J** **0.3 J**
MW-3-Screen-3	Jul/Aug 2004	DUPE-4-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.7** **0.3 J** **0.4 J**
MW-3-Screen-3	Oct/Nov 2004	MW-3-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jan/Feb 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Apr/May 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jul/Sep 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-3-Screen-3	Oct/Nov 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Mar/Apr 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	May/Jun 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Aug/Sep 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Oct/Dec 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Oct/Dec 2006	DUPE-2-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Mar/Apr 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Jun/Jul 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-3	Aug/Sep 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.4 J**
MW-3-Screen-3	Oct/Dec 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.3 J** **0.3 J**
MW-3-Screen-3	Oct/Dec 2007	DUPE 1-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**0.2 J**
MW-3-Screen-3	Jan/Feb 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Apr/May 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Jul/Aug 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Oct/Nov 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Jan/Feb 2009	DUPE-05-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Jan/Feb 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Apr/May 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Jul/Aug 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Nov/Dec 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Feb 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Apr/May 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-3-Screen-3	Jul/Aug 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Oct/Nov 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-3	Feb/Mar 2011	MW-3-3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1.0 U		
MW-3-Screen-3	Apr/May 2011	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U		
MW-3-Screen-3	Aug/Sep 2011	MW-3-3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1.0 U		
MW-3-Screen-3	Nov/Dec 2011	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**Ethylbenzene**	**1.3**
MW-3-Screen-3	Jan/Feb 2012	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**Ethylbenzene**	**1.2**
MW-3-Screen-3	Apr/May 2012	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**Ethylbenzene**	**0.9**
MW-3-Screen-3	Aug/Sep 2012	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.2** **1.0** **0.2 J**
MW-3-Screen-3	Nov 2012	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jan/Feb 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Apr/May 2013	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jul 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Oct/Nov 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jan/Feb 2014	DUPE-3-1Q14	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jan/Feb 2014	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Apr/May 2014	MW-3-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jul/Aug 2014	DUP-5-3Q14	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-3	Jul/Aug 2014	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-3	Oct 2014	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-3	Jan/Feb 2015	MW-3-3	0.5 UJ	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Apr/May 2015	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jul/Aug 2015	MW-3-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-3-Screen-3	Oct 2015	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jan/Feb 2016	MW-3-3	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Jan/Feb 2016	DUP-6-1Q16	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Apr/May 2016	MW-3-3	0.5 U	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-3	Jul/Aug 2016	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Oct 2016	MW-3-3	0.5 U	**0.1 J**	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-3	Jan/Feb 2017	MW-3-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-3	Apr/May 2017	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-3-Screen-3	Jul/Aug 2017	MW-3-3	0.5 U	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-3	October 2017	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-3	Jan/Feb 2018	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-3-Screen-3	April 2018	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 J**		
MW-3-Screen-3	Jul/Aug 2018	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-3-Screen-3	Oct 2018	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-3-Screen-3	Feb/Mar 2019	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-3	Apr/May 2019	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-3	Jul/Aug 2019	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-3-Screen-3	Jul/Aug 2019	DUP-2-3Q19	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-3	Oct 2019	MW-3-3	0.5 UJ	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-3-Screen-3	Feb 2020	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-3	Jun 2020	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-3-Screen-3	Aug 2020	MW-3-3	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-3-Screen-3	Oct/Nov 2020	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-3-Screen-3	Mar/Apr 2021	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-3-Screen-3	May/June 2021	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**		
MW-3-Screen-3	May/June 2021	DUP-3-2Q21	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-3-Screen-4													
MW-3-Screen-4	Aug/Sep 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3-Screen-4	Oct/Nov 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.2**
MW-3-Screen-4	Feb/Mar 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3-Screen-4	June/July 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Sep/Oct 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jan/Feb 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**4.7**
MW-3-Screen-4	Apr/May 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-4	Jul/Aug 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct/Nov 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Feb/Mar 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	May/Jun 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Aug 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Nov/Dec 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Mar/Apr 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**4.1**
MW-3-Screen-4	Jul/Aug 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Sep/Oct 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jan/Feb 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-3-Screen-4	Apr 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-3-Screen-4	Jul 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.8**
MW-3-Screen-4	Oct 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Toluene**	**6.4** **0.3 J**
MW-3-Screen-4	Jan/Feb 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**10.0**
MW-3-Screen-4	Apr/May 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-3-Screen-4	Jul 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct/Nov 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.5 J** **5.5** **0.5 J**
MW-3-Screen-4	Jan/Feb 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Apr/May 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-3-Screen-4	Jul/Aug 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct/Nov 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Feb 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Apr/May 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3-Screen-4	Jul/Aug 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct/Nov 2004	MW-3-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jan/Feb 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5**
MW-3-Screen-4	Apr/May 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 J**		
MW-3-Screen-4	Jul/Sep 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.6 J**
MW-3-Screen-4	Oct/Nov 2005	DUPE-3-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct/Nov 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Mar/Apr 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-4	May/Jun 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-4	Aug/Sep 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-4	Oct/Dec 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-4	Mar/Apr 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-4	Jun/Jul 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**0.8 J**
MW-3-Screen-4	Aug/Sep 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.3 J**
MW-3-Screen-4	Oct/Dec 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.5** **0.3 J**
MW-3-Screen-4	Jan/Feb 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Ethylbenzene**	**0.3 J** **0.5**
MW-3-Screen-4	Apr/May 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.6** **0.4 J**
MW-3-Screen-4	Jul/Aug 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.8**
MW-3-Screen-4	Oct/Nov 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**1.1**
MW-3-Screen-4	Jan/Feb 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**	**Ethylbenzene**	**0.6**
MW-3-Screen-4	Apr/May 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.6**
MW-3-Screen-4	Jul/Aug 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.8**
MW-3-Screen-4	Nov/Dec 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Feb 2010	DUPE-3-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Feb 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Apr/May 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-3-Screen-4	Jul/Aug 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Oct/Nov 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Feb/Mar 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Apr/May 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Aug/Sep 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Nov/Dec 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Nov/Dec 2011	DUPE-3-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-3-Screen-4	Jan/Feb 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Apr/May 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-4	Aug/Sep 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.1 J**
MW-3-Screen-4	Nov 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jan/Feb 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Apr/May 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jul 2013	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct/Nov 2013	MW-3-4	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Jan/Feb 2014	MW-3-4	0.5 U	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Apr/May 2014	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-4	Jul/Aug 2014	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-4	Oct 2014	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jan/Feb 2015	MW-3-4	0.5 UJ	**0.1 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Apr/May 2015	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jul/Aug 2015	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct 2015	MW-3-4	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Oct 2015	DUP-6-4Q15	0.5 U	0.5 U	0.5 UJ	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jan/Feb 2016	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Apr/May 2016	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Jul/Aug 2016	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-4	Oct 2016	MW-3-4	0.5 U	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-3-Screen-4	Jan/Feb 2017	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-4	Jan/Feb 2017	DUP-2-1Q17	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-4	Apr/May 2017	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Jul/Aug 2017	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	October 2017	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Jan/Feb 2018	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 J**		
MW-3-Screen-4	April 2018	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Jul/Aug 2018	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 J**		
MW-3-Screen-4	Oct 2018	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-3-Screen-4	Oct 2018	DUP-2-4Q18	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Feb/Mar 2019	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-4	Feb/Mar 2019	DUP-3-1Q19	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Apr/May 2019	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-3-Screen-4	Jul/Aug 2019	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-3-Screen-4	Oct 2019	MW-3-4	0.5 UJ	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3-Screen-4	Feb 2020	MW-3-4	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3-Screen-4	Feb 2020	DUP-2-1Q20	0.5 U	0.5 U	**0.2 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-3-Screen-4	Jun 2020	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-3-Screen-4	Aug 2020	MW-3-4	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-3-Screen-4	Oct/Nov 2020	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-3-Screen-4	Mar/Apr 2021	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-3-Screen-4	May/June 2021	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-3-Screen-5													
MW-3-Screen-5	Aug/Sep 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methylene chloride**	**2.1**
MW-3-Screen-5	Oct/Nov 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone** **Carbon disulfide**	**2.1** **1.2**
MW-3-Screen-5	Feb/Mar 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Carbon disulfide**	**1.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-5	June/July 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**4.5**
MW-3-Screen-5	Sep/Oct 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Jan/Feb 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Jul/Aug 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Oct/Nov 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**91.0**		
MW-3-Screen-5	Feb/Mar 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	May/Jun 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**75.0**		
MW-3-Screen-5	Aug 1999	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Nov/Dec 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.0 U		
MW-3-Screen-5	Mar/Apr 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Jul/Aug 2000	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7**
MW-3-Screen-5	Sep/Oct 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Jan/Feb 2001	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.3 J** **0.3 J** **0.3 J** **0.5 J**
MW-3-Screen-5	Apr 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Jul 2001	MW-3-5	NA	NA	NA	NA	NA	NA	0.5 U	NA	NA		
MW-3-Screen-5	Oct 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Jan/Feb 2002	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**91.3**	**Methylene chloride**	**7.5**
MW-3-Screen-5	Apr/May 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Jul 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Oct/Nov 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3-Screen-5	Jan/Feb 2003	MW-3-5	0.2 UJ	0.5 UJ	0.5 UJ	0.3 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.3 UJ	NA	**Ethylbenzene** **Methylene chloride** **Styrene**	**1.1 J** **7350.0** **0.5 J**
MW-3-Screen-5	Apr/May 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Ethylbenzene** **Styrene**	**4.0 J** **0.7** **0.4 J**
MW-3-Screen-5	Oct/Nov 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**2-Butanone** **Ethylbenzene** **Styrene**	**5.0 J** **1.3** **0.8**
MW-3-Screen-5	Apr/May 2004	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3-Screen-5	Oct/Nov 2004	MW-3-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0 J**		
MW-3-Screen-5	Oct/Nov 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3-Screen-5	May/Jun 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3-Screen-5	Oct/Dec 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.4 J** **0.3 J**
MW-3-Screen-5	Jun/Jul 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Methylene chloride**	**0.7 J**
MW-3-Screen-5	Oct/Dec 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**0.4 J**
MW-3-Screen-5	Apr/May 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**0.4 J**
MW-3-Screen-5	Oct/Nov 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-3-Screen-5	Apr/May 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.5**
MW-3-Screen-5	Nov/Dec 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.6**
MW-3-Screen-5	Apr/May 2010	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-5	Oct/Nov 2010	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-5	Apr/May 2011	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-5	Nov/Dec 2011	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-5	Apr/May 2012	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3-Screen-5	Nov 2012	MW-3-5	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.1 J**
MW-3-Screen-5	Apr/May 2013	MW-3-5	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Oct/Nov 2013	MW-3-5	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2014	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Oct 2014	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2015	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2015	DUP-6-2Q15	0.5 U	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Oct 2015	MW-3-5	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2016	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2016	DUP-4-2016	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**10.0**
MW-3-Screen-5	Oct 2016	MW-3-5	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2017	MW-3-5	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-3-Screen-5	October 2017	MW-3-5	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 J**		
MW-3-Screen-5	April 2018	MW-3-5	0.5 U	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Oct 2018	MW-3-5	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3-Screen-5	Apr/May 2019	MW-3-5	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-3-Screen-5	Apr/May 2019	MW-3-5	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-3-Screen-5	Oct 2019	MW-3-5	0.5 UJ	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-3-Screen-5	Jun 2020	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-3-Screen-5	Oct/Nov 2020	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-3-Screen-5	May/June 2021	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-1													
MW-4-Screen-1	Aug/Sep 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	2.9 B
MW-4-Screen-1	Oct/Nov 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-1	Feb/Mar 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-1	June/July 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Sep/Oct 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-4-Screen-1	Jan/Feb 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.6**		
MW-4-Screen-1	Apr/May 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**3.4**
MW-4-Screen-1	Oct/Nov 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Feb/Mar 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 B**	0.5 U	4.0 U		
MW-4-Screen-1	May/Jun 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Aug 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Nov/Dec 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Mar/Apr 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Sep/Oct 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2001	MW-4-1	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**Methylene chloride**	**2.0 J**
MW-4-Screen-1	Apr 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-4-Screen-1	Jul 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-4-Screen-1	Jul 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct/Nov 2002	MW-4-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**28.7**		
MW-4-Screen-1	Dec 2002	MW-4-1	0.2 U	**1.2**	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**1.2**	NA	**1,4-Dioxane**	**1.2**
MW-4-Screen-1	Jan/Feb 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2003	DUPE-3-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct/Nov 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Feb 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**		
MW-4-Screen-1	Apr/May 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Toluene**	**0.7** **0.6**
MW-4-Screen-1	Oct/Nov 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-1	Jan/Feb 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene**	**0.4 J** **1.3**
MW-4-Screen-1	Apr/May 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Sep 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct/Nov 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Mar/Apr 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-1	May/Jun 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-1	Aug/Sep 2006	DUPE-1-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-1	Aug/Sep 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-1	Oct/Dec 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-1	Mar/Apr 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**280.0**		
MW-4-Screen-1	Jun/Jul 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**330.0 J**		
MW-4-Screen-1	Aug/Sep 2007	MW-4-1	**0.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**530.0**		
MW-4-Screen-1	Aug/Sep 2007	DUPE-1-3Q07	**0.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**530.0**		
MW-4-Screen-1	Oct/Dec 2007	MW-4-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**790.0**		
MW-4-Screen-1	Jan/Feb 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**100.0**		
MW-4-Screen-1	Jan/Feb 2008	DUPE-2-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**100.0**		
MW-4-Screen-1	Apr/May 2008	DUPE-1-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-1	Apr/May 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-1	Jul/Aug 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-4-Screen-1	Oct/Nov 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**70.2**		
MW-4-Screen-1	Jan/Feb 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**		
MW-4-Screen-1	Apr/May 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Jul/Aug 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Nov/Dec 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**96.0**		
MW-4-Screen-1	Feb 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-4-Screen-1	Apr/May 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Jul/Aug 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Jul/Aug 2010	DUPE-3-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Oct/Nov 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Feb/Mar 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Apr/May 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Aug/Sep 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Nov/Dec 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Jan/Feb 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Apr/May 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-1	Aug/Sep 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-1	Nov 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct/Nov 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-4-Screen-1	Jan/Feb 2015	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2015	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2015	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct 2015	MW-4-1	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2016	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2016	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2016	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**25.0**
MW-4-Screen-1	Oct 2016	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2017	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ		
MW-4-Screen-1	Jan/Feb 2017	DUP-6-1Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 J**		
MW-4-Screen-1	Apr/May 2017	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2017	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	October 2017	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jan/Feb 2018	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**14.0**
MW-4-Screen-1	April 2018	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 J**		
MW-4-Screen-1	Jul/Aug 2018	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-4-Screen-1	Oct 2018	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Feb/Mar 2019	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Apr/May 2019	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jul/Aug 2019	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct 2019	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Feb 2020	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Jun 2020	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Aug 2020	MW-4-1	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-1	Oct/Nov 2020	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2													
MW-4-Screen-2	Aug/Sep 1996	MW-4-2	**5.5**	**19.0**	0.5 U	0.5 U	**0.9**	**0.7**	0.5 U	**6.7**	NA	**Acetone**	3.2 B
MW-4-Screen-2	Oct/Nov 1996	MW-4-2	**5.2**	**14.0**	0.5 U	0.5 U	**0.6**	**0.7**	0.5 U	**5.0**	NA	**Acetone**	**1.8**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-2	Feb/Mar 1997	MW-4-2	7.9	19.0	0.5 U	0.5 U	0.8	0.8	0.5 U	7.8	NA		
MW-4-Screen-2	June/July 1997	MW-4-2	4.0	5.7	0.5 U	0.5 U	0.5 U	0.5	0.5 U	3.4	51.0		
MW-4-Screen-2	Sep/Oct 1997	MW-4-2	4.0	8.0	0.5	0.6	0.5 U	0.5	0.5 U	3.5	34.0		
MW-4-Screen-2	Jan/Feb 1998	MW-4-2	1.9	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	30.0		
MW-4-Screen-2	Apr/May 1998	MW-4-2	2.8	4.3	0.7	0.5	0.5 U	0.5 U	0.5 U	3.1	40.0		
MW-4-Screen-2	Jul/Aug 1998	MW-4-2	1.5	3.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	2.0	29.0		
MW-4-Screen-2	Oct/Nov 1998	MW-4-2	0.9	2.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.6	25.2		
MW-4-Screen-2	Feb/Mar 1999	MW-4-2	1.2	4.1	0.6	0.5	0.5 U	0.5 U	0.5 U	2.5	38.0	Carbon disulfide	4.3
MW-4-Screen-2	May/Jun 1999	MW-4-2	2.0	6.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.7	56.0		
MW-4-Screen-2	Aug 1999	MW-4-2	2.6	7.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.3	68.0		
MW-4-Screen-2	Nov/Dec 1999	MW-4-2	2.1	5.9	0.6	0.5	0.5 U	0.5 U	0.5 U	3.0	44.0		
MW-4-Screen-2	Mar/Apr 2000	MW-4-2	1.4	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.7	32.0		
MW-4-Screen-2	Jul/Aug 2000	MW-4-2	1.6	3.4	0.9	0.5	0.5 U	0.5 U	0.5 U	1.8	31.0		
MW-4-Screen-2	Sep/Oct 2000	MW-4-2	1.0	2.2	1.0	0.6	0.5 U	0.5 U	0.5 U	1.1	23.0		
MW-4-Screen-2	Jan/Feb 2001	MW-4-2	1.0 U	0.7 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	7.0	Methylene chloride	1.0
MW-4-Screen-2	Apr 2001	MW-4-2	0.3 J	0.5 U	1.1	0.5 J	0.5 U	0.5 U	NA	0.6	13.0		
MW-4-Screen-2	Jul 2001	MW-4-2	0.7	1.6	1.1	0.5	0.5 U	0.5 U	0.5 U	1.0	20.0		
MW-4-Screen-2	Oct 2001	MW-4-2	0.6	1.8	0.9	0.5	0.5 U	0.5 U	0.5 U	0.9	27.0		
MW-4-Screen-2	Jan/Feb 2002	MW-4-2	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Apr/May 2002	MW-4-2	0.5 U	1.3	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Methylene chloride	0.3 J
MW-4-Screen-2	Jul 2002	MW-4-2	0.5 U	0.8	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Oct/Nov 2002	MW-4-2	0.5 U	1.1	0.5 J	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-4-Screen-2	Dec 2002	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane	1.1
MW-4-Screen-2	Dec 2002	MW-4-2	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA		
MW-4-Screen-2	Jan/Feb 2003	MW-4-2	0.2 U	1.2	0.6	0.4	0.5 U	0.5 U	0.5 U	0.4	NA	Methylene chloride	5.8 J
MW-4-Screen-2	Jan/Feb 2003	MW-4-2	0.5 U	1.2	0.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-4-Screen-2	Apr/May 2003	MW-4-2	0.5 U	0.4 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	1,4-Dioxane	1.0
MW-4-Screen-2	Apr/May 2003	DUPE-8-2Q03	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane	1.0
MW-4-Screen-2	Jul/Aug 2003	MW-4-2	0.5 U	0.7	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 J	9.0		
MW-4-Screen-2	Oct/Nov 2003	MW-4-2	0.5 U	0.6	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.3 J		
MW-4-Screen-2	Feb 2004	MW-4-2	0.5 U	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 J		
MW-4-Screen-2	Apr/May 2004	MW-4-2	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4-Screen-2	Apr/May 2004	DUPE-3-2Q04	0.5 U	1.3	1.5	0.7	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-4-Screen-2	Jul/Aug 2004	MW-4-2	0.5 U	1.0	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-4-Screen-2	Oct/Nov 2004	MW-4-2	0.5 U	0.9	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Oct/Nov 2004	DUPE-3-4Q04	0.5 U	1.0	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-4-Screen-2	Jan/Feb 2005	MW-4-2	0.5 U	1.4	1.1	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-2	Apr/May 2005	MW-4-2	0.5 U	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**		
MW-4-Screen-2	Jul/Sep 2005	DUPE-3-3Q05	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**		
MW-4-Screen-2	Jul/Sep 2005	MW-4-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**		
MW-4-Screen-2	Oct/Nov 2005	MW-4-2	0.5 U	**1.0**	**0.6**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-4-Screen-2	Mar/Apr 2006	MW-4-2	0.5 U	**0.7**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-4-Screen-2	May/Jun 2006	MW-4-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Aug/Sep 2006	MW-4-2	0.5 U	**0.8**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-4-Screen-2	Oct/Dec 2006	MW-4-2	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Oct/Dec 2006	DUPE-3-4Q06	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Mar/Apr 2007	MW-4-2	0.5 U	**0.7**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Jun/Jul 2007	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Aug/Sep 2007	MW-4-2	0.5 U	**0.7**	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Oct/Dec 2007	MW-4-2	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-4-Screen-2	Jan/Feb 2008	MW-4-2	0.5 U	**0.9**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.2**		
MW-4-Screen-2	Apr/May 2008	MW-4-2	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-2	Jul/Aug 2008	MW-4-2	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-4-Screen-2	Oct/Nov 2008	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-4-Screen-2	Jan/Feb 2009	MW-4-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-4-Screen-2	Apr/May 2009	MW-4-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-4-Screen-2	Jul/Aug 2009	DUPE-6-3Q09	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-4-Screen-2	Jul/Aug 2009	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-4-Screen-2	Nov/Dec 2009	MW-4-2	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-4-Screen-2	Feb 2010	MW-4-2	0.5 U	**0.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-4-Screen-2	Apr/May 2010	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-4-Screen-2	Jul/Aug 2010	MW-4-2	0.5 U	**0.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-4-Screen-2	Oct/Nov 2010	MW-4-2	0.5 U	**0.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-4-Screen-2	Feb/Mar 2011	MW-4-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**23.0**		
MW-4-Screen-2	Feb/Mar 2011	DUPE-04-1Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**22.5**		
MW-4-Screen-2	Apr/May 2011	MW-4-2	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**31.7**		
MW-4-Screen-2	Aug/Sep 2011	MW-4-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.6**		
MW-4-Screen-2	Nov/Dec 2011	MW-4-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**46.8**		
MW-4-Screen-2	Jan/Feb 2012	MW-4-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**157.0 J**		
MW-4-Screen-2	Apr/May 2012	MW-4-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**157.0**		
MW-4-Screen-2	Aug/Sep 2012	MW-4-2	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**220.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.0** **0.6**
MW-4-Screen-2	Nov 2012	MW-4-2	0.5 U	**0.2 J**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**1.9**	**170.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.3** **2.8**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-2	Jan/Feb 2013	MW-4-2	0.5 U	0.2 J	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	2.3	220.0	Bromodichloromethane Dibromochloromethane	1.7 1.0
MW-4-Screen-2	Apr/May 2013	MW-4-2	0.5 U	0.2 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	2.1	220.0	Bromodichloromethane Dibromochloromethane	1.7 1.0
MW-4-Screen-2	Jul 2013	MW-4-2	0.2 J	1.1	1.7	0.5 J	0.5 U	0.2 J	0.5 U	3.8	250.0	Bromodichloromethane Dibromochloromethane	2.2 1.1
MW-4-Screen-2	Oct/Nov 2013	MW-4-2	0.5 U	0.6	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	1.7	210.0	Bromodichloromethane Dibromochloromethane	1.2 0.6
MW-4-Screen-2	Jan/Feb 2014	MW-4-2	0.5 U	1.0	0.7	0.3 J	0.5 U	0.5 U	0.5 U	1.2	100.0	Bromodichloromethane Dibromochloromethane	0.7 0.4 J
MW-4-Screen-2	Apr/May 2014	MW-4-2	0.5 U	0.8	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.7	64.0	Bromodichloromethane Dibromochloromethane	0.4 J 0.2 J
MW-4-Screen-2	Jul/Aug 2014	MW-4-2	0.5 U	2.0	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.9	28.0	Bromodichloromethane	0.2 J
MW-4-Screen-2	Oct 2014	MW-4-2	0.5 U	1.1	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.9	18.0	Bromodichloromethane	0.5 J
MW-4-Screen-2	Jan/Feb 2015	MW-4-2	0.5 U	1.4	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	5.9		
MW-4-Screen-2	Apr/May 2015	MW-4-2	0.5 U	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	7.2		
MW-4-Screen-2	Jul/Aug 2015	MW-4-2	0.5 U	1.7	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	5.5		
MW-4-Screen-2	Oct 2015	MW-4-2	0.5 U	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4 J		
MW-4-Screen-2	Jan/Feb 2016	MW-4-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Ethylbenzene Styrene	0.2 J 0.2 J
MW-4-Screen-2	Apr/May 2016	MW-4-2	0.5 U	1.4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.8 J		
MW-4-Screen-2	Jul/Aug 2016	MW-4-2	0.5 U	1.3	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	5.2		
MW-4-Screen-2	Oct 2016	MW-4-2	0.5 U	1.1	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	4.6		
MW-4-Screen-2	Jan/Feb 2017	MW-4-2	0.5 U	1.6	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	4.3 J		
MW-4-Screen-2	Apr/May 2017	MW-4-2	0.5 U	5.2	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.9	4.4	trans-1,2-Dichloroethene	0.2 J
MW-4-Screen-2	Jul/Aug 2017	MW-4-2	0.5 U	1.3	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.3		
MW-4-Screen-2	October 2017	MW-4-2	0.5 U	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.8 J		
MW-4-Screen-2	Jan/Feb 2018	MW-4-2	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Acetone	14.0
MW-4-Screen-2	April 2018	MW-4-2	0.5 U	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	6.5		
MW-4-Screen-2	Jul/Aug 2018	MW-4-2	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7		
MW-4-Screen-2	Oct 2018	MW-4-2	0.5 U	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	9.9		
MW-4-Screen-2	Feb/Mar 2019	MW-4-2	0.5 U	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	24.0		
MW-4-Screen-2	Apr/May 2019	MW-4-2	0.5 U	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	31.0		
MW-4-Screen-2	Jul/Aug 2019	MW-4-2	0.5 U	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	34.0		
MW-4-Screen-2	Oct 2019	MW-4-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	32.0		
MW-4-Screen-2	Feb 2020	MW-4-2	0.5 U	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	51.0		
MW-4-Screen-2	Jun 2020	MW-4-2	0.5 U	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	50.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-2	Aug 2020	MW-4-2	0.5 U	**0.3 J**	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**46.0**		
MW-4-Screen-2	Oct/Nov 2020	MW-4-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**38.0**		
MW-4-Screen-2	Mar/Apr 2021	MW-4-2	0.5 U	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**60.0**		
MW-4-Screen-2	May/June 2021	MW-4-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**65.0**		
MW-4-Screen-3													
MW-4-Screen-3	Aug/Sep 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	3.0 B
MW-4-Screen-3	Oct/Nov 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.5**
MW-4-Screen-3	Feb/Mar 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-3	June/July 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Sep/Oct 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jan/Feb 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Apr/May 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jul/Aug 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-4-Screen-3	Oct/Nov 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Feb/Mar 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-4-Screen-3	May/Jun 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Aug 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Nov/Dec 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Mar/Apr 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jul/Aug 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Sep/Oct 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jan/Feb 2001	MW-4-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	**2-Butanone** **Ethylbenzene** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**6.0 J** **1.0** **1.0** **0.7 J**
MW-4-Screen-3	Apr 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.6** **0.4 J**
MW-4-Screen-3	Jul 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.8**
MW-4-Screen-3	Oct 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.9**
MW-4-Screen-3	Jan/Feb 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.1**
MW-4-Screen-3	Apr/May 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methylene chloride**	**1.7** **0.4 J**
MW-4-Screen-3	Jul 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.6**
MW-4-Screen-3	Oct/Nov 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**2.1** **0.4 J** **0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-3	Jan/Feb 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Toluene**	**2.3** **0.4 J**
MW-4-Screen-3	Apr/May 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,4-Dioxane** **Chloromethane** **Ethylbenzene** **Toluene**	**0.4 J** **1.8** **1.9** **0.3 J**
MW-4-Screen-3	Jul/Aug 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**4.5** **0.5 J** **0.6**
MW-4-Screen-3	Oct/Nov 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**3.7** **0.5 J** **0.5**
MW-4-Screen-3	Feb 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	**Ethylbenzene** **Styrene** **Toluene**	**4.6** **0.4 J** **0.6**
MW-4-Screen-3	Apr/May 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**4.1** **0.6** **0.5**
MW-4-Screen-3	Jul/Aug 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**3.7** **0.5** **0.6**
MW-4-Screen-3	Oct/Nov 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**3.6** **0.6** **0.6**
MW-4-Screen-3	Jan/Feb 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **Styrene** **Toluene**	**4.3** **0.5 J** **0.7** **0.5**
MW-4-Screen-3	Apr/May 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **Toluene**	**1.8** **0.4 J** **0.4 J**
MW-4-Screen-3	Jul/Sep 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **Styrene**	**1.9** **0.6** **0.4 J**
MW-4-Screen-3	Oct/Nov 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**2.8** **0.6** **0.5 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-3	Mar/Apr 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**2.3** **0.6** **0.4 J**
MW-4-Screen-3	May/Jun 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.7**
MW-4-Screen-3	Aug/Sep 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.9** **0.5 J** **0.3 J**
MW-4-Screen-3	Oct/Dec 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.7** **0.4 J** **0.4 J**
MW-4-Screen-3	Mar/Apr 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.7** **0.5** **0.4 J**
MW-4-Screen-3	Jun/Jul 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Methylene chloride** **Styrene**	**1.4** **0.7 J** **0.5**
MW-4-Screen-3	Aug/Sep 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.8** **0.4 J** **0.4 J**
MW-4-Screen-3	Oct/Dec 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.7** **0.4 J** **0.4 J**
MW-4-Screen-3	Jan/Feb 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**2.0** **0.6** **0.4 J**
MW-4-Screen-3	Apr/May 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**1.5** **0.4 J**
MW-4-Screen-3	Jul/Aug 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**2.3**
MW-4-Screen-3	Jul/Aug 2008	DUPE-5-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**2.3**
MW-4-Screen-3	Oct/Nov 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**2.1** **0.5**
MW-4-Screen-3	Jan/Feb 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**2.1** **0.5**
MW-4-Screen-3	Apr/May 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**1.4**
MW-4-Screen-3	Jul/Aug 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**2.5** **0.6 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-3	Nov/Dec 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.0** **0.5**
MW-4-Screen-3	Nov/Dec 2009	DUPE-05-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.1** **0.6**
MW-4-Screen-3	Feb 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.5** **1.0**
MW-4-Screen-3	Apr/May 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.1** **0.6 J**
MW-4-Screen-3	Jul/Aug 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.7** **0.7**
MW-4-Screen-3	Oct/Nov 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Feb/Mar 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Apr/May 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Aug/Sep 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Nov/Dec 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Jan/Feb 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Apr/May 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-3	Aug/Sep 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Nov 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jan/Feb 2013	DUP-4-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-4-Screen-3	Jan/Feb 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-4-Screen-3	Apr/May 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jul 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Oct/Nov 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-4-Screen-3	Jan/Feb 2014	DUP-1-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-4-Screen-3	Jan/Feb 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-4-Screen-3	Apr/May 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-4-Screen-3	Jul/Aug 2014	DUP-7-3Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-4-Screen-3	Jul/Aug 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-4-Screen-3	Oct 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-4-Screen-3	Jan/Feb 2015	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Apr/May 2015	MW-4-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.5 J** **0.5**
MW-4-Screen-3	Jul/Aug 2015	MW-4-3	0.5 U	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-3	Oct 2015	MW-4-3	0.5 U	**0.1 J**	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Ethylbenzene** **Styrene**	**0.7 J** **0.2 J** **0.1 J**
MW-4-Screen-3	Jan/Feb 2016	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2-Dichlorobenzene**	0.1 J
MW-4-Screen-3	Apr/May 2016	MW-4-3	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jul/Aug 2016	MW-4-3	0.5 U	**0.6**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Oct 2016	MW-4-3	0.5 U	**0.2 J**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jan/Feb 2017	MW-4-3	0.5 U	**1.0**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ		
MW-4-Screen-3	Apr/May 2017	MW-4-3	0.5 U	**1.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jul/Aug 2017	MW-4-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	October 2017	MW-4-3	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jan/Feb 2018	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	April 2018	MW-4-3	0.5 U	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Jul/Aug 2018	MW-4-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Oct 2018	MW-4-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Feb/Mar 2019	MW-4-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Apr/May 2019	MW-4-3	0.5 U	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.9 J**		
MW-4-Screen-3	Jul/Aug 2019	MW-4-3	0.5 U	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Oct 2019	MW-4-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-3	Feb 2020	MW-4-3	0.5 U	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-4-Screen-3	Feb 2020	DUP-7-1Q20	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-4-Screen-3	Jun 2020	MW-4-3	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-4-Screen-3	Aug 2020	MW-4-3	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-4-Screen-3	Oct/Nov 2020	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-4-Screen-3	Mar/Apr 2021	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-4-Screen-3	May/June 2021	MW-4-3	0.5 U	**0.2 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.5 J**		
MW-4-Screen-4													
MW-4-Screen-4	Aug/Sep 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	3.9 B
MW-4-Screen-4	Oct/Nov 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.6**
MW-4-Screen-4	Feb/Mar 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-4	June/July 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Sep/Oct 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Jan/Feb 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Jul/Aug 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct/Nov 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Feb/Mar 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-4	May/Jun 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Nov/Dec 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Jul/Aug 2000	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Jan/Feb 2001	MW-4-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**Methylene chloride**	**2.0 J**
MW-4-Screen-4	Jan/Feb 2002	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 2003	DUPE-1-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct/Nov 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **2.0** **0.4 J**
MW-4-Screen-4	Apr/May 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct/Nov 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct/Nov 2005	DUPE-5-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct/Nov 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	May/Jun 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-4	Oct/Dec 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-4	Jun/Jul 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**0.8 J**
MW-4-Screen-4	Oct/Dec 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-4-Screen-4	Apr/May 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-4	Oct/Nov 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Apr/May 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Nov/Dec 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Apr/May 2010	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Oct/Nov 2010	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Apr/May 2011	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Nov/Dec 2011	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Apr/May 2012	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-4	Nov 2012	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 2013	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct/Nov 2013	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 2014	MW-4-4	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-4-Screen-4	Oct 2014	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4-Screen-4	Apr/May 2015	MW-4-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**0.6** **0.6** **0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-4	Apr/May 2015	DUP-2-2Q15	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**0.5** **0.6** **0.2 J**
MW-4-Screen-4	Oct 2015	MW-4-4	0.5 U	**0.4 J**	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-4-Screen-4	Apr/May 2016	MW-4-4	0.5 U	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-4-Screen-4	Oct 2016	MW-4-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-4-Screen-4	Oct 2016	DUP-5-4Q16	0.5 U	**0.4 J**	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-4-Screen-4	Apr/May 2017	MW-4-4	0.5 U	**1.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	October 2017	MW-4-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4-Screen-4	April 2018	MW-4-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-4-Screen-4	Oct 2018	MW-4-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Apr/May 2019	MW-4-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Oct 2019	MW-4-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-4	Jun 2020	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-4-Screen-4	Oct/Nov 2020	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-4-Screen-4	May/June 2021	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.5 J**		
MW-4-Screen-5													
MW-4-Screen-5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-5	Oct/Nov 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.9**
MW-4-Screen-5	Feb/Mar 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4-Screen-5	June/July 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Sep/Oct 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Jan/Feb 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Apr/May 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Jul/Aug 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Oct/Nov 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Feb/Mar 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-4-Screen-5	May/Jun 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Nov/Dec 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Jul/Aug 2000	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Jan/Feb 2001	MW-4-5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**1.0** **3.8**
MW-4-Screen-5	Jan/Feb 2002	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-5	Jan/Feb 2003	MW-4-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	**3.6**	**Bromochloromethane** **Methylene chloride**	**18.0** **11300.0 J**
MW-4-Screen-5	Apr/May 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Oct/Nov 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Oct/Nov 2003	DUPE-3-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**2.0 J**
MW-4-Screen-5	Apr/May 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.3 J**
MW-4-Screen-5	Oct/Nov 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Apr/May 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Oct/Nov 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	May/Jun 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-5	Oct/Dec 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-5	Jun/Jul 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**m,p-Xylene**	**0.6 J**
MW-4-Screen-5	Oct/Dec 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4-Screen-5	Apr/May 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Oct/Nov 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Apr/May 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Nov/Dec 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Apr/May 2010	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Oct/Nov 2010	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Apr/May 2011	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Nov/Dec 2011	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Apr/May 2012	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4-Screen-5	Nov 2012	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4-Screen-5	Apr/May 2013	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Oct/Nov 2013	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4-Screen-5	Apr/May 2014	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**	**Styrene**	**0.1 J**
MW-4-Screen-5	Oct 2014	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4-Screen-5	Apr/May 2015	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**0.5 J** **0.5 J** **0.2 J**
MW-4-Screen-5	Oct 2015	MW-4-5	0.5 U	**0.4 J**	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.5** **0.3 J**
MW-4-Screen-5	Apr/May 2016	MW-4-5	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.3 J** **0.2 J**
MW-4-Screen-5	Apr/May 2016	DUP-3-2Q16	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.4 J** **0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4-Screen-5	Oct 2016	MW-4-5	0.5 U	**1.2**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene** **Ethylbenzene** **Styrene**	**0.3 J** **0.6** **0.2 J**
MW-4-Screen-5	Apr/May 2017	MW-4-5	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.2 J**
MW-4-Screen-5	October 2017	MW-4-5	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.3 J** **0.2 J**
MW-4-Screen-5	April 2018	MW-4-5	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-4-Screen-5	Oct 2018	MW-4-5	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-4-Screen-5	Apr/May 2019	MW-4-5	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.4 J** **0.2 J**
MW-4-Screen-5	Oct 2019	MW-4-5	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	Jun 2020	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-4-Screen-5	Oct/Nov 2020	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4-Screen-5	May/June 2021	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5													
MW-5	Aug/Sep 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	Oct/Nov 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	Feb/Mar 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	June/July 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Sep/Oct 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-5	Apr/May 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**6.5**
MW-5	Oct/Nov 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb/Mar 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	May/Jun 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Aug 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Nov/Dec 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Mar/Apr 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2000	MW-5	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-5	Sep/Oct 2000	MW-5	**0.6**	**19.0**	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	**1.7**	**33.0**		
MW-5	Sep/Oct 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2001	MW-5	0.5 U	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**21.0**		
MW-5	Jul 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Jul 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methyl-tert-butyl ether (MTBE)	0.4 J
MW-5	Oct 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2002	MW-5	0.5 U	4.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	23.4		
MW-5	Apr/May 2002	MW-5	0.9	6.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	22.2		
MW-5	Jul 2002	MW-5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-5	Oct/Nov 2002	MW-5	1.1	18.9	0.8	0.4 J	0.5 U	0.5 U	0.5 U	2.0	22.7	Methylene chloride	1.3
MW-5	Jan/Feb 2003	MW-5	1.6	14.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.4	25.2		
MW-5	Apr/May 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	4-Methyl-2-pentanone	5.0 J
MW-5	Jul/Aug 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb 2004	MW-5	0.4 J	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	34.2 J		
MW-5	Apr/May 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2004	DUPE-5-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2004	MW-5	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.8
MW-5	Jan/Feb 2005	DUPE-5-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.7
MW-5	Apr/May 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Sep 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Sep 2005	DUPE-8-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Mar/Apr 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-5	May/Jun 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Aug/Sep 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Dec 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9		
MW-5	Mar/Apr 2007	MW-5	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	16.0		
MW-5	Jun/Jul 2007	MW-5	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	37.0 J		
MW-5	Aug/Sep 2007	MW-5	0.5 U	1.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	39.0		
MW-5	Oct/Dec 2007	MW-5	0.4 J	6.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.1	29.0		
MW-5	Oct/Dec 2007	DUPE-8-4Q07	0.4 J	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.8	31.0		
MW-5	Jan/Feb 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	56.0		
MW-5	Apr/May 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-5	Apr/May 2008	DUPE-8-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-5	Jul/Aug 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-5	Oct/Nov 2008	MW-5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.5		
MW-5	Jan/Feb 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Apr/May 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Jul/Aug 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-5	Nov/Dec 2009	MW-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**		
MW-5	Feb 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Feb 2010	DUPE-6-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Jul/Aug 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Oct/Nov 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Feb/Mar 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2011	DUPE-6-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Aug/Sep 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Nov/Dec 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Jan/Feb 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2012	DUPE-7-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Aug/Sep 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Nov 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Apr/May 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2013	MW-5	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**1.5 J**		
MW-5	Jan/Feb 2014	MW-5	0.5 U	**3.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**10.0**		
MW-5	Jan/Feb 2014	DUPE-6-1Q14	0.5 U	**3.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**9.7**		
MW-5	Apr/May 2014	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2014	MW-5	0.5 U	**2.7**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**9.4**		
MW-5	Oct 2014	MW-5	0.5 U	**4.7**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**6.8**		
MW-5	Jan/Feb 2015	MW-5	0.5 U	**3.6**	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.9 J**		
MW-5	Apr/May 2015	MW-5	0.5 U	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.1**		
MW-5	Jul/Aug 2015	MW-5	0.5 U	**1.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.4 J**		
MW-5	Jul/Aug 2015	DUP-5-3Q15	0.5 U	**1.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.4 J**		
MW-5	Oct 2015	MW-5	0.5 U	**4.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.7**		
MW-5	Jan/Feb 2016	MW-5	0.5 U	**6.6**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**5.1**	**Ethylbenzene** **Styrene**	**0.5** **0.3 J**
MW-5	Apr/May 2016	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2016	MW-5	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-5	Oct 2016	MW-5	0.5 U	**2.8**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.8**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Jan/Feb 2017	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-5	Apr/May 2017	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2017	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	October 2017	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	October 2017	DUP-6-4Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2018	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	April 2018	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-5	Jul/Aug 2018	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-5	Jul/Aug 2018	DUP-5-3Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-5	Oct 2018	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct 2018	DUP-8-4Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb/Mar 2019	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-5	Apr/May 2019	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2019	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct 2019	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct 2019	DUP-6-4Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb 2020	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jun 2020	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Aug 2020	MW-5	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6													
MW-6	Aug/Sep 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-6	Oct/Nov 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	Feb/Mar 1997	MW-6	0.5 U	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	June/July 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-6	Sep/Oct 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 1998	MW-6	0.5 U	0.5 U	**2.0**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Apr/May 1998	MW-6	0.5 U	**0.7**	**3.2**	**1.1**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-6	Jul/Aug 1998	MW-6	0.5 U	**0.6**	**2.5**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**Methylene chloride**	**7.6**
MW-6	Oct/Nov 1998	MW-6	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Feb/Mar 1999	MW-6	0.5 U	**0.8**	**3.8**	**1.0**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-6	May/Jun 1999	MW-6	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Aug 1999	MW-6	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-6	Nov/Dec 1999	MW-6	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Mar/Apr 2000	MW-6	0.5 U	0.5 U	**3.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-6	Jul/Aug 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-6	Sep/Oct 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.7**	**Trichlorofluoromethane**	**0.7**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Jan/Feb 2001	MW-6	0.5 U	0.5 U	**3.0**	**1.1**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **1.0 J**
MW-6	Jul 2001	MW-6	0.5 U	0.5 U	**1.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.3 J**
MW-6	Oct 2001	MW-6	0.5 U	0.5 U	**1.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Oct 2001	DUP	0.5 U	0.5 U	**1.4**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 2002	MW-6	0.5 U	**0.4 J**	**4.6**	**1.3**	0.5 U	**0.7**	0.5 U	**0.9**	**3.2 B**	**Methylene chloride**	**0.9 J**
MW-6	Apr/May 2002	MW-6	0.5 U	0.5 U	**5.0**	**1.3**	0.5 U	**0.9**	0.5 U	**0.7**	**15.4**	**Methylene chloride**	**0.8 J**
MW-6	Jul 2002	MW-6	0.5 U	0.5 U	**1.1**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Oct/Nov 2002	MW-6	0.5 U	**0.3 J**	**3.1**	**1.2**	0.5 U	**0.7**	0.5 U	**0.7**	4.0 U	**Methyl-tert-butyl ether (MTBE)** **trans-1,2-Dichloroethene** **Trichlorofluoromethane**	**1.9** **1.7** **1.5**
MW-6	Jan/Feb 2003	MW-6	0.5 U	0.5 U	**2.6**	**0.8**	0.5 U	**0.7**	0.5 U	**0.4 J**	**3.8 J**		
MW-6	Apr/May 2003	MW-6	0.5 U	0.5 U	**3.0**	**0.9**	0.5 U	**0.7**	0.5 U	**0.5 J**	**2.3 J**	**4-Methyl-2-pentanone**	**4.0 J**
MW-6	Jul/Aug 2003	MW-6	0.5 U	0.5 U	**2.3**	**0.7**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.9 J**		
MW-6	Oct/Nov 2003	MW-6	0.5 U	0.5 U	**3.0**	**0.9**	0.5 U	**0.8**	0.5 U	**0.3 J**	**3.6 J**		
MW-6	Feb 2004	MW-6	0.5 U	0.5 U	**2.6**	**0.8**	0.5 U	**0.7**	0.5 U	**0.5 J**	4.0 U		
MW-6	Apr/May 2004	MW-6	0.5 U	0.5 U	**2.1**	**0.8**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-6	Jul/Aug 2004	MW-6	0.5 U	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**	**Trichlorofluoromethane**	**0.4 J**
MW-6	Oct/Nov 2004	MW-6	0.5 U	0.5 U	**3.8**	**1.1**	0.5 U	**0.7**	0.5 U	**0.3 J**	4.0 U		
MW-6	Jan/Feb 2005	MW-6	0.5 U	**0.5**	**3.4**	**1.1**	0.5 U	**1.5**	0.5 U	**0.5**	**4.3**	**Methylene chloride**	**0.6**
MW-6	Apr/May 2005	MW-6	0.5 U	**0.3 J**	**2.1**	**0.7**	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.9 J**		
MW-6	Apr/May 2005	DUPE-8-2Q05	0.5 U	0.5 U	**2.2**	**0.7**	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1 J**		
MW-6	Jul/Sep 2005	MW-6	0.5 U	0.5 U	**0.9**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**	**Trichlorofluoromethane**	**1.5**
MW-6	Oct/Nov 2005	MW-6	0.5 U	0.5 U	**1.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-6	Mar/Apr 2006	DUPE-8-1Q06	0.5 U	0.5 U	**1.8**	**1.0**	0.5 U	**0.4 J**	0.5 U	**0.4 J**	NA		
MW-6	Mar/Apr 2006	MW-6	0.5 U	0.5 U	**1.8**	**0.9**	0.5 U	**0.4 J**	0.5 U	**0.4 J**	**9.9**		
MW-6	Mar/Apr 2006	DUPE-8-1Q06	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-6	May/Jun 2006	MW-6	0.5 U	0.5 U	**1.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-6	Aug/Sep 2006	DUPE-6-3Q06	0.5 U	0.5 U	**0.8**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	NA		
MW-6	Aug/Sep 2006	MW-6	0.5 U	0.5 U	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Aug/Sep 2006	DUPE-6-3Q06	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-6	Oct/Dec 2006	MW-6	0.5 U	0.5 U	**1.2 J**	**0.9 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Mar/Apr 2007	MW-6	0.5 U	**0.5**	**1.6**	**0.8**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-6	Jun/Jul 2007	MW-6	0.5 U	**1.3**	**1.5**	**0.7**	0.5 U	**0.4 J**	0.5 U	**0.5**	4.0 U		
MW-6	Aug/Sep 2007	MW-6	0.5 U	**1.5**	**1.4**	**0.7**	0.5 U	**0.8**	0.5 U	**0.6**	4.0 U		
MW-6	Aug/Sep 2007	DUPE-4-3Q07	0.5 U	**1.5**	**1.4**	**0.7**	0.5 U	**0.9**	0.5 U	**0.5**	4.0 U		
MW-6	Oct/Dec 2007	MW-6	0.5 U	**1.5**	**1.0**	**0.6**	0.5 U	**0.7**	0.5 U	**0.6**	5.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Jan/Feb 2008	MW-6	0.5 U	**2.5**	**1.6**	**0.8**	0.5 U	**0.4 J**	0.5 U	**0.6**	**4.0**		
MW-6	Apr/May 2008	MW-6	0.5 U	**2.5**	**1.8**	**0.6**	0.5 U	**0.9**	0.5 U	**0.7**	**2.5**		
MW-6	Jul/Aug 2008	MW-6	0.5 U	**2.2**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.0**	**Toluene**	**0.8**
MW-6	Oct/Nov 2008	MW-6	0.5 U	**1.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**Toluene**	**1.0**
MW-6	Jan/Feb 2009	MW-6	0.5 U	**3.0**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-6	Apr/May 2009	MW-6	0.5 U	**2.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-6	Jul/Aug 2009	MW-6	0.5 U	**2.4**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-6	Nov/Dec 2009	MW-6	0.5 U	**2.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.5**		
MW-6	Feb 2010	MW-6	0.5 U	**4.0**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.7**		
MW-6	Apr/May 2010	MW-6	0.5 U	**4.3**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-6	Jul/Aug 2010	MW-6	0.5 U	**3.7**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-6	Oct/Nov 2010	MW-6	0.5 U	**3.0**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.3**		
MW-6	Feb/Mar 2011	MW-6	0.5 U	**4.0**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1**		
MW-6	Apr/May 2011	MW-6	0.5 U	**3.4**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.5**		
MW-6	Apr/May 2011	DUPE-7-2Q11	0.5 U	**3.6**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.5**		
MW-6	Aug/Sep 2011	MW-6	0.5 U	**2.7**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.6**		
MW-6	Aug/Sep 2011	DUPE-7-3Q11	0.5 U	**2.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.2**		
MW-6	Nov/Dec 2011	MW-6	0.5 U	**2.8**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-6	Jan/Feb 2012	MW-6	0.5 U	**2.8**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-6	Jan/Feb 2012	DUPE-5-1Q12	0.5 U	**2.5**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-6	Apr/May 2012	MW-6	0.5 U	**3.1**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.4**		
MW-6	Aug/Sep 2012	MW-6	0.5 U	**3.1**	**1.2**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.7**	**2.4 J**		
MW-6	Nov 2012	MW-6	0.5 U	**3.6**	**1.4**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.7**	**1.4 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Nov 2012	DUPE-5-4Q12	0.5 U	**3.5**	**1.4**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**1.3 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Jan/Feb 2013	MW-6	0.5 U	**4.2**	**1.3**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**4.5**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Apr/May 2013	MW-6	0.5 U	**4.1**	**1.2**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.7**	**3.2 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-6	Apr/May 2013	DUP-7-2Q13	0.5 U	**4.0**	**1.2**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**3.5 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-6	Jul 2013	MW-6	0.5 U	**4.4**	**1.3**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**3.5 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Oct/Nov 2013	MW-6	0.5 U	**4.3**	**1.3**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**3.3 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Jan/Feb 2014	MW-6	0.5 U	**4.2**	**1.1**	**0.3 J**	0.5 U	**0.2 J**	0.5 U	**0.8**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-6	Apr/May 2014	MW-6	0.5 U	**4.2**	**1.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-6	Jul/Aug 2014	MW-6	0.5 U	**3.9**	**1.2**	**0.2 J**	0.5 U	**0.2 J**	0.5 U	**0.7**	**3.8 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-6	Oct 2014	MW-6	0.5 U	**3.7**	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.0 J**	**trans-1,2-Dichloroethene**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Jan/Feb 2015	MW-6	0.5 U	4.4	1.1	0.2 J	0.5 U	0.5 U	0.5 U	0.8	2.1 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.1 J 0.3 J
MW-6	Jan/Feb 2015	Dup-4-1Q15	0.5 U	4.2	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.8	2.8 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.3 J
MW-6	Apr/May 2015	MW-6	0.5 U	3.8	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.7	2.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.1 J 0.2 J
MW-6	Jul/Aug 2015	MW-6	0.5 U	3.5	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.6 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.1 J 0.2 J
MW-6	Oct 2015	MW-6	0.5 U	3.4	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.6 J		
MW-6	Jan/Feb 2016	MW-6	0.5 U	3.9	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.6	2.8 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Apr/May 2016	MW-6	0.5 U	3.1	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.6	2.8 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Jul/Aug 2016	MW-6	0.5 U	4.1	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.8	3.0 J		
MW-6	Jul/Aug 2016	DUP-4-3Q16	0.5 U	4.2	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.8 J	cis-1,2-Dichloroethene	0.1 J
MW-6	Oct 2016	MW-6	0.5 U	2.2	0.5	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	3.9 J		
MW-6	Jan/Feb 2017	MW-6	0.5 U	4.5	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.8	4.2	trans-1,2-Dichloroethene	0.3 J
MW-6	Jan/Feb 2017	DUP-4-1Q17	0.5 U	4.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.3	trans-1,2-Dichloroethene	0.2 J
MW-6	Apr/May 2017	MW-6	0.5 U	4.4	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.8	3.0 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Jul/Aug 2017	MW-6	0.5 U	2.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.7 J		
MW-6	Jul/Aug 2017	DUP-7-3Q17	0.5 U	2.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.3 J		
MW-6	October 2017	MW-6	0.5 U	1.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.3 J		
MW-6	Jan/Feb 2018	MW-6	0.5 U	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.9 J		
MW-6	Jan/Feb 2018	DUP-6-1Q18	0.5 U	1.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.6 J		
MW-6	April 2018	MW-6	0.5 U	4.5	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.8	2.2 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Jul/Aug 2018	MW-6	0.5 U	0.4 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.1 J		
MW-6	Jul/Aug 2018	DUP-6-3Q18	0.5 U	0.5 J	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 UJ		
MW-6	Feb/Mar 2019	MW-6	0.5 U	4.4	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.75	3.1 J	trans-1,2-Dichloroethene	0.3 J
MW-6	Apr/May 2019	MW-6	0.5 U	4.8	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.8	6.0	trans-1,2-Dichloroethene	0.2 J
MW-6	Jul/Aug 2019	MW-6	0.5 U	3.2	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.6	3.7 J	trans-1,2-Dichloroethene	0.2 J
MW-6	Oct 2019	MW-6	0.5 U	2.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4 J		
MW-6	Feb 2020	MW-6	0.5 U	2.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4 J		
MW-6	Jun 2020	MW-6	0.5 U	2.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.6 J		
MW-7													
MW-7	Aug/Sep 1996	MW-7	90.0	39.0	0.8	0.5 U	1.2	1.1	7.2	13.0	NA		
MW-7	Oct/Nov 1996	MW-7	170.0	27.0	1.3	0.5 U	0.8	2.3	7.7	14.0	NA	Acetone	2.8 B
MW-7	Feb/Mar 1997	MW-7	45.0	27.0	0.6	0.5 U	0.8	0.9	5.1	9.9	NA		
MW-7	June/July 1997	MW-7	39.0	23.0	0.7	0.5 U	0.8	1.0	4.1	11.0	285.0		
MW-7	Sep/Oct 1997	MW-7	93.0	22.0	1.1	0.5 U	0.9	1.3	4.7	13.0	550.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Jan/Feb 1998	MW-7	150.0	24.0	3.7	0.5 U	0.8	2.1	6.4	13.0	720.0		
MW-7	Apr/May 1998	MW-7	31.0	13.0	0.5	0.5 U	0.5 U	0.5 U	3.1	6.1	130.0		
MW-7	Jul/Aug 1998	MW-7	43.0	19.0	0.8	0.5 U	0.6	0.9	3.4	9.0	190.0	Methylene chloride	1.0
MW-7	Oct/Nov 1998	MW-7	51.0	18.0	0.9	0.5 U	0.7	1.1	3.0	9.8	210.0	Carbon disulfide	3.4
MW-7	Feb/Mar 1999	MW-7	49.0	17.0	0.6	0.5 U	0.5 U	0.9	2.0	7.2	150.0		
MW-7	May/Jun 1999	MW-7	42.0	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.2	5.7	120.0		
MW-7	Aug 1999	MW-7	40.0	16.0	0.5	0.5 U	0.5 U	0.8	1.9	7.8	210.0		
MW-7	Nov/Dec 1999	MW-7	120.0	19.7	3.0	0.5 U	0.7	2.2	2.4	10.8	460.0		
MW-7	Mar/Apr 2000	MW-7	110.0	18.0	2.7	0.5 U	0.5	2.3	2.6	8.9	740.0		
MW-7	Jul/Aug 2000	MW-7	50.0	14.0	1.2	0.5 U	0.5 U	0.9	2.0	7.1	290.0		
MW-7	Jan/Feb 2002	MW-7	135.0	15.4	17.1	0.5 U	0.5 U	6.0	6.0	13.3	4090.0	1,4-Dioxane Trichlorofluoromethane	5.0 0.4 J
MW-7	Apr/May 2002	MW-7	208.0	16.9	30.4	0.5 U	0.5 U	11.4	9.2	20.7	6770.0	Methylene chloride Trichlorofluoromethane	1.0 J 0.4 J
MW-7	Jul 2002	MW-7	70.7	6.3	7.6	0.5 U	0.5 U	3.1	1.6	6.8	2590.0		
MW-7	Oct/Nov 2002	MW-7	150.0	8.9	32.8	0.5 U	0.5 U	12.4	8.0	20.9	13300.0	Methylene chloride Trichlorofluoromethane	1.0 B 1.5
MW-7	Jan/Feb 2003	MW-7	157.0	6.3	19.5	0.3 U	0.5 U	8.2	5.9	16.6	NA	1,4-Dioxane Total Trihalomethanes	3.0 27.0
MW-7	Jan/Feb 2003	MW-7	102.0	4.4	11.8	0.5 U	0.5 U	6.1	4.2	12.9	5200.0		
MW-7	Jan/Feb 2003	DUPE-6-1Q03	122.0	4.8	13.5	0.5 U	0.5 U	6.4	4.2	12.3	6190.0		
MW-7	Apr/May 2003	MW-7	73.7	8.1	9.9	0.5 U	0.5 U	4.2	3.6	10.0	5560.0	4-Methyl-2-pentanone Methylene chloride	6.0 J 2.3
MW-7	Jul/Aug 2003	MW-7	40.4	4.5	4.9	0.5 U	0.5 U	2.2	2.2	6.8	1920.0 J		
MW-7	Oct/Nov 2003	MW-7	42.0	5.0	7.2	0.5 U	0.5 U	3.2	2.4	9.9	2400.0 J		
MW-7	Feb 2004	MW-7	94.7	8.2	30.2	0.5 U	0.5 U	10.5	8.6	26.3	7690.0		
MW-7	Apr/May 2004	MW-7	72.0 J	6.8	15.6	0.5 U	0.5 U	7.6	5.8	15.9	4680.0	Bromodichloromethane Toluene	0.4 J 0.8
MW-7	Apr/May 2004	DUPE-7-2Q04	65.1	7.1	16.3	0.5 U	0.5 U	7.9	6.0	16.3	4430.0	Bromodichloromethane Toluene	0.4 J 0.8
MW-7	Jul/Aug 2004	MW-7	58.0	6.3	15.0	0.5 U	0.5 U	5.5	5.0	16.2	3760.0		
MW-7	Oct/Nov 2004	MW-7	51.4	8.7	34.7	0.5 U	0.5 U	8.0	9.0	17.7	4810.0	Toluene	0.5
MW-7	Jan/Feb 2005	MW-7	57.3	9.3	15.8	0.5 U	0.5 U	7.6	6.0	12.5	4680.0	Methylene chloride	0.9
MW-7	Apr/May 2005	MW-7	7.6	3.3	1.4	0.5 U	0.5 U	0.5 U	0.5 U	2.8	155.0		
MW-7	Jul/Sep 2005	MW-7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	87.1		
MW-7	Oct/Nov 2005	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.1	Toluene	1.8
MW-7	Oct/Nov 2005	DUPE-8-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	32.3	Toluene	1.9

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Mar/Apr 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**26.0**		
MW-7	May/Jun 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**12.0**		
MW-7	Aug/Sep 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-7	Oct/Dec 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-7	Mar/Apr 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**5.4** **5.7** **7.6** **0.6**
MW-7	Jun/Jul 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**3.9 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.7** **8.0** **9.9**
MW-7	Jun/Jul 2007	DUPE-8-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**4.7 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.9** **8.2** **9.7**
MW-7	Aug/Sep 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**3.7** **6.1** **5.8** **0.4 J**
MW-7	Oct/Dec 2007	MW-7	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**17.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**4.8** **3.5** **4.4** **0.3 J**
MW-7	Oct/Dec 2007	DUPE-4-4Q07	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**18.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.0** **3.4** **4.5**
MW-7	Jan/Feb 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**	**3.1**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**10.0** **1.0** **3.3**
MW-7	Jan/Feb 2008	DUPE-6-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**4.5**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**11.0** **1.0** **3.4**
MW-7	Apr/May 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**33.0**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane** **Toluene**	**30.0** **1.0** **12.0** **0.4 J** **0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Apr/May 2008	DUPE-5-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**36.0**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**30.0** **1.0** **12.0** **0.4 J**
MW-7	Jul/Aug 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**	**1.5**	**Bromodichloromethane** **Dibromochloromethane** **Toluene**	**7.8** **1.3** **1.2**
MW-7	Oct/Nov 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	1.0 U	**Bromodichloromethane** **Toluene**	**1.3** **1.3**
MW-7	Jan/Feb 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**1.7**		
MW-7	Jan/Feb 2009	DUPE-06-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**1.7**		
MW-7	Apr/May 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**9.4 J**	**Bromodichloromethane**	**6.0**
MW-7	Jul/Aug 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	1.0 U	**Bromodichloromethane**	**2.8**
MW-7	Nov/Dec 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-7	Feb 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	1.0 U		
MW-7	Apr/May 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	**3.6**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**13.0** **1.2** **6.9**
MW-7	Jul/Aug 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**10.0**	**Bromodichloromethane**	**1.9**
MW-7	Oct/Nov 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**9.7**	**Bromodichloromethane** **Dibromochloromethane**	**4.5** **2.0**
MW-7	Feb/Mar 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**	**3.1**	**Bromodichloromethane**	**8.7**
MW-7	Apr/May 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**	**2.9**	**Bromodichloromethane**	**3.2**
MW-7	Aug/Sep 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	**10.2**	**Bromodichloromethane**	**1.2**
MW-7	Nov/Dec 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**2.0**		
MW-7	Jan/Feb 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-7	Apr/May 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-7	Aug/Sep 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**11.0** **2.2** **7.1**
MW-7	Nov 2012	MW-7	**0.5 J**	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**1.7 J**	**Bromodichloromethane** **Dibromochloromethane** **Methylene chloride**	**5.4** **2.5** **0.8**
MW-7	Jan/Feb 2013	MW-7	**0.3 J**	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**	**35.0**	**Bromodichloromethane** **Dibromochloromethane** **Methylene chloride**	**7.5** **0.4 J** **0.8**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Jan/Feb 2013	DUP-7-1Q13	0.3 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	13.0	35.0	Bromodichloromethane Dibromochloromethane Methylene chloride	7.3 0.4 J 0.8
MW-7	Apr/May 2013	MW-7	1.0	0.1 J	1.9	0.5 U	0.5 U	0.2 J	0.5 U	9.5	260.0	Bromodichloromethane	2.9
MW-7	Apr/May 2013	DUP-6-2Q13	1.0	0.1 J	1.9	0.5 U	0.5 U	0.2 J	0.5 U	9.8	260.0	Bromodichloromethane	3.0
MW-7	Jul 2013	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0	Bromodichloromethane	0.9
MW-7	Oct/Nov 2013	MW-7	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	8.7	6.1	Bromodichloromethane Dibromochloromethane	1.9 0.6
MW-7	Jan/Feb 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	2.4 J	Bromodichloromethane	0.4 J
MW-7	Jan/Feb 2014	DUPE-5-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	2.0 J	Bromodichloromethane	0.4 J
MW-7	Apr/May 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	5.3	Bromodichloromethane	0.4 J
MW-7	Apr/May 2014	DUP-8-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	5.2	Bromodichloromethane	0.4 J
MW-7	Jul/Aug 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U		
MW-7	Oct 2014	MW-7	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	8.5		
MW-7	Jan/Feb 2015	MW-7	0.5 U	0.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	5.5	750.0	Bromodichloromethane Bromoform Dibromochloromethane	1.9 0.6 1.2
MW-7	Jan/Feb 2015	Dup-7-1Q15	0.5 U	0.1 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	5.6	740.0	Bromodichloromethane Bromoform Dibromochloromethane	1.9 0.5 J 1.3
MW-7	Apr/May 2015	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	7.4	Bromodichloromethane	0.6
MW-7	Jul/Aug 2015	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	33.0 J	Benzene	0.1 J
MW-7	Oct 2015	MW-7	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	4.6	2.0 J		
MW-7	Jan/Feb 2016	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	Bromodichloromethane	0.4 J
MW-7	Apr/May 2016	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	8.3		
MW-7	Jul/Aug 2016	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.8 J		
MW-7	Apr/May 2017	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	50.0	Bromodichloromethane Dibromochloromethane	2.1 0.5 J
MW-7	Jul/Aug 2017	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	12.0	Bromodichloromethane	0.2 J
MW-7	October 2017	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.2		
MW-7	Jan/Feb 2018	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0	9.6	Bromodichloromethane	0.6
MW-7	April 2018	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	5.0	Bromodichloromethane	0.4 J
MW-7	Jul/Aug 2018	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 UJ		
MW-7	Feb/Mar 2019	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.20	36.0		
MW-7	Apr/May 2019	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	21.0	Bromodichloromethane Dibromochloromethane	2.6 0.3 J
MW-7	Jul/Aug 2019	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	4.3	Bromodichloromethane	1.5

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Oct 2019	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	**0.8 J**		
MW-7	Feb 2020	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**	4.0 U	**Bromodichloromethane**	**0.7**
MW-7	Jun 2020	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**49.0**	**Bromodichloromethane**	**0.2 J**
MW-7	Aug 2020	MW-7	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**7.5**		
MW-8													
MW-8	Aug/Sep 1996	MW-8	**4.0**	**4.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-8	Oct/Nov 1996	MW-8	**2.8**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**0.6**	NA	**Acetone**	**1.7**
MW-8	Feb/Mar 1997	MW-8	**1.5**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA	**Carbon disulfide** **Trichlorofluoromethane**	**1.9** **1.1**
MW-8	June/July 1997	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**		
MW-8	Sep/Oct 1997	MW-8	**3.2**	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**29.0**	**Trichlorofluoromethane**	**1.0**
MW-8	Jan/Feb 1998	MW-8	**1.8**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**11.0**	**Trichlorofluoromethane**	**0.8**
MW-8	Apr/May 1998	MW-8	**1.3**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.6**		
MW-8	Jul/Aug 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**6.6**
MW-8	Oct/Nov 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Feb/Mar 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	May/Jun 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov/Dec 1999	MW-8	**0.9**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-8	Mar/Apr 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2000	MW-8	**8.6**	**20.0**	0.5 U	0.5 U	**0.6**	**0.7**	0.5 U	**8.8**	**410.0**		
MW-8	Jul/Aug 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-8	Sep/Oct 2000	MW-8	**14.0**	**24.0**	**0.5**	0.5 U	**0.5**	**0.9**	0.5 U	**11.0**	**620.0**		
MW-8	Sep/Oct 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-8	Jan/Feb 2001	MW-8	**1.1**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.0**	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Trichlorofluoromethane**	**0.4 J** **0.5 J** **1.0**
MW-8	Apr 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-8	Oct 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.9**		
MW-8	Jan/Feb 2002	MW-8	**2.2**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**0.8**	**20.1**	**Trichlorofluoromethane**	**0.4 J**
MW-8	Apr/May 2002	MW-8	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Trichlorofluoromethane**	**1.0 J** **0.4 J**
MW-8	Jul 2002	MW-8	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.7**		
MW-8	Oct/Nov 2002	MW-8	**12.3**	**7.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.7**	**2.9**	**127.0**	**Trichlorofluoromethane**	**1.6**
MW-8	Jan/Feb 2003	MW-8	**13.2**	**7.8**	0.5 U	0.3 U	0.5 U	0.5 U	**2.1**	**2.9**	NA	**Trichlorofluoromethane**	**0.4 J**
MW-8	Jan/Feb 2003	MW-8	**4.3**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**45.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Apr/May 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**4-Methyl-2-pentanone**	**5.0 J**
MW-8	Jul/Aug 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7 J**		
MW-8	Oct/Nov 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.2 J**		
MW-8	Oct/Nov 2003	DUPE-7-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.2 J**		
MW-8	Feb 2004	MW-8	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**32.6**		
MW-8	Apr/May 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.4**		
MW-8	Oct/Nov 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.6**		
MW-8	Jan/Feb 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-8	Jan/Feb 2005	DUPE-6-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5**
MW-8	Apr/May 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Sep 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-8	Oct/Nov 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.4 J**
MW-8	Mar/Apr 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-8	May/Jun 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	**Toluene**	**0.8**
MW-8	Aug/Sep 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug/Sep 2006	DUPE-5-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Oct/Dec 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**60.0**		
MW-8	Mar/Apr 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**84.0**	**Toluene** **Trichlorofluoromethane**	**0.7** **0.7**
MW-8	Jun/Jul 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**130.0 J**		
MW-8	Aug/Sep 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**210.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.5 J** **0.6** **0.3 J** **1.1**
MW-8	Aug/Sep 2007	DUPE-7-3Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**200.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.5** **0.6** **0.3 J** **0.8**
MW-8	Oct/Dec 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**62.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**3.2** **3.1** **4.3** **0.3 J**
MW-8	Jan/Feb 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**310.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.3 J** **0.3 J** **2.0** **0.7**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**300.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.3 J** **0.3 J** **2.2** **0.8**
MW-8	Apr/May 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**30.0**	**Toluene**	**0.4 J**
MW-8	Jul/Aug 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**108.0**	**Toluene** **Trichlorofluoromethane**	**1.1** **1.1 J**
MW-8	Oct/Nov 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**257.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**1.3** **0.9** **1.3** **2.5** **1.0**
MW-8	Jan/Feb 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**171.0**	**Toluene** **Trichlorofluoromethane**	**1.4** **1.5**
MW-8	Apr/May 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**45.4**	**Trichlorofluoromethane**	**0.6**
MW-8	Jul/Aug 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**186.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**0.6** **0.6** **1.3**
MW-8	Nov/Dec 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**203.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**2.5** **1.0** **0.7**
MW-8	Feb 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**194.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**1.4** **0.8** **0.9**
MW-8	Apr/May 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-8	Jul/Aug 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Jul/Aug 2010	DUPE-1-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Oct/Nov 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Feb/Mar 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2011	DUPE-8-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Aug/Sep 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Nov/Dec 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Jan/Feb 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Aug/Sep 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Nov 2012	DUPE-8-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.2 J
MW-8	Jan/Feb 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.4 J
MW-8	Jan/Feb 2013	DUP-6-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.4 J
MW-8	Apr/May 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.6
MW-8	Jul 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.7
MW-8	Oct/Nov 2013	MW-8	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	71.0	Bromodichloromethane Dibromochloromethane Trichlorofluoromethane	0.9 0.5 0.3 J
MW-8	Oct/Nov 2013	DUPE-5-4Q13	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	71.0	Bromodichloromethane Dibromochloromethane Trichlorofluoromethane	0.9 0.6 0.3 J
MW-8	Jan/Feb 2014	MW-8	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	93.0	Bromodichloromethane Dibromochloromethane Trichlorofluoromethane	2.6 0.6 0.2 J
MW-8	Jan/Feb 2014	DUPE-7-1Q14	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.3	94.0	Bromodichloromethane Dibromochloromethane Trichlorofluoromethane	2.7 0.6 0.1 J
MW-8	Apr/May 2014	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	47.0	Trichlorofluoromethane	0.2 J
MW-8	Jul/Aug 2014	MW-8	0.2 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	180.0	Bromodichloromethane	0.7
MW-8	Oct 2014	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8	7.8	Bromodichloromethane	0.2 J
MW-8	Jan/Feb 2015	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6	7.3		
MW-8	Apr/May 2015	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	71.0	Bromodichloromethane Trichlorofluoromethane	0.2 J 0.2 J
MW-8	Jul/Aug 2015	MW-8	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	73.0 J	Bromodichloromethane Trichlorofluoromethane	0.4 J 0.2 J
MW-8	Jul/Aug 2015	DUP-6-3Q15	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	67.0 J	Bromodichloromethane Trichlorofluoromethane	0.4 J 0.2 J
MW-8	Oct 2015	MW-8	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	5.8	9.0	Bromodichloromethane Trichlorofluoromethane	0.5 0.2 J
MW-8	Jan/Feb 2016	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	4.0 U	Bromodichloromethane	0.3 J
MW-8	Apr/May 2016	MW-8	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	48.0	Bromodichloromethane Trichlorofluoromethane	0.2 J 0.2 J
MW-8	Apr/May 2016	Dup-8-2Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	50.0	Acetone Bromodichloromethane Trichlorofluoromethane	11.0 0.2 J 0.3 J
MW-8	Jul/Aug 2016	MW-8	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	67.0	Bromodichloromethane	0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Jul/Aug 2016	DUP-5-3Q16	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**65.0**	**Bromodichloromethane** **Acetone**	**0.3 J** **12.0**
MW-8	Oct 2016	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**4.2**	**Bromodichloromethane**	**0.2 J**
MW-8	Jan/Feb 2017	MW-8	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**23.0**	**Bromodichloromethane**	**0.2 J**
MW-8	Jan/Feb 2017	MW-8	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**21.0**		
MW-8	Apr/May 2017	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**	**Trichlorofluoromethane**	**0.3 J**
MW-8	Jul/Aug 2017	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.1 J**
MW-8	October 2017	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**	**Trichlorofluoromethane**	**0.3 J**
MW-8	Jan/Feb 2018	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**21.0**	**Trichlorofluoromethane**	**0.6**
MW-8	April 2018	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**23.0**	**Trichlorofluoromethane**	**0.7**
MW-8	Jul/Aug 2018	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**	**Trichlorofluoromethane**	**0.3 J**
MW-8	Jul/Aug 2018	DUP-7-3Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2 J**	**Trichlorofluoromethane**	**0.3 J**
MW-8	Oct 2018	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**79.0**	**Trichlorofluoromethane**	**0.2 J**
MW-8	Feb/Mar 2019	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.14 J**	**15.0**	**Trichlorofluoromethane**	**0.2 J**
MW-8	Feb/Mar 2019	DUP-7-1Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.15 J**	**14.0**	**Trichlorofluoromethane**	**0.3 J**
MW-8	Apr/May 2019	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Apr/May 2019	DUP-6-2Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2019	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Oct 2019	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Oct 2019	DUP-8-4Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Feb 2020	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug 2020	MW-8	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.7 J**	**Bromodichloromethane** **Dibromochloromethane**	**1.5** **2.1**
MW-8	Aug 2020	DUP-7-3Q20	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.5 J**	**Bromodichloromethane** **Dibromochloromethane**	**1.5** **2.1**
MW-8	Oct/Nov 2020	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**1.0 J**	**Bromodichloromethane** **Dibromochloromethane**	**2.8** **1.3**
MW-9													
MW-9	Aug/Sep 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Oct/Nov 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Feb/Mar 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	June/July 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Sep/Oct 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-9	Feb/Mar 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/Jun 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Nov/Dec 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 2000	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 2001	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 2002	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-9	Apr/May 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-9	Oct/Nov 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-9	Apr/May 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2005	DUPE-3-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/Jun 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Dec 2006	DUPE-7-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Oct/Dec 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Dec 2006	DUPE-7-4Q06	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-9	Jun/Jul 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Dec 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Apr/May 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Nov 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2009	DUPE-8-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2010	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Oct/Nov 2010	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2011	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2011	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2012	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov 2012	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2013	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2014	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2014	DUP-5-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2014	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2015	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2015	MW-9	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**9.3**		
MW-9	Oct 2015	DUP-8-4Q15	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**7.7**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-9	Apr/May 2016	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2016	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2016	DUP-7-4Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2017	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-9	October 2017	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	April 2018	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2018	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2019	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2019	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jun 2020	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2020	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2020	DUP-7-4Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/June 2021	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10													
MW-10	Aug/Sep 1996	MW-10	**0.7**	**18.0**	**0.5**	0.5 U	0.5 U	0.5 U	**1.2**	**1.4**	NA		
MW-10	Oct/Nov 1996	MW-10	**0.6**	**6.6**	**1.0**	**1.9**	0.5 U	0.5 U	**0.8**	**1.1**	NA	**Acetone**	3.0 B
MW-10	Feb/Mar 1997	MW-10	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-10	June/July 1997	MW-10	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-10	Sep/Oct 1997	MW-10	0.5 U	**4.3**	**1.3**	**1.2**	0.5 U	0.5 U	0.5 U	**1.0**	**16.0**		
MW-10	Jan/Feb 1998	MW-10	0.5 U	**0.9**	**2.1**	**1.4**	0.5 U	0.5 U	0.5 U	**1.2**	**5.1**		
MW-10	Apr/May 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Jul/Aug 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**7.8**
MW-10	Oct/Nov 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Feb/Mar 1999	MW-10	0.5 U	**5.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**39.0**		
MW-10	May/Jun 1999	MW-10	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-10	Aug 1999	MW-10	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**		
MW-10	Nov/Dec 1999	MW-10	0.5 U	**3.7**	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	**0.9**	**21.0**		
MW-10	Mar/Apr 2000	MW-10	0.5 U	**2.0**	**2.1**	**1.0**	0.5 U	0.5 U	0.5 U	**0.9**	**9.0**		
MW-10	Jul/Aug 2000	MW-10	**33.0**	**8.2**	**1.1**	0.5 U	**0.7**	**1.3**	**0.5**	**16.0**	**1500.0**		
MW-10	Jul/Aug 2000	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Jul/Aug 2000	MW-10	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-10	Sep/Oct 2000	DUP	**0.6**	**20.0**	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	**1.7**	**32.0**		
MW-10	Sep/Oct 2000	MW-10	**53.0**	**8.0**	**2.2**	0.5 U	**0.6**	**3.5**	**0.7**	**20.0**	**1400.0**		
MW-10	Jan/Feb 2001	MW-10	0.5 U	**0.6**	**1.6**	**0.9**	0.5 U	0.5 U	0.5 U	**1.0**	**5.0**	**Methylene chloride**	**0.3 J**
MW-10	Apr 2001	MW-10	**0.6**	**20.2**	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.9**	**39.0**		
MW-10	Jul 2001	MW-10	**0.4 J**	**11.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**24.0**		
MW-10	Jul 2001	DUP	**0.4 J**	**12.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**30.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Oct 2001	MW-10	0.5 U	5.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0		
MW-10	Oct 2001	DUP	0.5 U	5.7	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.7	12.8		
MW-10	Jan/Feb 2002	MW-10	0.5 U	3.0	2.9	0.9	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-10	Apr/May 2002	MW-10	0.5 U	3.6	1.7	0.6	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-10	Jul 2002	MW-10	0.5 U	8.4	1.2	0.9	0.5 U	0.5 U	0.5 U	1.0	13.0	Methylene chloride	0.5 J
MW-10	Oct/Nov 2002	MW-10	0.5 U	4.2	1.6	0.7	0.5 U	0.5 U	0.5 U	0.8	4.0 U	Methylene chloride	1.2 B
MW-10	Jan/Feb 2003	MW-10	0.2 U	2.8	1.5	0.5	0.5 U	0.5 U	0.5 U	0.6	NA	1,4-Dioxane	1.0
MW-10	Jan/Feb 2003	MW-10	0.5 U	2.5	1.3	0.5 J	0.5 U	0.5 U	0.5 U	0.5	3.5 J		
MW-10	Apr/May 2003	MW-10	0.2 J	11.2	1.3	0.8	0.5 U	0.5 U	0.5 U	1.1	17.5	1,4-Dioxane 4-Methyl-2-pentanone	1.0 6.0 J
MW-10	Jul/Aug 2003	MW-10	0.3 J	12.3	0.9	0.6	0.5 U	0.5 U	0.5 U	1.3	43.6 J		
MW-10	Oct/Nov 2003	MW-10	0.5 U	10.8	1.5	0.9	0.5 U	0.5 U	0.5 U	1.2	21.9 J		
MW-10	Feb 2004	MW-10	0.5 U	4.9	1.7	0.8	0.5 U	0.5 U	0.5 U	0.9	5.1		
MW-10	Apr/May 2004	MW-10	0.5 U	13.4	2.0	1.1	0.5 U	0.5 U	0.5 U	1.3	13.5		
MW-10	Jul/Aug 2004	MW-10	0.5 U	14.6	1.5	0.9	0.5 U	0.5 U	0.5 U	1.3	25.3		
MW-10	Jul/Aug 2004	DUPE-6-3Q04	0.5 U	16.6	1.8	1.0	0.5 U	0.5 U	0.5 U	1.4	25.5		
MW-10	Oct/Nov 2004	MW-10	0.5 U	4.8	2.2	1.0	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Toluene	0.4 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	0.5 U	4.5	2.2	0.9	0.5 U	0.5 U	0.5 U	0.9	4.0 U	Toluene	0.4 J
MW-10	Jan/Feb 2005	MW-10	1.3	17.5	1.5	0.8	0.5 U	0.5 U	0.5 U	1.4	71.6	Methylene chloride	0.7
MW-10	Apr/May 2005	MW-10	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.8	Bromodichloromethane	0.4 J
MW-10	Apr/May 2005	DUPE-9-2Q05	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.1	Bromodichloromethane	0.5 J
MW-10	Jul/Sep 2005	MW-10	0.5	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	108.0		
MW-10	Jul/Sep 2005	DUPE-7-3Q05	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	110.0		
MW-10	Oct/Nov 2005	MW-10	0.7	22.9	1.3	0.3 J	0.5 U	0.5 U	0.5 U	2.6	57.0		
MW-10	Mar/Apr 2006	MW-10	0.5 J	21.0	1.6	0.6	0.5 U	0.5 U	0.5 U	2.1	22.0	Toluene	0.3 J
MW-10	May/Jun 2006	MW-10	0.8	30.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	2.8	32.0	Toluene	0.9
MW-10	Aug/Sep 2006	MW-10	0.7	38.0	1.5	0.5	0.5 U	0.5 U	0.3 J	2.8	26.0		
MW-10	Oct/Dec 2006	DUPE-8-4Q06	0.5 U	7.7	1.4	0.7	0.5 U	0.5 U	0.5 U	0.9	NA		
MW-10	Oct/Dec 2006	MW-10	0.5 U	7.6	1.4	0.8	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-10	Oct/Dec 2006	DUPE-8-4Q06	NA	NA	NA	NA	NA	NA	NA	NA	5.6		
MW-10	Mar/Apr 2007	MW-10	0.5 U	3.1	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Toluene	0.8
MW-10	Jun/Jul 2007	MW-10	0.5 U	4.5	1.2	0.7	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Aug/Sep 2007	MW-10	0.5 U	3.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Oct/Dec 2007	MW-10	0.5 U	4.8	1.3	0.7	0.5 U	0.5 U	0.5 U	0.8	6.6 J	Toluene	0.8
MW-10	Oct/Dec 2007	DUPE-7-4Q07	0.5 U	4.6	1.3	0.6	0.5 U	0.5 U	0.5 U	0.8	4.0 J	Toluene	0.9
MW-10	Jan/Feb 2008	MW-10	0.5 U	2.5	1.1	0.6	0.5 U	0.5 U	0.5 U	0.7	3.6	Toluene	2.2
MW-10	Apr/May 2008	MW-10	0.5 U	4.6	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.8	6.1	Toluene	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Jul/Aug 2008	MW-10	0.5 U	3.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.6	Toluene	1.3
MW-10	Oct/Nov 2008	MW-10	0.5 U	2.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	Toluene	1.2
MW-10	Jan/Feb 2009	MW-10	0.5 U	3.2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Jan/Feb 2009	DUPE-07-1Q09	0.5 U	3.1	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.4		
MW-10	Apr/May 2009	MW-10	0.5 U	1.9	1.2	0.5	0.5 U	0.5 U	0.5 U	0.7	2.7		
MW-10	Jul/Aug 2009	MW-10	0.5 U	2.3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7		
MW-10	Nov/Dec 2009	MW-10	0.5 U	4.3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2		
MW-10	Feb 2010	MW-10	0.5 U	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Apr/May 2010	MW-10	0.5 U	3.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.9 J		
MW-10	Jul/Aug 2010	MW-10	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	52.8 J		
MW-10	Oct/Nov 2010	MW-10	0.5 U	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	75.9		
MW-10	Feb/Mar 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-10	Feb/Mar 2011	DUPE-7-1Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Apr/May 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Aug/Sep 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Nov/Dec 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Jan/Feb 2012	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0		
MW-10	Apr/May 2012	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Aug/Sep 2012	MW-10	0.5 U	1.3	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7		
MW-10	Nov 2012	MW-10	0.5 U	5.6	0.7	0.1 J	0.5 U	0.5 U	0.5 U	1.0	5.1		
MW-10	Jan/Feb 2013	MW-10	0.5 U	6.8	0.9	0.2 J	0.5 U	0.5 U	0.5 U	1.1	9.6		
MW-10	Apr/May 2013	MW-10	0.5 U	7.4	0.8	0.2 J	0.5 U	0.5 U	0.5 U	1.1	8.2	cis-1,2-Dichloroethene	0.1 J
MW-10	Jul 2013	MW-10	0.5 U	9.8	1.0	0.2 J	0.5 U	0.5 U	0.5 U	1.2	9.0	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.1 J 0.2 J
MW-10	Oct/Nov 2013	MW-10	0.5 U	8.0	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.9	6.4	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-10	Oct/Nov 2013	DUPE-8-4Q13	0.5 U	8.1	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.9	6.4	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.3 J
MW-10	Jan/Feb 2014	MW-10	0.5 U	6.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.4 J	cis-1,2-Dichloroethene	0.2 J
MW-10	Apr/May 2014	MW-10	0.5 U	6.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	4.2	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-10	Jul/Aug 2014	MW-10	0.5 U	8.1	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.8	3.7 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.4 J
MW-10	Oct 2014	MW-10	0.5 U	7.7	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.4 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.4 J
MW-10	Jan/Feb 2015	MW-10	0.5 U	9.8	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.9	2.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Jan/Feb 2015	MW-10	0.5 UJ	9.2	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.9	4.3	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.6
MW-10	Apr/May 2015	MW-10	0.5 U	6.8	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.8	4.8	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-10	Jul/Aug 2015	MW-10	0.5 U	8.0	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.8	4.2	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.4 J
MW-10	Oct 2015	MW-10	0.5 U	7.7	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.4 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.5 J
MW-10	Jan/Feb 2016	MW-10	0.5 U	8.8	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.8	3.5 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.5 J
MW-10	Apr/May 2016	MW-10	0.5 U	4.9	0.6	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	6.0 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.3 J
MW-10	Jul/Aug 2016	MW-10	0.5 U	7.5	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.8	4.5	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.4 J
MW-10	Oct 2016	MW-10	0.5 U	7.7	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.7 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.3 J
MW-10	Jan/Feb 2017	MW-10	0.5 U	9.4	1.2	0.3 J	0.5 U	0.5 U	0.5 U	0.9	2.9	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.5 J
MW-10	Jan/Feb 2017	DUP-5-1Q17	0.5 U	8.8	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.9	2.2	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.5 J 0.5
MW-10	Apr/May 2017	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6 J		
MW-10	Jul/Aug 2017	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-10	October 2017	MW-10	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J		
MW-10	Jan/Feb 2018	MW-10	0.5 U	3.8	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.3	trans-1,2-Dichloroethene	0.2 J
MW-10	April 2018	MW-10	0.5 U	6.1	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.8	4.6	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-10	Jul/Aug 2018	MW-10	0.5 U	0.3 J	2.3	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.1 J		
MW-10	Oct 2018	MW-10	0.5 U	5.8	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.8	5.0	trans-1,2-Dichloroethene	0.2 J
MW-10	Oct 2018	DUP-7-4Q18	0.5 U	6.2	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.8	5.0	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.2 J
MW-10	Feb/Mar 2019	MW-10	0.5 U	1.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.26 J	1.3 J		
MW-10	Apr/May 2019	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Jul/Aug 2019	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Oct 2019	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Feb 2020	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8 J		
MW-10	Jun 2020	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Aug 2020	MW-10	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Oct/Nov 2020	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-11-Screen-1													
MW-11-Screen-1	Aug/Sep 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	2.6 B
MW-11-Screen-1	Oct/Nov 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone** **Methyl-tert-butyl ether (MTBE)**	**1.8** **7.1**
MW-11-Screen-1	Feb/Mar 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-1	June/July 1997	MW-11-1	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Sep/Oct 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Apr/May 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Aug 1998	MW-11-1	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct/Nov 1998	MW-11-1	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Feb/Mar 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 B**	0.5 U	4.0 U		
MW-11-Screen-1	May/Jun 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Aug 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Nov/Dec 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Mar/Apr 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Aug 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Sep/Oct 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-11-Screen-1	Jul 2001	MW-11-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2002	MW-11-1	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Apr/May 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-11-Screen-1	Jul 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-1	Oct/Nov 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-11-Screen-1	Apr/May 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**6.0 J**
MW-11-Screen-1	Jul/Aug 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct/Nov 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Feb 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11-Screen-1	Apr/May 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Aug 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct/Nov 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Apr/May 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Sep 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-1	Oct/Nov 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-11-Screen-1	Mar/Apr 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	May/Jun 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Aug/Sep 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct/Dec 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct/Dec 2006	DUPE-4-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-1	Mar/Apr 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-11-Screen-1	Jun/Jul 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Aug/Sep 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-1	Oct/Dec 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-1	Jan/Feb 2008	DUPE-1-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-1	Apr/May 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-1	Jul/Aug 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-1	Oct/Nov 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	1.0 U		
MW-11-Screen-1	Jan/Feb 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Apr/May 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Jul/Aug 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Nov/Dec 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-11-Screen-1	Feb 2010	DUPE-4-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-11-Screen-1	Feb 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-11-Screen-1	Apr/May 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-11-Screen-1	Jul/Aug 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Oct/Nov 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Feb/Mar 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Apr/May 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Aug/Sep 2011	DUPE-06-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Aug/Sep 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Nov/Dec 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Jan/Feb 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Apr/May 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-1	Aug/Sep 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Nov 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Apr/May 2013	DUP-5-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Apr/May 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-1	Oct/Nov 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Jan/Feb 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Apr/May 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Aug 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Jan/Feb 2015	MW-11-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Apr/May 2015	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-1	Jul/Aug 2015	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Oct 2015	MW-11-1	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Jan/Feb 2016	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Apr/May 2016	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-1	Jul/Aug 2016	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-11-Screen-1	Jul/Aug 2016	DUP-2-3Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**9.5 J**
MW-11-Screen-1	Oct 2016	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2017	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ	**Styrene**	**0.2 J**
MW-11-Screen-1	Apr/May 2017	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Aug 2017	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-11-Screen-1	October 2017	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jan/Feb 2018	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	April 2018	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jul/Aug 2018	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-11-Screen-1	Oct 2018	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Feb/Mar 2019	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-11-Screen-1	Apr/May 2019	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-11-Screen-1	Jul/Aug 2019	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-11-Screen-1	Oct 2019	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Feb 2020	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Jun 2020	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-11-Screen-1	Aug 2020	MW-11-1	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Oct/Nov 2020	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	Mar/Apr 2021	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-1	May/June 2021	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2													
MW-11-Screen-2	Aug/Sep 1996	MW-11-2	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	NA		
MW-11-Screen-2	Oct/Nov 1996	MW-11-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	NA		
MW-11-Screen-2	Feb/Mar 1997	MW-11-2	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	NA		
MW-11-Screen-2	June/July 1997	MW-11-2	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-2	Sep/Oct 1997	MW-11-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-2	Jan/Feb 1998	MW-11-2	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-2	Apr/May 1998	MW-11-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-2	Jul/Aug 1998	MW-11-2	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-2	Oct/Nov 1998	MW-11-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-2	Feb/Mar 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	**1.1**	4.0 U		
MW-11-Screen-2	May/Jun 1999	MW-11-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-2	Aug 1999	MW-11-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-2	Nov/Dec 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-2	Mar/Apr 2000	MW-11-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-2	Jul/Aug 2000	MW-11-2	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-2	Sep/Oct 2000	MW-11-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-11-Screen-2	Jan/Feb 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-2	Jul 2001	MW-11-2	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-2	Oct 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-11-Screen-2	Jan/Feb 2002	MW-11-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-11-Screen-2	Apr/May 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U	**Methylene chloride**	**0.4 J**
MW-11-Screen-2	Jul 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct/Nov 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-2	Jan/Feb 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.6 J**		
MW-11-Screen-2	Apr/May 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**6.0 J**
MW-11-Screen-2	Jul/Aug 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct/Nov 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Feb 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11-Screen-2	Apr/May 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Aug 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct/Nov 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-11-Screen-2	Jan/Feb 2005	MW-11-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-11-Screen-2	Apr/May 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-11-Screen-2	Jul/Sep 2005	DUPE-4-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Sep 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct/Nov 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Mar/Apr 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Mar/Apr 2006	DUPE-7-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-2	May/Jun 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Aug/Sep 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Oct/Dec 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-2	Mar/Apr 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Jun/Jul 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Aug/Sep 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Oct/Dec 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-11-Screen-2	Oct/Dec 2007	DUPE-2-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Apr/May 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Jul/Aug 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-2	Oct/Nov 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Jan/Feb 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Apr/May 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Jul/Aug 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Nov/Dec 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Feb 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Apr/May 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Jul/Aug 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Oct/Nov 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Feb/Mar 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Apr/May 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Aug/Sep 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Nov/Dec 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Nov/Dec 2011	DUP-8-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Jan/Feb 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Apr/May 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-2	Aug/Sep 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-2	Nov 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-11-Screen-2	Jan/Feb 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-11-Screen-2	Apr/May 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul 2013	DUPE-6-3Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct/Nov 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Apr/May 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Aug 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2015	MW-11-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-2	Apr/May 2015	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-2	Jul/Aug 2015	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-2	Oct 2015	MW-11-2	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2016	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2016	DUP-5-1Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Apr/May 2016	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Aug 2016	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**11.0**
MW-11-Screen-2	Oct 2016	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2017	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ		
MW-11-Screen-2	Apr/May 2017	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Aug 2017	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Aug 2017	DUP-5-3Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	October 2017	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jan/Feb 2018	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	April 2018	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-11-Screen-2	Jul/Aug 2018	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct 2018	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Feb/Mar 2019	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-11-Screen-2	Apr/May 2019	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jul/Aug 2019	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct 2019	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Feb 2020	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Feb 2020	DUP-4-1Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Jun 2020	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Aug 2020	MW-11-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Oct/Nov 2020	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	Mar/Apr 2021	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-2	May/June 2021	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3													
MW-11-Screen-3	Aug/Sep 1996	MW-11-3	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA	**Acetone**	2.9 B
MW-11-Screen-3	Oct/Nov 1996	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA		
MW-11-Screen-3	Feb/Mar 1997	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	NA		
MW-11-Screen-3	June/July 1997	MW-11-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-11-Screen-3	Sep/Oct 1997	MW-11-3	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-11-Screen-3	Jan/Feb 1998	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-11-Screen-3	Apr/May 1998	MW-11-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-11-Screen-3	Jul/Aug 1998	MW-11-3	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-3	Oct/Nov 1998	MW-11-3	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U		
MW-11-Screen-3	Feb/Mar 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-11-Screen-3	May/Jun 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Aug 1999	MW-11-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-3	Nov/Dec 1999	MW-11-3	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-3	Mar/Apr 2000	MW-11-3	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-11-Screen-3	Jul/Aug 2000	MW-11-3	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-3	Sep/Oct 2000	MW-11-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-3	Jan/Feb 2001	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Jul 2001	MW-11-3	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-3	Oct 2001	MW-11-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-11-Screen-3	Jan/Feb 2002	MW-11-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Apr/May 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-11-Screen-3	Jul 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Oct/Nov 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Jan/Feb 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-11-Screen-3	Apr/May 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**6.0 J**
MW-11-Screen-3	Jul/Aug 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Oct/Nov 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**2.0 J** **1.4** **0.4 J**
MW-11-Screen-3	Feb 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11-Screen-3	Apr/May 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Apr/May 2004	DUPE-5-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Jul/Aug 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.4 J** **0.3 J**
MW-11-Screen-3	Oct/Nov 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Oct/Nov 2004	DUPE-5-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Jan/Feb 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Apr/May 2005	DUPE-7-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Apr/May 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Jul/Sep 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.6**
MW-11-Screen-3	Oct/Nov 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Mar/Apr 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	May/Jun 2006	DUPE-7-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-3	May/Jun 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Aug/Sep 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-3	Oct/Dec 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Mar/Apr 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Jun/Jul 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Aug/Sep 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Oct/Dec 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Jan/Feb 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Apr/May 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Jul/Aug 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-3	Oct/Nov 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Jan/Feb 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Apr/May 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Jul/Aug 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Nov/Dec 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Feb 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Apr/May 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Jul/Aug 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Jul/Aug 2010	DUPE-5-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Oct/Nov 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Feb/Mar 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Apr/May 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-11-Screen-3	Aug/Sep 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Nov/Dec 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Jan/Feb 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Apr/May 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-3	Aug/Sep 2012	DUPE-3-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-11-Screen-3	Aug/Sep 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-11-Screen-3	Nov 2012	DUPE-4-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene** **Toluene**	**0.2 J** **0.2 J** **0.1 J**
MW-11-Screen-3	Nov 2012	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene** **Toluene**	**0.2 J** **0.2 J** **0.1 J**
MW-11-Screen-3	Jan/Feb 2013	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Apr/May 2013	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jul 2013	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-3	Oct/Nov 2013	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jan/Feb 2014	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	Apr/May 2014	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jul/Aug 2014	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.3 J** **0.3 J**
MW-11-Screen-3	Oct 2014	MW-11-3	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jan/Feb 2015	MW-11-3	0.5 UJ	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-11-Screen-3	Apr/May 2015	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jul/Aug 2015	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Oct 2015	MW-11-3	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	Jan/Feb 2016	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-11-Screen-3	Apr/May 2016	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Apr/May 2016	Dup-1-2Q16	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jul/Aug 2016	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	Oct 2016	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	Jan/Feb 2017	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ	**Styrene**	**0.1 J**
MW-11-Screen-3	Apr/May 2017	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene** **Vinyl Chloride** **Styrene** **Methyl-tert-butyl ether (MTBE)** **Ethylbenzene**	**0.3 J** **0.4 J** **0.8** **0.3 J** **0.2 J**
MW-11-Screen-3	Jul/Aug 2017	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-3	October 2017	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-3	Jan/Feb 2018	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**	**Styrene**	**0.2 J**
MW-11-Screen-3	April 2018	MW-11-3	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-11-Screen-3	April 2018	DUP-6-2Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**0.8 J**		
MW-11-Screen-3	Jul/Aug 2018	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U	**Carbon disulfide** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.5 J** **0.3 J** **0.4 J**
MW-11-Screen-3	Oct 2018	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.4 J** **0.4 J**
MW-11-Screen-3	Feb/Mar 2019	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.19 J**	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	Apr/May 2019	MW-11-3	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene** **Toluene**	**0.2 J** **0.2 J** **0.2 J**
MW-11-Screen-3	Apr/May 2019	DUP-5-2Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.2 J** **0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-3	Jul/Aug 2019	MW-11-3	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.2 J** **0.4 J**
MW-11-Screen-3	Oct 2019	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.5 J** **0.3 J** **0.4 J**
MW-11-Screen-3	Feb 2020	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.6 J** **0.3 J** **0.2 J**
MW-11-Screen-3	Jun 2020	Dup-5-2Q2020	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	Aug 2020	MW-11-3	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.8** **0.5 J** **0.6**
MW-11-Screen-3	Oct/Nov 2020	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**	**Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Toluene**	**0.3 J** **0.3 J** **0.6** **0.2 J**
MW-11-Screen-3	Mar/Apr 2021	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	May/June 2021	MW-11-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-3	May/June 2021	DUP-7-2Q21	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4													
MW-11-Screen-4	Aug/Sep 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA	**Acetone**	2.4 B
MW-11-Screen-4	Oct/Nov 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-4	Feb/Mar 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-4	June/July 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Sep/Oct 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jan/Feb 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-4	Apr/May 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-4	Jul/Aug 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-4	Oct/Nov 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-4	Feb/Mar 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-11-Screen-4	May/Jun 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-4	Aug 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11-Screen-4	Nov/Dec 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-4	Mar/Apr 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-11-Screen-4	Jul/Aug 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-4	Sep/Oct 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11-Screen-4	Jan/Feb 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methylene chloride**	**0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-4	Jul 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11-Screen-4	Oct 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jan/Feb 2002	MW-11-4	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-11-Screen-4	Apr/May 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-11-Screen-4	Jul 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Oct/Nov 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jan/Feb 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-11-Screen-4	Apr/May 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**7.0 J**
MW-11-Screen-4	Jul/Aug 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**0.3 J**
MW-11-Screen-4	Oct/Nov 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Feb 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11-Screen-4	Feb 2004	DUPE-5-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11-Screen-4	Apr/May 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jul/Aug 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jul/Aug 2004	DUPE-3-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Oct/Nov 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jan/Feb 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-11-Screen-4	Apr/May 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Jul/Sep 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Oct/Nov 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Mar/Apr 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	May/Jun 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Aug/Sep 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Oct/Dec 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Mar/Apr 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Jun/Jul 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Aug/Sep 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**0.4 J**
MW-11-Screen-4	Oct/Dec 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-4	Jan/Feb 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Apr/May 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-4	Jul/Aug 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-4	Oct/Nov 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Oct/Nov 2008	DUPE-07-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Jan/Feb 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-11-Screen-4	Apr/May 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Jul/Aug 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Nov/Dec 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-4	Feb 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Apr/May 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-11-Screen-4	Jul/Aug 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Oct/Nov 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Feb/Mar 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Apr/May 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Aug/Sep 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Nov/Dec 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Jan/Feb 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Apr/May 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-4	Aug/Sep 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.2 J**
MW-11-Screen-4	Nov 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Toluene**	**0.4 J** **0.1 J**
MW-11-Screen-4	Jan/Feb 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Apr/May 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Jul 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Oct/Nov 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Jan/Feb 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Apr/May 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-11-Screen-4	Jul/Aug 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Oct 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.1 J**
MW-11-Screen-4	Jan/Feb 2015	MW-11-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-11-Screen-4	Apr/May 2015	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-11-Screen-4	Jul/Aug 2015	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Oct 2015	MW-11-4	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Oct 2015	DUP-7-4Q15	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Jan/Feb 2016	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Apr/May 2016	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.1 J**
MW-11-Screen-4	Jul/Aug 2016	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Oct 2016	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Oct 2016	DUP-4-4Q16	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-4	Jan/Feb 2017	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ	**Styrene**	**0.1 J**
MW-11-Screen-4	Apr/May 2017	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Jul/Aug 2017	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-11-Screen-4	October 2017	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Jan/Feb 2018	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	April 2018	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Jul/Aug 2018	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Oct 2018	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Feb/Mar 2019	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Apr/May 2019	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-4	Jul/Aug 2019	MW-11-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-4	Oct 2019	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Feb 2020	MW-11-4	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**1.1**
MW-11-Screen-4	Jun 2020	MW-11-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Aug 2020	MW-11-4	0.5 U	**0.3 J**	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Oct/Nov 2020	MW-11-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	Mar/Apr 2021	MW-11-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-4	May/June 2021	MW-11-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5													
MW-11-Screen-5	Aug/Sep 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	2.4 B
MW-11-Screen-5	Oct/Nov 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.1**
MW-11-Screen-5	Feb/Mar 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11-Screen-5	June/July 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Sep/Oct 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Jan/Feb 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**44.0**
MW-11-Screen-5	Apr/May 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Jul/Aug 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Oct/Nov 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Feb/Mar 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-11-Screen-5	May/Jun 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Nov/Dec 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Jul/Aug 2000	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Jan/Feb 2001	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**2-Butanone** **Methyl-tert-butyl ether (MTBE)**	**1.0 J** **0.3 J**
MW-11-Screen-5	Jul 2001	MW-11-5	NA	NA	NA	NA	NA	NA	0.5 U	NA	NA		
MW-11-Screen-5	Jan/Feb 2002	MW-11-5	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Apr/May 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**7.0 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11-Screen-5	Oct/Nov 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Apr/May 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.6**
MW-11-Screen-5	Oct/Nov 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Apr/May 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Oct/Nov 2005	DUPE-6-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Oct/Nov 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-11-Screen-5	May/Jun 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-5	Oct/Dec 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-5	Jun/Jul 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Oct/Dec 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-5	Apr/May 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11-Screen-5	Oct/Nov 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Apr/May 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Nov/Dec 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-11-Screen-5	Apr/May 2010	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.5**		
MW-11-Screen-5	Oct/Nov 2010	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Apr/May 2011	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Nov/Dec 2011	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Apr/May 2012	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11-Screen-5	Nov 2012	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Apr/May 2013	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-5	Oct/Nov 2013	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-5	Apr/May 2014	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Oct 2014	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Apr/May 2015	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-5	Oct 2015	MW-11-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Apr/May 2016	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Oct 2016	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Apr/May 2017	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	October 2017	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11-Screen-5	April 2018	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Oct 2018	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11-Screen-5	Apr/May 2019	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Oct 2019	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Jun 2020	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	Oct/Nov 2020	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11-Screen-5	May/June 2021	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-1													
MW-12-Screen-1	Aug/Sep 1996	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA		
MW-12-Screen-1	Feb/Mar 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	NA		
MW-12-Screen-1	June/July 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-12-Screen-1	Jan/Feb 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-12-Screen-1	Apr/May 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul/Aug 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Feb/Mar 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	May/Jun 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Aug 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Nov/Dec 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Mar/Apr 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul/Aug 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Sep/Oct 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jan/Feb 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-12-Screen-1	Jul 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jan/Feb 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-12-Screen-1	Apr/May 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-12-Screen-1	Jul 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jan/Feb 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**	**1,3-Dichloropropane**	**0.6**
MW-12-Screen-1	Apr/May 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**8.0 J**
MW-12-Screen-1	Jul/Aug 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 2003	DUPE-4-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Feb 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Apr/May 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul/Aug 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jan/Feb 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Apr/May 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul/Sep 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-12-Screen-1	Mar/Apr 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Mar/Apr 2006	DUPE-6-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-1	May/Jun 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Aug/Sep 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Oct/Dec 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Mar/Apr 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Jun/Jul 2007	DUPE-5-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Jun/Jul 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Aug/Sep 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Oct/Dec 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-12-Screen-1	Jan/Feb 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Apr/May 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-1	Jul/Aug 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Oct/Nov 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Jan/Feb 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Apr/May 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-12-Screen-1	Jul/Aug 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**		
MW-12-Screen-1	Nov/Dec 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-12-Screen-1	Feb 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Apr/May 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-12-Screen-1	Jul/Aug 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	1.0 U		
MW-12-Screen-1	Oct/Nov 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Feb/Mar 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Apr/May 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Aug/Sep 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Nov/Dec 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Jan/Feb 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Apr/May 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-1	Aug/Sep 2012	DUPE-5-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Aug/Sep 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Nov 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jan/Feb 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Apr/May 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Oct/Nov 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-12-Screen-1	Jan/Feb 2014	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.3 J**
MW-12-Screen-1	Apr/May 2014	DUP-4-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-12-Screen-1	Apr/May 2014	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-12-Screen-1	Jan/Feb 2015	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-1	Apr/May 2015	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.1 J**
MW-12-Screen-1	Apr/May 2016	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-12-Screen-1	Jan/Feb 2017	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12-Screen-1	Apr/May 2017	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul/Aug 2017	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Jul/Aug 2017	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	April 2018	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Feb/Mar 2019	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U	**Acetone**	**41.0**
MW-12-Screen-1	Apr/May 2019	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-12-Screen-1	Jul/Aug 2019	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-1	Feb 2020	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**14.0**
MW-12-Screen-1	Jun 2020	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2													
MW-12-Screen-2	Aug/Sep 1996	MW-12-2	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12-Screen-2	Oct/Nov 1996	MW-12-2	**1.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	0.5 U	NA		
MW-12-Screen-2	Feb/Mar 1997	MW-12-2	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	1.1 B
MW-12-Screen-2	June/July 1997	MW-12-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**6.9**		
MW-12-Screen-2	Sep/Oct 1997	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**5.8**		
MW-12-Screen-2	Jan/Feb 1998	MW-12-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.3**		
MW-12-Screen-2	Apr/May 1998	MW-12-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**6.0**		
MW-12-Screen-2	Jul/Aug 1998	MW-12-2	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.5**		
MW-12-Screen-2	Oct/Nov 1998	MW-12-2	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.2**		
MW-12-Screen-2	Feb/Mar 1999	MW-12-2	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.6**		
MW-12-Screen-2	May/Jun 1999	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**5.0**	**Methylene chloride**	**0.8**
MW-12-Screen-2	Aug 1999	MW-12-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12-Screen-2	Nov/Dec 1999	MW-12-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Mar/Apr 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jul/Aug 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Sep/Oct 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jul 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Oct 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2002	MW-12-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-12-Screen-2	Apr/May 2002	MW-12-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-12-Screen-2	Jul 2002	MW-12-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Oct/Nov 2002	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2003	MW-12-2	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**	**1,3-Dichloropropane**	**0.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-2	Jan/Feb 2003	DUPE-4-1Q03	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**	**1,3-Dichloropropane**	**0.6**
MW-12-Screen-2	Apr/May 2003	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**	**4-Methyl-2-pentanone**	**5.0 J**
MW-12-Screen-2	Jul/Aug 2003	MW-12-2	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4 J**		
MW-12-Screen-2	Oct/Nov 2003	MW-12-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Feb 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Apr/May 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jul/Aug 2004	MW-12-2	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Oct/Nov 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2005	MW-12-2	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**	**m,p-Xylene**	**0.3 J**
MW-12-Screen-2	Apr/May 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-12-Screen-2	Jul/Sep 2005	MW-12-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-12-Screen-2	Oct/Nov 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.6**
MW-12-Screen-2	Mar/Apr 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	May/Jun 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Aug/Sep 2006	MW-12-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Oct/Dec 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Mar/Apr 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-12-Screen-2	Jun/Jul 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-12-Screen-2	Aug/Sep 2007	MW-12-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-2	Oct/Dec 2007	MW-12-2	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-2	Jan/Feb 2008	MW-12-2	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-12-Screen-2	Apr/May 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-12-Screen-2	Jul/Aug 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-12-Screen-2	Jul/Aug 2008	DUPE-7-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-12-Screen-2	Oct/Nov 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-12-Screen-2	Jan/Feb 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-12-Screen-2	Apr/May 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-12-Screen-2	Jul/Aug 2009	DUPE-7-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-12-Screen-2	Jul/Aug 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-12-Screen-2	Nov/Dec 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-12-Screen-2	Feb 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-12-Screen-2	Apr/May 2010	DUPE-03-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-12-Screen-2	Apr/May 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-12-Screen-2	Jul/Aug 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-12-Screen-2	Oct/Nov 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1 J**		
MW-12-Screen-2	Feb/Mar 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**		
MW-12-Screen-2	Apr/May 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-2	Aug/Sep 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1 J**		
MW-12-Screen-2	Nov/Dec 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-12-Screen-2	Jan/Feb 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-12-Screen-2	Apr/May 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.7**		
MW-12-Screen-2	Aug/Sep 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-12-Screen-2	Nov 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**		
MW-12-Screen-2	Jan/Feb 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Apr/May 2013	DUP-4-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**	**Trichlorofluoromethane**	**0.2 J**
MW-12-Screen-2	Apr/May 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-12-Screen-2	Jul 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**Styrene**	**0.1 J**
MW-12-Screen-2	Oct/Nov 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-12-Screen-2	Jan/Feb 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-12-Screen-2	Apr/May 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-12-Screen-2	Jul/Aug 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-12-Screen-2	Oct 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-12-Screen-2	Jan/Feb 2015	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12-Screen-2	Apr/May 2015	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12-Screen-2	Jul/Aug 2015	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**	**Styrene**	**0.1 J**
MW-12-Screen-2	Oct 2015	MW-12-2	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2016	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Apr/May 2016	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-12-Screen-2	Jul/Aug 2016	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Oct 2016	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2017	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-12-Screen-2	Apr/May 2017	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jul/Aug 2017	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	October 2017	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jan/Feb 2018	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	April 2018	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Jul/Aug 2018	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-12-Screen-2	Oct 2018	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Feb/Mar 2019	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-12-Screen-2	Apr/May 2019	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-2	Jul/Aug 2019	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Benzene** **Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Vinyl chloride**	**16** **0.2 J** **0.2 J** **0.5** **1.8** **0.4 J**
MW-12-Screen-2	Oct 2019	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-12-Screen-2	Feb 2020	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**	**Trichlorofluoromethane**	**0.2 J**
MW-12-Screen-2	Feb 2020	DUP-6-1Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-12-Screen-2	Jun 2020	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-2	Aug 2020	MW-12-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-12-Screen-2	Oct/Nov 2020	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-12-Screen-2	Mar/Apr 2021	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-12-Screen-2	May/June 2021	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-12-Screen-3													
MW-12-Screen-3	Aug/Sep 1996	MW-12-3	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-12-Screen-3	Oct/Nov 1996	MW-12-3	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA	**Acetone**	**1.6**
MW-12-Screen-3	Feb/Mar 1997	MW-12-3	**6.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA	**Acetone**	1.3 B
MW-12-Screen-3	June/July 1997	MW-12-3	**20.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**5.7**		
MW-12-Screen-3	Sep/Oct 1997	MW-12-3	**14.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**6.2**		
MW-12-Screen-3	Jan/Feb 1998	MW-12-3	**23.0 E**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**5.9**		
MW-12-Screen-3	Apr/May 1998	MW-12-3	**25.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**6.9**		
MW-12-Screen-3	Jul/Aug 1998	MW-12-3	**35.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**6.6**		
MW-12-Screen-3	Oct/Nov 1998	MW-12-3	**27.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**6.9**		
MW-12-Screen-3	Feb/Mar 1999	MW-12-3	**23.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	4.0 U		
MW-12-Screen-3	May/Jun 1999	MW-12-3	**19.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**8.7**		
MW-12-Screen-3	Aug 1999	MW-12-3	**19.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U		
MW-12-Screen-3	Nov/Dec 1999	MW-12-3	**23.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**8.5**		
MW-12-Screen-3	Mar/Apr 2000	MW-12-3	**17.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**8.2**		
MW-12-Screen-3	Jul/Aug 2000	MW-12-3	**16.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**6.9**		
MW-12-Screen-3	Sep/Oct 2000	MW-12-3	**11.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**7.1**		
MW-12-Screen-3	Jan/Feb 2001	MW-12-3	**2.0 J**	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**2-Butanone**	**2.0 J**
MW-12-Screen-3	Jul 2001	MW-12-3	**10.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U		
MW-12-Screen-3	Oct 2001	MW-12-3	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**6.2**		
MW-12-Screen-3	Jan/Feb 2002	MW-12-3	**4.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-12-Screen-3	Apr/May 2002	MW-12-3	**4.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**Methylene chloride**	**0.5 J**
MW-12-Screen-3	Jul 2002	MW-12-3	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-3	Oct/Nov 2002	MW-12-3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U		
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane	1.7
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	9.2	0.5	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.7	NA	Methylene chloride Total Trihalomethanes TPH - Gasoline	0.4 J 5.8 40.0 J
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,2,3-Trichloropropane	0.0
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	1.8 J		
MW-12-Screen-3	Apr/May 2003	MW-12-3	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.8 J		
MW-12-Screen-3	Apr/May 2003	DUPE-6-2Q03	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	3.4 J	4-Methyl-2-pentanone	4.0 J
MW-12-Screen-3	Jul/Aug 2003	MW-12-3	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	2.8 J		
MW-12-Screen-3	Oct/Nov 2003	MW-12-3	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	4.0 U		
MW-12-Screen-3	Feb 2004	MW-12-3	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12-Screen-3	Apr/May 2004	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U		
MW-12-Screen-3	Jul/Aug 2004	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12-Screen-3	Oct/Nov 2004	MW-12-3	2.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	4.0 U		
MW-12-Screen-3	Jan/Feb 2005	MW-12-3	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	m,p-Xylene	0.4 J
MW-12-Screen-3	Apr/May 2005	MW-12-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.6 J		
MW-12-Screen-3	Jul/Sep 2005	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J	1,2,3-Trichloropropane	0.0
MW-12-Screen-3	Oct/Nov 2005	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	Methylene chloride	1.1
MW-12-Screen-3	Mar/Apr 2006	MW-12-3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.0 U		
MW-12-Screen-3	May/Jun 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U		
MW-12-Screen-3	Aug/Sep 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.0 U		
MW-12-Screen-3	Oct/Dec 2006	MW-12-3	2.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2.1		
MW-12-Screen-3	Mar/Apr 2007	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	2.0 U		
MW-12-Screen-3	Jun/Jul 2007	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.0 U		
MW-12-Screen-3	Aug/Sep 2007	MW-12-3	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.0 U		
MW-12-Screen-3	Oct/Dec 2007	MW-12-3	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0		
MW-12-Screen-3	Jan/Feb 2008	MW-12-3	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	2.0 U		
MW-12-Screen-3	Apr/May 2008	MW-12-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U		
MW-12-Screen-3	Jul/Aug 2008	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U		
MW-12-Screen-3	Oct/Nov 2008	MW-12-3	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	1.0 U		
MW-12-Screen-3	Jan/Feb 2009	MW-12-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	1.0 U		
MW-12-Screen-3	Apr/May 2009	DUPE-07-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.0 U		
MW-12-Screen-3	Apr/May 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.0 U		
MW-12-Screen-3	Jul/Aug 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12-Screen-3	Nov/Dec 2009	MW-12-3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	3.2		
MW-12-Screen-3	Nov/Dec 2009	DUPE-06-4Q09	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	3.1		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-3	Feb 2010	MW-12-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**	1.0 U		
MW-12-Screen-3	Apr/May 2010	MW-12-3	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.3**		
MW-12-Screen-3	Jul/Aug 2010	MW-12-3	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**3.4**		
MW-12-Screen-3	Oct/Nov 2010	MW-12-3	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**1.8 J**		
MW-12-Screen-3	Oct/Nov 2010	DUPE-05-4Q10	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**1.6 J**		
MW-12-Screen-3	Feb/Mar 2011	MW-12-3	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.9**		
MW-12-Screen-3	Apr/May 2011	MW-12-3	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**4.2**		
MW-12-Screen-3	Aug/Sep 2011	MW-12-3	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.3 J**		
MW-12-Screen-3	Nov/Dec 2011	MW-12-3	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.4**		
MW-12-Screen-3	Jan/Feb 2012	MW-12-3	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**5.5**		
MW-12-Screen-3	Apr/May 2012	MW-12-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-12-Screen-3	Aug/Sep 2012	MW-12-3	**1.0**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**5.1**		
MW-12-Screen-3	Nov 2012	MW-12-3	**0.7**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.5 J**		
MW-12-Screen-3	Jan/Feb 2013	MW-12-3	**0.8**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-12-Screen-3	Apr/May 2013	MW-12-3	**0.5**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-12-Screen-3	Jul 2013	MW-12-3	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U	**Styrene**	**0.1 J**
MW-12-Screen-3	Oct/Nov 2013	MW-12-3	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.5**		
MW-12-Screen-3	Jan/Feb 2014	MW-12-3	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**1.8 J**	**Styrene**	**0.1 J**
MW-12-Screen-3	Apr/May 2014	MW-12-3	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.0 J**		
MW-12-Screen-3	Jul/Aug 2014	MW-12-3	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.3 J**		
MW-12-Screen-3	Oct 2014	MW-12-3	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**0.7 J**		
MW-12-Screen-3	Jan/Feb 2015	MW-12-3	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**Styrene**	**0.1 J**
MW-12-Screen-3	Apr/May 2015	MW-12-3	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**Styrene**	**0.1 J**
MW-12-Screen-3	Jul/Aug 2015	MW-12-3	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U	**Styrene**	**0.1 J**
MW-12-Screen-3	Oct 2015	MW-12-3	0.5 U	**0.5**	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-12-Screen-3	Jan/Feb 2016	MW-12-3	**0.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U		
MW-12-Screen-3	Apr/May 2016	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**0.7 J**	**Styrene**	**0.1 J**
MW-12-Screen-3	Jul/Aug 2016	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-12-Screen-3	Oct 2016	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-12-Screen-3	Jan/Feb 2017	MW-12-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 UJ		
MW-12-Screen-3	Jan/Feb 2017	DUP-7-1Q17	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 UJ		
MW-12-Screen-3	Apr/May 2017	MW-12-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.2**		
MW-12-Screen-3	Jul/Aug 2017	MW-12-3	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**3.2 J**		
MW-12-Screen-3	Jul/Aug 2017	DUP-4-3Q17	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.9 J**		
MW-12-Screen-3	October 2017	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**0.7 J**		
MW-12-Screen-3	Jan/Feb 2018	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**0.7 J**		
MW-12-Screen-3	April 2018	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**0.8 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-3	April 2018	DUP-8-2Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**0.8 J**		
MW-12-Screen-3	Jul/Aug 2018	MW-12-3	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**1.8 J**		
MW-12-Screen-3	Oct 2018	MW-12-3	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**1.2 J**		
MW-12-Screen-3	Feb/Mar 2019	MW-12-3	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.51**	**3.0 J**		
MW-12-Screen-3	Feb/Mar 2019	DUP-6-1Q19	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.46 J**	**2.8 J**		
MW-12-Screen-3	Apr/May 2019	MW-12-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.9**		
MW-12-Screen-3	Jul/Aug 2019	MW-12-3	**2.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.9**		
MW-12-Screen-3	Oct 2019	MW-12-3	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.6 J**		
MW-12-Screen-3	Feb 2020	MW-12-3	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.5 J**		
MW-12-Screen-3	Jun 2020	MW-12-3	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.0**		
MW-12-Screen-3	Jun 2020	Dup-4-2Q2020	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**4.4**		
MW-12-Screen-3	Aug 2020	MW-12-3	**0.9**	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.9**		
MW-12-Screen-3	Oct/Nov 2020	MW-12-3	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.0**		
MW-12-Screen-3	Mar/Apr 2021	MW-12-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.9 J**		
MW-12-Screen-3	May/June 2021	MW-12-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1 J**		
MW-12-Screen-4													
MW-12-Screen-4	Aug/Sep 1996	MW-12-4	**6.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA		
MW-12-Screen-4	Oct/Nov 1996	MW-12-4	**5.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA	**Acetone**	**2.5**
MW-12-Screen-4	Feb/Mar 1997	MW-12-4	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-12-Screen-4	June/July 1997	MW-12-4	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**7.3**		
MW-12-Screen-4	Sep/Oct 1997	MW-12-4	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**7.6**		
MW-12-Screen-4	Jan/Feb 1998	MW-12-4	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**8.0**		
MW-12-Screen-4	Apr/May 1998	MW-12-4	**4.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**8.0**		
MW-12-Screen-4	Jul/Aug 1998	MW-12-4	**5.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**6.0**		
MW-12-Screen-4	Oct/Nov 1998	MW-12-4	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**7.7**		
MW-12-Screen-4	Feb/Mar 1999	MW-12-4	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**7.0**		
MW-12-Screen-4	May/Jun 1999	MW-12-4	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**9.1**		
MW-12-Screen-4	Aug 1999	MW-12-4	**3.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**9.2**		
MW-12-Screen-4	Nov/Dec 1999	MW-12-4	**3.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**8.5**		
MW-12-Screen-4	Mar/Apr 2000	MW-12-4	**5.3**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**8.7**		
MW-12-Screen-4	Jul/Aug 2000	MW-12-4	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**8.1**		
MW-12-Screen-4	Sep/Oct 2000	MW-12-4	**4.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**7.9**		
MW-12-Screen-4	Jan/Feb 2001	MW-12-4	**3.0**	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	**6.0**		
MW-12-Screen-4	Jul 2001	MW-12-4	**3.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-12-Screen-4	Oct 2001	MW-12-4	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-4	Jan/Feb 2002	MW-12-4	**3.2**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.0**	**Methylene chloride**	**1.5**
MW-12-Screen-4	Apr/May 2002	MW-12-4	**3.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Methylene chloride**	**0.5 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-4	Jul 2002	MW-12-4	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-12-Screen-4	Oct/Nov 2002	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-12-Screen-4	Jan/Feb 2003	MW-12-4	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.9 J		
MW-12-Screen-4	Apr/May 2003	MW-12-4	1.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.6 J		
MW-12-Screen-4	Jul/Aug 2003	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6		
MW-12-Screen-4	Oct/Nov 2003	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8 J		
MW-12-Screen-4	Feb 2004	MW-12-4	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-12-Screen-4	Apr/May 2004	MW-12-4	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.4		
MW-12-Screen-4	Apr/May 2004	DUPE-4-2Q04	2.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.5		
MW-12-Screen-4	Jul/Aug 2004	MW-12-4	3.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J		
MW-12-Screen-4	Oct/Nov 2004	MW-12-4	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.6		
MW-12-Screen-4	Oct/Nov 2004	DUPE-4-4Q04	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-12-Screen-4	Jan/Feb 2005	MW-12-4	2.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	m,p-Xylene	0.5 J
MW-12-Screen-4	Apr/May 2005	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	m,p-Xylene	0.3 J
MW-12-Screen-4	Jul/Sep 2005	MW-12-4	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	1,2,3-Trichloropropane	0.0
MW-12-Screen-4	Oct/Nov 2005	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	Methylene chloride	0.7
MW-12-Screen-4	Mar/Apr 2006	MW-12-4	2.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.5		
MW-12-Screen-4	May/Jun 2006	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.4		
MW-12-Screen-4	Aug/Sep 2006	MW-12-4	2.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.7		
MW-12-Screen-4	Oct/Dec 2006	MW-12-4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-12-Screen-4	Mar/Apr 2007	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2		
MW-12-Screen-4	Jun/Jul 2007	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5 J		
MW-12-Screen-4	Aug/Sep 2007	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U		
MW-12-Screen-4	Oct/Dec 2007	MW-12-4	1.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2		
MW-12-Screen-4	Jan/Feb 2008	MW-12-4	1.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.2		
MW-12-Screen-4	Apr/May 2008	MW-12-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5		
MW-12-Screen-4	Jul/Aug 2008	MW-12-4	1.8 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9		
MW-12-Screen-4	Oct/Nov 2008	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9 J		
MW-12-Screen-4	Jan/Feb 2009	MW-12-4	1.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.3		
MW-12-Screen-4	Apr/May 2009	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0		
MW-12-Screen-4	Jul/Aug 2009	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7		
MW-12-Screen-4	Nov/Dec 2009	MW-12-4	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9		
MW-12-Screen-4	Feb 2010	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8		
MW-12-Screen-4	Apr/May 2010	MW-12-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-12-Screen-4	Jul/Aug 2010	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5		
MW-12-Screen-4	Oct/Nov 2010	MW-12-4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3 J		
MW-12-Screen-4	Feb/Mar 2011	MW-12-4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-4	Apr/May 2011	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.8		
MW-12-Screen-4	Aug/Sep 2011	MW-12-4	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.5 J		
MW-12-Screen-4	Nov/Dec 2011	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.9		
MW-12-Screen-4	Jan/Feb 2012	MW-12-4	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.2		
MW-12-Screen-4	Apr/May 2012	MW-12-4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.9		
MW-12-Screen-4	Aug/Sep 2012	MW-12-4	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.3		
MW-12-Screen-4	Nov 2012	MW-12-4	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.7 J		
MW-12-Screen-4	Jan/Feb 2013	MW-12-4	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7 J	Styrene	0.1 J
MW-12-Screen-4	Apr/May 2013	MW-12-4	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J		
MW-12-Screen-4	Jul 2013	MW-12-4	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J		
MW-12-Screen-4	Oct/Nov 2013	MW-12-4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3 J		
MW-12-Screen-4	Jan/Feb 2014	MW-12-4	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5 J	Styrene	0.1 J
MW-12-Screen-4	Apr/May 2014	MW-12-4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-12-Screen-4	Jul/Aug 2014	MW-12-4	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.9 J		
MW-12-Screen-4	Oct 2014	MW-12-4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2 J		
MW-12-Screen-4	Jan/Feb 2015	MW-12-4	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.6 J		
MW-12-Screen-4	Apr/May 2015	MW-12-4	2.0	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.5 J		
MW-12-Screen-4	Apr/May 2015	DUP-5-2Q15	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.3 J		
MW-12-Screen-4	Jul/Aug 2015	MW-12-4	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.0 J		
MW-12-Screen-4	Oct 2015	MW-12-4	0.4 J	0.2 J	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1 J		
MW-12-Screen-4	Jan/Feb 2016	MW-12-4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-12-Screen-4	Apr/May 2016	MW-12-4	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	2.1 J	Acetone	7.7 J
MW-12-Screen-4	Jul/Aug 2016	MW-12-4	0.6	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.7 J		
MW-12-Screen-4	Oct 2016	MW-12-4	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.8 J		
MW-12-Screen-4	Jan/Feb 2017	MW-12-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J		
MW-12-Screen-4	Apr/May 2017	MW-12-4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J		
MW-12-Screen-4	Jul/Aug 2017	MW-12-4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.6 J		
MW-12-Screen-4	October 2017	MW-12-4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.1 J		
MW-12-Screen-4	October 2017	DUP-5-4Q17	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J		
MW-12-Screen-4	Jan/Feb 2018	MW-12-4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-12-Screen-4	April 2018	MW-12-4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	1.4 J		
MW-12-Screen-4	Jul/Aug 2018	MW-12-4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	1.5 J		
MW-12-Screen-4	Oct 2018	MW-12-4	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.2 J		
MW-12-Screen-4	Feb/Mar 2019	MW-12-4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.34 J	2.0 J		
MW-12-Screen-4	Apr/May 2019	MW-12-4	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.5 J		
MW-12-Screen-4	Apr/May 2019	DUP-6-2Q19	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 J		
MW-12-Screen-4	Jul/Aug 2019	MW-12-4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.6 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-4	Oct 2019	MW-12-4	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1 J**		
MW-12-Screen-4	Feb 2020	MW-12-4	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.7 J**		
MW-12-Screen-4	Jun 2020	MW-12-4	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.0 J**		
MW-12-Screen-4	Aug 2020	MW-12-4	**0.4 J**	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.3 J**		
MW-12-Screen-4	Oct/Nov 2020	MW-12-4	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.5 J**		
MW-12-Screen-4	Mar/Apr 2021	MW-12-4	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.7 J**		
MW-12-Screen-4	May/June 2021	MW-12-4	**1.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.3 J**		
MW-12-Screen-5													
MW-12-Screen-5	Aug/Sep 1996	MW-12-5	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-12-Screen-5	Oct/Nov 1996	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.5**
MW-12-Screen-5	Feb/Mar 1997	MW-12-5	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-12-Screen-5	June/July 1997	MW-12-5	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.1**		
MW-12-Screen-5	Sep/Oct 1997	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Jan/Feb 1998	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Apr/May 1998	MW-12-5	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12-Screen-5	Jul/Aug 1998	MW-12-5	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12-Screen-5	Oct/Nov 1998	MW-12-5	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12-Screen-5	Feb/Mar 1999	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-12-Screen-5	May/Jun 1999	MW-12-5	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-12-Screen-5	Aug 1999	MW-12-5	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12-Screen-5	Nov/Dec 1999	MW-12-5	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-12-Screen-5	Mar/Apr 2000	MW-12-5	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.7**		
MW-12-Screen-5	Jul/Aug 2000	MW-12-5	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.0**		
MW-12-Screen-5	Sep/Oct 2000	MW-12-5	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.1**		
MW-12-Screen-5	Jan/Feb 2001	MW-12-5	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**2-Butanone**	**3.0 J**
MW-12-Screen-5	Jul 2001	MW-12-5	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-12-Screen-5	Oct 2001	MW-12-5	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Jan/Feb 2002	MW-12-5	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Apr/May 2002	MW-12-5	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methylene chloride**	**0.4 J**
MW-12-Screen-5	Jul 2002	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Oct/Nov 2002	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Jan/Feb 2003	MW-12-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	NA		
MW-12-Screen-5	Jan/Feb 2003	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-12-Screen-5	Apr/May 2003	MW-12-5	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.2 J**	**4-Methyl-2-pentanone**	**7.0 J**
MW-12-Screen-5	Jul/Aug 2003	MW-12-5	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12-Screen-5	Oct/Nov 2003	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Feb 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-5	Feb 2004	DUPE-6-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Apr/May 2004	MW-12-5	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12-Screen-5	Jul/Aug 2004	MW-12-5	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-12-Screen-5	Oct/Nov 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12-Screen-5	Jan/Feb 2005	MW-12-5	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.9 J**		
MW-12-Screen-5	Apr/May 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-12-Screen-5	Jul/Sep 2005	MW-12-5	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**	**1,2,3-Trichloropropane**	**0.0**
MW-12-Screen-5	Oct/Nov 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Methylene chloride** **Styrene**	**0.5 J** **1.1** **0.5 J**
MW-12-Screen-5	Mar/Apr 2006	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**m,p-Xylene**	**0.4 J**
MW-12-Screen-5	May/Jun 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-5	Aug/Sep 2006	MW-12-5	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-12-Screen-5	Oct/Dec 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-5	Mar/Apr 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-5	Jun/Jul 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-5	Aug/Sep 2007	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-5	Oct/Dec 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12-Screen-5	Jan/Feb 2008	MW-12-5	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1**		
MW-12-Screen-5	Apr/May 2008	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6**		
MW-12-Screen-5	Jul/Aug 2008	MW-12-5	**1.0 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**1.9**		
MW-12-Screen-5	Oct/Nov 2008	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-12-Screen-5	Jan/Feb 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-12-Screen-5	Apr/May 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-12-Screen-5	Jul/Aug 2009	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-12-Screen-5	Nov/Dec 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-12-Screen-5	Feb 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-12-Screen-5	Apr/May 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-12-Screen-5	Jul/Aug 2010	MW-12-5	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.2**		
MW-12-Screen-5	Oct/Nov 2010	MW-12-5	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12-Screen-5	Feb/Mar 2011	MW-12-5	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-12-Screen-5	Apr/May 2011	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-12-Screen-5	Aug/Sep 2011	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6 J**		
MW-12-Screen-5	Nov/Dec 2011	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-12-Screen-5	Jan/Feb 2012	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-12-Screen-5	Apr/May 2012	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-12-Screen-5	Aug/Sep 2012	MW-12-5	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.4 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12-Screen-5	Nov 2012	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-12-Screen-5	Jan/Feb 2013	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12-Screen-5	Apr/May 2013	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.9 J**		
MW-12-Screen-5	Jul 2013	MW-12-5	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1 J**		
MW-12-Screen-5	Oct/Nov 2013	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.3 J**		
MW-12-Screen-5	Jan/Feb 2014	MW-12-5	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**	**Styrene**	**0.1 J**
MW-12-Screen-5	Apr/May 2014	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12-Screen-5	Jul/Aug 2014	MW-12-5	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.0 J**	**Styrene**	**0.1 J**
MW-12-Screen-5	Oct 2014	MW-12-5	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.5 J**		
MW-12-Screen-5	Jan/Feb 2015	MW-12-5	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1 J**		
MW-12-Screen-5	Apr/May 2015	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**	**Styrene**	**0.1 J**
MW-12-Screen-5	Jul/Aug 2015	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.0 J**	**Styrene**	**0.1 J**
MW-12-Screen-5	Oct 2015	MW-12-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12-Screen-5	Jan/Feb 2016	MW-12-5	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Styrene**	**0.1 J**
MW-12-Screen-5	Apr/May 2016	MW-12-5	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**1.7 J**		
MW-12-Screen-5	Jul/Aug 2016	MW-12-5	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1 J**		
MW-12-Screen-5	Oct 2016	MW-12-5	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**		
MW-12-Screen-5	Jan/Feb 2017	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.3 J**		
MW-12-Screen-5	Apr/May 2017	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.8 J**		
MW-12-Screen-5	Jul/Aug 2017	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**		
MW-12-Screen-5	October 2017	MW-12-5	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.5 J**		
MW-12-Screen-5	Jan/Feb 2018	MW-12-5	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12-Screen-5	April 2018	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.3 J**		
MW-12-Screen-5	Jul/Aug 2018	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.2 J**		
MW-12-Screen-5	Oct 2018	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**		
MW-12-Screen-5	Feb/Mar 2019	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.32 J**	**1.3 J**		
MW-12-Screen-5	Apr/May 2019	MW-12-5	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.4 J**		
MW-12-Screen-5	Jul/Aug 2019	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.2 J**	**Styrene**	**0.2 J**
MW-12-Screen-5	Oct 2019	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.7 J**		
MW-12-Screen-5	Feb 2020	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.8 J**		
MW-12-Screen-5	Jun 2020	MW-12-5	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.6 J**		
MW-12-Screen-5	Aug 2020	MW-12-5	**0.3 J**	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.6 J**		
MW-12-Screen-5	Oct/Nov 2020	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.5 J**		
MW-12-Screen-5	Mar/Apr 2021	MW-12-5	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.3 J**		
MW-12-Screen-5	May/June 2021	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.2 J**		
MW-13													
MW-13	Aug/Sep 1996	MW-13	**21.0**	**47.0**	**0.6**	0.5 U	**2.5**	**1.5**	**0.7**	**21.0**	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Oct/Nov 1996	MW-13	27.0	27.0	0.5 U	0.5 U	1.9	1.5	0.6	14.0	NA		
MW-13	Feb/Mar 1997	MW-13	18.0	28.0	0.5 U	0.5 U	0.9	1.1	0.6	9.2	NA		
MW-13	June/July 1997	MW-13	6.4	24.0 E	0.5 U	0.5 U	0.9	0.5	0.5 U	11.0	130.0		
MW-13	Sep/Oct 1997	MW-13	8.2	19.0	0.5 U	0.5 U	1.1	0.5	0.5 U	10.0	210.0		
MW-13	Jan/Feb 1998	MW-13	11.0	4.7	0.5	0.5 U	0.5 U	0.5	0.5 U	2.8	97.0	Trichlorofluoromethane	1.5
MW-13	Apr/May 1998	MW-13	13.0	17.0	0.5	0.5 U	0.5 U	0.8	0.6	5.2	95.0		
MW-13	Jul/Aug 1998	MW-13	15.0	29.0	0.6	0.5 U	0.5 U	1.1	0.7	7.5	57.0	1,1,1-Trichloroethane Methylene chloride	0.5 0.5
MW-13	Oct/Nov 1998	MW-13	9.0	20.0	0.5 U	0.5 U	0.5 U	1.1	0.5	9.3	86.0		
MW-13	Feb/Mar 1999	MW-13	9.4	28.0	0.5 U	0.5 U	0.7	0.7	0.5 U	11.0	98.0		
MW-13	May/Jun 1999	MW-13	9.8	40.0	0.6	0.5 U	0.5	0.8	1.0	9.4	120.0		
MW-13	Aug 1999	MW-13	11.0	29.0	0.5 U	0.5 U	0.7	0.9	0.5 U	12.0	150.0		
MW-13	Nov/Dec 1999	MW-13	10.7	19.7	0.5 U	0.5 U	0.5	0.7	0.5 U	9.1	510.0		
MW-13	Mar/Apr 2000	MW-13	8.9	11.0	0.7	0.7	0.5 U	0.5 U	0.5 U	5.2	330.0		
MW-13	Jul/Aug 2000	MW-13	8.8	20.0	0.5 U	0.5 U	0.6	0.7	0.5 U	8.8	420.0		
MW-13	Jan/Feb 2001	MW-13	7.2	5.4	0.6	1.0	0.5 U	0.5 J	0.5 U	3.4	4.0 U	1,4-Dioxane Methylene chloride Trichlorofluoromethane	1.9 0.9 B 1.3
MW-13	Apr 2001	MW-13	3.6	18.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	170.0	Bromodichloromethane	0.5
MW-13	Jul 2001	MW-13	0.5 U	30.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.8	216.0	Bromodichloromethane	0.6
MW-13	Oct 2001	MW-13	3.5	15.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	471.0		
MW-13	Jan/Feb 2002	MW-13	11.0	12.5	1.2	0.7	0.5 U	1.0	0.5 U	4.6	326.0	1,4-Dioxane Methylene chloride Trichlorofluoromethane	4.1 1.0 B 0.8
MW-13	Apr/May 2002	MW-13	6.2	4.3	1.4	0.8	0.5 U	0.9	0.5 U	2.6	189.0	Trichlorofluoromethane	0.8
MW-13	Jul 2002	MW-13	1.2	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	206.0		
MW-13	Jul 2002	DUP	1.3	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	205.0		
MW-13	Oct/Nov 2002	MW-13	2.3	2.5	0.8	0.7	0.5 U	0.4 J	0.5 U	1.4	172.0	Trichlorofluoromethane	1.7
MW-13	Jan/Feb 2003	MW-13	0.8	1.2	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	68.0 J		
MW-13	Jan/Feb 2003	MW-13	0.8	1.2	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	68.1		
MW-13	Apr/May 2003	MW-13	1.3	9.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	1.5	147.0	1,4-Dioxane 4-Methyl-2-pentanone	2.5 5.0 J
MW-13	Jul/Aug 2003	MW-13	1.0	20.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	159.0 J	Bromodichloromethane Dibromochloromethane	0.4 J 0.8
MW-13	Oct/Nov 2003	MW-13	1.5	9.0	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.7	223.0 J		
MW-13	Feb 2004	MW-13	0.8	1.0	1.1	0.7	0.5 U	0.5 U	0.5 U	0.7	112.0		
MW-13	Apr/May 2004	MW-13	1.4	7.4	1.2	0.6	0.5 U	0.5 U	0.5 U	1.7	205.0	1,4-Dioxane	5.3

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Jul/Aug 2004	MW-13	2.0	15.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	296.0		
MW-13	Oct/Nov 2004	MW-13	0.4 J	1.4	1.3	0.9	0.5 U	0.5 U	0.5 U	0.8	51.5	1,2,3-Trichlorobenzene Trichlorofluoromethane	0.3 J 0.3 J
MW-13	Jan/Feb 2005	MW-13	2.2	5.0	1.1	0.7	0.5 U	0.5 U	0.5 U	1.1	222.0	Methylene chloride Trichlorofluoromethane	0.7 0.3 J
MW-13	Apr/May 2005	MW-13	1.2	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.8	609.0	1,4-Dioxane Bromodichloromethane	8.4 0.5
MW-13	Jul/Sep 2005	MW-13	1.4	14.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	402.0	Bromodichloromethane Dibromochloromethane Trichlorofluoromethane	0.5 J 0.3 J 1.3
MW-13	Oct/Nov 2005	MW-13	2.9	13.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	1410.0	Bromodichloromethane Toluene Trichlorofluoromethane	0.3 J 13.5 0.4 J
MW-13	Mar/Apr 2006	MW-13	1.7	11.0	0.5 J	0.3 J	0.5 U	0.3 J	0.5 U	3.1	1100.0	Toluene Trichlorofluoromethane	1.6 0.3 J
MW-13	May/Jun 2006	DUPE-9-2Q06	2.0	14.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	NA	1,4-Dioxane Bromodichloromethane Toluene	11.0 0.4 J 1.5
MW-13	May/Jun 2006	MW-13	2.1	14.0	0.4 J	0.5 U	0.5 U	0.2 J	0.5 U	4.5	1700.0	1,4-Dioxane Bromodichloromethane Toluene	12.0 0.4 J 1.3
MW-13	Aug/Sep 2006	MW-13	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	2100.0	1,1,2-Trichloroethane Bromodichloromethane Toluene	0.4 J 0.4 J 0.4 J
MW-13	Aug/Sep 2006	DUPE-3-3Q06	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.8	2100.0	1,1,2-Trichloroethane Bromodichloromethane Toluene	0.4 J 0.4 J 0.6
MW-13	Oct/Dec 2006	MW-13	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	150.0		
MW-13	Mar/Apr 2007	MW-13	0.5 U	0.8	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 J	250.0	Toluene	0.3 J
MW-13	Jun/Jul 2007	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	270.0 J	Toluene	0.7
MW-13	Aug/Sep 2007	MW-13	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Aug/Sep 2007	DUPE-6-3Q07	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Oct/Dec 2007	MW-13	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.3 J	28.0	Toluene	0.3 J
MW-13	Oct/Dec 2007	DUPE-6-4Q07	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.4 J	24.0	Toluene	0.5
MW-13	Jan/Feb 2008	MW-13	0.5 U	0.5 U	2.5	1.0	0.5 U	0.5 U	0.5 U	0.3 J	3.6	Toluene	1.9
MW-13	Apr/May 2008	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	700.0	1,4-Dioxane Toluene	2.3 1.5

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Jul/Aug 2008	MW-13	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	748.0	Toluene	1.1
MW-13	Oct/Nov 2008	MW-13	0.5 U	0.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	431.0	Toluene	3.4
MW-13	Jan/Feb 2009	MW-13	0.5 U	0.5 U	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	13.9	Toluene	1.0
MW-13	Apr/May 2009	MW-13	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.8	972.0	1,4-Dioxane	2.2
MW-13	Jul/Aug 2009	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1110.0		
MW-13	Nov/Dec 2009	MW-13	0.5 U	0.5 U	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5	182.0		
MW-13	Feb 2010	MW-13	0.5 U	0.5 U	2.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-13	Apr/May 2010	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1200.0	1,4-Dioxane Bromodichloromethane	2.6 0.5
MW-13	Jul/Aug 2010	MW-13	1.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	1040.0 J	Bromodichloromethane Dibromochloromethane	0.9 0.8
MW-13	Oct/Nov 2010	MW-13	0.9	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	823.0	Bromodichloromethane Bromoform Dibromochloromethane	1.6 0.8 1.5
MW-13	Feb/Mar 2011	MW-13	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	167.0		
MW-13	Apr/May 2011	MW-13	0.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	81.8	1,4-Dioxane	0.9 J
MW-13	Aug/Sep 2011	MW-13	0.8	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	253.0		
MW-13	Nov/Dec 2011	MW-13	1.9	1.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.2	487.0	Bromodichloromethane	1.1
MW-13	Jan/Feb 2012	MW-13	1.5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	7.1	346.0	Bromodichloromethane Dibromochloromethane	2.6 0.6
MW-13	Jan/Feb 2012	DUPE-6-1Q12	1.5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	7.1	349.0	Bromodichloromethane Dibromochloromethane	2.6 0.6
MW-13	Apr/May 2012	MW-13	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6	189.0	1,4-Dioxane	2.5
MW-13	Aug/Sep 2012	MW-13	0.7	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.7	110.0	Bromodichloromethane Dibromochloromethane	1.0 0.2 J
MW-13	Nov 2012	MW-13	0.4 J	0.1 J	0.1 J	0.5 U	0.5 U	0.2 J	0.5 U	8.3	410.0	Bromodichloromethane Methylene chloride	2.1 0.5 J
MW-13	Nov 2012	DUPE-7-4Q12	0.5 J	0.1 J	0.1 J	0.5 U	0.5 U	0.2 J	0.5 U	8.5	420.0	Bromodichloromethane Methylene chloride	2.0 0.5 J
MW-13	Jan/Feb 2013	MW-13	0.7	0.2 J	0.5	0.1 J	0.5 U	0.7	0.5 U	9.4	1400.0	Bromodichloromethane	0.6
MW-13	Jan/Feb 2013	DUP-5-1Q13	0.6	0.2 J	0.5	0.1 J	0.5 U	0.6	0.5 U	9.5	1400.0	Bromodichloromethane	0.6
MW-13	Apr/May 2013	MW-13	0.3 J	0.2 J	0.6	0.2 J	0.5 U	0.3 J	0.5 U	5.5	690.0	1,4-Dioxane Bromodichloromethane	2.2 0.3 J
MW-13	Jul 2013	MW-13	0.6	0.2 J	0.9	0.2 J	0.5 U	0.5 J	0.5 U	7.3	1200.0	Bromodichloromethane	0.2 J
MW-13	Oct/Nov 2013	MW-13	0.5 U	0.2 J	1.6	0.4 J	0.5 U	0.2 J	0.5 U	2.5	520.0		
MW-13	Jan/Feb 2014	MW-13	0.5 U	0.3 J	2.3	0.6	0.5 U	0.5 U	0.5 U	0.7	33.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Jan/Feb 2014	DUPE-4-1Q14	0.5 U	0.3 J	2.3	0.5	0.5 U	0.5 U	0.5 U	0.7	36.0	Methyl-tert-butyl ether (MTBE)	0.1 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Apr/May 2014	MW-13	0.5 U	**0.3 J**	**2.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.0**	**200.0**	**1,4-Dioxane**	**1.0**
MW-13	Jul/Aug 2014	MW-13	0.5 U	**0.2 J**	**1.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.4**	**160.0**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-13	Oct 2014	MW-13	0.5 U	**0.2 J**	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.1**	**160.0**		
MW-13	Jan/Feb 2015	MW-13	0.5 U	**0.6**	**1.4**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.8**	**4.9**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-13	Apr/May 2015	MW-13	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**1500.0**		
MW-13	Jul/Aug 2015	MW-13	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**1400.0 J**		
MW-13	Jul/Aug 2015	DUP-7-3Q15	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**1100.0**		
MW-13	Oct 2015	MW-13	0.5 U	**0.3 J**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.1**	**420.0**		
MW-13	Jan/Feb 2016	MW-13	0.5 U	**0.2 J**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**420.0**		
MW-13	Apr/May 2016	MW-13	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**600.0 J**		
MW-13	Apr/May 2017	MW-13	**0.2 J**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**160.0**	**1,4-Dioxane**	**3.7**
MW-13	Jul/Aug 2017	MW-13	**0.3 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**220.0**		
MW-13	Jul/Aug 2017	DUP-6-3Q17	**0.3 J**	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**230.0**		
MW-13	October 2017	MW-13	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**69.0**	**Bromodichloromethane**	**0.2 J**
MW-13	Jan/Feb 2018	MW-13	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**83.0**	**Bromodichloromethane**	**0.4 J**
MW-13	April 2018	MW-13	**0.4 J**	0.5 U	**0.6**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	**3.9**	**230.0**	**Bromodichloromethane**	**0.5 J**
MW-13	Feb/Mar 2019	MW-13	**0.3 J**	**0.3 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.20**	**210.0**	**Bromodichloromethane** **Trichlorofluoromethane**	**0.3 J** **0.9**
MW-13	Apr/May 2019	MW-13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**39.0**	**Trichlorofluoromethane**	**4.1**
MW-13	Jul/Aug 2019	MW-13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**29.0**	**Trichlorofluoromethane**	**3.6**
MW-13	Oct 2019	MW-13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**40.0**	**Trichlorofluoromethane**	**2.8**
MW-13	Feb 2020	MW-13	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**50.0**	**Trichlorofluoromethane**	**1.6**
MW-13	Jun 2020	MW-13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**25.0**	**Trichlorofluoromethane**	**1.4**
MW-14-Screen-1													
MW-14-Screen-1	Aug/Sep 1996	MW-14-1	0.5 U	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-14-Screen-1	Oct/Nov 1996	MW-14-1	0.5 U	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-1	Feb/Mar 1997	MW-14-1	0.5 U	0.5 U	**0.7**	**1.5**	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-14-Screen-1	June/July 1997	MW-14-1	0.5 U	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Sep/Oct 1997	MW-14-1	0.5 U	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Jan/Feb 1998	MW-14-1	0.5 U	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-14-Screen-1	Apr/May 1998	MW-14-1	0.5 U	0.5 U	**1.2**	**0.8**	0.5 U	0.5 U	0.5 U	**0.8**	**4.4**		
MW-14-Screen-1	Jul/Aug 1998	MW-14-1	0.5 U	0.5 U	**0.8**	**1.7**	0.5 U	0.5 U	0.5 U	**0.6**	**4.4**		
MW-14-Screen-1	Oct/Nov 1998	MW-14-1	0.5 U	0.5 U	**0.5**	**2.4**	0.5 U	0.5 U	0.5 U	**0.6**	**4.2**		
MW-14-Screen-1	Feb/Mar 1999	MW-14-1	0.5 U	0.5 U	**0.8**	**1.2**	0.5 U	0.5 U	**0.6 B**	**0.6**	**4.2**		
MW-14-Screen-1	May/Jun 1999	MW-14-1	0.5 U	0.5 U	**0.5**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Aug 1999	MW-14-1	0.5 U	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Mar/Apr 2000	MW-14-1	0.5 U	0.5 U	**0.8**	**0.8**	0.5 U	0.5 U	0.5 U	**0.5**	**5.3**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-1	Jul/Aug 2000	MW-14-1	0.5 U	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Jul/Aug 2000	MW-14-1	0.5 U	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14-Screen-1	Sep/Oct 2000	MW-14-1	0.5 U	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Jan/Feb 2001	MW-14-1	0.5 U	0.5 U	**1.4**	**1.1**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.3 J** **0.5 J**
MW-14-Screen-1	Apr 2001	MW-14-1	0.5 U	0.5 U	**0.7**	**0.7**	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-14-Screen-1	Jul 2001	MW-14-1	0.5 U	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Oct 2001	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Jan/Feb 2002	MW-14-1	0.5 U	**0.3 J**	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-14-Screen-1	Apr/May 2002	MW-14-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Jul 2002	MW-14-1	0.5 U	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Oct/Nov 2002	MW-14-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-1	Jan/Feb 2003	MW-14-1	0.5 U	0.5 U	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.9 J**	**Methylene chloride**	**0.5 J**
MW-14-Screen-1	Apr/May 2003	MW-14-1	0.5 U	**1.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.8 J**		
MW-14-Screen-1	Jul/Aug 2003	MW-14-1	0.5 U	**3.7**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.8 J**	**Methylene chloride**	**0.5 J**
MW-14-Screen-1	Oct/Nov 2003	MW-14-1	0.5 U	0.5 U	**0.4 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**6.6 J**		
MW-14-Screen-1	Feb 2004	MW-14-1	0.5 U	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-14-Screen-1	Feb 2004	DUPE-3-1Q04	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Apr/May 2004	MW-14-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6 J**		
MW-14-Screen-1	Jul/Aug 2004	MW-14-1	0.5 U	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Oct/Nov 2004	MW-14-1	0.5 UJ	**0.5**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-1	Jan/Feb 2005	MW-14-1	0.5 U	**2.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Apr/May 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**	**2-Butanone**	**0.7 J**
MW-14-Screen-1	Jul/Sep 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-14-Screen-1	Oct/Nov 2005	DUPE-4-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**	**Methylene chloride**	**0.3 J**
MW-14-Screen-1	Oct/Nov 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**	**Methylene chloride**	**0.4 J**
MW-14-Screen-1	Mar/Apr 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	May/Jun 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Aug/Sep 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Oct/Dec 2006	MW-14-1	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-1	Mar/Apr 2007	MW-14-1	0.5 U	**2.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-1	Jun/Jul 2007	MW-14-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-1	Aug/Sep 2007	MW-14-1	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-1	Oct/Dec 2007	MW-14-1	0.5 U	**3.4**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6**		
MW-14-Screen-1	Jan/Feb 2008	MW-14-1	0.5 U	**3.4**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.3**		
MW-14-Screen-1	Apr/May 2008	MW-14-1	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.1 J**		
MW-14-Screen-1	Jul/Aug 2008	MW-14-1	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-1	Oct/Nov 2008	MW-14-1	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-14-Screen-1	Jan/Feb 2009	MW-14-1	0.5 U	**5.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-14-Screen-1	Apr/May 2009	MW-14-1	0.5 U	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-14-Screen-1	Jul/Aug 2009	DUPE-2-3Q09	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-14-Screen-1	Jul/Aug 2009	MW-14-1	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-14-Screen-1	Nov/Dec 2009	MW-14-1	0.5 U	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-14-Screen-1	Feb 2010	MW-14-1	0.5 U	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-14-Screen-1	Apr/May 2010	MW-14-1	0.5 U	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-14-Screen-1	Jul/Aug 2010	MW-14-1	0.5 U	**3.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-14-Screen-1	Oct/Nov 2010	MW-14-1	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-14-Screen-1	Feb/Mar 2011	MW-14-1	0.5 U	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-14-Screen-1	Feb/Mar 2011	DUPE-02-1Q11	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-14-Screen-1	Apr/May 2011	MW-14-1	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-14-Screen-1	Aug/Sep 2011	DUPE-02-3Q11	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.4**		
MW-14-Screen-1	Aug/Sep 2011	MW-14-1	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-14-Screen-1	Nov/Dec 2011	MW-14-1	0.5 U	**3.9**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.3**		
MW-14-Screen-1	Jan/Feb 2012	MW-14-1	0.5 U	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14-Screen-1	Apr/May 2012	MW-14-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**		
MW-14-Screen-1	Aug/Sep 2012	MW-14-1	0.5 U	**2.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.7 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.6**
MW-14-Screen-1	Nov 2012	MW-14-1	0.5 U	**1.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.7 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.9**
MW-14-Screen-1	Jan/Feb 2013	MW-14-1	0.5 U	**1.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.9 J**	**Methyl-tert-butyl ether (MTBE)**	**0.8**
MW-14-Screen-1	Apr/May 2013	MW-14-1	0.5 U	**2.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.6**
MW-14-Screen-1	Jul 2013	MW-14-1	0.5 U	**2.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1 J**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-14-Screen-1	Oct/Nov 2013	DUPE-2-4Q13	0.5 U	**1.3**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-14-Screen-1	Oct/Nov 2013	MW-14-1	0.5 U	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.0**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.4 J**
MW-14-Screen-1	Jan/Feb 2014	MW-14-1	0.5 U	**3.4**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.4 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.3 J**
MW-14-Screen-1	Apr/May 2014	MW-14-1	0.5 U	**2.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.8 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-14-Screen-1	Jul/Aug 2014	MW-14-1	0.5 U	**2.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14-Screen-1	Jan/Feb 2015	MW-14-1	0.5 U	**2.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14-Screen-1	Apr/May 2015	MW-14-1	0.5 U	**1.1**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-14-Screen-1	Apr/May 2016	MW-14-1	0.5 U	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.6 J**		
MW-14-Screen-1	Apr/May 2017	MW-14-1	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.6 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-1	Jul/Aug 2017	MW-14-1	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**		
MW-14-Screen-1	Jan/Feb 2018	MW-14-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-14-Screen-1	April 2018	MW-14-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.0 J**		
MW-14-Screen-1	Apr/May 2019	MW-14-1	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.4 J**		
MW-14-Screen-1	Jul/Aug 2019	MW-14-1	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-14-Screen-2													
MW-14-Screen-2	Aug/Sep 1996	MW-14-2	0.5 U	**2.8**	**1.6**	**1.4**	0.5 U	0.5 U	0.5 U	**1.5**	NA		
MW-14-Screen-2	Oct/Nov 1996	MW-14-2	0.5 U	**1.5**	**1.6**	**1.0**	0.5 U	0.5 U	0.5 U	**0.9**	NA	**1,2,3-Trichlorobenzene** **Acetone**	**0.6** **1.1**
MW-14-Screen-2	Feb/Mar 1997	MW-14-2	0.5 U	**0.9**	**1.9**	**1.3**	0.5 U	0.5 U	0.5 U	**0.8**	NA	**1,2,3-Trichlorobenzene** **Acetone**	**0.8** **1.1**
MW-14-Screen-2	June/July 1997	MW-14-2	0.5 U	**1.1**	**1.7**	**1.5**	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U	**1,2,3-Trichlorobenzene**	**0.5**
MW-14-Screen-2	Sep/Oct 1997	MW-14-2	0.5 U	**1.2**	**1.9**	**1.6**	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-14-Screen-2	Jan/Feb 1998	MW-14-2	0.5 U	0.5 U	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**9.0**	**Carbon disulfide**	**8.9**
MW-14-Screen-2	Apr/May 1998	MW-14-2	0.5 U	0.5 U	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-14-Screen-2	Jul/Aug 1998	MW-14-2	0.5 U	**0.9**	**1.8**	**0.8**	0.5 U	0.5 U	0.5 U	**0.6**	**4.9**		
MW-14-Screen-2	Oct/Nov 1998	MW-14-2	0.5 U	**0.6**	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-14-Screen-2	Feb/Mar 1999	MW-14-2	0.5 U	**0.9**	**1.6**	**0.7**	0.5 U	0.5 U	**0.6 B**	**0.6**	**4.2**		
MW-14-Screen-2	May/Jun 1999	MW-14-2	0.5 U	**1.0**	**1.2**	**0.8**	0.5 U	0.5 U	0.5 U	**0.6**	**9.6**		
MW-14-Screen-2	Aug 1999	MW-14-2	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Nov/Dec 1999	MW-14-2	0.5 U	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-14-Screen-2	Mar/Apr 2000	MW-14-2	0.5 U	**2.5**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.0**		
MW-14-Screen-2	Jul/Aug 2000	MW-14-2	0.5 U	**1.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.9**		
MW-14-Screen-2	Jul/Aug 2000	MW-14-2	0.5 U	**1.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.9**		
MW-14-Screen-2	Sep/Oct 2000	MW-14-2	0.5 U	**2.4**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-14-Screen-2	Jan/Feb 2001	MW-14-2	0.5 U	**2.5**	**0.7**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.4 J**
MW-14-Screen-2	Apr 2001	MW-14-2	0.5 U	**4.2**	**0.9**	**0.7**	0.5 U	0.5 U	NA	**0.5**	4.0 U		
MW-14-Screen-2	Jul 2001	MW-14-2	0.5 U	**2.7**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Oct 2001	MW-14-2	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Jan/Feb 2002	MW-14-2	0.5 U	**4.7**	**0.8**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-14-Screen-2	Apr/May 2002	MW-14-2	0.5 U	**3.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Jul 2002	MW-14-2	0.5 U	**5.9**	**0.8**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-14-Screen-2	Oct/Nov 2002	MW-14-2	0.5 U	**5.3**	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-14-Screen-2	Dec 2002	MW-14-2	0.2 U	**7.6**	**1.0**	**0.5**	0.5 U	0.5 U	0.5 U	**0.6**	NA	**1,4-Dioxane** **Methylene chloride**	**1.2** 1.9 UB
MW-14-Screen-2	Dec 2002	MW-14-2	NA	NA	NA	NA	NA	NA	NA	**1.8**	NA	**Total Trihalomethanes**	**1.9**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-2	Jan/Feb 2003	MW-14-2	0.5 U	6.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.6	2.6 J		
MW-14-Screen-2	Apr/May 2003	MW-14-2	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.3 J		
MW-14-Screen-2	Jul/Aug 2003	MW-14-2	0.5 U	1.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	5.4	Methylene chloride	0.4 J
MW-14-Screen-2	Oct/Nov 2003	MW-14-2	0.5 U	4.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7 J		
MW-14-Screen-2	Feb 2004	MW-14-2	0.5 U	5.9	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14-Screen-2	Apr/May 2004	MW-14-2	0.5 U	4.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7 J		
MW-14-Screen-2	Jul/Aug 2004	MW-14-2	0.5 U	4.6	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	9.3		
MW-14-Screen-2	Oct/Nov 2004	MW-14-2	0.5 UJ	5.2 J	0.6 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	4.0 U		
MW-14-Screen-2	Jan/Feb 2005	MW-14-2	0.5 U	10.4	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	m,p-Xylene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14-Screen-2	Apr/May 2005	MW-14-2	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	Bromodichloromethane	0.4 J
MW-14-Screen-2	Jul/Sep 2005	MW-14-2	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	trans-1,2-Dichloroethene	2.1
MW-14-Screen-2	Oct/Nov 2005	MW-14-2	0.5 U	4.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.1 J		
MW-14-Screen-2	Mar/Apr 2006	MW-14-2	0.5 U	6.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14-Screen-2	May/Jun 2006	MW-14-2	0.5 U	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Aug/Sep 2006	MW-14-2	0.5 U	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Oct/Dec 2006	MW-14-2	0.5 U	7.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-2	Mar/Apr 2007	MW-14-2	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14-Screen-2	Jun/Jul 2007	MW-14-2	0.5 U	4.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14-Screen-2	Aug/Sep 2007	MW-14-2	0.5 U	5.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Oct/Dec 2007	MW-14-2	0.5 U	7.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14-Screen-2	Jan/Feb 2008	MW-14-2	0.5 U	6.7	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.9	cis-1,2-Dichloroethene	0.4 J
MW-14-Screen-2	Apr/May 2008	MW-14-2	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-14-Screen-2	Jul/Aug 2008	MW-14-2	0.5 U	8.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-14-Screen-2	Jul/Aug 2008	DUPE-01-3Q08	1.0 U	7.9	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.8		
MW-14-Screen-2	Oct/Nov 2008	MW-14-2	0.5 U	8.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14-Screen-2	Jan/Feb 2009	MW-14-2	0.5 U	8.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14-Screen-2	Apr/May 2009	MW-14-2	0.5 U	7.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14-Screen-2	Jul/Aug 2009	MW-14-2	0.5 U	9.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3	cis-1,2-Dichloroethene	0.6
MW-14-Screen-2	Nov/Dec 2009	MW-14-2	0.5 U	13.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.3	cis-1,2-Dichloroethene	0.6
MW-14-Screen-2	Feb 2010	MW-14-2	0.5 U	11.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.9	cis-1,2-Dichloroethene	0.5
MW-14-Screen-2	Apr/May 2010	MW-14-2	0.5 U	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6		
MW-14-Screen-2	Jul/Aug 2010	MW-14-2	0.5 U	9.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8		
MW-14-Screen-2	Oct/Nov 2010	MW-14-2	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-2	Oct/Nov 2010	DUPE-02-4Q10	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-14-Screen-2	Feb/Mar 2011	MW-14-2	0.5 U	7.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-2	Apr/May 2011	MW-14-2	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4		
MW-14-Screen-2	Aug/Sep 2011	MW-14-2	0.5 U	5.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.5		
MW-14-Screen-2	Nov/Dec 2011	MW-14-2	0.5 U	6.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	1.5		
MW-14-Screen-2	Jan/Feb 2012	MW-14-2	0.5 U	6.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-14-Screen-2	Apr/May 2012	MW-14-2	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-14-Screen-2	Aug/Sep 2012	MW-14-2	0.5 U	4.2	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	2.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Nov 2012	MW-14-2	0.5 U	4.0	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	1.1 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Jan/Feb 2013	MW-14-2	0.5 U	4.1	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	2.8 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Apr/May 2013	MW-14-2	0.5 U	4.6	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Jul 2013	DUPE-2-3Q13	0.5 U	6.1	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	3.2 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14-Screen-2	Jul 2013	MW-14-2	0.5 U	5.4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	1.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Oct/Nov 2013	MW-14-2	0.5 U	4.0	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Jan/Feb 2014	MW-14-2	0.5 U	3.7	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	3.4 J	cis-1,2-Dichloroethene	0.3 J
MW-14-Screen-2	Apr/May 2014	DUP-1-2Q14	0.5 U	7.7	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.9	3.8 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.2 J
MW-14-Screen-2	Apr/May 2014	MW-14-2	0.5 U	8.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.9	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.3 J
MW-14-Screen-2	Jul/Aug 2014	MW-14-2	0.5 U	4.1	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.8 J	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Oct 2014	MW-14-2	0.5 U	3.8	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5	3.9 J	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Jan/Feb 2015	MW-14-2	0.5 U	3.2	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	3.1 J	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Apr/May 2015	MW-14-2	0.5 U	3.9	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.7	4.0	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14-Screen-2	Jul/Aug 2015	MW-14-2	0.5 U	2.6	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	4.9	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Jul/Aug 2015	DUP-4-3Q15	0.5 U	5.0	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.9	5.5	cis-1,2-Dichloroethene	0.4 J
MW-14-Screen-2	Oct 2015	MW-14-2	0.5 U	1.8	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	3.8 J	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Jan/Feb 2016	MW-14-2	0.5 U	2.8	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.6	4.5 J	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-2	Apr/May 2016	MW-14-2	0.5 U	1.8	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	3.8 J	cis-1,2-Dichloroethene	0.1 J
MW-14-Screen-2	Jul/Aug 2016	MW-14-2	0.5 U	2.2	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	5.0	cis-1,2-Dichloroethene Acetone	0.2 J 9.7 J
MW-14-Screen-2	Oct 2016	MW-14-2	0.5 U	2.0	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	4.9		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-2	Jan/Feb 2017	MW-14-2	0.5 U	**1.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**5.1**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14-Screen-2	Apr/May 2017	MW-14-2	0.5 U	**1.4**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.8**		
MW-14-Screen-2	Apr/May 2017	DUP-8-2Q17	0.5 U	**1.4**	**0.4 J**	0.2 J	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.8 J**		
MW-14-Screen-2	Jul/Aug 2017	MW-14-2	0.5 U	**1.7**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.0 J**		
MW-14-Screen-2	October 2017	MW-14-2	0.5 U	**1.3**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**		
MW-14-Screen-2	Jan/Feb 2018	MW-14-2	0.5 U	**1.4**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.9**		
MW-14-Screen-2	April 2018	MW-14-2	0.5 U	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.8 J**		
MW-14-Screen-2	Jul/Aug 2018	MW-14-2	0.5 U	**0.3 J**	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.4 J**		
MW-14-Screen-2	Oct 2018	MW-14-2	0.5 U	**1.1**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-14-Screen-2	Feb/Mar 2019	MW-14-2	0.5 U	**1.5**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.57**	**3.4 J**		
MW-14-Screen-2	Apr/May 2019	MW-14-2	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.9 J**		
MW-14-Screen-2	Jul/Aug 2019	MW-14-2	0.5 U	**1.4**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.2**		
MW-14-Screen-2	Oct 2019	MW-14-2	0.5 U	**1.5**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.5 J**		
MW-14-Screen-2	Feb 2020	MW-14-2	0.5 U	**1.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.7 J**		
MW-14-Screen-2	Jun 2020	MW-14-2	0.5 U	**1.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.9 J**		
MW-14-Screen-2	Aug 2020	MW-14-2	0.5 U	**1.2**	**0.31 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.4**		
MW-14-Screen-2	Oct/Nov 2020	MW-14-2	0.5 U	**1.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.8 J**		
MW-14-Screen-2	Mar/Apr 2021	MW-14-2	0.5 U	**3.0**	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**3.7 J**		
MW-14-Screen-2	May/June 2021	MW-14-2	0.5 U	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.4 J**		
MW-14-Screen-3													
MW-14-Screen-3	Aug/Sep 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-3	Oct/Nov 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-3	Feb/Mar 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-3	June/July 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-14-Screen-3	Sep/Oct 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-3	Jan/Feb 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-14-Screen-3	Apr/May 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**		
MW-14-Screen-3	Jul/Aug 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**		
MW-14-Screen-3	Oct/Nov 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**		
MW-14-Screen-3	Feb/Mar 1999	MW-14-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	**0.6 B**	**0.5**	**5.9**		
MW-14-Screen-3	May/Jun 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**		
MW-14-Screen-3	Aug 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**		
MW-14-Screen-3	Nov/Dec 1999	MW-14-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**6.8**		
MW-14-Screen-3	Mar/Apr 2000	MW-14-3	0.5 U	**0.8**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.9**		
MW-14-Screen-3	Jul/Aug 2000	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.5**		
MW-14-Screen-3	Jul/Aug 2000	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.5**		
MW-14-Screen-3	Sep/Oct 2000	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**6.4**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-3	Jan/Feb 2001	MW-14-3	2.5 U	**4.0**	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	**6.0**	**Methylene chloride**	**8.1**
MW-14-Screen-3	Apr 2001	MW-14-3	0.5 U	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-14-Screen-3	Jul 2001	MW-14-3	0.5 U	**1.1**	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-3	Oct 2001	MW-14-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-3	Jan/Feb 2002	MW-14-3	0.5 U	**1.6**	**0.6**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.6**	**5.9**	**Methylene chloride**	**0.3 J**
MW-14-Screen-3	Apr/May 2002	MW-14-3	0.5 U	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-14-Screen-3	Jul 2002	MW-14-3	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-14-Screen-3	Oct/Nov 2002	MW-14-3	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-14-Screen-3	Jan/Feb 2003	MW-14-3	0.5 U	**1.1**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.9 J**		
MW-14-Screen-3	Apr/May 2003	MW-14-3	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.7**		
MW-14-Screen-3	Apr/May 2003	DUPE-2-2Q03	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.4**		
MW-14-Screen-3	Jul/Aug 2003	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**	**Methylene chloride**	**0.3 J**
MW-14-Screen-3	Jul/Aug 2003	DUPE-4-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**	**Methylene chloride**	**0.8**
MW-14-Screen-3	Oct/Nov 2003	MW-14-3	0.5 U	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.2 J**		
MW-14-Screen-3	Feb 2004	MW-14-3	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-3	Apr/May 2004	MW-14-3	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.6**		
MW-14-Screen-3	Jul/Aug 2004	MW-14-3	0.5 U	**1.0**	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**		
MW-14-Screen-3	Oct/Nov 2004	MW-14-3	0.5 UJ	**1.1 J**	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6 J**	**18.5**		
MW-14-Screen-3	Jan/Feb 2005	MW-14-3	0.5 U	**1.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-3	Apr/May 2005	MW-14-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-14-Screen-3	Jul/Sep 2005	MW-14-3	0.5 U	**1.0**	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-14-Screen-3	Oct/Nov 2005	MW-14-3	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.9**		
MW-14-Screen-3	Mar/Apr 2006	MW-14-3	0.5 U	**1.1**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.8**		
MW-14-Screen-3	May/Jun 2006	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-14-Screen-3	Aug/Sep 2006	MW-14-3	0.5 U	**1.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-14-Screen-3	Oct/Dec 2006	MW-14-3	0.5 U	**1.4**	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-3	Mar/Apr 2007	MW-14-3	0.5 U	**1.3**	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-14-Screen-3	Jun/Jul 2007	MW-14-3	0.5 U	**1.2**	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-14-Screen-3	Aug/Sep 2007	MW-14-3	0.5 U	**1.2**	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-14-Screen-3	Oct/Dec 2007	MW-14-3	0.5 U	**1.2**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.9**		
MW-14-Screen-3	Jan/Feb 2008	MW-14-3	0.5 U	**1.4**	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5**	**6.6**	**1,2,3-Trichlorobenzene** **cis-1,2-Dichloroethene**	**0.3 J** **0.2 J**
MW-14-Screen-3	Apr/May 2008	MW-14-3	0.5 U	**1.1**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.2 J**		
MW-14-Screen-3	Jul/Aug 2008	MW-14-3	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.7**		
MW-14-Screen-3	Oct/Nov 2008	DUPE-05-4Q08	0.5 U	**1.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-14-Screen-3	Oct/Nov 2008	MW-14-3	0.5 U	**1.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-14-Screen-3	Jan/Feb 2009	MW-14-3	0.5 U	**1.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-3	Apr/May 2009	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-14-Screen-3	Jul/Aug 2009	MW-14-3	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.8		
MW-14-Screen-3	Nov/Dec 2009	MW-14-3	0.5 U	1.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.3		
MW-14-Screen-3	Feb 2010	MW-14-3	0.5 U	1.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.6		
MW-14-Screen-3	Apr/May 2010	DUPE-01-2Q10	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9		
MW-14-Screen-3	Apr/May 2010	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-14-Screen-3	Jul/Aug 2010	MW-14-3	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.6		
MW-14-Screen-3	Oct/Nov 2010	MW-14-3	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-14-Screen-3	Feb/Mar 2011	MW-14-3	0.5 U	2.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6		
MW-14-Screen-3	Apr/May 2011	MW-14-3	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14-Screen-3	Aug/Sep 2011	MW-14-3	0.5 U	2.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-14-Screen-3	Nov/Dec 2011	MW-14-3	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8		
MW-14-Screen-3	Jan/Feb 2012	MW-14-3	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4		
MW-14-Screen-3	Apr/May 2012	MW-14-3	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1		
MW-14-Screen-3	Aug/Sep 2012	MW-14-3	0.5 U	2.0	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.7	1,2-Dichlorobenzene cis-1,2-Dichloroethene	0.1 J 0.1 J
MW-14-Screen-3	Nov 2012	MW-14-3	0.5 U	1.3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	2.5 J	1,2-Dichlorobenzene cis-1,2-Dichloroethene	0.1 J 0.1 J
MW-14-Screen-3	Jan/Feb 2013	MW-14-3	0.5 U	1.8	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	6.1	cis-1,2-Dichloroethene	0.1 J
MW-14-Screen-3	Apr/May 2013	MW-14-3	0.5 U	1.5	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 J	4.8	cis-1,2-Dichloroethene	0.1 J
MW-14-Screen-3	Jul 2013	MW-14-3	0.5 U	2.4	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.3	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-3	Oct/Nov 2013	MW-14-3	0.5 U	2.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.7	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-3	Jan/Feb 2014	MW-14-3	0.5 U	2.0	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.7	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-3	Apr/May 2014	MW-14-3	0.5 U	1.6	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.9	cis-1,2-Dichloroethene	0.1 J
MW-14-Screen-3	Jul/Aug 2014	MW-14-3	0.5 U	2.7	0.9	0.5 J	0.5 U	0.5 U	0.5 U	0.8	4.9	cis-1,2-Dichloroethene	0.2 J
MW-14-Screen-3	Oct 2014	MW-14-3	0.5 U	1.8	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.3	cis-1,2-Dichloroethene	0.1 J
MW-14-Screen-3	Jan/Feb 2015	MW-14-3	0.5 U	2.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.7	6.5	1,2,3-Trichlorobenzene 1,2-Dichlorobenzene cis-1,2-Dichloroethene	0.2 J 0.1 J 0.2 J
MW-14-Screen-3	Apr/May 2015	MW-14-3	0.5 U	1.5	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.1	1,2,3-Trichlorobenzene 1,2-Dichlorobenzene cis-1,2-Dichloroethene	0.2 J 0.1 J 0.2 J
MW-14-Screen-3	Apr/May 2015	DUP-1-2Q15	0.5 U	1.5	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5	6.0	1,2,3-Trichlorobenzene 1,2-Dichlorobenzene cis-1,2-Dichloroethene	0.3 J 0.1 J 0.2 J
MW-14-Screen-3	Jul/Aug 2015	MW-14-3	0.5 U	1.6	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5	5.5		
MW-14-Screen-3	Oct 2015	MW-14-3	0.5 U	1.2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.7	1,2-Dichlorobenzene	0.1 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-3	Jan/Feb 2016	MW-14-3	0.5 U	**2.7**	**1.3**	**0.7**	0.5 U	0.5 U	0.5 U	**0.8**	**5.8 J**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.3 J**
MW-14-Screen-3	Apr/May 2016	MW-14-3	0.5 U	**1.2**	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5**	**5.0**		
MW-14-Screen-3	Jul/Aug 2016	MW-14-3	0.5 U	**1.5**	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6**	**6.5**	**1,3-Dichlorobenzene** **cis-1,2-Dichloroethene** **Acetone**	**0.1 J** **0.2 J** **6.5 J**
MW-14-Screen-3	Oct 2016	MW-14-3	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.9**		
MW-14-Screen-3	Jan/Feb 2017	MW-14-3	0.5 U	**0.8**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**6.3**		
MW-14-Screen-3	Apr/May 2017	MW-14-3	0.5 U	**1.1**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.0**		
MW-14-Screen-3	Jul/Aug 2017	MW-14-3	0.5 U	**0.9**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.9 J**		
MW-14-Screen-3	Jul/Aug 2017	DUP-2-3Q17	0.5 U	**1.0**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.7**		
MW-14-Screen-3	October 2017	MW-14-3	0.5 U	**0.9**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.5**		
MW-14-Screen-3	Jan/Feb 2018	MW-14-3	0.5 U	**2.1**	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	**0.9**	**5.8**		
MW-14-Screen-3	April 2018	MW-14-3	0.5 U	**1.0**	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.3**		
MW-14-Screen-3	Jul/Aug 2018	MW-14-3	0.5 U	**0.5**	**1.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.1**		
MW-14-Screen-3	Oct 2018	MW-14-3	0.5 U	**0.9**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**	**1,2,3-Trichlorobenzene**	**0.3 J**
MW-14-Screen-3	Feb/Mar 2019	MW-14-3	0.5 U	**0.7**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.39 J**	**4.3**		
MW-14-Screen-3	Apr/May 2019	MW-14-3	0.5 U	**0.9**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.8**		
MW-14-Screen-3	Jul/Aug 2019	MW-14-3	0.5 U	**0.7**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.9 J**		
MW-14-Screen-3	Oct 2019	MW-14-3	0.5 U	**0.9**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.0**		
MW-14-Screen-3	Feb 2020	MW-14-3	0.5 U	**1.0**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-14-Screen-3	Jun 2020	MW-14-3	0.5 U	**1.9**	**1.1**	**0.7**	0.5 U	0.5 U	0.5 U	**0.9**	**6.0**	**1,2,3-Trichlorobenzene**	**0.2 J**
MW-14-Screen-3	Aug 2020	MW-14-3	0.5 U	**0.8**	**0.45 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.1**		
MW-14-Screen-3	Oct/Nov 2020	MW-14-3	0.5 U	**0.8**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**		
MW-14-Screen-3	Mar/Apr 2021	MW-14-3	0.5 U	**1.4 J**	**1.0 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.7**	**5.2**		
MW-14-Screen-3	Mar/Apr 2021	DUP-2-1Q21	0.5 U	**0.7 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.9**		
MW-14-Screen-3	May/June 2021	MW-14-3	0.5 U	**0.7**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.3**		
MW-14-Screen-4													
MW-14-Screen-4	Aug/Sep 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-4	Oct/Nov 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-4	Feb/Mar 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-4	June/July 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Sep/Oct 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Jan/Feb 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Apr/May 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Jul/Aug 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Oct/Nov 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-4	Feb/Mar 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-14-Screen-4	May/Jun 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-14-Screen-4	Aug 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14-Screen-4	Nov/Dec 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-14-Screen-4	Mar/Apr 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14-Screen-4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14-Screen-4	Sep/Oct 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Jan/Feb 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.7 J**
MW-14-Screen-4	Apr 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-14-Screen-4	Jul 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Oct 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-14-Screen-4	Jan/Feb 2002	MW-14-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Apr/May 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Jul 2002	MW-14-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Oct/Nov 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Dec 2002	MW-14-4	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	NA	**Methylene chloride**	6.2 UB
MW-14-Screen-4	Jan/Feb 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-14-Screen-4	Jan/Feb 2003	DUPE-3-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-14-Screen-4	Apr/May 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-14-Screen-4	Jul/Aug 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-14-Screen-4	Oct/Nov 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4 J**		
MW-14-Screen-4	Feb 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Apr/May 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-14-Screen-4	Jul/Aug 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**		
MW-14-Screen-4	Oct/Nov 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-14-Screen-4	Jan/Feb 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Apr/May 2005	DUPE-4-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5 J**	**2-Butanone**	**0.9 J**
MW-14-Screen-4	Apr/May 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4 J**		
MW-14-Screen-4	Jul/Sep 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-14-Screen-4	Oct/Nov 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-14-Screen-4	Mar/Apr 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	May/Jun 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Aug/Sep 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Oct/Dec 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Mar/Apr 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-4	Jun/Jul 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-4	Aug/Sep 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-4	Oct/Dec 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-14-Screen-4	Jan/Feb 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**		
MW-14-Screen-4	Apr/May 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-14-Screen-4	Jul/Aug 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-14-Screen-4	Oct/Nov 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-14-Screen-4	Jan/Feb 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-14-Screen-4	Apr/May 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-14-Screen-4	Jul/Aug 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-14-Screen-4	Nov/Dec 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-14-Screen-4	Feb 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-14-Screen-4	Apr/May 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14-Screen-4	Jul/Aug 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14-Screen-4	Oct/Nov 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-14-Screen-4	Feb/Mar 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14-Screen-4	Apr/May 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-14-Screen-4	Aug/Sep 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-14-Screen-4	Nov/Dec 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14-Screen-4	Nov/Dec 2011	DUPE-5-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-14-Screen-4	Jan/Feb 2012	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**		
MW-14-Screen-4	Apr/May 2012	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-14-Screen-4	Aug/Sep 2012	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.4**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-14-Screen-4	Nov 2012	MW-14-4	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14-Screen-4	Jan/Feb 2013	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.6 J**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-14-Screen-4	Apr/May 2013	DUP-2-2Q13	0.5 U	**0.3 J**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.0 J**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-14-Screen-4	Apr/May 2013	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-14-Screen-4	Jul 2013	MW-14-4	0.5 U	**0.2 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14-Screen-4	Oct/Nov 2013	MW-14-4	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**5.3**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.1 J**
MW-14-Screen-4	Jan/Feb 2014	MW-14-4	0.5 U	**0.4 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.0**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-14-Screen-4	Apr/May 2014	MW-14-4	0.5 U	**0.4 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.1**	**cis-1,2-Dichloroethene**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-4	Jul/Aug 2014	MW-14-4	0.5 U	**0.4 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-14-Screen-4	Oct 2014	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.6**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.1 J**
MW-14-Screen-4	Jan/Feb 2015	MW-14-4	0.5 U	**0.3 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.1 J**
MW-14-Screen-4	Apr/May 2015	MW-14-4	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**4.4**	**1,2-Dichlorobenzene**	**0.1 J**
MW-14-Screen-4	Jul/Aug 2015	MW-14-4	0.5 U	**0.2 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.3**		
MW-14-Screen-4	Oct 2015	MW-14-4	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**4.6**		
MW-14-Screen-4	Oct 2015	Dup-3-4Q15	0.5 U	**0.2 J**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.6**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14-Screen-4	Jan/Feb 2016	MW-14-4	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**	**1,2-Dichlorobenzene**	**0.1 J**
MW-14-Screen-4	Apr/May 2016	MW-14-4	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**	**1,2-Dichlorobenzene**	**0.1 J**
MW-14-Screen-4	Jul/Aug 2016	MW-14-4	0.5 U	**0.6**	**0.5**	0.3 J	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.0**	**1,3-Dichlorobenzene**	**0.2 J**
MW-14-Screen-4	Oct 2016	MW-14-4	0.5 U	**0.3 J**	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	**5.1**		
MW-14-Screen-4	Jan/Feb 2017	MW-14-4	0.5 U	**0.2 J**	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	2.0 U		
MW-14-Screen-4	Apr/May 2017	MW-14-4	0.5 U	**0.4 J**	0.5	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.7 J**		
MW-14-Screen-4	Jul/Aug 2017	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**		
MW-14-Screen-4	October 2017	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14-Screen-4	Jan/Feb 2018	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.6**		
MW-14-Screen-4	April 2018	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.4**		
MW-14-Screen-4	April 2018	DUP-1-2Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.0 J**		
MW-14-Screen-4	Jul/Aug 2018	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.5 J**		
MW-14-Screen-4	Oct 2018	MW-14-4	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.2**		
MW-14-Screen-4	Feb/Mar 2019	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.19 J**	**3.1 J**		
MW-14-Screen-4	Feb/Mar 2019	DUP-2-1Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.15 J**	**3.1 J**		
MW-14-Screen-4	Apr/May 2019	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.5 J**		
MW-14-Screen-4	Jul/Aug 2019	MW-14-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.6**		
MW-14-Screen-4	Oct 2019	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.1**		
MW-14-Screen-4	Feb 2020	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**		
MW-14-Screen-4	Jun 2020	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.4**		
MW-14-Screen-4	Aug 2020	MW-14-4	0.5 U	**0.2 J**	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.2**		
MW-14-Screen-4	Oct/Nov 2020	MW-14-4	0.5 U	**0.5 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**		
MW-14-Screen-4	Mar/Apr 2021	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.1**		
MW-14-Screen-4	May/June 2021	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**4.9**		
MW-14-Screen-5													
MW-14-Screen-5	Aug/Sep 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	2.1 B

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-5	Oct/Nov 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone** **Carbon disulfide**	**1.6** **1.3**
MW-14-Screen-5	Feb/Mar 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14-Screen-5	June/July 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Sep/Oct 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jan/Feb 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**4.6**
MW-14-Screen-5	Apr/May 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct/Nov 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Feb/Mar 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-14-Screen-5	May/Jun 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Aug 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Nov/Dec 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Mar/Apr 2000	MW-14-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14-Screen-5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Sep/Oct 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jan/Feb 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.6 J**
MW-14-Screen-5	Apr 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-14-Screen-5	Jul 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-14-Screen-5	Jan/Feb 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.1**
MW-14-Screen-5	Apr/May 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct/Nov 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-14-Screen-5	Jan/Feb 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Apr/May 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct/Nov 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Feb 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Apr/May 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2004	DUPE-1-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-5	Oct/Nov 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**1.5** **6.6** **1.2** **0.9**
MW-14-Screen-5	Oct/Nov 2004	DUPE-2-4Q04	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**1.3** **5.7** **1.1** **0.7**
MW-14-Screen-5	Jan/Feb 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene**	**0.3 J** **0.8**
MW-14-Screen-5	Apr/May 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**	**m,p-Xylene**	**0.6**
MW-14-Screen-5	Jul/Sep 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct/Nov 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Mar/Apr 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	May/Jun 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	Aug/Sep 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	Oct/Dec 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	Mar/Apr 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	Jun/Jul 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Aug/Sep 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Oct/Dec 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	Jan/Feb 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14-Screen-5	Apr/May 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Jul/Aug 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Oct/Nov 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Jan/Feb 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Apr/May 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Jul/Aug 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Nov/Dec 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Feb 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Apr/May 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Jul/Aug 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Acetone**	**13.0**
MW-14-Screen-5	Oct/Nov 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Feb/Mar 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Apr/May 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Aug/Sep 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Nov/Dec 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-5	Jan/Feb 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Apr/May 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14-Screen-5	Aug/Sep 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Nov 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jan/Feb 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Apr/May 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-14-Screen-5	Oct/Nov 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jan/Feb 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	Apr/May 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	Jul/Aug 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-5	Oct 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	Jan/Feb 2015	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.6 J**		
MW-14-Screen-5	Apr/May 2015	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	Jul/Aug 2015	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14-Screen-5	Oct 2015	MW-14-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	Jan/Feb 2016	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 UJ		
MW-14-Screen-5	Apr/May 2016	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2016	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Acetone**	**9.8 J**
MW-14-Screen-5	Oct 2016	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jan/Feb 2017	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	2.0 U		
MW-14-Screen-5	Apr/May 2017	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	Jul/Aug 2017	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	October 2017	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-14-Screen-5	Jan/Feb 2018	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone** **Acrylonitrile** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**15** **6.3** **0.5 J** **0.6**
MW-14-Screen-5	April 2018	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2018	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct 2018	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-14-Screen-5	Feb/Mar 2019	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-14-Screen-5	Apr/May 2019	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Jul/Aug 2019	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**2.3 J** **0.2 J**
MW-14-Screen-5	Oct 2019	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Feb 2020	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14-Screen-5	Jun 2020	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-14-Screen-5	Aug 2020	MW-14-5	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14-Screen-5	Oct/Nov 2020	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-14-Screen-5	Mar/Apr 2021	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14-Screen-5	May/June 2021	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15													
MW-15	Aug/Sep 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	Oct/Nov 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**2.6**
MW-15	Feb/Mar 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	June/July 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Sep/Oct 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Feb/Mar 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Nov/Dec 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 2000	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2001	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2002	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0 J**
MW-15	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0 J**
MW-15	Apr/May 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Methylene chloride**	**4.0 J** **2.6**
MW-15	Apr/May 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-15	Oct/Nov 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2003	DUPE-2-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	DUPE-6-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-15	Jul/Sep 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**	**Methylene chloride**	**1.4**
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**	**Methylene chloride**	**1.3**
MW-15	Oct/Nov 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-15	Jun/Jul 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U	**Toluene**	**1.4**
MW-15	Apr/May 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Toluene**	**0.4 J**
MW-15	Apr/May 2008	DUPE-7-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Toluene**	**0.4 J**
MW-15	Oct/Nov 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Toluene**	**0.8**
MW-15	Apr/May 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2010	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Oct/Nov 2010	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2011	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2011	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2012	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov 2012	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Nov 2012	DUPE-6-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2013	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2013	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2013	DUPE-6-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2014	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2014	DUP-7-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct 2014	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2015	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct 2015	MW-15	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2016	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct 2016	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2017	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-15	Apr/May 2017	DUP-5-2Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-15	Oct-17	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 J**		
MW-15	April 2018	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-15	Oct 2018	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2019	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct 2019	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jun 2020	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jun 2020	Dup-7-2Q2020	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2020	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2020	DUP-8-4Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/June 2021	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16													
MW-16	Aug/Sep 1996	MW-16	**125.0**	**33.0**	**1.3**	0.5 U	**2.4**	**2.2**	**2.0**	**40.0**	NA		
MW-16	Feb/Mar 1997	MW-16	**91.0**	**23.0**	**1.3**	0.5 U	**1.7**	**2.6**	**1.6**	**29.0**	NA		
MW-16	June/July 1997	MW-16	**68.0**	**25.0**	**1.1**	0.5 U	**2.1**	**1.7**	**0.6**	**43.0**	**615.0**		
MW-16	Jan/Feb 1998	MW-16	**30.0**	**3.5**	**1.0**	0.5 U	0.5 U	**1.3**	0.5 U	**14.0**	**1230.0**		
MW-16	Apr/May 1998	MW-16	**42.0**	**12.0**	**0.8**	0.5 U	**1.4**	**1.6**	**1.2**	**20.0**	**640.0**	**1,4-Dioxane**	**5.0**
MW-16	Jul/Aug 1998	MW-16	**58.0**	**19.0**	**1.3**	0.5 U	**0.8**	**2.7**	**1.2**	**23.0**	**420.0**	**1,1,1-Trichloroethane** **Methylene chloride**	**1.0** **0.6**
MW-16	Oct/Nov 1998	MW-16	**51.0**	**18.0**	**1.0**	0.5 U	**1.5**	**1.6**	**1.4**	**29.0**	**220.0**	**1,1,1-Trichloroethane** **1,4-Dioxane** **Carbon disulfide**	**1.1** **3.7** **13.0**
MW-16	Feb/Mar 1999	MW-16	**67.0**	**20.0**	**1.4**	0.5 U	**1.1**	**1.8**	**1.1**	**24.0**	**790.0**	**1,4-Dioxane**	**3.7**
MW-16	May/Jun 1999	MW-16	**58.0**	**15.0**	**1.0**	0.5 U	**0.8**	**1.3**	**1.2**	**23.0**	**650.0**	**1,4-Dioxane** **Trichlorofluoromethane**	**3.4** **0.5**
MW-16	Aug 1999	MW-16	**70.0**	**19.0**	**1.8**	0.5 U	**1.1**	**1.9**	**1.1**	**26.0**	**930.0**	**1,1,1-Trichloroethane**	**0.6**
MW-16	Nov/Dec 1999	MW-16	**80.0**	**10.4**	**3.0**	0.5 U	**0.7**	**5.3**	**0.7**	**24.0**	**770.0**		
MW-16	Mar/Apr 2000	MW-16	**24.0**	**4.3**	**0.9**	0.5 U	0.5 U	**4.0**	0.5 U	**17.0**	**1900.0**		
MW-16	Jul/Aug 2000	MW-16	**33.0**	**8.2**	**1.1**	0.5 U	**0.7**	**1.3**	**0.5**	**16.0**	**1500.0**		
MW-16	Jan/Feb 2001	MW-16	**14.1**	**2.1**	**0.6**	0.5 U	0.5 U	**2.1**	0.5 U	**15.5**	**1780.0**	**1,4-Dioxane** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Trichlorofluoromethane**	**5.5** 0.8 B **0.6 J** **1.0**
MW-16	Apr 2001	MW-16	**21.0**	**3.6**	0.5 U	0.5 U	0.5 U	**1.7**	0.5 U	**15.3**	**1300.0**		
MW-16	Jul 2001	MW-16	**7.8**	**5.6**	0.5 U	0.5 U	**0.4 J**	**0.5 J**	0.5 U	**6.9**	**1800.0**		
MW-16	Jul 2001	DUP	**7.8**	**5.6**	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	**7.1**	**1800.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-16	Oct 2001	MW-16	**10.3**	**2.3**	0.5 U	0.5 U	0.5 U	**0.8**	0.5 U	**7.5**	**1860.0**		
MW-16	Jan/Feb 2002	MW-16	**12.3**	**2.5**	**0.5**	0.5 U	0.5 U	**1.4**	0.5 U	**15.9**	**2070.0**	**1,4-Dioxane** **Methylene chloride**	**9.9** **0.9 J**
MW-16	Jan/Feb 2002	DUP	**13.2**	**2.7**	**0.6**	0.5 U	0.5 U	**1.3**	0.5 U	**16.7**	**2070.0**	**1,4-Dioxane**	**10.0**
MW-16	Apr/May 2002	MW-16	**8.9**	**1.5**	**0.4 J**	0.5 U	0.5 U	**1.2**	0.5 U	**10.7**	**2880.0**	**Trichlorofluoromethane**	**0.3 J**
MW-16	Apr/May 2002	DUP	**9.9**	**1.8**	**0.5 J**	0.5 U	0.5 U	**1.3**	0.5 U	**11.7**	**2910.0**	**Trichlorofluoromethane**	**0.3 J**
MW-16	Jul 2002	MW-16	**4.5**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	**1510.0**		
MW-16	Oct/Nov 2002	MW-16	**2.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**1920.0**	**Methylene chloride** **Trichlorofluoromethane**	1.2 B **1.5**
MW-16	Oct/Nov 2002	DUP	**2.1**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**2000.0**	**Methylene chloride** **Trichlorofluoromethane**	**0.4 J** **1.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Jan/Feb 2003	MW-16	0.6	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.4	NA	1,4-Dioxane Total Trihalomethanes	3.0 1.3
MW-16	Jan/Feb 2003	MW-16	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	97.2		
MW-16	Apr/May 2003	MW-16	2.9	1.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	3.8	1810.0	1,4-Dioxane 4-Methyl-2-pentanone	6.3 4.0 J
MW-16	Jul/Aug 2003	MW-16	1.9	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1520.0 J	Dibromochloromethane	0.4 J
MW-16	Oct/Nov 2003	MW-16	3.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1360.0 J		
MW-16	Feb 2004	MW-16	1.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	1630.0		
MW-16	Apr/May 2004	MW-16	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	929.0	1,4-Dioxane	3.1
MW-16	Jul/Aug 2004	MW-16	4.0	1.0	0.5	0.5 U	0.5 U	1.3	0.5 U	5.1	833.0		
MW-16	Oct/Nov 2004	MW-16	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	322.0		
MW-16	Jan/Feb 2005	MW-16	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2100.0	Methylene chloride	0.9
MW-16	Jan/Feb 2005	DUPE-7-1Q05	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2110.0	Methylene chloride	0.6
MW-16	Apr/May 2005	MW-16	3.1	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4750.0	1,4-Dioxane Bromodichloromethane	5.0 0.4 J
MW-16	Jul/Sep 2005	MW-16	11.2	2.6	5.3	0.5 U	0.5 U	2.6	0.5 U	9.7	13000.0		
MW-16	Oct/Nov 2005	MW-16	17.6	2.4	7.3	0.5 U	0.5 U	2.1	0.5 U	10.8	13100.0		
MW-16	Mar/Apr 2006	MW-16	26.0	2.5	12.0	0.5 U	0.5 U	2.9	0.5 U	14.0	12000.0	Toluene	0.5
MW-16	May/Jun 2006	MW-16	43.0	2.9	12.0	0.5 U	0.5 U	2.0	0.4 J	11.0	9000.0	1,4-Dioxane Toluene	1.1 J 1.1
MW-16	Aug/Sep 2006	MW-16	31.0	3.2	7.4	0.5 U	0.5 U	2.4	0.3 J	14.0	4600.0		
MW-16	Aug/Sep 2006	DUPE-4-3Q06	31.0	3.2	7.2	0.5 U	0.5 U	2.2	0.5 U	13.0	4900.0		
MW-16	Oct/Dec 2006	MW-16	3.1	0.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.7	1400.0	m,p-Xylene Toluene	0.6 J 0.6
MW-16	Mar/Apr 2007	MW-16	7.9	1.0	2.8	0.5 U	0.5 U	1.2	0.5 U	9.1	1500.0	Toluene	1.1
MW-16	Mar/Apr 2007	DUPE-7-1Q07	8.0	0.9	2.7	0.5 U	0.5 U	0.8	0.5 U	9.2	1500.0	Toluene	1.0
MW-16	Jun/Jul 2007	MW-16	6.6	0.6	2.1	0.5 U	0.5 U	2.8	0.5 U	14.0	1700.0 J	1,4-Dioxane Toluene	6.4 0.5
MW-16	Aug/Sep 2007	MW-16	5.1	0.5 U	1.5	0.5 U	0.5 U	2.4	0.5 U	22.0	2000.0	Toluene	0.5
MW-16	Aug/Sep 2007	DUPE-5-3Q07	5.1	0.3 J	1.4	0.5 U	0.5 U	2.1	0.5 U	21.0	2000.0	Toluene	0.6
MW-16	Oct/Dec 2007	MW-16	6.0	1.4	1.5	0.5 U	0.5 U	2.2	0.5 U	23.0	3100.0	Toluene	0.4 J
MW-16	Oct/Dec 2007	DUPE-5-4Q07	6.4	0.9	1.7	0.5 U	0.5 U	2.3	0.5 U	25.0	3000.0	Toluene	0.4 J
MW-16	Jan/Feb 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	78.0	Bromodichloromethane Bromoform Dibromochloromethane Toluene	7.7 4.1 7.8 0.6

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Apr/May 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**23.0**	**4.8**	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**1.7** **27.0** **5.9** **21.0** **1.5**
MW-16	Apr/May 2008	DUPE-6-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.0**	**4.8**	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**1.5** **27.0** **6.4** **22.0** **1.5**
MW-16	Jul/Aug 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	**19.3**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**5.3** **3.0** **4.3** **1.5**
MW-16	Oct/Nov 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	1.0 U	**Bromodichloromethane** **Dibromochloromethane** **Toluene**	**1.7** **0.7** **3.7**
MW-16	Jan/Feb 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**18.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.9** **2.6** **5.0**
MW-16	Apr/May 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**9.5 J**	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.1** **9.7** **9.8** **14.0**
MW-16	Jul/Aug 2009	MW-16	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	1.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.1** **8.1** **7.8**
MW-16	Nov/Dec 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Feb 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-16	Apr/May 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**	**7.3**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**16.0** **6.3** **16.0**
MW-16	Jul/Aug 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Oct/Nov 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**	1.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**20.0** **3.3** **15.0**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Feb/Mar 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**	1.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**16.0** **5.0** **17.0**
MW-16	Apr/May 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**	**2.4**	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**0.8 J** **6.6** **1.1** **3.6**
MW-16	Aug/Sep 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.9**	**2.5**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**8.0** **2.6** **5.8**
MW-16	Nov/Dec 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Jan/Feb 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Jan/Feb 2012	DUPE-7-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Apr/May 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**1,4-Dioxane**	**0.9 J**
MW-16	Apr/May 2012	DUPE-8-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**1,4-Dioxane**	**1.0**
MW-16	Aug/Sep 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**7.0** **7.6** **8.8**
MW-16	Nov 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**15.0** **5.0** **10.0**
MW-16	Jan/Feb 2013	MW-16	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**13.0** **4.7** **12.0**
MW-16	Apr/May 2013	MW-16	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**9.6** **4.8** **8.7**
MW-16	Jul 2013	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**	**2.0 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**12.0** **4.0** **11.0**
MW-16	Oct/Nov 2013	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**7.3** **2.2** **6.4**
MW-16	Oct/Nov 2013	DUPE-7-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**8.1** **2.0** **6.7**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Jan/Feb 2014	MW-16	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**	**2.3 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**9.8** **6.8** **9.0**
MW-16	Apr/May 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	4.0 U	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.0** **6.7** **6.1** **8.4**
MW-16	Jul/Aug 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Dibromochloromethane**	**0.2 J**
MW-16	Oct 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Carbon disulfide**	**0.4 J**
MW-16	Jan/Feb 2015	MW-16	**0.9**	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**2.5** **0.7** **1.6**
MW-16	Jan/Feb 2015	Dup-6-1Q15	**1.0**	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**2.8** **0.7** **1.6**
MW-16	Apr/May 2015	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.5 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.1** **1.1** **0.7**
MW-16	Jul/Aug 2015	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U	**Bromodichloromethane**	**0.9**
MW-16	Oct 2015	MW-16	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U	**Acetone** **Bromodichloromethane**	**4.7 J** **0.2 J**
MW-16	Apr/May 2016	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**Bromodichloromethane** **Dibromochloromethane**	**3.8** **1.5**
MW-16	Apr/May 2017	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**3.8 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **1,4-Dioxane**	**4.2** **1.3** **1.9** **0.9 J**
MW-16	Jul/Aug 2017	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	4.0 U	**Dibromochloromethane** **Bromodichloromethane**	**1.6** **3.8**
MW-16	October 2017	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**0.8 J**	**Bromodichloromethane**	**0.4 J**
MW-16	October 2017	DUP-7-4Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**0.8 J**	**Bromodichloromethane**	**0.5 J**
MW-16	Jan/Feb 2018	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**0.6 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.1** **1.7** **1.5**
MW-16	April 2018	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**3.6** **2.4** **2.2**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Jul/Aug 2018	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 UJ	**Bromodichloromethane**	**0.5**
MW-16	Apr/May 2019	MW-16	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	4.0 U	**Bromodichloromethane**	**3.0**
MW-16	Jul/Aug 2019	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	**2.9 J**	**Bromodichloromethane**	**0.8**
MW-16	Oct 2019	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-16	Feb 2020	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	4.0 U	**Bromodichloromethane**	**3.3**
MW-16	Jun 2020	MW-16	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Bromodichloromethane**	**0.3 J**
MW-17-Screen-1													
MW-17-Screen-1	Aug/Sep 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	4.3 B
MW-17-Screen-1	Oct/Nov 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.4**
MW-17-Screen-1	Feb/Mar 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17-Screen-1	June/July 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Sep/Oct 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Jan/Feb 1998	MW-17-1	**30.0**	**3.5**	**1.0**	0.5 U	0.5 U	**1.3**	0.5 U	**14.0**	**1230.0**		
MW-17-Screen-1	Apr/May 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-17-Screen-1	Jul/Aug 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Oct/Nov 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Feb/Mar 1999	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17-Screen-1	Feb/Mar 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17-Screen-1	May/Jun 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Nov/Dec 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Jul/Aug 2000	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Jan/Feb 2001	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-17-Screen-1	Jan/Feb 2002	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**7.3**
MW-17-Screen-1	Apr/May 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-17-Screen-1	Oct/Nov 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2004	MW-17-1	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 UJ		
MW-17-Screen-1	Oct/Nov 2004	MW-17-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Jul/Sep 2005	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17-Screen-1	Oct/Nov 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	May/Jun 2006	DUPE-3-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17-Screen-1	May/Jun 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-1	Oct/Dec 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-1	Jun/Jul 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-1	Oct/Dec 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-1	Apr/May 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-1	Oct/Nov 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-1	Apr/May 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Nov/Dec 2009	DUPE-03-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Nov/Dec 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Apr/May 2010	DUPE-6-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Apr/May 2010	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Oct/Nov 2010	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Apr/May 2011	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	1.0 U		
MW-17-Screen-1	Nov/Dec 2011	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Apr/May 2012	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-1	Nov 2012	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2013	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Oct/Nov 2013	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2014	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2015	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2016	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-17-Screen-1	Apr/May 2017	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2017	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	October 2017	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	April 2018	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Apr/May 2019	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Oct 2019	MW-17-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-1	Jun 2020	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2													
MW-17-Screen-2	Jan/Feb 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	NA	**Bromodichloromethane** **Ethylbenzene**	**0.6** 9.8 B
MW-17-Screen-2	Aug/Sep 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	NA	**Acetone**	4.5 B
MW-17-Screen-2	Oct/Nov 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	NA	**Bromodichloromethane**	**0.6**
MW-17-Screen-2	Feb/Mar 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	NA		
MW-17-Screen-2	June/July 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	4.0 U		
MW-17-Screen-2	Sep/Oct 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	4.0 U		
MW-17-Screen-2	Jan/Feb 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**Bromodichloromethane**	**0.5**
MW-17-Screen-2	Apr/May 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-17-Screen-2	Jul/Aug 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U		
MW-17-Screen-2	Oct/Nov 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U		
MW-17-Screen-2	Feb/Mar 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 B**	**3.9**	4.0 U		
MW-17-Screen-2	May/Jun 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-17-Screen-2	Aug 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-2	Nov/Dec 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-17-Screen-2	Mar/Apr 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U		
MW-17-Screen-2	Jul/Aug 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-17-Screen-2	Sep/Oct 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-17-Screen-2	Jan/Feb 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-17-Screen-2	Apr 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-17-Screen-2	Jul 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-17-Screen-2	Oct 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jan/Feb 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	15.0
MW-17-Screen-2	Apr/May 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	0.3 J
MW-17-Screen-2	Jul 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct/Nov 2002	MW-17-2	0.5 U	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jan/Feb 2003	MW-17-2	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.4 J		
MW-17-Screen-2	Apr/May 2003	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4-Methyl-2-pentanone	5.0 J
MW-17-Screen-2	Jul/Aug 2003	MW-17-2	0.7	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	10.9 J		
MW-17-Screen-2	Oct/Nov 2003	MW-17-2	1.0	6.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	15.7 J		
MW-17-Screen-2	Feb 2004	MW-17-2	0.7	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.2		
MW-17-Screen-2	Apr/May 2004	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.5 J		
MW-17-Screen-2	Jul/Aug 2004	MW-17-2	1.0	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.0		
MW-17-Screen-2	Oct/Nov 2004	MW-17-2	0.5 J	3.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.0	14.2		
MW-17-Screen-2	Jan/Feb 2005	DUPE-3-1Q05	1.6	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	10.0		
MW-17-Screen-2	Jan/Feb 2005	MW-17-2	1.5	4.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.6		
MW-17-Screen-2	Apr/May 2005	MW-17-2	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	10.2	m,p-Xylene	0.3 J
MW-17-Screen-2	Jul/Sep 2005	MW-17-2	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	9.7		
MW-17-Screen-2	Oct/Nov 2005	MW-17-2	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.7		
MW-17-Screen-2	Mar/Apr 2006	MW-17-2	0.5 U	1.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	14.0		
MW-17-Screen-2	May/Jun 2006	MW-17-2	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0		
MW-17-Screen-2	Aug/Sep 2006	MW-17-2	0.6	1.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	13.0		
MW-17-Screen-2	Oct/Dec 2006	MW-17-2	0.5 U	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.0		
MW-17-Screen-2	Oct/Dec 2006	DUPE-1-4Q06	0.3 J	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17-Screen-2	Mar/Apr 2007	MW-17-2	0.5 U	1.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	10.0		
MW-17-Screen-2	Mar/Apr 2007	DUPE-1-1Q07	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-17-Screen-2	Jun/Jul 2007	MW-17-2	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0		
MW-17-Screen-2	Aug/Sep 2007	MW-17-2	0.5 U	1.1	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	7.9		
MW-17-Screen-2	Oct/Dec 2007	MW-17-2	0.5 U	1.4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.6	9.8		
MW-17-Screen-2	Jan/Feb 2008	MW-17-2	0.5 U	1.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.6	8.8 J		
MW-17-Screen-2	Apr/May 2008	MW-17-2	0.5 U	1.0	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	7.1		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-2	Jul/Aug 2008	MW-17-2	0.5 U	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**5.7**		
MW-17-Screen-2	Oct/Nov 2008	MW-17-2	0.5 U	**1.1**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**		
MW-17-Screen-2	Jan/Feb 2009	MW-17-2	0.5 U	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.7**		
MW-17-Screen-2	Apr/May 2009	MW-17-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-17-Screen-2	Jul/Aug 2009	MW-17-2	0.5 U	**1.2**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-17-Screen-2	Nov/Dec 2009	MW-17-2	0.5 U	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-17-Screen-2	Feb 2010	MW-17-2	0.5 U	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6 J**		
MW-17-Screen-2	Apr/May 2010	MW-17-2	0.5 U	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2 J**		
MW-17-Screen-2	Jul/Aug 2010	MW-17-2	0.5 U	**0.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-17-Screen-2	Oct/Nov 2010	MW-17-2	0.5 U	**0.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-17-Screen-2	Feb/Mar 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.1**		
MW-17-Screen-2	Apr/May 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**76.0**		
MW-17-Screen-2	Aug/Sep 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**78.7 J**		
MW-17-Screen-2	Nov/Dec 2011	MW-17-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**52.1**		
MW-17-Screen-2	Jan/Feb 2012	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**90.1 J**		
MW-17-Screen-2	Apr/May 2012	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-17-Screen-2	Aug/Sep 2012	MW-17-2	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-17-Screen-2	Nov 2012	MW-17-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**7.8**		
MW-17-Screen-2	Jan/Feb 2013	MW-17-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**22.0**		
MW-17-Screen-2	Apr/May 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.6 J**		
MW-17-Screen-2	Jul 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct/Nov 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jan/Feb 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-17-Screen-2	Apr/May 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jul/Aug 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jan/Feb 2015	MW-17-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Apr/May 2015	MW-17-2	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-17-Screen-2	Jul/Aug 2015	MW-17-2	0.5 U	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.2 J**		
MW-17-Screen-2	Oct 2015	MW-17-2	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Toluene**	**0.4 J**
MW-17-Screen-2	Jan/Feb 2016	MW-17-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-17-Screen-2	Apr/May 2016	MW-17-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.2 J**		
MW-17-Screen-2	Apr/May 2016	DUP-7-2Q16	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**0.9 J**		
MW-17-Screen-2	Jul/Aug 2016	MW-17-2	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.4 J**		
MW-17-Screen-2	Oct 2016	MW-17-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-17-Screen-2	Oct 2016	DUP-1-4Q16	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-17-Screen-2	Jan/Feb 2017	MW-17-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-2	Apr/May 2017	MW-17-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-17-Screen-2	Jul/Aug 2017	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	October 2017	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jan/Feb 2018	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	April 2018	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	April 2018	DUP-5-2Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jul/Aug 2018	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct 2018	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct 2018	DUP-3-4Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Feb/Mar 2019	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-17-Screen-2	Apr/May 2019	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jul/Aug 2019	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct 2019	MW-17-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Feb 2020	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jun 2020	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Jun 2020	Dup-2-2Q2020	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Aug 2020	MW-17-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Oct/Nov 2020	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	Mar/Apr 2021	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	May/June 2021	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-2	May/June 2021	DUP-5-2Q21	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-3													
MW-17-Screen-3	Jan/Feb 1996	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**	NA	**Bromodichloromethane** **Ethylbenzene**	**0.9** 15.0 B
MW-17-Screen-3	Aug/Sep 1996	MW-17-3	**2.0**	**7.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**	NA	**Bromodichloromethane**	**0.8**
MW-17-Screen-3	Oct/Nov 1996	MW-17-3	**3.3**	**18.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	NA	**Bromodichloromethane**	**0.9**
MW-17-Screen-3	Feb/Mar 1997	MW-17-3	**5.1**	**23.0 E**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	NA	**Bromodichloromethane**	**0.6**
MW-17-Screen-3	June/July 1997	MW-17-3	**1.3**	**5.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**	**12.0**	**Bromodichloromethane**	**0.9**
MW-17-Screen-3	Sep/Oct 1997	MW-17-3	**6.6**	**22.0**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**	**55.0**	**Bromodichloromethane**	**0.7**
MW-17-Screen-3	Jan/Feb 1998	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	4.0 U		
MW-17-Screen-3	Jan/Feb 1998	MW-17-3	**3.3**	**8.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**25.0**	**Bromodichloromethane**	**0.8**
MW-17-Screen-3	Apr/May 1998	MW-17-3	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	4.0 U	**Bromodichloromethane**	**0.5**
MW-17-Screen-3	Jul/Aug 1998	MW-17-3	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	4.0 U		
MW-17-Screen-3	Oct/Nov 1998	MW-17-3	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**5.1**		
MW-17-Screen-3	Feb/Mar 1999	MW-17-3	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	**4.2**		
MW-17-Screen-3	May/Jun 1999	MW-17-3	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	4.0 U		
MW-17-Screen-3	Aug 1999	MW-17-3	**0.8**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**6.1**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-3	Nov/Dec 1999	MW-17-3	0.7	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	5.5		
MW-17-Screen-3	Mar/Apr 2000	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	5.0		
MW-17-Screen-3	Jul/Aug 2000	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	6.7		
MW-17-Screen-3	Sep/Oct 2000	MW-17-3	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U		
MW-17-Screen-3	Jan/Feb 2001	MW-17-3	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-17-Screen-3	Apr 2001	MW-17-3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.3	5.0		
MW-17-Screen-3	Jul 2001	MW-17-3	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	3.8 J		
MW-17-Screen-3	Oct 2001	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	7.3		
MW-17-Screen-3	Jan/Feb 2002	MW-17-3	0.7	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	6.3		
MW-17-Screen-3	Apr/May 2002	MW-17-3	1.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.7 B	Methylene chloride	0.3 J
MW-17-Screen-3	Jul 2002	MW-17-3	1.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.8 J		
MW-17-Screen-3	Oct/Nov 2002	MW-17-3	7.1	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	115.0		
MW-17-Screen-3	Dec 2002	MW-17-3	12.5	3.7	0.4 J	0.3 U	0.5 U	0.3 J	0.5 U	2.9	NA	Methylene chloride	10.1 UB
MW-17-Screen-3	Jan/Feb 2003	MW-17-3	13.1	3.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U		
MW-17-Screen-3	Apr/May 2003	MW-17-3	6.4	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	126.0	4-Methyl-2-pentanone	3.0 J
MW-17-Screen-3	Jul/Aug 2003	MW-17-3	13.0	3.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.6	209.0 J		
MW-17-Screen-3	Oct/Nov 2003	MW-17-3	11.0	3.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6	199.0 J		
MW-17-Screen-3	Oct/Nov 2003	DUPE-5-4Q03	13.7	3.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.1	193.0 J		
MW-17-Screen-3	Feb 2004	MW-17-3	9.6	3.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	162.0		
MW-17-Screen-3	Apr/May 2004	MW-17-3	4.7	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.0 UJ		
MW-17-Screen-3	Jul/Aug 2004	MW-17-3	9.7	3.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.7	109.0		
MW-17-Screen-3	Oct/Nov 2004	MW-17-3	14.9 J	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	133.0		
MW-17-Screen-3	Jan/Feb 2005	MW-17-3	9.4	3.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.3	76.2		
MW-17-Screen-3	Apr/May 2005	MW-17-3	2.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	96.5		
MW-17-Screen-3	Jul/Sep 2005	MW-17-3	3.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.4	m,p-Xylene	0.4 J
MW-17-Screen-3	Oct/Nov 2005	DUPE-1-4Q05	4.9	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.8		
MW-17-Screen-3	Oct/Nov 2005	MW-17-3	5.2	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	76.7		
MW-17-Screen-3	Mar/Apr 2006	MW-17-3	2.8	1.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	61.0		
MW-17-Screen-3	May/Jun 2006	MW-17-3	2.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0		
MW-17-Screen-3	Aug/Sep 2006	MW-17-3	3.3	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	61.0		
MW-17-Screen-3	Oct/Dec 2006	MW-17-3	2.5	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	5.9 J		
MW-17-Screen-3	Mar/Apr 2007	MW-17-3	2.4 J	1.2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	47.0		
MW-17-Screen-3	Jun/Jul 2007	DUPE-3-2Q07	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0		
MW-17-Screen-3	Jun/Jul 2007	MW-17-3	1.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0		
MW-17-Screen-3	Aug/Sep 2007	MW-17-3	1.8	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	34.0		
MW-17-Screen-3	Oct/Dec 2007	MW-17-3	1.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	33.0		
MW-17-Screen-3	Jan/Feb 2008	MW-17-3	1.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	24.0 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-3	Apr/May 2008	MW-17-3	0.7	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	22.0		
MW-17-Screen-3	Jul/Aug 2008	MW-17-3	1.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	17.3		
MW-17-Screen-3	Oct/Nov 2008	MW-17-3	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	16.6		
MW-17-Screen-3	Jan/Feb 2009	MW-17-3	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	13.9		
MW-17-Screen-3	Apr/May 2009	MW-17-3	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9		
MW-17-Screen-3	Jul/Aug 2009	MW-17-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5		
MW-17-Screen-3	Nov/Dec 2009	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2		
MW-17-Screen-3	Feb 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.7 J		
MW-17-Screen-3	Apr/May 2010	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9 J		
MW-17-Screen-3	Jul/Aug 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8		
MW-17-Screen-3	Oct/Nov 2010	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.2		
MW-17-Screen-3	Feb/Mar 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5		
MW-17-Screen-3	Apr/May 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-17-Screen-3	Aug/Sep 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-17-Screen-3	Nov/Dec 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6		
MW-17-Screen-3	Nov/Dec 2011	DUPE-4-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8		
MW-17-Screen-3	Jan/Feb 2012	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3 J		
MW-17-Screen-3	Apr/May 2012	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-17-Screen-3	Aug/Sep 2012	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	8.1		
MW-17-Screen-3	Nov 2012	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.1		
MW-17-Screen-3	Jan/Feb 2013	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.5		
MW-17-Screen-3	Apr/May 2013	MW-17-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	6.3		
MW-17-Screen-3	Jul 2013	MW-17-3	0.3 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.6		
MW-17-Screen-3	Oct/Nov 2013	MW-17-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.1		
MW-17-Screen-3	Jan/Feb 2014	MW-17-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.4		
MW-17-Screen-3	Apr/May 2014	MW-17-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.6		
MW-17-Screen-3	Jul/Aug 2014	DUP-2-3Q14	0.2 J	0.6	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	6.6		
MW-17-Screen-3	Jul/Aug 2014	MW-17-3	0.2 J	0.6	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	6.4		
MW-17-Screen-3	Oct 2014	MW-17-3	0.5 U	0.5 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	6.2		
MW-17-Screen-3	Jan/Feb 2015	MW-17-3	0.5 U	0.5 J	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	6.3		
MW-17-Screen-3	Apr/May 2015	MW-17-3	0.5 U	0.7	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	5.8		
MW-17-Screen-3	Jul/Aug 2015	MW-17-3	0.5 U	0.6	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-17-Screen-3	Oct 2015	MW-17-3	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.9 J		
MW-17-Screen-3	Jan/Feb 2016	MW-17-3	0.5 U	0.6	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	3.1 J		
MW-17-Screen-3	Apr/May 2016	MW-17-3	0.5 U	0.8	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	5.1		
MW-17-Screen-3	Jul/Aug 2016	MW-17-3	0.5 U	1.5	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	6.1		
MW-17-Screen-3	Oct 2016	MW-17-3	0.5 U	1.3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	6.1		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-3	Jan/Feb 2017	MW-17-3	0.5 U	1.5	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	6.2		
MW-17-Screen-3	Apr/May 2017	MW-17-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.3		
MW-17-Screen-3	Jul/Aug 2017	MW-17-3	0.5 U	1.4	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	5.6		
MW-17-Screen-3	October 2017	MW-17-3	0.5 U	1.3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	4.9		
MW-17-Screen-3	Jan/Feb 2018	MW-17-3	0.5 U	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	5.1		
MW-17-Screen-3	April 2018	MW-17-3	0.5 U	3.2	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.6	5.0		
MW-17-Screen-3	Jul/Aug 2018	MW-17-3	0.5 U	0.3 J	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.5 J		
MW-17-Screen-3	Oct 2018	MW-17-3	0.5 U	1.5	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	5.1		
MW-17-Screen-3	Feb/Mar 2019	MW-17-3	0.5 U	1.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.35 J	4.6		
MW-17-Screen-3	Apr/May 2019	MW-17-3	0.5 U	2.0	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	6.5		
MW-17-Screen-3	Jul/Aug 2019	MW-17-3	0.5 U	1.9	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	5.5		
MW-17-Screen-3	Oct 2019	MW-17-3	0.5 UJ	2.0	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	4.6		
MW-17-Screen-3	Feb 2020	MW-17-3	0.5 U	5.2	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.6	3.5 J		
MW-17-Screen-3	Jun 2020	MW-17-3	0.5 U	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.7 J		
MW-17-Screen-3	Aug 2020	MW-17-3	0.5 U	1.6	0.30 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.5 J		
MW-17-Screen-3	Oct/Nov 2020	MW-17-3	0.5 U	4.1	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5	3.9 J		
MW-17-Screen-3	Mar/Apr 2021	MW-17-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U	Styrene	0.1 J
MW-17-Screen-3	May/June 2021	MW-17-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.0 U		
MW-17-Screen-4													
MW-17-Screen-4	Jan/Feb 1996	MW-17-4	0.5 U	8.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA	Ethylbenzene	14.0 B
MW-17-Screen-4	Aug/Sep 1996	MW-17-4	0.5 U	9.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	NA		
MW-17-Screen-4	Oct/Nov 1996	MW-17-4	0.5 U	8.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	NA		
MW-17-Screen-4	Feb/Mar 1997	MW-17-4	0.5 U	5.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-17-Screen-4	June/July 1997	MW-17-4	0.5 U	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0		
MW-17-Screen-4	Sep/Oct 1997	MW-17-4	0.5 U	6.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	16.0		
MW-17-Screen-4	Jan/Feb 1998	MW-17-4	0.5 U	7.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0		
MW-17-Screen-4	Apr/May 1998	MW-17-4	0.5 U	7.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	17.0		
MW-17-Screen-4	Jul/Aug 1998	MW-17-4	0.5 U	8.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.9	14.0		
MW-17-Screen-4	Oct/Nov 1998	MW-17-4	0.5 U	6.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.9	12.0		
MW-17-Screen-4	Feb/Mar 1999	MW-17-4	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.0 B	1.8	9.8		
MW-17-Screen-4	May/Jun 1999	MW-17-4	0.5 U	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	14.0		
MW-17-Screen-4	Aug 1999	MW-17-4	0.5 U	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	12.0		
MW-17-Screen-4	Nov/Dec 1999	MW-17-4	0.5 U	6.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	10.0		
MW-17-Screen-4	Mar/Apr 2000	MW-17-4	0.5 U	9.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	15.0		
MW-17-Screen-4	Jul/Aug 2000	MW-17-4	0.5 U	6.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	13.0		
MW-17-Screen-4	Sep/Oct 2000	MW-17-4	0.5 U	5.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	13.0		
MW-17-Screen-4	Jan/Feb 2001	MW-17-4	0.5 U	4.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	8.0	Methyl-tert-butyl ether (MTBE)	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-4	Apr 2001	MW-17-4	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.8**	**12.0**	**Methylene chloride**	**0.4 J**
MW-17-Screen-4	Jul 2001	MW-17-4	0.5 U	**5.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**10.0**		
MW-17-Screen-4	Oct 2001	MW-17-4	0.5 U	**4.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**8.2**	**Toluene**	**0.9**
MW-17-Screen-4	Jan/Feb 2002	MW-17-4	0.5 U	**6.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**11.0**		
MW-17-Screen-4	Apr/May 2002	MW-17-4	**0.8**	**15.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**7.0**		
MW-17-Screen-4	Jul 2002	MW-17-4	0.5 U	**4.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-17-Screen-4	Oct/Nov 2002	MW-17-4	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-17-Screen-4	Dec 2002	MW-17-4	0.2 U	**3.6**	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**0.6**	NA	**Methylene chloride**	71.4 B
MW-17-Screen-4	Jan/Feb 2003	MW-17-4	0.5 U	**4.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-17-Screen-4	Apr/May 2003	MW-17-4	0.5 U	**6.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**6.5**	**4-Methyl-2-pentanone**	**4.0 J**
MW-17-Screen-4	Jul/Aug 2003	MW-17-4	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-4	Oct/Nov 2003	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-4	Feb 2004	MW-17-4	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-17-Screen-4	Apr/May 2004	MW-17-4	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 UJ		
MW-17-Screen-4	Jul/Aug 2004	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-4	Oct/Nov 2004	MW-17-4	0.5 UJ	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-17-Screen-4	Jan/Feb 2005	MW-17-4	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-17-Screen-4	Apr/May 2005	MW-17-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-17-Screen-4	Jul/Sep 2005	MW-17-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-4	Oct/Nov 2005	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-4	Mar/Apr 2006	MW-17-4	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	May/Jun 2006	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	Aug/Sep 2006	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	Oct/Dec 2006	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	Mar/Apr 2007	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Jun/Jul 2007	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Aug/Sep 2007	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Oct/Dec 2007	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	Jan/Feb 2008	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	Apr/May 2008	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-4	Jul/Aug 2008	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Jul/Aug 2008	DUPE-3-3Q08	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**		
MW-17-Screen-4	Oct/Nov 2008	DUPE-03-4Q08	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Oct/Nov 2008	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Jan/Feb 2009	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Apr/May 2009	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Jul/Aug 2009	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-4	Nov/Dec 2009	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Feb 2010	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Apr/May 2010	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Jul/Aug 2010	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Oct/Nov 2010	MW-17-4	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Feb/Mar 2011	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-17-Screen-4	Apr/May 2011	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-17-Screen-4	Aug/Sep 2011	MW-17-4	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-17-Screen-4	Nov/Dec 2011	MW-17-4	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-4	Jan/Feb 2012	MW-17-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-17-Screen-4	Apr/May 2012	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-17-Screen-4	Aug/Sep 2012	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.1 J**		
MW-17-Screen-4	Nov 2012	MW-17-4	**0.3 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**5.6**		
MW-17-Screen-4	Jan/Feb 2013	MW-17-4	**0.4 J**	**0.8**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**10.0**		
MW-17-Screen-4	Apr/May 2013	MW-17-4	**0.3 J**	**0.9**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**8.2**		
MW-17-Screen-4	Jul 2013	MW-17-4	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.8 J**	**Styrene**	**0.1 J**
MW-17-Screen-4	Oct/Nov 2013	MW-17-4	**0.6**	**2.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**15.0**		
MW-17-Screen-4	Jan/Feb 2014	MW-17-4	**0.8**	**3.1**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**18.0**		
MW-17-Screen-4	Apr/May 2014	MW-17-4	**0.8**	**2.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**17.0**		
MW-17-Screen-4	Jul/Aug 2014	MW-17-4	**0.9**	**3.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**18.0**		
MW-17-Screen-4	Oct 2014	MW-17-4	**0.3 J**	**1.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.8**		
MW-17-Screen-4	Jan/Feb 2015	MW-17-4	0.5 U	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**		
MW-17-Screen-4	Apr/May 2015	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.4 J**		
MW-17-Screen-4	Jul/Aug 2015	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.4 J**	**Styrene**	**0.1 J**
MW-17-Screen-4	Jul/Aug 2015	DUP-3-3Q15	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.5 J**	**Styrene**	**0.1 J**
MW-17-Screen-4	Oct 2015	MW-17-4	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.4 J**		
MW-17-Screen-4	Jan/Feb 2016	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**		
MW-17-Screen-4	Apr/May 2016	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.2 J**		
MW-17-Screen-4	Jul/Aug 2016	MW-17-4	0.5 U	**1.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.5 J**		
MW-17-Screen-4	Oct 2016	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-17-Screen-4	Jan/Feb 2017	MW-17-4	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-17-Screen-4	Apr/May 2017	MW-17-4	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**	**1,4-Dioxane**	**46.0**
MW-17-Screen-4	Jul/Aug 2017	MW-17-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**0.9 J**		
MW-17-Screen-4	October 2017	MW-17-4	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**		
MW-17-Screen-4	Jan/Feb 2018	MW-17-4	0.5 U	**0.8**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.9**		
MW-17-Screen-4	Jan/Feb 2018	Dup-3-IQ18	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.0**		
MW-17-Screen-4	April 2018	MW-17-4	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.2**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-4	Jul/Aug 2018	MW-17-4	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.1 J**		
MW-17-Screen-4	Oct 2018	MW-17-4	0.5 U	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.2**		
MW-17-Screen-4	Feb/Mar 2019	MW-17-4	0.5 U	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.38 J**	**3.9 J**		
MW-17-Screen-4	Apr/May 2019	MW-17-4	0.5 U	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-17-Screen-4	Jul/Aug 2019	MW-17-4	0.5 U	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.4**		
MW-17-Screen-4	Oct 2019	MW-17-4	0.5 UJ	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.8 J**		
MW-17-Screen-4	Feb 2020	MW-17-4	0.5 U	**1.1**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.9 J**		
MW-17-Screen-4	Jun 2020	MW-17-4	0.5 U	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.1**		
MW-17-Screen-4	Aug 2020	MW-17-4	0.5 U	**1.3**	**0.68**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**5.1**		
MW-17-Screen-4	Oct/Nov 2020	MW-17-4	**0.2 J**	**1.9**	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.1**	**5.4**		
MW-17-Screen-4	Mar/Apr 2021	MW-17-4	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.9**		
MW-17-Screen-4	May/June 2021	MW-17-4	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.6**		
MW-17-Screen-5													
MW-17-Screen-5	Jan/Feb 1996	MW-17-5	0.5 U	**12.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	NA	**Ethylbenzene**	9.4 B
MW-17-Screen-5	Aug/Sep 1996	MW-17-5	0.5 U	**13.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	NA	**Acetone**	3.4 B
MW-17-Screen-5	Oct/Nov 1996	MW-17-5	0.5 U	**16.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	NA		
MW-17-Screen-5	Feb/Mar 1997	MW-17-5	0.5 U	**14.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-17-Screen-5	June/July 1997	MW-17-5	0.5 U	**11.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**12.0**		
MW-17-Screen-5	Sep/Oct 1997	MW-17-5	0.5 U	**8.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**15.0**		
MW-17-Screen-5	Jan/Feb 1998	MW-17-5	0.5 U	**7.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**15.0**		
MW-17-Screen-5	Apr/May 1998	MW-17-5	0.5 U	**8.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**15.0**		
MW-17-Screen-5	Jul/Aug 1998	MW-17-5	0.5 U	**8.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**13.0**		
MW-17-Screen-5	Oct/Nov 1998	MW-17-5	0.5 U	**11.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**12.0**		
MW-17-Screen-5	Feb/Mar 1999	MW-17-5	0.5 U	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**6.4**		
MW-17-Screen-5	May/Jun 1999	MW-17-5	0.5 U	**6.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**12.0**		
MW-17-Screen-5	Aug 1999	MW-17-5	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**11.0**		
MW-17-Screen-5	Nov/Dec 1999	MW-17-5	0.5 U	**6.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**9.1**		
MW-17-Screen-5	Mar/Apr 2000	MW-17-5	0.5 U	**8.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**15.0**		
MW-17-Screen-5	Jul/Aug 2000	MW-17-5	0.5 U	**7.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**12.0**		
MW-17-Screen-5	Sep/Oct 2000	MW-17-5	0.5 U	**6.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**12.0**		
MW-17-Screen-5	Jan/Feb 2001	MW-17-5	**0.3 J**	**7.5**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**7.0**	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-17-Screen-5	Apr 2001	MW-17-5	0.5 U	**5.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	NA	**1.2**	**19.0**	**Methylene chloride**	**0.4 J**
MW-17-Screen-5	Jul 2001	MW-17-5	**0.3 J**	**6.1**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**22.0**		
MW-17-Screen-5	Oct 2001	MW-17-5	0.5 U	**6.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**10.4**	**Toluene**	**0.7**
MW-17-Screen-5	Jan/Feb 2002	MW-17-5	0.5 U	**6.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**14.7**		
MW-17-Screen-5	Apr/May 2002	MW-17-5	**0.3 J**	**9.5**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**4.4**	**Methylene chloride**	**0.4 J**
MW-17-Screen-5	Jul 2002	MW-17-5	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-5	Oct/Nov 2002	MW-17-5	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Apr/May 2003	MW-17-5	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.6 J**	**4-Methyl-2-pentanone**	**3.0 J**
MW-17-Screen-5	Oct/Nov 2003	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Apr/May 2004	MW-17-5	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-17-Screen-5	Oct/Nov 2004	MW-17-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Apr/May 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Jul/Sep 2005	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17-Screen-5	Oct/Nov 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	May/Jun 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-5	Oct/Dec 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-5	Jun/Jul 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Oct/Dec 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17-Screen-5	Apr/May 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)**	**0.3 J** **0.3 J**
MW-17-Screen-5	Oct/Nov 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Apr/May 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Nov/Dec 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Apr/May 2010	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Oct/Nov 2010	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Apr/May 2011	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Nov/Dec 2011	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Apr/May 2012	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17-Screen-5	Nov 2012	MW-17-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Apr/May 2013	MW-17-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-17-Screen-5	Oct/Nov 2013	MW-17-5	**0.4 J**	**2.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.9**		
MW-17-Screen-5	Apr/May 2014	MW-17-5	**1.0**	**3.3**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**15.0**		
MW-17-Screen-5	Oct 2014	MW-17-5	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-17-Screen-5	Apr/May 2015	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-17-Screen-5	Oct 2015	MW-17-5	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Toluene**	**0.1 J** **0.2 J**
MW-17-Screen-5	Apr/May 2016	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**6.1 J**
MW-17-Screen-5	Oct 2016	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Apr/May 2017	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	Apr/May 2017	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17-Screen-5	October 2017	MW-17-5	0.5 U	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.3**		
MW-17-Screen-5	April 2018	MW-17-5	0.5 U	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.3**		
MW-17-Screen-5	Oct 2018	MW-17-5	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17-Screen-5	Apr/May 2019	MW-17-5	0.5 U	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.2 J**		
MW-17-Screen-5	Oct 2019	MW-17-5	0.5 UJ	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.2**		
MW-17-Screen-5	Jun 2020	MW-17-5	0.5 U	**1.4**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.3**		
MW-17-Screen-5	Oct/Nov 2020	MW-17-5	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.2**		
MW-17-Screen-5	May/June 2021	MW-17-5	0.5 U	**0.8**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.5**		
MW-18-Screen-1													
MW-18-Screen-1	Aug/Sep 1996	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	NA		
MW-18-Screen-1	Feb/Mar 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	NA	**Bromodichloromethane**	**0.5**
MW-18-Screen-1	June/July 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-18-Screen-1	Apr/May 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-18-Screen-1	Jul/Aug 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Oct/Nov 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Feb/Mar 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	May/Jun 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Jan/Feb 2001	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methylene chloride**	**1.4**
MW-18-Screen-1	Apr/May 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-18-Screen-1	Oct/Nov 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Apr/May 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18-Screen-1	Oct/Nov 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Apr/May 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Jul/Sep 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Oct/Nov 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	May/Jun 2006	DUPE-4-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18-Screen-1	May/Jun 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-1	Oct/Dec 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-1	Jun/Jul 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-1	Oct/Dec 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-1	Apr/May 2008	DUPE-2-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-1	Apr/May 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-1	Oct/Nov 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Apr/May 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Nov/Dec 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Apr/May 2010	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Oct/Nov 2010	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Apr/May 2011	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Nov/Dec 2011	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-1	Apr/May 2012	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-1	Nov 2012	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Apr/May 2013	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-1	Apr/May 2017	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-18-Screen-1	Apr/May 2017	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-18-Screen-1	Apr/May 2019	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**5.0**		
MW-18-Screen-1	Jun 2020	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2													
MW-18-Screen-2	Aug/Sep 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**	NA	**Bromodichloromethane**	**1.8**
MW-18-Screen-2	Oct/Nov 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**	NA	**Bromodichloromethane**	**1.9**
MW-18-Screen-2	Feb/Mar 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	NA		
MW-18-Screen-2	June/July 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**Bromodichloromethane**	**0.8**
MW-18-Screen-2	Sep/Oct 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U	**Bromodichloromethane**	**0.5**
MW-18-Screen-2	Jan/Feb 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**Bromodichloromethane**	**0.8**
MW-18-Screen-2	Apr/May 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U	**Bromodichloromethane**	**0.6**
MW-18-Screen-2	Jul/Aug 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-18-Screen-2	Oct/Nov 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Feb/Mar 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**Bromodichloromethane**	**0.8**
MW-18-Screen-2	May/Jun 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-18-Screen-2	Aug 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Nov/Dec 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Mar/Apr 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U	**Bromodichloromethane**	**0.9**
MW-18-Screen-2	Jul/Aug 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Sep/Oct 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Bromodichloromethane** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.6 J**
MW-18-Screen-2	Jan/Feb 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	NA	**Methylene chloride**	**1.7**
MW-18-Screen-2	Apr 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**1.2**	4.0 U	**Bromodichloromethane**	**0.4 J**
MW-18-Screen-2	Jul 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Methylene chloride**	**1.5**
MW-18-Screen-2	Apr/May 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-18-Screen-2	Jul 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-18-Screen-2	Oct/Nov 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-18-Screen-2	Jul/Aug 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct/Nov 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-2	Feb 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18-Screen-2	Jul/Aug 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct/Nov 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2005	DUPE-4-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2005	DUPE-1-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18-Screen-2	Apr/May 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Sep 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-18-Screen-2	Oct/Nov 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Mar/Apr 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	May/Jun 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Aug/Sep 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Oct/Dec 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Mar/Apr 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Mar/Apr 2007	DUPE-2-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18-Screen-2	Jun/Jul 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**0.7 J**
MW-18-Screen-2	Aug/Sep 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Oct/Dec 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Jan/Feb 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Apr/May 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-2	Jul/Aug 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Oct/Nov 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Jan/Feb 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Apr/May 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Jul/Aug 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Nov/Dec 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7 J**		
MW-18-Screen-2	Feb 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.4**		
MW-18-Screen-2	Apr/May 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**85.9 J**		
MW-18-Screen-2	Jul/Aug 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-18-Screen-2	Oct/Nov 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-18-Screen-2	Feb/Mar 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Apr/May 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Aug/Sep 2011	DUPE-03-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Aug/Sep 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Nov/Dec 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Jan/Feb 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-2	Apr/May 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-2	Aug/Sep 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Nov 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct/Nov 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2015	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2015	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2015	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2015	MW-18-2	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.4 J**
MW-18-Screen-2	Jan/Feb 2016	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Apr/May 2016	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2016	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2016	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2017	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ		
MW-18-Screen-2	Apr/May 2017	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2017	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	October 2017	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jan/Feb 2018	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	April 2018	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2018	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2018	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Feb/Mar 2019	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-18-Screen-2	Apr/May 2019	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2019	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jul/Aug 2019	DUP-3-3Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2019	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct 2019	DUP-7-4Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Feb 2020	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Jun 2020	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Aug 2020	MW-18-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	Oct/Nov 2020	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-2	Mar/Apr 2021	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-2	May/June 2021	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-3													
MW-18-Screen-3	Aug/Sep 1996	MW-18-3	**0.7**	**4.7**	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	NA		
MW-18-Screen-3	Oct/Nov 1996	MW-18-3	**0.7**	**6.4**	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	NA		
MW-18-Screen-3	Feb/Mar 1997	MW-18-3	**0.8**	**6.6**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	NA		
MW-18-Screen-3	June/July 1997	MW-18-3	**0.6**	**2.4**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	4.0 U		
MW-18-Screen-3	Sep/Oct 1997	MW-18-3	0.5 U	**3.0**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	4.0 U		
MW-18-Screen-3	Jan/Feb 1998	MW-18-3	0.5 U	**1.9**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**	4.0 U		
MW-18-Screen-3	Apr/May 1998	MW-18-3	**0.5**	**1.8**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**5.0**		
MW-18-Screen-3	Jul/Aug 1998	MW-18-3	0.5 U	**1.5**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**5.2**		
MW-18-Screen-3	Oct/Nov 1998	MW-18-3	0.5 U	**1.4**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U		
MW-18-Screen-3	Feb/Mar 1999	MW-18-3	0.5 U	**1.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	4.0 U		
MW-18-Screen-3	May/Jun 1999	MW-18-3	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U	**Methylene chloride**	**0.6**
MW-18-Screen-3	Aug 1999	MW-18-3	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	4.0 U		
MW-18-Screen-3	Nov/Dec 1999	MW-18-3	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U		
MW-18-Screen-3	Mar/Apr 2000	MW-18-3	0.5 U	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	4.0 U		
MW-18-Screen-3	Jul/Aug 2000	MW-18-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U		
MW-18-Screen-3	Sep/Oct 2000	MW-18-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	4.0 U		
MW-18-Screen-3	Jan/Feb 2001	MW-18-3	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.8 J**
MW-18-Screen-3	Jan/Feb 2001	MW-18-3	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	NA	**Methylene chloride**	**0.4 J**
MW-18-Screen-3	Apr 2001	MW-18-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	NA	**1.9**	4.0 U		
MW-18-Screen-3	Jul 2001	MW-18-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U		
MW-18-Screen-3	Oct 2001	MW-18-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U		
MW-18-Screen-3	Jan/Feb 2002	MW-18-3	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U	**Methylene chloride**	**0.9 J**
MW-18-Screen-3	Apr/May 2002	MW-18-3	0.5 U	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**Methylene chloride**	**0.4 J**
MW-18-Screen-3	Jul 2002	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.4 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-18-Screen-3	Oct/Nov 2002	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U		
MW-18-Screen-3	Dec 2002	MW-18-3	0.2 U	**0.6**	**0.3 J**	0.3 U	0.5 U	0.5 U	0.5 U	**1.6**	NA	**Methylene chloride**	79.5 B
MW-18-Screen-3	Jan/Feb 2003	MW-18-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U		
MW-18-Screen-3	Apr/May 2003	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.3 J**	**4-Methyl-2-pentanone**	**4.0 J**
MW-18-Screen-3	Jul/Aug 2003	MW-18-3	0.5 U	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**1.3 J**		
MW-18-Screen-3	Oct/Nov 2003	MW-18-3	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U		
MW-18-Screen-3	Feb 2004	MW-18-3	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-18-Screen-3	Apr/May 2004	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.7 J**		
MW-18-Screen-3	Jul/Aug 2004	MW-18-3	**0.7**	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**6.4**		
MW-18-Screen-3	Oct/Nov 2004	MW-18-3	0.5 U	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**5.2**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-3	Jan/Feb 2005	MW-18-3	2.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18-Screen-3	Apr/May 2005	MW-18-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.3		
MW-18-Screen-3	Jul/Sep 2005	MW-18-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	5.7	m,p-Xylene	0.4 J
MW-18-Screen-3	Oct/Nov 2005	MW-18-3	3.5	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.7		
MW-18-Screen-3	Mar/Apr 2006	MW-18-3	3.5	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0		
MW-18-Screen-3	May/Jun 2006	MW-18-3	4.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	25.0		
MW-18-Screen-3	Aug/Sep 2006	MW-18-3	8.6	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	28.0		
MW-18-Screen-3	Oct/Dec 2006	MW-18-3	4.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	23.0	1,2,3-Trichloropropane	0.0 J
MW-18-Screen-3	Mar/Apr 2007	MW-18-3	6.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.0 U		
MW-18-Screen-3	Jun/Jul 2007	MW-18-3	7.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	29.0		
MW-18-Screen-3	Aug/Sep 2007	MW-18-3	8.3	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	25.0		
MW-18-Screen-3	Oct/Dec 2007	MW-18-3	8.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.9	1.3	29.0		
MW-18-Screen-3	Jan/Feb 2008	MW-18-3	13.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.8	29.0 J		
MW-18-Screen-3	Apr/May 2008	MW-18-3	8.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0		
MW-18-Screen-3	Jul/Aug 2008	MW-18-3	18.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	37.0		
MW-18-Screen-3	Jul/Aug 2008	DUPE-4-3Q08	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	36.3		
MW-18-Screen-3	Oct/Nov 2008	MW-18-3	15.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	39.8		
MW-18-Screen-3	Jan/Feb 2009	MW-18-3	20.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	45.3		
MW-18-Screen-3	Apr/May 2009	MW-18-3	15.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	55.9		
MW-18-Screen-3	Jul/Aug 2009	DUPE-3-3Q09	6.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	49.7		
MW-18-Screen-3	Jul/Aug 2009	MW-18-3	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	49.3		
MW-18-Screen-3	Nov/Dec 2009	MW-18-3	4.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0 J		
MW-18-Screen-3	Feb 2010	MW-18-3	17.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	45.1		
MW-18-Screen-3	Apr/May 2010	MW-18-3	11.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	62.4 J		
MW-18-Screen-3	Jul/Aug 2010	MW-18-3	22.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	65.1		
MW-18-Screen-3	Oct/Nov 2010	MW-18-3	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	65.2		
MW-18-Screen-3	Feb/Mar 2011	MW-18-3	6.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	53.5		
MW-18-Screen-3	Feb/Mar 2011	DUPE-03-1Q11	7.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	54.2		
MW-18-Screen-3	Apr/May 2011	MW-18-3	9.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	54.8		
MW-18-Screen-3	Aug/Sep 2011	MW-18-3	43.0	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.7	144.0		
MW-18-Screen-3	Nov/Dec 2011	MW-18-3	37.0	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.9	110.0		
MW-18-Screen-3	Jan/Feb 2012	MW-18-3	25.0	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	126.0		
MW-18-Screen-3	Apr/May 2012	MW-18-3	8.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	64.4		
MW-18-Screen-3	Aug/Sep 2012	DUPE-1-3Q12	5.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	91.0		
MW-18-Screen-3	Aug/Sep 2012	MW-18-3	7.4	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.6	93.0		
MW-18-Screen-3	Nov 2012	MW-18-3	9.4	1.2	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	1.7	54.0		
MW-18-Screen-3	Jan/Feb 2013	MW-18-3	7.2	0.7	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	1.5	46.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-3	Apr/May 2013	MW-18-3	7.3	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.5	36.0		
MW-18-Screen-3	Jul 2013	MW-18-3	10.0	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	1.5	44.0		
MW-18-Screen-3	Oct/Nov 2013	MW-18-3	16.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	2.2	44.0		
MW-18-Screen-3	Jan/Feb 2014	MW-18-3	5.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	35.0		
MW-18-Screen-3	Apr/May 2014	DUP-3-2Q14	7.2	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	36.0		
MW-18-Screen-3	Apr/May 2014	MW-18-3	6.4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	32.0		
MW-18-Screen-3	Jul/Aug 2014	MW-18-3	9.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.7	27.0		
MW-18-Screen-3	Oct 2014	MW-18-3	5.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	17.0		
MW-18-Screen-3	Jan/Feb 2015	MW-18-3	7.6	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.0	13.8		
MW-18-Screen-3	Apr/May 2015	MW-18-3	4.4	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	20.0		
MW-18-Screen-3	Jul/Aug 2015	MW-18-3	2.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0		
MW-18-Screen-3	Oct 2015	MW-18-3	2.5	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.9		
MW-18-Screen-3	Jan/Feb 2016	MW-18-3	3.5	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	9.5		
MW-18-Screen-3	Apr/May 2016	MW-18-3	1.2	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	7.6		
MW-18-Screen-3	Jul/Aug 2016	MW-18-3	1.2	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.2		
MW-18-Screen-3	Oct 2016	MW-18-3	1.9	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	6.8		
MW-18-Screen-3	Oct 2016	DUP-2-4Q16	1.9	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.7		
MW-18-Screen-3	Jan/Feb 2017	MW-18-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	6.2 J		
MW-18-Screen-3	Apr/May 2017	MW-18-3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	6.2		
MW-18-Screen-3	Jul/Aug 2017	MW-18-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	4.3		
MW-18-Screen-3	October 2017	MW-18-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.5 J		
MW-18-Screen-3	October 2017	DUP-3-4Q17	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	3.8 J		
MW-18-Screen-3	Jan/Feb 2018	MW-18-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9 J		
MW-18-Screen-3	April 2018	MW-18-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-18-Screen-3	Jul/Aug 2018	MW-18-3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3 J		
MW-18-Screen-3	Oct 2018	MW-18-3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-18-Screen-3	Feb/Mar 2019	MW-18-3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	1.8 J		
MW-18-Screen-3	Apr/May 2019	MW-18-3	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-18-Screen-3	Apr/May 2019	DUP-3-2Q19	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-18-Screen-3	Jul/Aug 2019	MW-18-3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	3.0 J		
MW-18-Screen-3	Oct 2019	MW-18-3	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 J		
MW-18-Screen-3	Feb 2020	MW-18-3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-3	Jun 2020	MW-18-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4 J		
MW-18-Screen-3	Aug 2020	MW-18-3	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-18-Screen-3	Oct/Nov 2020	MW-18-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2 J		
MW-18-Screen-3	Mar/Apr 2021	MW-18-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J		
MW-18-Screen-3	May/June 2021	MW-18-3	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	Trichlorofluoromethane	0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-3	May/June 2021	DUP-4-2Q21	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 J	Trichlorofluoromethane	0.2 J
MW-18-Screen-4													
MW-18-Screen-4	Aug/Sep 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA		
MW-18-Screen-4	Oct/Nov 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA	Acetone	1.4
MW-18-Screen-4	Feb/Mar 1997	MW-18-4	2.2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-18-Screen-4	June/July 1997	MW-18-4	1.9	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-18-Screen-4	Sep/Oct 1997	MW-18-4	2.4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.0	Carbon disulfide	1.5
MW-18-Screen-4	Jan/Feb 1998	MW-18-4	2.6	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	11.0		
MW-18-Screen-4	Apr/May 1998	MW-18-4	3.1	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0		
MW-18-Screen-4	Jul/Aug 1998	MW-18-4	2.5	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0		
MW-18-Screen-4	Oct/Nov 1998	MW-18-4	3.4	0.8	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	18.9		
MW-18-Screen-4	Feb/Mar 1999	MW-18-4	4.7	1.2	2.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	24.0		
MW-18-Screen-4	May/Jun 1999	MW-18-4	3.6	1.6	2.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0	Methylene chloride	0.7
MW-18-Screen-4	Aug 1999	MW-18-4	3.6	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0		
MW-18-Screen-4	Nov/Dec 1999	MW-18-4	3.8	1.2	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0		
MW-18-Screen-4	Mar/Apr 2000	MW-18-4	3.8	1.2	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0		
MW-18-Screen-4	Jul/Aug 2000	MW-18-4	3.6	1.1	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0		
MW-18-Screen-4	Sep/Oct 2000	MW-18-4	4.5	1.3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	25.0		
MW-18-Screen-4	Jan/Feb 2001	MW-18-4	3.5	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0		
MW-18-Screen-4	Jan/Feb 2001	MW-18-4	7.6	3.3	4.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	NA	Methylene chloride	0.4 J
MW-18-Screen-4	Apr 2001	MW-18-4	2.6	1.5	1.9	0.5 U	0.5 U	0.5 U	NA	1.0	29.0		
MW-18-Screen-4	Jul 2001	MW-18-4	3.7	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	25.0		
MW-18-Screen-4	Oct 2001	MW-18-4	4.7	1.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	20.3		
MW-18-Screen-4	Jan/Feb 2002	MW-18-4	4.6	1.4	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	17.9	Methylene chloride	1.6
MW-18-Screen-4	Apr/May 2002	MW-18-4	11.7	5.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.8	24.5	Methylene chloride	0.4 J
MW-18-Screen-4	Jul 2002	MW-18-4	7.8	3.5	4.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	31.3		
MW-18-Screen-4	Oct/Nov 2002	MW-18-4	4.9	2.4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	28.2		
MW-18-Screen-4	Dec 2002	MW-18-4	9.2	3.2	5.5	0.3 U	0.5 U	0.5 U	0.5 U	1.4	NA	1,4-Dioxane Methylene chloride TPH - Gasoline	1.9 1.9 UB 40.0 J
MW-18-Screen-4	Jan/Feb 2003	MW-18-4	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,2,3-Trichloropropane	0.1
MW-18-Screen-4	Jan/Feb 2003	MW-18-4	6.7	2.6	4.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	24.6		
MW-18-Screen-4	Apr/May 2003	MW-18-4	2.4	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	23.9	4-Methyl-2-pentanone	7.0 J
MW-18-Screen-4	Apr/May 2003	DUPE-7-2Q03	2.4	0.9	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.8	4-Methyl-2-pentanone	6.0 J
MW-18-Screen-4	Jul/Aug 2003	MW-18-4	3.3	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.0	15.0		
MW-18-Screen-4	Oct/Nov 2003	MW-18-4	3.4	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.2 J		
MW-18-Screen-4	Feb 2004	MW-18-4	3.1	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-4	Apr/May 2004	MW-18-4	2.1	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	8.1 J		
MW-18-Screen-4	Jul/Aug 2004	MW-18-4	4.0	1.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	13.9		
MW-18-Screen-4	Oct/Nov 2004	MW-18-4	6.4	1.5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0		
MW-18-Screen-4	Jan/Feb 2005	MW-18-4	8.3	2.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.3	10.2		
MW-18-Screen-4	Apr/May 2005	MW-18-4	2.4	0.8	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	12.6	m,p-Xylene	0.3 J
MW-18-Screen-4	Jul/Sep 2005	MW-18-4	1.7	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	10.2	1,2,3-Trichloropropane	0.0
MW-18-Screen-4	Oct/Nov 2005	MW-18-4	5.1	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	9.3		
MW-18-Screen-4	Mar/Apr 2006	MW-18-4	3.6	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	11.0		
MW-18-Screen-4	May/Jun 2006	MW-18-4	2.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	11.0		
MW-18-Screen-4	Aug/Sep 2006	MW-18-4	3.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	10.0		
MW-18-Screen-4	Oct/Dec 2006	MW-18-4	5.3	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	14.0	1,2,3-Trichloropropane 1,4-Dioxane	0.0 J 1.8
MW-18-Screen-4	Mar/Apr 2007	MW-18-4	7.1	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.0 U		
MW-18-Screen-4	Jun/Jul 2007	MW-18-4	5.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	21.0		
MW-18-Screen-4	Aug/Sep 2007	MW-18-4	9.1	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	20.0		
MW-18-Screen-4	Oct/Dec 2007	MW-18-4	8.8	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.8	1.9	26.0		
MW-18-Screen-4	Jan/Feb 2008	MW-18-4	10.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.0	28.0 J		
MW-18-Screen-4	Apr/May 2008	MW-18-4	8.1	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	34.0		
MW-18-Screen-4	Jul/Aug 2008	MW-18-4	11.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	29.5		
MW-18-Screen-4	Oct/Nov 2008	DUPE-02-4Q08	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	35.5		
MW-18-Screen-4	Oct/Nov 2008	MW-18-4	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	34.3		
MW-18-Screen-4	Jan/Feb 2009	MW-18-4	14.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	41.4		
MW-18-Screen-4	Apr/May 2009	MW-18-4	10.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	45.7		
MW-18-Screen-4	Jul/Aug 2009	MW-18-4	13.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	43.2		
MW-18-Screen-4	Nov/Dec 2009	MW-18-4	16.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	52.9 J		
MW-18-Screen-4	Feb 2010	DUPE-2-1Q10	8.9	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	60.1		
MW-18-Screen-4	Feb 2010	MW-18-4	10.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	58.8		
MW-18-Screen-4	Apr/May 2010	MW-18-4	7.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	67.2 J		
MW-18-Screen-4	Jul/Aug 2010	MW-18-4	9.1	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	54.5		
MW-18-Screen-4	Oct/Nov 2010	MW-18-4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	30.0	Methyl-tert-butyl ether (MTBE) Styrene	2.0 2.7
MW-18-Screen-4	Feb/Mar 2011	MW-18-4	12.0	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.4	46.8		
MW-18-Screen-4	Apr/May 2011	MW-18-4	3.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	38.3		
MW-18-Screen-4	Aug/Sep 2011	MW-18-4	1.9	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.9 J		
MW-18-Screen-4	Nov/Dec 2011	MW-18-4	2.8	1.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	11.6		
MW-18-Screen-4	Jan/Feb 2012	MW-18-4	1.6	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.5		
MW-18-Screen-4	Apr/May 2012	DUPE-6-2Q12	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	46.2		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-4	Apr/May 2012	MW-18-4	4.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	47.3		
MW-18-Screen-4	Aug/Sep 2012	MW-18-4	1.9	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0		
MW-18-Screen-4	Nov 2012	MW-18-4	1.7	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	11.0		
MW-18-Screen-4	Jan/Feb 2013	MW-18-4	1.4	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	12.0		
MW-18-Screen-4	Apr/May 2013	MW-18-4	1.0	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	12.0		
MW-18-Screen-4	Jul 2013	DUPE-3-3Q13	1.5	0.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0		
MW-18-Screen-4	Jul 2013	MW-18-4	2.1	0.9	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	13.0		
MW-18-Screen-4	Oct/Nov 2013	MW-18-4	1.9	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0		
MW-18-Screen-4	Jan/Feb 2014	MW-18-4	1.8	1.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0		
MW-18-Screen-4	Apr/May 2014	MW-18-4	1.4	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0		
MW-18-Screen-4	Jul/Aug 2014	DUP-3-3Q14	5.0	2.3	2.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0		
MW-18-Screen-4	Jul/Aug 2014	MW-18-4	4.2	2.2	2.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	16.0		
MW-18-Screen-4	Oct 2014	MW-18-4	1.5	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	15.0		
MW-18-Screen-4	Jan/Feb 2015	MW-18-4	1.4	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	14.0		
MW-18-Screen-4	Apr/May 2015	MW-18-4	1.9	1.4	1.3	0.5 U	0.5 U	0.5 U	0.5 U	1.0	13.0		
MW-18-Screen-4	Jul/Aug 2015	MW-18-4	1.2	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0		
MW-18-Screen-4	Oct 2015	MW-18-4	2.3	1.3	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0		
MW-18-Screen-4	Jan/Feb 2016	MW-18-4	1.5	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0		
MW-18-Screen-4	Apr/May 2016	MW-18-4	1.2	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0		
MW-18-Screen-4	Jul/Aug 2016	MW-18-4	1.9	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	16.0		
MW-18-Screen-4	Oct 2016	MW-18-4	2.6	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0		
MW-18-Screen-4	Jan/Feb 2017	MW-18-4	1.1	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	15.0 J		
MW-18-Screen-4	Apr/May 2017	MW-18-4	3.5	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.3	17.0		
MW-18-Screen-4	Jul/Aug 2017	MW-18-4	1.2	0.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5	14.0		
MW-18-Screen-4	October 2017	MW-18-4	4.3	2.2	2.0	0.5 U	0.5 U	0.5 U	0.5 U	1.4	14.0		
MW-18-Screen-4	Jan/Feb 2018	MW-18-4	3.5	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	18.0		
MW-18-Screen-4	April 2018	MW-18-4	7.7	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	1.7	16.0		
MW-18-Screen-4	Jul/Aug 2018	MW-18-4	1.4	0.5 J	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	14.0		
MW-18-Screen-4	Oct 2018	MW-18-4	1.5	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	16.0		
MW-18-Screen-4	Feb/Mar 2019	MW-18-4	2.5	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.94	15.0		
MW-18-Screen-4	Apr/May 2019	MW-18-4	2.8	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	17.0		
MW-18-Screen-4	Jul/Aug 2019	MW-18-4	1.0	0.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0		
MW-18-Screen-4	Oct 2019	MW-18-4	2.2	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.9	16.0		
MW-18-Screen-4	Feb 2020	MW-18-4	4.7	2.3	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.3	15.0		
MW-18-Screen-4	Jun 2020	MW-18-4	1.1	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0		
MW-18-Screen-4	Aug 2020	MW-18-4	4.6	2.2	1.60	0.5 U	0.5 U	0.5 U	0.5 U	1.3	16.0		
MW-18-Screen-4	Oct/Nov 2020	MW-18-4	4.5	2.3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	1.4	16.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-4	Mar/Apr 2021	MW-18-4	**1.3**	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**16.0**		
MW-18-Screen-4	Mar/Apr 2021	DUP-5-1Q21	**2.2**	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**15.0**		
MW-18-Screen-4	May/June 2021	MW-18-4	**1.3**	**0.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**16.0**	**Acetone**	**41.0**
MW-18-Screen-5													
MW-18-Screen-5	Aug/Sep 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18-Screen-5	Oct/Nov 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.6**
MW-18-Screen-5	Feb/Mar 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18-Screen-5	June/July 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**1.1**
MW-18-Screen-5	Sep/Oct 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Apr/May 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jul/Aug 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct/Nov 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Feb/Mar 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	May/Jun 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8**
MW-18-Screen-5	Aug 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Nov/Dec 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Mar/Apr 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jul/Aug 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Sep/Oct 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Chloromethane** **Methyl-tert-butyl ether (MTBE)**	**1.4** **0.6 J**
MW-18-Screen-5	Jan/Feb 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methylene chloride**	0.6 B
MW-18-Screen-5	Apr 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-18-Screen-5	Jul 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**2.1**
MW-18-Screen-5	Apr/May 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jul 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct/Nov 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Apr/May 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-18-Screen-5	Jul/Aug 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct/Nov 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Feb 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Apr/May 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18-Screen-5	Jul/Aug 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-5	Oct/Nov 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **o-Xylene**	**0.7** **3.0** **0.9**
MW-18-Screen-5	Apr/May 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5**
MW-18-Screen-5	Jul/Sep 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-18-Screen-5	Oct/Nov 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Mar/Apr 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	May/Jun 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	Aug/Sep 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	Oct/Dec 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	Mar/Apr 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Jun/Jul 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Aug/Sep 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Oct/Dec 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	Jan/Feb 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	Apr/May 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18-Screen-5	Jul/Aug 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Oct/Nov 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Jan/Feb 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Apr/May 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Jul/Aug 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Nov/Dec 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-18-Screen-5	Feb 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Apr/May 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-18-Screen-5	Jul/Aug 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Oct/Nov 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Feb/Mar 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Apr/May 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Aug/Sep 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Nov/Dec 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Jan/Feb 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Apr/May 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18-Screen-5	Aug/Sep 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Nov 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Jan/Feb 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Apr/May 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-5	Jul 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Oct/Nov 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Jan/Feb 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Apr/May 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jul/Aug 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**	**Styrene**	**0.1 J**
MW-18-Screen-5	Jan/Feb 2015	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Apr/May 2015	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Jul/Aug 2015	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Oct 2015	MW-18-5	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Toluene**	**0.1 J** **0.6**
MW-18-Screen-5	Jan/Feb 2016	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Apr/May 2016	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Jul/Aug 2016	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct 2016	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 2017	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 UJ		
MW-18-Screen-5	Apr/May 2017	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Ethylbenzene** **Styrene** **Vinyl Chloride** **Acrylonitrile** **Benzene**	**1.0** **0.2 J** **2.3** **0.3 J** **19.0** **0.3 J**
MW-18-Screen-5	Jul/Aug 2017	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	October 2017	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jan/Feb 2018	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	April 2018	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jul/Aug 2018	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Oct 2018	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Feb/Mar 2019	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.50 U	4.0 U		
MW-18-Screen-5	Apr/May 2019	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jul/Aug 2019	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**1.6 J** **0.2 J**
MW-18-Screen-5	Oct 2019	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Feb 2020	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18-Screen-5	Jun 2020	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.1 J**
MW-18-Screen-5	Aug 2020	MW-18-5	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18-Screen-5	Oct/Nov 2020	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	Mar/Apr 2021	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18-Screen-5	May/June 2021	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1													
MW-19-Screen-1	Jan/Feb 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	NA	**Acetone**	3.7 B
MW-19-Screen-1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-19-Screen-1	Oct/Nov 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA	**Acetone**	**2.9**
MW-19-Screen-1	Feb/Mar 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-19-Screen-1	June/July 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U	**Bromodichloromethane**	**0.5**
MW-19-Screen-1	Sep/Oct 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19-Screen-1	Jan/Feb 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19-Screen-1	Apr/May 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Aug 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct/Nov 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Feb/Mar 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	May/Jun 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Aug 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Nov/Dec 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Mar/Apr 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Aug 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Sep/Oct 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jan/Feb 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.7 J** **0.4 J**
MW-19-Screen-1	Jan/Feb 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methylene chloride**	**0.3 J**
MW-19-Screen-1	Apr 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-19-Screen-1	Jul 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jan/Feb 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.1**
MW-19-Screen-1	Apr/May 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-19-Screen-1	Jul 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct/Nov 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jan/Feb 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Apr/May 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Aug 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct/Nov 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Feb 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-1	Apr/May 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Aug 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Aug 2004	DUPE-2-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct/Nov 2004	MW-19-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jan/Feb 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Apr/May 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Sep 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)**	**0.6** **0.6 J**
MW-19-Screen-1	Oct/Nov 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Mar/Apr 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	May/Jun 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Aug/Sep 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Oct/Dec 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Mar/Apr 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Jun/Jul 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Aug/Sep 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Oct/Dec 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19-Screen-1	Jan/Feb 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19-Screen-1	Apr/May 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19-Screen-1	Jul/Aug 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19-Screen-1	Oct/Nov 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19-Screen-1	Jan/Feb 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-19-Screen-1	Apr/May 2009	MW-19-1	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19-Screen-1	Jul/Aug 2009	MW-19-1	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19-Screen-1	Nov/Dec 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19-Screen-1	Feb 2010	MW-19-1	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**		
MW-19-Screen-1	Apr/May 2010	MW-19-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-19-Screen-1	Jul/Aug 2010	MW-19-1	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-19-Screen-1	Oct/Nov 2010	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.0 J**		
MW-19-Screen-1	Feb/Mar 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-19-Screen-1	Apr/May 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-19-Screen-1	Aug/Sep 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**		
MW-19-Screen-1	Nov/Dec 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**3.4**
MW-19-Screen-1	Nov/Dec 2011	DUPE-2-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**2.8**
MW-19-Screen-1	Jan/Feb 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19-Screen-1	Apr/May 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19-Screen-1	Aug/Sep 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-1	Nov 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jan/Feb 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Apr/May 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct/Nov 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jan/Feb 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Apr/May 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Jul/Aug 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-1	Oct 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19-Screen-1	Jan/Feb 2015	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-1	Apr/May 2015	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-19-Screen-1	Jul/Aug 2015	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19-Screen-1	Oct 2015	MW-19-1	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-19-Screen-1	Jan/Feb 2016	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-19-Screen-1	Apr/May 2016	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**0.8 J**		
MW-19-Screen-1	Jul/Aug 2016	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**0.8 J**		
MW-19-Screen-1	Oct 2016	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**1.0 J**		
MW-19-Screen-1	Jan/Feb 2017	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	2.0 U		
MW-19-Screen-1	Apr/May 2017	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**0.7 J**		
MW-19-Screen-1	Jul/Aug 2017	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U		
MW-19-Screen-1	October 2017	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-19-Screen-1	Jan/Feb 2018	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-19-Screen-1	April 2018	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19-Screen-1	Jul/Aug 2018	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	**1.3 J**		
MW-19-Screen-1	Oct 2018	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.7**
MW-19-Screen-1	Feb/Mar 2019	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-19-Screen-1	Apr/May 2019	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19-Screen-1	Jul/Aug 2019	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.7 J**		
MW-19-Screen-1	Oct 2019	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-1	Feb 2020	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-19-Screen-1	Jun 2020	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19-Screen-1	Aug 2020	MW-19-1	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-19-Screen-1	Oct/Nov 2020	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-19-Screen-1	Mar/Apr 2021	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-19-Screen-1	May/June 2021	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**11.0**		
MW-19-Screen-2													
MW-19-Screen-2	Jan/Feb 1996	MW-19-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**3.2**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-2	Aug/Sep 1996	MW-19-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	3.0 B
MW-19-Screen-2	Oct/Nov 1996	MW-19-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-2	Feb/Mar 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-2	June/July 1997	MW-19-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Sep/Oct 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Jan/Feb 1998	MW-19-2	0.5 U	**0.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Apr/May 1998	MW-19-2	0.5 U	**0.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Jul/Aug 1998	MW-19-2	0.5 U	**0.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Oct/Nov 1998	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Feb/Mar 1999	MW-19-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	May/Jun 1999	MW-19-2	0.5 U	**1.3**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-19-Screen-2	Aug 1999	MW-19-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Nov/Dec 1999	MW-19-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Mar/Apr 2000	MW-19-2	0.5 U	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Jul/Aug 2000	MW-19-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Sep/Oct 2000	MW-19-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Jan/Feb 2001	MW-19-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	1.4 B **0.6 J**
MW-19-Screen-2	Jan/Feb 2001	MW-19-2	0.5 U	**0.8**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-2	Apr 2001	MW-19-2	0.5 U	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-19-Screen-2	Jul 2001	MW-19-2	0.5 U	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-2	Oct 2001	MW-19-2	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Jan/Feb 2002	MW-19-2	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-19-Screen-2	Apr/May 2002	MW-19-2	0.5 U	**1.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride**	**0.5 J**
MW-19-Screen-2	Jul 2002	MW-19-2	0.5 U	**1.7**	**1.0**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-19-Screen-2	Oct/Nov 2002	MW-19-2	0.5 U	**1.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19-Screen-2	Jan/Feb 2003	MW-19-2	0.5 U	**1.1**	**2.0**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-19-Screen-2	Apr/May 2003	MW-19-2	0.5 U	**0.4 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.3**		
MW-19-Screen-2	Jul/Aug 2003	MW-19-2	0.5 U	**0.6**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.6 J**	**Bromodichloromethane** **Dibromochloromethane**	**0.4 J** **0.6**
MW-19-Screen-2	Oct/Nov 2003	MW-19-2	0.5 U	**0.3 J**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**4.4 J**	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.4 J**
MW-19-Screen-2	Feb 2004	MW-19-2	0.5 U	**0.5 J**	**1.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.2**	**6.8**	**Bromodichloromethane** **Dibromochloromethane**	**0.7** **1.3**
MW-19-Screen-2	Apr/May 2004	MW-19-2	0.5 U	**0.3 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.5**	**Bromodichloromethane**	**0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-2	Jul/Aug 2004	MW-19-2	0.5 U	**0.5**	**1.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.9**	**7.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.4 J** **0.3 J** **0.4 J**
MW-19-Screen-2	Oct/Nov 2004	MW-19-2	0.5 UJ	**0.3 J**	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.0**	**8.0**	**Bromodichloromethane** **Dibromochloromethane**	**0.5 J** **0.6**
MW-19-Screen-2	Jan/Feb 2005	MW-19-2	0.5 U	**0.5 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.5** **0.6**
MW-19-Screen-2	Apr/May 2005	MW-19-2	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**7.0**	**Bromodichloromethane**	**0.6**
MW-19-Screen-2	Jul/Sep 2005	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.7**	**m,p-Xylene**	**0.4 J**
MW-19-Screen-2	Oct/Nov 2005	MW-19-2	0.5 U	**0.6**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.6**	**Bromodichloromethane**	**0.3 J**
MW-19-Screen-2	Mar/Apr 2006	MW-19-2	0.5 U	**1.1**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.5**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **0.3**
MW-19-Screen-2	May/Jun 2006	MW-19-2	0.5 U	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.4**		
MW-19-Screen-2	Aug/Sep 2006	MW-19-2	0.5 U	**1.2**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	**5.1**		
MW-19-Screen-2	Oct/Dec 2006	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-2	Mar/Apr 2007	MW-19-2	0.5 U	**1.2**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-2	Jun/Jul 2007	MW-19-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**Methylene chloride**	**0.7 J**
MW-19-Screen-2	Aug/Sep 2007	MW-19-2	0.5 U	**1.1**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-19-Screen-2	Oct/Dec 2007	MW-19-2	0.5 U	**1.0**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**8.0**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Jan/Feb 2008	MW-19-2	0.5 U	**1.3**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.4**	**1,2,3-Trichlorobenzene** **cis-1,2-Dichloroethene**	**0.3 J** **0.3 J**
MW-19-Screen-2	Apr/May 2008	MW-19-2	0.5 U	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.0**		
MW-19-Screen-2	Jul/Aug 2008	MW-19-2	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.7**		
MW-19-Screen-2	Oct/Nov 2008	MW-19-2	0.5 U	**1.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-19-Screen-2	Jan/Feb 2009	MW-19-2	0.5 U	**2.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**5.2**		
MW-19-Screen-2	Apr/May 2009	MW-19-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-19-Screen-2	Jul/Aug 2009	MW-19-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-19-Screen-2	Nov/Dec 2009	MW-19-2	0.5 U	**1.2**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-19-Screen-2	Feb 2010	MW-19-2	0.5 U	**1.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**		
MW-19-Screen-2	Apr/May 2010	MW-19-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**		
MW-19-Screen-2	Jul/Aug 2010	MW-19-2	0.5 U	**1.9**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.0**		
MW-19-Screen-2	Oct/Nov 2010	MW-19-2	0.5 U	**1.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0 J**		
MW-19-Screen-2	Feb/Mar 2011	MW-19-2	0.5 U	**2.1**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**		
MW-19-Screen-2	Apr/May 2011	MW-19-2	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-19-Screen-2	Aug/Sep 2011	MW-19-2	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-19-Screen-2	Nov/Dec 2011	MW-19-2	0.5 U	**1.3**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-19-Screen-2	Jan/Feb 2012	MW-19-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-2	Apr/May 2012	DUPE-5-2Q12	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19-Screen-2	Apr/May 2012	MW-19-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19-Screen-2	Aug/Sep 2012	MW-19-2	0.5 U	**1.1**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5**	**5.8**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.3 J**
MW-19-Screen-2	Nov 2012	MW-19-2	0.5 U	**1.4**	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**1.2 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-19-Screen-2	Jan/Feb 2013	MW-19-2	0.5 U	**1.2**	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.7**	**6.2**	**1,2-Dichlorobenzene** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.1 J** **0.2 J** **0.3 J**
MW-19-Screen-2	Apr/May 2013	MW-19-2	0.5 U	**0.7**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-19-Screen-2	Jul 2013	MW-19-2	0.5 U	**0.9**	**1.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**6.1**	**1,2-Dichlorobenzene** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.1 J** **0.4 J** **0.3 J**
MW-19-Screen-2	Oct/Nov 2013	MW-19-2	0.5 U	**0.5 J**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**6.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-19-Screen-2	Jan/Feb 2014	MW-19-2	0.5 U	**0.8**	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**5.9**	**1,2-Dichlorobenzene** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.1 J** **0.4 J** **0.3 J**
MW-19-Screen-2	Apr/May 2014	MW-19-2	0.5 U	**0.4 J**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**6.3**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.3 J** **0.2 J** **0.2 J**
MW-19-Screen-2	Jul/Aug 2014	MW-19-2	0.5 U	**0.8**	**1.3**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.0**	**5.7**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.4 J** **0.2 J** **0.2 J**
MW-19-Screen-2	Oct 2014	MW-19-2	0.5 U	**0.6**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**5.5**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **0.2 J**
MW-19-Screen-2	Jan/Feb 2015	MW-19-2	0.5 U	**1.2**	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.1**	**5.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **0.2 J**
MW-19-Screen-2	Apr/May 2015	MW-19-2	0.5 U	**3.5**	**2.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	**2.1**	**5.0**	**1,2,3-Trichlorobenzene** **1,2-Dichlorobenzene** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.1 J** **0.4 J** **0.4 J**
MW-19-Screen-2	Jul/Aug 2015	MW-19-2	0.5 U	**1.6**	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.6**	**6.2**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Oct 2015	MW-19-2	0.5 U	**1.2**	**1.0**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	**1.7**	**4.9**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Jan/Feb 2016	MW-19-2	0.5 U	**1.3**	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.6**	**4.1**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-19-Screen-2	Apr/May 2016	MW-19-2	0.5 U	**1.4**	**1.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.9**	**3.1 J**	**cis-1,2-Dichloroethene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-2	Jul/Aug 2016	MW-19-2	0.5 U	**1.6**	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.2**	**4.6**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Oct 2016	MW-19-2	0.5 U	**1.0**	**0.9**	**0.1 J**	0.5 U	0.5 U	0.5 U	**1.6**	**4.6**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-19-Screen-2	Jan/Feb 2017	MW-19-2	0.5 U	**1.5**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**3.3**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Apr/May 2017	MW-19-2	0.5 U	**1.3**	**1.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.9**	**3.6 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-19-Screen-2	Jul/Aug 2017	MW-19-2	0.5 U	**1.3**	**2.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.7**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-19-Screen-2	April 2018	MW-19-2	0.5 U	**0.9**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**3.0 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.2 J**
MW-19-Screen-2	Jul/Aug 2018	MW-19-2	0.5 U	**1.6**	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.3**	**3.0 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-19-Screen-2	Oct 2018	MW-19-2	0.5 U	**0.8**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**3.6 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Feb/Mar 2019	MW-19-2	0.5 U	**1.2**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-19-Screen-2	Apr/May 2019	MW-19-2	0.5 U	**0.9**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Jul/Aug 2019	MW-19-2	0.5 U	**0.9**	**2.4**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.2**	**3.8 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.1 J**
MW-19-Screen-2	Oct 2019	MW-19-2	0.5 U	**0.8**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**3.7 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Feb 2020	MW-19-2	0.5 U	**1.0**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	Jun 2020	MW-19-2	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**3.3 J**		
MW-19-Screen-2	Aug 2020	MW-19-2	0.5 U	**0.7**	**1.20**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.8 J**		
MW-19-Screen-2	Oct/Nov 2020	MW-19-2	0.5 U	**0.5 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**3.1 J**		
MW-19-Screen-2	Mar/Apr 2021	MW-19-2	0.5 U	**1.5**	**2.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.1**	**3.4 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-2	May/June 2021	MW-19-2	0.5 U	**0.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**3.1 J**		
MW-19-Screen-3													
MW-19-Screen-3	Jan/Feb 1996	MW-19-3	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-3	Aug/Sep 1996	MW-19-3	0.5 U	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	2.6 B
MW-19-Screen-3	Oct/Nov 1996	MW-19-3	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-3	Feb/Mar 1997	MW-19-3	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-3	June/July 1997	MW-19-3	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-19-Screen-3	Sep/Oct 1997	MW-19-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.6**
MW-19-Screen-3	Jan/Feb 1998	MW-19-3	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Apr/May 1998	MW-19-3	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Jul/Aug 1998	MW-19-3	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-19-Screen-3	Oct/Nov 1998	MW-19-3	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-19-Screen-3	Feb/Mar 1999	MW-19-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	May/Jun 1999	MW-19-3	0.5 U	**0.9**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**		
MW-19-Screen-3	Aug 1999	MW-19-3	0.5 U	**0.6**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-19-Screen-3	Nov/Dec 1999	MW-19-3	0.5 U	**0.6**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-19-Screen-3	Mar/Apr 2000	MW-19-3	0.5 U	**0.8**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-19-Screen-3	Jul/Aug 2000	MW-19-3	0.5 U	**0.7**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-3	Sep/Oct 2000	MW-19-3	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-19-Screen-3	Jan/Feb 2001	MW-19-3	0.5 U	**0.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	0.7 B **1.1**
MW-19-Screen-3	Jan/Feb 2001	MW-19-3	0.5 U	**0.7**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	NA	**Methylene chloride**	**1.7**
MW-19-Screen-3	Apr 2001	MW-19-3	0.5 U	**0.5**	**1.2**	0.5 U	0.5 U	0.5 U	NA	**0.3 J**	4.0 U		
MW-19-Screen-3	Jul 2001	MW-19-3	0.5 U	**0.9**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-3	Oct 2001	MW-19-3	0.5 U	**0.5 J**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Jan/Feb 2002	MW-19-3	0.5 U	**1.1**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride**	**0.7 J**
MW-19-Screen-3	Apr/May 2002	MW-19-3	0.5 U	**1.1**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19-Screen-3	Jul 2002	MW-19-3	0.5 U	**1.1**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19-Screen-3	Oct/Nov 2002	MW-19-3	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-3	Dec 2002	MW-19-3	0.2 U	**0.8 J**	**1.5 J**	0.3 U	0.5 U	0.5 U	0.5 U	**0.5 J**	NA	**Methylene chloride**	1.4 UB
MW-19-Screen-3	Jan/Feb 2003	MW-19-3	0.5 U	**0.5 J**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19-Screen-3	Apr/May 2003	MW-19-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-19-Screen-3	Jul/Aug 2003	MW-19-3	0.5 U	**0.4 J**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**	**Dibromochloromethane**	**0.4 J**
MW-19-Screen-3	Oct/Nov 2003	MW-19-3	0.5 U	**0.3 J**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.1 J**		
MW-19-Screen-3	Feb 2004	MW-19-3	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**Dibromochloromethane**	**0.9**
MW-19-Screen-3	Feb 2004	DUPE-2-1Q04	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.3**	**Dibromochloromethane**	**0.9**
MW-19-Screen-3	Apr/May 2004	MW-19-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-19-Screen-3	Jul/Aug 2004	MW-19-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7**		
MW-19-Screen-3	Oct/Nov 2004	MW-19-3	0.5 UJ	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.8**		
MW-19-Screen-3	Jan/Feb 2005	MW-19-3	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.6**
MW-19-Screen-3	Apr/May 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Jul/Sep 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-19-Screen-3	Oct/Nov 2005	MW-19-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-19-Screen-3	Mar/Apr 2006	MW-19-3	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-3	May/Jun 2006	DUPE-1-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-3	May/Jun 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Aug/Sep 2006	MW-19-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Oct/Dec 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Mar/Apr 2007	MW-19-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Jun/Jul 2007	MW-19-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-19-Screen-3	Aug/Sep 2007	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Oct/Dec 2007	MW-19-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-19-Screen-3	Jan/Feb 2008	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-19-Screen-3	Apr/May 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-19-Screen-3	Jul/Aug 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-3	Oct/Nov 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-19-Screen-3	Jan/Feb 2009	MW-19-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19-Screen-3	Apr/May 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19-Screen-3	Jul/Aug 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19-Screen-3	Nov/Dec 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19-Screen-3	Feb 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19-Screen-3	Apr/May 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-19-Screen-3	Jul/Aug 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-19-Screen-3	Oct/Nov 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-19-Screen-3	Feb/Mar 2011	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-19-Screen-3	Apr/May 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19-Screen-3	Apr/May 2011	DUPE-3-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19-Screen-3	Apr/May 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19-Screen-3	Aug/Sep 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-19-Screen-3	Nov/Dec 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**Styrene**	**0.8**
MW-19-Screen-3	Jan/Feb 2012	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-19-Screen-3	Apr/May 2012	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-19-Screen-3	Aug/Sep 2012	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.0 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-19-Screen-3	Nov 2012	DUPE-1-4Q12	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-3	Nov 2012	MW-19-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-19-Screen-3	Jan/Feb 2013	MW-19-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.4 J**		
MW-19-Screen-3	Apr/May 2013	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-19-Screen-3	Jul 2013	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**		
MW-19-Screen-3	Oct/Nov 2013	MW-19-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.4 J**		
MW-19-Screen-3	Jan/Feb 2014	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.4 J**		
MW-19-Screen-3	Apr/May 2014	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.9 J**		
MW-19-Screen-3	Jul/Aug 2014	MW-19-3	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.4**		
MW-19-Screen-3	Oct 2014	MW-19-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.3 J**		
MW-19-Screen-3	Jan/Feb 2015	MW-19-3	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**		
MW-19-Screen-3	Jan/Feb 2015	Dup-1-1Q15	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.9 J**		
MW-19-Screen-3	Apr/May 2015	MW-19-3	0.5 U	**0.1 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.1**		
MW-19-Screen-3	Jul/Aug 2015	MW-19-3	0.5 U	**0.1 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**6.1**		
MW-19-Screen-3	Oct 2015	MW-19-3	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.1 J**		
MW-19-Screen-3	Jan/Feb 2016	MW-19-3	0.5 U	**0.2 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.8**		
MW-19-Screen-3	Apr/May 2016	MW-19-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.6 J**		
MW-19-Screen-3	Jul/Aug 2016	MW-19-3	0.5 U	**0.5 J**	1.0	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.4**	**4.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-3	Oct 2016	MW-19-3	0.5 U	**0.2 J**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.3**		
MW-19-Screen-3	Jan/Feb 2017	MW-19-3	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.5**		
MW-19-Screen-3	Apr/May 2017	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**4.3**		
MW-19-Screen-3	Jul/Aug 2017	MW-19-3	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**3.6 J**		
MW-19-Screen-3	October 2017	MW-19-3	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**3.9 J**		
MW-19-Screen-3	Jan/Feb 2018	MW-19-3	0.5 U	**0.2 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**4.1 J**		
MW-19-Screen-3	April 2018	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**4.7**		
MW-19-Screen-3	Jul/Aug 2018	MW-19-3	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**2.2 J**		
MW-19-Screen-3	Jul/Aug 2018	DUP-1-3Q18	0.5 U	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**2.5 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-3	Oct 2018	MW-19-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**3.2 J**		
MW-19-Screen-3	Feb/Mar 2019	MW-19-3	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**2.9 J**		
MW-19-Screen-3	Apr/May 2019	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**2.3 J**		
MW-19-Screen-3	Jul/Aug 2019	MW-19-3	0.5 U	**0.3 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**3.8 J**		
MW-19-Screen-3	Oct 2019	MW-19-3	0.5 U	**0.2 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**3.5 J**		
MW-19-Screen-3	Feb 2020	MW-19-3	0.5 U	**0.4 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**3.3 J**		
MW-19-Screen-3	Jun 2020	MW-19-3	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**3.7 J**		
MW-19-Screen-3	Jun 2020	DUP-1-2Q2020	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**3.9 J**		
MW-19-Screen-3	Aug 2020	MW-19-3	0.5 U	**0.9**	**1.90**	**0.2 J**	0.5 U	0.5 U	0.5 U	**4.4**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19-Screen-3	Oct/Nov 2020	MW-19-3	0.5 U	**0.4 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**3.6 J**		
MW-19-Screen-3	Oct/Nov 2020	DUP-2-4Q20	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**3.8 J**		
MW-19-Screen-3	Mar/Apr 2021	MW-19-3	0.5 U	**0.5**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**3.5 J**		
MW-19-Screen-3	May/June 2021	MW-19-3	0.5 U	**0.4 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**4.2**		
MW-19-Screen-4													
MW-19-Screen-4	Jan/Feb 1996	MW-19-4	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-19-Screen-4	Aug/Sep 1996	MW-19-4	**0.5**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	NA		
MW-19-Screen-4	Oct/Nov 1996	MW-19-4	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	NA		
MW-19-Screen-4	Feb/Mar 1997	MW-19-4	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	NA		
MW-19-Screen-4	June/July 1997	MW-19-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-19-Screen-4	Sep/Oct 1997	MW-19-4	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**4.9**		
MW-19-Screen-4	Jan/Feb 1998	MW-19-4	0.5 U	**0.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-19-Screen-4	Apr/May 1998	MW-19-4	0.5 U	**0.8**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U		
MW-19-Screen-4	Jul/Aug 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19-Screen-4	Oct/Nov 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U		
MW-19-Screen-4	Feb/Mar 1999	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U		
MW-19-Screen-4	May/Jun 1999	MW-19-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U		
MW-19-Screen-4	Aug 1999	MW-19-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U		
MW-19-Screen-4	Nov/Dec 1999	MW-19-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-4	Mar/Apr 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-19-Screen-4	Jul/Aug 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-19-Screen-4	Sep/Oct 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U		
MW-19-Screen-4	Jan/Feb 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U	**Bromodichloromethane** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.4 J** 0.8 B **0.9 J** **0.3 J**
MW-19-Screen-4	Jan/Feb 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	NA	**Bromodichloromethane**	**0.3 J**
MW-19-Screen-4	Apr 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**2.0**	4.0 U		
MW-19-Screen-4	Jul 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U		
MW-19-Screen-4	Oct 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-19-Screen-4	Jan/Feb 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U	**Methylene chloride**	**0.5 J**
MW-19-Screen-4	Apr/May 2002	MW-19-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U	**Methylene chloride**	**0.4 J**
MW-19-Screen-4	Jul 2002	MW-19-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U	**Bromodichloromethane**	**0.5 J**
MW-19-Screen-4	Oct/Nov 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	4.0 U		
MW-19-Screen-4	Jan/Feb 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-19-Screen-4	Jan/Feb 2003	DUPE-2-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-19-Screen-4	Apr/May 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-19-Screen-4	Jul/Aug 2003	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-19-Screen-4	Jul/Aug 2003	DUPE-1-3Q03	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19-Screen-4	Oct/Nov 2003	MW-19-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-19-Screen-4	Feb 2004	MW-19-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.5 J**		
MW-19-Screen-4	Apr/May 2004	MW-19-4	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-19-Screen-4	Jul/Aug 2004	MW-19-4	0.5 U	**0.4 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**m,p-Xylene** **Toluene**	**0.7** **0.6**
MW-19-Screen-4	Oct/Nov 2004	MW-19-4	0.5 UJ	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19-Screen-4	Jan/Feb 2005	MW-19-4	0.5 U	**0.4 J**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-4	Apr/May 2005	MW-19-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-19-Screen-4	Jul/Sep 2005	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**	**m,p-Xylene**	**0.8**
MW-19-Screen-4	Oct/Nov 2005	MW-19-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.4 J**		
MW-19-Screen-4	Mar/Apr 2006	MW-19-4	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-4	May/Jun 2006	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-4	Aug/Sep 2006	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-4	Oct/Dec 2006	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-4	Mar/Apr 2007	MW-19-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.5 U		
MW-19-Screen-4	Jun/Jul 2007	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-19-Screen-4	Aug/Sep 2007	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-4	Oct/Dec 2007	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.4**		
MW-19-Screen-4	Jan/Feb 2008	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-19-Screen-4	Apr/May 2008	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19-Screen-4	Jul/Aug 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-19-Screen-4	Oct/Nov 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19-Screen-4	Jan/Feb 2009	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19-Screen-4	Apr/May 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19-Screen-4	Jul/Aug 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19-Screen-4	Nov/Dec 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19-Screen-4	Feb 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-19-Screen-4	Apr/May 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19-Screen-4	Jul/Aug 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-19-Screen-4	Oct/Nov 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-19-Screen-4	Feb/Mar 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-19-Screen-4	Apr/May 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-19-Screen-4	Aug/Sep 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-19-Screen-4	Nov/Dec 2011	MW-19-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-19-Screen-4	Jan/Feb 2012	MW-19-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-19-Screen-4	Apr/May 2012	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-19-Screen-4	Aug/Sep 2012	MW-19-4	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.6 J**	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.1 J**
MW-19-Screen-4	Nov 2012	MW-19-4	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.4 J**		
MW-19-Screen-4	Jan/Feb 2013	MW-19-4	0.5 U	**0.2 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.3 J**	**1,2-Dichlorobenzene**	**0.1 J**
MW-19-Screen-4	Apr/May 2013	MW-19-4	0.5 U	**0.1 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-19-Screen-4	Jul 2013	MW-19-4	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-19-Screen-4	Oct/Nov 2013	MW-19-4	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-19-Screen-4	Jan/Feb 2014	MW-19-4	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.4 J**	**1,2-Dichlorobenzene**	**0.1 J**
MW-19-Screen-4	Apr/May 2014	MW-19-4	0.5 U	**0.1 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.3 J**		
MW-19-Screen-4	Jul/Aug 2014	MW-19-4	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.4 J**		
MW-19-Screen-4	Oct 2014	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.1 J**		
MW-19-Screen-4	Jan/Feb 2015	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.5 J**	**Styrene**	**0.1 J**
MW-19-Screen-4	Apr/May 2015	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.3 J**		
MW-19-Screen-4	Jul/Aug 2015	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.9 J**		
MW-19-Screen-4	Jul/Aug 2015	DUP-2-3Q15	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.7 J**		
MW-19-Screen-4	Oct 2015	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.8 J**		
MW-19-Screen-4	Oct 2015	Dup-2-4Q15	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.7 J**		
MW-19-Screen-4	Jan/Feb 2016	MW-19-4	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-4	Apr/May 2016	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-19-Screen-4	Jul/Aug 2016	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.3 J**		
MW-19-Screen-4	Oct 2016	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.2 J**		
MW-19-Screen-4	Oct 2016	DUP-6-4Q16	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.6 J**		
MW-19-Screen-4	Jan/Feb 2017	MW-19-4	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-19-Screen-4	Jan/Feb 2017	DUP-1-1Q17	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7**		
MW-19-Screen-4	Apr/May 2017	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.4 J**		
MW-19-Screen-4	Jul/Aug 2017	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.9 J**		
MW-19-Screen-4	October 2017	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.4 J**		
MW-19-Screen-4	Jan/Feb 2018	MW-19-4	0.5 U	**0.2 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.4 J**		
MW-19-Screen-4	April 2018	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.6 J**		
MW-19-Screen-4	Jul/Aug 2018	MW-19-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.0 J**		
MW-19-Screen-4	Oct 2018	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.9 J**		
MW-19-Screen-4	Feb/Mar 2019	MW-19-4	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**2.5 J**		
MW-19-Screen-4	Feb/Mar 2019	DUP-4-1Q19	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.6 J**		
MW-19-Screen-4	Apr/May 2019	MW-19-4	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.7 J**		
MW-19-Screen-4	Jul/Aug 2019	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**3.7 J**		
MW-19-Screen-4	Oct 2019	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.0 J**		
MW-19-Screen-4	Oct 2019	DUP-2-4Q19	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.9 J**		
MW-19-Screen-4	Feb 2020	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**3.1 J**		
MW-19-Screen-4	Jun 2020	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**3.6 J**		
MW-19-Screen-4	Aug 2020	MW-19-4	0.5 U	0.5 U	**0.40 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**2.5 J**		
MW-19-Screen-4	Oct/Nov 2020	MW-19-4	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**3.2 J**		
MW-19-Screen-4	Mar/Apr 2021	MW-19-4	0.5 U	**0.4 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**3.0 J**		
MW-19-Screen-4	May/June 2021	MW-19-4	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**3.6 J**		
MW-19-Screen-5													
MW-19-Screen-5	Jan/Feb 1996	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-5	Aug/Sep 1996	MW-19-5	0.5 U	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA	**Acetone**	4.9 B
MW-19-Screen-5	Oct/Nov 1996	MW-19-5	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-5	Feb/Mar 1997	MW-19-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-5	June/July 1997	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Sep/Oct 1997	MW-19-5	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19-Screen-5	Jan/Feb 1998	MW-19-5	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Apr/May 1998	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19-Screen-5	Jul/Aug 1998	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Oct/Nov 1998	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Feb/Mar 1999	MW-19-5	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-5	May/Jun 1999	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	**Methylene chloride**	**0.7**
MW-19-Screen-5	Aug 1999	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-19-Screen-5	Nov/Dec 1999	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Mar/Apr 2000	MW-19-5	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19-Screen-5	Jul/Aug 2000	MW-19-5	0.5 U	**0.5**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-19-Screen-5	Sep/Oct 2000	MW-19-5	0.5 U	**0.6**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Jan/Feb 2001	MW-19-5	0.5 U	**0.4 J**	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.5 J** **0.7 J** **0.3 J**
MW-19-Screen-5	Jan/Feb 2001	MW-19-5	0.5 U	**0.4 J**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19-Screen-5	Apr 2001	MW-19-5	0.5 U	**0.4 J**	**2.5**	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	**1,2-Dichloroethene, Total** **cis-1,2-Dichloroethene**	**0.3 J** **0.3 J**
MW-19-Screen-5	Jul 2001	MW-19-5	0.5 U	**0.4 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-5	Oct 2001	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19-Screen-5	Jan/Feb 2002	MW-19-5	0.5 U	**0.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U	**Methylene chloride**	**2.7**
MW-19-Screen-5	Apr/May 2002	MW-19-5	0.5 U	**0.6**	**3.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Methylene chloride**	**0.5 J**
MW-19-Screen-5	Jul 2002	MW-19-5	0.5 U	**0.6**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19-Screen-5	Oct/Nov 2002	MW-19-5	0.5 U	**0.4 J**	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-5	Dec 2002	MW-19-5	0.2 U	**0.6**	**5.4**	0.3 U	0.5 U	0.5 U	0.5 U	**0.4**	NA	**Methylene chloride**	1.8 UB
MW-19-Screen-5	Jan/Feb 2003	MW-19-5	0.5 U	**0.4 J**	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Apr/May 2003	MW-19-5	0.5 U	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19-Screen-5	Jul/Aug 2003	MW-19-5	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Oct/Nov 2003	MW-19-5	0.5 U	**0.3 J**	**3.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19-Screen-5	Feb 2004	MW-19-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Apr/May 2004	MW-19-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Jul/Aug 2004	MW-19-5	0.5 U	**0.4 J**	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Oct/Nov 2004	MW-19-5	0.5 UJ	**0.3 J**	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-5	Jan/Feb 2005	MW-19-5	0.5 U	**0.5**	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-19-Screen-5	Apr/May 2005	MW-19-5	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Jul/Sep 2005	MW-19-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**	**Bromodichloromethane**	**0.4 J**
MW-19-Screen-5	Oct/Nov 2005	DUPE-2-4Q05	0.5 U	**0.3 J**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.3 J**		
MW-19-Screen-5	Oct/Nov 2005	MW-19-5	0.5 U	**0.4 J**	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.2 J**		
MW-19-Screen-5	Mar/Apr 2006	MW-19-5	0.5 U	**0.5**	**3.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-5	May/Jun 2006	MW-19-5	0.5 U	**0.4 J**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-5	Aug/Sep 2006	MW-19-5	0.5 U	**0.4 J**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19-Screen-5	Oct/Dec 2006	MW-19-5	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8 J**		
MW-19-Screen-5	Mar/Apr 2007	MW-19-5	0.5 U	**0.3 J**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-5	Jun/Jul 2007	MW-19-5	0.5 U	**0.3 J**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19-Screen-5	Aug/Sep 2007	MW-19-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19-Screen-5	Oct/Dec 2007	MW-19-5	0.5 U	**0.3 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.8**		
MW-19-Screen-5	Jan/Feb 2008	MW-19-5	0.5 U	**0.4 J**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-19-Screen-5	Apr/May 2008	MW-19-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19-Screen-5	Jul/Aug 2008	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**Chloromethane**	**1.0**
MW-19-Screen-5	Oct/Nov 2008	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19-Screen-5	Jan/Feb 2009	MW-19-5	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19-Screen-5	Apr/May 2009	MW-19-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19-Screen-5	Jul/Aug 2009	MW-19-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19-Screen-5	Nov/Dec 2009	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-19-Screen-5	Feb 2010	MW-19-5	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19-Screen-5	Apr/May 2010	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-19-Screen-5	Jul/Aug 2010	MW-19-5	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-19-Screen-5	Oct/Nov 2010	MW-19-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-19-Screen-5	Feb/Mar 2011	MW-19-5	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19-Screen-5	Apr/May 2011	MW-19-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-19-Screen-5	Aug/Sep 2011	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-19-Screen-5	Nov/Dec 2011	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-19-Screen-5	Jan/Feb 2012	MW-19-5	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19-Screen-5	Apr/May 2012	MW-19-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-19-Screen-5	Aug/Sep 2012	MW-19-5	0.5 U	**0.2 J**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-19-Screen-5	Nov 2012	MW-19-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.4 J**		
MW-19-Screen-5	Jan/Feb 2013	MW-19-5	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.6 J**		
MW-19-Screen-5	Apr/May 2013	MW-19-5	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Carbon disulfide**	**0.4 J**
MW-19-Screen-5	Jul 2013	MW-19-5	0.5 U	**0.2 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.1 J**	**Styrene**	**0.1 J**
MW-19-Screen-5	Oct/Nov 2013	MW-19-5	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**		
MW-19-Screen-5	Jan/Feb 2014	MW-19-5	0.5 U	**0.1 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.8 J**		
MW-19-Screen-5	Apr/May 2014	MW-19-5	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.1 J**		
MW-19-Screen-5	Jul/Aug 2014	MW-19-5	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-19-Screen-5	Oct 2014	MW-19-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-19-Screen-5	Jan/Feb 2015	MW-19-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**	**Styrene**	**0.1 J**
MW-19-Screen-5	Apr/May 2015	MW-19-5	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.8 J**	**Styrene**	**0.1 J**
MW-19-Screen-5	Jul/Aug 2015	MW-19-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.3 J**	**Styrene**	**0.1 J**
MW-19-Screen-5	Oct 2015	MW-19-5	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**2.1 J**	**Styrene**	**0.1 J**
MW-19-Screen-5	Jan/Feb 2016	MW-19-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19-Screen-5	Apr/May 2016	MW-19-5	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.3 J**		
MW-19-Screen-5	Jul/Aug 2016	MW-19-5	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**5.8**		
MW-19-Screen-5	Oct 2016	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.4 J**		
MW-19-Screen-5	Jan/Feb 2017	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**2.2**		
MW-19-Screen-5	Apr/May 2017	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**2.2 J**		
MW-19-Screen-5	Jul/Aug 2017	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**1.7 J**		
MW-19-Screen-5	October 2017	MW-19-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**2.0 J**		
MW-19-Screen-5	Jan/Feb 2018	MW-19-5	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	**2.1 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	April 2018	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**2.5 J**		
MW-19-Screen-5	Jul/Aug 2018	MW-19-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**2.1 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	Oct 2018	MW-19-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**1.9 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	Oct 2018	DUP-1-4Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**1.9 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	Feb/Mar 2019	MW-19-5	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**1.5 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	Apr/May 2019	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**1.9 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	Jul/Aug 2019	MW-19-5	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**2.3 J**	**Bromodichloromethane**	**0.2 J**
MW-19-Screen-5	Oct 2019	MW-19-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**1.7 J**		
MW-19-Screen-5	Feb 2020	MW-19-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**1.5 J**		
MW-19-Screen-5	Jun 2020	MW-19-5	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.7 J**		
MW-19-Screen-5	Aug 2020	MW-19-5	0.5 U	0.5 U	**0.43 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.9 J**		
MW-19-Screen-5	Oct/Nov 2020	MW-19-5	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**3.0 J**		
MW-19-Screen-5	Mar/Apr 2021	MW-19-5	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**3.3 J**		
MW-19-Screen-5	May/June 2021	MW-19-5	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**2.9 J**		
MW-20-Screen-1													
MW-20-Screen-1	Jan/Feb 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-1	Aug/Sep 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA	**Acetone**	3.4 B
MW-20-Screen-1	Feb/Mar 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA	**Acetone**	**2.4**
MW-20-Screen-1	June/July 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**5.7**		
MW-20-Screen-1	Jan/Feb 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**6.3**		
MW-20-Screen-1	Apr/May 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**5.5**		
MW-20-Screen-1	Jul/Aug 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**5.9**		
MW-20-Screen-1	Oct/Nov 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**7.8**		
MW-20-Screen-1	Feb/Mar 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**4.9**		
MW-20-Screen-1	May/Jun 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**4.4**		
MW-20-Screen-1	Aug 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.5**		
MW-20-Screen-1	Nov/Dec 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**7.7**		
MW-20-Screen-1	Mar/Apr 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**7.6**		
MW-20-Screen-1	Jul/Aug 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-1	Sep/Oct 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**7.9**		
MW-20-Screen-1	Jan/Feb 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**5.0**	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.3 J**
MW-20-Screen-1	Jan/Feb 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	NA		
MW-20-Screen-1	Apr 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.9**	4.0 U		
MW-20-Screen-1	Jul 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-20-Screen-1	Oct 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jan/Feb 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**6.6**	**Methylene chloride**	**0.7 J**
MW-20-Screen-1	Apr/May 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-20-Screen-1	Jul 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-20-Screen-1	Oct/Nov 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-20-Screen-1	Jan/Feb 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jan/Feb 2003	DUPE-1-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-20-Screen-1	Apr/May 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Apr/May 2003	DUPE-3-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jul/Aug 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.5 J**		
MW-20-Screen-1	Oct/Nov 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.1 J**	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **2.2** **0.9**
MW-20-Screen-1	Feb 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Apr/May 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jul/Aug 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Oct/Nov 2004	MW-20-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-20-Screen-1	Jan/Feb 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-20-Screen-1	Apr/May 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jul/Sep 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-20-Screen-1	Oct/Nov 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-20-Screen-1	Mar/Apr 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-1	May/Jun 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Aug/Sep 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Oct/Dec 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Mar/Apr 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jun/Jul 2007	DUPE-2-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jun/Jul 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Aug/Sep 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Oct/Dec 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-20-Screen-1	Jan/Feb 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-1	Apr/May 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-1	Jul/Aug 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-20-Screen-1	Oct/Nov 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-20-Screen-1	Oct/Nov 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Jan/Feb 2009	DUPE-04-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Jan/Feb 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Apr/May 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Jul/Aug 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Nov/Dec 2009	DUPE-01-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Nov/Dec 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Feb 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Apr/May 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Jul/Aug 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Oct/Nov 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Feb/Mar 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Apr/May 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Aug/Sep 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-20-Screen-1	Nov/Dec 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Jan/Feb 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-20-Screen-1	Apr/May 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-1	Aug/Sep 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.6 J**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-20-Screen-1	Nov 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-20-Screen-1	Jan/Feb 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-20-Screen-1	Apr/May 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Bromodichloromethane** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-20-Screen-1	Jul 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.2 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-20-Screen-1	Oct/Nov 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20-Screen-1	Jan/Feb 2014	DUPE-2-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-20-Screen-1	Jan/Feb 2014	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-20-Screen-1	Apr/May 2014	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jul/Aug 2017	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-1	Jul/Aug 2019	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-20-Screen-2													
MW-20-Screen-2	Jan/Feb 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	NA		
MW-20-Screen-2	Aug/Sep 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	NA	**Acetone** **Bromodichloromethane**	4.0 B **0.9**
MW-20-Screen-2	Oct/Nov 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	NA	**Bromodichloromethane**	**0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-2	Feb/Mar 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	NA		
MW-20-Screen-2	June/July 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	4.0 U		
MW-20-Screen-2	Sep/Oct 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	4.0 U	**Bromodichloromethane**	**0.5**
MW-20-Screen-2	Jan/Feb 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U		
MW-20-Screen-2	Apr/May 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U		
MW-20-Screen-2	Jul/Aug 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**Bromodichloromethane**	**0.5**
MW-20-Screen-2	Oct/Nov 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	4.0 U		
MW-20-Screen-2	Feb/Mar 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U		
MW-20-Screen-2	May/Jun 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20-Screen-2	Aug 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20-Screen-2	Nov/Dec 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U		
MW-20-Screen-2	Mar/Apr 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U		
MW-20-Screen-2	Jul/Aug 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20-Screen-2	Sep/Oct 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	4.0 U	**Bromodichloromethane**	**0.7**
MW-20-Screen-2	Jan/Feb 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	4.0 U	**Bromodichloromethane**	**0.4 J**
MW-20-Screen-2	Jan/Feb 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	NA	**Bromodichloromethane**	**0.5 J**
MW-20-Screen-2	Apr 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**2.9**	4.0 U	**Bromodichloromethane**	**0.4 J**
MW-20-Screen-2	Jul 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	4.0 U		
MW-20-Screen-2	Oct 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U		
MW-20-Screen-2	Jan/Feb 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**Bromodichloromethane**	**0.3 J**
MW-20-Screen-2	Apr/May 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U		
MW-20-Screen-2	Jul 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20-Screen-2	Oct/Nov 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**Bromodichloromethane**	**0.5 J**
MW-20-Screen-2	Jan/Feb 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-20-Screen-2	Apr/May 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-20-Screen-2	Jul/Aug 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U		
MW-20-Screen-2	Oct/Nov 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-20-Screen-2	Oct/Nov 2003	DUPE-6-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U	**Bromodichloromethane**	**0.3 J**
MW-20-Screen-2	Feb 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-20-Screen-2	Apr/May 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-20-Screen-2	Jul/Aug 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-20-Screen-2	Oct/Nov 2004	MW-20-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-20-Screen-2	Jan/Feb 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-20-Screen-2	Apr/May 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-20-Screen-2	Jul/Sep 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5 J**
MW-20-Screen-2	Oct/Nov 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-20-Screen-2	Mar/Apr 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-2	May/Jun 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-2	Aug/Sep 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20-Screen-2	Oct/Dec 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-2	Mar/Apr 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-20-Screen-2	Mar/Apr 2007	DUPE-3-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	NA		
MW-20-Screen-2	Jun/Jul 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	1.0 U		
MW-20-Screen-2	Aug/Sep 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20-Screen-2	Oct/Dec 2007	MW-20-2	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-20-Screen-2	Jan/Feb 2008	MW-20-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6**		
MW-20-Screen-2	Apr/May 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20-Screen-2	Jul/Aug 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	1.0 U		
MW-20-Screen-2	Oct/Nov 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.1**		
MW-20-Screen-2	Oct/Nov 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-20-Screen-2	Jan/Feb 2009	DUPE-03-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-20-Screen-2	Jan/Feb 2009	MW-20-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-20-Screen-2	Apr/May 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-2	Jul/Aug 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-20-Screen-2	Nov/Dec 2009	MW-20-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-20-Screen-2	Feb 2010	MW-20-2	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-20-Screen-2	Apr/May 2010	DUPE-04-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-20-Screen-2	Apr/May 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-20-Screen-2	Jul/Aug 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-20-Screen-2	Oct/Nov 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-20-Screen-2	Feb/Mar 2011	MW-20-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-20-Screen-2	Apr/May 2011	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-20-Screen-2	Aug/Sep 2011	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-20-Screen-2	Nov/Dec 2011	MW-20-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-20-Screen-2	Jan/Feb 2012	MW-20-2	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-20-Screen-2	Apr/May 2012	MW-20-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**		
MW-20-Screen-2	Aug/Sep 2012	MW-20-2	0.5 U	**1.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**	**Styrene**	**0.1 J**
MW-20-Screen-2	Nov 2012	MW-20-2	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.5 J**	**Styrene**	**0.1 J**
MW-20-Screen-2	Jan/Feb 2013	MW-20-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.4 J**	**Styrene**	**0.1 J**
MW-20-Screen-2	Apr/May 2013	MW-20-2	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**	**Carbon disulfide**	**0.4 J**
MW-20-Screen-2	Jul 2013	MW-20-2	0.5 U	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.9 J**		
MW-20-Screen-2	Oct/Nov 2013	MW-20-2	0.5 U	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-20-Screen-2	Jan/Feb 2014	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.6 J**	**Styrene**	**0.1 J**
MW-20-Screen-2	Apr/May 2014	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-2	Jul/Aug 2014	DUP-1-3Q14	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.3 J**		
MW-20-Screen-2	Jul/Aug 2014	MW-20-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.5 J**		
MW-20-Screen-2	Oct 2014	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.9 J**		
MW-20-Screen-2	Jan/Feb 2015	MW-20-2	0.5 U	**2.2**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**7.0**		
MW-20-Screen-2	Apr/May 2015	MW-20-2	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-20-Screen-2	Jul/Aug 2015	MW-20-2	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.3 J**	**Styrene**	**0.1 J**
MW-20-Screen-2	Oct 2015	MW-20-2	0.5 U	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.1 J** **0.3 J** **0.2 J**
MW-20-Screen-2	Jan/Feb 2016	MW-20-2	0.5 U	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Carbon disulfide** **Styrene**	**0.7 J** **0.1 J**
MW-20-Screen-2	Jan/Feb 2016	DUP-1-1Q16	0.5 U	**1.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20-Screen-2	Apr/May 2016	MW-20-2	0.5 U	**2.5**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-20-Screen-2	Jul/Aug 2016	MW-20-2	0.5 U	**1.2**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.6**		
MW-20-Screen-2	Oct 2016	MW-20-2	0.5 U	**1.0**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**		
MW-20-Screen-2	Jan/Feb 2017	MW-20-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	2.0 U		
MW-20-Screen-2	Apr/May 2017	MW-20-2	0.5 U	**2.3**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**2.6 J**	**Acetone**	**22.0**
MW-20-Screen-2	Jul/Aug 2017	MW-20-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.9 J**		
MW-20-Screen-2	October 2017	MW-20-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**	**Carbon disulfide**	**0.6 J**
MW-20-Screen-2	Jan/Feb 2018	MW-20-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 UJ		
MW-20-Screen-2	April 2018	MW-20-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.7 J**	**Carbon disulfide**	**0.8 J**
MW-20-Screen-2	April 2018	DUP-7-2Q18	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Carbon disulfide**	**0.7 J**
MW-20-Screen-2	Jul/Aug 2018	MW-20-2	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.5 J**		
MW-20-Screen-2	Oct 2018	MW-20-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.0 J**		
MW-20-Screen-2	Feb/Mar 2019	MW-20-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.5 J**		
MW-20-Screen-2	Apr/May 2019	MW-20-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**0.9 J**		
MW-20-Screen-2	Jul/Aug 2019	MW-20-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.0 J**		
MW-20-Screen-2	Oct 2019	MW-20-2	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.2 J**		
MW-20-Screen-2	Feb 2020	MW-20-2	0.5 U	**0.9**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**1.0 J**		
MW-20-Screen-2	Jun 2020	MW-20-2	0.5 U	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**0.9 J**		
MW-20-Screen-2	Aug 2020	MW-20-2	0.5 U	**0.3 J**	**0.24 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.7 J**		
MW-20-Screen-2	Oct/Nov 2020	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.6 J**	**Carbon disulfide**	**0.5 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-2	Oct/Nov 2020	DUP-1-4Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**9.8**	**Acrylonitrile** **Benzene** **Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **o-Xylene** **Styrene** **Vinyl chloride**	**9.4** **0.8** **0.2 J** **1.7** **0.1 J** **2.4** **1.5**
MW-20-Screen-2	Mar/Apr 2021	MW-20-2	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-20-Screen-2	May/June 2021	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.4**	**Carbon disulfide**	**0.6**
MW-20-Screen-3													
MW-20-Screen-3	Jan/Feb 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Ethylbenzene**	14.0 B
MW-20-Screen-3	Aug/Sep 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	2.7 B
MW-20-Screen-3	Oct/Nov 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA	**Acetone**	**2.3**
MW-20-Screen-3	Feb/Mar 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-3	June/July 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Sep/Oct 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jan/Feb 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Apr/May 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jul/Aug 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Oct/Nov 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Feb/Mar 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	May/Jun 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Aug 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Nov/Dec 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Mar/Apr 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jul/Aug 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Sep/Oct 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jan/Feb 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-20-Screen-3	Jan/Feb 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-3	Apr 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20-Screen-3	Jul 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Oct 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jan/Feb 2002	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-20-Screen-3	Apr/May 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jul 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Oct/Nov 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jan/Feb 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-3	Apr/May 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-20-Screen-3	Jul/Aug 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jul/Aug 2003	DUPE-2-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Oct/Nov 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Feb 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-20-Screen-3	Apr/May 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jul/Aug 2004	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Oct/Nov 2004	MW-20-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jan/Feb 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-20-Screen-3	Apr/May 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Jul/Sep 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Oct/Nov 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Mar/Apr 2006	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	May/Jun 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-3	Aug/Sep 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-3	Oct/Dec 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-3	Mar/Apr 2007	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-20-Screen-3	Jun/Jul 2007	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-3	Aug/Sep 2007	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-3	Oct/Dec 2007	MW-20-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-3	Jan/Feb 2008	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U		
MW-20-Screen-3	Apr/May 2008	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-3	Jul/Aug 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Oct/Nov 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-20-Screen-3	Oct/Nov 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Jan/Feb 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-20-Screen-3	Apr/May 2009	DUPE-06-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Apr/May 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Jul/Aug 2009	DUPE-5-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Jul/Aug 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Nov/Dec 2009	MW-20-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Feb 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Apr/May 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-20-Screen-3	Jul/Aug 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Jul/Aug 2010	DUPE-2-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Oct/Nov 2010	MW-20-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Feb/Mar 2011	MW-20-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-3	Apr/May 2011	MW-20-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Aug/Sep 2011	MW-20-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Nov/Dec 2011	MW-20-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Jan/Feb 2012	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.6**	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**1.2** **1.7**
MW-20-Screen-3	Apr/May 2012	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-3	Aug/Sep 2012	MW-20-3	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Styrene**	**2.8 J** **0.6 J** **0.4 J**
MW-20-Screen-3	Nov 2012	MW-20-3	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**2.0 J** **0.6 J** **0.1 J** **0.3 J**
MW-20-Screen-3	Jan/Feb 2013	MW-20-3	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene** **Toluene**	**2.2 J** **0.1 J** **0.5 J** **0.1 J**
MW-20-Screen-3	Apr/May 2013	DUP-1-2Q13	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene** **Toluene**	**2.8 J** **0.5 J** **0.1 J** **0.3 J** **0.1 J**
MW-20-Screen-3	Apr/May 2013	MW-20-3	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene** **Toluene**	**2.5 J** **0.6 J** **0.1 J** **0.4 J** **0.1 J**
MW-20-Screen-3	Jul 2013	MW-20-3	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene** **Toluene**	**2.9 J** **0.2 J** **0.4 J** **0.1 J**
MW-20-Screen-3	Oct/Nov 2013	MW-20-3	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene** **Toluene**	**2.6 J** **0.8 J** **0.1 J** **0.4 J** **0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-3	Jan/Feb 2014	MW-20-3	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene** **Toluene**	**2.6 J** **0.2 J** **0.4 J** **0.1 J**
MW-20-Screen-3	Apr/May 2014	MW-20-3	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Ethylbenzene** **Styrene**	**0.6 J** **0.1 J** **0.2 J**
MW-20-Screen-3	Jul/Aug 2014	MW-20-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene**	**2.0 J** **0.2 J** **0.3 J**
MW-20-Screen-3	Oct 2014	MW-20-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**1.8 J** **0.5 J** **0.1 J** **0.3 J**
MW-20-Screen-3	Jan/Feb 2015	MW-20-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**2.4 J** **0.6 J** **0.1 J** **0.4 J**
MW-20-Screen-3	Apr/May 2015	MW-20-3	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**0.2 J** **0.4 J** **0.1 J**
MW-20-Screen-3	Jul/Aug 2015	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**2.3 J** **0.4 J** **0.2 J** **0.4 J**
MW-20-Screen-3	Jul/Aug 2015	Dup-1-3Q15	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene**	**1.3 J** **0.1 J** **0.3 J**
MW-20-Screen-3	Oct 2015	MW-20-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**2.2 J** **0.4 J**
MW-20-Screen-3	Jan/Feb 2016	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**2.1 J** **0.9 J** **0.1 J** **0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-3	Apr/May 2016	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone** **Acrylonitrile** **Ethylbenzene** **Styrene**	**5.9 J** **1.2 J** **0.1 J** **0.4 J**
MW-20-Screen-3	Jul/Aug 2016	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Acrylonitrile**	**0.3 J** **2.4 J**
MW-20-Screen-3	Oct 2016	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-3	Jan/Feb 2017	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene** **Acrylonitrile**	**0.2 J** **2.2 J**
MW-20-Screen-3	Apr/May 2017	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**2.2 J** **0.4 J**
MW-20-Screen-3	Apr/May 2017	DUP-2-2Q17	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**1.7 J** **0.4 J**
MW-20-Screen-3	Jul/Aug 2017	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**1.8 J** **0.3 J**
MW-20-Screen-3	Jul/Aug 2017	DUP-1-3Q17	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**1.6 J** **0.4 J**
MW-20-Screen-3	October 2017	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**1.6 J** **0.6 J** **0.2 J** **0.4 J**
MW-20-Screen-3	October 2017	DUP-1-4Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Styrene**	**1.8 J** **0.7 J** **0.3 J**
MW-20-Screen-3	Jan/Feb 2018	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	**Styrene**	**0.3 J**
MW-20-Screen-3	April 2018	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**	**Carbon disulfide** **Styrene**	**0.9 J** **0.3 J**
MW-20-Screen-3	Jul/Aug 2018	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Styrene**	**1.7 J** **0.5 J** **0.2 J**
MW-20-Screen-3	Oct 2018	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene**	**1.9 J** **0.2 J** **0.4 J**
MW-20-Screen-3	Feb/Mar 2019	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Styrene**	**2.7 J** **0.6 J** **0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-3	Apr/May 2019	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**2.0 J** **0.3 J**
MW-20-Screen-3	Apr/May 2019	DUP-4-2Q19	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Styrene**	**1.7 J** **0.3 J**
MW-20-Screen-3	Jul/Aug 2019	MW-20-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Ethylbenzene** **Styrene**	**1.8 J** **0.2 J** **0.5**
MW-20-Screen-3	Oct 2019	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Styrene**	**1.9 J** **0.6 J** **0.3 J**
MW-20-Screen-3	Feb 2020	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.7 J** **0.3 J**
MW-20-Screen-3	Jun 2020	MW-20-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Ethylbenzene** **Styrene**	**0.6 J** **0.2 J** **0.4 J**
MW-20-Screen-3	Aug 2020	MW-20-3	0.5 U	0.5 U	**0.65**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-3	Oct/Nov 2020	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.7** **0.3 J**
MW-20-Screen-3	Mar/Apr 2021	MW-20-3	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.4 J**
MW-20-Screen-3	May/June 2021	MW-20-3	0.5 U	0.5 U	**1.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-3	May/June 2021	DUP-8-2Q21	0.5 U	0.5 U	**0.7 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8** **0.3 J**
MW-20-Screen-4													
MW-20-Screen-4	Jan/Feb 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Ethylbenzene**	14.0 B
MW-20-Screen-4	Aug/Sep 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	3.8 B
MW-20-Screen-4	Oct/Nov 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-4	Feb/Mar 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-4	June/July 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Sep/Oct 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jan/Feb 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Apr/May 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.0**		
MW-20-Screen-4	Jul/Aug 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.0**		
MW-20-Screen-4	Feb/Mar 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	May/Jun 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Aug 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-4	Nov/Dec 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Mar/Apr 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jul/Aug 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Sep/Oct 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jan/Feb 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.6 J** **0.6**
MW-20-Screen-4	Jan/Feb 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-4	Apr 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20-Screen-4	Jul 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jan/Feb 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-20-Screen-4	Apr/May 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**30.0**		
MW-20-Screen-4	Jul 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**58.5**		
MW-20-Screen-4	Jan/Feb 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Apr/May 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**124.0**		
MW-20-Screen-4	Jul/Aug 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Feb 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Apr/May 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jul/Aug 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 2004	MW-20-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jan/Feb 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-20-Screen-4	Apr/May 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jul/Sep 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Mar/Apr 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	May/Jun 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Aug/Sep 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Oct/Dec 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Mar/Apr 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Jun/Jul 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Aug/Sep 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Oct/Dec 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Jan/Feb 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Apr/May 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Jul/Aug 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.2**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-4	Oct/Nov 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**39.4**		
MW-20-Screen-4	Oct/Nov 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**42.4**		
MW-20-Screen-4	Jan/Feb 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**61.0**		
MW-20-Screen-4	Apr/May 2009	DUPE-05-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Apr/May 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Jul/Aug 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Nov/Dec 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**76.0**		
MW-20-Screen-4	Feb 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Apr/May 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**37.3**		
MW-20-Screen-4	Jul/Aug 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Oct/Nov 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Feb/Mar 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Apr/May 2011	DUPE-2-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.8**		
MW-20-Screen-4	Apr/May 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.1**		
MW-20-Screen-4	Aug/Sep 2011	DUPE-04-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Aug/Sep 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Nov/Dec 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Jan/Feb 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**123.0 J**		
MW-20-Screen-4	Apr/May 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-4	Aug/Sep 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Nov 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20-Screen-4	Jan/Feb 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-20-Screen-4	Apr/May 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-20-Screen-4	Jul 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 2013	DUPE-1-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.8 J**
MW-20-Screen-4	Oct/Nov 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20-Screen-4	Jan/Feb 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-20-Screen-4	Apr/May 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20-Screen-4	Jul/Aug 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**5.5 J**
MW-20-Screen-4	Oct 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20-Screen-4	Jan/Feb 2015	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20-Screen-4	Apr/May 2015	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20-Screen-4	Jul/Aug 2015	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct 2015	MW-20-4	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct 2015	Dup-1-4Q15	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20-Screen-4	Jan/Feb 2016	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20-Screen-4	Apr/May 2016	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-4	Jul/Aug 2016	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct 2016	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jan/Feb 2017	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20-Screen-4	Apr/May 2017	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jul/Aug 2017	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	October 2017	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jan/Feb 2018	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-20-Screen-4	April 2018	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jul/Aug 2018	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct 2018	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Feb/Mar 2019	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Apr/May 2019	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jul/Aug 2019	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-20-Screen-4	Oct 2019	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-20-Screen-4	Oct 2019	DUP-1-4Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20-Screen-4	Feb 2020	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Jun 2020	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Aug 2020	MW-20-4	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Aug 2020	DUP-1-3Q20	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Oct/Nov 2020	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	Mar/Apr 2021	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-4	May/June 2021	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5													
MW-20-Screen-5	Jan/Feb 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Ethylbenzene**	11.0 B
MW-20-Screen-5	Aug/Sep 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	4.8 B
MW-20-Screen-5	Oct/Nov 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-5	Feb/Mar 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-5	June/July 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Sep/Oct 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jan/Feb 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Apr/May 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.0**		
MW-20-Screen-5	Jul/Aug 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Oct/Nov 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.2**		
MW-20-Screen-5	Feb/Mar 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	May/Jun 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Aug 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7**
MW-20-Screen-5	Nov/Dec 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-5	Mar/Apr 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jul/Aug 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Sep/Oct 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jan/Feb 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20-Screen-5	Jan/Feb 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Styrene**	**0.4 J**
MW-20-Screen-5	Apr 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20-Screen-5	Jul 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Oct 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jan/Feb 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7 J**
MW-20-Screen-5	Apr/May 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.5 J**
MW-20-Screen-5	Jul 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.5 J**
MW-20-Screen-5	Oct/Nov 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.6**
MW-20-Screen-5	Jan/Feb 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**2-Butanone** **Styrene**	**3.0 J** **0.6**
MW-20-Screen-5	Apr/May 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.5 J**
MW-20-Screen-5	Jul/Aug 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Oct/Nov 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20-Screen-5	Feb 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Apr/May 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20-Screen-5	Jul/Aug 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20-Screen-5	Oct/Nov 2004	MW-20-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jan/Feb 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Styrene**	**0.5** **0.5**
MW-20-Screen-5	Apr/May 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jul/Sep 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0 J**		
MW-20-Screen-5	Oct/Nov 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Styrene**	**0.4 J** **0.3 J**
MW-20-Screen-5	Mar/Apr 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	May/Jun 2006	DUPE-2-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20-Screen-5	May/Jun 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.4 J**
MW-20-Screen-5	Aug/Sep 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Oct/Dec 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Mar/Apr 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Jun/Jul 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Aug/Sep 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Oct/Dec 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Jan/Feb 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-5	Apr/May 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**0.4 J**
MW-20-Screen-5	Jul/Aug 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-20-Screen-5	Oct/Nov 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.9**	**Carbon disulfide**	**2.4**
MW-20-Screen-5	Oct/Nov 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.2**	**Carbon disulfide**	**2.2**
MW-20-Screen-5	Jan/Feb 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**19.7**		
MW-20-Screen-5	Apr/May 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Jul/Aug 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Nov/Dec 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**22.6**		
MW-20-Screen-5	Feb 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Apr/May 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.5**		
MW-20-Screen-5	Jul/Aug 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Oct/Nov 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**0.8**
MW-20-Screen-5	Feb/Mar 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Apr/May 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-20-Screen-5	Aug/Sep 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Nov/Dec 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Jan/Feb 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**56.5**	**Carbon disulfide**	**2.2**
MW-20-Screen-5	Apr/May 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20-Screen-5	Aug/Sep 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.4 J**
MW-20-Screen-5	Nov 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.3 J**
MW-20-Screen-5	Jan/Feb 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Apr/May 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-20-Screen-5	Jul 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Oct/Nov 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.3 J**
MW-20-Screen-5	Jan/Feb 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Apr/May 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Jul/Aug 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-20-Screen-5	Oct 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-20-Screen-5	Jan/Feb 2015	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-5	Apr/May 2015	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone** **Carbon disulfide** **Styrene**	**8.2 J** **0.6 J** **0.3 J**
MW-20-Screen-5	Jul/Aug 2015	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.6 J** **0.3 J**
MW-20-Screen-5	Oct 2015	MW-20-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Jan/Feb 2016	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Apr/May 2016	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone** **Styrene**	**17.0** **0.2 J**
MW-20-Screen-5	Jul/Aug 2016	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.7 J** **0.2 J**
MW-20-Screen-5	Jul/Aug 2016	DUP-1-3Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.3 J**
MW-20-Screen-5	Oct 2016	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	Jan/Feb 2017	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Apr/May 2017	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Jul/Aug 2017	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20-Screen-5	October 2017	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Jan/Feb 2018	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	**Styrene**	**0.2 J**
MW-20-Screen-5	Jan/Feb 2018	DUP-1-1Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	**Styrene**	**0.2 J**
MW-20-Screen-5	April 2018	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Jul/Aug 2018	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-20-Screen-5	Oct 2018	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Feb/Mar 2019	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-20-Screen-5	Apr/May 2019	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20-Screen-5	Jul/Aug 2019	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-20-Screen-5	Oct 2019	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.6 J** **0.2 J**
MW-20-Screen-5	Feb 2020	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20-Screen-5	Jun 2020	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.2 J**
MW-20-Screen-5	Aug 2020	MW-20-5	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.6** **0.1 J**
MW-20-Screen-5	Oct/Nov 2020	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.7** **0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20-Screen-5	Mar/Apr 2021	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide Styrene	0.8 0.1 J
MW-20-Screen-5	May/June 2021	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Carbon disulfide Styrene	0.5 0.1 J
MW-21-Screen-1													
MW-21-Screen-1	Jan/Feb 1996	MW-21-1	0.5 U	**35.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	NA	**Acetone**	**2.8**
MW-21-Screen-1	Aug/Sep 1996	MW-21-1	0.5 U	**33.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	NA	**Acetone**	2.3 B
MW-21-Screen-1	Feb/Mar 1997	MW-21-1	0.5 U	**29.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	NA		
MW-21-Screen-1	June/July 1997	MW-21-1	0.5 U	**20.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**19.0**		
MW-21-Screen-1	Jan/Feb 1998	MW-21-1	0.5 U	**16.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**14.0**		
MW-21-Screen-1	Apr/May 1998	MW-21-1	0.5 U	**16.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**14.0**		
MW-21-Screen-1	Jul/Aug 1998	MW-21-1	0.5 U	**16.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**13.0**		
MW-21-Screen-1	Oct/Nov 1998	MW-21-1	0.5 U	**10.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**13.2**		
MW-21-Screen-1	Feb/Mar 1999	MW-21-1	0.5 U	**20.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**14.0**		
MW-21-Screen-1	May/Jun 1999	MW-21-1	0.5 U	**20.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**15.0**		
MW-21-Screen-1	Aug 1999	MW-21-1	0.5 U	**17.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**12.0**		
MW-21-Screen-1	Nov/Dec 1999	MW-21-1	0.5 U	**15.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**16.0**		
MW-21-Screen-1	Mar/Apr 2000	MW-21-1	0.5 U	**17.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**12.0**		
MW-21-Screen-1	Jul/Aug 2000	MW-21-1	0.5 U	**12.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**16.0**		
MW-21-Screen-1	Sep/Oct 2000	MW-21-1	0.5 U	**12.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**16.0**		
MW-21-Screen-1	Jan/Feb 2001	MW-21-1	0.5 U	**9.8**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**11.0**		
MW-21-Screen-1	Apr 2001	MW-21-1	0.5 U	**3.3**	**0.6**	**0.7**	0.5 U	0.5 U	NA	**1.2**	4.0 U		
MW-21-Screen-1	Jul 2001	MW-21-1	0.5 U	**15.5**	**0.8**	NA	0.5 U	0.5 U	0.5 U	**1.5**	**8.0**		
MW-21-Screen-1	Oct 2001	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-1	Jan/Feb 2002	MW-21-1	0.5 U	**17.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**8.2**	**Methylene chloride**	**0.4 J**
MW-21-Screen-1	Apr/May 2002	MW-21-1	0.5 U	**8.3**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**Methylene chloride**	**2.4**
MW-21-Screen-1	Jul 2002	MW-21-1	0.5 U	**12.0**	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.4**	**7.7**		
MW-21-Screen-1	Oct/Nov 2002	MW-21-1	0.5 U	**11.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-21-Screen-1	Jan/Feb 2003	MW-21-1	0.5 U	**3.6**	**0.7**	**0.5**	0.5 U	0.5 U	0.5 U	**1.0**	**3.1**		
MW-21-Screen-1	Apr/May 2003	MW-21-1	0.5 U	**0.7**	**0.5 J**	**0.6**	0.5 U	0.5 U	0.5 U	**0.8**	**3.6 J**		
MW-21-Screen-1	Jul/Aug 2003	MW-21-1	0.5 U	**11.0**	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	**1.7**	**5.2**		
MW-21-Screen-1	Oct/Nov 2003	MW-21-1	0.5 U	**5.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**6.5**		
MW-21-Screen-1	Feb 2004	MW-21-1	0.5 U	**1.2**	**0.5 J**	**0.6**	0.5 U	0.5 U	0.5 U	**0.8**	**5.7**		
MW-21-Screen-1	Apr/May 2004	MW-21-1	0.5 U	**0.9**	**0.4 J**	**0.6**	0.5 U	0.5 U	0.5 U	**0.7**	**5.6**		
MW-21-Screen-1	Jul/Aug 2004	MW-21-1	0.5 U	**4.2**	**0.5**	**0.6**	0.5 U	0.5 U	0.5 U	**0.8**	**5.1**		
MW-21-Screen-1	Oct/Nov 2004	MW-21-1	0.5 U	**1.5**	**0.5**	**0.6**	0.5 U	0.5 U	0.5 U	**0.7**	**7.3**		
MW-21-Screen-1	Jan/Feb 2005	MW-21-1	0.5 U	**0.7**	**0.5**	**0.9**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**m,p-Xylene**	**0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-1	Apr/May 2005	MW-21-1	0.5 U	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-1	Jul/Sep 2005	MW-21-1	0.5 U	**0.8**	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.6 J**	**Bromodichloromethane**	**0.4 J**
MW-21-Screen-1	Oct/Nov 2005	MW-21-1	0.5 U	**0.8**	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	**0.6**	**4.1**		
MW-21-Screen-1	Mar/Apr 2006	MW-21-1	0.5 U	0.5 U	**0.3 J**	**0.5**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-1	May/Jun 2006	MW-21-1	0.5 U	0.5 U	**0.3 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-1	Aug/Sep 2006	MW-21-1	0.5 U	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-21-Screen-1	Oct/Dec 2006	MW-21-1	0.5 U	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-1	Mar/Apr 2007	MW-21-1	0.5 U	0.5 U	**0.3 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-1	Jun/Jul 2007	MW-21-1	0.5 U	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-1	Aug/Sep 2007	MW-21-1	0.5 U	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-21-Screen-1	Oct/Dec 2007	MW-21-1	0.5 U	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.6**		
MW-21-Screen-1	Jan/Feb 2008	MW-21-1	0.5 U	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-21-Screen-1	Apr/May 2008	MW-21-1	0.5 U	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-21-Screen-1	Jul/Aug 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.4**		
MW-21-Screen-1	Oct/Nov 2008	DUPE-01-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.9**		
MW-21-Screen-1	Oct/Nov 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-21-Screen-1	Jan/Feb 2009	DUPE-01-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-21-Screen-1	Jan/Feb 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.7**		
MW-21-Screen-1	Apr/May 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.4**		
MW-21-Screen-1	Jul/Aug 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.8**		
MW-21-Screen-1	Nov/Dec 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.4**		
MW-21-Screen-1	Feb 2010	DUPE-1-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**2.3**		
MW-21-Screen-1	Feb 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**2.5**		
MW-21-Screen-1	Apr/May 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.8**		
MW-21-Screen-1	Jul/Aug 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**3.3**		
MW-21-Screen-1	Oct/Nov 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.4**		
MW-21-Screen-1	Feb/Mar 2011	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.9**		
MW-21-Screen-1	Apr/May 2011	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.6**		
MW-21-Screen-1	Aug/Sep 2011	MW-21-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.4**		
MW-21-Screen-1	Nov/Dec 2011	MW-21-1	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**2.1**		
MW-21-Screen-1	Jan/Feb 2012	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**3.4 J**		
MW-21-Screen-1	Apr/May 2012	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**2.8**		
MW-21-Screen-1	Aug/Sep 2012	MW-21-1	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-1	Nov 2012	MW-21-1	0.5 U	**0.1 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.7 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-1	Jan/Feb 2013	MW-21-1	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-1	Apr/May 2013	MW-21-1	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**3.4 J**		
MW-21-Screen-1	Jul 2013	MW-21-1	0.5 U	**0.2 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**3.1 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-1	Oct/Nov 2013	MW-21-1	0.5 U	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**9.3**		
MW-21-Screen-1	Jan/Feb 2014	MW-21-1	0.5 U	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**11.0**		
MW-21-Screen-1	Apr/May 2014	MW-21-1	0.5 U	**1.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**12.0**		
MW-21-Screen-1	Apr/May 2017	MW-21-1	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**6.5**		
MW-21-Screen-1	Jul/Aug 2017	MW-21-1	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.7**		
MW-21-Screen-1	Apr/May 2019	MW-21-1	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**7.0**		
MW-21-Screen-1	Jul/Aug 2019	MW-21-1	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**7.5**		
MW-21-Screen-2													
MW-21-Screen-2	Aug/Sep 1996	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-21-Screen-2	Oct/Nov 1996	MW-21-2	0.5 U	**0.6**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA	**Acetone**	**1.4**
MW-21-Screen-2	Feb/Mar 1997	MW-21-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21-Screen-2	June/July 1997	MW-21-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Sep/Oct 1997	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Jan/Feb 1998	MW-21-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Apr/May 1998	MW-21-2	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Jul/Aug 1998	MW-21-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-21-Screen-2	Oct/Nov 1998	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-21-Screen-2	Feb/Mar 1999	MW-21-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	May/Jun 1999	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Aug 1999	MW-21-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Nov/Dec 1999	MW-21-2	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-21-Screen-2	Mar/Apr 2000	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**Carbon disulfide**	**1.8**
MW-21-Screen-2	Jul/Aug 2000	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Sep/Oct 2000	MW-21-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Jan/Feb 2001	MW-21-2	0.5 U	**0.3 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-2	Apr 2001	MW-21-2	0.5 U	**0.3 J**	**0.9**	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-21-Screen-2	Jul 2001	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Oct 2001	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-21-Screen-2	Jan/Feb 2002	MW-21-2	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.3 B**		
MW-21-Screen-2	Apr/May 2002	MW-21-2	0.5 U	**0.4 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methylene chloride**	**2.6**
MW-21-Screen-2	Jul 2002	MW-21-2	0.5 U	**0.5**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Oct/Nov 2002	MW-21-2	0.5 U	**0.5**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-2	Jan/Feb 2003	MW-21-2	0.5 U	**0.5**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Apr/May 2003	MW-21-2	0.5 U	**0.4 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-21-Screen-2	Jul/Aug 2003	MW-21-2	0.5 U	**0.5 J**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-21-Screen-2	Oct/Nov 2003	MW-21-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**		
MW-21-Screen-2	Feb 2004	MW-21-2	0.5 U	**0.6**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**	**cis-1,2-Dichloroethene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-2	Apr/May 2004	MW-21-2	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21-Screen-2	Jul/Aug 2004	MW-21-2	0.5 U	**1.0**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21-Screen-2	Oct/Nov 2004	MW-21-2	0.5 U	**1.1**	**3.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.9 J**	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-2	Jan/Feb 2005	MW-21-2	0.5 U	**0.8**	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-2	Apr/May 2005	MW-21-2	0.5 U	**0.5**	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-2	Jul/Sep 2005	MW-21-2	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-2	Oct/Nov 2005	MW-21-2	0.5 U	**0.4 J**	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.9 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.7** **2.6**
MW-21-Screen-2	Mar/Apr 2006	MW-21-2	0.5 U	**0.7**	**4.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.1**
MW-21-Screen-2	May/Jun 2006	MW-21-2	0.5 U	**0.6**	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-2	Aug/Sep 2006	MW-21-2	0.5 U	**1.0**	**11.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U	**cis-1,2-Dichloroethene**	**1.8**
MW-21-Screen-2	Oct/Dec 2006	MW-21-2	0.5 U	**1.1**	**12.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**cis-1,2-Dichloroethene**	**2.1**
MW-21-Screen-2	Mar/Apr 2007	MW-21-2	0.5 U	**1.1**	**7.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U	**cis-1,2-Dichloroethene**	**1.6**
MW-21-Screen-2	Jun/Jul 2007	DUPE-1-2Q07	0.5 U	**0.7**	**6.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-2	Jun/Jul 2007	MW-21-2	0.5 U	**0.8**	**6.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-2	Aug/Sep 2007	MW-21-2	0.5 U	**0.7**	**7.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-2	Oct/Dec 2007	MW-21-2	0.5 U	**0.5**	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**7.7**	**cis-1,2-Dichloroethene**	**1.0**
MW-21-Screen-2	Jan/Feb 2008	MW-21-2	0.5 U	**0.5**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	5.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21-Screen-2	Apr/May 2008	MW-21-2	0.5 U	**0.5 J**	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21-Screen-2	Jul/Aug 2008	MW-21-2	0.5 U	**0.6**	**8.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**2.0**	**cis-1,2-Dichloroethene**	**1.5**
MW-21-Screen-2	Oct/Nov 2008	MW-21-2	0.5 U	**0.7**	**12.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**2.1**	**cis-1,2-Dichloroethene**	**1.6**
MW-21-Screen-2	Jan/Feb 2009	MW-21-2	0.5 U	**0.6**	**6.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.5**	**cis-1,2-Dichloroethene**	**1.1**
MW-21-Screen-2	Apr/May 2009	MW-21-2	0.5 U	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**2.1**	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-2	Jul/Aug 2009	MW-21-2	0.5 U	**0.9**	**14.0**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**2.1**	**cis-1,2-Dichloroethene**	**1.8**
MW-21-Screen-2	Nov/Dec 2009	MW-21-2	0.5 U	**0.8**	**14.0**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**1.8**	**cis-1,2-Dichloroethene**	**1.8**
MW-21-Screen-2	Feb 2010	MW-21-2	0.5 U	**0.6**	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.2**	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-2	Apr/May 2010	MW-21-2	0.5 U	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**3.2**		
MW-21-Screen-2	Jul/Aug 2010	MW-21-2	0.5 U	0.5 U	**6.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**2.6**	**cis-1,2-Dichloroethene**	**0.7**
MW-21-Screen-2	Oct/Nov 2010	MW-21-2	0.5 U	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**2.5**	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-2	Oct/Nov 2010	DUPE-01-4Q10	0.5 U	0.5 U	**4.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**2.6**	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-2	Feb/Mar 2011	MW-21-2	0.5 U	0.5 U	**8.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**1.9**	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-2	Apr/May 2011	MW-21-2	0.5 U	0.5 U	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**1.9**		
MW-21-Screen-2	Aug/Sep 2011	MW-21-2	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**1.8**		
MW-21-Screen-2	Nov/Dec 2011	MW-21-2	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	**1.6**		
MW-21-Screen-2	Nov/Dec 2011	DUPE-1-4Q11	0.5 U	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**1.6**		
MW-21-Screen-2	Jan/Feb 2012	MW-21-2	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.7 J**		
MW-21-Screen-2	Jan/Feb 2012	DUPE-1-1Q12	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	**2.9 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-2	Apr/May 2012	MW-21-2	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**2.8**		
MW-21-Screen-2	Aug/Sep 2012	MW-21-2	0.5 U	**0.2 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.2 J**
MW-21-Screen-2	Nov 2012	MW-21-2	0.5 U	**0.2 J**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	**1.5 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.2 J**
MW-21-Screen-2	Jan/Feb 2013	MW-21-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**1.8 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.3 J** **0.2 J**
MW-21-Screen-2	Apr/May 2013	MW-21-2	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.5 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21-Screen-2	Jul 2013	MW-21-2	0.5 U	**0.4 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.7 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21-Screen-2	Oct/Nov 2013	MW-21-2	0.5 U	**0.3 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.5 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21-Screen-2	Jan/Feb 2014	MW-21-2	0.5 U	**0.3 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.9 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21-Screen-2	Apr/May 2014	MW-21-2	0.5 U	**0.3 J**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.8 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-21-Screen-2	Jul/Aug 2014	MW-21-2	0.5 U	**0.3 J**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.3 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-21-Screen-2	Oct 2014	MW-21-2	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21-Screen-2	Jan/Feb 2015	MW-21-2	0.5 UJ	**0.3 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.6 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21-Screen-2	Apr/May 2015	MW-21-2	0.5 U	**0.3 J**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.8 J**		
MW-21-Screen-2	Apr/May 2015	DUP-7-2Q15	0.5 U	**0.2 J**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21-Screen-2	Jul/Aug 2015	MW-21-2	0.5 U	**0.2 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.1 J**		
MW-21-Screen-2	Oct 2015	MW-21-2	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-21-Screen-2	Jan/Feb 2016	MW-21-2	0.5 U	**0.5**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21-Screen-2	Apr/May 2016	MW-21-2	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**		
MW-21-Screen-2	Jul/Aug 2016	MW-21-2	0.5 U	**0.3 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.2 J**	**Acetone**	**8.7 J**
MW-21-Screen-2	Oct 2016	MW-21-2	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**		
MW-21-Screen-2	Jan/Feb 2017	MW-21-2	0.5 U	**0.2 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6**		
MW-21-Screen-2	Apr/May 2017	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.8 J**		
MW-21-Screen-2	Jul/Aug 2017	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.1 J**		
MW-21-Screen-2	October 2017	MW-21-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.3 J**		
MW-21-Screen-2	Jan/Feb 2018	MW-21-2	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.6 J**		
MW-21-Screen-2	April 2018	MW-21-2	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.7 J**		
MW-21-Screen-2	Jul/Aug 2018	MW-21-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-21-Screen-2	Oct 2018	MW-21-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.6 J**		
MW-21-Screen-2	Oct 2018	DUP-4-4Q18	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.4 J**		
MW-21-Screen-2	Feb/Mar 2019	MW-21-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.3 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-2	Apr/May 2019	MW-21-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-21-Screen-2	Jul/Aug 2019	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.9 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-21-Screen-2	Jul/Aug 2019	DUP-6-3Q19	0.5 U	**0.3 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.2 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21-Screen-2	Oct 2019	MW-21-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-21-Screen-2	Feb 2020	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.0 J**		
MW-21-Screen-2	Jun 2020	MW-21-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.9 J**		
MW-21-Screen-2	Jun 2020	DUP-6-2Q2020	0.5 U	**0.2 J**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.8 J**		
MW-21-Screen-2	Aug 2020	MW-21-2	0.5 U	0.5 U	**0.36 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-21-Screen-2	Oct/Nov 2020	MW-21-2	0.5 U	**0.2 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.7 J**		
MW-21-Screen-2	Oct/Nov 2020	DUP-5-4Q20	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.6 J**		
MW-21-Screen-2	Mar/Apr 2021	MW-21-2	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.0 J**		
MW-21-Screen-2	May/June 2021	MW-21-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-21-Screen-2	May/June 2021	DUP-6-2Q21	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.0 J**		
MW-21-Screen-3													
MW-21-Screen-3	Aug/Sep 1996	MW-21-3	0.5 U	**0.7**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-21-Screen-3	Oct/Nov 1996	MW-21-3	0.5 U	**0.9**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.2**
MW-21-Screen-3	Feb/Mar 1997	MW-21-3	0.5 U	**0.8**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21-Screen-3	June/July 1997	MW-21-3	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Sep/Oct 1997	MW-21-3	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Jan/Feb 1998	MW-21-3	0.5 U	**0.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Apr/May 1998	MW-21-3	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Jul/Aug 1998	MW-21-3	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Oct/Nov 1998	MW-21-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Feb/Mar 1999	MW-21-3	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-21-Screen-3	May/Jun 1999	MW-21-3	0.5 U	**0.6**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Aug 1999	MW-21-3	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-3	Nov/Dec 1999	MW-21-3	0.5 U	**0.9**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.8**	**Carbon disulfide**	**4.9**
MW-21-Screen-3	Mar/Apr 2000	MW-21-3	0.5 U	**0.9**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-21-Screen-3	Jul/Aug 2000	MW-21-3	0.5 U	**0.6**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-21-Screen-3	Sep/Oct 2000	MW-21-3	0.5 U	**0.7**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-21-Screen-3	Jan/Feb 2001	MW-21-3	0.5 U	**0.9**	**2.5**	0.5 U	0.5 U	**0.5 J**	0.5 U	**1.1**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.3 J** **0.6** **0.3 J** **0.4 J**
MW-21-Screen-3	Apr 2001	MW-21-3	0.5 U	**1.8**	**1.4**	0.5 U	0.5 U	0.5 U	NA	**0.8**	4.0 U	**Bromodichloromethane** **Dibromochloromethane**	**0.4 J** **0.4 J**
MW-21-Screen-3	Jul 2001	MW-21-3	0.5 U	**0.7**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-3	Oct 2001	MW-21-3	0.5 U	**0.7**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-21-Screen-3	Jan/Feb 2002	MW-21-3	0.5 U	**1.6**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**4.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.6** **0.4 J** **0.4 J**
MW-21-Screen-3	Apr/May 2002	MW-21-3	0.5 U	**1.5**	**4.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methylene chloride** **trans-1,2-Dichloroethene**	**0.6** **0.5 J** **2.6** **0.4 J**
MW-21-Screen-3	Jul 2002	MW-21-3	0.5 U	**0.9**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-21-Screen-3	Oct/Nov 2002	MW-21-3	0.5 U	**1.0**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U	**trans-1,2-Dichloroethene**	**1.8**
MW-21-Screen-3	Dec 2002	MW-21-3	0.2 U	**1.1**	**2.0**	0.3 U	0.5 U	0.5 U	0.5 U	**1.0**	NA	**cis-1,2-Dichloroethene** **Methylene chloride**	**0.4 J** 1.3 UB
MW-21-Screen-3	Jan/Feb 2003	MW-21-3	0.5 U	**1.1**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21-Screen-3	Apr/May 2003	MW-21-3	0.5 U	**1.0**	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**2.9 J**		
MW-21-Screen-3	Jul/Aug 2003	MW-21-3	0.5 U	**1.0**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.7 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.4 J** **0.4 J**
MW-21-Screen-3	Oct/Nov 2003	MW-21-3	0.5 U	**0.7**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6 J**		
MW-21-Screen-3	Feb 2004	MW-21-3	0.5 U	**1.3**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.2**		
MW-21-Screen-3	Apr/May 2004	MW-21-3	0.5 U	**1.0**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.3**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21-Screen-3	Jul/Aug 2004	MW-21-3	0.5 U	**1.4**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-3	Oct/Nov 2004	MW-21-3	0.5 U	**1.5**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.9**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.6** **0.4 J**
MW-21-Screen-3	Jan/Feb 2005	MW-21-3	0.5 U	**1.7**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**cis-1,2-Dichloroethene** **m,p-Xylene** **trans-1,2-Dichloroethene**	**0.6** **0.6** **0.3 J**
MW-21-Screen-3	Apr/May 2005	MW-21-3	0.5 U	**0.8**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-21-Screen-3	Jul/Sep 2005	MW-21-3	0.5 U	**0.9**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**3.2 J**	**Bromodichloromethane** **m,p-Xylene**	**0.4 J** **0.4 J**
MW-21-Screen-3	Oct/Nov 2005	MW-21-3	0.5 U	**0.7**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**3.9 J**	**cis-1,2-Dichloroethene**	**0.5 J**
MW-21-Screen-3	Mar/Apr 2006	MW-21-3	0.5 U	**0.9**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-3	May/Jun 2006	MW-21-3	0.5 U	**0.6**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-3	Aug/Sep 2006	MW-21-3	0.5 U	**1.3**	**5.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21-Screen-3	Oct/Dec 2006	MW-21-3	0.5 U	**1.2**	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21-Screen-3	Mar/Apr 2007	MW-21-3	0.5 U	**1.2**	**5.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21-Screen-3	Jun/Jul 2007	MW-21-3	0.5 U	**0.7**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U	**cis-1,2-Dichloroethene** **Methylene chloride**	**0.6** **1.8 J**
MW-21-Screen-3	Aug/Sep 2007	MW-21-3	0.5 U	**1.5**	**7.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**cis-1,2-Dichloroethene**	**1.1**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-3	Oct/Dec 2007	MW-21-3	0.5 U	1.2	4.1	0.5 U	0.5 U	0.5 U	0.5 U	1.9	5.0	cis-1,2-Dichloroethene	0.8
MW-21-Screen-3	Jan/Feb 2008	MW-21-3	0.5 U	0.9	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.7	5.0 U	cis-1,2-Dichloroethene	0.7
MW-21-Screen-3	Apr/May 2008	MW-21-3	0.5 U	1.1	4.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21-Screen-3	Jul/Aug 2008	MW-21-3	0.5 U	1.7	8.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	3.6	cis-1,2-Dichloroethene	1.2
MW-21-Screen-3	Oct/Nov 2008	MW-21-3	0.5 U	1.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.5	cis-1,2-Dichloroethene	1.1
MW-21-Screen-3	Jan/Feb 2009	MW-21-3	0.5 U	1.5	6.8	0.5 U	0.5 U	0.5 U	0.5 U	2.5	3.0	cis-1,2-Dichloroethene	1.1
MW-21-Screen-3	Apr/May 2009	MW-21-3	0.5 U	1.2	5.0	0.5 U	0.5 U	0.5 U	0.5 U	3.1	2.8	cis-1,2-Dichloroethene	0.9
MW-21-Screen-3	Jul/Aug 2009	DUPE-4-3Q09	0.5 U	0.8	3.4	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.7	cis-1,2-Dichloroethene	0.7
MW-21-Screen-3	Jul/Aug 2009	MW-21-3	0.5 U	0.9	4.3	0.5 U	0.5 U	0.5 U	0.5 U	1.8	2.4	cis-1,2-Dichloroethene	0.8
MW-21-Screen-3	Nov/Dec 2009	MW-21-3	0.5 U	1.5	8.6	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.9	cis-1,2-Dichloroethene	1.2
MW-21-Screen-3	Feb 2010	MW-21-3	0.5 U	1.4	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.8	cis-1,2-Dichloroethene	1.0
MW-21-Screen-3	Apr/May 2010	MW-21-3	0.5 U	0.9	3.9	0.5 U	0.5 U	0.5 U	0.5 U	2.8	3.4	cis-1,2-Dichloroethene	0.6
MW-21-Screen-3	Jul/Aug 2010	MW-21-3	0.5 U	0.6	2.1	0.5 U	0.5 U	0.5 U	0.5 U	2.2	3.5		
MW-21-Screen-3	Oct/Nov 2010	MW-21-3	0.5 U	1.4	6.2	0.5 U	0.5 U	0.5 U	0.5 U	4.7	2.9	cis-1,2-Dichloroethene	0.9
MW-21-Screen-3	Feb/Mar 2011	MW-21-3	0.5 U	1.2	5.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	1.0 U	cis-1,2-Dichloroethene	0.8
MW-21-Screen-3	Apr/May 2011	MW-21-3	0.5 U	1.0	3.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.5	cis-1,2-Dichloroethene	0.6
MW-21-Screen-3	Aug/Sep 2011	MW-21-3	0.5 U	1.4	3.9	0.5 U	0.5 U	0.5 U	0.5 U	7.1	2.4	cis-1,2-Dichloroethene	0.6
MW-21-Screen-3	Nov/Dec 2011	MW-21-3	0.5 U	1.2	3.7	0.5 U	0.5 U	0.5 U	0.5 U	6.3	2.1		
MW-21-Screen-3	Jan/Feb 2012	MW-21-3	0.5 U	1.3	4.7	0.5 U	0.5 U	0.5 U	0.5 U	5.5	3.8 J	cis-1,2-Dichloroethene	0.6
MW-21-Screen-3	Apr/May 2012	MW-21-3	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	3.9	3.5		
MW-21-Screen-3	Aug/Sep 2012	DUPE-7-3Q12	0.5 U	0.5	2.6	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.5 0.2 J
MW-21-Screen-3	Aug/Sep 2012	MW-21-3	0.5 U	0.7	3.8	0.1 J	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.2 J
MW-21-Screen-3	Nov 2012	MW-21-3	0.5 U	0.8	5.9	0.1 J	0.5 U	0.5 U	0.5 U	4.0	1.6 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.2 J
MW-21-Screen-3	Jan/Feb 2013	MW-21-3	0.5 U	0.7	4.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.3 J
MW-21-Screen-3	Apr/May 2013	MW-21-3	0.5 U	0.7	4.1	0.1 J	0.5 U	0.5 U	0.5 U	2.4	3.4 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.3 J
MW-21-Screen-3	Jul 2013	MW-21-3	0.5 U	1.9	12.0	0.3 J	0.5 U	0.5 U	0.5 U	3.1	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	1.4 0.3 J
MW-21-Screen-3	Oct/Nov 2013	MW-21-3	0.5 U	0.9	3.6	0.2 J	0.5 U	0.5 U	0.5 U	1.4	3.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.3 J
MW-21-Screen-3	Jan/Feb 2014	MW-21-3	0.5 U	0.9	3.7	0.2 J	0.5 U	0.5 U	0.5 U	1.3	2.7 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.6 0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-3	Apr/May 2014	MW-21-3	0.5 U	1.1	3.1	0.2 J	0.5 U	0.5 U	0.5 U	1.0	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21-Screen-3	Jul/Aug 2014	MW-21-3	0.5 U	1.1	2.7	0.2 J	0.5 U	0.5 U	0.5 U	0.9	1.8 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21-Screen-3	Oct 2014	MW-21-3	0.5 U	1.3	3.0	0.2 J	0.5 U	0.5 U	0.5 U	1.0	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21-Screen-3	Jan/Feb 2015	MW-21-3	0.5 UJ	2.2	7.4	0.4 J	0.5 U	0.5 U	0.5 U	1.5	3.0 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.2 J
MW-21-Screen-3	Apr/May 2015	MW-21-3	0.5 U	1.2	3.0	0.2 J	0.5 U	0.5 U	0.5 U	1.1	3.8 J	cis-1,2-Dichloroethene	0.4 J
MW-21-Screen-3	Jul/Aug 2015	MW-21-3	0.5 U	1.0	2.1	0.1 J	0.5 U	0.5 U	0.5 U	0.9	3.6 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.3 J 0.2 J
MW-21-Screen-3	Oct 2015	MW-21-3	NA	NA	NA	NA	NA	NA	NA	NA	3.0 J		
MW-21-Screen-3	Oct 2015	MW-21-3	0.5 U	0.9	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.8 J	cis-1,2-Dichloroethene	0.3 J
MW-21-Screen-3	Jan/Feb 2016	MW-21-3	0.5 U	0.9	1.8	0.2 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.3 J 0.2 J
MW-21-Screen-3	Jan/Feb 2016	DUP-4-1Q16	0.5 U	2.0	4.1	0.3 J	0.5 U	0.5 U	0.5 U	1.2	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.5 0.2 J
MW-21-Screen-3	Apr/May 2016	MW-21-3	0.5 U	1.0	1.3	0.2 J	0.5 U	0.5 U	0.5 U	0.5	2.9 J		
MW-21-Screen-3	Jul/Aug 2016	MW-21-3	0.5 U	1.5	1.6	0.2 J	0.5 U	0.5 U	0.5 U	0.6	4.9	Methyl-tert-butyl ether (MTBE) cis-1,2-Dichloroethene	0.2 J 0.2 J
MW-21-Screen-3	Oct 2016	MW-21-3	0.5 U	0.9	0.9	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	3.6 J		
MW-21-Screen-3	Jan/Feb 2017	MW-21-3	0.5 U	0.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.4		
MW-21-Screen-3	Jan/Feb 2017	DUP-3-1Q17	0.5 U	1.0	1.4	0.2 J	0.5 U	0.5 U	0.5 U	0.6	3.5	cis-1,2-Dichloroethene	0.2 J
MW-21-Screen-3	Apr/May 2017	MW-21-3	0.5 U	1.0	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0		
MW-21-Screen-3	Jul/Aug 2017	MW-21-3	0.5 U	1.1	1.1	0.2 J	0.5 U	0.5 U	0.5 U	0.5 J	3.0 J		
MW-21-Screen-3	October 2017	MW-21-3	0.5 U	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.0 J		
MW-21-Screen-3	Jan/Feb 2018	MW-21-3	0.5 U	0.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J		
MW-21-Screen-3	April 2018	MW-21-3	0.5 U	0.9	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-21-Screen-3	April 2018	DUP-2-2Q18	0.5 U	1.1	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.8 J		
MW-21-Screen-3	Jul/Aug 2018	MW-21-3	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		
MW-21-Screen-3	Oct 2018	MW-21-3	0.5 U	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.0 J		
MW-21-Screen-3	Feb/Mar 2019	MW-21-3	0.5 U	0.7	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.6 J		
MW-21-Screen-3	Apr/May 2019	MW-21-3	0.5 U	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		
MW-21-Screen-3	Jul/Aug 2019	MW-21-3	0.5 U	1.3	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	Methyl-tert-butyl ether (MTBE) Styrene	0.4 J 0.3 J
MW-21-Screen-3	Jul/Aug 2019	DUP-5-3Q19	0.5 U	1.9	1.8	0.3 J	0.5 U	0.5 U	0.5 U	0.6	3.3 J	Methyl-tert-butyl ether (MTBE)	0.2 J
MW-21-Screen-3	Oct 2019	MW-21-3	0.5 U	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.7 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-3	Feb 2020	MW-21-3	0.5 U	**0.9**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.2 J**		
MW-21-Screen-3	Feb 2020	DUP-3-1Q20	0.5 U	**1.5**	**1.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**2.7 J**		
MW-21-Screen-3	Jun 2020	MW-21-3	0.5 U	**2.0**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.2 J**		
MW-21-Screen-3	Aug 2020	MW-21-3	0.5 U	**0.7**	**0.67**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-21-Screen-3	Oct/Nov 2020	MW-21-3	0.5 U	**2.0**	**2.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**2.8 J**		
MW-21-Screen-3	Mar/Apr 2021	MW-21-3	0.5 U	**0.4 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**		
MW-21-Screen-3	Mar/Apr 2021	DUP-7-1Q21	0.5 U	**1.9 J**	**1.8 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.1 J**		
MW-21-Screen-3	May/June 2021	MW-21-3	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.6 J**		
MW-21-Screen-4													
MW-21-Screen-4	Jan/Feb 1996	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**3.0**
MW-21-Screen-4	Aug/Sep 1996	MW-21-4	0.5 U	**0.8**	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21-Screen-4	Oct/Nov 1996	MW-21-4	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**1.6**
MW-21-Screen-4	Feb/Mar 1997	MW-21-4	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21-Screen-4	June/July 1997	MW-21-4	0.5 U	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-21-Screen-4	Sep/Oct 1997	MW-21-4	0.5 U	**0.6**	**4.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-21-Screen-4	Jan/Feb 1998	MW-21-4	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-4	Apr/May 1998	MW-21-4	0.5 U	**0.6**	**4.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21-Screen-4	Jul/Aug 1998	MW-21-4	0.5 U	**0.8**	**4.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-4	Oct/Nov 1998	MW-21-4	0.5 U	**1.1**	**8.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.3**
MW-21-Screen-4	Feb/Mar 1999	MW-21-4	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21-Screen-4	May/Jun 1999	MW-21-4	0.5 U	0.5 U	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-4	Aug 1999	MW-21-4	0.5 U	**0.7**	**6.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.2**
MW-21-Screen-4	Nov/Dec 1999	MW-21-4	0.5 U	**0.6**	**6.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **cis-1,2-Dichloroethene**	**5.1** **1.1**
MW-21-Screen-4	Mar/Apr 2000	MW-21-4	0.5 U	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21-Screen-4	Jul/Aug 2000	MW-21-4	0.5 U	**0.5**	**6.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.3**
MW-21-Screen-4	Sep/Oct 2000	MW-21-4	0.5 U	**0.8**	**8.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.7** **1.5** **0.5**
MW-21-Screen-4	Jan/Feb 2001	MW-21-4	0.5 U	**1.2**	**4.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**1.0** **0.4 J** **1.0**
MW-21-Screen-4	Apr 2001	MW-21-4	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	NA	**1.0**	4.0 U	**1,2-Dichloroethene, Total** **2,2-Dichloropropane** **cis-1,2-Dichloroethene** **Methylene chloride**	**0.7** **0.3 J** **0.7** **0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-4	Jul 2001	MW-21-4	0.5 U	**0.6**	**8.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **1.5**
MW-21-Screen-4	Oct 2001	MW-21-4	0.5 U	**0.6**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **Methyl-tert-butyl ether (MTBE)**	**1.1** **0.5 J** **0.6 J**
MW-21-Screen-4	Oct 2001	MW-21-4	0.5 U	**0.6**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**1.1** **0.5 J** **1.1** **0.6 J**
MW-21-Screen-4	Jan/Feb 2002	MW-21-4	0.5 U	**0.8**	**9.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**2.7 B**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane** **Methyl-tert-butyl ether (MTBE)**	**0.6** **1.8** **0.4 J** **0.7 J**
MW-21-Screen-4	Apr/May 2002	MW-21-4	0.5 U	**0.3 J**	**5.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methylene chloride**	**0.4 J** **0.7** **2.2**
MW-21-Screen-4	Jul 2002	MW-21-4	0.5 U	0.5 U	**6.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.0**
MW-21-Screen-4	Oct/Nov 2002	MW-21-4	0.5 U	**0.4 J**	**5.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.4 J** **1.1**
MW-21-Screen-4	Jan/Feb 2003	MW-21-4	0.5 U	**0.3 J**	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21-Screen-4	Apr/May 2003	MW-21-4	0.5 U	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-4	Jul/Aug 2003	MW-21-4	0.5 U	**1.0**	**15.4**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**2.7 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.5** **2.2** **0.7**
MW-21-Screen-4	Oct/Nov 2003	MW-21-4	0.5 U	**0.5 J**	**7.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**3.4 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**1.3** **0.3 J**
MW-21-Screen-4	Feb 2004	MW-21-4	0.5 U	**0.4 J**	**5.0**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**3.5 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**1.1** **1.0**
MW-21-Screen-4	Apr/May 2004	MW-21-4	0.5 U	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**4.2**	**cis-1,2-Dichloroethene**	**0.7**
MW-21-Screen-4	Jul/Aug 2004	MW-21-4	0.5 U	**0.3 J**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**cis-1,2-Dichloroethene**	**1.2**
MW-21-Screen-4	Oct/Nov 2004	MW-21-4	0.5 U	**0.5**	**7.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**3.8 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**1.4** **0.4 J**
MW-21-Screen-4	Jan/Feb 2005	DUPE-1-1Q05	0.5 U	**0.6**	**9.3**	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	4.0 U	**cis-1,2-Dichloroethene** **m,p-Xylene**	**1.8** **0.5**
MW-21-Screen-4	Jan/Feb 2005	MW-21-4	0.5 U	**0.6**	**8.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**cis-1,2-Dichloroethene** **m,p-Xylene**	**1.6** **0.5 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-4	Apr/May 2005	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.5 J** **0.8**
MW-21-Screen-4	Jul/Sep 2005	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**2.0 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.5** **0.8**
MW-21-Screen-4	Oct/Nov 2005	MW-21-4	0.5 U	0.5 U	**4.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**3.2 J**	**cis-1,2-Dichloroethene** **m,p-Xylene**	**1.0** **0.5 J**
MW-21-Screen-4	Mar/Apr 2006	MW-21-4	0.5 U	**0.3 J**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-4	May/Jun 2006	MW-21-4	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-4	Aug/Sep 2006	MW-21-4	0.5 U	0.5 U	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	4.0 U	**cis-1,2-Dichloroethene**	**1.1**
MW-21-Screen-4	Oct/Dec 2006	MW-21-4	0.5 U	**0.6**	**8.0**	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	4.0 U	**cis-1,2-Dichloroethene**	**1.2**
MW-21-Screen-4	Mar/Apr 2007	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-4	Jun/Jul 2007	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	4.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21-Screen-4	Aug/Sep 2007	MW-21-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene** **m,p-Xylene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Vinyl chloride**	**0.3 J** **0.9 J** **3.0** **1.3** **0.3 J**
MW-21-Screen-4	Oct/Dec 2007	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**3.1**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-4	Jan/Feb 2008	MW-21-4	0.5 U	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	3.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21-Screen-4	Apr/May 2008	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	3.0 U	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-4	Jul/Aug 2008	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	**2.1**		
MW-21-Screen-4	Oct/Nov 2008	MW-21-4	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**	**2.3**		
MW-21-Screen-4	Jan/Feb 2009	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**2.2**		
MW-21-Screen-4	Apr/May 2009	DUPE-03-2Q09	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**	**1.9**		
MW-21-Screen-4	Apr/May 2009	MW-21-4	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**	**2.0**		
MW-21-Screen-4	Jul/Aug 2009	MW-21-4	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**2.1**		
MW-21-Screen-4	Nov/Dec 2009	MW-21-4	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**	**2.8**		
MW-21-Screen-4	Feb 2010	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.5**	**1.8**		
MW-21-Screen-4	Apr/May 2010	MW-21-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.5**		
MW-21-Screen-4	Jul/Aug 2010	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	**2.7**		
MW-21-Screen-4	Oct/Nov 2010	MW-21-4	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**	**3.0**		
MW-21-Screen-4	Feb/Mar 2011	MW-21-4	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**2.4**		
MW-21-Screen-4	Feb/Mar 2011	DUPE-01-1Q11	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.6**		
MW-21-Screen-4	Apr/May 2011	MW-21-4	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.1**		
MW-21-Screen-4	Aug/Sep 2011	MW-21-4	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**	**2.2**		
MW-21-Screen-4	Nov/Dec 2011	MW-21-4	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**	**2.0**		
MW-21-Screen-4	Jan/Feb 2012	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**2.9 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-4	Apr/May 2012	MW-21-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.4**		
MW-21-Screen-4	Aug/Sep 2012	MW-21-4	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	4.0 U		
MW-21-Screen-4	Nov 2012	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**1.4 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Jan/Feb 2013	MW-21-4	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Apr/May 2013	MW-21-4	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**2.4 J**		
MW-21-Screen-4	Jul 2013	DUPE-7-3Q13	0.5 U	**0.1 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-4	Jul 2013	MW-21-4	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**	**2.0 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-4	Oct/Nov 2013	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**8.8**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-4	Jan/Feb 2014	MW-21-4	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Apr/May 2014	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Jul/Aug 2014	DUP-6-3Q14	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**	**1.9 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Jul/Aug 2014	MW-21-4	0.5 U	**0.2 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**9.5**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Oct 2014	MW-21-4	0.5 U	**0.2 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**2.0 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-4	Jan/Feb 2015	MW-21-4	0.5 UJ	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.2 J**		
MW-21-Screen-4	Apr/May 2015	MW-21-4	0.5 U	**0.1 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**7.7**	**2.5 J**		
MW-21-Screen-4	Jul/Aug 2015	MW-21-4	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	**3.2 J**		
MW-21-Screen-4	Oct 2015	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**2.4 J**		
MW-21-Screen-4	Jan/Feb 2016	MW-21-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	4.0 U		
MW-21-Screen-4	Apr/May 2016	MW-21-4	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	**2.3 J**		
MW-21-Screen-4	Jul/Aug 2016	MW-21-4	0.5 U	**0.2 J**	**1.1**	**0.1 J**	0.5 U	0.5 U	0.5 U	**7.2**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-4	Jul/Aug 2016	DUP-7-3Q16	0.5 U	**0.2 J**	**1.2**	**0.1 J**	0.5 U	0.5 U	0.5 U	**7.1**	**3.1 J**		
MW-21-Screen-4	Oct 2016	MW-21-4	0.5 U	**0.6**	**2.0**	**0.1 J**	0.5 U	0.5 U	0.5 U	**8.8**	**3.1 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-4	Jan/Feb 2017	MW-21-4	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	2.0 U		
MW-21-Screen-4	Apr/May 2017	MW-21-4	0.5 U	**0.6**	**2.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**11.0**	**2.4 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-4	Apr/May 2017	DUP-6-2Q17	0.5 U	**0.5 J**	**2.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**11**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-4	Jul/Aug 2017	MW-21-4	0.5 U	**0.3 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	**2.3 J**		
MW-21-Screen-4	October 2017	MW-21-4	0.5 U	**0.2 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**1.4 J**		
MW-21-Screen-4	Jan/Feb 2018	MW-21-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**4.2**		
MW-21-Screen-4	April 2018	MW-21-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**2.6 J**		
MW-21-Screen-4	Jul/Aug 2018	MW-21-4	0.5 U	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**	**1.5 J**		
MW-21-Screen-4	Oct 2018	MW-21-4	0.5 U	**0.3 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**2.6 J**		
MW-21-Screen-4	Feb/Mar 2019	MW-21-4	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**2.0 J**		
MW-21-Screen-4	Apr/May 2019	MW-21-4	0.5 U	**0.3 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.4 J**		
MW-21-Screen-4	Jul/Aug 2019	MW-21-4	0.5 U	**0.7**	**2.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**4.2**	**3.5 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-4	Oct 2019	MW-21-4	0.5 U	**1.0**	**2.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	**5.3**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21-Screen-4	Oct 2019	DUP-5-4Q19	0.5 U	**1.0**	**3.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**6.1**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.5 J**
MW-21-Screen-4	Feb 2020	MW-21-4	0.5 U	**0.4 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**3.3 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-4	Jun 2020	MW-21-4	0.5 U	**0.8**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**3.7 J**		
MW-21-Screen-4	Aug 2020	MW-21-4	0.5 U	**0.4 J**	**0.96**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**2.7 J**		
MW-21-Screen-4	Aug 2020	DUP-5-3Q20	0.5 U	**0.4 J**	**0.99**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**3.1 J**		
MW-21-Screen-4	Oct/Nov 2020	MW-21-4	0.5 U	**0.6**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**2.8 J**		
MW-21-Screen-4	Mar/Apr 2021	MW-21-4	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**2.9 J**		
MW-21-Screen-4	May/June 2021	MW-21-4	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**2.6 J**		
MW-21-Screen-5													
MW-21-Screen-5	Jan/Feb 1996	MW-21-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Acetone**	**3.6**
MW-21-Screen-5	Aug/Sep 1996	MW-21-5	0.5 U	0.5 U	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-21-Screen-5	Oct/Nov 1996	MW-21-5	0.5 U	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21-Screen-5	Feb/Mar 1997	MW-21-5	0.5 U	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21-Screen-5	June/July 1997	MW-21-5	0.5 U	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-5	Sep/Oct 1997	MW-21-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21-Screen-5	Jan/Feb 1998	MW-21-5	0.5 U	0.5 U	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**Carbon disulfide** **cis-1,2-Dichloroethene**	**5.0** **0.6**
MW-21-Screen-5	Apr/May 1998	MW-21-5	0.5 U	0.5 U	**6.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**cis-1,2-Dichloroethene**	**1.0**
MW-21-Screen-5	Jul/Aug 1998	MW-21-5	0.5 U	0.5 U	**7.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.5**
MW-21-Screen-5	Oct/Nov 1998	MW-21-5	0.5 U	0.5 U	**6.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-5	Feb/Mar 1999	MW-21-5	0.5 U	**0.5**	**7.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.2**	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-5	May/Jun 1999	MW-21-5	0.5 U	0.5 U	**8.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.5**
MW-21-Screen-5	Aug 1999	MW-21-5	0.5 U	**0.6**	**9.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U	**cis-1,2-Dichloroethene**	**1.6**
MW-21-Screen-5	Nov/Dec 1999	MW-21-5	0.5 U	**0.7**	**11.4**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.9**	**cis-1,2-Dichloroethene**	**2.2**
MW-21-Screen-5	Mar/Apr 2000	MW-21-5	0.5 U	**0.7**	**12.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**4.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.5**
MW-21-Screen-5	Jul/Aug 2000	MW-21-5	0.5 U	**0.6**	**11.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.2**
MW-21-Screen-5	Sep/Oct 2000	MW-21-5	0.5 U	**0.8**	**15.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.7**
MW-21-Screen-5	Jan/Feb 2001	MW-21-5	0.5 U	**0.7**	**15.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**2.6** **0.6** **2.6** **0.4 J**
MW-21-Screen-5	Apr 2001	MW-21-5	0.5 U	**0.7**	**12.4**	0.5 U	0.5 U	0.5 U	NA	**1.4**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane** **Methylene chloride**	**2.3** **0.5** **2.3** **0.4 J** **0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-5	Jul 2001	MW-21-5	0.5 U	**0.6**	**11.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.0**
MW-21-Screen-5	Oct 2001	MW-21-5	0.5 U	**0.5 J**	**7.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**1.6** **0.4 J** **1.6** **0.6 J**
MW-21-Screen-5	Jan/Feb 2002	MW-21-5	0.5 U	**1.2**	**19.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**4.6**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.8** **3.4** **1.0 J**
MW-21-Screen-5	Apr/May 2002	MW-21-5	0.5 U	**1.3**	**28.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**3.4**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methylene chloride**	**0.7** **3.3** **2.7**
MW-21-Screen-5	Jul 2002	MW-21-5	0.5 U	**0.8**	**15.1**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.4 J** **2.4**
MW-21-Screen-5	Oct/Nov 2002	MW-21-5	0.5 U	**0.6**	**10.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **2.1**
MW-21-Screen-5	Dec 2002	MW-21-5	0.2 U	**1.2**	**21.2**	0.3 U	0.5 U	0.5 U	0.5 U	**3.0**	NA	**cis-1,2-Dichloroethene** **Methylene chloride**	**2.7** 4.8 UB
MW-21-Screen-5	Jan/Feb 2003	MW-21-5	NA	NA	**8.0 J**	NA	NA	NA	NA	NA	NA		
MW-21-Screen-5	Jan/Feb 2003	MW-21-5	0.5 U	**0.7**	**9.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U	**cis-1,2-Dichloroethene**	**2.0**
MW-21-Screen-5	Apr/May 2003	MW-21-5	0.5 U	**0.6**	**12.3**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**2.7 J**	**cis-1,2-Dichloroethene**	**1.7**
MW-21-Screen-5	Jul/Aug 2003	MW-21-5	0.5 U	**1.0**	**20.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**2.6 J**	**cis-1,2-Dichloroethene**	**2.5**
MW-21-Screen-5	Oct/Nov 2003	MW-21-5	0.5 U	**0.5 J**	**8.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**2.6 J**	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-5	Feb 2004	MW-21-5	0.5 U	**0.6**	**9.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**4.3**	**cis-1,2-Dichloroethene**	**1.5**
MW-21-Screen-5	Apr/May 2004	MW-21-5	0.5 U	**0.5 J**	**6.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**3.6 J**	**cis-1,2-Dichloroethene**	**1.4**
MW-21-Screen-5	Jul/Aug 2004	MW-21-5	0.5 U	**0.5**	**8.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.7**
MW-21-Screen-5	Oct/Nov 2004	MW-21-5	0.5 U	**0.6**	**8.4**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**6.2**	**cis-1,2-Dichloroethene** **Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**1.4** **2.9** **11.2** **1.9** **1.7**
MW-21-Screen-5	Jan/Feb 2005	MW-21-5	0.5 U	**0.6**	**9.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	4.0 U	**cis-1,2-Dichloroethene** **Ethylbenzene** **m,p-Xylene**	**1.5** **0.3 J** **1.0**
MW-21-Screen-5	Apr/May 2005	MW-21-5	0.5 U	**0.3 J**	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **m,p-Xylene**	**0.4 J** **1.1** **0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-5	Jul/Sep 2005	MW-21-5	0.5 U	0.5 U	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**3.3 J**	**m,p-Xylene**	**0.3 J**
MW-21-Screen-5	Oct/Nov 2005	MW-21-5	0.5 U	0.5 U	**3.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**3.3 J**	**cis-1,2-Dichloroethene**	**0.6**
MW-21-Screen-5	Mar/Apr 2006	MW-21-5	0.5 U	**0.3 J**	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-5	Mar/Apr 2006	DUPE-1-1Q06	0.5 U	**0.3 J**	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	NA	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-5	May/Jun 2006	MW-21-5	0.5 U	**0.4 J**	**5.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21-Screen-5	Aug/Sep 2006	MW-21-5	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21-Screen-5	Oct/Dec 2006	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	4.0 U		
MW-21-Screen-5	Mar/Apr 2007	MW-21-5	0.5 U	**0.3 J**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.5 J**
MW-21-Screen-5	Jun/Jul 2007	MW-21-5	0.5 U	**0.3**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	4.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21-Screen-5	Aug/Sep 2007	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	4.0 U	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21-Screen-5	Oct/Dec 2007	MW-21-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	**4.6**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21-Screen-5	Jan/Feb 2008	MW-21-5	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21-Screen-5	Apr/May 2008	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	3.0 U		
MW-21-Screen-5	Jul/Aug 2008	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**2.8**		
MW-21-Screen-5	Oct/Nov 2008	MW-21-5	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**3.0**		
MW-21-Screen-5	Jan/Feb 2009	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**3.2**		
MW-21-Screen-5	Apr/May 2009	MW-21-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**3.0**		
MW-21-Screen-5	Jul/Aug 2009	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**3.0**		
MW-21-Screen-5	Nov/Dec 2009	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**3.8**		
MW-21-Screen-5	Feb 2010	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**3.0**		
MW-21-Screen-5	Apr/May 2010	MW-21-5	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	**3.5**		
MW-21-Screen-5	Jul/Aug 2010	MW-21-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**3.6**		
MW-21-Screen-5	Oct/Nov 2010	MW-21-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**4.3**		
MW-21-Screen-5	Feb/Mar 2011	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**3.0**		
MW-21-Screen-5	Apr/May 2011	MW-21-5	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**2.4**		
MW-21-Screen-5	Aug/Sep 2011	MW-21-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.6**		
MW-21-Screen-5	Nov/Dec 2011	MW-21-5	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**1.9**		
MW-21-Screen-5	Jan/Feb 2012	MW-21-5	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	**3.0 J**		
MW-21-Screen-5	Apr/May 2012	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**2.6**		
MW-21-Screen-5	Aug/Sep 2012	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	4.0 U	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-5	Nov 2012	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**1.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-5	Jan/Feb 2013	MW-21-5	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	**3.0 J**		
MW-21-Screen-5	Apr/May 2013	MW-21-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**	**2.4 J**		
MW-21-Screen-5	Jul 2013	MW-21-5	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-5	Oct/Nov 2013	MW-21-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**3.0 J**		
MW-21-Screen-5	Jan/Feb 2014	MW-21-5	0.5 U	**0.1 J**	**1.2**	**0.1 J**	0.5 U	0.5 U	0.5 U	**7.9**	**1.7 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21-Screen-5	Apr/May 2014	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21-Screen-5	Jul/Aug 2014	MW-21-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**2.2 J**		
MW-21-Screen-5	Oct 2014	MW-21-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	**1.9 J**	**Acetone**	**12.0**
MW-21-Screen-5	Jan/Feb 2015	MW-21-5	0.5 UJ	**0.2 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**2.4 J**		
MW-21-Screen-5	Apr/May 2015	MW-21-5	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**1.7 J**		
MW-21-Screen-5	Jul/Aug 2015	MW-21-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**1.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21-Screen-5	Oct 2015	MW-21-5	0.5 U	**0.2 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**	**2.4 J**		
MW-21-Screen-5	Jan/Feb 2016	MW-21-5	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	4.0 U		
MW-21-Screen-5	Apr/May 2016	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**2.0 J**		
MW-21-Screen-5	Jul/Aug 2016	MW-21-5	0.5 U	**0.2 J**	**1.0**	**0.1 J**	0.5 U	0.5 U	0.5 U	**7.8**	**2.7 J**		
MW-21-Screen-5	Oct 2016	MW-21-5	0.5 U	**0.2 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**3.0 J**		
MW-21-Screen-5	Jan/Feb 2017	MW-21-5	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**	2.0 U		
MW-21-Screen-5	Apr/May 2017	MW-21-5	0.5 U	**0.4 J**	**2.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**11.0**	**2.6 J**		
MW-21-Screen-5	Jul/Aug 2017	MW-21-5	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	**2.3 J**		
MW-21-Screen-5	October 2017	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**1.5 J**		
MW-21-Screen-5	Jan/Feb 2018	MW-21-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	**2.3 J**		
MW-21-Screen-5	April 2018	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	**2.5 J**		
MW-21-Screen-5	Jul/Aug 2018	MW-21-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	**1.3 J**		
MW-21-Screen-5	Oct 2018	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	**2.5 J**		
MW-21-Screen-5	Feb/Mar 2019	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	**1.9 J**		
MW-21-Screen-5	Feb/Mar 2019	DUP-5-1Q19	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	**1.9 J**		
MW-21-Screen-5	Apr/May 2019	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**1.6 J**		
MW-21-Screen-5	Jul/Aug 2019	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	**2.8 J**	**Acrylonitrile** **Benzene** **Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Vinyl chloride**	**7.3** **0.1 J** **0.3 J** **1.7** **1.5** **0.4 J**
MW-21-Screen-5	Oct 2019	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	**2.1 J**		
MW-21-Screen-5	Feb 2020	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	**2.5 J**		
MW-21-Screen-5	Jun 2020	MW-21-5	0.5 U	**0.3 J**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**9.5**	**2.4 J**		
MW-21-Screen-5	Aug 2020	MW-21-5	0.5 U	0.5 U	**0.66**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**2.5 J**		
MW-21-Screen-5	Oct/Nov 2020	MW-21-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**2.4 J**		
MW-21-Screen-5	Mar/Apr 2021	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	**2.4 J**		
MW-21-Screen-5	May/June 2021	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**2.6 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-1													
MW-22-Screen-1	June/July 1997	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**0.6** **0.6** **1.0**
MW-22-Screen-1	Sep/Oct 1997	MW-22-1	0.5 U	0.5 U	**2.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Jan/Feb 1998	MW-22-1	0.5 U	0.5 U	**2.3**	**0.8**	0.5 U	0.5 U	**0.5**	0.5 U	4.0 U		
MW-22-Screen-1	Apr/May 1998	MW-22-1	0.5 U	**0.9**	**2.1**	**0.8**	0.5 U	0.5 U	0.5 U	**0.5**	**5.4**		
MW-22-Screen-1	Jul/Aug 1998	MW-22-1	0.5 U	**0.9**	**1.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**		
MW-22-Screen-1	Oct/Nov 1998	MW-22-1	0.5 U	0.5 U	**1.7**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-22-Screen-1	Feb/Mar 1999	MW-22-1	0.5 U	**0.6**	**3.6**	**1.0**	0.5 U	0.5 U	**1.3 B**	**0.5**	**6.4**		
MW-22-Screen-1	May/Jun 1999	MW-22-1	0.5 U	0.5 U	**2.7**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-22-Screen-1	Aug 1999	MW-22-1	0.5 U	0.5 U	**2.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Nov/Dec 1999	MW-22-1	0.5 U	0.5 U	**3.6**	**0.9**	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-22-Screen-1	Mar/Apr 2000	MW-22-1	0.5 U	0.5 U	**3.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-22-Screen-1	Jul/Aug 2000	MW-22-1	0.5 U	0.5 U	**3.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-22-Screen-1	Sep/Oct 2000	MW-22-1	0.5 U	0.5 U	**2.7**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-22-Screen-1	Jan/Feb 2001	MW-22-1	0.5 U	0.5 U	**2.0**	**0.7**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22-Screen-1	Jan/Feb 2001	MW-22-1	0.5 U	0.5 U	**2.9**	**0.8**	0.5 U	0.5 U	0.5 U	**0.4 J**	NA		
MW-22-Screen-1	Apr 2001	MW-22-1	0.5 U	0.5 U	**4.0**	**0.5**	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-22-Screen-1	Jul 2001	MW-22-1	0.5 U	0.5 U	**1.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22-Screen-1	Oct 2001	MW-22-1	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Jan/Feb 2002	MW-22-1	0.5 U	0.5 U	**2.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methylene chloride**	**0.5 J**
MW-22-Screen-1	Apr/May 2002	MW-22-1	0.5 U	**0.4 J**	**2.7**	**0.6**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-22-Screen-1	Jul 2002	MW-22-1	0.5 U	0.5 U	**2.9**	**0.6**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-22-Screen-1	Oct/Nov 2002	MW-22-1	0.5 U	0.5 U	**2.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-22-Screen-1	Jan/Feb 2003	MW-22-1	0.5 U	**0.3 J**	**2.0**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-22-Screen-1	Apr/May 2003	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**	**4-Methyl-2-pentanone**	**3.0 J**
MW-22-Screen-1	Jul/Aug 2003	MW-22-1	0.5 U	**0.3 J**	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**	**4-Methyl-2-pentanone**	**0.4 J**
MW-22-Screen-1	Oct/Nov 2003	MW-22-1	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-22-Screen-1	Feb 2004	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Apr/May 2004	MW-22-1	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Jul/Aug 2004	MW-22-1	0.5 U	**0.3 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**	**Methylene chloride**	**0.7**
MW-22-Screen-1	Oct/Nov 2004	MW-22-1	0.5 UJ	**0.3 J**	**1.9**	0.5 U	**0.4 J**	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-22-Screen-1	Jan/Feb 2005	MW-22-1	0.5 U	**0.4 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.0**		
MW-22-Screen-1	Apr/May 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22-Screen-1	Jul/Sep 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-22-Screen-1	Oct/Nov 2005	MW-22-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.0 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-1	Mar/Apr 2006	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22-Screen-1	May/Jun 2006	DUPE-5-2Q06	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-22-Screen-1	May/Jun 2006	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Aug/Sep 2006	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Oct/Dec 2006	MW-22-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22-Screen-1	Oct/Dec 2006	DUPE-5-4Q06	0.5 U	0.5 U	**1.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	NA		
MW-22-Screen-1	Mar/Apr 2007	MW-22-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22-Screen-1	Jun/Jul 2007	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Aug/Sep 2007	MW-22-1	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-22-Screen-1	Oct/Dec 2007	MW-22-1	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.0**		
MW-22-Screen-1	Jan/Feb 2008	MW-22-1	0.5 U	**0.3 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.1 J**		
MW-22-Screen-1	Apr/May 2008	MW-22-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-1	Jul/Aug 2008	MW-22-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22-Screen-1	Oct/Nov 2008	MW-22-1	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-22-Screen-1	Jan/Feb 2009	MW-22-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22-Screen-1	Apr/May 2009	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22-Screen-1	Jul/Aug 2009	MW-22-1	0.5 U	**1.0**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.4**		
MW-22-Screen-1	Nov/Dec 2009	MW-22-1	0.5 U	**0.7**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-22-Screen-1	Feb 2010	MW-22-1	0.5 U	**1.1**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-22-Screen-1	Apr/May 2010	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22-Screen-1	Jul/Aug 2010	MW-22-1	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22-Screen-1	Oct/Nov 2010	MW-22-1	0.5 U	0.5 U	**2.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22-Screen-1	Feb/Mar 2011	MW-22-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**22.9**		
MW-22-Screen-1	Apr/May 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**40.1**	**Bromodichloromethane** **Dibromochloromethane**	**2.3** **0.9**
MW-22-Screen-1	Aug/Sep 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	**98.7**	**Bromodichloromethane** **Dibromochloromethane**	**1.7** **0.9**
MW-22-Screen-1	Nov/Dec 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**85.2**		
MW-22-Screen-1	Jan/Feb 2012	MW-22-1	0.5 U	0.5 U	**1.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-22-Screen-1	Apr/May 2012	DUPE-1-2Q12	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.5**		
MW-22-Screen-1	Apr/May 2012	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.5**		
MW-22-Screen-1	Aug/Sep 2012	MW-22-1	0.5 U	**0.5 J**	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.9 J**		
MW-22-Screen-1	Nov 2012	MW-22-1	0.5 U	**0.8**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22-Screen-1	Jan/Feb 2013	MW-22-1	0.5 U	**1.2**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.5**		
MW-22-Screen-1	Apr/May 2013	MW-22-1	0.5 U	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-22-Screen-1	Jul 2013	MW-22-1	0.5 U	**1.5**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.0 J**		
MW-22-Screen-1	Oct/Nov 2013	MW-22-1	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-1	Jan/Feb 2014	MW-22-1	0.5 U	**2.0**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.3 J**		
MW-22-Screen-1	Apr/May 2014	MW-22-1	0.5 U	**1.4**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**		
MW-22-Screen-1	Jul/Aug 2014	MW-22-1	0.5 U	**2.2**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.2 J**		
MW-22-Screen-1	Oct 2014	MW-22-1	0.5 U	**2.0**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.3 J**		
MW-22-Screen-1	Jan/Feb 2015	MW-22-1	0.5 U	**2.8**	**0.5**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**2.9 J**		
MW-22-Screen-1	Apr/May 2015	MW-22-1	0.5 U	**1.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.1 J**		
MW-22-Screen-1	Jul/Aug 2015	MW-22-1	0.5 U	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.8 J**		
MW-22-Screen-1	Oct 2015	MW-22-1	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22-Screen-1	Jan/Feb 2016	MW-22-1	0.5 U	**1.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**		
MW-22-Screen-1	Apr/May 2016	MW-22-1	0.5 U	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**		
MW-22-Screen-1	Jul/Aug 2016	MW-22-1	0.5 U	**1.2**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**		
MW-22-Screen-1	Oct 2016	MW-22-1	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.5 J**		
MW-22-Screen-1	Jan/Feb 2017	MW-22-1	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.4**		
MW-22-Screen-1	Apr/May 2017	MW-22-1	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.4 J**		
MW-22-Screen-1	Jul/Aug 2017	MW-22-1	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.6**		
MW-22-Screen-1	October 2017	MW-22-1	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.0 J**		
MW-22-Screen-1	Jan/Feb 2018	MW-22-1	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-22-Screen-1	Jan/Feb 2018	Dup-4-1Q18	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.2 J**		
MW-22-Screen-1	April 2018	MW-22-1	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.6 J**		
MW-22-Screen-1	Jul/Aug 2018	MW-22-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**		
MW-22-Screen-1	Oct 2018	MW-22-1	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**		
MW-22-Screen-1	Feb/Mar 2019	MW-22-1	0.5 U	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.2 J**		
MW-22-Screen-1	Apr/May 2019	MW-22-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**65.0**		
MW-22-Screen-1	Apr/May 2019	DUP-2-2Q19	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**64.0**		
MW-22-Screen-1	Jul/Aug 2019	MW-22-1	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**160.0**		
MW-22-Screen-1	Oct 2019	MW-22-1	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**170.0**		
MW-22-Screen-1	Feb 2020	MW-22-1	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.8**		
MW-22-Screen-1	Jun 2020	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**160.0**		
MW-22-Screen-1	Aug 2020	MW-22-1	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**320.0**		
MW-22-Screen-1	Oct/Nov 2020	MW-22-1	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**100.0**		
MW-22-Screen-1	Mar/Apr 2021	MW-22-1	0.5 U	**1.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.4 J**		
MW-22-Screen-1	May/June 2021	MW-22-1	0.5	**0.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3**	**3.9**		
MW-22-Screen-2													
MW-22-Screen-2	June/July 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	NA	**Dibromochloromethane**	**0.7**
MW-22-Screen-2	Sep/Oct 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8**
MW-22-Screen-2	Jan/Feb 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Apr/May 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-2	Jul/Aug 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-22-Screen-2	Oct/Nov 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Feb/Mar 1999	MW-22-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 B**	0.5 U	4.0 U		
MW-22-Screen-2	May/Jun 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Aug 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Nov/Dec 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Mar/Apr 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jul/Aug 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Sep/Oct 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jan/Feb 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22-Screen-2	Jan/Feb 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22-Screen-2	Apr 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22-Screen-2	Jul 2001	MW-22-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.5**
MW-22-Screen-2	Oct 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jan/Feb 2002	MW-22-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-22-Screen-2	Apr/May 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-22-Screen-2	Jul 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Oct/Nov 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jan/Feb 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jan/Feb 2003	DUPE-5-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22-Screen-2	Apr/May 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6 J**	**4-Methyl-2-pentanone**	**5.0 J**
MW-22-Screen-2	Jul/Aug 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**	**4-Methyl-2-pentanone**	**0.6 J**
MW-22-Screen-2	Jul/Aug 2003	DUPE-5-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**	**4-Methyl-2-pentanone**	**0.4 J**
MW-22-Screen-2	Oct/Nov 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-22-Screen-2	Feb 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Apr/May 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jul/Aug 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**	**Methylene chloride**	**0.8**
MW-22-Screen-2	Oct/Nov 2004	MW-22-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Jan/Feb 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Methylene chloride**	**0.5** **0.6**
MW-22-Screen-2	Apr/May 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22-Screen-2	Jul/Sep 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22-Screen-2	Oct/Nov 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-22-Screen-2	Mar/Apr 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	May/Jun 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Aug/Sep 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-2	Oct/Dec 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-2	Mar/Apr 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-2	Jun/Jul 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	**Methylene chloride**	**5.9 J**
MW-22-Screen-2	Aug/Sep 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-2	Oct/Dec 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-2	Jan/Feb 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-22-Screen-2	Apr/May 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-22-Screen-2	Jul/Aug 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-2	Oct/Nov 2008	DUPE-06-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-22-Screen-2	Oct/Nov 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22-Screen-2	Jan/Feb 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22-Screen-2	Apr/May 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22-Screen-2	Jul/Aug 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22-Screen-2	Nov/Dec 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-22-Screen-2	Feb 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22-Screen-2	Apr/May 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22-Screen-2	Jul/Aug 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-22-Screen-2	Jul/Aug 2010	DUPE-4-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22-Screen-2	Oct/Nov 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22-Screen-2	Oct/Nov 2010	DUPE-03-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-22-Screen-2	Feb/Mar 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-22-Screen-2	Apr/May 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22-Screen-2	Aug/Sep 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22-Screen-2	Nov/Dec 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-22-Screen-2	Jan/Feb 2012	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22-Screen-2	Jan/Feb 2012	DUPE-4-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22-Screen-2	Apr/May 2012	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22-Screen-2	Aug/Sep 2012	MW-22-2	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-22-Screen-2	Nov 2012	MW-22-2	0.5 U	**0.2 J**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-22-Screen-2	Jan/Feb 2013	MW-22-2	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-22-Screen-2	Apr/May 2013	MW-22-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.7 J**		
MW-22-Screen-2	Jul 2013	MW-22-2	0.5 U	**0.2 J**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-22-Screen-2	Oct/Nov 2013	MW-22-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.5 J**		
MW-22-Screen-2	Jan/Feb 2014	MW-22-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.5 J**		
MW-22-Screen-2	Apr/May 2014	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-22-Screen-2	Jul/Aug 2014	MW-22-2	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-22-Screen-2	Oct 2014	MW-22-2	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-22-Screen-2	Jan/Feb 2015	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.9 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-2	Apr/May 2015	MW-22-2	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**	**Acetone**	**10.0**
MW-22-Screen-2	Jul/Aug 2015	MW-22-2	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.2 J**		
MW-22-Screen-2	Oct 2015	MW-22-2	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.2 J**	**Toluene**	**0.2 J**
MW-22-Screen-2	Jan/Feb 2016	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22-Screen-2	Apr/May 2016	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-2	Jul/Aug 2016	MW-22-2	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5 J**		
MW-22-Screen-2	Oct 2016	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-22-Screen-2	Jan/Feb 2017	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-22-Screen-2	Apr/May 2017	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4 J**		
MW-22-Screen-2	Apr/May 2017	DUP-3-2Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-22-Screen-2	Jul/Aug 2017	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-22-Screen-2	October 2017	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-2	Jan/Feb 2018	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-22-Screen-2	April 2018	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-22-Screen-2	Jul/Aug 2018	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-22-Screen-2	Oct 2018	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-22-Screen-2	Feb/Mar 2019	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-22-Screen-2	Apr/May 2019	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.7 J**		
MW-22-Screen-2	Jul/Aug 2019	MW-22-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-22-Screen-2	Jul/Aug 2019	MW-22-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-22-Screen-2	Oct 2019	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22-Screen-2	Oct 2019	DUP-4-4Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22-Screen-2	Feb 2020	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-22-Screen-2	Jun 2020	MW-22-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.8 J**		
MW-22-Screen-2	Aug 2020	MW-22-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22-Screen-2	Aug 2020	DUP-3-3Q20	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-2	Oct/Nov 2020	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-22-Screen-2	Mar/Apr 2021	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-22-Screen-2	May/June 2021	MW-22-2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22-Screen-3													
MW-22-Screen-3	June/July 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	NA		
MW-22-Screen-3	Sep/Oct 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-22-Screen-3	Jan/Feb 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Apr/May 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jul/Aug 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Oct/Nov 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Feb/Mar 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 B**	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-3	May/Jun 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-22-Screen-3	Aug 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Nov/Dec 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Mar/Apr 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jul/Aug 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Sep/Oct 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jan/Feb 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22-Screen-3	Jan/Feb 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-22-Screen-3	Apr 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22-Screen-3	Jul 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Oct 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jan/Feb 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**Methylene chloride**	**0.6 J**
MW-22-Screen-3	Apr/May 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-22-Screen-3	Jul 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Oct/Nov 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jan/Feb 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 U		
MW-22-Screen-3	Apr/May 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**	**4-Methyl-2-pentanone**	**6.0 J**
MW-22-Screen-3	Jul/Aug 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**	**4-Methyl-2-pentanone** **Chloroethane**	**2.0 J** **2.0**
MW-22-Screen-3	Oct/Nov 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22-Screen-3	Feb 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Apr/May 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jul/Aug 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7**
MW-22-Screen-3	Oct/Nov 2004	MW-22-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jan/Feb 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-22-Screen-3	Apr/May 2005	DUPE-5-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-22-Screen-3	Apr/May 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-22-Screen-3	Jul/Sep 2005	DUPE-5-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6 J**		
MW-22-Screen-3	Jul/Sep 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-22-Screen-3	Oct/Nov 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-22-Screen-3	Mar/Apr 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	May/Jun 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Aug/Sep 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Oct/Dec 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Mar/Apr 2007	DUPE-6-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**m,p-Xylene**	**0.9 J**
MW-22-Screen-3	Mar/Apr 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Jun/Jul 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-3	Aug/Sep 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Oct/Dec 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22-Screen-3	Jan/Feb 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3 J**		
MW-22-Screen-3	Apr/May 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-22-Screen-3	Jul/Aug 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22-Screen-3	Oct/Nov 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-22-Screen-3	Jan/Feb 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22-Screen-3	Apr/May 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22-Screen-3	Jul/Aug 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22-Screen-3	Nov/Dec 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-22-Screen-3	Feb 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22-Screen-3	Apr/May 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22-Screen-3	Jul/Aug 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-22-Screen-3	Oct/Nov 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22-Screen-3	Feb/Mar 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-22-Screen-3	Apr/May 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**		
MW-22-Screen-3	Aug/Sep 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22-Screen-3	Nov/Dec 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-22-Screen-3	Jan/Feb 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-22-Screen-3	Apr/May 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-22-Screen-3	Aug/Sep 2012	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.8 J**		
MW-22-Screen-3	Nov 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-22-Screen-3	Jan/Feb 2013	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-22-Screen-3	Apr/May 2013	DUP-3-2Q13	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.6 J**		
MW-22-Screen-3	Apr/May 2013	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-22-Screen-3	Jul 2013	MW-22-3	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.6 J**		
MW-22-Screen-3	Oct/Nov 2013	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22-Screen-3	Jan/Feb 2014	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22-Screen-3	Apr/May 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-22-Screen-3	Jul/Aug 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-3	Oct 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-22-Screen-3	Jan/Feb 2015	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-22-Screen-3	Apr/May 2015	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22-Screen-3	Jul/Aug 2015	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-22-Screen-3	Oct 2015	MW-22-3	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.3 J**
MW-22-Screen-3	Jan/Feb 2016	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-3	Apr/May 2016	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**	**Acetone**	**11.0**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-3	Jul/Aug 2016	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-22-Screen-3	Oct 2016	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-22-Screen-3	Oct 2016	DUP-3-4Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-3	Jan/Feb 2017	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22-Screen-3	Apr/May 2017	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-22-Screen-3	Jul/Aug 2017	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-22-Screen-3	October 2017	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-22-Screen3	October 2017	DUP-4-4Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-22-Screen-3	Jan/Feb 2018	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-22-Screen-3	April 2018	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**	**Carbon disulfide**	**0.5 J**
MW-22-Screen-3	April 2018	DUP-3-2Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22-Screen-3	Jul/Aug 2018	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-22-Screen-3	Oct 2018	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22-Screen-3	Feb/Mar 2019	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22-Screen-3	Apr/May 2019	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22-Screen-3	Jul/Aug 2019	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-22-Screen-3	Oct 2019	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-22-Screen-3	Feb 2020	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-22-Screen-3	Jun 2020	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5 J**		
MW-22-Screen-3	Aug 2020	MW-22-3	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-3	Oct/Nov 2020	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7 J**		
MW-22-Screen-3	Mar/Apr 2021	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-22-Screen-3	Mar/Apr 2021	DUP-3-1Q21	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22-Screen-3	May/June 2021	MW-22-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-22-Screen-4													
MW-22-Screen-4	June/July 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	NA	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.7**
MW-22-Screen-4	Sep/Oct 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Jan/Feb 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Apr/May 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Jul/Aug 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Oct/Nov 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Feb/Mar 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 B**	0.5 U	4.0 U		
MW-22-Screen-4	May/Jun 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Aug 1999	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Nov/Dec 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Mar/Apr 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-4	Jul/Aug 2000	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Sep/Oct 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Jan/Feb 2001	MW-22-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**Methylene chloride**	**0.7**
MW-22-Screen-4	Jan/Feb 2001	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-22-Screen-4	Apr 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Jul 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Oct 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Jan/Feb 2002	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-22-Screen-4	Apr/May 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Jul 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Oct/Nov 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22-Screen-4	Apr/May 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**9.0 J**
MW-22-Screen-4	Oct/Nov 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **3.2** **1.0**
MW-22-Screen-4	Apr/May 2004	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Oct/Nov 2004	MW-22-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Apr/May 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-22-Screen-4	Oct/Nov 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	May/Jun 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-4	Oct/Dec 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-4	Jun/Jul 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**2.7 J**
MW-22-Screen-4	Oct/Dec 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-4	Apr/May 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-4	Oct/Nov 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Apr/May 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Nov/Dec 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Nov/Dec 2009	DUPE-04-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Apr/May 2010	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Oct/Nov 2010	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Apr/May 2011	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Nov/Dec 2011	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Nov/Dec 2011	DUPE-6-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Apr/May 2012	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-4	Nov 2012	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Apr/May 2013	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Oct/Nov 2013	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-4	Apr/May 2014	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Oct 2014	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-22-Screen-4	Apr/May 2015	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Apr/May 2015	DUP-3-2Q15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Oct 2015	MW-22-4	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.3 J**
MW-22-Screen-4	Apr/May 2016	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-22-Screen-4	Oct 2016	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-22-Screen-4	Apr/May 2017	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22-Screen-4	October 2017	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 J**		
MW-22-Screen-4	April 2018	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 J**	**Carbon disulfide**	**0.6 J**
MW-22-Screen-4	Oct 2018	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-22-Screen-4	Apr/May 2019	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-22-Screen-4	Oct 2019	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-22-Screen-4	Jun 2020	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-4	Oct/Nov 2020	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-22-Screen-4	May/June 2021	MW-22-4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-22-Screen-5													
MW-22-Screen-5	June/July 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Dibromochloromethane**	**0.6**
MW-22-Screen-5	Sep/Oct 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Jan/Feb 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Jul/Aug 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct/Nov 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Feb/Mar 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 B**	0.5 U	4.0 U		
MW-22-Screen-5	May/Jun 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Nov/Dec 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Jul/Aug 2000	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Jan/Feb 2001	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-22-Screen-5	Jan/Feb 2001	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-22-Screen-5	Jan/Feb 2002	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-22-Screen-5	Apr/May 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-22-Screen-5	Oct/Nov 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**2.0 J**
MW-22-Screen-5	Apr/May 2004	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 2004	DUPE-2-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct/Nov 2004	MW-22-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct/Nov 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22-Screen-5	May/Jun 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-5	Oct/Dec 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-5	Jun/Jul 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-5	Oct/Dec 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22-Screen-5	Apr/May 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-5	Oct/Nov 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-22-Screen-5	Apr/May 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-5	Nov/Dec 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-22-Screen-5	Apr/May 2010	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-5	Oct/Nov 2010	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-5	Apr/May 2011	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.4**		
MW-22-Screen-5	Nov/Dec 2011	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**47.3**		
MW-22-Screen-5	Apr/May 2012	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22-Screen-5	Nov 2012	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 2013	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-22-Screen-5	Oct/Nov 2013	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-22-Screen-5	Apr/May 2014	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct 2014	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 2015	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct 2015	MW-22-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.3 J**
MW-22-Screen-5	Apr/May 2016	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-22-Screen-5	Oct 2016	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-22-Screen-5	Apr/May 2017	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 2017	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	April 2018	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct 2018	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Apr/May 2019	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Oct 2019	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22-Screen-5	Jun 2020	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-22-Screen-5	Oct/Nov 2020	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6**
MW-22-Screen-5	May/June 2021	MW-22-5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	**Carbon disulfide**	**0.5**
MW-23-Screen-1													
MW-23-Screen-1	June/July 1997	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.4** **1.5** **2.2**
MW-23-Screen-1	Sep/Oct 1997	MW-23-1	0.5 U	**3.1**	**0.6**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-23-Screen-1	Jan/Feb 1998	MW-23-1	0.5 U	**4.2**	**1.6**	**1.2**	0.5 U	0.5 U	0.5 U	**0.9**	**5.2**	**1,2,3-Trichlorobenzene**	**0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-1	Jul/Aug 1998	MW-23-1	0.5	9.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	19.0	Methylene chloride	2.2
MW-23-Screen-1	Oct/Nov 1998	MW-23-1	0.8	15.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	20.8		
MW-23-Screen-1	Feb/Mar 1999	MW-23-1	0.6	15.0	1.1	1.4	0.5 U	0.5 U	0.5 U	1.9	8.4	1,2,3-Trichlorobenzene	0.6
MW-23-Screen-1	May/Jun 1999	MW-23-1	0.5 U	7.0	1.1	0.5 U	0.5 U	0.5 U	0.6	1.0	7.6	1,2,3-Trichlorobenzene	0.7
MW-23-Screen-1	Aug 1999	MW-23-1	0.5 U	3.5	1.1	1.0	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-23-Screen-1	Nov/Dec 1999	MW-23-1	0.5 U	1.2	1.3	1.0	0.5 U	0.5 U	0.5 U	0.5	4.1	1,2,3-Trichlorobenzene	1.1
MW-23-Screen-1	Mar/Apr 2000	MW-23-1	0.5 U	1.5	2.3	1.3	0.5 U	0.5 U	0.5 U	0.7	4.3	1,2,3-Trichlorobenzene	1.2
MW-23-Screen-1	Jul/Aug 2000	MW-23-1	0.5 U	1.4	0.9	0.5 U	0.5 U	0.6	0.5 U	0.5	4.9		
MW-23-Screen-1	Sep/Oct 2000	MW-23-1	0.5 U	0.6	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-1	Jan/Feb 2001	MW-23-1	0.5 U	0.9	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Methyl-tert-butyl ether (MTBE)	0.6 J
MW-23-Screen-1	Apr 2001	MW-23-1	0.5 U	0.7	0.5 U	0.5	0.5 U	0.5 U	NA	0.5 J	4.0 U		
MW-23-Screen-1	Jul 2001	MW-23-1	0.6	1.9	0.9	0.4 J	0.5 U	0.5 U	0.5 U	NA	4.0 U		
MW-23-Screen-1	Oct 2001	MW-23-1	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-1	Jan/Feb 2002	MW-23-1	0.5 U	1.3	1.4	0.7	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23-Screen-1	Apr/May 2002	MW-23-1	0.5 U	0.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride	0.4 J
MW-23-Screen-1	Jul 2002	MW-23-1	0.5 U	0.9	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-23-Screen-1	Oct/Nov 2002	MW-23-1	0.5 U	0.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-23-Screen-1	Jan/Feb 2003	MW-23-1	0.5 U	1.5	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	1.9 J		
MW-23-Screen-1	Apr/May 2003	MW-23-1	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9 J	4-Methyl-2-pentanone	4.0 J
MW-23-Screen-1	Jul/Aug 2003	MW-23-1	0.5 U	0.3 J	1.5	0.5	0.5 U	0.5 U	0.5 U	0.4 J	2.4 J		
MW-23-Screen-1	Oct/Nov 2003	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	3.1 J	4-Methyl-2-pentanone Chloroethane Chloromethane	2.0 J 2.7 0.6
MW-23-Screen-1	Feb 2004	MW-23-1	0.5 U	0.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.5		
MW-23-Screen-1	Apr/May 2004	MW-23-1	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23-Screen-1	Jul/Aug 2004	MW-23-1	0.5 U	0.8	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-23-Screen-1	Oct/Nov 2004	MW-23-1	0.5 U	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-23-Screen-1	Jan/Feb 2005	MW-23-1	0.5 U	1.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.9 J	m,p-Xylene	0.7
MW-23-Screen-1	Apr/May 2005	MW-23-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J		
MW-23-Screen-1	Jul/Sep 2005	MW-23-1	0.5 U	0.5 U	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-23-Screen-1	Oct/Nov 2005	MW-23-1	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.3 J		
MW-23-Screen-1	Mar/Apr 2006	MW-23-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-23-Screen-1	May/Jun 2006	DUPE-6-2Q06	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-23-Screen-1	May/Jun 2006	MW-23-1	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-1	Aug/Sep 2006	MW-23-1	0.5 U	0.4 J	1.0 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-23-Screen-1	Oct/Dec 2006	MW-23-1	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-1	Mar/Apr 2007	MW-23-1	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-1	Jun/Jul 2007	MW-23-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-1	Aug/Sep 2007	MW-23-1	0.5 U	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-23-Screen-1	Oct/Dec 2007	MW-23-1	0.5 U	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-23-Screen-1	Jan/Feb 2008	MW-23-1	0.5 U	**1.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.4**		
MW-23-Screen-1	Apr/May 2008	MW-23-1	0.5 U	**0.5**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-23-Screen-1	Jul/Aug 2008	MW-23-1	0.5 U	**1.3**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.2**		
MW-23-Screen-1	Oct/Nov 2008	MW-23-1	0.5 U	**1.1**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-23-Screen-1	Jan/Feb 2009	MW-23-1	0.5 U	**1.5**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-23-Screen-1	Apr/May 2009	MW-23-1	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-23-Screen-1	Jul/Aug 2009	MW-23-1	0.5 U	**2.2**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.2**		
MW-23-Screen-1	Nov/Dec 2009	MW-23-1	0.5 U	**2.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-23-Screen-1	Feb 2010	MW-23-1	0.5 U	**3.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-23-Screen-1	Apr/May 2010	MW-23-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-23-Screen-1	Jul/Aug 2010	MW-23-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**28.3**		
MW-23-Screen-1	Oct/Nov 2010	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**30.4 J**		
MW-23-Screen-1	Oct/Nov 2010	DUPE-07-4Q10	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**29.9 J**		
MW-23-Screen-1	Feb/Mar 2011	MW-23-1	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**302.0**		
MW-23-Screen-1	Apr/May 2011	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**97.8**		
MW-23-Screen-1	Aug/Sep 2011	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7**		
MW-23-Screen-1	Nov/Dec 2011	MW-23-1	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**103.0**		
MW-23-Screen-1	Jan/Feb 2012	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**35.2**		
MW-23-Screen-1	Jan/Feb 2012	DUPE-3-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**35.5**		
MW-23-Screen-1	Apr/May 2012	DUPE-3-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**12.5 J**		
MW-23-Screen-1	Apr/May 2012	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**11.2**		
MW-23-Screen-1	Aug/Sep 2012	MW-23-1	0.5 U	**0.3 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**		
MW-23-Screen-1	Nov 2012	MW-23-1	0.5 U	**1.0**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-23-Screen-1	Jan/Feb 2013	MW-23-1	0.5 U	**1.9**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.8 J**		
MW-23-Screen-1	Apr/May 2013	MW-23-1	0.5 U	**2.8 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-23-Screen-1	Jul 2013	MW-23-1	0.5 U	**2.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.2 J**		
MW-23-Screen-1	Oct/Nov 2013	MW-23-1	0.5 U	**2.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**		
MW-23-Screen-1	Jan/Feb 2014	MW-23-1	0.5 U	**3.5**	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.7 J**		
MW-23-Screen-1	Apr/May 2014	MW-23-1	0.5 U	**2.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.6 J**		
MW-23-Screen-1	Jul/Aug 2014	MW-23-1	0.5 U	**3.8**	**0.5**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.8 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-23-Screen-1	Oct 2014	MW-23-1	0.5 U	**3.9**	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.8 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)** **trans-1,2-Dichloroethene**	**0.1 J** **0.1 J** **0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-1	Jan/Feb 2015	MW-23-1	0.5 U	**4.2**	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.0 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)** **trans-1,2-Dichloroethene**	**0.2 J** **0.1 J** **0.2 J**
MW-23-Screen-1	Apr/May 2015	MW-23-1	0.5 U	**4.5**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.9 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-23-Screen-1	Jul/Aug 2015	MW-23-1	0.5 U	**1.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-23-Screen-1	Oct 2015	MW-23-1	0.5 U	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.4 J**		
MW-23-Screen-1	Oct 2015	DUP-5-4Q15	0.5 U	**2.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.9 J**		
MW-23-Screen-1	Jan/Feb 2016	MW-23-1	0.5 U	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-23-Screen-1	Apr/May 2016	MW-23-1	0.5 U	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.5 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-23-Screen-1	Jul/Aug 2016	MW-23-1	0.5 U	**2.3**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.6**		
MW-23-Screen-1	Jul/Aug 2016	DUP-6-3Q16	0.5 U	**2.3**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.9 J**		
MW-23-Screen-1	Oct 2016	MW-23-1	0.5 U	**1.3**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.8 J**		
MW-23-Screen-1	Jan/Feb 2017	MW-23-1	0.5 U	**1.4**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.6**		
MW-23-Screen-1	Apr/May 2017	MW-23-1	0.5 U	**5.3**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**2.9 J**		
MW-23-Screen-1	Jul/Aug 2017	MW-23-1	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.9 J**		
MW-23-Screen-1	October 2017	MW-23-1	0.5 U	**3.4**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.9**	**3.8 J**		
MW-23-Screen-1	Jan/Feb 2018	MW-23-1	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.3**		
MW-23-Screen-1	April 2018	MW-23-1	0.5 U	**1.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.4 J**		
MW-23-Screen-1	Jul/Aug 2018	MW-23-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.2 J**		
MW-23-Screen-1	Jul/Aug 2018	Dup-4-3Q18	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.5 J**		
MW-23-Screen-1	Oct 2018	MW-23-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.0**		
MW-23-Screen-1	Feb/Mar 2019	MW-23-1	0.5 U	**1.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.1 J**		
MW-23-Screen-1	Apr/May 2019	MW-23-1	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.9 J**		
MW-23-Screen-1	Jul/Aug 2019	MW-23-1	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-23-Screen-1	Oct 2019	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-23-Screen-1	Feb 2020	MW-23-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.2**		
MW-23-Screen-1	Jun 2020	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-23-Screen-1	Aug 2020	MW-23-1	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-23-Screen-1	Oct/Nov 2020	MW-23-1	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**14.0**		
MW-23-Screen-2													
MW-23-Screen-2	June/July 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	NA	**Dibromochloromethane**	**0.6**
MW-23-Screen-2	Sep/Oct 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-23-Screen-2	Jan/Feb 1998	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**6.7**		
MW-23-Screen-2	Jul/Aug 1998	MW-23-2	0.5 U	**1.1**	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	**0.7**	**7.8**	**Methylene chloride**	**1.8**
MW-23-Screen-2	Oct/Nov 1998	MW-23-2	0.5 U	**0.6**	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	**0.6**	**16.3**		
MW-23-Screen-2	Feb/Mar 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.7**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-2	May/Jun 1999	MW-23-2	0.5 U	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	**0.6**	**7.8**		
MW-23-Screen-2	Aug 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-23-Screen-2	Nov/Dec 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-23-Screen-2	Mar/Apr 2000	MW-23-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.2**		
MW-23-Screen-2	Jul/Aug 2000	MW-23-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**6.6**		
MW-23-Screen-2	Sep/Oct 2000	MW-23-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.0**		
MW-23-Screen-2	Jan/Feb 2001	MW-23-2	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-23-Screen-2	Apr 2001	MW-23-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.5**	4.0 U		
MW-23-Screen-2	Jul 2001	MW-23-2	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichlorobenzene**	**1.2**
MW-23-Screen-2	Oct 2001	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-2	Jan/Feb 2002	MW-23-2	0.5 U	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.0**	**Methylene chloride**	**0.9 J**
MW-23-Screen-2	Apr/May 2002	MW-23-2	0.5 U	**0.7**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride**	**0.4 J**
MW-23-Screen-2	Jul 2002	MW-23-2	0.5 U	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.0 J**		
MW-23-Screen-2	Oct/Nov 2002	MW-23-2	0.5 U	**0.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-23-Screen-2	Jan/Feb 2003	MW-23-2	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.4 J**		
MW-23-Screen-2	Apr/May 2003	MW-23-2	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.8 J**	**4-Methyl-2-pentanone**	**3.0 J**
MW-23-Screen-2	Jul/Aug 2003	MW-23-2	0.5 U	**0.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.7**	**Methylene chloride**	**0.6**
MW-23-Screen-2	Oct/Nov 2003	MW-23-2	0.5 U	**0.5**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.4 J**	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **2.3** **0.6**
MW-23-Screen-2	Feb 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**		
MW-23-Screen-2	Apr/May 2004	MW-23-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.4**		
MW-23-Screen-2	Jul/Aug 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-23-Screen-2	Oct/Nov 2004	MW-23-2	0.5 U	**0.5 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-23-Screen-2	Jan/Feb 2005	MW-23-2	0.5 U	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.6**	**m,p-Xylene**	**0.4 J**
MW-23-Screen-2	Apr/May 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7 J**		
MW-23-Screen-2	Jul/Sep 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-23-Screen-2	Oct/Nov 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.2**		
MW-23-Screen-2	Mar/Apr 2006	MW-23-2	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-23-Screen-2	Mar/Apr 2006	DUPE-5-1Q06	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	NA		
MW-23-Screen-2	May/Jun 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-2	Aug/Sep 2006	DUPE-2-3Q06	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-23-Screen-2	Aug/Sep 2006	MW-23-2	0.5 U	**0.7 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.6**		
MW-23-Screen-2	Oct/Dec 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-23-Screen-2	Mar/Apr 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**		
MW-23-Screen-2	Jun/Jul 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-2	Aug/Sep 2007	MW-23-2	0.5 U	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-2	Aug/Sep 2007	DUPE-2-3Q07	0.5 U	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-23-Screen-2	Oct/Dec 2007	MW-23-2	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.7**		
MW-23-Screen-2	Jan/Feb 2008	MW-23-2	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**6.5**		
MW-23-Screen-2	Apr/May 2008	DUPE-3-2Q08	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-23-Screen-2	Apr/May 2008	MW-23-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1 J**		
MW-23-Screen-2	Jul/Aug 2008	MW-23-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.8**		
MW-23-Screen-2	Oct/Nov 2008	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-23-Screen-2	Jan/Feb 2009	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-23-Screen-2	Apr/May 2009	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.1**		
MW-23-Screen-2	Jul/Aug 2009	MW-23-2	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-23-Screen-2	Nov/Dec 2009	MW-23-2	0.5 U	**1.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.4**		
MW-23-Screen-2	Feb 2010	MW-23-2	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-23-Screen-2	Apr/May 2010	MW-23-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-23-Screen-2	Jul/Aug 2010	MW-23-2	0.5 U	**1.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.9**		
MW-23-Screen-2	Oct/Nov 2010	MW-23-2	0.5 U	**1.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.4 J**		
MW-23-Screen-2	Feb/Mar 2011	MW-23-2	0.5 U	**1.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.4**		
MW-23-Screen-2	Apr/May 2011	MW-23-2	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**		
MW-23-Screen-2	Aug/Sep 2011	MW-23-2	0.5 U	**2.0**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-23-Screen-2	Nov/Dec 2011	MW-23-2	0.5 U	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.8**		
MW-23-Screen-2	Jan/Feb 2012	MW-23-2	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-23-Screen-2	Apr/May 2012	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-23-Screen-2	Aug/Sep 2012	DUPE-4-3Q12	0.5 U	**0.7**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.6**		
MW-23-Screen-2	Aug/Sep 2012	MW-23-2	0.5 U	**0.7**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.7**		
MW-23-Screen-2	Nov 2012	MW-23-2	0.5 U	**0.6**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.5 J**		
MW-23-Screen-2	Jan/Feb 2013	MW-23-2	0.5 U	**0.7**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-23-Screen-2	Apr/May 2013	MW-23-2	0.5 U	**0.9**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.4 J**		
MW-23-Screen-2	Jul 2013	MW-23-2	0.5 U	**1.1**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-23-Screen-2	Oct/Nov 2013	MW-23-2	0.5 U	**0.8**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.1**		
MW-23-Screen-2	Jan/Feb 2014	MW-23-2	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.6**		
MW-23-Screen-2	Apr/May 2014	MW-23-2	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.7**		
MW-23-Screen-2	Jul/Aug 2014	MW-23-2	0.5 U	**1.4**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.4**		
MW-23-Screen-2	Oct 2014	MW-23-2	0.5 U	**1.3**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.1**		
MW-23-Screen-2	Jan/Feb 2015	MW-23-2	0.5 U	**1.4**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.3**		
MW-23-Screen-2	Jan/Feb 2015	Dup-2-1Q15	0.5 U	**0.5**	**1.4**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.9 J**		
MW-23-Screen-2	Apr/May 2015	MW-23-2	0.5 U	**1.7**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**1.8 J**	**1,2,3-Trichlorobenzene**	**0.2 J**
MW-23-Screen-2	Jul/Aug 2015	MW-23-2	0.5 U	**1.9**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**5.8**	**1,2-Dichlorobenzene**	**0.1 J**
MW-23-Screen-2	Oct 2015	MW-23-2	0.5 U	**1.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.8 J**	**1,2-Dichlorobenzene**	**0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-2	Jan/Feb 2016	MW-23-2	0.5 U	**3.0**	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**1,2-Dichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.1 J**
MW-23-Screen-2	Apr/May 2016	MW-23-2	0.5 U	**1.1**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.1**		
MW-23-Screen-2	Jul/Aug 2016	MW-23-2	0.5 U	**1.3**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.6**		
MW-23-Screen-2	Oct 2016	MW-23-2	0.5 U	**1.2**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.4**		
MW-23-Screen-2	Jan/Feb 2017	MW-23-2	0.5 U	**3.2**	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.2**		
MW-23-Screen-2	Apr/May 2017	MW-23-2	0.5 U	**4.4**	**1.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.6 J**		
MW-23-Screen-2	Jul/Aug 2017	MW-23-2	0.5 U	**4.0**	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.9 J**		
MW-23-Screen-2	Jul/Aug 2017	DUP-3-3Q17	0.5 U	**4.1**	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**4.7**		
MW-23-Screen-2	October 2017	MW-23-2	0.5 U	**1.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.2**		
MW-23-Screen-2	Jan/Feb 2018	MW-23-2	0.5 U	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.1**		
MW-23-Screen-2	April 2018	MW-23-2	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**		
MW-23-Screen-2	Jul/Aug 2018	MW-23-2	0.5 U	**0.3 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6 J**		
MW-23-Screen-2	Oct 2018	MW-23-2	0.5 U	**1.0**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.9**		
MW-23-Screen-2	Feb/Mar 2019	MW-23-2	0.5 U	**0.9**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-23-Screen-2	Apr/May 2019	MW-23-2	0.5 U	**1.5**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.1 J**		
MW-23-Screen-2	Apr/May 2019	DUP-1-2Q19	0.5 U	**2.1**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.4 J**		
MW-23-Screen-2	Jul/Aug 2019	MW-23-2	0.5 U	**3.0**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.0**		
MW-23-Screen-2	Oct 2019	MW-23-2	0.5 U	**1.4**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.9 J**		
MW-23-Screen-2	Feb 2020	MW-23-2	0.5 U	**1.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.4**		
MW-23-Screen-2	Jun 2020	MW-23-2	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-23-Screen-2	Aug 2020	MW-23-2	0.5 U	**1.1**	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.2**		
MW-23-Screen-2	Oct/Nov 2020	MW-23-2	0.5 U	**2.4**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.5**		
MW-23-Screen-2	Oct/Nov 2020	DUP-4-4Q20	0.5 U	**2.4**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.8**	**4.8**		
MW-23-Screen-2	Mar/Apr 2021	MW-23-2	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.3**		
MW-23-Screen-2	May/June 2021	MW-23-2	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.8**		
MW-23-Screen-3													
MW-23-Screen-3	June/July 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**0.8** **0.9** **1.3**
MW-23-Screen-3	Sep/Oct 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jan/Feb 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jul/Aug 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.7**
MW-23-Screen-3	Oct/Nov 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Feb/Mar 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	May/Jun 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Aug 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-3	Nov/Dec 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Mar/Apr 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jul/Aug 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Sep/Oct 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jan/Feb 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Apr 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-23-Screen-3	Jul 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Oct 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jan/Feb 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-23-Screen-3	Apr/May 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-23-Screen-3	Jul 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Oct/Nov 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jan/Feb 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-23-Screen-3	Apr/May 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-23-Screen-3	Jul/Aug 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-23-Screen-3	Oct/Nov 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**2.0 J** **2.3** **0.6**
MW-23-Screen-3	Feb 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Feb 2004	DUPE-4-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Apr/May 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jul/Aug 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Oct/Nov 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Jan/Feb 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-23-Screen-3	Apr/May 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-23-Screen-3	Jul/Sep 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-23-Screen-3	Oct/Nov 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-23-Screen-3	Mar/Apr 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	May/Jun 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Aug/Sep 2006	MW-23-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene**	**0.3 J**
MW-23-Screen-3	Oct/Dec 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Mar/Apr 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Jun/Jul 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Aug/Sep 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Oct/Dec 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Jan/Feb 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-3	Apr/May 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-3	Jul/Aug 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Oct/Nov 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Jan/Feb 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Apr/May 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Jul/Aug 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Nov/Dec 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Feb 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-3	Apr/May 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23-Screen-3	Jul/Aug 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-23-Screen-3	Oct/Nov 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-23-Screen-3	Feb/Mar 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23-Screen-3	Apr/May 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**		
MW-23-Screen-3	Aug/Sep 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23-Screen-3	Nov/Dec 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-23-Screen-3	Jan/Feb 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-23-Screen-3	Apr/May 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-23-Screen-3	Aug/Sep 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-23-Screen-3	Nov 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-23-Screen-3	Jan/Feb 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-23-Screen-3	Apr/May 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-23-Screen-3	Jul 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-23-Screen-3	Oct/Nov 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-23-Screen-3	Jan/Feb 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-23-Screen-3	Apr/May 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-23-Screen-3	Jul/Aug 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-23-Screen-3	Oct 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-23-Screen-3	Jan/Feb 2015	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23-Screen-3	Apr/May 2015	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23-Screen-3	Jul/Aug 2015	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**	**1,2-Dichlorobenzene**	**0.1 J**
MW-23-Screen-3	Oct 2015	MW-23-3	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**	**1,2-Dichlorobenzene**	**0.1 J**
MW-23-Screen-3	Jan/Feb 2016	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-3	Apr/May 2016	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-23-Screen-3	Jul/Aug 2016	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-23-Screen-3	Oct 2016	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23-Screen-3	Jan/Feb 2017	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-23-Screen-3	Apr/May 2017	MW-23-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.0 J**		
MW-23-Screen-3	Jul/Aug 2017	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-3	October 2017	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-23-Screen-3	Jan/Feb 2018	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23-Screen-3	April 2018	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-23-Screen-3	Jul/Aug 2018	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-23-Screen-3	Oct 2018	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-23-Screen-3	Oct 2018	DUP-5-4Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-23-Screen-3	Feb/Mar 2019	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-23-Screen-3	Apr/May 2019	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-23-Screen-3	Jul/Aug 2019	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-23-Screen-3	Oct 2019	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-23-Screen-3	Feb 2020	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-23-Screen-3	Jun 2020	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5 J**		
MW-23-Screen-3	Jun 2020	Dup-3-2Q2020	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23-Screen-3	Aug 2020	MW-23-3	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5 J**		
MW-23-Screen-3	Oct/Nov 2020	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4 J**		
MW-23-Screen-3	Mar/Apr 2021	MW-23-3	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.4 J**		
MW-23-Screen-3	May/June 2021	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-23-Screen-3	May/June 2021	DUP-1-2Q21	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.4 J**		
MW-23-Screen-4													
MW-23-Screen-4	June/July 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA	**Benzene**	**1.3**
MW-23-Screen-4	Sep/Oct 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Jan/Feb 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Jul/Aug 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**2.3**
MW-23-Screen-4	Oct/Nov 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Feb/Mar 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	May/Jun 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Aug 1999	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Nov/Dec 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Mar/Apr 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Jul/Aug 2000	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Sep/Oct 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Jan/Feb 2001	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Apr 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Jul 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Oct 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Jan/Feb 2002	MW-23-4	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Apr/May 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-4	Jul 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	**4.0 J**		
MW-23-Screen-4	Oct/Nov 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-4	Apr/May 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-23-Screen-4	Oct/Nov 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloromethane**	**2.0 J** **0.5**
MW-23-Screen-4	Apr/May 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Oct/Nov 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Apr/May 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-23-Screen-4	Jul/Sep 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Oct/Nov 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	May/Jun 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-4	Oct/Dec 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**2.0**
MW-23-Screen-4	Jun/Jul 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-4	Oct/Dec 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-4	Apr/May 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-4	Oct/Nov 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-4	Apr/May 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-4	Nov/Dec 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-23-Screen-4	Apr/May 2010	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-23-Screen-4	Oct/Nov 2010	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-4	Apr/May 2011	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-4	Nov/Dec 2011	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-4	Apr/May 2012	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23-Screen-4	Nov 2012	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Apr/May 2013	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Oct/Nov 2013	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Apr/May 2014	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Oct 2014	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-23-Screen-4	Apr/May 2015	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Oct 2015	MW-23-4	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Apr/May 2016	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-4	Oct 2016	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-23-Screen-4	Apr/May 2017	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-23-Screen-4	Apr/May 2017	DUP-7-2Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**		
MW-23-Screen-4	October 2017	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-23-Screen-4	April 2018	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-23-Screen-4	Oct 2018	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-4	Apr/May 2019	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-23-Screen-4	Oct 2019	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-23-Screen-4	Jun 2020	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-23-Screen-4	Oct/Nov 2020	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-23-Screen-4	May/June 2021	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-23-Screen-5													
MW-23-Screen-5	Sep/Oct 1997	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Jan/Feb 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Jul/Aug 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.7**
MW-23-Screen-5	Oct/Nov 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.9**		
MW-23-Screen-5	Feb/Mar 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	May/Jun 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Aug 1999	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Nov/Dec 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Mar/Apr 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Jul/Aug 2000	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Sep/Oct 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Jan/Feb 2001	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.3 J** **0.4 J**
MW-23-Screen-5	Apr 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Jul 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Oct 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Jan/Feb 2002	MW-23-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-23-Screen-5	Apr/May 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Jul 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Oct/Nov 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23-Screen-5	Apr/May 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-23-Screen-5	Oct/Nov 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Apr/May 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Vinyl chloride**	**0.4 J** **0.6**
MW-23-Screen-5	Oct/Nov 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Apr/May 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23-Screen-5	Oct/Nov 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	May/Jun 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-5	Oct/Dec 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.4 J**
MW-23-Screen-5	Jun/Jul 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23-Screen-5	Oct/Dec 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23-Screen-5	Apr/May 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.4 J**
MW-23-Screen-5	Oct/Nov 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-5	Apr/May 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-5	Nov/Dec 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**Styrene**	**0.6**
MW-23-Screen-5	Apr/May 2010	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**Styrene**	**0.5**
MW-23-Screen-5	Oct/Nov 2010	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-5	Apr/May 2011	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-5	Nov/Dec 2011	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-5	Apr/May 2012	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23-Screen-5	Nov 2012	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.3 J**
MW-23-Screen-5	Apr/May 2013	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Oct/Nov 2013	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Ethylbenzene** **Styrene**	**0.5 J** **0.1 J** **0.4 J**
MW-23-Screen-5	Apr/May 2014	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.3 J**
MW-23-Screen-5	Oct 2014	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.3 J**
MW-23-Screen-5	Apr/May 2015	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.4 J**
MW-23-Screen-5	Oct 2015	MW-23-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Ethylbenzene** **Styrene**	**0.5 J** **0.1 J** **0.4 J**
MW-23-Screen-5	Apr/May 2016	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.4 J**
MW-23-Screen-5	Oct 2016	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Apr/May 2017	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-23-Screen-5	October 2017	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	April 2018	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Oct 2018	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Apr/May 2019	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Oct 2019	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Jun 2020	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23-Screen-5	Oct/Nov 2020	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-23-Screen-5	May/June 2021	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-1													
MW-24-Screen-1	June/July 1997	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	NA	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.6**
MW-24-Screen-1	Sep/Oct 1997	MW-24-1	**5.0**	**5.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1**	**92.0**		
MW-24-Screen-1	Jan/Feb 1998	MW-24-1	**30.0 E**	**15.0**	**0.5**	0.5 U	**0.8**	0.5 U	**0.6**	**15.0**	**330.0**		
MW-24-Screen-1	Apr/May 1998	MW-24-1	**6.7**	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**74.0**		
MW-24-Screen-1	Jul/Aug 1998	MW-24-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**20.0**		
MW-24-Screen-1	Oct/Nov 1998	MW-24-1	**1.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**16.3**		
MW-24-Screen-1	Feb/Mar 1999	MW-24-1	**1.0**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**14.0**		
MW-24-Screen-1	May/Jun 1999	MW-24-1	**1.0**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**14.0**		
MW-24-Screen-1	Aug 1999	MW-24-1	**1.8**	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**22.0**		
MW-24-Screen-1	Nov/Dec 1999	MW-24-1	**6.3**	**5.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**91.0**		
MW-24-Screen-1	Mar/Apr 2000	MW-24-1	**15.0**	**8.6**	**0.6**	0.5 U	0.5 U	0.5 U	**0.6**	**5.1**	**270.0**		
MW-24-Screen-1	Jul/Aug 2000	MW-24-1	**18.0**	**7.7**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	**440.0**		
MW-24-Screen-1	Sep/Oct 2000	MW-24-1	**28.0**	**8.4**	**1.1**	0.5 U	0.5 U	**0.6**	**0.6**	**5.5**	**590.0**		
MW-24-Screen-1	Jan/Feb 2001	MW-24-1	**12.1**	**5.5**	**0.6**	0.5 U	**0.4 J**	**0.4 J**	**1.5**	**7.5**	4.0 U	**1,4-Dioxane** **2-Butanone**	**3.6** **0.7 J**
MW-24-Screen-1	Apr 2001	MW-24-1	**12.6**	**6.5**	0.5 U	0.5 U	**0.4 J**	0.5 U	NA	**6.0**	**433.0**		
MW-24-Screen-1	Jul 2001	MW-24-1	**6.5**	**2.9**	**0.3 J**	0.5 U	**0.4 J**	**0.8**	0.5 U	**6.4**	**440.0**		
MW-24-Screen-1	Oct 2001	MW-24-1	**13.8**	**5.5**	**0.6**	0.5 U	0.5 U	**0.5**	0.5 U	**3.8**	**673.0**		
MW-24-Screen-1	Jan/Feb 2002	MW-24-1	**24.2**	**7.6**	**1.5**	0.5 U	**0.5 J**	**0.7**	0.5 U	**9.3**	**1460.0**	**1,4-Dioxane**	**3.0**
MW-24-Screen-1	Apr/May 2002	MW-24-1	**26.0**	**6.8**	**1.6**	0.5 U	0.5 U	**0.8**	0.5 U	**9.3**	**1280.0**	**Methylene chloride**	**0.5 J**
MW-24-Screen-1	Jul 2002	MW-24-1	**21.6**	**5.9**	**1.3**	0.5 U	0.5 U	**0.7**	0.5 U	**9.3**	**1230.0 J**		
MW-24-Screen-1	Oct/Nov 2002	MW-24-1	**22.2**	**8.3**	**1.2**	0.5 U	**0.4 J**	**1.0**	0.5 U	**13.4**	**985.0**		
MW-24-Screen-1	Jan/Feb 2003	MW-24-1	**4.7**	**1.7**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**257.0**		
MW-24-Screen-1	Apr/May 2003	MW-24-1	**7.5**	**2.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**854.0**	**1,4-Dioxane** **4-Methyl-2-pentanone**	**3.6** **4.0 J**
MW-24-Screen-1	Jul/Aug 2003	MW-24-1	**22.1**	**4.8**	**1.5**	0.5 U	0.5 U	**0.8**	0.5 U	**10.2**	**2450.0**	**4-Methyl-2-pentanone** **Methylene chloride**	**0.3 J** **0.4 J**
MW-24-Screen-1	Oct/Nov 2003	MW-24-1	**19.1**	**3.7**	**1.6**	0.5 U	0.5 U	**0.7**	0.5 U	**6.8**	**2760.0 J**		
MW-24-Screen-1	Feb 2004	MW-24-1	**6.7**	**1.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	**1120.0 J**		
MW-24-Screen-1	Apr/May 2004	MW-24-1	**8.3**	**1.9**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**2240.0**	**1,4-Dioxane**	**3.2**
MW-24-Screen-1	Jul/Aug 2004	MW-24-1	**16.7**	**2.4**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	**2170.0**		
MW-24-Screen-1	Oct/Nov 2004	MW-24-1	**7.8**	**1.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**4880.0**		
MW-24-Screen-1	Jan/Feb 2005	MW-24-1	**10.0**	**1.8**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**1050.0**		
MW-24-Screen-1	Apr/May 2005	MW-24-1	**8.9**	**0.4 J**	**2.8**	0.5 U	0.5 U	**0.7**	0.5 U	**4.8**	**4090.0**	**1,4-Dioxane**	**2.2**
MW-24-Screen-1	Jul/Sep 2005	MW-24-1	**0.9**	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**670.0**	**m,p-Xylene**	**0.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-1	Oct/Nov 2005	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	104.0		
MW-24-Screen-1	Mar/Apr 2006	MW-24-1	0.6	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	230.0		
MW-24-Screen-1	May/Jun 2006	DUPE-8-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	1,4-Dioxane	1.0 J
MW-24-Screen-1	May/Jun 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	46.0	1,4-Dioxane	1.0 J
MW-24-Screen-1	Aug/Sep 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	35.0	Methylene chloride	1.0
MW-24-Screen-1	Oct/Dec 2006	MW-24-1	1.5	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	590.0		
MW-24-Screen-1	Mar/Apr 2007	DUPE-5-1Q07	14.0 J	0.3 J	7.4	0.5 U	0.5 U	1.9	0.5 U	4.8	NA		
MW-24-Screen-1	Mar/Apr 2007	MW-24-1	11.0 J	0.5 U	5.9	0.5 U	0.5 U	1.7	0.5 U	4.0	1900.0		
MW-24-Screen-1	Jun/Jul 2007	MW-24-1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	970.0	1,4-Dioxane	1.1 J
MW-24-Screen-1	Aug/Sep 2007	MW-24-1	5.8	0.5 U	4.5	0.5 U	0.5 U	0.7	0.5 U	4.4	1300.0	Bromodichloromethane Bromoform Dibromochloromethane	1.5 1.0 1.7
MW-24-Screen-1	Oct/Dec 2007	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	81.0	Bromodichloromethane Bromoform Dibromochloromethane Dibromomethane	2.9 2.5 3.5 0.3 J
MW-24-Screen-1	Oct/Dec 2007	DUPE-3-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	78.0	Bromodichloromethane Bromoform Dibromochloromethane Dibromomethane	3.4 2.7 4.1 0.3 J
MW-24-Screen-1	Jan/Feb 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	12.0	Bromodichloromethane	1.6
MW-24-Screen-1	Jan/Feb 2008	DUPE-5-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	13.0	Bromodichloromethane	1.2
MW-24-Screen-1	Apr/May 2008	DUPE-4-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	9.4	1,4-Dioxane Bromodichloromethane Dibromochloromethane	1.0 J 3.0 0.4 J
MW-24-Screen-1	Apr/May 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	8.2	1,4-Dioxane Bromodichloromethane Dibromochloromethane	1.1 J 3.3 0.4 J
MW-24-Screen-1	Jul/Aug 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0	1.1	Bromodichloromethane	5.3 J
MW-24-Screen-1	Oct/Nov 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8		
MW-24-Screen-1	Jan/Feb 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	326.0		
MW-24-Screen-1	Apr/May 2009	DUPE-02-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	4.0		
MW-24-Screen-1	Apr/May 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	3.6	1,4-Dioxane	1.0
MW-24-Screen-1	Apr/May 2009	DUPE-02-2Q09	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane	1.0
MW-24-Screen-1	Jul/Aug 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4.0	Bromodichloromethane	0.9
MW-24-Screen-1	Nov/Dec 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	1.1 J		
MW-24-Screen-1	Feb 2010	MW-24-1	0.8	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	2.1	232.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-1	Feb 2010	DUPE-5-1Q10	0.8	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	228.0		
MW-24-Screen-1	Apr/May 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6		
MW-24-Screen-1	Jul/Aug 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	5.8		
MW-24-Screen-1	Oct/Nov 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	9.2		
MW-24-Screen-1	Feb/Mar 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	14.3		
MW-24-Screen-1	Apr/May 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1	10.4	1,4-Dioxane	1.1
MW-24-Screen-1	Aug/Sep 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	12.2		
MW-24-Screen-1	Nov/Dec 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1	4.6		
MW-24-Screen-1	Jan/Feb 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	5.8		
MW-24-Screen-1	Apr/May 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.2	1,4-Dioxane	0.9 J
MW-24-Screen-1	Aug/Sep 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	3.9 J	Bromodichloromethane Bromoform Dibromochloromethane	1.2 0.3 J 0.9
MW-24-Screen-1	Nov 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	4.0 U	Bromodichloromethane Dibromochloromethane	4.8 2.7
MW-24-Screen-1	Jan/Feb 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2	4.0 U	Benzene Bromodichloromethane Methylene chloride Methyl-tert-butyl ether (MTBE) Styrene	0.1 J 2.6 0.6 0.2 J 0.2 J
MW-24-Screen-1	Apr/May 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	4.0 U	Bromodichloromethane Carbon disulfide	0.9 0.4 J
MW-24-Screen-1	Jul 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	Bromodichloromethane	0.2 J
MW-24-Screen-1	Oct/Nov 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 J	2.3 J	Bromodichloromethane	0.2 J
MW-24-Screen-1	Jan/Feb 2014	MW-24-1	0.7	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.2 J	7.6	160.0	Bromodichloromethane	1.0
MW-24-Screen-1	Apr/May 2014	MW-24-1	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	5.9	45.0		
MW-24-Screen-1	Jul/Aug 2014	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U		
MW-24-Screen-1	Oct 2014	MW-24-1	0.3 J	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	140.0		
MW-24-Screen-1	Jan/Feb 2015	MW-24-1	1.0	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.5	100.0	Bromodichloromethane	1.2
MW-24-Screen-1	Apr/May 2015	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	66.0		
MW-24-Screen-1	Jul/Aug 2015	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	24.0		
MW-24-Screen-1	Oct 2015	MW-24-1	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	2.5	7.7		
MW-24-Screen-1	Jan/Feb 2016	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	10.0	Bromodichloromethane	0.2 J
MW-24-Screen-1	Jan/Feb 2016	DUP-3-1Q16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5	11.0	Bromodichloromethane	0.2 J
MW-24-Screen-1	Apr/May 2016	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	13.0		
MW-24-Screen-1	Jul/Aug 2016	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	26.0		
MW-24-Screen-1	Oct 2016	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	30.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-1	Jan/Feb 2017	MW-24-1	0.2 J	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2000.0		
MW-24-Screen-1	Apr/May 2017	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	58.0		
MW-24-Screen-1	Jul/Aug 2017	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	12.0		
MW-24-Screen-1	October 2017	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.1 J	Bromodichloromethane	0.3 J
MW-24-Screen-1	Jan/Feb 2018	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	16.0		
MW-24-Screen-1	April 2018	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	36.0		
MW-24-Screen-1	Jul/Aug 2018	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	0.6 J		
MW-24-Screen-1	Jul/Aug 2018	Dup-3-3Q18	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	0.7 J		
MW-24-Screen-1	Oct 2018	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.4	Bromodichloromethane	0.2 J
MW-24-Screen-1	Feb/Mar 2019	MW-24-1	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	2.2	110.0		
MW-24-Screen-1	Apr/May 2019	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	9.3		
MW-24-Screen-1	Jul/Aug 2019	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	17.0		
MW-24-Screen-1	Oct 2019	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.1 J		
MW-24-Screen-1	Feb 2020	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	2.2 J		
MW-24-Screen-1	Jun 2020	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	5.6		
MW-24-Screen-1	Aug 2020	MW-24-1	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	5.6		
MW-24-Screen-1	Oct/Nov 2020	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	14.0		
MW-24-Screen-1	Mar/Apr 2021	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	32.0		
MW-24-Screen-1	May/June 2021	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	260.0		
MW-24-Screen-2													
MW-24-Screen-2	June/July 1997	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3	NA		
MW-24-Screen-2	Sep/Oct 1997	MW-24-2	13.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	200.0		
MW-24-Screen-2	Jan/Feb 1998	MW-24-2	6.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	110.0		
MW-24-Screen-2	Apr/May 1998	MW-24-2	29.0	3.3	0.9	0.5 U	0.5 U	1.4	0.5 U	9.4	480.0		
MW-24-Screen-2	Jul/Aug 1998	MW-24-2	58.0	4.2	1.5	0.5 U	0.5 U	2.0	0.5 U	8.4	500.0		
MW-24-Screen-2	Oct/Nov 1998	MW-24-2	19.0	2.3	0.8	0.5 U	0.5 U	0.8	0.5 U	5.9	490.0		
MW-24-Screen-2	Feb/Mar 1999	MW-24-2	30.0 E	3.0	1.0	0.5 U	0.5 U	1.5	0.5 U	6.6	580.0		
MW-24-Screen-2	May/Jun 1999	MW-24-2	33.0	4.3	1.3	0.5 U	0.5 U	1.8	0.5 U	7.7	690.0		
MW-24-Screen-2	Aug 1999	MW-24-2	35.0	3.6	0.9	0.5 U	0.5 U	1.4	0.5 U	7.5	700.0		
MW-24-Screen-2	Nov/Dec 1999	MW-24-2	25.0	3.7	0.9	0.5 U	0.5 U	1.4	0.5 U	7.4	570.0		
MW-24-Screen-2	Mar/Apr 2000	MW-24-2	28.0	4.3	1.1	0.5 U	0.5 U	1.9	0.5 U	8.0	570.0		
MW-24-Screen-2	Jul/Aug 2000	MW-24-2	23.0 E	3.3	0.8	0.5 U	0.5 U	1.2	0.5 U	7.7	530.0		
MW-24-Screen-2	Sep/Oct 2000	MW-24-2	21.0	3.0	0.8	0.5 U	0.5 U	1.4	0.5 U	6.6	430.0		
MW-24-Screen-2	Jan/Feb 2001	MW-24-2	0.5 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	42.0		
MW-24-Screen-2	Apr 2001	MW-24-2	10.6	2.0	0.5 U	0.5 U	0.4 J	0.6	NA	6.2	433.0		
MW-24-Screen-2	Jul 2001	MW-24-2	15.2	2.4	0.5	0.5 U	0.4 J	0.8	0.5 U	6.4	420.0		
MW-24-Screen-2	Oct 2001	MW-24-2	8.6	0.9	0.5 U	0.5 U	0.5 U	0.9	0.5 U	3.5	386.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-2	Jan/Feb 2002	MW-24-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.6		
MW-24-Screen-2	Apr/May 2002	MW-24-2	10.8	1.6	0.5 J	0.5 U	0.5 U	0.6	0.5 U	4.3	249.0	Methylene chloride	0.6 J
MW-24-Screen-2	Jul 2002	MW-24-2	10.6	1.7	0.5 U	0.5 U	0.5 U	0.7	0.5 U	4.6	246.0 J		
MW-24-Screen-2	Oct/Nov 2002	MW-24-2	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-2	Jan/Feb 2003	MW-24-2	2.6	0.6	0.5 J	0.3	0.5 U	0.5 U	0.5 U	1.1	NA	TPH - Gasoline	20.0 J
MW-24-Screen-2	Jan/Feb 2003	MW-24-2	8.9	1.3	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	2.8	106.0		
MW-24-Screen-2	Apr/May 2003	MW-24-2	8.9	1.6	0.3 J	0.5 U	0.5 U	0.5	0.5 U	3.8	195.0	4-Methyl-2-pentanone	4.0 J
MW-24-Screen-2	Apr/May 2003	DUPE-4-2Q03	4.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	199.0	4-Methyl-2-pentanone Methylene chloride	5.0 J 2.5
MW-24-Screen-2	Jul/Aug 2003	MW-24-2	4.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	148.0	Methylene chloride	0.3 J
MW-24-Screen-2	Oct/Nov 2003	MW-24-2	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	155.0 J		
MW-24-Screen-2	Feb 2004	MW-24-2	3.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	107.0		
MW-24-Screen-2	Apr/May 2004	MW-24-2	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	110.0		
MW-24-Screen-2	Jul/Aug 2004	MW-24-2	4.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	99.7		
MW-24-Screen-2	Oct/Nov 2004	MW-24-2	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-2	Jan/Feb 2005	MW-24-2	4.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	56.2		
MW-24-Screen-2	Apr/May 2005	MW-24-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	87.5		
MW-24-Screen-2	Jul/Sep 2005	MW-24-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	79.1		
MW-24-Screen-2	Oct/Nov 2005	MW-24-2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	71.5		
MW-24-Screen-2	Mar/Apr 2006	MW-24-2	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	59.0		
MW-24-Screen-2	Mar/Apr 2006	DUPE-2-1Q06	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	NA		
MW-24-Screen-2	May/Jun 2006	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	73.0		
MW-24-Screen-2	Aug/Sep 2006	MW-24-2	2.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U		
MW-24-Screen-2	Oct/Dec 2006	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.0		
MW-24-Screen-2	Mar/Apr 2007	MW-24-2	1.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	51.0		
MW-24-Screen-2	Jun/Jul 2007	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	43.0		
MW-24-Screen-2	Aug/Sep 2007	MW-24-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	35.0		
MW-24-Screen-2	Oct/Dec 2007	MW-24-2	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	36.0		
MW-24-Screen-2	Jan/Feb 2008	MW-24-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	23.0		
MW-24-Screen-2	Jan/Feb 2008	DUPE-4-1Q08	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	25.0		
MW-24-Screen-2	Apr/May 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	27.0		
MW-24-Screen-2	Jul/Aug 2008	MW-24-2	0.7 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.4		
MW-24-Screen-2	Oct/Nov 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.1		
MW-24-Screen-2	Jan/Feb 2009	MW-24-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.6		
MW-24-Screen-2	Apr/May 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9		
MW-24-Screen-2	Jul/Aug 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2		
MW-24-Screen-2	Nov/Dec 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-2	Feb 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8		
MW-24-Screen-2	Apr/May 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.6		
MW-24-Screen-2	Jul/Aug 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.1		
MW-24-Screen-2	Jul/Aug 2010	DUPE-7-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.5		
MW-24-Screen-2	Oct/Nov 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.1		
MW-24-Screen-2	Feb/Mar 2011	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-24-Screen-2	Apr/May 2011	DUPE-1-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.5		
MW-24-Screen-2	Apr/May 2011	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.2		
MW-24-Screen-2	Aug/Sep 2011	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	33.0		
MW-24-Screen-2	Nov/Dec 2011	MW-24-2	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	38.5		
MW-24-Screen-2	Jan/Feb 2012	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.3		
MW-24-Screen-2	Apr/May 2012	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.1		
MW-24-Screen-2	Aug/Sep 2012	MW-24-2	0.3 J	0.1 J	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	14.0		
MW-24-Screen-2	Nov 2012	DUPE-3-4Q12	0.2 J	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	8.4	Bromodichloromethane	0.1 J
MW-24-Screen-2	Nov 2012	MW-24-2	0.4 J	0.1 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	8.7	Bromodichloromethane	0.2 J
MW-24-Screen-2	Jan/Feb 2013	MW-24-2	0.2 J	0.5 U	0.2 J	0.1 J	0.5 U	0.5 U	0.5 U	0.4 J	9.9	Bromodichloromethane	0.2 J
MW-24-Screen-2	Apr/May 2013	MW-24-2	0.6	0.2 J	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	1.1	11.0	Bromodichloromethane	0.5
MW-24-Screen-2	Jul 2013	MW-24-2	0.3 J	0.1 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	10.0	Bromodichloromethane	0.4 J
MW-24-Screen-2	Oct/Nov 2013	MW-24-2	0.4 J	0.2 J	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	1.1	9.7	Bromodichloromethane	0.8
MW-24-Screen-2	Jan/Feb 2014	MW-24-2	0.5 U	0.5 U	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.7	8.0	Bromodichloromethane	0.7
MW-24-Screen-2	Apr/May 2014	DUP-2-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	8.1	Bromodichloromethane Chloromethane	0.8 0.5
MW-24-Screen-2	Apr/May 2014	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	8.5	Bromodichloromethane	0.9
MW-24-Screen-2	Jul/Aug 2014	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	1.1	6.0	Bromodichloromethane	1.0
MW-24-Screen-2	Oct 2014	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.8	5.4	Bromodichloromethane	0.6
MW-24-Screen-2	Jan/Feb 2015	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5	3.3 J	1,2-Dichlorobenzene Bromodichloromethane	0.1 J 0.4 J
MW-24-Screen-2	Apr/May 2015	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.7	4.1	1,2-Dichlorobenzene Bromodichloromethane	0.1 J 0.5 J
MW-24-Screen-2	Jul/Aug 2015	MW-24-2	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.7 J	Bromodichloromethane	0.3 J
MW-24-Screen-2	Oct 2015	MW-24-2	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	2.9 J	Bromodichloromethane Carbon disulfide	0.2 J 0.6 J
MW-24-Screen-2	Jan/Feb 2016	MW-24-2	0.5 U	0.5 U	0.3 J	0.2 J	0.2 J	0.5 U	0.5 U	0.2 J	4.0 U		
MW-24-Screen-2	Apr/May 2016	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	2.4 J		
MW-24-Screen-2	Apr/May 2016	Dup-2-2Q16	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	2.6 J	Bromodichloromethane	0.2 J
MW-24-Screen-2	Jul/Aug 2016	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.1 J	0.5 U	0.5 U	0.2 J	2.6 J	Bromodichloromethane	0.2 J
MW-24-Screen-2	Oct 2016	MW-24-2	0.5 U	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	2.6 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-2	Jan/Feb 2017	MW-24-2	0.5 U	0.5 U	0.5 U	**0.1 J**	0.3 J	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-24-Screen-2	Apr/May 2017	MW-24-2	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-24-Screen-2	Jul/Aug 2017	MW-24-2	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.9 J**		
MW-24-Screen-2	October 2017	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**		
MW-24-Screen-2	Jan/Feb 2018	MW-24-2	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.0**	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-24-Screen-2	April 2018	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7 J**		
MW-24-Screen-2	Jul/Aug 2018	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.5 J**		
MW-24-Screen-2	Oct 2018	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.4 J**		
MW-24-Screen-2	Feb/Mar 2019	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-24-Screen-2	Apr/May 2019	MW-24-2	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**	**Bromodichloromethane**	**0.3 J**
MW-24-Screen-2	Jul/Aug 2019	MW-24-2	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.5**	**Bromodichloromethane**	**0.3 J**
MW-24-Screen-2	Oct 2019	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.6**	**Bromodichloromethane**	**0.2 J**
MW-24-Screen-2	Feb 2020	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.3**	**Bromodichloromethane**	**0.2 J**
MW-24-Screen-2	Feb 2020	DUP-5-1Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.8**		
MW-24-Screen-2	Jun 2020	MW-24-2	0.5 U	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**4.9**	**Bromodichloromethane**	**0.4 J**
MW-24-Screen-2	Aug 2020	MW-24-2	**0.3 J**	0.5 U	**0.35 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.7**	**5.7**	**Bromodichloromethane**	**0.2 J**
MW-24-Screen-2	Aug 2020	DUP-4-3Q20	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.8**		
MW-24-Screen-2	Oct/Nov 2020	MW-24-2	0.5 U	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.7**	**5.7**	**Bromodichloromethane**	**0.2 J**
MW-24-Screen-2	Mar/Apr 2021	MW-24-2	0.5 U	0.5 U	**0.3 J**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	**0.8**	**6.2**		
MW-24-Screen-2	Mar/Apr 2021	DUP-4-1Q21	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**6.5**		
MW-24-Screen-2	May/June 2021	MW-24-2	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.9**	**8.5**		
MW-24-Screen-3													
MW-24-Screen-3	June/July 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.1** **0.7** **1.3**
MW-24-Screen-3	Sep/Oct 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jan/Feb 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Apr/May 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Aug 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct/Nov 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Feb/Mar 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	May/Jun 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Aug 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Nov/Dec 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Mar/Apr 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Aug 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Sep/Oct 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-3	Jan/Feb 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Apr 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-24-Screen-3	Jul 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jan/Feb 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.4**
MW-24-Screen-3	Apr/May 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **Methylene chloride**	**0.8** **0.4 J**
MW-24-Screen-3	Jul 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct/Nov 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-24-Screen-3	Jan/Feb 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-24-Screen-3	Apr/May 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-24-Screen-3	Jul/Aug 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct/Nov 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Feb 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-24-Screen-3	Apr/May 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Aug 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct/Nov 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jan/Feb 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-24-Screen-3	Apr/May 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Sep 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct/Nov 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Mar/Apr 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	May/Jun 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Aug/Sep 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Oct/Dec 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Mar/Apr 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**m,p-Xylene**	**1.0 J**
MW-24-Screen-3	Jun/Jul 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Aug/Sep 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Oct/Dec 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Jan/Feb 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Apr/May 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Vinyl chloride**	**2.7** **1.0** **2.0** **1.1** **2.0**
MW-24-Screen-3	Jul/Aug 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Oct/Nov 2008	DUPE-08-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-3	Oct/Nov 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Jan/Feb 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.3**		
MW-24-Screen-3	Apr/May 2009	DUPE-01-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Apr/May 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Jul/Aug 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Nov/Dec 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**27.9 J**		
MW-24-Screen-3	Feb 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Apr/May 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Jul/Aug 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Oct/Nov 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Feb/Mar 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Apr/May 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Aug/Sep 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Nov/Dec 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Nov/Dec 2011	DUPE-7-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Jan/Feb 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Apr/May 2012	DUPE-2-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Apr/May 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-3	Aug/Sep 2012	DUPE-6-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Aug/Sep 2012	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Nov 2012	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jan/Feb 2013	MW-24-3	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Apr/May 2013	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-24-Screen-3	Jul 2013	MW-24-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-3	Oct/Nov 2013	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-24-Screen-3	Jan/Feb 2014	MW-24-3	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Apr/May 2014	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Aug 2014	MW-24-3	0.5 U	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct 2014	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-3	Jan/Feb 2015	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-24-Screen-3	Apr/May 2015	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-3	Jul/Aug 2015	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-3	Oct 2015	MW-24-3	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.6 J** **0.1 J**
MW-24-Screen-3	Oct 2015	DUP-4-4Q15	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.1 J**
MW-24-Screen-3	Jan/Feb 2016	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-3	Apr/May 2016	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-3	Jul/Aug 2016	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct 2016	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jan/Feb 2017	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-3	Apr/May 2017	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Aug 2017	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	October 2017	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jan/Feb 2018	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	April 2018	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.9 J**
MW-24-Screen-3	Jul/Aug 2018	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct 2018	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Feb/Mar 2019	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Apr/May 2019	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jul/Aug 2019	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct 2019	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Feb 2020	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Jun 2020	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Aug 2020	MW-24-3	0.5 U	0.5 U	0.50 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	8.0 U		
MW-24-Screen-3	Oct/Nov 2020	MW-24-3	0.5 U	0.5 U	**0.2 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	Oct/Nov 2020	DUP-3-4Q20	0.5 U	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-24-Screen-3	Mar/Apr 2021	MW-24-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-3	May/June 2021	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4													
MW-24-Screen-4	June/July 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**	NA	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.7**
MW-24-Screen-4	Sep/Oct 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Jan/Feb 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Apr/May 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Jul/Aug 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Oct/Nov 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Feb/Mar 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	May/Jun 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Nov/Dec 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Mar/Apr 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-24-Screen-4	Jul/Aug 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Jan/Feb 2001	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-24-Screen-4	Jan/Feb 2002	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-4	Apr/May 2002	MW-24-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24-Screen-4	Apr/May 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-24-Screen-4	Oct/Nov 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Oct/Nov 2003	DUPE-1-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Apr/May 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Oct/Nov 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Apr/May 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Jul/Sep 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Oct/Nov 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	May/Jun 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-4	Oct/Dec 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-4	Jun/Jul 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Oct/Dec 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-4	Apr/May 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-4	Oct/Nov 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**		
MW-24-Screen-4	Apr/May 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Nov/Dec 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Apr/May 2010	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-24-Screen-4	Oct/Nov 2010	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Oct/Nov 2010	DUPE-06-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Apr/May 2011	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Nov/Dec 2011	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Apr/May 2012	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-4	Nov 2012	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24-Screen-4	Apr/May 2013	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24-Screen-4	Oct/Nov 2013	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-24-Screen-4	Apr/May 2014	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-4	Oct 2014	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24-Screen-4	Apr/May 2015	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.3 J**
MW-24-Screen-4	Oct 2015	MW-24-4	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-4	Apr/May 2016	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24-Screen-4	Oct 2016	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-4	Apr/May 2017	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**	**Ethylbenzene** **Styrene**	**0.2 J** **0.3 J**
MW-24-Screen-4	October 2017	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-24-Screen-4	April 2018	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-24-Screen-4	Oct 2018	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-24-Screen-4	Apr/May 2019	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-24-Screen-4	Oct 2019	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**	**Carbon disulfide** **Styrene**	**0.6 J** **0.2 J**
MW-24-Screen-4	Jun 2020	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-24-Screen-4	Oct/Nov 2020	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-4	May/June 2021	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24-Screen-5													
MW-24-Screen-5	Sep/Oct 1997	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jan/Feb 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jul/Aug 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct/Nov 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Feb/Mar 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	May/Jun 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Nov/Dec 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jul/Aug 2000	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jan/Feb 2001	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jan/Feb 2002	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-24-Screen-5	Oct/Nov 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct/Nov 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jul/Sep 2005	MW-24-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24-Screen-5	Oct/Nov 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	May/Jun 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24-Screen-5	Oct/Dec 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.6** **0.7** **0.5**
MW-24-Screen-5	Jun/Jul 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-5	Oct/Dec 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-5	Apr/May 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24-Screen-5	Oct/Nov 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Apr/May 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Nov/Dec 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Apr/May 2010	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Oct/Nov 2010	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Apr/May 2011	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Nov/Dec 2011	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Apr/May 2012	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24-Screen-5	Nov 2012	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2013	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct/Nov 2013	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2014	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct 2014	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2015	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct 2015	MW-24-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2016	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct 2016	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2017	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	October 2017	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	April 2018	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct 2018	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Apr/May 2019	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct 2019	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Jun 2020	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	Oct/Nov 2020	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24-Screen-5	May/June 2021	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-1													
MW-25-Screen-1	Jan/Feb 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.3 J**
MW-25-Screen-1	Apr/May 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-25-Screen-1	Jul/Sep 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.7**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-1	Oct/Nov 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	**Methylene chloride**	**0.6**
MW-25-Screen-1	Mar/Apr 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-25-Screen-1	May/Jun 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**		
MW-25-Screen-1	Aug/Sep 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**		
MW-25-Screen-1	Oct/Dec 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-25-Screen-1	Oct/Dec 2006	DUPE-6-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-25-Screen-1	Mar/Apr 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.8 J**
MW-25-Screen-1	Jun/Jul 2007	DUPE-6-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-1	Jun/Jul 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-25-Screen-1	Aug/Sep 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**		
MW-25-Screen-1	Oct/Dec 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25-Screen-1	Jan/Feb 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**		
MW-25-Screen-1	Jan/Feb 2008	DUPE-3-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25-Screen-1	Apr/May 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0 J**		
MW-25-Screen-1	Jul/Aug 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.2**		
MW-25-Screen-1	Oct/Nov 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.1**		
MW-25-Screen-1	Jan/Feb 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-25-Screen-1	Jan/Feb 2009	DUPE-02-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.8**		
MW-25-Screen-1	Apr/May 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.3**		
MW-25-Screen-1	Jul/Aug 2009	MW-25-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.5**		
MW-25-Screen-1	Nov/Dec 2009	MW-25-1	0.5 U	**3.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.2**		
MW-25-Screen-1	Feb 2010	MW-25-1	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-25-Screen-1	Apr/May 2010	MW-25-1	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25-Screen-1	Jul/Aug 2010	MW-25-1	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**10.6**		
MW-25-Screen-1	Oct/Nov 2010	MW-25-1	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.5**		
MW-25-Screen-1	Feb/Mar 2011	MW-25-1	0.5 U	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.7**		
MW-25-Screen-1	Apr/May 2011	MW-25-1	0.5 U	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**		
MW-25-Screen-1	Aug/Sep 2011	MW-25-1	0.5 U	**6.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**8.3**		
MW-25-Screen-1	Nov/Dec 2011	MW-25-1	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**		
MW-25-Screen-1	Jan/Feb 2012	MW-25-1	0.5 U	**5.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.6 J**		
MW-25-Screen-1	Apr/May 2012	MW-25-1	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.6**		
MW-25-Screen-1	Aug/Sep 2012	MW-25-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**12.0**		
MW-25-Screen-1	Nov 2012	MW-25-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**6.0**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25-Screen-1	Jan/Feb 2013	MW-25-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.3**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25-Screen-1	Apr/May 2013	MW-25-1	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.2**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25-Screen-1	Jul 2013	MW-25-1	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25-Screen-1	Oct/Nov 2013	MW-25-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-1	Jan/Feb 2014	MW-25-1	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25-Screen-1	Apr/May 2014	MW-25-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25-Screen-1	Jul/Aug 2014	MW-25-1	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25-Screen-1	Oct 2014	MW-25-1	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.5**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Jan/Feb 2015	MW-25-1	0.5 UJ	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.5**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Apr/May 2015	MW-25-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**9.3**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25-Screen-1	Jul/Aug 2015	MW-25-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**10.0**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Oct 2015	MW-25-1	0.5 U	**1.5**	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.7**	**Methyl-tert-butyl ether (MTBE)**	**0.6**
MW-25-Screen-1	Jan/Feb 2016	MW-25-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.3 J**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Jan/Feb 2016	DUP-2-1Q16	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.9**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Apr/May 2016	MW-25-1	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**8.1**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Oct 2016	MW-25-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**8.8**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Jan/Feb 2017	MW-25-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.6**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Apr/May 2017	MW-25-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.8**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Jul/Aug 2017	MW-25-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**7.2**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	October 2017	MW-25-1	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.1**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Jan/Feb 2018	MW-25-1	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.0**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	April 2018	MW-25-1	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.1**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Jul/Aug 2018	MW-25-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.1**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Jul/Aug 2018	DUP-2-3Q18	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.1**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Oct 2018	MW-25-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.5**	**Methyl-tert-butyl ether (MTBE)**	**0.5**
MW-25-Screen-1	Feb/Mar 2019	MW-25-1	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.6**	**Methyl-tert-butyl ether (MTBE)**	**0.5**
MW-25-Screen-1	Apr/May 2019	MW-25-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**7.1**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Jul/Aug 2019	MW-25-1	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.7**	**Methyl-tert-butyl ether (MTBE)**	**0.5**
MW-25-Screen-1	Oct 2019	MW-25-1	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**7.1**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Feb 2020	MW-25-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**6.5**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Jun 2020	MW-25-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**6.5**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-25-Screen-1	Aug 2020	MW-25-1	0.5 U	**0.7**	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.5**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Aug 2020	DUP-2-3Q20	0.5 U	**0.7**	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.8**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Oct/Nov 2020	MW-25-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**6.8**	**Methyl-tert-butyl ether (MTBE)**	**0.5**
MW-25-Screen-1	Mar/Apr 2021	MW-25-1	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.4**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	Mar/Apr 2021	DUP-1-1Q21	0.5 U	**1.0 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**6.4**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-1	May/June 2021	MW-25-1	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.6**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25-Screen-2													
MW-25-Screen-2	Jan/Feb 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.5 J**
MW-25-Screen-2	Apr/May 2005	DUPE-6-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-2	Apr/May 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.4**		
MW-25-Screen-2	Jul/Sep 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.4**		
MW-25-Screen-2	Oct/Nov 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.5**	**Methylene chloride**	**0.9**
MW-25-Screen-2	Mar/Apr 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25-Screen-2	May/Jun 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Aug/Sep 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**		
MW-25-Screen-2	Oct/Dec 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25-Screen-2	Mar/Apr 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Jun/Jul 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**14.0**		
MW-25-Screen-2	Aug/Sep 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Oct/Dec 2007	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**18.0**		
MW-25-Screen-2	Jan/Feb 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25-Screen-2	Apr/May 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25-Screen-2	Jul/Aug 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-25-Screen-2	Oct/Nov 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.6**		
MW-25-Screen-2	Jan/Feb 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.2**		
MW-25-Screen-2	Apr/May 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.4**		
MW-25-Screen-2	Jul/Aug 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-25-Screen-2	Nov/Dec 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-25-Screen-2	Feb 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.7**		
MW-25-Screen-2	Apr/May 2010	DUPE-7-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.4**		
MW-25-Screen-2	Apr/May 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.7**		
MW-25-Screen-2	Jul/Aug 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.1**		
MW-25-Screen-2	Oct/Nov 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.5**		
MW-25-Screen-2	Feb/Mar 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Apr/May 2011	DUPE-4-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-25-Screen-2	Apr/May 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-25-Screen-2	Aug/Sep 2011	DUPE-05-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.2**		
MW-25-Screen-2	Aug/Sep 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-25-Screen-2	Nov/Dec 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.6**		
MW-25-Screen-2	Jan/Feb 2012	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.8 J**		
MW-25-Screen-2	Apr/May 2012	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.6**		
MW-25-Screen-2	Aug/Sep 2012	MW-25-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**		
MW-25-Screen-2	Nov 2012	MW-25-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**11.0**		
MW-25-Screen-2	Jan/Feb 2013	MW-25-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25-Screen-2	Apr/May 2013	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**14.0**		
MW-25-Screen-2	Jul 2013	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**16.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-2	Oct/Nov 2013	DUPE-4-4Q13	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**16.0**		
MW-25-Screen-2	Oct/Nov 2013	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**15.0**		
MW-25-Screen-2	Jan/Feb 2014	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25-Screen-2	Apr/May 2014	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**14.0**		
MW-25-Screen-2	Jul/Aug 2014	DUP-4-3Q14	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**15.0**		
MW-25-Screen-2	Jul/Aug 2014	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25-Screen-2	Oct 2014	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**14.0**		
MW-25-Screen-2	Jan/Feb 2015	MW-25-2	0.5 UJ	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**14.6**		
MW-25-Screen-2	Apr/May 2015	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Jul/Aug 2015	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**13.0**		
MW-25-Screen-2	Oct 2015	MW-25-2	0.5 U	**0.2 J**	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**13.0**		
MW-25-Screen-2	Jan/Feb 2016	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**13.0 J**		
MW-25-Screen-2	Apr/May 2016	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**12.0**		
MW-25-Screen-2	Oct 2016	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**13.0**		
MW-25-Screen-2	Jan/Feb 2017	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Apr/May 2017	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25-Screen-2	Apr/May 2017	DUP-1-2Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-2	Jul/Aug 2017	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-2	October 2017	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**12.0**		
MW-25-Screen 2	October 2017	DUP-2-4Q17	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**12.0**		
MW-25-Screen-2	Jan/Feb 2018	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-2	April 2018	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**12.0**		
MW-25-Screen-2	Jul/Aug 2018	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25-Screen-2	Oct 2018	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25-Screen-2	Feb/Mar 2019	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-2	Apr/May 2019	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25-Screen-2	Jul/Aug 2019	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25-Screen-2	Oct 2019	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25-Screen-2	Feb 2020	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25-Screen-2	Jun 2020	MW-25-2	0.5 U	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**12.0**		
MW-25-Screen-2	Aug 2020	MW-25-2	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-2	Oct/Nov 2020	MW-25-2	0.5 U	**0.3 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**12.0**		
MW-25-Screen-2	Mar/Apr 2021	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-2	May/June 2021	MW-25-2	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**12.0**		
MW-25-Screen-3													
MW-25-Screen-3	Jan/Feb 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.5**	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.7**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-3	Apr/May 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.4**		
MW-25-Screen-3	Jul/Sep 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**14.3**		
MW-25-Screen-3	Oct/Nov 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**	**Methylene chloride**	**0.7**
MW-25-Screen-3	Mar/Apr 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.7**		
MW-25-Screen-3	May/Jun 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-25-Screen-3	Aug/Sep 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**13.0**		
MW-25-Screen-3	Oct/Dec 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**11.0**		
MW-25-Screen-3	Mar/Apr 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**9.3**	**m,p-Xylene**	**0.9 J**
MW-25-Screen-3	Jun/Jul 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3 J**		
MW-25-Screen-3	Aug/Sep 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**10.0**		
MW-25-Screen-3	Oct/Dec 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**15.0**		
MW-25-Screen-3	Jan/Feb 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**11.0**		
MW-25-Screen-3	Apr/May 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**13.0**		
MW-25-Screen-3	Jul/Aug 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**8.9**		
MW-25-Screen-3	Oct/Nov 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**7.9**		
MW-25-Screen-3	Jan/Feb 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**8.2**		
MW-25-Screen-3	Apr/May 2009	DUPE-04-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.4**		
MW-25-Screen-3	Apr/May 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.4**		
MW-25-Screen-3	Jul/Aug 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-25-Screen-3	Nov/Dec 2009	MW-25-3	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.0**		
MW-25-Screen-3	Feb 2010	MW-25-3	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.8**		
MW-25-Screen-3	Apr/May 2010	MW-25-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.3**		
MW-25-Screen-3	Jul/Aug 2010	MW-25-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**10.5**		
MW-25-Screen-3	Oct/Nov 2010	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25-Screen-3	Feb/Mar 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.8**		
MW-25-Screen-3	Apr/May 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.5**		
MW-25-Screen-3	Aug/Sep 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.1**		
MW-25-Screen-3	Nov/Dec 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**8.5**		
MW-25-Screen-3	Jan/Feb 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.3 J**		
MW-25-Screen-3	Apr/May 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.6**		
MW-25-Screen-3	Aug/Sep 2012	DUPE-2-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**11.0**		
MW-25-Screen-3	Aug/Sep 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**11.0**		
MW-25-Screen-3	Nov 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.0**		
MW-25-Screen-3	Jan/Feb 2013	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**11.0**		
MW-25-Screen-3	Apr/May 2013	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**8.4**		
MW-25-Screen-3	Jul 2013	DUPE-4-3Q13	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**11.0**		
MW-25-Screen-3	Jul 2013	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-3	Oct/Nov 2013	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**13.0**		
MW-25-Screen-3	Jan/Feb 2014	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**12.0**		
MW-25-Screen-3	Apr/May 2014	MW-25-3	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**11.0**		
MW-25-Screen-3	Jul/Aug 2014	MW-25-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**12.0**		
MW-25-Screen-3	Oct 2014	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-25-Screen-3	Jan/Feb 2015	MW-25-3	0.5 UJ	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.8**		
MW-25-Screen-3	Apr/May 2015	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-25-Screen-3	Apr/May 2015	DUP-4-2Q15	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**		
MW-25-Screen-3	Jul/Aug 2015	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**12.0**		
MW-25-Screen-3	Oct 2015	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**11.0**		
MW-25-Screen-3	Jan/Feb 2016	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**8.2 J**		
MW-25-Screen-3	Apr/May 2016	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.9**		
MW-25-Screen-3	Apr/May 2016	DUP-5-2Q16	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**9.4**		
MW-25-Screen-3	Oct 2016	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**11.0**		
MW-25-Screen-3	Jan/Feb 2017	MW-25-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**11.0**		
MW-25-Screen-3	Apr/May 2017	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.2**		
MW-25-Screen-3	Jul/Aug 2017	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**8.4**		
MW-25-Screen-3	October 2017	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**9.8**		
MW-25-Screen-3	Jan/Feb 2018	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.1**		
MW-25-Screen-3	April 2018	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.0**	**Carbon disulfide**	**0.9 J**
MW-25-Screen-3	Jul/Aug 2018	MW-25-3	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**8.8**		
MW-25-Screen-3	Oct 2018	MW-25-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.8**		
MW-25-Screen-3	Feb/Mar 2019	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**8.8**		
MW-25-Screen-3	Apr/May 2019	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**8.6**		
MW-25-Screen-3	Jul/Aug 2019	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**10.0**		
MW-25-Screen-3	Oct 2019	MW-25-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.2**		
MW-25-Screen-3	Oct 2019	DUP-3-4Q19	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**9.3**		
MW-25-Screen-3	Feb 2020	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**8.6**		
MW-25-Screen-3	Jun 2020	MW-25-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**9.3**		
MW-25-Screen-3	Aug 2020	MW-25-3	0.5 U	0.5 U	**0.72**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**8.4**		
MW-25-Screen-3	Oct/Nov 2020	MW-25-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**9.8**		
MW-25-Screen-3	Mar/Apr 2021	MW-25-3	0.5 U	0.5 U	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.3**		
MW-25-Screen-3	May/June 2021	MW-25-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**10.0**		
MW-25-Screen-3	May/June 2021	DUP-2-2Q21	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**10.0**		
MW-25-Screen-4													
MW-25-Screen-4	Jan/Feb 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-4	Apr/May 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-25-Screen-4	Jul/Sep 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25-Screen-4	Oct/Nov 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	**Methylene chloride**	**1.0**
MW-25-Screen-4	Mar/Apr 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25-Screen-4	May/Jun 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**		
MW-25-Screen-4	Aug/Sep 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-25-Screen-4	Oct/Dec 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**		
MW-25-Screen-4	Mar/Apr 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-25-Screen-4	Jun/Jul 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-4	Aug/Sep 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-25-Screen-4	Oct/Dec 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.5**		
MW-25-Screen-4	Jan/Feb 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.9**		
MW-25-Screen-4	Apr/May 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.4**		
MW-25-Screen-4	Jul/Aug 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**		
MW-25-Screen-4	Oct/Nov 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**		
MW-25-Screen-4	Jan/Feb 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25-Screen-4	Apr/May 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**		
MW-25-Screen-4	Jul/Aug 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25-Screen-4	Nov/Dec 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25-Screen-4	Nov/Dec 2009	DUPE-07-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25-Screen-4	Feb 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**		
MW-25-Screen-4	Apr/May 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.1**		
MW-25-Screen-4	Jul/Aug 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-25-Screen-4	Oct/Nov 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.3**		
MW-25-Screen-4	Feb/Mar 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.3**		
MW-25-Screen-4	Apr/May 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**		
MW-25-Screen-4	Aug/Sep 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-25-Screen-4	Nov/Dec 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**		
MW-25-Screen-4	Jan/Feb 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.8 J**		
MW-25-Screen-4	Apr/May 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25-Screen-4	Aug/Sep 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-25-Screen-4	Nov 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-25-Screen-4	Jan/Feb 2013	DUP-2-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-25-Screen-4	Jan/Feb 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**19.0**		
MW-25-Screen-4	Apr/May 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**	**Carbon disulfide**	**0.5 J**
MW-25-Screen-4	Jul 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-25-Screen-4	Oct/Nov 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**	**Carbon disulfide**	**0.5 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-4	Jan/Feb 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25-Screen-4	Apr/May 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-25-Screen-4	Jul/Aug 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25-Screen-4	Oct 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-25-Screen-4	Jan/Feb 2015	MW-25-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25-Screen-4	Apr/May 2015	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-25-Screen-4	Jul/Aug 2015	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**		
MW-25-Screen-4	Oct 2015	MW-25-4	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.9**		
MW-25-Screen-4	Jan/Feb 2016	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0 J**	**Carbon disulfide**	**0.6 J**
MW-25-Screen-4	Apr/May 2016	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-25-Screen-4	Oct 2016	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**		
MW-25-Screen-4	Jan/Feb 2017	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.0**		
MW-25-Screen-4	Apr/May 2017	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.2**		
MW-25-Screen-4	Jul/Aug 2017	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-25-Screen-4	October 2017	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.1**		
MW-25-Screen-4	Jan/Feb 2018	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**		
MW-25-Screen-4	April 2018	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.0**	**Carbon disulfide**	**0.7 J**
MW-25-Screen-4	Jul/Aug 2018	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.3**	**Carbon disulfide**	**0.9 J**
MW-25-Screen-4	Oct 2018	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-25-Screen-4	Feb/Mar 2019	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.7**		
MW-25-Screen-4	Apr/May 2019	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.8**		
MW-25-Screen-4	Jul/Aug 2019	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-25-Screen-4	Jul/Aug 2019	DUP-1-3Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.4**		
MW-25-Screen-4	Oct 2019	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**		
MW-25-Screen-4	Feb 2020	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**		
MW-25-Screen-4	Feb 2020	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**		
MW-25-Screen-4	Jun 2020	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.1**		
MW-25-Screen-4	Aug 2020	MW-25-4	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.4**		
MW-25-Screen-4	Oct/Nov 2020	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-25-Screen-4	Mar/Apr 2021	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**		
MW-25-Screen-4	May/June 2021	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.8**		
MW-25-Screen-5													
MW-25-Screen-5	Jan/Feb 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**0.0 J** **0.6** **1.3** **0.4 J** **0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-5	Apr/May 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jul/Sep 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct/Nov 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Mar/Apr 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	May/Jun 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Aug/Sep 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct/Dec 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Mar/Apr 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Jun/Jul 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Aug/Sep 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Oct/Dec 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Jan/Feb 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Apr/May 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25-Screen-5	Jul/Aug 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**33.8**		
MW-25-Screen-5	Oct/Nov 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.5**		
MW-25-Screen-5	Jan/Feb 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Apr/May 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Jul/Aug 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Nov/Dec 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25-Screen-5	Feb 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Apr/May 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**44.5**		
MW-25-Screen-5	Jul/Aug 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Oct/Nov 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Feb/Mar 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Apr/May 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**39.2**		
MW-25-Screen-5	Aug/Sep 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Nov/Dec 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Jan/Feb 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**54.8 J**		
MW-25-Screen-5	Apr/May 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25-Screen-5	Aug/Sep 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Nov 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jan/Feb 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Apr/May 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jul 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct/Nov 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-25-Screen-5	Jan/Feb 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-25-Screen-5	Apr/May 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25-Screen-5	Jul/Aug 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jan/Feb 2015	MW-25-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-25-Screen-5	Apr/May 2015	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jul/Aug 2015	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-25-Screen-5	Oct 2015	MW-25-5	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jan/Feb 2016	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	**Carbon disulfide**	**0.4 J**
MW-25-Screen-5	Apr/May 2016	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct 2016	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene** **Vinyl Chloride**	**0.1 J** **0.5**
MW-25-Screen-5	Jan/Feb 2017	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-25-Screen-5	Apr/May 2017	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jul/Aug 2017	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	October 2017	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jan/Feb 2018	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	April 2018	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jul/Aug 2018	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct 2018	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Feb/Mar 2019	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Feb/Mar 2019	DUP-1-1Q19	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Apr/May 2019	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Jul/Aug 2019	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct 2019	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-25-Screen-5	Feb 2020	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.8 J**
MW-25-Screen-5	Feb 2020	DUP-1-1Q20	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-25-Screen-5	Jun 2020	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Aug 2020	MW-25-5	0.5 U	0.5 U	0.50 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Oct/Nov 2020	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	Mar/Apr 2021	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25-Screen-5	May/June 2021	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1													
MW-26-Screen-1	Apr/May 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-26-Screen-1	Jul/Sep 2005	DUPE-6-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Jul/Sep 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Oct/Nov 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Mar/Apr 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	May/Jun 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26-Screen-1	Aug/Sep 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Oct/Dec 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Mar/Apr 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Jun/Jul 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Aug/Sep 2007	MW-26-1	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Oct/Dec 2007	MW-26-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-26-Screen-1	Jan/Feb 2008	MW-26-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-26-Screen-1	Apr/May 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-1	Jul/Aug 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-26-Screen-1	Oct/Nov 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-26-Screen-1	Jan/Feb 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-26-Screen-1	Apr/May 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-26-Screen-1	Jul/Aug 2009	MW-26-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-26-Screen-1	Nov/Dec 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-26-Screen-1	Feb 2010	MW-26-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-26-Screen-1	Apr/May 2010	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-26-Screen-1	Jul/Aug 2010	MW-26-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-26-Screen-1	Oct/Nov 2010	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-26-Screen-1	Oct/Nov 2010	DUPE-08-4Q10	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-26-Screen-1	Feb/Mar 2011	MW-26-1	0.5 U	**0.6**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-26-Screen-1	Apr/May 2011	MW-26-1	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-26-Screen-1	Aug/Sep 2011	MW-26-1	0.5 U	**0.6**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-26-Screen-1	Nov/Dec 2011	MW-26-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-26-Screen-1	Jan/Feb 2012	MW-26-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-26-Screen-1	Apr/May 2012	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-26-Screen-1	Aug/Sep 2012	MW-26-1	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.4**		
MW-26-Screen-1	Nov 2012	DUPE-2-4Q12	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Bromodichloromethane**	**0.1 J**
MW-26-Screen-1	Nov 2012	MW-26-1	0.5 U	**0.3 J**	**0.8**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Bromodichloromethane**	**0.2 J**
MW-26-Screen-1	Jan/Feb 2013	MW-26-1	0.5 U	**0.3 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.6**		
MW-26-Screen-1	Apr/May 2013	MW-26-1	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-26-Screen-1	Jul 2013	MW-26-1	0.5 U	**0.6**	**1.2**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**cis-1,2-Dichloroethene**	**0.1 J**
MW-26-Screen-1	Oct/Nov 2013	DUPE-3-4Q13	0.5 U	**0.4 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.2**		
MW-26-Screen-1	Oct/Nov 2013	MW-26-1	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**		
MW-26-Screen-1	Jan/Feb 2014	MW-26-1	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-26-Screen-1	Apr/May 2014	MW-26-1	0.5 U	**0.4 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-26-Screen-1	Jul/Aug 2014	MW-26-1	0.5 U	**0.4 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.9 J**		
MW-26-Screen-1	Oct 2014	MW-26-1	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.2 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26-Screen-1	Jan/Feb 2015	MW-26-1	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.9 J**		
MW-26-Screen-1	Apr/May 2015	MW-26-1	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-26-Screen-1	Jul/Aug 2015	MW-26-1	0.5 U	**0.4 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-26-Screen-1	Oct 2015	MW-26-1	0.5 U	**0.2 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-26-Screen-1	Jan/Feb 2016	MW-26-1	0.5 U	**0.4 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-26-Screen-1	Apr/May 2016	MW-26-1	0.5 U	**0.2 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-26-Screen-1	Jul/Aug 2016	MW-26-1	0.5 U	**0.2 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.7 J**		
MW-26-Screen-1	Oct 2016	MW-26-1	0.5 U	**0.2 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-26-Screen-1	Jan/Feb 2017	MW-26-1	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	**2.1**		
MW-26-Screen-1	Apr/May 2017	MW-26-1	0.5 U	**1.1**	**3.4**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.0**	**1.9 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-1	Apr/May 2017	DUP-4-2Q17	0.5 U	**1.2**	**3.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.9**	**3.0 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-1	Jul/Aug 2017	MW-26-1	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.4 J**		
MW-26-Screen-1	October 2017	MW-26-1	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.7 J**		
MW-26-Screen-1	Jan/Feb 2018	MW-26-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.3 J**		
MW-26-Screen-1	April 2018	MW-26-1	0.5 U	**0.5 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**1.6 J**		
MW-26-Screen-1	April 2018	DUP-4-2Q18	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.7 J**		
MW-26-Screen-1	Jul/Aug 2018	MW-26-1	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-26-Screen-1	Oct 2018	MW-26-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-26-Screen-1	Feb/Mar 2019	MW-26-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.8 J**		
MW-26-Screen-1	Apr/May 2019	MW-26-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**1.8 J**		
MW-26-Screen-1	Jul/Aug 2019	MW-26-1	0.5 U	**0.3 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.1 J**		
MW-26-Screen-1	Oct 2019	MW-26-1	0.5 U	**0.5 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**1.8 J**		
MW-26-Screen-1	Feb 2020	MW-26-1	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.9 J**		
MW-26-Screen-1	Jun 2020	MW-26-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.1 J**		
MW-26-Screen-1	Aug 2020	MW-26-1	0.5 U	0.5 U	**0.26 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.7 J**		
MW-26-Screen-1	Oct/Nov 2020	MW-26-1	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**		
MW-26-Screen-2													
MW-26-Screen-2	Apr/May 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-26-Screen-2	Jul/Sep 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-2	Oct/Nov 2005	DUPE-7-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**Bromodichloromethane** **Dibromochloromethane** **Methylene chloride**	**1.9** **1.3** **1.4**
MW-26-Screen-2	Oct/Nov 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**Bromodichloromethane** **Chloromethane** **Dibromochloromethane** **Methylene chloride**	**2.1** **0.3 J** **1.5** **1.2**
MW-26-Screen-2	Mar/Apr 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26-Screen-2	May/Jun 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Aug/Sep 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Oct/Dec 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-2	Mar/Apr 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Jun/Jul 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Aug/Sep 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Oct/Dec 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Jan/Feb 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Apr/May 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26-Screen-2	Jul/Aug 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Oct/Nov 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Jan/Feb 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Apr/May 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Jul/Aug 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Nov/Dec 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Feb 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Apr/May 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Jul/Aug 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Oct/Nov 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Feb/Mar 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Apr/May 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Aug/Sep 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Nov/Dec 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Jan/Feb 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Apr/May 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26-Screen-2	Aug/Sep 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-2	Nov 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-2	Jan/Feb 2013	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-2	Apr/May 2013	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26-Screen-2	Jul 2013	MW-26-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**1.4 J**		
MW-26-Screen-2	Oct/Nov 2013	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**3.3 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-26-Screen-2	Jan/Feb 2014	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.6 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-26-Screen-2	Apr/May 2014	MW-26-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.3 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26-Screen-2	Jul/Aug 2014	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**3.1 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-26-Screen-2	Oct 2014	MW-26-2	0.5 U	**0.3 J**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-26-Screen-2	Jan/Feb 2015	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**2.3 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Apr/May 2015	MW-26-2	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.6 J**		
MW-26-Screen-2	Jul/Aug 2015	MW-26-2	0.5 U	**0.4 J**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-26-Screen-2	Oct 2015	MW-26-2	0.5 U	**0.5**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U	**cis-1,2-Dichloroethene** **Toluene**	**0.4 J** **0.4 J**
MW-26-Screen-2	Jan/Feb 2016	MW-26-2	0.5 U	**0.5 J**	**3.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**1.7**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Apr/May 2016	MW-26-2	0.5 U	**0.3 J**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.0 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-26-Screen-2	Apr/May 2016	DUP-6-2Q16	0.5 U	**0.4 J**	**3.0**	**0.1 J**	0.5 U	0.5 U	0.5 U	**1.8**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Jul/Aug 2016	MW-26-2	0.5 U	**0.6**	**7.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.3**	**3.8 J**	**cis-1,2-Dichloroethene** **Bromodichloromethane**	**0.4 J** **0.2 J**
MW-26-Screen-2	Jul/Aug 2016	DUP-3-3Q16	0.5 U	**0.8**	**6.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**2.2**	**2.9 J**	**cis-1,2-Dichloroethene** **Bromodichloromethane**	**0.4 J** **0.2 J**
MW-26-Screen-2	Oct 2016	MW-26-2	0.5 U	**0.4 J**	**2.7**	**0.1 J**	0.5 U	0.5 U	0.5 U	**2.0**	**3.7 J**	**cis-1,2-Dichloroethene** **Bromodichloromethane**	**0.3 J** **0.3 J**
MW-26-Screen-2	Jan/Feb 2017	MW-26-2	0.5 U	**0.3 J**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**2.9**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Apr/May 2017	MW-26-2	0.5 U	**0.3 J**	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**3.2 J**	**Bromodichloromethane**	**0.2 J**
MW-26-Screen-2	Jul/Aug 2017	MW-26-2	0.5 U	**0.3 J**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**3.9 J**		
MW-26-Screen-2	October 2017	MW-26-2	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.5 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-26-Screen-2	Jan/Feb 2018	MW-26-2	0.5 U	**0.4 J**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Jan/Feb 2018	DUP-2-1Q18	0.5 U	**0.2 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**3.0 J**		
MW-26-Screen-2	April 2018	MW-26-2	0.5 U	**0.3 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Jul/Aug 2018	MW-26-2	0.5 U	**1.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-26-Screen-2	Oct 2018	MW-26-2	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**3.1 J**		
MW-26-Screen-2	Oct 2018	DUP-6-4Q18	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**3.2 J**		
MW-26-Screen-2	Feb/Mar 2019	MW-26-2	0.5 U	**0.3 J**	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Apr/May 2019	MW-26-2	0.5 U	**0.2 J**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.0 J**		
MW-26-Screen-2	Jul/Aug 2019	MW-26-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	Oct 2019	MW-26-2	0.5 U	**0.2 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**3.0 J**		
MW-26-Screen-2	Feb 2020	MW-26-2	0.5 U	**0.3 J**	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**2.6 J**		
MW-26-Screen-2	Jun 2020	MW-26-2	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**3.5 J**		
MW-26-Screen-2	Aug 2020	MW-26-2	0.5 U	**0.3 J**	**2.70**	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**3.0 J**		
MW-26-Screen-2	Oct/Nov 2020	MW-26-2	0.5 U	**0.4 J**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**3.1 J**	**cis-1,2-Dichloroethene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26-Screen-2	Mar/Apr 2021	MW-26-2	0.5 U	**0.2 J**	**1.7 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.6 J**		
MW-26-Screen-2	Mar/Apr 2021	DUP-6-1Q21	0.5 U	**0.4 J**	**4.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**2.4 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26-Screen-2	May/June 2021	MW-26-2	0.5 U	**0.2 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**3.0 J**		
Analyte concentration exceeds the standard for:													
CA MCL			0.5	5.0	5.0	5.0	0.5	6.0	1200.0	TTHM	6.0		
EPA REGION IX MCL			5.0	5.0	5.0	NE	5.0	7.0	NE	TTHM	NE		

Notes

DUP(E)	Field Duplicate
NA	Not analyzed
NE	Not established
TTHM	Chloroform is regulated under the state and federal MCL of 80 µg/L for Total Trihalomethanes (TTHMs); the MCL applies to the sum of all four THMs (Bromodichloromethane, Bromoform, Dibromochloromethane, and Chloroform) as an annual average
B	Analyte is present in method blank
UB	Result should be considered "not-detected" because it was detected in a method blank or equipment blank at a similar level.
E	Analyte concentration is above calibration range
J	Analyte concentration is an estimated value
U	Analyte was analyzed for but not detected at or above the stated limit
UJ	Analyte was analyzed for but not detected; analyte concentration is an estimated value

TABLE 2A
SUMMARY OF METALS DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-1						
MW-1	Aug/Sep 1996	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Oct/Nov 1996	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Feb/Mar 1997	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	June/July 1997	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Sep/Oct 1997	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Jan/Feb 1998	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Apr/May 1998	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Jul/Aug 1998	MW-1	5.0 U	**9.10**	**55.0**	5.0 U
MW-1	Oct/Nov 1998	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Feb/Mar 1999	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	May/Jun 1999	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Nov/Dec 1999	MW-1	NA	NA	10.0 U	5.0 U
MW-1	Jul/Aug 2000	MW-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-1	Jan/Feb 2001	MW-1	5.0 U	**0.04 J**	**2.1 J**	10.0 U
MW-1	Jan/Feb 2001	DUP	5.0 U	NA	NA	10.0 U
MW-1	Jan/Feb 2002	MW-1	**1.5 B**	1.00 U	**2.7 J**	10.0 U
MW-1	Apr/May 2003	MW-1	5.0 U	**0.15 J**	**2.4**	10.0 U
MW-1	Oct/Nov 2003	MW-1	NA	NA	**2.4 J**	10.0 U
MW-1	Apr/May 2004	MW-1	2.3 U	**0.01 J**	**10.0**	10.0 U
MW-1	Oct/Nov 2004	MW-1	NA	NA	**13.9**	10.0 U
MW-1	Apr/May 2005	MW-1	**1.6 J**	**0.26 J**	**6.0**	10.0 U
MW-1	Apr/May 2005	DUPE-2-2Q05	5.0 U	**0.26 J**	**6.7**	10.0 U
MW-1	Oct/Nov 2005	MW-1	NA	NA	**8.6**	10.0 U
MW-1	May/Jun 2006	MW-1	**1.3**	1.00 U	**2.4**	10.0 U
MW-1	Oct/Dec 2006	MW-1	NA	NA	**2.2**	10.0 U
MW-1	Jun/Jul 2007	DUPE-7-2Q07	NA	NA	NA	10.0 U
MW-1	Jun/Jul 2007	MW-1	**1.1**	1.00 U	**4.4**	10.0 U
MW-1	Jun/Jul 2007	DUPE-7-2Q07	**1.0**	1.00 U	**2.8**	NA
MW-1	Oct/Dec 2007	MW-1	NA	NA	**10.4 E**	10.0 U
MW-1	Apr/May 2008	MW-1	**1.2**	1.00 U	**5.2**	10.0 U
MW-1	Oct/Nov 2008	MW-1	NA	NA	5.0 U	10.0 U
MW-1	Apr/May 2009	MW-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-1	Nov/Dec 2009	MW-1	NA	NA	5.0 U	10.0 U
MW-1	Apr/May 2010	DUPE-8-2Q10	NA	NA	NA	10.0 U
MW-1	Apr/May 2010	MW-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-1	Apr/May 2010	DUPE-8-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-1	Oct/Nov 2010	MW-1	NA	NA	5.0 U	10.0 U
MW-1	Apr/May 2011	DUPE-5-2Q11	NA	NA	NA	10.0 U
MW-1	Apr/May 2011	MW-1	2.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-1	Apr/May 2011	DUPE-5-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-1	Nov/Dec 2011	MW-1	NA	NA	5.0 U	10.0 U
MW-1	Apr/May 2012	MW-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-1	Nov 2012	MW-1	NA	NA	3.0 U	2.0 U
MW-1	Apr/May 2013	MW-1	**1.4 J**	1.00 U	3.0 U	2.0 U
MW-1	Apr/May 2013	DUP-8-2Q13	**1.1 J**	1.00 U	3.0 U	2.0 U
MW-1	Oct/Nov 2013	MW-1	NA	NA	3.0 U	2.0 U
MW-1	Apr/May 2014	MW-1	2.0 U	1.00 U	**0.5 J**	2.0 U
MW-1	Apr/May 2014	DUP-6-2Q14	**0.8 J**	1.00 U	**1.1 J**	2.0 U
MW-1	Oct 2014	MW-1	NA	NA	**0.6 J**	2.0 U
MW-1	Apr/May 2015	MW-1	**1.0 J**	1.00 U	**1.0**	2.0 U
MW-1	Apr/May 2015	Dup-8-2Q15	2.0 U	**1.00**	**1.2**	2.0 U
MW-1	Oct 2015	MW-1	NA	NA	0.5 U	**0.7 J**
MW-1	Apr/May 2016	MW-1	1.8 U	2.00 U	6.0 U	2.0 U
MW-1	Oct 2016	MW-1	NA	NA	**0.9 J**	2.0 U
MW-1	Apr/May 2017	MW-1	2.0 U	1.00 U	3.0 UJ	**0.8 J**
MW-1	Oct-17	MW-1	NA	NA	3.0 J	2.0 U
MW-1	Oct-17	DUP-8-4Q17	NA	NA	3.0 J	2.0 U
MW-1	April 2018	MW-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-1	Oct 2018	MW-1	NA	NA	**0.7 J**	2.0 U
MW-1	Apr/May 2019	MW-1	2.0 U	1.00 U	3.0 U	0.20 U
MW-1	Apr/May 2019	DUP-8-2Q19	**0.9 J**	1.00 U	3.0 U	0.20 U
MW-1	Oct 2019	MW-1	NA	NA	3.0 U	0.20 U
MW-1	Jun 2020	MW-1	2.0 U	1.00 U	3.0 U	0.43 U
MW-1	Jun 2020	Dup-8-2Q2020	2.0 U	1.00 U	3.0 U	0.20 U
MW-1	Oct/Nov 2020	MW-1	NA	NA	3.0 U	0.20 U
MW-1	Oct/Nov 2020	DUP-6-4Q20	NA	NA	3.0 U	0.20 U
MW-1	May/June 2021	MW-1	2.0 U	1.00 U	3.0 U	0.04 UB
MW-3-Screen-1						
MW-3-Screen-1	Aug/Sep 1996	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Oct/Nov 1996	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Feb/Mar 1997	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	June/July 1997	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Sep/Oct 1997	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Jan/Feb 1998	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Apr/May 1998	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Jul/Aug 1998	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Oct/Nov 1998	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Feb/Mar 1999	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	May/Jun 1999	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Nov/Dec 1999	MW-3-1	NA	NA	10.0 U	5.0 U
MW-3-Screen-1	Jul/Aug 2000	MW-3-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-1	Jan/Feb 2001	MW-3-1	5.0 U	1.00 U	**3.7 J**	10.0 U
MW-3-Screen-1	Jan/Feb 2002	MW-3-1	5.0 U	**0.06 J**	**3.3 J**	10.0 U
MW-3-Screen-1	Apr/May 2003	MW-3-1	5.0 U	1.00 U	**2.1**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-1	Oct/Nov 2003	MW-3-1	NA	NA	1.8 UJ	10.0 U
MW-3-Screen-1	Apr/May 2004	MW-3-1	5.0 UJ	0.12 U	**7.6**	10.0 U
MW-3-Screen-1	Apr/May 2004	DUPE-1-2Q04	5.0 UJ	**0.001 J**	**8.2**	10.0 U
MW-3-Screen-1	Oct/Nov 2004	MW-3-1	NA	NA	**12.9 J**	10.0 U
MW-3-Screen-1	Oct/Nov 2004	DUPE-1-4Q04	NA	NA	**13.0 J**	10.0 U
MW-3-Screen-1	Apr/May 2005	MW-3-1	**1.5 J**	**0.06 J**	**5.6**	10.0 U
MW-3-Screen-1	Oct/Nov 2005	MW-3-1	NA	NA	**6.0**	10.0 U
MW-3-Screen-1	May/Jun 2006	MW-3-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-3-Screen-1	Oct/Dec 2006	MW-3-1	NA	NA	NA	10.0 U
MW-3-Screen-1	Oct/Dec 2006	MW-3-1	NA	NA	**1.1 J**	NA
MW-3-Screen-1	Jun/Jul 2007	MW-3-1	1.0 U	1.00 U	**1.2 J**	10.0 U
MW-3-Screen-1	Oct/Dec 2007	MW-3-1	NA	NA	**9.6**	10.0 U
MW-3-Screen-1	Apr/May 2008	MW-3-1	1.0 U	1.00 U	**4.5**	10.0 U
MW-3-Screen-1	Oct/Nov 2008	DUPE-04-4Q08	NA	NA	5.0 U	NA
MW-3-Screen-1	Oct/Nov 2008	MW-3-1	NA	NA	5.0 U	10.0 U
MW-3-Screen-1	Oct/Nov 2008	DUPE-04-4Q08	NA	NA	NA	10.0 U
MW-3-Screen-1	Apr/May 2009	MW-3-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-1	Nov/Dec 2009	DUPE-02-4Q09	NA	NA	5.0 U	NA
MW-3-Screen-1	Nov/Dec 2009	MW-3-1	NA	NA	5.0 U	10.0 U
MW-3-Screen-1	Nov/Dec 2009	DUPE-02-4Q09	NA	NA	NA	10.0 U
MW-3-Screen-1	Apr/May 2010	MW-3-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-1	Oct/Nov 2010	DUPE-04-4Q10	NA	NA	NA	10.0 U
MW-3-Screen-1	Oct/Nov 2010	MW-3-1	NA	NA	5.0 U	10.0 U
MW-3-Screen-1	Oct/Nov 2010	DUPE-04-4Q10	NA	NA	5.0 U	NA
MW-3-Screen-1	Apr/May 2011	MW-3-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-1	Nov/Dec 2011	MW-3-1	NA	NA	5.0 U	10.0 U
MW-3-Screen-1	Apr/May 2012	DUPE-4-2Q12	2.0 U	5.00 U	5.0 U	NA
MW-3-Screen-1	Apr/May 2012	MW-3-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-1	Apr/May 2012	DUPE-4-2Q12	NA	NA	NA	10.0 U
MW-3-Screen-1	Nov 2012	MW-3-1	NA	NA	3.0 U	2.0 U
MW-3-Screen-1	Apr/May 2013	MW-3-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-3-Screen-1	Oct/Nov 2013	MW-3-1	NA	NA	3.0 U	2.0 U
MW-3-Screen-1	Apr/May 2014	MW-3-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-3-Screen-1	Oct 2014	MW-3-1	NA	NA	3.0 U	2.0 U
MW-3-Screen-1	Apr/May 2015	MW-3-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-3-Screen-1	Oct 2015	MW-3-1	NA	NA	**0.8 J**	2.0 U
MW-3-Screen-1	Apr/May 2016	MW-3-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-3-Screen-1	Oct 2016	MW-3-1	NA	NA	3.0 U	2.0 U
MW-3-Screen-1	Apr/May 2017	MW-3-1	2.0 U	1.00 U	**0.8 J**	2.0 U
MW-3-Screen-1	Oct-17	MW-3-1	NA	NA	3.0 U	2.0 U
MW-3-Screen-1	April 2018	MW-3-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-3-Screen-1	Oct 2018	MW-3-1	NA	NA	3.0 U	2.0 U
MW-3-Screen-1	Apr/May 2019	MW-3-1	2.0 U	1.00 U	3.0 U	**0.22**
MW-3-Screen-1	Oct 2019	MW-3-1	NA	NA	3.0 U	0.20 U
MW-3-Screen-1	Jun 2020	MW-3-1	2.0 U	1.00 U	3.0 U	**0.08 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-1	Oct/Nov 2020	MW-3-1	NA	NA	3.0 U	0.20 U
MW-3-Screen-1	May/June 2021	MW-3-1	2.0 U	1.00 U	3.0 U	0.11 UB
MW-3-Screen-2						
MW-3-Screen-2	Aug/Sep 1996	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Oct/Nov 1996	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Feb/Mar 1997	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	June/July 1997	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Sep/Oct 1997	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Jan/Feb 1998	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Apr/May 1998	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Jul/Aug 1998	MW-3-2	5.0 U	**4.10**	10.0 U	5.0 U
MW-3-Screen-2	Oct/Nov 1998	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Feb/Mar 1999	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	May/Jun 1999	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Aug 1999	MW-3-2	NA	NA	10.0 U	5.0 U
MW-3-Screen-2	Nov/Dec 1999	MW-3-2	NA	NA	10.0 U	5.0 U
MW-3-Screen-2	Mar/Apr 2000	MW-3-2	NA	NA	10.0 U	5.0 U
MW-3-Screen-2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	NA	10.0 U
MW-3-Screen-2	Mar/Apr 2006	MW-3-2	NA	NA	NA	10.0 U
MW-3-Screen-2	Jul/Aug 2000	MW-3-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-2	Sep/Oct 2000	MW-3-2	NA	NA	10.0 U	5.0 U
MW-3-Screen-2	Jan/Feb 2001	MW-3-2	5.0 U	1.00 U	**3.4 J**	10.0 U
MW-3-Screen-2	Apr 2001	MW-3-2	NA	NA	NA	10.0 U
MW-3-Screen-2	Jul 2001	MW-3-2	NA	NA	NA	NA U
MW-3-Screen-2	Jul 2001	MW-3-2	NA	NA	**2.5 J**	NA
MW-3-Screen-2	Oct 2001	MW-3-2	NA	NA	**5.6**	10.0 U
MW-3-Screen-2	Jan/Feb 2002	MW-3-2	5.0 U	1.00 U	**4.4 J**	10.0 U
MW-3-Screen-2	Apr/May 2002	MW-3-2	NA	NA	**4.0**	10.0 U
MW-3-Screen-2	Jul 2002	MW-3-2	NA	NA	**1.0**	NA U
MW-3-Screen-2	Oct/Nov 2002	MW-3-2	NA	NA	NA	10.0 U
MW-3-Screen-2	Jan/Feb 2003	MW-3-2	NA	NA	**2.4**	10.0 U
MW-3-Screen-2	Apr/May 2003	MW-3-2	5.0 U	1.00 U	**1.6**	10.0 U
MW-3-Screen-2	Apr/May 2003	DUPE-5-2Q03	5.0 U	1.00 U	**1.9**	10.0 U
MW-3-Screen-2	Jul/Aug 2003	MW-3-2	NA	NA	**2.4 J**	10.0 U
MW-3-Screen-2	Oct/Nov 2003	MW-3-2	NA	NA	1.6 UJ	10.0 U
MW-3-Screen-2	Feb 2004	MW-3-2	NA	NA	**12.0**	10.0 U
MW-3-Screen-2	Feb 2004	DUPE-1-1Q04	NA	NA	**3.5**	10.0 U
MW-3-Screen-2	Apr/May 2004	MW-3-2	5.0 UJ	0.12 U	**7.3**	10.0 U
MW-3-Screen-2	Jul/Aug 2004	MW-3-2	NA	NA	**8.8**	10.0 U
MW-3-Screen-2	Oct/Nov 2004	MW-3-2	NA	NA	**9.0 J**	10.0 U
MW-3-Screen-2	Jan/Feb 2005	MW-3-2	NA	NA	**8.7**	10.0 U
MW-3-Screen-2	Apr/May 2005	MW-3-2	5.0 U	**0.06 J**	**5.2**	10.0 U
MW-3-Screen-2	Jul/Sep 2005	MW-3-2	NA	NA	**9.8**	10.0 U
MW-3-Screen-2	Oct/Nov 2005	MW-3-2	NA	NA	**6.5**	10.0 U
MW-3-Screen-2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	1.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-2	Mar/Apr 2006	MW-3-2	NA	NA	1.0 U	NA
MW-3-Screen-2	May/Jun 2006	MW-3-2	1.0 U	1.00 U	1.0 U	10.0 U
MW-3-Screen-2	Aug/Sep 2006	MW-3-2	NA	NA	0.5 U	10.0 U
MW-3-Screen-2	Oct/Dec 2006	MW-3-2	NA	NA	**1.2**	10.0 U
MW-3-Screen-2	Mar/Apr 2007	MW-3-2	NA	NA	**1.4**	10.0 U
MW-3-Screen-2	Jun/Jul 2007	DUPE-4-2Q07	1.0 U	1.00 U	**1.9 J**	NA
MW-3-Screen-2	Jun/Jul 2007	MW-3-2	1.0 U	1.00 U	**2.1**	10.0 U
MW-3-Screen-2	Jun/Jul 2007	DUPE-4-2Q07	NA	NA	NA	10.0 U
MW-3-Screen-2	Aug/Sep 2007	MW-3-2	NA	NA	**12.4**	10.0 U
MW-3-Screen-2	Oct/Dec 2007	MW-3-2	NA	NA	**7.8**	10.0 U
MW-3-Screen-2	Jan/Feb 2008	MW-3-2	NA	NA	**7.6 E**	10.0 U
MW-3-Screen-2	Apr/May 2008	MW-3-2	1.0 U	1.00 U	**4.2**	10.0 U
MW-3-Screen-2	Jul/Aug 2008	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Oct/Nov 2008	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Jan/Feb 2009	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Apr/May 2009	MW-3-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-2	Jul/Aug 2009	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Nov/Dec 2009	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Feb 2010	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Apr/May 2010	DUPE-05-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-3-Screen-2	Apr/May 2010	MW-3-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-2	Apr/May 2010	DUPE-05-2Q10	NA	NA	NA	10.0 U
MW-3-Screen-2	Jul/Aug 2010	MW-3-2	NA	NA	5.0 U	NA
MW-3-Screen-2	Jul/Aug 2010	MW-3-2	NA	NA	NA	10.0 U
MW-3-Screen-2	Oct/Nov 2010	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Feb/Mar 2011	MW-3-2	NA	NA	**5.6**	10.0 U
MW-3-Screen-2	Apr/May 2011	MW-3-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-2	Aug/Sep 2011	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Nov/Dec 2011	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Jan/Feb 2012	MW-3-2	NA	NA	5.0 U	10.0 U
MW-3-Screen-2	Apr/May 2012	MW-3-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-2	Aug/Sep 2012	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Nov 2012	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Jan/Feb 2013	MW-3-2	NA	NA	**0.7 J**	2.0 U
MW-3-Screen-2	Apr/May 2013	MW-3-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-3-Screen-2	Jul 2013	DUPE-5-3Q13	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Jul 2013	MW-3-2	NA	NA	**0.6 J**	2.0 U
MW-3-Screen-2	Oct/Nov 2013	MW-3-2	NA	NA	**0.7 J**	2.0 U
MW-3-Screen-2	Jan/Feb 2014	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Apr/May 2014	MW-3-2	2.0 U	1.00 U	3.0 U	**0.7 J**
MW-3-Screen-2	Jul/Aug 2014	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Oct 2014	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Jan/Feb 2015	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Apr/May 2015	MW-3-2	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-3-Screen-2	Jul/Aug 2015	MW-3-2	NA	NA	**0.8 J**	**0.9 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-2	Oct 2015	MW-3-2	NA	NA	**0.5 J**	2.0 U
MW-3-Screen-2	Jan/Feb 2016	MW-3-2	NA	NA	1.5 U	2.0 U
MW-3-Screen-2	Apr/May 2016	MW-3-2	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-3-Screen-2	Jul/Aug 2016	MW-3-2	NA	NA	**1.8 J**	**1.0 J**
MW-3-Screen-2	Oct 2016	MW-3-2	NA	NA	**1.0 J**	**1.0 J**
MW-3-Screen-2	Jan/Feb 2017	MW-3-2	NA	NA	2.9 U	**0.8 J**
MW-3-Screen-2	Apr/May 2017	MW-3-2	2.0 U	1.00 U	**1.3 J**	2.0 U
MW-3-Screen-2	Jul/Aug 2017	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Oct-17	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Jan/Feb 2018	MW-3-2	NA	NA	**1.4 J**	2.0 U
MW-3-Screen-2	April 2018	MW-3-2	2.0 U	1.00 UJ	3.0 U	2.0 U
MW-3-Screen-2	Jul/Aug 2018	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Oct 2018	MW-3-2	NA	NA	3.0 U	2.0 U
MW-3-Screen-2	Feb/Mar 2019	MW-3-2	NA	NA	**1.1 J**	2.0 U
MW-3-Screen-2	Apr/May 2019	MW-3-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-3-Screen-2	Jul/Aug 2019	MW-3-2	NA	NA	3.0 U	0.20 U
MW-3-Screen-2	Oct 2019	MW-3-2	NA	NA	3.0 U	0.20 U
MW-3-Screen-2	Feb 2020	MW-3-2	NA	NA	3.0 U	0.20 U
MW-3-Screen-2	Jun 2020	MW-3-2	**0.8 J**	1.00 U	3.0 U	**0.36**
MW-3-Screen-2	Aug 2020	MW-3-2	NA	NA	**1.5 J**	**0.51 J**
MW-3-Screen-2	Oct/Nov 2020	MW-3-2	NA	NA	3.0 U	**0.62**
MW-3-Screen-2	Mar/Apr 2021	MW-3-2	NA	NA	3 U	**0.69 J**
MW-3-Screen-2	May/June 2021	MW-3-2	2.0 U	1.00 U	**0.8 J**	0.38 UB
MW-3-Screen-3						
MW-3-Screen-3	Aug/Sep 1996	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Oct/Nov 1996	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Feb/Mar 1997	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	June/July 1997	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Sep/Oct 1997	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Jan/Feb 1998	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Apr/May 1998	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Jul/Aug 1998	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Oct/Nov 1998	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Feb/Mar 1999	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	May/Jun 1999	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Aug 1999	MW-3-3	NA	NA	10.0 U	5.0 U
MW-3-Screen-3	Nov/Dec 1999	MW-3-3	NA	NA	10.0 U	5.0 U
MW-3-Screen-3	Mar/Apr 2000	MW-3-3	NA	NA	10.0 U	5.0 U
MW-3-Screen-3	Mar/Apr 2006	MW-3-3	NA	NA	NA	10.0 U
MW-3-Screen-3	Jul/Aug 2000	MW-3-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-3	Sep/Oct 2000	MW-3-3	NA	NA	10.0 U	5.0 U
MW-3-Screen-3	Jan/Feb 2001	MW-3-3	5.0 U	1.00 U	**3.3 J**	10.0 U
MW-3-Screen-3	Apr 2001	MW-3-3	NA	NA	NA	10.0 U
MW-3-Screen-3	Jul 2001	MW-3-3	NA	NA	NA	NA U
MW-3-Screen-3	Jul 2001	MW-3-3	NA	NA	**2.4 J**	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-3	Oct 2001	MW-3-3	NA	NA	**3.3**	10.0 U
MW-3-Screen-3	Jan/Feb 2002	MW-3-3	5.0 U	1.00 U	**3.4 J**	10.0 U
MW-3-Screen-3	Apr/May 2002	MW-3-3	NA	NA	**4.0**	10.0 U
MW-3-Screen-3	Jul 2002	MW-3-3	NA	NA	**4.0**	NA U
MW-3-Screen-3	Oct/Nov 2002	MW-3-3	NA	NA	NA	10.0 U
MW-3-Screen-3	Dec 2002	MW-3-3	NA	NA	NA	0.2 U
MW-3-Screen-3	Jan/Feb 2003	MW-3-3	NA	NA	**2.0**	10.0 U
MW-3-Screen-3	Jan/Feb 2003	MW-3-3	**1.4**	**0.30**	**2.4**	NA
MW-3-Screen-3	Apr/May 2003	MW-3-3	5.0 U	1.00 U	**0.8 J**	10.0 U
MW-3-Screen-3	Jul/Aug 2003	MW-3-3	NA	NA	**2.0 J**	10.0 U
MW-3-Screen-3	Oct/Nov 2003	MW-3-3	NA	NA	2.0 UJ	10.0 U
MW-3-Screen-3	Feb 2004	MW-3-3	NA	NA	**2.6**	10.0 U
MW-3-Screen-3	Apr/May 2004	MW-3-3	4.8 UJ	0.12 U	**4.8**	10.0 U
MW-3-Screen-3	Jul/Aug 2004	MW-3-3	NA	NA	**7.2**	10.0 U
MW-3-Screen-3	Jul/Aug 2004	DUPE-4-3Q04	NA	NA	**7.4**	10.0 U
MW-3-Screen-3	Oct/Nov 2004	MW-3-3	NA	NA	**7.1 J**	10.0 U
MW-3-Screen-3	Jan/Feb 2005	MW-3-3	NA	NA	**5.7**	10.0 U
MW-3-Screen-3	Apr/May 2005	MW-3-3	**1.1 J**	**0.05 J**	**5.5**	10.0 U
MW-3-Screen-3	Jul/Sep 2005	MW-3-3	NA	NA	**6.9**	10.0 U
MW-3-Screen-3	Oct/Nov 2005	MW-3-3	NA	NA	**5.8**	10.0 U
MW-3-Screen-3	Mar/Apr 2006	MW-3-3	NA	NA	1.0 U	NA
MW-3-Screen-3	May/Jun 2006	MW-3-3	**1.4**	1.00 U	1.0 U	10.0 U
MW-3-Screen-3	Aug/Sep 2006	MW-3-3	NA	NA	0.5 U	10.0 U
MW-3-Screen-3	Oct/Dec 2006	DUPE-2-4Q06	NA	NA	NA	10.0 U
MW-3-Screen-3	Oct/Dec 2006	MW-3-3	NA	NA	**1.3**	10.0 U
MW-3-Screen-3	Oct/Dec 2006	DUPE-2-4Q06	NA	NA	**1.1**	NA
MW-3-Screen-3	Mar/Apr 2007	MW-3-3	NA	NA	1.0 U	10.0 U
MW-3-Screen-3	Jun/Jul 2007	MW-3-3	**1.5**	1.00 U	**1.1**	10.0 U
MW-3-Screen-3	Aug/Sep 2007	MW-3-3	NA	NA	**8.7**	10.0 U
MW-3-Screen-3	Oct/Dec 2007	DUPE 1-4Q07	NA	NA	NA	10.0 U
MW-3-Screen-3	Oct/Dec 2007	MW-3-3	NA	NA	**6.5**	10.0 U
MW-3-Screen-3	Oct/Dec 2007	DUPE 1-4Q07	NA	NA	**6.5**	NA
MW-3-Screen-3	Jan/Feb 2008	MW-3-3	NA	NA	**6.0 E**	10.0 U
MW-3-Screen-3	Apr/May 2008	MW-3-3	**1.0**	1.00 U	**2.5**	10.0 U
MW-3-Screen-3	Jul/Aug 2008	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Oct/Nov 2008	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Jan/Feb 2009	DUPE-05-1Q09	NA	NA	5.0 U	NA
MW-3-Screen-3	Jan/Feb 2009	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Jan/Feb 2009	DUPE-05-1Q09	NA	NA	NA	10.0 U
MW-3-Screen-3	Apr/May 2009	MW-3-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-3	Jul/Aug 2009	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Nov/Dec 2009	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Feb 2010	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Apr/May 2010	MW-3-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-3	Jul/Aug 2010	MW-3-3	NA	NA	5.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-3	Jul/Aug 2010	MW-3-3	NA	NA	NA	10.0 U
MW-3-Screen-3	Oct/Nov 2010	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Feb/Mar 2011	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Apr/May 2011	MW-3-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-3	Aug/Sep 2011	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Nov/Dec 2011	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Jan/Feb 2012	MW-3-3	NA	NA	5.0 U	10.0 U
MW-3-Screen-3	Apr/May 2012	MW-3-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-3	Aug/Sep 2012	MW-3-3	NA	NA	3.0 U	2.0 U
MW-3-Screen-3	Nov 2012	MW-3-3	NA	NA	**2.1 J**	**2.5**
MW-3-Screen-3	Jan/Feb 2013	MW-3-3	NA	NA	**2.5 J**	2.0 U
MW-3-Screen-3	Apr/May 2013	MW-3-3	**3.0**	1.00 U	**2.3 J**	**1.9 J**
MW-3-Screen-3	Jul 2013	MW-3-3	NA	NA	**2.4 J**	2.0 U
MW-3-Screen-3	Oct/Nov 2013	MW-3-3	NA	NA	**1.8 J**	**1.7 J**
MW-3-Screen-3	Jan/Feb 2014	DUPE-3-1Q14	NA	NA	**6.3**	2.0 U
MW-3-Screen-3	Jan/Feb 2014	MW-3-3	NA	NA	**1.4 J**	2.0 U
MW-3-Screen-3	Apr/May 2014	MW-3-3	**3.2**	1.00 U	3.0 U	**0.7 J**
MW-3-Screen-3	Jul/Aug 2014	DUP-5-3Q14	NA	NA	**4.5**	2.0 U
MW-3-Screen-3	Jul/Aug 2014	MW-3-3	NA	NA	3.0 U	2.0 U
MW-3-Screen-3	Oct 2014	MW-3-3	NA	NA	3.0 U	2.0 U
MW-3-Screen-3	Jan/Feb 2015	MW-3-3	NA	NA	**2.3 J**	2.0 U
MW-3-Screen-3	Apr/May 2015	MW-3-3	**2.4**	1.00 U	**2.3 J**	2.0 U
MW-3-Screen-3	Jul/Aug 2015	MW-3-3	NA	NA	**2.8 J**	2.0 U
MW-3-Screen-3	Oct 2015	MW-3-3	NA	NA	**1.7 J**	2.0 U
MW-3-Screen-3	Jan/Feb 2016	MW-3-3	NA	NA	3.4 U	3.5 U
MW-3-Screen-3	Jan/Feb 2016	DUP-6-1Q16	NA	NA	3.2 U	2.0 U
MW-3-Screen-3	Apr/May 2016	MW-3-3	**2.9**	1.00 U	**2.0 J**	**1.3 J**
MW-3-Screen-3	Jul/Aug 2016	MW-3-3	NA	NA	**3.2**	**1.0 J**
MW-3-Screen-3	Oct 2016	MW-3-3	NA	NA	**3.1**	**1.1 J**
MW-3-Screen-3	Jan/Feb 2017	MW-3-3	NA	NA	**3.6**	2.0 U
MW-3-Screen-3	Apr/May 2017	MW-3-3	**3.8**	1.00 U	**4.8**	2.0 U
MW-3-Screen-3	Jul/Aug 2017	MW-3-3	NA	NA	2.4 U	**1.3 J**
MW-3-Screen-3	Oct-17	MW-3-3	NA	NA	**2.4 J**	**2.1**
MW-3-Screen-3	Jan/Feb 2018	MW-3-3	NA	NA	**2.1 J**	**0.9 J**
MW-3-Screen-3	April 2018	MW-3-3	2.0 U	1.00 UJ	3.0 U	2.0 U
MW-3-Screen-3	Jul/Aug 2018	MW-3-3	NA	NA	3.0 U	**1.1 J**
MW-3-Screen-3	Oct 2018	MW-3-3	NA	NA	**3.0**	**0.8 J**
MW-3-Screen-3	Feb/Mar 2019	MW-3-3	NA	NA	**2.7 J**	**1.6 J**
MW-3-Screen-3	Apr/May 2019	MW-3-3	**3.0**	1.00 U	**1.6 J**	**2.00**
MW-3-Screen-3	Jul/Aug 2019	MW-3-3	NA	NA	**1.2 J**	**1.40**
MW-3-Screen-3	Jul/Aug 2019	DUP-2-3Q19	NA	NA	**1.2 J**	**1.40**
MW-3-Screen-3	Oct 2019	MW-3-3	NA	NA	**2.1 J**	**1.00**
MW-3-Screen-3	Feb 2020	MW-3-3	NA	NA	**1.8 J**	**1.60**
MW-3-Screen-3	Jun 2020	MW-3-3	**2.4**	1.00 U	**4.6**	**0.38**
MW-3-Screen-3	Aug 2020	MW-3-3	NA	NA	**2.2 J**	**0.57**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-3	Oct/Nov 2020	MW-3-3	NA	NA	**1.1 J**	**0.73**
MW-3-Screen-3	Mar/Apr 2021	MW-3-3	NA	NA	**1.4 J**	**0.73 J**
MW-3-Screen-3	May/June 2021	MW-3-3	**0.9 J**	1.00 U	**1.6 J**	**0.68**
MW-3-Screen-3	May/June 2021	DUP-3-2Q21	**1.0 J**	1.00 U	**1.4 J**	**0.58**
MW-3-Screen-4						
MW-3-Screen-4	Aug/Sep 1996	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Oct/Nov 1996	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Feb/Mar 1997	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	June/July 1997	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Sep/Oct 1997	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Jan/Feb 1998	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Apr/May 1998	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Jul/Aug 1998	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Oct/Nov 1998	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Feb/Mar 1999	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	May/Jun 1999	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Aug 1999	MW-3-4	NA	NA	10.0 U	5.0 U
MW-3-Screen-4	Nov/Dec 1999	MW-3-4	NA	NA	10.0 U	5.0 U
MW-3-Screen-4	Mar/Apr 2000	MW-3-4	NA	NA	10.0 U	5.0 U
MW-3-Screen-4	Mar/Apr 2006	MW-3-4	NA	NA	NA	10.0 U
MW-3-Screen-4	Jul/Aug 2000	MW-3-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-4	Sep/Oct 2000	MW-3-4	NA	NA	10.0 U	5.0 U
MW-3-Screen-4	Jan/Feb 2001	MW-3-4	**4.1 B**	1.00 U	**4.0 J**	10.0 U
MW-3-Screen-4	Apr 2001	MW-3-4	NA	NA	NA	10.0 U
MW-3-Screen-4	Jul 2001	MW-3-4	NA	NA	NA	NA U
MW-3-Screen-4	Jul 2001	MW-3-4	NA	NA	**3.9 J**	NA
MW-3-Screen-4	Oct 2001	MW-3-4	NA	NA	**4.9**	10.0 U
MW-3-Screen-4	Jan/Feb 2002	MW-3-4	**4.5 B**	4.00 U	**0.6 J**	10.0 U
MW-3-Screen-4	Apr/May 2002	MW-3-4	NA	NA	**5.0**	10.0 U
MW-3-Screen-4	Jul 2002	MW-3-4	NA	NA	**4.0**	NA U
MW-3-Screen-4	Oct/Nov 2002	MW-3-4	NA	NA	NA	10.0 U
MW-3-Screen-4	Jan/Feb 2003	MW-3-4	NA	NA	**2.3**	10.0 U
MW-3-Screen-4	Apr/May 2003	MW-3-4	5.0 U	1.00 U	**1.7**	10.0 U
MW-3-Screen-4	Jul/Aug 2003	MW-3-4	NA	NA	**1.8 J**	10.0 U
MW-3-Screen-4	Oct/Nov 2003	MW-3-4	NA	NA	1.9 UJ	10.0 U
MW-3-Screen-4	Feb 2004	MW-3-4	NA	NA	**4.8**	10.0 U
MW-3-Screen-4	Apr/May 2004	MW-3-4	3.7 UJ	0.01 U	**7.6**	10.0 U
MW-3-Screen-4	Jul/Aug 2004	MW-3-4	NA	NA	**6.6**	10.0 U
MW-3-Screen-4	Oct/Nov 2004	MW-3-4	NA	NA	**7.7 J**	10.0 U
MW-3-Screen-4	Jan/Feb 2005	MW-3-4	NA	NA	**8.6**	10.0 U
MW-3-Screen-4	Apr/May 2005	MW-3-4	**2.0 J**	**0.11 J**	**6.0**	10.0 U
MW-3-Screen-4	Jul/Sep 2005	MW-3-4	NA	NA	**6.9**	10.0 U
MW-3-Screen-4	Oct/Nov 2005	DUPE-3-4Q05	NA	NA	**6.9**	10.0 U
MW-3-Screen-4	Oct/Nov 2005	MW-3-4	NA	NA	**7.2**	10.0 U
MW-3-Screen-4	Mar/Apr 2006	MW-3-4	NA	NA	1.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-4	May/Jun 2006	MW-3-4	**2.0**	1.00 U	1.0 U	10.0 U
MW-3-Screen-4	Aug/Sep 2006	MW-3-4	NA	NA	0.5 U	10.0 U
MW-3-Screen-4	Oct/Dec 2006	MW-3-4	NA	NA	**1.2**	10.0 U
MW-3-Screen-4	Mar/Apr 2007	MW-3-4	NA	NA	**1.2**	10.0 U
MW-3-Screen-4	Jun/Jul 2007	MW-3-4	**3.7**	1.00 U	1.0 U	10.0 U
MW-3-Screen-4	Aug/Sep 2007	MW-3-4	NA	NA	**11.3**	10.0 U
MW-3-Screen-4	Oct/Dec 2007	MW-3-4	NA	NA	**6.9**	10.0 U
MW-3-Screen-4	Jan/Feb 2008	MW-3-4	NA	NA	**7.2 E**	10.0 U
MW-3-Screen-4	Apr/May 2008	MW-3-4	**2.3**	1.00 U	**5.0**	10.0 U
MW-3-Screen-4	Jul/Aug 2008	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Oct/Nov 2008	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Jan/Feb 2009	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Apr/May 2009	MW-3-4	**2.2**	5.00 U	5.0 U	10.0 U
MW-3-Screen-4	Jul/Aug 2009	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Nov/Dec 2009	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Feb 2010	DUPE-3-1Q10	NA	NA	5.0 U	NA
MW-3-Screen-4	Feb 2010	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Feb 2010	DUPE-3-1Q10	NA	NA	NA	10.0 U
MW-3-Screen-4	Apr/May 2010	MW-3-4	**2.6**	5.00 U	5.0 U	10.0 U
MW-3-Screen-4	Jul/Aug 2010	MW-3-4	NA	NA	5.0 U	NA
MW-3-Screen-4	Jul/Aug 2010	MW-3-4	NA	NA	NA	10.0 U
MW-3-Screen-4	Oct/Nov 2010	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Feb/Mar 2011	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Apr/May 2011	MW-3-4	**2.6**	5.00 U	5.0 U	10.0 U
MW-3-Screen-4	Aug/Sep 2011	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Nov/Dec 2011	DUPE-3-4Q11	NA	NA	NA	10.0 U
MW-3-Screen-4	Nov/Dec 2011	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Nov/Dec 2011	DUPE-3-4Q11	NA	NA	5.0 U	NA
MW-3-Screen-4	Jan/Feb 2012	MW-3-4	NA	NA	5.0 U	10.0 U
MW-3-Screen-4	Apr/May 2012	MW-3-4	**6.3**	5.00 U	5.0 U	10.0 U
MW-3-Screen-4	Aug/Sep 2012	MW-3-4	NA	NA	**0.8 J**	2.0 U
MW-3-Screen-4	Nov 2012	MW-3-4	NA	NA	**3.0**	**1.2 J**
MW-3-Screen-4	Jan/Feb 2013	MW-3-4	NA	NA	**10.0**	5.0 U
MW-3-Screen-4	Apr/May 2013	MW-3-4	**18.0**	1.00 U	**34.0**	2.0 U
MW-3-Screen-4	Jul 2013	MW-3-4	NA	NA	**22.0**	2.0 U
MW-3-Screen-4	Oct/Nov 2013	MW-3-4	NA	NA	**3.1**	2.0 U
MW-3-Screen-4	Jan/Feb 2014	MW-3-4	NA	NA	**6.2**	**1.1 J**
MW-3-Screen-4	Apr/May 2014	MW-3-4	**14.0**	1.00 U	**15.0**	**0.7 J**
MW-3-Screen-4	Jul/Aug 2014	MW-3-4	NA	NA	**6.9**	2.0 U
MW-3-Screen-4	Oct 2014	MW-3-4	NA	NA	**13.0**	2.0 U
MW-3-Screen-4	Jan/Feb 2015	MW-3-4	NA	NA	**75.1**	2.0 U
MW-3-Screen-4	Apr/May 2015	MW-3-4	**8.1**	1.00 U	**10.0**	2.0 U
MW-3-Screen-4	Jul/Aug 2015	MW-3-4	NA	NA	**3.9 J**	2.0 U
MW-3-Screen-4	Oct 2015	MW-3-4	NA	NA	**9.1**	2.0 U
MW-3-Screen-4	Oct 2015	DUP-6-4Q15	NA	NA	**16.0**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-4	Jan/Feb 2016	MW-3-4	NA	NA	7.3 U	3.5 U
MW-3-Screen-4	Apr/May 2016	MW-3-4	**7.7**	1.00 U	**11.0**	2.0 U
MW-3-Screen-4	Jul/Aug 2016	MW-3-4	NA	NA	**38.0**	2.0 U
MW-3-Screen-4	Oct 2016	MW-3-4	NA	NA	**13.0**	2.0 U
MW-3-Screen-4	Jan/Feb 2017	MW-3-4	NA	NA	**17.0**	2.0 U
MW-3-Screen-4	Jan/Feb 2017	DUP-2-1Q17	NA	NA	**8.1**	2.0 U
MW-3-Screen-4	Apr/May 2017	MW-3-4	**18.0**	1.00 U	**31.0**	2.0 U
MW-3-Screen-4	Jul/Aug 2017	MW-3-4	NA	NA	**38.0**	2.0 U
MW-3-Screen-4	Oct-17	MW-3-4	NA	NA	**20.0**	2.0 U
MW-3-Screen-4	Jan/Feb 2018	MW-3-4	NA	NA	**31.0**	2.0 U
MW-3-Screen-4	April 2018	MW-3-4	**6.0**	1.00 UJ	**11.0**	2.0 U
MW-3-Screen-4	Jul/Aug 2018	MW-3-4	NA	NA	**12.0**	2.0 U
MW-3-Screen-4	Oct 2018	MW-3-4	NA	NA	**19.0**	2.0 U
MW-3-Screen-4	Oct 2018	DUP-2-4Q18	NA	NA	**27.0**	2.0 U
MW-3-Screen-4	Feb/Mar 2019	MW-3-4	NA	NA	**25.0**	2.0 U
MW-3-Screen-4	Feb/Mar 2019	DUP-3-1Q19	NA	NA	**22.0**	2.0 U
MW-3-Screen-4	Apr/May 2019	MW-3-4	**14.0**	1.00 U	**24.0**	**0.26**
MW-3-Screen-4	Jul/Aug 2019	MW-3-4	NA	NA	**47.0 J**	**0.06 J**
MW-3-Screen-4	Oct 2019	MW-3-4	NA	NA	**95.0**	**0.16 J**
MW-3-Screen-4	Feb 2020	MW-3-4	NA	NA	**64.0**	**0.25**
MW-3-Screen-4	Feb 2020	DUP-2-1Q20	NA	NA	**57.0**	**0.24**
MW-3-Screen-4	Jun 2020	MW-3-4	**26.0**	1.00 U	**44.0**	**0.31**
MW-3-Screen-4	Aug 2020	MW-3-4	NA	NA	**37.0**	**0.60**
MW-3-Screen-4	Oct/Nov 2020	MW-3-4	NA	NA	**21.0**	**0.85**
MW-3-Screen-4	Mar/Apr 2021	MW-3-4	NA	NA	**11.0**	**0.77 J**
MW-3-Screen-4	May/June 2021	MW-3-4	**7.5**	**0.21 J**	**12.0**	**0.20**
MW-3-Screen-5						
MW-3-Screen-5	Aug/Sep 1996	MW-3-5	**11.0**	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Oct/Nov 1996	MW-3-5	**7.0**	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Feb/Mar 1997	MW-3-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	June/July 1997	MW-3-5	**7.0**	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Sep/Oct 1997	MW-3-5	**10.0**	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Jan/Feb 1998	MW-3-5	**9.1**	**7.60**	10.0 U	5.0 U
MW-3-Screen-5	Apr/May 1998	MW-3-5	5.0 U	**2.00**	10.0 U	5.0 U
MW-3-Screen-5	Jul/Aug 1998	MW-3-5	**5.9**	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Oct/Nov 1998	MW-3-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Feb/Mar 1999	MW-3-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	May/Jun 1999	MW-3-5	**5.7**	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Nov/Dec 1999	MW-3-5	NA	NA	10.0 U	5.0 U
MW-3-Screen-5	Jul/Aug 2000	MW-3-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-3-Screen-5	Jan/Feb 2001	MW-3-5	**6.2**	1.00 U	**2.4 J**	10.0 U
MW-3-Screen-5	Jan/Feb 2002	MW-3-5	**4.7 B**	1.00 U	**1.7 J**	10.0 U
MW-3-Screen-5	Jan/Feb 2003	MW-3-5	**0.5**	**1.10**	**4.1**	0.2 U
MW-3-Screen-5	Apr/May 2003	MW-3-5	**4.3 J**	1.00 U	**0.5 J**	10.0 U
MW-3-Screen-5	Oct/Nov 2003	MW-3-5	NA	NA	0.7 UJ	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-3-Screen-5	Apr/May 2004	MW-3-5	6.4 UJ	**0.14 J**	**4.9**	10.0 U
MW-3-Screen-5	Oct/Nov 2004	MW-3-5	NA	NA	**2.8 J**	10.0 U
MW-3-Screen-5	Apr/May 2005	MW-3-5	**2.1 J**	**0.06 J**	**4.9**	10.0 U
MW-3-Screen-5	Oct/Nov 2005	MW-3-5	NA	NA	**6.3**	10.0 U
MW-3-Screen-5	May/Jun 2006	MW-3-5	**3.1**	1.00 U	1.0 U	10.0 U
MW-3-Screen-5	Oct/Dec 2006	MW-3-5	NA	NA	**1.4**	10.0 U
MW-3-Screen-5	Jun/Jul 2007	MW-3-5	**3.1**	1.00 U	1.0 U	10.0 U
MW-3-Screen-5	Oct/Dec 2007	MW-3-5	NA	NA	**6.0**	10.0 U
MW-3-Screen-5	Apr/May 2008	MW-3-5	**2.4**	1.00 U	**4.8**	10.0 U
MW-3-Screen-5	Oct/Nov 2008	MW-3-5	NA	NA	5.0 U	10.0 U
MW-3-Screen-5	Apr/May 2009	MW-3-5	**2.6**	5.00 U	5.0 U	10.0 U
MW-3-Screen-5	Nov/Dec 2009	MW-3-5	NA	NA	5.0 U	10.0 U
MW-3-Screen-5	Apr/May 2010	MW-3-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-5	Oct/Nov 2010	MW-3-5	NA	NA	5.0 U	10.0 U
MW-3-Screen-5	Apr/May 2011	MW-3-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-3-Screen-5	Nov/Dec 2011	MW-3-5	NA	NA	5.0 U	10.0 U
MW-3-Screen-5	Apr/May 2012	MW-3-5	**3.9**	5.00 U	5.0 U	10.0 U
MW-3-Screen-5	Nov 2012	MW-3-5	NA	NA	**9.2**	2.0 U
MW-3-Screen-5	Apr/May 2013	MW-3-5	**1.7 J**	1.00 U	**1.6 J**	2.0 U
MW-3-Screen-5	Oct/Nov 2013	MW-3-5	NA	NA	**7.3**	**0.7 J**
MW-3-Screen-5	Apr/May 2014	MW-3-5	**7.7**	1.00 U	**11.0**	**0.8 J**
MW-3-Screen-5	Oct 2014	MW-3-5	NA	NA	**30.0**	2.0 U
MW-3-Screen-5	Apr/May 2015	MW-3-5	**2.1**	1.00 U	**3.3**	2.0 U
MW-3-Screen-5	Apr/May 2015	DUP-6-2Q15	**13.0**	1.00 U	**24.0**	2.0 U
MW-3-Screen-5	Oct 2015	MW-3-5	NA	NA	**1.2 J**	2.0 U
MW-3-Screen-5	Apr/May 2016	MW-3-5	**0.9 J**	1.00 U	**0.6 J**	2.0 U
MW-3-Screen-5	Apr/May 2016	DUP-4-2016	**0.8 J**	1.00 U	**0.9 J**	2.0 U
MW-3-Screen-5	Oct 2016	MW-3-5	NA	NA	**0.5 J**	10.0 U
MW-3-Screen-5	Apr/May 2017	MW-3-5	**3.3**	1.00 U	**5.2**	2.0 U
MW-3-Screen-5	Oct-17	MW-3-5	NA	NA	**11.0**	2.0 U
MW-3-Screen-5	April 2018	MW-3-5	2.0 U	1.00 UJ	3.0 U	2.0 U
MW-3-Screen-5	Oct 2018	MW-3-5	NA	NA	3.0 U	2.0 U
MW-3-Screen-5	Apr/May 2019	MW-3-5	**1.6 J**	1.00 U	**1.8 J**	**0.10 J**
MW-3-Screen-5	Oct 2019	MW-3-5	NA	NA	**3.6**	**0.12 J**
MW-3-Screen-5	Jun 2020	MW-3-5	**77.0**	1.00 U	**140.0**	**0.34**
MW-3-Screen-5	Oct/Nov 2020	MW-3-5	NA	NA	**20.0**	**0.73**
MW-3-Screen-5	May/June 2021	MW-3-5	**23.0**	**0.18 J**	**44.0**	**0.66**
MW-4-Screen-1						
MW-4-Screen-1	Aug/Sep 1996	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Oct/Nov 1996	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Feb/Mar 1997	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	June/July 1997	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Sep/Oct 1997	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Jan/Feb 1998	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Apr/May 1998	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-1	Jul/Aug 1998	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Oct/Nov 1998	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Feb/Mar 1999	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	May/Jun 1999	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Aug 1999	MW-4-1	NA	NA	10.0 U	5.0 U
MW-4-Screen-1	Nov/Dec 1999	MW-4-1	NA	NA	10.0 U	5.0 U
MW-4-Screen-1	Mar/Apr 2000	MW-4-1	NA	NA	10.0 U	5.0 U
MW-4-Screen-1	Jul/Aug 2000	MW-4-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-1	Sep/Oct 2000	MW-4-1	NA	NA	10.0 U	5.0 U
MW-4-Screen-1	Jan/Feb 2001	MW-4-1	5.0 U	1.00 U	**4.3 J**	10.0 U
MW-4-Screen-1	Apr 2001	MW-4-1	NA	NA	NA	10.0 U
MW-4-Screen-1	Jul 2001	MW-4-1	NA	NA	NA	NA U
MW-4-Screen-1	Jul 2001	MW-4-1	NA	NA	5.0 U	NA
MW-4-Screen-1	Oct 2001	MW-4-1	NA	NA	**3.3**	10.0 U
MW-4-Screen-1	Jan/Feb 2002	MW-4-1	**2.9 B**	1.00 U	**3.5 J**	10.0 U
MW-4-Screen-1	Apr/May 2002	MW-4-1	NA	NA	**1.0**	10.0 U
MW-4-Screen-1	Jul 2002	MW-4-1	NA	NA	**4.0**	NA U
MW-4-Screen-1	Oct/Nov 2002	MW-4-1	NA	NA	NA	10.0 U
MW-4-Screen-1	Dec 2002	MW-4-1	**1.2**	**0.20**	**3.7**	NA
MW-4-Screen-1	Jan/Feb 2003	MW-4-1	NA	NA	NA	0.0 U
MW-4-Screen-1	Jan/Feb 2003	MW-4-1	NA	NA	**2.2**	10.0 U
MW-4-Screen-1	Apr/May 2003	MW-4-1	5.0 U	1.00 U	**3.4 J**	10.0 U
MW-4-Screen-1	Jul/Aug 2003	MW-4-1	NA	NA	**2.7 J**	10.0 U
MW-4-Screen-1	Jul/Aug 2003	DUPE-3-3Q03	NA	NA	**2.5 J**	10.0 U
MW-4-Screen-1	Oct/Nov 2003	MW-4-1	NA	NA	**2.6**	10.0 U
MW-4-Screen-1	Feb 2004	MW-4-1	NA	NA	**4.4**	10.0 U
MW-4-Screen-1	Apr/May 2004	MW-4-1	5.0 UJ	**0.33 J**	0.6 UJ	**6.0 J**
MW-4-Screen-1	Jul/Aug 2004	MW-4-1	NA	NA	0.8 U	10.0 U
MW-4-Screen-1	Oct/Nov 2004	MW-4-1	NA	NA	**12.4 J**	10.0 U
MW-4-Screen-1	Jan/Feb 2005	MW-4-1	NA	NA	**0.2**	10.0 U
MW-4-Screen-1	Apr/May 2005	MW-4-1	5.0 U	**0.03 J**	**4.9**	10.0 U
MW-4-Screen-1	Jul/Sep 2005	MW-4-1	NA	NA	**4.9**	10.0 U
MW-4-Screen-1	Oct/Nov 2005	MW-4-1	NA	NA	**6.1**	10.0 U
MW-4-Screen-1	Mar/Apr 2006	MW-4-1	NA	NA	1.0 U	10.0 U
MW-4-Screen-1	May/Jun 2006	MW-4-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-4-Screen-1	Aug/Sep 2006	DUPE-1-3Q06	NA	NA	**1.8 J**	NA
MW-4-Screen-1	Aug/Sep 2006	MW-4-1	NA	NA	**1.7 J**	10.0 U
MW-4-Screen-1	Aug/Sep 2006	DUPE-1-3Q06	NA	NA	NA	10.0 U
MW-4-Screen-1	Oct/Dec 2006	MW-4-1	NA	NA	**1.5 J**	10.0 U
MW-4-Screen-1	Mar/Apr 2007	MW-4-1	NA	NA	**1.7**	10.0 U
MW-4-Screen-1	Jun/Jul 2007	MW-4-1	1.0 U	1.00 U	**1.7**	10.0 U
MW-4-Screen-1	Aug/Sep 2007	DUPE-1-3Q07	NA	NA	NA	10.0 U
MW-4-Screen-1	Aug/Sep 2007	MW-4-1	NA	NA	**3.0**	10.0 U
MW-4-Screen-1	Aug/Sep 2007	DUPE-1-3Q07	NA	NA	**2.6**	NA
MW-4-Screen-1	Oct/Dec 2007	MW-4-1	NA	NA	**15.7**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-1	Jan/Feb 2008	MW-4-1	NA	NA	**8.2 E**	10.0 U
MW-4-Screen-1	Jan/Feb 2008	DUPE-2-1Q08	NA	NA	**8.0 E**	10.0 U
MW-4-Screen-1	Apr/May 2008	DUPE-1-2Q08	1.0 U	1.00 U	1.0 U	NA
MW-4-Screen-1	Apr/May 2008	MW-4-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-4-Screen-1	Apr/May 2008	DUPE-1-2Q08	NA	NA	NA	10.0 U
MW-4-Screen-1	Jul/Aug 2008	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Oct/Nov 2008	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Jan/Feb 2009	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Apr/May 2009	MW-4-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-1	Jul/Aug 2009	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Nov/Dec 2009	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Feb 2010	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Apr/May 2010	MW-4-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-1	Jul/Aug 2010	DUPE-3-3Q10	NA	NA	NA	10.0 U
MW-4-Screen-1	Jul/Aug 2010	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Jul/Aug 2010	DUPE-3-3Q10	NA	NA	5.0 U	NA
MW-4-Screen-1	Oct/Nov 2010	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Feb/Mar 2011	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Apr/May 2011	MW-4-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-1	Aug/Sep 2011	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Nov/Dec 2011	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Jan/Feb 2012	MW-4-1	NA	NA	5.0 U	10.0 U
MW-4-Screen-1	Apr/May 2012	MW-4-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-1	Aug/Sep 2012	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Nov 2012	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Jan/Feb 2013	MW-4-1	NA	NA	**0.7 J**	2.0 U
MW-4-Screen-1	Apr/May 2013	MW-4-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-1	Jul 2013	MW-4-1	NA	NA	**0.6 J**	2.0 U
MW-4-Screen-1	Oct/Nov 2013	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Jan/Feb 2014	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Apr/May 2014	MW-4-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-1	Jul/Aug 2014	MW-4-1	NA	NA	3.0 UJ	2.0 U
MW-4-Screen-1	Oct 2014	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Jan/Feb 2015	MW-4-1	NA	NA	**0.5 J**	2.0 U
MW-4-Screen-1	Apr/May 2015	MW-4-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-1	Jul/Aug 2015	MW-4-1	NA	NA	3.0 UJ	2.0 U
MW-4-Screen-1	Oct 2015	MW-4-1	NA	NA	0.5 U	2.0 U
MW-4-Screen-1	Jan/Feb 2016	MW-4-1	NA	NA	**0.6 J**	2.0 UJ
MW-4-Screen-1	Apr/May 2016	MW-4-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-1	Jul/Aug 2016	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Oct 2016	MW-4-1	NA	NA	**0.8 J**	2.0 U
MW-4-Screen-1	Jan/Feb 2017	MW-4-1	NA	NA	2.2 U	2.0 U
MW-4-Screen-1	Jan/Feb 2017	DUP-6-1Q17	NA	NA	2.4 U	2.0 U
MW-4-Screen-1	Apr/May 2017	MW-4-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-1	Jul/Aug 2017	MW-4-1	NA	NA	1.8 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-1	Oct-17	MW-4-1	NA	NA	3.0 UJ	2.0 U
MW-4-Screen-1	Jan/Feb 2018	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	April 2018	MW-4-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-1	Jul/Aug 2018	MW-4-1	NA	NA	3.0 U	2.0 U
MW-4-Screen-1	Oct 2018	MW-4-1	NA	NA	**0.6 J**	**0.7 J**
MW-4-Screen-1	Feb/Mar 2019	MW-4-1	NA	NA	**0.9 J**	2.0 U
MW-4-Screen-1	Apr/May 2019	MW-4-1	2.0 U	1.00 U	3.0 U	**0.08 J**
MW-4-Screen-1	Jul/Aug 2019	MW-4-1	NA	NA	3.0 U	**0.12 J**
MW-4-Screen-1	Oct 2019	MW-4-1	NA	NA	3.0 U	**0.06 J**
MW-4-Screen-1	Feb 2020	MW-4-1	NA	NA	3.0 U	**0.07 J**
MW-4-Screen-1	Jun 2020	MW-4-1	**0.9 J**	1.00 U	3.0 U	**0.11 J**
MW-4-Screen-1	Aug 2020	MW-4-1	NA	NA	3.0 U	0.20 U
MW-4-Screen-1	Oct/Nov 2020	MW-4-1	NA	NA	3.0 U	0.10 UJ
MW-4-Screen-2						
MW-4-Screen-2	Aug/Sep 1996	MW-4-2	5.0 U	2.00 U	**23.0**	**6.0 J**
MW-4-Screen-2	Oct/Nov 1996	MW-4-2	5.0 U	2.00 U	**16.0**	5.0 U
MW-4-Screen-2	Feb/Mar 1997	MW-4-2	5.0 U	2.00 U	**11.0**	5.0 U
MW-4-Screen-2	June/July 1997	MW-4-2	5.0 U	2.00 U	**13.0**	5.0 U
MW-4-Screen-2	Sep/Oct 1997	MW-4-2	5.0 U	2.00 U	**12.0**	5.0 U
MW-4-Screen-2	Jan/Feb 1998	MW-4-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-2	Apr/May 1998	MW-4-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-2	Jul/Aug 1998	MW-4-2	5.0 U	2.00 U	**11.0**	5.0 U
MW-4-Screen-2	Oct/Nov 1998	MW-4-2	5.0 U	2.00 U	**10.0**	5.0 U
MW-4-Screen-2	Feb/Mar 1999	MW-4-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-2	May/Jun 1999	MW-4-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-2	Aug 1999	MW-4-2	NA	NA	**10.0**	5.0 U
MW-4-Screen-2	Nov/Dec 1999	MW-4-2	NA	NA	10.0 U	5.0 U
MW-4-Screen-2	Mar/Apr 2000	MW-4-2	NA	NA	10.0 U	5.0 U
MW-4-Screen-2	Jul/Aug 2000	MW-4-2	5.0 U	2.00 U	**13.0**	5.0 U
MW-4-Screen-2	Sep/Oct 2000	MW-4-2	NA	NA	**24.0**	5.0 U
MW-4-Screen-2	Jan/Feb 2001	MW-4-2	5.0 U	1.00 U	**11.0**	10.0 U
MW-4-Screen-2	Apr 2001	MW-4-2	NA	NA	NA	10.0 U
MW-4-Screen-2	Jul 2001	MW-4-2	NA	NA	NA	NA U
MW-4-Screen-2	Jul 2001	MW-4-2	NA	NA	**8.6**	NA
MW-4-Screen-2	Oct 2001	MW-4-2	NA	NA	**8.6**	10.0 U
MW-4-Screen-2	Jan/Feb 2002	MW-4-2	**2.4 B**	1.00 U	**10.9**	10.0 U
MW-4-Screen-2	Apr/May 2002	MW-4-2	NA	NA	**6.0**	10.0 U
MW-4-Screen-2	Jul 2002	MW-4-2	NA	NA	**3.0**	NA U
MW-4-Screen-2	Oct/Nov 2002	MW-4-2	NA	NA	NA	10.0 U
MW-4-Screen-2	Dec 2002	MW-4-2	**1.0**	**0.10 J**	**4.0**	NA
MW-4-Screen-2	Jan/Feb 2003	MW-4-2	NA	NA	NA	0.0 U
MW-4-Screen-2	Jan/Feb 2003	MW-4-2	NA	NA	**4.8**	10.0 U
MW-4-Screen-2	Apr/May 2003	MW-4-2	5.0 U	1.00 U	**6.4 J**	10.0 U
MW-4-Screen-2	Jul/Aug 2003	MW-4-2	NA	NA	**5.2 J**	10.0 U
MW-4-Screen-2	Oct/Nov 2003	MW-4-2	NA	NA	**3.7**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-2	Feb 2004	MW-4-2	NA	NA	**6.7**	10.0 U
MW-4-Screen-2	Apr/May 2004	MW-4-2	5.0 UJ	0.27 UJ	**3.8 J**	**4.0 J**
MW-4-Screen-2	Apr/May 2004	DUPE-3-2Q04	5.0 UJ	0.08 UJ	**4.3 J**	**6.0 J**
MW-4-Screen-2	Jul/Aug 2004	MW-4-2	NA	NA	**13.9**	**7.0 J**
MW-4-Screen-2	Oct/Nov 2004	MW-4-2	NA	NA	**15.6 J**	10.0 U
MW-4-Screen-2	Oct/Nov 2004	DUPE-3-4Q04	NA	NA	**13.5 J**	10.0 U
MW-4-Screen-2	Jan/Feb 2005	MW-4-2	NA	NA	**13.7**	10.0 U
MW-4-Screen-2	Apr/May 2005	MW-4-2	**1.0 J**	**0.05 J**	**7.3**	10.0 U
MW-4-Screen-2	Jul/Sep 2005	DUPE-3-3Q05	NA	NA	**11.7**	10.0 U
MW-4-Screen-2	Jul/Sep 2005	MW-4-2	NA	NA	**9.0**	10.0 U
MW-4-Screen-2	Oct/Nov 2005	MW-4-2	NA	NA	**12.6**	10.0 U
MW-4-Screen-2	Mar/Apr 2006	MW-4-2	NA	NA	**2.8**	10.0 U
MW-4-Screen-2	May/Jun 2006	MW-4-2	1.0 U	1.00 U	**2.4**	10.0 U
MW-4-Screen-2	Aug/Sep 2006	MW-4-2	NA	NA	**2.2 J**	10.0 U
MW-4-Screen-2	Oct/Dec 2006	DUPE-3-4Q06	NA	NA	NA	10.0 U
MW-4-Screen-2	Oct/Dec 2006	MW-4-2	NA	NA	**3.3 J**	10.0 U
MW-4-Screen-2	Oct/Dec 2006	DUPE-3-4Q06	NA	NA	**3.2 J**	NA
MW-4-Screen-2	Mar/Apr 2007	MW-4-2	NA	NA	**2.8**	10.0 U
MW-4-Screen-2	Jun/Jul 2007	MW-4-2	**1.2**	1.00 U	**2.9 J**	10.0 U
MW-4-Screen-2	Aug/Sep 2007	MW-4-2	NA	NA	**13.5**	10.0 U
MW-4-Screen-2	Oct/Dec 2007	MW-4-2	NA	NA	**15.2**	10.0 U
MW-4-Screen-2	Jan/Feb 2008	MW-4-2	NA	NA	**9.1 E**	10.0 U
MW-4-Screen-2	Apr/May 2008	MW-4-2	1.0 U	1.00 U	**1.8 J**	10.0 U
MW-4-Screen-2	Jul/Aug 2008	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Oct/Nov 2008	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Jan/Feb 2009	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Apr/May 2009	MW-4-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-2	Jul/Aug 2009	DUPE-6-3Q09	NA	NA	5.0 U	NA
MW-4-Screen-2	Jul/Aug 2009	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Jul/Aug 2009	DUPE-6-3Q09	NA	NA	NA	10.0 U
MW-4-Screen-2	Nov/Dec 2009	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Feb 2010	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Apr/May 2010	MW-4-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-2	Jul/Aug 2010	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Oct/Nov 2010	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Feb/Mar 2011	DUPE-04-1Q11	NA	NA	NA	10.0 U
MW-4-Screen-2	Feb/Mar 2011	MW-4-2	NA	NA	**6.7**	10.0 U
MW-4-Screen-2	Feb/Mar 2011	DUPE-04-1Q11	NA	NA	5.0 U	NA
MW-4-Screen-2	Apr/May 2011	MW-4-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-2	Aug/Sep 2011	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Nov/Dec 2011	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Jan/Feb 2012	MW-4-2	NA	NA	5.0 U	10.0 U
MW-4-Screen-2	Apr/May 2012	MW-4-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-2	Aug/Sep 2012	MW-4-2	NA	NA	**2.4 J**	2.0 U
MW-4-Screen-2	Nov 2012	MW-4-2	NA	NA	**4.5**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-2	Jan/Feb 2013	MW-4-2	NA	NA	**5.6**	2.0 U
MW-4-Screen-2	Apr/May 2013	MW-4-2	2.0 U	1.00 U	**3.5**	2.0 U
MW-4-Screen-2	Jul 2013	MW-4-2	NA	NA	**3.2**	**1.6 J**
MW-4-Screen-2	Oct/Nov 2013	MW-4-2	NA	NA	**12.0**	2.0 U
MW-4-Screen-2	Jan/Feb 2014	MW-4-2	NA	NA	**2.4 J**	**0.9 J**
MW-4-Screen-2	Apr/May 2014	MW-4-2	**1.2 J**	1.00 U	**16.0**	**0.7 J**
MW-4-Screen-2	Jul/Aug 2014	MW-4-2	NA	NA	3.0 U	2.0 U
MW-4-Screen-2	Oct 2014	MW-4-2	NA	NA	**3.9**	2.0 U
MW-4-Screen-2	Jan/Feb 2015	MW-4-2	NA	NA	**2.1 J**	2.0 U
MW-4-Screen-2	Apr/May 2015	MW-4-2	2.0 U	1.00 U	**8.3**	2.0 U
MW-4-Screen-2	Jul/Aug 2015	MW-4-2	NA	NA	**1.4 J**	2.0 U
MW-4-Screen-2	Oct 2015	MW-4-2	NA	NA	**2.4 J**	2.0 U
MW-4-Screen-2	Jan/Feb 2016	MW-4-2	NA	NA	**1.1 J**	2.0 UJ
MW-4-Screen-2	Apr/May 2016	MW-4-2	2.0 U	1.00 U	**1.0 J**	2.0 U
MW-4-Screen-2	Jul/Aug 2016	MW-4-2	NA	NA	3.0 U	2.0 U
MW-4-Screen-2	Oct 2016	MW-4-2	NA	NA	**2.2 J**	2.0 U
MW-4-Screen-2	Jan/Feb 2017	MW-4-2	NA	NA	3.1 U	2.0 U
MW-4-Screen-2	Apr/May 2017	MW-4-2	2.0 U	1.00 U	**1.7 J**	2.0 U
MW-4-Screen-2	Jul/Aug 2017	MW-4-2	NA	NA	**4.2**	2.0 U
MW-4-Screen-2	Oct-17	MW-4-2	NA	NA	**1.6 J**	2.0 U
MW-4-Screen-2	Jan/Feb 2018	MW-4-2	NA	NA	3.0 U	2.0 U
MW-4-Screen-2	April 2018	MW-4-2	2.0 U	1.00 U	**1.9 J**	**1.8 J**
MW-4-Screen-2	Jul/Aug 2018	MW-4-2	NA	NA	**1.5 J**	2.0 U
MW-4-Screen-2	Oct 2018	MW-4-2	NA	NA	**4.1**	2.0 U
MW-4-Screen-2	Feb/Mar 2019	MW-4-2	NA	NA	**1.4 J**	2.0 U
MW-4-Screen-2	Apr/May 2019	MW-4-2	2.0 U	1.00 U	3.0 U	**0.27**
MW-4-Screen-2	Jul/Aug 2019	MW-4-2	NA	NA	3.0 U	**1.10**
MW-4-Screen-2	Oct 2019	MW-4-2	NA	NA	**1.4 J**	**0.73**
MW-4-Screen-2	Feb 2020	MW-4-2	NA	NA	**0.9 J**	**0.92**
MW-4-Screen-2	Jun 2020	MW-4-2	2.0 U	1.00 U	**0.9 J**	0.20 U
MW-4-Screen-2	Aug 2020	MW-4-2	NA	NA	**1.5 J**	**0.67 J**
MW-4-Screen-2	Oct/Nov 2020	MW-4-2	NA	NA	**1.6 J**	**0.91**
MW-4-Screen-2	Mar/Apr 2021	MW-4-2	NA	NA	**0.6 J**	0.07 UB
MW-4-Screen-2	May/June 2021	MW-4-2	**0.8 J**	1.00 U	**0.6 J**	0.12 UB
MW-4-Screen-3						
MW-4-Screen-3	Aug/Sep 1996	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Oct/Nov 1996	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Feb/Mar 1997	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	June/July 1997	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Sep/Oct 1997	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Jan/Feb 1998	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Apr/May 1998	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Jul/Aug 1998	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Oct/Nov 1998	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Feb/Mar 1999	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-3	May/Jun 1999	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Aug 1999	MW-4-3	NA	NA	10.0 U	5.0 U
MW-4-Screen-3	Nov/Dec 1999	MW-4-3	NA	NA	10.0 U	5.0 U
MW-4-Screen-3	Mar/Apr 2000	MW-4-3	NA	NA	10.0 U	5.0 U
MW-4-Screen-3	Jul/Aug 2000	MW-4-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-3	Sep/Oct 2000	MW-4-3	NA	NA	10.0 U	5.0 U
MW-4-Screen-3	Jan/Feb 2001	MW-4-3	5.0 U	1.00 U	**5.1**	10.0 U
MW-4-Screen-3	Apr 2001	MW-4-3	NA	NA	NA	10.0 U
MW-4-Screen-3	Jul 2001	MW-4-3	NA	NA	NA	NA U
MW-4-Screen-3	Jul 2001	MW-4-3	NA	NA	**2.8 J**	NA
MW-4-Screen-3	Oct 2001	MW-4-3	NA	NA	**5.5**	10.0 U
MW-4-Screen-3	Jan/Feb 2002	MW-4-3	**2.4 B**	1.00 U	**3.4 J**	10.0 U
MW-4-Screen-3	Apr/May 2002	MW-4-3	NA	NA	1.0 U	10.0 U
MW-4-Screen-3	Jul 2002	MW-4-3	NA	NA	NA U	NA U
MW-4-Screen-3	Oct/Nov 2002	MW-4-3	NA	NA	NA	10.0 U
MW-4-Screen-3	Jan/Feb 2003	MW-4-3	NA	NA	**4.3**	10.0 U
MW-4-Screen-3	Apr/May 2003	MW-4-3	5.0 U	1.00 U	**3.8 J**	10.0 U
MW-4-Screen-3	Jul/Aug 2003	MW-4-3	NA	NA	0.4 U	10.0 U
MW-4-Screen-3	Oct/Nov 2003	MW-4-3	NA	NA	0.4 U	10.0 U
MW-4-Screen-3	Feb 2004	MW-4-3	NA	NA	1.0 UJ	10.0 U
MW-4-Screen-3	Apr/May 2004	MW-4-3	5.0 UJ	**0.43 J**	0.2 UJ	10.0 U
MW-4-Screen-3	Jul/Aug 2004	MW-4-3	NA	NA	**1.0**	10.0 U
MW-4-Screen-3	Oct/Nov 2004	MW-4-3	NA	NA	0.6 UJ	10.0 U
MW-4-Screen-3	Jan/Feb 2005	MW-4-3	NA	NA	**0.1 J**	10.0 U
MW-4-Screen-3	Apr/May 2005	MW-4-3	**1.3 J**	**0.34 J**	**0.5 J**	10.0 U
MW-4-Screen-3	Jul/Sep 2005	MW-4-3	NA	NA	**0.7 J**	10.0 U
MW-4-Screen-3	Oct/Nov 2005	MW-4-3	NA	NA	**0.9 J**	10.0 U
MW-4-Screen-3	Mar/Apr 2006	MW-4-3	NA	NA	1.0 U	10.0 U
MW-4-Screen-3	May/Jun 2006	MW-4-3	1.0 U	1.00 U	1.0 U	10.0 U
MW-4-Screen-3	Aug/Sep 2006	MW-4-3	NA	NA	**1.0 J**	10.0 U
MW-4-Screen-3	Oct/Dec 2006	MW-4-3	NA	NA	**1.3 J**	10.0 U
MW-4-Screen-3	Mar/Apr 2007	MW-4-3	NA	NA	**2.0**	10.0 U
MW-4-Screen-3	Jun/Jul 2007	MW-4-3	1.0 U	1.00 U	1.0 U	10.0 U
MW-4-Screen-3	Aug/Sep 2007	MW-4-3	NA	NA	2.0 U	10.0 U
MW-4-Screen-3	Oct/Dec 2007	MW-4-3	NA	NA	1.0 U	10.0 U
MW-4-Screen-3	Jan/Feb 2008	MW-4-3	NA	NA	1.0 U	**4.0 J**
MW-4-Screen-3	Apr/May 2008	MW-4-3	1.0 U	1.00 U	**1.0**	10.0 U
MW-4-Screen-3	Jul/Aug 2008	DUPE-5-3Q08	NA	NA	NA	10.0 U
MW-4-Screen-3	Jul/Aug 2008	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Jul/Aug 2008	DUPE-5-3Q08	NA	NA	5.0 U	NA
MW-4-Screen-3	Oct/Nov 2008	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Jan/Feb 2009	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Apr/May 2009	MW-4-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-3	Jul/Aug 2009	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Nov/Dec 2009	DUPE-05-4Q09	NA	NA	NA	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-3	Nov/Dec 2009	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Nov/Dec 2009	DUPE-05-4Q09	NA	NA	5.0 U	NA
MW-4-Screen-3	Feb 2010	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Apr/May 2010	MW-4-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-3	Jul/Aug 2010	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Oct/Nov 2010	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Feb/Mar 2011	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Apr/May 2011	MW-4-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-3	Aug/Sep 2011	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Nov/Dec 2011	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Jan/Feb 2012	MW-4-3	NA	NA	5.0 U	10.0 U
MW-4-Screen-3	Apr/May 2012	MW-4-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-3	Aug/Sep 2012	MW-4-3	NA	NA	3.0 U	**2.6 J**
MW-4-Screen-3	Nov 2012	MW-4-3	NA	NA	**2.1 J**	**1.3 J**
MW-4-Screen-3	Jan/Feb 2013	DUP-4-1Q13	NA	NA	**3.4**	**1.1 J**
MW-4-Screen-3	Jan/Feb 2013	MW-4-3	NA	NA	**3.5**	**1.1 J**
MW-4-Screen-3	Apr/May 2013	MW-4-3	**1.0 J**	1.00 U	**1.2 J**	2.0 U
MW-4-Screen-3	Jul 2013	MW-4-3	NA	NA	**1.0 J**	2.0 U
MW-4-Screen-3	Oct/Nov 2013	MW-4-3	NA	NA	**1.9 J**	2.0 U
MW-4-Screen-3	Jan/Feb 2014	DUP-1-1Q14	NA	NA	**1.1 J**	**0.9 J**
MW-4-Screen-3	Jan/Feb 2014	MW-4-3	NA	NA	**1.0 J**	**1.1 J**
MW-4-Screen-3	Apr/May 2014	MW-4-3	**1.4 J**	1.00 U	3.0 U	2.0 U
MW-4-Screen-3	Jul/Aug 2014	DUP-7-3Q14	NA	NA	3.0 U	2.0 U
MW-4-Screen-3	Jul/Aug 2014	MW-4-3	NA	NA	3.0 U	2.0 U
MW-4-Screen-3	Oct 2014	MW-4-3	NA	NA	**1.0 J**	4.0 U
MW-4-Screen-3	Jan/Feb 2015	MW-4-3	NA	NA	**0.8 J**	2.0 U
MW-4-Screen-3	Apr/May 2015	MW-4-3	2.0 U	1.00 U	**1.5**	2.0 U
MW-4-Screen-3	Jul/Aug 2015	MW-4-3	NA	NA	**120.0 J**	2.0 U
MW-4-Screen-3	Oct 2015	MW-4-3	NA	NA	**5.5**	2.0 U
MW-4-Screen-3	Jan/Feb 2016	MW-4-3	NA	NA	**1.0 J**	2.0 UJ
MW-4-Screen-3	Apr/May 2016	MW-4-3	2.0 U	1.00 U	**93.0**	2.0 U
MW-4-Screen-3	Jul/Aug 2016	MW-4-3	NA	NA	**1.0 J**	2.0 U
MW-4-Screen-3	Oct 2016	MW-4-3	NA	NA	**2.8 J**	10.0 U
MW-4-Screen-3	Jan/Feb 2017	MW-4-3	NA	NA	2.6 U	2.0 U
MW-4-Screen-3	Apr/May 2017	MW-4-3	2.0 U	**0.10 J**	**55.0**	2.0 U
MW-4-Screen-3	Jul/Aug 2017	MW-4-3	NA	NA	**8.6**	2.0 U
MW-4-Screen-3	Oct-17	MW-4-3	NA	NA	**87.0 J**	2.0 U
MW-4-Screen-3	Jan/Feb 2018	MW-4-3	NA	NA	3.0 U	2.0 U
MW-4-Screen-3	April 2018	MW-4-3	2.0 U	1.00 U	**2.8 J**	2.0 U
MW-4-Screen-3	Jul/Aug 2018	MW-4-3	NA	NA	**0.6 J**	2.0 U
MW-4-Screen-3	Oct 2018	MW-4-3	NA	NA	3.0 U	2.0 U
MW-4-Screen-3	Feb/Mar 2019	MW-4-3	NA	NA	**0.7 J**	2.0 U
MW-4-Screen-3	Apr/May 2019	MW-4-3	2.0 U	1.00 U	**100.0**	0.20 U
MW-4-Screen-3	Jul/Aug 2019	MW-4-3	NA	NA	**53.0**	0.20 U
MW-4-Screen-3	Oct 2019	MW-4-3	NA	NA	**3.8**	0.20 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-3	Feb 2020	MW-4-3	NA	NA	**1.5 J**	**0.10 J**
MW-4-Screen-3	Feb 2020	DUP-7-1Q20	NA	NA	**2.1 J**	**0.09 J**
MW-4-Screen-3	Jun 2020	MW-4-3	2.0 U	1.00 U	**1.0 J**	**0.03 J**
MW-4-Screen-3	Aug 2020	MW-4-3	NA	NA	**1.3 J**	0.20 U
MW-4-Screen-3	Oct/Nov 2020	MW-4-3	NA	NA	**2.1 J**	0.20 U
MW-4-Screen-3	Mar/Apr 2021	MW-4-3	NA	NA	**0.9 J**	0.26 UB
MW-4-Screen-3	May/June 2021	MW-4-3	**0.9 J**	1.00 U	**1.3 J**	**0.51 J**
MW-4-Screen-4						
MW-4-Screen-4	Aug/Sep 1996	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Oct/Nov 1996	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Feb/Mar 1997	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	June/July 1997	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Sep/Oct 1997	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Jan/Feb 1998	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Apr/May 1998	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Jul/Aug 1998	MW-4-4	5.0 U	**7.30**	10.0 U	5.0 U
MW-4-Screen-4	Oct/Nov 1998	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Feb/Mar 1999	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	May/Jun 1999	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Aug 1999	MW-4-4	NA	NA	10.0 U	5.0 U
MW-4-Screen-4	Nov/Dec 1999	MW-4-4	NA	NA	10.0 U	5.0 U
MW-4-Screen-4	Mar/Apr 2000	MW-4-4	NA	NA	10.0 U	5.0 U
MW-4-Screen-4	Jul/Aug 2000	MW-4-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-4	Sep/Oct 2000	MW-4-4	NA	NA	10.0 U	5.0 U
MW-4-Screen-4	Jan/Feb 2001	MW-4-4	5.0 U	1.00 U	5.0 U	10.0 U
MW-4-Screen-4	Apr 2001	MW-4-4	NA	NA	NA	10.0 U
MW-4-Screen-4	Jul 2001	MW-4-4	NA	NA	NA	NA U
MW-4-Screen-4	Jul 2001	MW-4-4	NA	NA	**5.2**	NA
MW-4-Screen-4	Oct 2001	MW-4-4	NA	NA	**7.3**	10.0 U
MW-4-Screen-4	Jan/Feb 2002	MW-4-4	**3.2 B**	1.00 U	**6.5**	10.0 U
MW-4-Screen-4	Apr/May 2002	MW-4-4	NA	NA	**4.0**	10.0 U
MW-4-Screen-4	Jul 2002	MW-4-4	NA	NA	**7.0**	NA U
MW-4-Screen-4	Oct/Nov 2002	MW-4-4	NA	NA	NA	10.0 U
MW-4-Screen-4	Apr/May 2003	MW-4-4	5.0 U	1.00 U	**3.5 J**	10.0 U
MW-4-Screen-4	Apr/May 2003	DUPE-1-2Q03	5.0 U	1.00 U	**2.8 J**	10.0 U
MW-4-Screen-4	Oct/Nov 2003	MW-4-4	NA	NA	**2.4**	10.0 U
MW-4-Screen-4	Apr/May 2004	MW-4-4	5.0 UJ	**0.31 J**	1.1 UJ	10.0 U
MW-4-Screen-4	Oct/Nov 2004	MW-4-4	NA	NA	**10.6 J**	10.0 U
MW-4-Screen-4	Apr/May 2005	MW-4-4	**1.5 J**	**0.04 J**	**3.8**	10.0 U
MW-4-Screen-4	Oct/Nov 2005	DUPE-5-4Q05	NA	NA	**7.8**	10.0 U
MW-4-Screen-4	Oct/Nov 2005	MW-4-4	NA	NA	**8.5**	10.0 U
MW-4-Screen-4	May/Jun 2006	MW-4-4	1.0 U	1.00 U	**1.3**	10.0 U
MW-4-Screen-4	Oct/Dec 2006	MW-4-4	NA	NA	**2.7 J**	10.0 U
MW-4-Screen-4	Jun/Jul 2007	MW-4-4	**1.2**	1.00 U	**3.5 J**	10.0 U
MW-4-Screen-4	Oct/Dec 2007	MW-4-4	NA	NA	**9.8**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-4	Apr/May 2008	MW-4-4	**1.1**	1.00 U	**1.2 J**	10.0 U
MW-4-Screen-4	Oct/Nov 2008	MW-4-4	NA	NA	5.0 U	10.0 U
MW-4-Screen-4	Apr/May 2009	MW-4-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-4	Nov/Dec 2009	MW-4-4	NA	NA	5.0 U	10.0 U
MW-4-Screen-4	Apr/May 2010	MW-4-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-4	Apr/May 2010	DUPE-02-2Q10	NA	NA	NA	10.0 U
MW-4-Screen-4	Oct/Nov 2010	MW-4-4	NA	NA	5.0 U	10.0 U
MW-4-Screen-4	Apr/May 2011	MW-4-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-4	Nov/Dec 2011	MW-4-4	NA	NA	5.0 U	10.0 U
MW-4-Screen-4	Apr/May 2012	MW-4-4	**4.5**	5.00 U	5.0 U	10.0 U
MW-4-Screen-4	Nov 2012	MW-4-4	NA	NA	**1.3 J**	2.0 U
MW-4-Screen-4	Apr/May 2013	MW-4-4	**0.8 J**	1.00 U	**0.9 J**	2.0 U
MW-4-Screen-4	Oct/Nov 2013	MW-4-4	NA	NA	**1.1 J**	2.0 U
MW-4-Screen-4	Apr/May 2014	MW-4-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-4	Oct 2014	MW-4-4	NA	NA	**0.9 J**	2.0 U
MW-4-Screen-4	Apr/May 2015	MW-4-4	**1.2 J**	1.00 U	**2.9**	2.0 U
MW-4-Screen-4	Apr/May 2015	DUP-2-2Q15	**1.0 J**	1.00 U	**1.9**	2.0 U
MW-4-Screen-4	Oct 2015	MW-4-4	NA	NA	**1.0 J**	2.0 U
MW-4-Screen-4	Apr/May 2016	MW-4-4	**0.8 J**	1.00 U	**0.8 J**	2.0 U
MW-4-Screen-4	Oct 2016	MW-4-4	NA	NA	**1.4 J**	2.0 U
MW-4-Screen-4	Oct 2016	DUP-5-4Q16	NA	NA	**1.3 J**	2.0 U
MW-4-Screen-4	Apr/May 2017	MW-4-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-4	Oct-17	MW-4-4	NA	NA	**0.6 J**	2.0 U
MW-4-Screen-4	April 2018	MW-4-4	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-4-Screen-4	Oct 2018	MW-4-4	NA	NA	3.0 U	**0.9 J**
MW-4-Screen-4	Apr/May 2019	MW-4-4	2.0 U	1.00 U	3.0 U	0.20 U
MW-4-Screen-4	Oct 2019	MW-4-4	NA	NA	3.0 U	0.20 U
MW-4-Screen-4	Jun 2020	MW-4-4	2.0 U	1.00 U	**0.6 J**	0.20 U
MW-4-Screen-4	Oct/Nov 2020	MW-4-4	NA	NA	**0.8 J**	0.20 U
MW-4-Screen-4	May/June 2021	MW-4-4	2.0 U	1.00 U	3.0 U	0.06 UB
MW-4-Screen-5						
MW-4-Screen-5	Aug/Sep 1996	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Oct/Nov 1996	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Feb/Mar 1997	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	June/July 1997	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Sep/Oct 1997	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Jan/Feb 1998	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Apr/May 1998	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Jul/Aug 1998	MW-4-5	**5.1**	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Oct/Nov 1998	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Feb/Mar 1999	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	May/Jun 1999	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Aug 1999	MW-4-5	NA	NA	10.0 U	5.0 U
MW-4-Screen-5	Nov/Dec 1999	MW-4-5	NA	NA	10.0 U	5.0 U
MW-4-Screen-5	Mar/Apr 2000	MW-4-5	NA	NA	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-5	Jul/Aug 2000	MW-4-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-4-Screen-5	Sep/Oct 2000	MW-4-5	NA	NA	10.0 U	5.0 U
MW-4-Screen-5	Jan/Feb 2001	MW-4-5	5.0 U	1.00 U	**3.5 J**	10.0 U
MW-4-Screen-5	Apr 2001	MW-4-5	NA	NA	NA	10.0 U
MW-4-Screen-5	Jul 2001	MW-4-5	NA	NA	NA	NA U
MW-4-Screen-5	Jul 2001	MW-4-5	NA	NA	**11.9**	NA
MW-4-Screen-5	Oct 2001	MW-4-5	NA	NA	**7.9**	10.0 U
MW-4-Screen-5	Jan/Feb 2002	MW-4-5	**3.9 B**	1.00 U	**6.4**	10.0 U
MW-4-Screen-5	Apr/May 2002	MW-4-5	NA	NA	**5.0**	10.0 U
MW-4-Screen-5	Jul 2002	MW-4-5	NA	NA	**3.0**	NA U
MW-4-Screen-5	Oct/Nov 2002	MW-4-5	NA	NA	NA	10.0 U
MW-4-Screen-5	Dec 2002	MW-4-5	**0.9**	**0.06 J**	**1.8**	NA
MW-4-Screen-5	Jan/Feb 2003	MW-4-5	NA	NA	NA	0.0 U
MW-4-Screen-5	Apr/May 2003	MW-4-5	5.0 U	1.00 U	**3.0 J**	10.0 U
MW-4-Screen-5	Oct/Nov 2003	MW-4-5	NA	NA	**3.5 J**	10.0 U
MW-4-Screen-5	Oct/Nov 2003	DUPE-3-4Q03	NA	NA	**5.6**	10.0 U
MW-4-Screen-5	Apr/May 2004	MW-4-5	5.0 UJ	0.23 UJ	**6.6 J**	10.0 U
MW-4-Screen-5	Oct/Nov 2004	MW-4-5	NA	NA	**9.3 J**	10.0 U
MW-4-Screen-5	Apr/May 2005	MW-4-5	**1.1 J**	**0.06 J**	**3.2**	10.0 U
MW-4-Screen-5	Oct/Nov 2005	MW-4-5	NA	NA	**8.9**	10.0 U
MW-4-Screen-5	May/Jun 2006	MW-4-5	1.0 U	1.00 U	**1.9**	**4.0 J**
MW-4-Screen-5	Oct/Dec 2006	MW-4-5	NA	NA	NA	10.0 U
MW-4-Screen-5	Oct/Dec 2006	MW-4-5	NA	NA	**2.6 J**	NA
MW-4-Screen-5	Jun/Jul 2007	MW-4-5	1.0 U	1.00 U	**2.5 J**	10.0 U
MW-4-Screen-5	Oct/Dec 2007	MW-4-5	NA	NA	**9.6**	**5.0 J**
MW-4-Screen-5	Apr/May 2008	MW-4-5	1.0 U	1.00 U	**2.6 J**	10.0 U
MW-4-Screen-5	Oct/Nov 2008	MW-4-5	NA	NA	5.0 U	10.0 U
MW-4-Screen-5	Apr/May 2009	MW-4-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-5	Nov/Dec 2009	MW-4-5	NA	NA	**5.2 J**	10.0 U
MW-4-Screen-5	Apr/May 2010	MW-4-5	**2.2**	5.00 U	**9.4**	10.0 U
MW-4-Screen-5	Oct/Nov 2010	MW-4-5	NA	NA	5.0 U	10.0 U
MW-4-Screen-5	Apr/May 2011	MW-4-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-5	Nov/Dec 2011	MW-4-5	NA	NA	5.0 U	10.0 U
MW-4-Screen-5	Apr/May 2012	MW-4-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-4-Screen-5	Nov 2012	MW-4-5	NA	NA	3.0 U	2.0 U
MW-4-Screen-5	Apr/May 2013	MW-4-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-5	Oct/Nov 2013	MW-4-5	NA	NA	3.0 U	2.0 U
MW-4-Screen-5	Apr/May 2014	MW-4-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-5	Oct 2014	MW-4-5	NA	NA	3.0 U	**0.9 J**
MW-4-Screen-5	Apr/May 2015	MW-4-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-4-Screen-5	Oct 2015	MW-4-5	NA	NA	**1.6 J**	2.0 U
MW-4-Screen-5	Apr/May 2016	MW-4-5	**1.2 J**	1.00 U	**1.0 J**	2.0 U
MW-4-Screen-5	Apr/May 2016	DUP-3-2Q16	**0.9 J**	1.00 U	**1.3 J**	2.0 U
MW-4-Screen-5	Oct 2016	MW-4-5	NA	NA	**3.4**	2.0 U
MW-4-Screen-5	Apr/May 2017	MW-4-5	2.0 U	1.00 U	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-4-Screen-5	Oct-17	MW-4-5	NA	NA	**1.3 J**	2.0 U
MW-4-Screen-5	April 2018	MW-4-5	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-4-Screen-5	Oct 2018	MW-4-5	NA	NA	**5.6**	2.0 U
MW-4-Screen-5	Apr/May 2019	MW-4-5	2.0 U	1.00 U	3.0 U	0.20 U
MW-4-Screen-5	Oct 2019	MW-4-5	NA	NA	**9.5**	0.20 U
MW-4-Screen-5	Jun 2020	MW-4-5	**1.1 J**	1.00 U	**2.4 J**	0.20 U
MW-4-Screen-5	Oct/Nov 2020	MW-4-5	NA	NA	3.0 U	0.20 U
MW-4-Screen-5	May/June 2021	MW-4-5	2.0 U	1.00 U	3.0 U	0.06 UB
MW-5						
MW-5	Aug/Sep 1996	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Oct/Nov 1996	MW-5	5.0 U	**2.60**	10.0 U	5.0 U
MW-5	Feb/Mar 1997	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	June/July 1997	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Sep/Oct 1997	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Jan/Feb 1998	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Apr/May 1998	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Jul/Aug 1998	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Oct/Nov 1998	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Feb/Mar 1999	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	May/Jun 1999	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Aug 1999	MW-5	NA	NA	10.0 U	5.0 U
MW-5	Nov/Dec 1999	MW-5	NA	NA	10.0 U	5.0 U
MW-5	Mar/Apr 2000	MW-5	NA	NA	10.0 U	5.0 U
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.00 U	**12.0**	5.0 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	**20.0**	5.0 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	10.0 U	5.0 U
MW-5	Jan/Feb 2001	MW-5	5.0 U	1.00 U	**5.5**	10.0 U
MW-5	Jul 2001	MW-5	NA	NA	NA	NA U
MW-5	Jul 2001	DUP	NA	NA	NA	NA U
MW-5	Jul 2001	MW-5	NA	NA	**3.0 J**	NA
MW-5	Oct 2001	MW-5	NA	NA	**7.4**	10.0 U
MW-5	Oct 2001	DUP	NA	NA	NA	10.0 U
MW-5	Jan/Feb 2002	MW-5	5.0 U	**0.17 J**	**6.8**	10.0 U
MW-5	Apr/May 2002	MW-5	NA	NA	**8.0**	10.0 U
MW-5	Jul 2002	MW-5	NA	NA	**5.0**	NA U
MW-5	Oct/Nov 2002	MW-5	NA	NA	NA	10.0 U
MW-5	Jan/Feb 2003	MW-5	NA	NA	**6.8**	10.0 U
MW-5	Apr/May 2003	MW-5	5.0 U	1.00 U	**3.1 J**	10.0 U
MW-5	Jul/Aug 2003	MW-5	NA	NA	**3.1 J**	10.0 U
MW-5	Oct/Nov 2003	MW-5	NA	NA	**2.8 J**	10.0 U
MW-5	Feb 2004	MW-5	NA	NA	**5.1**	10.0 U
MW-5	Apr/May 2004	MW-5	5.0 U	**0.12 J**	**1.9**	10.0 U
MW-5	Jul/Aug 2004	MW-5	NA	NA	**10.9 J**	10.0 U
MW-5	Jul/Aug 2004	DUPE-5-3Q04	NA	NA	**11.6 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-5	Oct/Nov 2004	MW-5	NA	NA	**11.7 J**	10.0 U
MW-5	Jan/Feb 2005	MW-5	NA	NA	**4.5**	10.0 U
MW-5	Jan/Feb 2005	DUPE-5-1Q05	NA	NA	**5.6**	10.0 U
MW-5	Apr/May 2005	MW-5	5.0 U	**0.03 J**	**7.7**	10.0 U
MW-5	Jul/Sep 2005	MW-5	NA	NA	**6.4 J**	10.0 U
MW-5	Jul/Sep 2005	DUPE-8-3Q05	NA	NA	**6.2 J**	10.0 U
MW-5	Oct/Nov 2005	MW-5	NA	NA	**6.2 J**	10.0 U
MW-5	Mar/Apr 2006	MW-5	NA	NA	1.0 U	10.0 U
MW-5	May/Jun 2006	MW-5	1.0 U	1.00 U	**1.2**	10.0 U
MW-5	Aug/Sep 2006	MW-5	NA	NA	2.0 U	10.0 U
MW-5	Oct/Dec 2006	MW-5	NA	NA	**3.1**	10.0 U
MW-5	Mar/Apr 2007	MW-5	NA	NA	**8.6**	10.0 U
MW-5	Jun/Jul 2007	MW-5	NA	NA	NA	10.0 U
MW-5	Jun/Jul 2007	MW-5	1.0 U	**2.72**	**15.7**	NA
MW-5	Aug/Sep 2007	MW-5	NA	NA	**14.7**	10.0 U
MW-5	Oct/Dec 2007	DUPE-8-4Q07	NA	NA	NA	10.0 U
MW-5	Oct/Dec 2007	MW-5	NA	NA	**6.5 E**	10.0 U
MW-5	Oct/Dec 2007	DUPE-8-4Q07	NA	NA	**6.8 E**	NA
MW-5	Jan/Feb 2008	MW-5	NA	NA	**9.7 E**	**5.0 J**
MW-5	Apr/May 2008	DUPE-8-2Q08	NA	NA	NA	10.0 U
MW-5	Apr/May 2008	MW-5	1.0 U	1.00 U	**2.9**	10.0 U
MW-5	Apr/May 2008	DUPE-8-2Q08	1.0 U	1.00 U	**3.6**	NA
MW-5	Jul/Aug 2008	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Oct/Nov 2008	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Jan/Feb 2009	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Apr/May 2009	MW-5	2.0 U	5.00 U	**5.1**	10.0 U
MW-5	Jul/Aug 2009	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Nov/Dec 2009	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Feb 2010	DUPE-6-1Q10	NA	NA	NA	10.0 U
MW-5	Feb 2010	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Feb 2010	DUPE-6-1Q10	NA	NA	5.0 U	NA
MW-5	Apr/May 2010	MW-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-5	Jul/Aug 2010	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Oct/Nov 2010	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Feb/Mar 2011	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Apr/May 2011	DUPE-6-2Q11	NA	NA	NA	10.0 U
MW-5	Apr/May 2011	MW-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-5	Apr/May 2011	DUPE-6-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-5	Aug/Sep 2011	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Nov/Dec 2011	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Jan/Feb 2012	MW-5	NA	NA	5.0 U	10.0 U
MW-5	Apr/May 2012	DUPE-7-2Q12	NA	NA	NA	10.0 U
MW-5	Apr/May 2012	MW-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-5	Apr/May 2012	DUPE-7-2Q12	2.0 U	5.00 U	5.0 U	NA
MW-5	Aug/Sep 2012	MW-5	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-5	Nov 2012	MW-5	NA	NA	**1.1 J**	2.0 U
MW-5	Jan/Feb 2013	MW-5	NA	NA	3.0 U	2.0 U
MW-5	Apr/May 2013	MW-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-5	Jul 2013	MW-5	NA	NA	3.0 U	2.0 U
MW-5	Oct/Nov 2013	MW-5	NA	NA	3.0 U	2.0 U
MW-5	Jan/Feb 2014	MW-5	NA	NA	**0.7 J**	2.0 U
MW-5	Jan/Feb 2014	DUPE-6-1Q14	NA	NA	**0.7 J**	2.0 U
MW-5	Apr/May 2014	MW-5	2.0 U	1.00 U	**0.8 J**	2.0 U
MW-5	Jul/Aug 2014	MW-5	NA	NA	**7.8**	2.0 U
MW-5	Oct 2014	MW-5	NA	NA	**2.7 J**	**0.9 J**
MW-5	Jan/Feb 2015	MW-5	NA	NA	**1.6 J**	**1.2 J**
MW-5	Apr/May 2015	MW-5	2.0 U	1.00 U	3.0 U	10.0 U
MW-5	Jul/Aug 2015	MW-5	NA	NA	**3.3 J**	2.0 U
MW-5	Jul/Aug 2015	DUP-5-3Q15	NA	NA	**3.2 J**	2.0 U
MW-5	Oct 2015	MW-5	NA	NA	**2.0 J**	2.0 U
MW-5	Jan/Feb 2016	MW-5	NA	NA	**5.4**	2.0 U
MW-5	Apr/May 2016	MW-5	4.0 U	2.00 U	6.0 U	2.0 U
MW-5	Jul/Aug 2016	MW-5	NA	NA	**1.4 J**	2.0 U
MW-5	Jan/Feb 2017	MW-5	NA	NA	3 U	**0.9 J**
MW-5	Apr/May 2017	MW-5	2.0 U	1.00 U	1.0 U	2.0 U
MW-5	Jul/Aug 2017	MW-5	NA	NA	1.2 U	2.0 U
MW-5	Oct-17	MW-5	NA	NA	**1.0 J**	2.0 U
MW-5	Oct-17	DUP-6-4Q17	NA	NA	**1.2 J**	2.0 U
MW-5	Jan/Feb 2018	MW-5	NA	NA	3.0 U	2.0 U
MW-5	April 2018	MW-5	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-5	Jul/Aug 2018	MW-5	NA	NA	3.0 U	2.0 U
MW-5	Jul/Aug 2018	DUP-5-3Q18	NA	NA	3.0 U	2.0 U
MW-5	Feb/Mar 2019	MW-5	NA	NA	3.0 U	2.0 U
MW-5	Apr/May 2019	MW-5	2.0 U	1.00 U	3.0 U	**0.18 J**
MW-5	Jul/Aug 2019	MW-5	NA	NA	**0.8 J**	**0.15 J**
MW-5	Oct 2019	MW-5	NA	NA	**0.7 J**	0.20 U
MW-5	Oct 2019	DUP-6-4Q19	NA	NA	**0.7 J**	0.20 U
MW-5	Feb 2020	MW-5	NA	NA	**2.5 J**	**0.14 J**
MW-5	Jun 2020	MW-5	**1.0 J**	1.00 U	3.0 U	0.20 U
MW-5	Aug 2020	MW-5	NA	NA	**1.8 J**	0.20 U
MW-6						
MW-6	Aug/Sep 1996	MW-6	5.0 U	2.00 U	**50.0**	5.0 U
MW-6	Oct/Nov 1996	MW-6	5.0 U	2.00 U	**11.0**	5.0 U
MW-6	Feb/Mar 1997	MW-6	5.0 U	2.00 U	**14.0**	5.0 U
MW-6	June/July 1997	MW-6	5.0 U	2.00 U	**19.0**	5.0 U
MW-6	Sep/Oct 1997	MW-6	5.0 U	2.00 U	10.0 U	5.0 U
MW-6	Jan/Feb 1998	MW-6	5.0 U	2.00 U	10.0 U	5.0 U
MW-6	Apr/May 1998	MW-6	5.0 U	2.00 U	**12.0**	5.0 U
MW-6	Jul/Aug 1998	MW-6	5.0 U	2.00 U	**13.0**	5.0 U
MW-6	Oct/Nov 1998	MW-6	5.0 U	2.00 U	**37.0**	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-6	Feb/Mar 1999	MW-6	5.0 U	2.00 U	**17.0**	5.0 U
MW-6	May/Jun 1999	MW-6	5.0 U	2.00 U	**36.0**	5.0 U
MW-6	Aug 1999	MW-6	NA	NA	**310.0**	5.0 U
MW-6	Nov/Dec 1999	MW-6	NA	NA	**12.0**	5.0 U
MW-6	Mar/Apr 2000	MW-6	NA	NA	**82.0**	5.0 U
MW-6	Jul/Aug 2000	MW-6	5.0 U	2.00 U	**51.0**	5.0 U
MW-6	Sep/Oct 2000	MW-6	NA	NA	**22.0**	5.0 U
MW-6	Jan/Feb 2001	MW-6	**2.2 B**	1.00 U	**11.0**	10.0 U
MW-6	Jul 2001	MW-6	NA	NA	NA	NA U
MW-6	Jul 2001	MW-6	NA	NA	**20.9**	NA
MW-6	Oct 2001	MW-6	NA	NA	**33.8**	10.0 U
MW-6	Oct 2001	DUP	NA	NA	NA	10.0 U
MW-6	Jan/Feb 2002	MW-6	**3.4 B**	**0.06 J**	**10.1 J**	10.0 U
MW-6	Apr/May 2002	MW-6	NA	NA	**27.0**	10.0 U
MW-6	Jul 2002	MW-6	NA	NA	**15.0**	NA U
MW-6	Oct/Nov 2002	MW-6	NA	NA	NA	10.0 U
MW-6	Jan/Feb 2003	MW-6	NA	NA	**6.4**	10.0 U
MW-6	Apr/May 2003	MW-6	5.0 U	1.00 U	**7.1 J**	10.0 U
MW-6	Jul/Aug 2003	MW-6	NA	NA	**6.6 J**	10.0 U
MW-6	Oct/Nov 2003	MW-6	NA	NA	**9.9 J**	10.0 U
MW-6	Feb 2004	MW-6	NA	NA	**10.0**	10.0 U
MW-6	Apr/May 2004	MW-6	2.0 U	**0.18**	**7.8**	10.0 U
MW-6	Jul/Aug 2004	MW-6	NA	NA	**28.4 J**	10.0 U
MW-6	Oct/Nov 2004	MW-6	NA	NA	**21.0 J**	10.0 U
MW-6	Jan/Feb 2005	MW-6	NA	NA	**20.0**	10.0 U
MW-6	Apr/May 2005	MW-6	**1.9 J**	**0.03 J**	**13.6**	10.0 U
MW-6	Apr/May 2005	DUPE-8-2Q05	**2.0 J**	**0.03 J**	**13.0**	10.0 U
MW-6	Jul/Sep 2005	MW-6	NA	NA	**13.8 J**	10.0 U
MW-6	Oct/Nov 2005	MW-6	NA	NA	**13.0 J**	10.0 U
MW-6	Mar/Apr 2006	DUPE-8-1Q06	NA	NA	**4.9 J**	10.0 U
MW-6	Mar/Apr 2006	MW-6	NA	NA	**4.9 J**	10.0 U
MW-6	May/Jun 2006	MW-6	1.0 U	1.00 U	**7.5**	10.0 U
MW-6	Aug/Sep 2006	DUPE-6-3Q06	NA	NA	**5.4**	10.0 U
MW-6	Aug/Sep 2006	MW-6	NA	NA	**3.7**	10.0 U
MW-6	Oct/Dec 2006	MW-6	NA	NA	1.0 U	10.0 U
MW-6	Mar/Apr 2007	MW-6	NA	NA	**10.1**	10.0 U
MW-6	Jun/Jul 2007	MW-6	NA	NA	NA	10.0 U
MW-6	Jun/Jul 2007	MW-6	1.0 U	**1.27**	**2.3**	NA
MW-6	Aug/Sep 2007	DUPE-4-3Q07	NA	NA	NA	10.0 U
MW-6	Aug/Sep 2007	MW-6	NA	NA	**15.1**	10.0 U
MW-6	Aug/Sep 2007	DUPE-4-3Q07	NA	NA	**15.9**	NA
MW-6	Oct/Dec 2007	MW-6	NA	NA	**7.5 E**	10.0 U
MW-6	Jan/Feb 2008	MW-6	NA	NA	**5.1 E**	**6.0 J**
MW-6	Apr/May 2008	MW-6	1.0 U	1.00 U	**6.4**	10.0 U
MW-6	Jul/Aug 2008	MW-6	NA	NA	**9.9**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-6	Oct/Nov 2008	MW-6	NA	NA	**14.0**	10.0 U
MW-6	Jan/Feb 2009	MW-6	NA	NA	**18.0**	10.0 U
MW-6	Apr/May 2009	MW-6	2.0 U	5.00 U	**23.0**	10.0 U
MW-6	Jul/Aug 2009	MW-6	NA	NA	**48.0**	10.0 U
MW-6	Nov/Dec 2009	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Feb 2010	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Apr/May 2010	MW-6	2.0 U	5.00 U	5.0 U	10.0 U
MW-6	Jul/Aug 2010	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Oct/Nov 2010	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Feb/Mar 2011	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Apr/May 2011	DUPE-7-2Q11	NA	NA	NA	10.0 U
MW-6	Apr/May 2011	MW-6	2.0 U	5.00 U	5.0 U	10.0 U
MW-6	Apr/May 2011	DUPE-7-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-6	Aug/Sep 2011	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Aug/Sep 2011	DUPE-7-3Q11	NA	NA	5.0 U	NA
MW-6	May/Sep 2011	MW-6	NA	NA	NA	10.0 U
MW-6	Nov/Dec 2011	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Jan/Feb 2012	DUPE-5-1Q12	NA	NA	NA	10.0 U
MW-6	Jan/Feb 2012	MW-6	NA	NA	5.0 U	10.0 U
MW-6	Jan/Feb 2012	DUPE-5-1Q12	NA	NA	5.0 U	NA
MW-6	Apr/May 2012	MW-6	**2.5**	5.00 U	**83.0**	10.0 U
MW-6	Aug/Sep 2012	MW-6	NA	NA	**2.3 J**	2.0 U
MW-6	Nov 2012	MW-6	NA	NA	**2.2 J**	**1.1 J**
MW-6	Nov 2012	DUPE-5-4Q12	NA	NA	**2.5 J**	**1.1 J**
MW-6	Jan/Feb 2013	MW-6	NA	NA	**1.6 J**	2.0 U
MW-6	Apr/May 2013	MW-6	2.0 U	1.00 U	**5.1**	**1.6 J**
MW-6	Apr/May 2013	DUP-7-2Q13	2.0 U	1.00 U	**1.1 J**	**1.4 J**
MW-6	Jul 2013	MW-6	NA	NA	3.0 U	2.0 U
MW-6	Oct/Nov 2013	MW-6	NA	NA	**39.0**	2.0 U
MW-6	Jan/Feb 2014	MW-6	NA	NA	**8.1**	2.0 U
MW-6	Apr/May 2014	MW-6	2.0 U	1.00 U	**190.0**	**1.6 J**
MW-6	Jul/Aug 2014	MW-6	NA	NA	**26.0**	2.0 U
MW-6	Oct 2014	MW-6	NA	NA	**270.0**	**1.0 J**
MW-6	Jan/Feb 2015	MW-6	NA	NA	**78.0**	**1.7 J**
MW-6	Jan/Feb 2015	Dup-4-1Q15	NA	NA	**73.0**	**1.6 J**
MW-6	Apr/May 2015	MW-6	**0.8 J**	1.00 U	**820.0**	**1.7 J**
MW-6	Jul/Aug 2015	MW-6	NA	NA	**250.0 J**	**0.9 J**
MW-6	Oct 2015	MW-6	NA	NA	**65.0**	**2.5**
MW-6	Jan/Feb 2016	MW-6	NA	NA	**73.0**	2.0 U
MW-6	Apr/May 2016	MW-6	**1.5 J**	1.00 U	**60.0**	**2.0**
MW-6	Jul/Aug 2016	MW-6	NA	NA	**53.0**	2.0 U
MW-6	Jul/Aug 2016	DUP-4-3Q16	NA	NA	**41.0**	2.0 U
MW-6	Jan/Feb 2017	MW-6	NA	NA	**27.0**	2.0 U
MW-6	Jan/Feb 2017	DUP-4-1Q17	NA	NA	**19.0**	2.0 U
MW-6	Apr/May 2017	MW-6	2.0 U	1.00 U	**80.0**	**1.6 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-6	Jul/Aug 2017	MW-6	NA	NA	**30.0**	2.0 U
MW-6	Jul/Aug 2017	DUP-7-3Q17	NA	NA	**120.0**	**2.0**
MW-6	Oct-17	MW-6	NA	NA	**1100.0**	**1.2 J**
MW-6	Jan/Feb 2018	MW-6	NA	NA	**90.0**	**1.5 J**
MW-6	Jan/Feb 2018	DUP-6-1Q18	NA	NA	**32.0**	**1.7 J**
MW-6	April 2018	MW-6	2.0 U	1.00 U	**24.0**	**1.6 J**
MW-6	Jul/Aug 2018	MW-6	NA	NA	**24.0**	**1.1 J**
MW-6	Jul/Aug 2018	DUP-6-3Q18	NA	NA	**52.0**	**1.3 J**
MW-6	Feb/Mar 2019	MW-6	NA	NA	**13.0**	**2.0**
MW-6	Apr/May 2019	MW-6	2.0 U	1.00 U	**48.0**	**1.60**
MW-6	Jul/Aug 2019	MW-6	NA	NA	**9.9**	**1.50**
MW-6	Oct 2019	MW-6	NA	NA	**39.0**	**2.10**
MW-6	Feb 2020	MW-6	NA	NA	**8.1**	**1.70**
MW-7						
MW-7	Aug/Sep 1996	MW-7	5.0 U	2.00 U	**13.0**	**7.0**
MW-7	Oct/Nov 1996	MW-7	5.0 U	2.00 U	**19.0**	**19.0**
MW-7	Feb/Mar 1997	MW-7	5.0 U	2.00 U	10.0 U	**10.0**
MW-7	June/July 1997	MW-7	5.0 U	2.00 U	10.0 U	5.0 U
MW-7	Sep/Oct 1997	MW-7	5.0 U	2.00 U	**18.0**	**30.0**
MW-7	Jan/Feb 1998	MW-7	5.0 U	2.00 U	**12.0**	5.0 U
MW-7	Apr/May 1998	MW-7	5.0 U	2.00 U	10.0 U	5.0 U
MW-7	Jul/Aug 1998	MW-7	5.0 U	2.00 U	10.0 U	5.0 U
MW-7	Oct/Nov 1998	MW-7	5.0 U	2.00 U	10.0 U	5.0 U
MW-7	Feb/Mar 1999	MW-7	5.0 U	2.00 U	10.0 U	5.0 U
MW-7	May/Jun 1999	MW-7	5.0 U	2.00 U	**11.0**	5.0 U
MW-7	Aug 1999	MW-7	NA	NA	10.0 U	**5.0**
MW-7	Nov/Dec 1999	MW-7	NA	NA	**10.0**	**7.0**
MW-7	Mar/Apr 2000	MW-7	NA	NA	**12.0**	**8.0**
MW-7	Jul/Aug 2000	MW-7	5.0 U	2.00 U	**14.0**	5.0 U
MW-7	Jan/Feb 2002	MW-7	**2.2 B**	NA	NA	10.0 U
MW-7	Apr/May 2002	MW-7	NA	NA	**9.0**	10.0 U
MW-7	Jul 2002	MW-7	NA	NA	**6.0**	NA U
MW-7	Oct/Nov 2002	MW-7	NA	NA	NA	10.0 U
MW-7	Jan/Feb 2003	MW-7	**0.6**	**0.06 J**	**6.4**	**2.5**
MW-7	Jan/Feb 2003	MW-7	NA	NA	**7.4**	10.0 U
MW-7	Jan/Feb 2003	DUPE-6-1Q03	NA	NA	**7.3**	10.0 U
MW-7	Apr/May 2003	MW-7	5.0 U	1.00 U	**4.9**	10.0 U
MW-7	Jul/Aug 2003	MW-7	NA	NA	**4.6 J**	10.0 U
MW-7	Oct/Nov 2003	MW-7	NA	NA	**5.0 J**	10.0 U
MW-7	Feb 2004	MW-7	NA	NA	**5.7**	10.0 U
MW-7	Apr/May 2004	MW-7	5.0 U	**0.46**	**11.2**	10.0 U
MW-7	Apr/May 2004	DUPE-7-2Q04	5.0 U	**0.51**	**11.7**	10.0 U
MW-7	Jul/Aug 2004	MW-7	NA	NA	**8.7 J**	10.0 U
MW-7	Oct/Nov 2004	MW-7	NA	NA	**11.2 J**	10.0 U
MW-7	Jan/Feb 2005	MW-7	NA	NA	**7.6**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-7	Apr/May 2005	MW-7	**2.1 J**	**0.05 J**	**11.5**	10.0 U
MW-7	Jul/Sep 2005	MW-7	NA	NA	**9.1 J**	10.0 U
MW-7	Oct/Nov 2005	MW-7	NA	NA	**7.8**	10.0 U
MW-7	Oct/Nov 2005	DUPE-8-4Q05	NA	NA	**8.2**	10.0 U
MW-7	Mar/Apr 2006	MW-7	NA	NA	**1.1 J**	10.0 U
MW-7	May/Jun 2006	MW-7	1.0 U	1.00 U	**1.1**	10.0 U
MW-7	Aug/Sep 2006	MW-7	NA	NA	**2.9**	10.0 U
MW-7	Oct/Dec 2006	MW-7	NA	NA	**2.8**	10.0 U
MW-7	Mar/Apr 2007	MW-7	NA	NA	**10.6**	**5.0 J**
MW-7	Jun/Jul 2007	DUPE-8-2Q07	NA	NA	NA	**9.0 J**
MW-7	Jun/Jul 2007	MW-7	1.0 U	**1.70 J**	**11.3**	**6.0 J**
MW-7	Jun/Jul 2007	DUPE-8-2Q07	1.0 U	**2.45 J**	**10.6**	NA
MW-7	Aug/Sep 2007	MW-7	NA	NA	**14.5**	10.0 U
MW-7	Oct/Dec 2007	DUPE-4-4Q07	NA	NA	NA	10.0 U
MW-7	Oct/Dec 2007	MW-7	NA	NA	**13.1**	10.0 U
MW-7	Oct/Dec 2007	DUPE-4-4Q07	NA	NA	**13.3**	NA
MW-7	Jan/Feb 2008	DUPE-6-1Q08	NA	NA	NA	**13.0**
MW-7	Jan/Feb 2008	MW-7	NA	NA	**9.5 J**	**12.0**
MW-7	Jan/Feb 2008	DUPE-6-1Q08	NA	NA	**9.1 J**	NA
MW-7	Apr/May 2008	DUPE-5-2Q08	NA	NA	NA	10.0 U
MW-7	Apr/May 2008	MW-7	1.0 U	1.00 U	**18.2 E**	10.0 U
MW-7	Apr/May 2008	DUPE-5-2Q08	1.0 U	1.00 U	**15.6 E**	NA
MW-7	Jul/Aug 2008	MW-7	NA	NA	**6.5**	10.0 U
MW-7	Oct/Nov 2008	MW-7	NA	NA	**7.6**	10.0 U
MW-7	Jan/Feb 2009	DUPE-06-1Q09	NA	NA	NA	10.0 U
MW-7	Jan/Feb 2009	MW-7	NA	NA	5.0 U	10.0 U
MW-7	Jan/Feb 2009	DUPE-06-1Q09	NA	NA	5.0 U	NA
MW-7	Apr/May 2009	MW-7	2.0 U	5.00 U	**11.0**	**13.0**
MW-7	Jul/Aug 2009	MW-7	NA	NA	**11.0 J**	**8.0 J**
MW-7	Nov/Dec 2009	MW-7	NA	NA	NA	10.0 U
MW-7	Nov/Dec 2009	MW-7	NA	NA	5.0 U	NA
MW-7	Feb 2010	MW-7	NA	NA	5.0 U	10.0 U
MW-7	Apr/May 2010	MW-7	2.0 U	5.00 U	**5.2**	10.0 U
MW-7	Jul/Aug 2010	MW-7	NA	NA	**6.0**	**7.0**
MW-7	Oct/Nov 2010	MW-7	NA	NA	5.0 U	NA
MW-7	Feb/Mar 2011	MW-7	NA	NA	**15.0**	**12.0**
MW-7	Apr/May 2011	MW-7	2.0 U	5.00 U	**15.0**	**14.0**
MW-7	Aug/Sep 2011	MW-7	NA	NA	**79.0**	10.0 U
MW-7	Nov/Dec 2011	MW-7	NA	NA	5.0 U	10.0 U
MW-7	Jan/Feb 2012	MW-7	NA	NA	5.0 U	10.0 U
MW-7	Apr/May 2012	MW-7	2.0 U	5.00 U	5.0 U	10.0 U
MW-7	Aug/Sep 2012	MW-7	NA	NA	**73.0**	2.0 U
MW-7	Nov 2012	MW-7	NA	NA	**9.0**	**2.1 J**
MW-7	Jan/Feb 2013	MW-7	NA	NA	**12.0**	**9.6 J**
MW-7	Jan/Feb 2013	DUP-7-1Q13	NA	NA	**13.0**	**9.5 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-7	Apr/May 2013	MW-7	**0.9 J**	1.00 U	**16.0 J**	**14.0**
MW-7	Apr/May 2013	DUP-6-2Q13	**0.9 J**	1.00 U	**17.0 J**	**13.0**
MW-7	Jul 2013	MW-7	NA	NA	**17.0**	**3.9**
MW-7	Oct/Nov 2013	MW-7	NA	NA	**16.0**	**3.5**
MW-7	Jan/Feb 2014	MW-7	NA	NA	**49.0**	**2.0**
MW-7	Jan/Feb 2014	DUPE-5-1Q14	NA	NA	**42.0**	**1.3 J**
MW-7	Apr/May 2014	MW-7	2.0 U	**0.10 J**	**15.0**	**7.2**
MW-7	Apr/May 2014	DUP-8-2Q14	2.0 U	1.00 U	**16.0**	**7.0**
MW-7	Jul/Aug 2014	MW-7	NA	NA	**9100.0**	2.0 U
MW-7	Jan/Feb 2015	MW-7	NA	NA	**49.0**	**3.8**
MW-7	Jan/Feb 2015	Dup-7-1Q15	NA	NA	**57.0**	**3.8**
MW-7	Apr/May 2015	MW-7	**0.8 J**	1.00 U	**83.0**	**6.6 J**
MW-7	Apr/May 2017	MW-7	2.0 U	1.00 U	**64.0 J**	2.9 U
MW-7	Jul/Aug 2017	MW-7	NA	NA	**7400.0**	**1.1 J**
MW-7	Oct-17	MW-7	NA	NA	**1200.0 J**	**1.3 J**
MW-7	Jan/Feb 2018	MW-7	NA	NA	**200.0**	**0.7 J**
MW-7	April 2018	MW-7	**1.0 J**	1.00 U	**54.0**	4.0 U
MW-7	Jul/Aug 2018	MW-7	NA	NA	**670.0**	2.0 U
MW-7	Feb/Mar 2019	MW-7	NA	NA	**11.0**	**2.5**
MW-7	Apr/May 2019	MW-7	2.0 U	1.00 U	**7.0**	**2.30**
MW-7	Jul/Aug 2019	MW-7	NA	NA	**25.0**	**1.60**
MW-7	Oct 2019	MW-7	NA	NA	**20.0 J**	**1.00**
MW-7	Feb 2020	MW-7	NA	NA	**17.0**	**0.95**
MW-7	Jun 2020	MW-7	2.0 U	1.00 U	**37.0**	**1.20**
MW-7	Aug 2020	MW-7	NA	NA	**190.0**	**0.57**
MW-8						
MW-8	Aug/Sep 1996	MW-8	5.0 U	2.00 U	10.0 U	**9.0 J**
MW-8	Oct/Nov 1996	MW-8	5.0 U	**2.40**	10.0 U	5.0 U
MW-8	Feb/Mar 1997	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	June/July 1997	MW-8	5.0 U	**2.30**	10.0 U	5.0 U
MW-8	Sep/Oct 1997	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	Jan/Feb 1998	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	Apr/May 1998	MW-8	5.0 U	2.00 U	**13.0**	5.0 U
MW-8	Jul/Aug 1998	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	Oct/Nov 1998	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	Feb/Mar 1999	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	May/Jun 1999	MW-8	5.0 U	2.00 U	10.0 U	5.0 U
MW-8	Aug 1999	MW-8	NA	NA	**14.0**	5.0 U
MW-8	Nov/Dec 1999	MW-8	NA	NA	10.0 U	5.0 U
MW-8	Mar/Apr 2000	MW-8	NA	NA	10.0 U	5.0 U
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.00 U	**41.0**	**19.0**
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.00 U	**16.0**	5.0 U
MW-8	Sep/Oct 2000	MW-8	NA	NA	**36.0**	**28.0**
MW-8	Sep/Oct 2000	MW-8	NA	NA	10.0 U	5.0 U
MW-8	Jan/Feb 2001	MW-8	5.0 U	**0.22 J**	**6.9**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-8	Jul 2001	MW-8	NA	NA	NA	NA U
MW-8	Jul 2001	MW-8	NA	NA	**3.2 J**	NA
MW-8	Oct 2001	MW-8	NA	NA	**4.7**	10.0 U
MW-8	Jan/Feb 2002	MW-8	5.0 U	**0.37 J**	**6.9**	10.0 U
MW-8	Apr/May 2002	MW-8	NA	NA	**4.0**	10.0 U
MW-8	Jul 2002	MW-8	NA	NA	**28.0**	NA U
MW-8	Oct/Nov 2002	MW-8	NA	NA	NA	10.0 U
MW-8	Jan/Feb 2003	MW-8	**1.0**	**0.10 J**	**0.5**	0.2 U
MW-8	Jan/Feb 2003	MW-8	NA	NA	**9.4**	10.0 U
MW-8	Apr/May 2003	MW-8	**2.0 J**	1.00 U	**1.4 J**	10.0 U
MW-8	Jul/Aug 2003	MW-8	NA	NA	**3.6 J**	10.0 U
MW-8	Oct/Nov 2003	MW-8	NA	NA	1.5 UJ	**8.0 J**
MW-8	Oct/Nov 2003	DUPE-7-4Q03	NA	NA	NA	10.0 U
MW-8	Oct/Nov 2003	DUPE-7-4-Q03	NA	NA	1.8 UJ	NA
MW-8	Feb 2004	MW-8	NA	NA	**4.0**	10.0 U
MW-8	Apr/May 2004	MW-8	5.0 U	0.02 U	**6.0**	10.0 U
MW-8	Jul/Aug 2004	MW-8	NA	NA	**9.8 J**	10.0 U
MW-8	Oct/Nov 2004	MW-8	NA	NA	**8.5 J**	10.0 U
MW-8	Jan/Feb 2005	MW-8	NA	NA	**8.4**	10.0 U
MW-8	Jan/Feb 2005	DUPE-6-1Q05	NA	NA	**8.5**	10.0 U
MW-8	Apr/May 2005	MW-8	**1.7 J**	**0.03 J**	**7.3**	10.0 U
MW-8	Jul/Sep 2005	MW-8	NA	NA	**9.1**	10.0 U
MW-8	Oct/Nov 2005	MW-8	NA	NA	**9.5**	10.0 U
MW-8	Mar/Apr 2006	MW-8	NA	NA	**1.2 J**	10.0 U
MW-8	May/Jun 2006	MW-8	1.0 U	1.00 U	**12.6**	10.0 U
MW-8	Aug/Sep 2006	DUPE-5-3Q06	NA	NA	NA	10.0 U
MW-8	Aug/Sep 2006	MW-8	NA	NA	**2.9**	10.0 U
MW-8	Aug/Sep 2006	DUPE-5-3Q06	NA	NA	**22.2**	NA
MW-8	Oct/Dec 2006	MW-8	NA	NA	**11.7**	10.0 U
MW-8	Mar/Apr 2007	MW-8	NA	NA	**12.7**	10.0 U
MW-8	Jun/Jul 2007	MW-8	1.0 U	**3.24**	**13.2**	10.0 U
MW-8	Aug/Sep 2007	DUPE-7-3Q07	NA	NA	NA	10.0 U
MW-8	Aug/Sep 2007	MW-8	NA	NA	**18.4**	10.0 U
MW-8	Aug/Sep 2007	DUPE-7-3Q07	NA	NA	**16.8**	NA
MW-8	Oct/Dec 2007	MW-8	NA	NA	**16.3**	10.0 U
MW-8	Jan/Feb 2008	MW-8	NA	NA	**5.0 E**	**5.0 J**
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	NA	NA	**15.1 E**	NA
MW-8	Apr/May 2008	MW-8	**1.0**	**1.80**	**8.8 E**	**7.0 J**
MW-8	Jul/Aug 2008	MW-8	NA	NA	**7.5**	10.0 U
MW-8	Oct/Nov 2008	MW-8	NA	NA	**13.0**	10.0 U
MW-8	Jan/Feb 2009	MW-8	NA	NA	**6.2**	10.0 U
MW-8	Apr/May 2009	MW-8	2.0 U	**12.00**	**7.5**	10.0 U
MW-8	Jul/Aug 2009	MW-8	NA	NA	**5.3**	10.0 U
MW-8	Nov/Dec 2009	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Feb 2010	MW-8	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-8	Apr/May 2010	MW-8	2.0 U	5.00 U	5.0 U	10.0 U
MW-8	Jul/Aug 2010	DUPE-1-3Q10	NA	NA	NA	10.0 U
MW-8	Jul/Aug 2010	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Jul/Aug 2010	DUPE-1-3Q10	NA	NA	5.0 U	NA
MW-8	Oct/Nov 2010	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Feb/Mar 2011	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Apr/May 2011	DUPE-8-2Q11	NA	NA	NA	10.0 U
MW-8	Apr/May 2011	MW-8	2.0 U	5.00 U	5.0 U	10.0 U
MW-8	Apr/May 2011	DUPE-8-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-8	Aug/Sep 2011	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Nov/Dec 2011	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Jan/Feb 2012	MW-8	NA	NA	5.0 U	10.0 U
MW-8	Apr/May 2012	MW-8	2.0 U	5.00 U	5.0 U	10.0 U
MW-8	Aug/Sep 2012	MW-8	NA	NA	**3.7**	2.0 U
MW-8	Nov 2012	MW-8	NA	NA	**1.5 J**	**0.8 J**
MW-8	Nov 2012	DUPE-8-4Q12	NA	NA	**1.4 J**	2.0 U
MW-8	Jan/Feb 2013	MW-8	NA	NA	**0.6 J**	2.0 U
MW-8	Jan/Feb 2013	DUP-6-1Q13	NA	NA	3.0 U	2.0 U
MW-8	Apr/May 2013	MW-8	**0.9 J**	1.00 U	**0.7 J**	2.0 U
MW-8	Jul 2013	MW-8	NA	NA	3.0 U	2.0 U
MW-8	Oct/Nov 2013	MW-8	NA	NA	**2.4 J**	**1.0 J**
MW-8	Oct/Nov 2013	DUPE-5-4Q13	NA	NA	**2.1 J**	**1.1 J**
MW-8	Jan/Feb 2014	MW-8	NA	NA	**3.0**	**1.4 J**
MW-8	Jan/Feb 2014	DUPE-7-1Q14	NA	NA	**3.4**	**1.3 J**
MW-8	Apr/May 2014	MW-8	2.0 U	1.00 U	**1.7 J**	**1.0 J**
MW-8	Jul/Aug 2014	MW-8	NA	NA	**18.0**	**2.8**
MW-8	Oct 2014	MW-8	NA	NA	**20.0**	**8.2**
MW-8	Jan/Feb 2015	MW-8	NA	NA	**32.6**	**9.2**
MW-8	Apr/May 2015	MW-8	**0.7 J**	1.00 U	**7.6**	**4.8 J**
MW-8	Jul/Aug 2015	MW-8	NA	NA	**16.0 J**	**4.5**
MW-8	Jul/Aug 2015	DUP-6-3Q15	NA	NA	**17.0**	**4.5**
MW-8	Oct 2015	MW-8	NA	NA	**62.0**	**3.8**
MW-8	Jan/Feb 2016	MW-8	NA	NA	**100.0**	2.0 U
MW-8	Apr/May 2016	MW-8	1.6 U	2.00 U	**10.0**	**3.0**
MW-8	Apr/May 2016	Dup-8-2Q16	4.0 U	2.00 U	**19.0**	**3.5**
MW-8	Jul/Aug 2016	MW-8	NA	NA	**29.0**	**4.0**
MW-8	Jul/Aug 2016	DUP-5-3Q16	NA	NA	**29.0**	**3.0**
MW-8	Oct 2016	MW-8	NA	NA	**35.0 J**	3.3 U
MW-8	Jan/Feb 2017	MW-8	NA	NA	**65.0 J**	**5.3**
MW-8	Jan/Feb 2017	MW-8	NA	NA	NA	NA
MW-8	Apr/May 2017	MW-8	2.0 U	1.00 U	2.3 U	2.0 U
MW-8	Jul/Aug 2017	MW-8	NA	NA	1.9 U	**0.8 J**
MW-8	Oct-17	MW-8	NA	NA	**14.0 J**	2.0 U
MW-8	Jan/Feb 2018	MW-8	NA	NA	3.0 U	**1.4 J**
MW-8	April 2018	MW-8	**0.9 J**	1.00 U	**4.6**	**1.2 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-8	Jul/Aug 2018	MW-8	NA	NA	**7.3**	**0.9 J**
MW-8	Jul/Aug 2018	DUP-7-3Q18	NA	NA	**5.3**	**0.8 J**
MW-8	Feb/Mar 2019	MW-8	NA	NA	**16.0**	2.0 U
MW-8	Feb/Mar 2019	DUP-7-1Q19	NA	NA	**16.0**	**0.8 J**
MW-8	Apr/May 2019	MW-8	2.0 U	1.00 U	**1.0 J**	**0.28**
MW-8	Apr/May 2019	DUP-6-2Q19	2.0 U	1.00 U	**0.7 J**	**0.28**
MW-8	Jul/Aug 2019	MW-8	NA	NA	**3.4**	**0.19 J**
MW-8	Oct 2019	MW-8	NA	NA	**2.1 J**	**0.63**
MW-8	Oct 2019	DUP-8-4Q19	NA	NA	**4.0 J**	**0.64**
MW-8	Feb 2020	MW-8	NA	NA	**2.4 J**	**0.46**
MW-8	Jun 2020	MW-8	2.0 U	1.00 U	**6.0**	**0.29**
MW-8	Aug 2020	MW-8	NA	NA	**3.7**	**0.97 J**
MW-8	Aug 2020	DUP-7-3Q20	NA	NA	**3.2**	**0.88**
MW-9						
MW-9	Aug/Sep 1996	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Oct/Nov 1996	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Feb/Mar 1997	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	June/July 1997	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Sep/Oct 1997	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Jan/Feb 1998	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Apr/May 1998	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Jul/Aug 1998	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Oct/Nov 1998	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Feb/Mar 1999	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	May/Jun 1999	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Nov/Dec 1999	MW-9	NA	NA	10.0 U	5.0 U
MW-9	Jul/Aug 2000	MW-9	5.0 U	2.00 U	10.0 U	5.0 U
MW-9	Jan/Feb 2001	MW-9	**2.6 B**	1.00 U	**2.0 J**	10.0 U
MW-9	Jan/Feb 2002	MW-9	**2.3 B**	1.00 U	**3.9 J**	10.0 U
MW-9	Apr/May 2003	MW-9	**2.1 J**	**0.48 J**	**4.3**	10.0 U
MW-9	Oct/Nov 2003	MW-9	NA	NA	**5.5 J**	10.0 U
MW-9	Apr/May 2004	MW-9	5.0 U	**1.90**	**9.2**	10.0 U
MW-9	Oct/Nov 2004	MW-9	NA	NA	**14.5**	10.0 U
MW-9	Apr/May 2005	MW-9	**1.2 J**	**0.65 J**	**2.3**	10.0 U
MW-9	Apr/May 2005	DUPE-3-2Q05	5.0 U	**0.55 J**	**2.1**	10.0 U
MW-9	Oct/Nov 2005	MW-9	NA	NA	**4.5**	10.0 U
MW-9	May/Jun 2006	MW-9	1.0 U	**2.53**	**1.7**	10.0 U
MW-9	Oct/Dec 2006	DUPE-7-4Q06	NA	NA	1.0 U	10.0 U
MW-9	Oct/Dec 2006	MW-9	NA	NA	**3.6**	10.0 U
MW-9	Jun/Jul 2007	MW-9	1.0 U	**2.02**	**6.6**	10.0 U
MW-9	Oct/Dec 2007	MW-9	NA	NA	**11.3 E**	10.0 U
MW-9	Apr/May 2008	MW-9	1.0 U	**1.31**	**4.5**	10.0 U
MW-9	Oct/Nov 2008	MW-9	NA	NA	5.0 U	10.0 U
MW-9	Apr/May 2009	MW-9	2.0 U	5.00 U	5.0 U	10.0 U
MW-9	Nov/Dec 2009	DUPE-8-4Q09	NA	NA	NA	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-9	Nov/Dec 2009	MW-9	NA	NA	NA	10.0 U
MW-9	Nov/Dec 2009	MW-9	NA	NA	**13.0**	NA
MW-9	Nov/Dec 2009	DUPE-8-4Q09	NA	NA	**7.8**	NA
MW-9	Apr/May 2010	MW-9	2.0 U	5.00 U	5.0 U	10.0 U
MW-9	Oct/Nov 2010	MW-9	NA	NA	5.0 U	10.0 U
MW-9	Apr/May 2011	MW-9	2.0 U	5.00 U	5.0 U	10.0 U
MW-9	Nov/Dec 2011	MW-9	NA	NA	5.0 U	**6.0 J**
MW-9	Apr/May 2012	MW-9	2.0 U	5.00 U	5.0 U	10.0 U
MW-9	Nov 2012	MW-9	NA	NA	**0.7 J**	2.0 U
MW-9	Apr/May 2013	MW-9	**1.0 J**	1.00 U	**0.7 J**	2.0 U
MW-9	Apr/May 2014	MW-9	2.0 U	1.00 U	3.0 U	2.0 U
MW-9	Apr/May 2014	DUP-5-2Q14	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-9	Oct 2014	MW-9	NA	NA	**3.0**	2.0 U
MW-9	Apr/May 2015	MW-9	2.0 U	1.00 U	**2.5**	2.0 U
MW-9	Oct 2015	MW-9	NA	NA	**93.0**	**1.2 J**
MW-9	Oct 2015	DUP-8-4Q15	NA	NA	**110.0**	**0.9 J**
MW-9	Apr/May 2016	MW-9	1.9 U	2.00 U	6.0 U	2.0 U
MW-9	Oct 2016	MW-9	NA	NA	**100.0**	2.0 U
MW-9	Oct 2016	DUP-7-4Q16	NA	NA	**76.0**	2.0 U
MW-9	Apr/May 2017	MW-9	2.0 U	1.00 U	**19.0 J**	1.4 U
MW-9	Oct-17	MW-9	NA	NA	**8.9 J**	2.0 U
MW-9	April 2018	MW-9	2.0 U	**0.14 J**	**3.0**	2.0 U
MW-9	Oct 2018	MW-9	NA	NA	**130.0**	2.0 U
MW-9	Apr/May 2019	MW-9	2.0 U	**0.20 J**	**6.3**	**0.57**
MW-9	Oct 2019	MW-9	NA	NA	**80.0 J**	**0.38**
MW-9	Jun 2020	MW-9	2.0 U	1.00 U	3.0 U	**0.52**
MW-9	Oct/Nov 2020	MW-9	NA	NA	**240.0**	0.48 UJ
MW-9	Oct/Nov 2020	DUP-7-4Q20	NA	NA	**230.0**	0.48 UJ
MW-9	May/June 2021	MW-9	**0.8 J**	1.00 U	**3.0**	**0.46 J**
MW-10						
MW-10	Aug/Sep 1996	MW-10	5.0 U	2.00 U	**11.0**	**10.0**
MW-10	Oct/Nov 1996	MW-10	5.0 U	**2.90**	**11.0**	5.0 U
MW-10	Feb/Mar 1997	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	June/July 1997	MW-10	5.0 U	2.00 U	**14.0**	5.0 U
MW-10	Sep/Oct 1997	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Jan/Feb 1998	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Apr/May 1998	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Jul/Aug 1998	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Oct/Nov 1998	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Feb/Mar 1999	MW-10	5.0 U	2.00 U	**14.0**	5.0 U
MW-10	May/Jun 1999	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Aug 1999	MW-10	NA	NA	10.0 U	5.0 U
MW-10	Nov/Dec 1999	MW-10	NA	NA	**26.0**	5.0 U
MW-10	Mar/Apr 2000	MW-10	NA	NA	**34.0**	5.0 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.00 U	10.0 U	**6.0**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.00 U	10.0 U	5.0 U
MW-10	Sep/Oct 2000	DUP	NA	NA	**29.0**	5.0 U
MW-10	Sep/Oct 2000	MW-10	NA	NA	10.0 U	5.0 U
MW-10	Jan/Feb 2001	MW-10	5.0 U	1.00 U	**11.0**	10.0 U
MW-10	Jul 2001	MW-10	NA	NA	NA	NA U
MW-10	Jul 2001	DUP	NA	NA	NA	NA U
MW-10	Jul 2001	MW-10	NA	NA	**16.3**	NA
MW-10	Oct 2001	MW-10	NA	NA	**12.9**	10.0 U
MW-10	Oct 2001	DUP	NA	NA	NA	10.0 U
MW-10	Jan/Feb 2002	MW-10	**1.8 B**	**0.03 J**	**8.2**	10.0 U
MW-10	Apr/May 2002	MW-10	NA	NA	**8.0**	10.0 U
MW-10	Jul 2002	MW-10	NA	NA	**13.0**	NA U
MW-10	Oct/Nov 2002	MW-10	NA	NA	NA	10.0 U
MW-10	Jan/Feb 2003	MW-10	**0.5**	**0.30**	**4.5**	**0.7**
MW-10	Jan/Feb 2003	MW-10	NA	NA	**11.0**	10.0 U
MW-10	Apr/May 2003	MW-10	5.0 U	**0.15 J**	**8.1 J**	10.0 U
MW-10	Jul/Aug 2003	MW-10	NA	NA	**11.0 J**	10.0 U
MW-10	Oct/Nov 2003	MW-10	NA	NA	**7.6 J**	10.0 U
MW-10	Feb 2004	MW-10	NA	NA	**24.0**	10.0 U
MW-10	Apr/May 2004	MW-10	5.0 U	0.01 U	**21.3**	10.0 U
MW-10	Jul/Aug 2004	MW-10	NA	NA	**24.2 J**	10.0 U
MW-10	Jul/Aug 2004	DUPE-6-3Q04	NA	NA	**23.8 J**	10.0 U
MW-10	Oct/Nov 2004	MW-10	NA	NA	**17.0 J**	**4.0 J**
MW-10	Oct/Nov 2004	DUP-6-11/18/04	NA	NA	**16.7 J**	10.0 U
MW-10	Jan/Feb 2005	MW-10	NA	NA	**20.0**	10.0 U
MW-10	Apr/May 2005	MW-10	5.0 U	**0.03 J**	**21.1**	**11.0**
MW-10	Apr/May 2005	DUPE-9-2Q05	5.0 U	**0.03 J**	**22.2**	**11.0**
MW-10	Jul/Sep 2005	MW-10	NA	NA	**25.4 J**	**14.0**
MW-10	Jul/Sep 2005	DUPE-7-3Q05	NA	NA	**24.6 J**	**14.0**
MW-10	Oct/Nov 2005	MW-10	NA	NA	**25.4**	**14.0**
MW-10	Mar/Apr 2006	MW-10	NA	NA	**14.8 J**	**10.0**
MW-10	May/Jun 2006	MW-10	2.5 U	1.00 U	**20.5**	**8.0 J**
MW-10	Aug/Sep 2006	MW-10	NA	NA	**22.6**	10.0 U
MW-10	Oct/Dec 2006	DUPE-8-4Q06	NA	NA	**14.0**	10.0 U
MW-10	Oct/Dec 2006	MW-10	NA	NA	**14.6**	10.0 U
MW-10	Mar/Apr 2007	MW-10	NA	NA	**47.5**	10.0 U
MW-10	Jun/Jul 2007	MW-10	1.0 U	**1.11**	**14.0**	10.0 U
MW-10	Aug/Sep 2007	MW-10	NA	NA	**19.5**	10.0 U
MW-10	Oct/Dec 2007	DUPE-7-4Q07	NA	NA	NA	10.0 U
MW-10	Oct/Dec 2007	MW-10	NA	NA	**26.2 E**	10.0 U
MW-10	Oct/Dec 2007	DUPE-7-4Q07	NA	NA	**24.0 E**	NA
MW-10	Jan/Feb 2008	MW-10	NA	NA	**29.3 E**	10.0 U
MW-10	Apr/May 2008	MW-10	1.0 U	**4.47**	**8.5 E**	10.0 U
MW-10	Jul/Aug 2008	MW-10	NA	NA	**17.0**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-10	Oct/Nov 2008	MW-10	NA	NA	**22.0**	10.0 U
MW-10	Jan/Feb 2009	DUPE-07-1Q09	NA	NA	NA	10.0 U
MW-10	Jan/Feb 2009	MW-10	NA	NA	**15.0**	10.0 U
MW-10	Jan/Feb 2009	DUPE-07-1Q09	NA	NA	**11.0**	NA
MW-10	Apr/May 2009	MW-10	2.0 U	5.00 U	**11.0**	10.0 U
MW-10	Jul/Aug 2009	MW-10	NA	NA	**6.6**	10.0 U
MW-10	Nov/Dec 2009	MW-10	NA	NA	5.0 U	10.0 U
MW-10	Feb 2010	MW-10	NA	NA	5.0 U	10.0 U
MW-10	Apr/May 2010	MW-10	2.0 U	5.00 U	**5.5**	10.0 U
MW-10	Jul/Aug 2010	MW-10	NA	NA	**7.6**	**13.0**
MW-10	Oct/Nov 2010	MW-10	NA	NA	**5.7**	10.0 U
MW-10	Feb/Mar 2011	DUPE-7-1Q11	NA	NA	NA	10.0 U
MW-10	Feb/Mar 2011	MW-10	NA	NA	5.0 U	10.0 U
MW-10	Feb/Mar 2011	DUPE-7-1Q11	NA	NA	5.0 U	NA
MW-10	Apr/May 2011	MW-10	2.0 U	5.00 U	5.0 U	10.0 U
MW-10	Aug/Sep 2011	MW-10	NA	NA	5.0 U	10.0 U
MW-10	Nov/Dec 2011	MW-10	NA	NA	**5.4**	10.0 U
MW-10	Jan/Feb 2012	MW-10	NA	NA	5.0 U	10.0 U
MW-10	Apr/May 2012	MW-10	2.0 U	5.00 U	5.0 U	10.0 U
MW-10	Aug/Sep 2012	MW-10	NA	NA	**23.0 J**	2.0 U
MW-10	Nov 2012	MW-10	NA	NA	**21.0**	**5.6 J**
MW-10	Jan/Feb 2013	MW-10	NA	NA	**5.8**	**3.0 J**
MW-10	Apr/May 2013	MW-10	2.0 U	1.00 U	**5.2**	**3.9**
MW-10	Jul 2013	MW-10	NA	NA	3.0 U	**1.9 J**
MW-10	Oct/Nov 2013	MW-10	NA	NA	**2.9 J**	2.0 U
MW-10	Oct/Nov 2013	DUPE-8-4Q13	NA	NA	**3.4**	2.0 U
MW-10	Jan/Feb 2014	MW-10	NA	NA	3.0 U	2.0 U
MW-10	Apr/May 2014	MW-10	2.0 U	1.00 U	**2.4 J**	**1.2 J**
MW-10	Jul/Aug 2014	MW-10	NA	NA	**5.7**	**1.0 J**
MW-10	Oct 2014	MW-10	NA	NA	**10.0**	2.0 U
MW-10	Jan/Feb 2015	MW-10	NA	NA	**4.7**	NA
MW-10	Jan/Feb 2015	MW-10	NA	NA	**4.7 J**	**1.1 J**
MW-10	Apr/May 2015	MW-10	2.0 U	1.00 U	**3.4**	10.0 U
MW-10	Jul/Aug 2015	MW-10	NA	NA	**6.7 J**	**1.2 J**
MW-10	Oct 2015	MW-10	NA	NA	**9.5**	2.0 UJ
MW-10	Jan/Feb 2016	MW-10	NA	NA	**10.0**	2.0 U
MW-10	Apr/May 2016	MW-10	**3.7 J**	5.00 U	15.0 U	**2.7**
MW-10	Jul/Aug 2016	MW-10	NA	NA	**21.0**	2.0 U
MW-10	Jan/Feb 2017	MW-10	NA	NA	**18.0**	**0.9 J**
MW-10	Jan/Feb 2017	MW-10	NA	NA	**17.0**	**0.8 J**
MW-10	Apr/May 2017	MW-10	2.0 U	1.00 U	**3.5**	**2.5**
MW-10	Jul/Aug 2017	MW-10	NA	NA	**3.8**	**2.9**
MW-10	Oct-17	MW-10	NA	NA	**2.6 J**	**2.0**
MW-10	Jan/Feb 2018	MW-10	NA	NA	**4.9**	**2.3**
MW-10	April 2018	MW-10	2.0 U	1.00 U	**10.0**	**1.3 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-10	Jul/Aug 2018	MW-10	NA	NA	**18.0**	**2.8**
MW-10	Feb/Mar 2019	MW-10	NA	NA	**20.0**	**1.7 J**
MW-10	Apr/May 2019	MW-10	2.0 U	1.00 U	**4.0**	**1.20**
MW-10	Jul/Aug 2019	MW-10	NA	NA	**7.8**	**1.00**
MW-10	Oct 2019	MW-10	NA	NA	**4.1**	**1.10**
MW-10	Feb 2020	MW-10	NA	NA	**12.0**	**0.85**
MW-10	Jun 2020	MW-10	**1.0 J**	1.00 U	**7.4**	**0.79**
MW-10	Aug 2020	MW-10	NA	NA	**18.0**	**0.90**
MW-11-Screen-1						
MW-11-Screen-1	Aug/Sep 1996	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Oct/Nov 1996	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Feb/Mar 1997	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	June/July 1997	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Sep/Oct 1997	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Jan/Feb 1998	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Apr/May 1998	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Jul/Aug 1998	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Oct/Nov 1998	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Feb/Mar 1999	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	May/Jun 1999	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Aug 1999	MW-11-1	NA	NA	10.0 U	5.0 U
MW-11-Screen-1	Nov/Dec 1999	MW-11-1	NA	NA	10.0 U	5.0 U
MW-11-Screen-1	Mar/Apr 2000	MW-11-1	NA	NA	10.0 U	5.0 U
MW-11-Screen-1	Jul/Aug 2000	MW-11-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-1	Sep/Oct 2000	MW-11-1	NA	NA	10.0 U	5.0 U
MW-11-Screen-1	Jan/Feb 2001	MW-11-1	5.0 U	1.00 U	**5.0**	10.0 U
MW-11-Screen-1	Jul 2001	MW-11-1	NA	NA	NA	NA U
MW-11-Screen-1	Jul 2001	MW-11-1	NA	NA	**2.3 J**	NA
MW-11-Screen-1	Oct 2001	MW-11-1	NA	NA	**3.5**	10.0 U
MW-11-Screen-1	Jan/Feb 2002	MW-11-1	5.0 U	**0.04 J**	**3.8 J**	10.0 U
MW-11-Screen-1	Apr/May 2002	MW-11-1	NA	NA	**5.0**	10.0 U
MW-11-Screen-1	Jul 2002	MW-11-1	NA	NA	**4.0**	NA U
MW-11-Screen-1	Oct/Nov 2002	MW-11-1	NA	NA	NA	10.0 U
MW-11-Screen-1	Jan/Feb 2003	MW-11-1	NA	NA	**2.6**	10.0 U
MW-11-Screen-1	Apr/May 2003	MW-11-1	5.0 U	1.00 U	**1.3**	10.0 U
MW-11-Screen-1	Jul/Aug 2003	MW-11-1	NA	NA	**2.0 J**	10.0 U
MW-11-Screen-1	Oct/Nov 2003	MW-11-1	NA	NA	**2.0 J**	10.0 U
MW-11-Screen-1	Feb 2004	MW-11-1	NA	NA	**3.7**	10.0 U
MW-11-Screen-1	Apr/May 2004	MW-11-1	5.0 U	0.03 U	**7.4**	10.0 U
MW-11-Screen-1	Jul/Aug 2004	MW-11-1	NA	NA	**10.1**	10.0 U
MW-11-Screen-1	Oct/Nov 2004	MW-11-1	NA	NA	**9.4 J**	10.0 U
MW-11-Screen-1	Jan/Feb 2005	MW-11-1	NA	NA	**7.6**	10.0 U
MW-11-Screen-1	Apr/May 2005	MW-11-1	5.0 U	**0.07 J**	**9.8**	10.0 U
MW-11-Screen-1	Jul/Sep 2005	MW-11-1	NA	NA	**6.7**	10.0 U
MW-11-Screen-1	Oct/Nov 2005	MW-11-1	NA	NA	**7.7**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-1	Mar/Apr 2006	MW-11-1	NA	NA	1.0 U	10.0 U
MW-11-Screen-1	May/Jun 2006	MW-11-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-11-Screen-1	Aug/Sep 2006	MW-11-1	NA	NA	**1.5 J**	10.0 U
MW-11-Screen-1	Oct/Dec 2006	DUPE-4-4Q06	NA	NA	NA	10.0 U
MW-11-Screen-1	Oct/Dec 2006	MW-11-1	NA	NA	**3.3**	10.0 U
MW-11-Screen-1	Oct/Dec 2006	DUPE-4-4Q06	NA	NA	**3.3**	NA
MW-11-Screen-1	Mar/Apr 2007	MW-11-1	NA	NA	1.0 U	10.0 U
MW-11-Screen-1	Jun/Jul 2007	MW-11-1	**1.0**	1.00 U	**10.4**	10.0 U
MW-11-Screen-1	Aug/Sep 2007	MW-11-1	NA	NA	**15.8**	10.0 U
MW-11-Screen-1	Oct/Dec 2007	MW-11-1	NA	NA	**9.4**	10.0 U
MW-11-Screen-1	Jan/Feb 2008	MW-11-1	NA	NA	**9.5 E**	10.0 U
MW-11-Screen-1	Jan/Feb 2008	DUPE-1-1Q08	NA	NA	**8.6 E**	10.0 U
MW-11-Screen-1	Apr/May 2008	MW-11-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-11-Screen-1	Jul/Aug 2008	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Oct/Nov 2008	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Jan/Feb 2009	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Apr/May 2009	MW-11-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-1	Jul/Aug 2009	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Nov/Dec 2009	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Feb 2010	DUPE-4-1Q10	NA	NA	5.0 U	NA
MW-11-Screen-1	Feb 2010	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Feb 2010	DUPE-4-1Q10	NA	NA	NA	10.0 U
MW-11-Screen-1	Apr/May 2010	MW-11-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-1	Jul/Aug 2010	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Oct/Nov 2010	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Feb/Mar 2011	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Apr/May 2011	MW-11-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-1	Aug/Sep 2011	DUPE-06-3Q11	NA	NA	5.0 U	NA
MW-11-Screen-1	Aug/Sep 2011	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Aug/Sep 2011	DUPE-06-3Q11	NA	NA	NA	10.0 U
MW-11-Screen-1	Nov/Dec 2011	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Jan/Feb 2012	MW-11-1	NA	NA	5.0 U	10.0 U
MW-11-Screen-1	Apr/May 2012	MW-11-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-1	Aug/Sep 2012	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Nov 2012	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Jan/Feb 2013	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Apr/May 2013	DUP-5-2Q13	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-1	Apr/May 2013	MW-11-1	**1.8 J**	1.00 U	**0.5 J**	2.0 U
MW-11-Screen-1	Jul 2013	MW-11-1	NA	NA	**3.6**	2.0 U
MW-11-Screen-1	Oct/Nov 2013	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Jan/Feb 2014	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Apr/May 2014	MW-11-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-1	Jul/Aug 2014	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Oct 2014	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Jan/Feb 2015	MW-11-1	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-1	Apr/May 2015	MW-11-1	2.0 U	1.00 U	**1.1**	2.0 U
MW-11-Screen-1	Jul/Aug 2015	MW-11-1	NA	NA	**0.6 J**	2.0 U
MW-11-Screen-1	Oct 2015	MW-11-1	NA	NA	0.5 U	2.0 U
MW-11-Screen-1	Jan/Feb 2016	MW-11-1	NA	NA	0.9 U	2.0 U
MW-11-Screen-1	Apr/May 2016	MW-11-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-1	Jul/Aug 2016	MW-11-1	NA	NA	**2.1 J**	2.0 U
MW-11-Screen-1	Jul/Aug 2016	DUP-2-3Q16	NA	NA	**2.0 J**	2.0 U
MW-11-Screen-1	Oct 2016	MW-11-1	NA	NA	**1.2 J**	2.0 U
MW-11-Screen-1	Jan/Feb 2017	MW-11-1	NA	NA	2.4 U	2.0 U
MW-11-Screen-1	Apr/May 2017	MW-11-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-1	Jul/Aug 2017	MW-11-1	NA	NA	2.2 U	2.0 U
MW-11-Screen-1	Oct-17	MW-11-1	NA	NA	3.0 U	2.0 UJ
MW-11-Screen-1	Jan/Feb 2018	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	April 2018	MW-11-1	2.0 U	**0.11 J**	**0.9 J**	2.0 U
MW-11-Screen-1	Jul/Aug 2018	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Oct 2018	MW-11-1	NA	NA	3.0 U	2.0 U
MW-11-Screen-1	Feb/Mar 2019	MW-11-1	NA	NA	3.0 U	**0.7 J**
MW-11-Screen-1	Apr/May 2019	MW-11-1	2.0 U	1.00 U	3.0 U	**0.10 J**
MW-11-Screen-1	Jul/Aug 2019	MW-11-1	NA	NA	3.0 U	**0.07 J**
MW-11-Screen-1	Oct 2019	MW-11-1	NA	NA	**4.5**	0.20 U
MW-11-Screen-1	Feb 2020	MW-11-1	NA	NA	3.0 U	**0.14 J**
MW-11-Screen-1	Jun 2020	MW-11-1	2.0 U	1.00 U	3.0 U	**0.05 J**
MW-11-Screen-1	Aug 2020	MW-11-1	NA	NA	3.0 U	0.13 UJ
MW-11-Screen-1	Oct/Nov 2020	MW-11-1	NA	NA	3.0 U	0.20 U
MW-11-Screen-1	Mar/Apr 2021	MW-11-1	NA	NA	**7.3**	**0.20 J**
MW-11-Screen-1	May/June 2021	MW-11-1	2.0 U	1.00 U	3.0 U	0.21 UB
MW-11-Screen-2						
MW-11-Screen-2	Aug/Sep 1996	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Oct/Nov 1996	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Feb/Mar 1997	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	June/July 1997	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Sep/Oct 1997	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Jan/Feb 1998	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Apr/May 1998	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Jul/Aug 1998	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Oct/Nov 1998	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Feb/Mar 1999	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	May/Jun 1999	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Aug 1999	MW-11-2	NA	NA	10.0 U	5.0 U
MW-11-Screen-2	Nov/Dec 1999	MW-11-2	NA	NA	10.0 U	5.0 U
MW-11-Screen-2	Mar/Apr 2000	MW-11-2	NA	NA	10.0 U	5.0 U
MW-11-Screen-2	Jul/Aug 2000	MW-11-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-2	Sep/Oct 2000	MW-11-2	NA	NA	10.0 U	5.0 U
MW-11-Screen-2	Jan/Feb 2001	MW-11-2	5.0 U	1.00 U	**3.5 J**	10.0 U
MW-11-Screen-2	Jul 2001	MW-11-2	NA	NA	NA	NA U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-2	Jul 2001	MW-11-2	NA	NA	**3.0 J**	NA
MW-11-Screen-2	Oct 2001	MW-11-2	NA	NA	**3.5**	10.0 U
MW-11-Screen-2	Jan/Feb 2002	MW-11-2	**1.6 B**	1.00 U	**3.2 J**	10.0 U
MW-11-Screen-2	Apr/May 2002	MW-11-2	NA	NA	**5.0**	10.0 U
MW-11-Screen-2	Jul 2002	MW-11-2	NA	NA	**4.0**	NA U
MW-11-Screen-2	Oct/Nov 2002	MW-11-2	NA	NA	NA	10.0 U
MW-11-Screen-2	Jan/Feb 2003	MW-11-2	NA	NA	**2.3**	10.0 U
MW-11-Screen-2	Apr/May 2003	MW-11-2	5.0 U	1.00 U	**0.8 J**	10.0 U
MW-11-Screen-2	Jul/Aug 2003	MW-11-2	NA	NA	**1.5 J**	10.0 U
MW-11-Screen-2	Oct/Nov 2003	MW-11-2	NA	NA	1.0 UJ	10.0 U
MW-11-Screen-2	Feb 2004	MW-11-2	NA	NA	**3.4**	10.0 U
MW-11-Screen-2	Apr/May 2004	MW-11-2	5.0 U	0.12 U	**5.7**	10.0 U
MW-11-Screen-2	Jul/Aug 2004	MW-11-2	NA	NA	**9.1**	10.0 U
MW-11-Screen-2	Oct/Nov 2004	MW-11-2	NA	NA	**8.4 J**	10.0 U
MW-11-Screen-2	Jan/Feb 2005	MW-11-2	NA	NA	**6.0**	10.0 U
MW-11-Screen-2	Apr/May 2005	MW-11-2	5.0 U	**0.04 J**	**8.7**	10.0 U
MW-11-Screen-2	Jul/Sep 2005	DUPE-4-3Q05	NA	NA	**7.8**	10.0 U
MW-11-Screen-2	Jul/Sep 2005	MW-11-2	NA	NA	**6.9**	10.0 U
MW-11-Screen-2	Oct/Nov 2005	MW-11-2	NA	NA	**8.7**	10.0 U
MW-11-Screen-2	Mar/Apr 2006	MW-11-2	NA	NA	1.0 U	10.0 U
MW-11-Screen-2	Mar/Apr 2006	DUPE-7-1Q06	NA	NA	1.0 U	10.0 U
MW-11-Screen-2	May/Jun 2006	MW-11-2	1.0 U	1.00 U	1.0 U	10.0 U
MW-11-Screen-2	Aug/Sep 2006	MW-11-2	NA	NA	**1.6 J**	10.0 U
MW-11-Screen-2	Oct/Dec 2006	MW-11-2	NA	NA	**3.3**	10.0 U
MW-11-Screen-2	Mar/Apr 2007	MW-11-2	NA	NA	1.0 U	10.0 U
MW-11-Screen-2	Jun/Jul 2007	MW-11-2	**1.1**	1.00 U	**9.1**	10.0 U
MW-11-Screen-2	Aug/Sep 2007	MW-11-2	NA	NA	**11.9**	10.0 U
MW-11-Screen-2	Oct/Dec 2007	DUPE-2-4Q07	NA	NA	NA	**6.0 J**
MW-11-Screen-2	Oct/Dec 2007	MW-11-2	NA	NA	**7.4**	10.0 U
MW-11-Screen-2	Oct/Dec 2007	DUPE-2-4Q07	NA	NA	**3.9**	NA
MW-11-Screen-2	Jan/Feb 2008	MW-11-2	NA	NA	**7.8 E**	10.0 U
MW-11-Screen-2	Apr/May 2008	MW-11-2	1.0 U	1.00 U	1.0 U	10.0 U
MW-11-Screen-2	Jul/Aug 2008	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Oct/Nov 2008	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Jan/Feb 2009	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Apr/May 2009	MW-11-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-2	Jul/Aug 2009	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Nov/Dec 2009	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Feb 2010	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Apr/May 2010	MW-11-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-2	Jul/Aug 2010	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Oct/Nov 2010	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Feb/Mar 2011	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Apr/May 2011	MW-11-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-2	Aug/Sep 2011	MW-11-2	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-2	Nov/Dec 2011	DUP-8-4Q11	NA	NA	NA	10.0 U
MW-11-Screen-2	Nov/Dec 2011	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Nov/Dec 2011	DUP-8-4Q11	NA	NA	5.0 U	NA
MW-11-Screen-2	Jan/Feb 2012	MW-11-2	NA	NA	5.0 U	10.0 U
MW-11-Screen-2	Apr/May 2012	MW-11-2	**3.2**	5.00 U	5.0 U	10.0 U
MW-11-Screen-2	Aug/Sep 2012	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Nov 2012	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Jan/Feb 2013	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Apr/May 2013	MW-11-2	**1.2 J**	1.00 U	3.0 U	**1.2 J**
MW-11-Screen-2	Jul 2013	DUPE-6-3Q13	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Jul 2013	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Oct/Nov 2013	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Jan/Feb 2014	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Apr/May 2014	MW-11-2	**0.7 J**	1.00 U	**0.9 J**	2.0 U
MW-11-Screen-2	Jul/Aug 2014	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Oct 2014	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Jan/Feb 2015	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Apr/May 2015	MW-11-2	**1.0 J**	1.00 U	**1.9**	2.0 U
MW-11-Screen-2	Jul/Aug 2015	MW-11-2	NA	NA	3.0 UJ	2.0 U
MW-11-Screen-2	Oct 2015	MW-11-2	NA	NA	0.5 U	2.0 U
MW-11-Screen-2	Jan/Feb 2016	MW-11-2	NA	NA	2.6 U	2.0 U
MW-11-Screen-2	Jan/Feb 2016	DUP-5-1Q16	NA	NA	0.5 U	2.0 U
MW-11-Screen-2	Apr/May 2016	MW-11-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-2	Jul/Aug 2016	MW-11-2	NA	NA	**2.8 J**	2.0 U
MW-11-Screen-2	Oct 2016	MW-11-2	NA	NA	**4.0 J**	**0.9 J**
MW-11-Screen-2	Jan/Feb 2017	MW-11-2	NA	NA	2.4 U	2.0 U
MW-11-Screen-2	Apr/May 2017	MW-11-2	2.0 U	1.00 U	**0.7 J**	1.0 U
MW-11-Screen-2	Jul/Aug 2017	MW-11-2	NA	NA	2.1 U	2.0 U
MW-11-Screen-2	Jul/Aug 2017	DUP-5-3Q17	NA	NA	2.0 U	2.0 U
MW-11-Screen-2	Oct-17	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Jan/Feb 2018	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	April 2018	MW-11-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-2	Jul/Aug 2018	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Oct 2018	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Feb/Mar 2019	MW-11-2	NA	NA	3.0 U	2.0 U
MW-11-Screen-2	Apr/May 2019	MW-11-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-11-Screen-2	Jul/Aug 2019	MW-11-2	NA	NA	3.0 U	0.20 U
MW-11-Screen-2	Oct 2019	MW-11-2	NA	NA	3.0 U	0.20 U
MW-11-Screen-2	Feb 2020	MW-11-2	NA	NA	**1.4 J**	0.20 U
MW-11-Screen-2	Feb 2020	DUP-4-1Q20	NA	NA	3.0 U	0.20 U
MW-11-Screen-2	Jun 2020	MW-11-2	**1.0 J**	1.00 U	3.0 U	**0.05 J**
MW-11-Screen-2	Aug 2020	MW-11-2	NA	NA	3.0 U	NA
MW-11-Screen-2	Oct/Nov 2020	MW-11-2	NA	NA	3.0 U	0.06 UJ
MW-11-Screen-2	Mar/Apr 2021	MW-11-2	NA	NA	3.0 U	0.04 UB
MW-11-Screen-2	May/June 2021	MW-11-2	2.0 U	1.00 U	0.6 UB	0.07 UB

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-3						
MW-11-Screen-3	Aug/Sep 1996	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Oct/Nov 1996	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Feb/Mar 1997	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	June/July 1997	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Sep/Oct 1997	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Jan/Feb 1998	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Apr/May 1998	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Jul/Aug 1998	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Oct/Nov 1998	MW-11-3	5.0 U	**8.00**	10.0 U	5.0 U
MW-11-Screen-3	Feb/Mar 1999	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	May/Jun 1999	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Aug 1999	MW-11-3	NA	NA	10.0 U	5.0 U
MW-11-Screen-3	Nov/Dec 1999	MW-11-3	NA	NA	10.0 U	5.0 U
MW-11-Screen-3	Mar/Apr 2000	MW-11-3	NA	NA	10.0 U	5.0 U
MW-11-Screen-3	Jul/Aug 2000	MW-11-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-3	Sep/Oct 2000	MW-11-3	NA	NA	10.0 U	5.0 U
MW-11-Screen-3	Jan/Feb 2001	MW-11-3	5.0 U	1.00 U	**3.3 J**	10.0 U
MW-11-Screen-3	Jul 2001	MW-11-3	NA	NA	NA	NA U
MW-11-Screen-3	Jul 2001	MW-11-3	NA	NA	**3.6 J**	NA
MW-11-Screen-3	Oct 2001	MW-11-3	NA	NA	**4.1**	10.0 U
MW-11-Screen-3	Jan/Feb 2002	MW-11-3	**2.5 B**	1.00 U	**3.2 J**	10.0 U
MW-11-Screen-3	Apr/May 2002	MW-11-3	NA	NA	**6.0**	10.0 U
MW-11-Screen-3	Jul 2002	MW-11-3	NA	NA	**5.0**	NA U
MW-11-Screen-3	Oct/Nov 2002	MW-11-3	NA	NA	NA	10.0 U
MW-11-Screen-3	Jan/Feb 2003	MW-11-3	NA	NA	**2.3**	10.0 U
MW-11-Screen-3	Apr/May 2003	MW-11-3	5.0 U	1.00 U	**1.5**	10.0 U
MW-11-Screen-3	Jul/Aug 2003	MW-11-3	NA	NA	**2.3 J**	10.0 U
MW-11-Screen-3	Oct/Nov 2003	MW-11-3	NA	NA	**3.4 J**	10.0 U
MW-11-Screen-3	Feb 2004	MW-11-3	NA	NA	**4.0**	10.0 U
MW-11-Screen-3	Apr/May 2004	MW-11-3	5.0 U	0.06 U	1.1 U	10.0 U
MW-11-Screen-3	Apr/May 2004	DUPE-5-2Q04	5.0 U	0.05 U	0.7 U	**5.0 J**
MW-11-Screen-3	Jul/Aug 2004	MW-11-3	NA	NA	**9.6**	10.0 U
MW-11-Screen-3	Oct/Nov 2004	MW-11-3	NA	NA	**9.1 J**	10.0 U
MW-11-Screen-3	Oct/Nov 2004	DUPE-5-4Q04	NA	NA	**1.9 J**	10.0 U
MW-11-Screen-3	Jan/Feb 2005	MW-11-3	NA	NA	**6.1**	10.0 U
MW-11-Screen-3	Apr/May 2005	DUPE-7-2Q05	5.0 U	**0.06 J**	**8.1**	10.0 U
MW-11-Screen-3	Apr/May 2005	MW-11-3	5.0 U	**0.11 J**	**7.6**	10.0 U
MW-11-Screen-3	Jul/Sep 2005	MW-11-3	NA	NA	**5.0**	10.0 U
MW-11-Screen-3	Oct/Nov 2005	MW-11-3	NA	NA	**5.6**	10.0 U
MW-11-Screen-3	Mar/Apr 2006	MW-11-3	NA	NA	1.0 U	10.0 U
MW-11-Screen-3	May/Jun 2006	DUPE-7-2Q06	1.0 U	1.00 U	1.0 U	NA
MW-11-Screen-3	May/Jun 2006	MW-11-3	**1.1**	1.00 U	1.0 U	10.0 U
MW-11-Screen-3	May/Jun 2006	DUPE-7-2Q06	NA	NA	NA	10.0 U
MW-11-Screen-3	Aug/Sep 2006	MW-11-3	NA	NA	**1.5 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-3	Oct/Dec 2006	MW-11-3	NA	NA	**2.4**	10.0 U
MW-11-Screen-3	Mar/Apr 2007	MW-11-3	NA	NA	1.0 U	10.0 U
MW-11-Screen-3	Jun/Jul 2007	MW-11-3	1.0 U	1.00 U	**1.9 J**	10.0 U
MW-11-Screen-3	Aug/Sep 2007	MW-11-3	NA	NA	**11.0**	10.0 U
MW-11-Screen-3	Oct/Dec 2007	MW-11-3	NA	NA	**7.2**	10.0 U
MW-11-Screen-3	Jan/Feb 2008	MW-11-3	NA	NA	**8.0 E**	10.0 U
MW-11-Screen-3	Apr/May 2008	MW-11-3	1.0 U	1.00 U	1.0 U	10.0 U
MW-11-Screen-3	Jul/Aug 2008	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Oct/Nov 2008	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Jan/Feb 2009	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Apr/May 2009	MW-11-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-3	Jul/Aug 2009	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Nov/Dec 2009	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Feb 2010	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Apr/May 2010	MW-11-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-3	Jul/Aug 2010	DUPE-5-3Q10	NA	NA	NA	10.0 U
MW-11-Screen-3	Jul/Aug 2010	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Jul/Aug 2010	DUPE-5-3Q10	NA	NA	5.0 U	NA
MW-11-Screen-3	Oct/Nov 2010	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Feb/Mar 2011	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Apr/May 2011	MW-11-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-3	Aug/Sep 2011	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Nov/Dec 2011	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Jan/Feb 2012	MW-11-3	NA	NA	5.0 U	10.0 U
MW-11-Screen-3	Apr/May 2012	MW-11-3	**4.7**	5.00 U	**5.2**	10.0 U
MW-11-Screen-3	Aug/Sep 2012	DUPE-3-3Q12	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Aug/Sep 2012	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Nov 2012	DUPE-4-4Q12	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Nov 2012	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Jan/Feb 2013	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Apr/May 2013	MW-11-3	**1.4 J**	1.00 U	**0.9 J**	2.0 U
MW-11-Screen-3	Jul 2013	MW-11-3	NA	NA	**0.5 J**	2.0 U
MW-11-Screen-3	Oct/Nov 2013	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Jan/Feb 2014	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Apr/May 2014	MW-11-3	**1.9 J**	1.00 U	3.0 U	2.0 U
MW-11-Screen-3	Jul/Aug 2014	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Oct 2014	MW-11-3	NA	NA	**0.6 J**	2.0 U
MW-11-Screen-3	Jan/Feb 2015	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Apr/May 2015	MW-11-3	**0.7 J**	1.00 U	**1.1 J**	2.0 U
MW-11-Screen-3	Jul/Aug 2015	MW-11-3	NA	NA	**0.9 J**	2.0 U
MW-11-Screen-3	Oct 2015	MW-11-3	NA	NA	**1.9 J**	2.0 U
MW-11-Screen-3	Jan/Feb 2016	MW-11-3	NA	NA	0.7 U	2.0 U
MW-11-Screen-3	Apr/May 2016	MW-11-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-3	Apr/May 2016	Dup-1-2Q16	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-3	Jul/Aug 2016	MW-11-3	NA	NA	**1.9 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-3	Oct 2016	MW-11-3	NA	NA	**2.1 J**	**0.7 J**
MW-11-Screen-3	Jan/Feb 2017	MW-11-3	NA	NA	2.5 U	2.0 U
MW-11-Screen-3	Apr/May 2017	MW-11-3	2.0 U	1.00 U	**1.1 J**	2.0 U
MW-11-Screen-3	Jul/Aug 2017	MW-11-3	NA	NA	2.9 U	2.0 U
MW-11-Screen-3	Oct-17	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Jan/Feb 2018	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	April 2018	MW-11-3	2.0 U	**0.14 J**	**1.9 J**	2.0 U
MW-11-Screen-3	April 2018	DUP-6-2Q18	2.0 U	1.00 U	**0.8 J**	2.0 U
MW-11-Screen-3	Jul/Aug 2018	MW-11-3	NA	NA	3.0 U	2.0 U
MW-11-Screen-3	Oct 2018	MW-11-3	NA	NA	**0.8 J**	2.0 U
MW-11-Screen-3	Feb/Mar 2019	MW-11-3	NA	NA	3.0 U	**0.7 J**
MW-11-Screen-3	Apr/May 2019	MW-11-3	**1.8 J**	1.00 U	**4.8**	0.20 U
MW-11-Screen-3	Apr/May 2019	DUP-5-2Q19	**1.6 J**	1.00 U	**3.6**	0.20 U
MW-11-Screen-3	Jul/Aug 2019	MW-11-3	NA	NA	**4.0**	0.20 U
MW-11-Screen-3	Oct 2019	MW-11-3	NA	NA	**1.3 J**	0.20 U
MW-11-Screen-3	Mar-20	MW-11-3	NA	NA	3.0 U	0.20 U
MW-11-Screen-3	Jun 2020	MW-11-3	**1.7 J**	**0.22 J**	**6.7**	**0.09 J**
MW-11-Screen-3	Jun 2020	Dup-5-2Q2020	**1.6 J**	1.00 U	3.0 U	**0.04 J**
MW-11-Screen-3	Aug 2020	MW-11-3	NA	NA	3.0 U	0.20 U
MW-11-Screen-3	Oct/Nov 2020	MW-11-3	NA	NA	**0.6 J**	0.05 UJ
MW-11-Screen-3	Mar/Apr 2021	MW-11-3	NA	NA	3.0 U	0.04 UB
MW-11-Screen-3	May/June 2021	MW-11-3	**3.5**	1.00 U	3.0 U	0.13 UB
MW-11-Screen-3	May/June 2021	DUP-7-2Q21	**3.5**	1.00 U	1.2 UB	0.09 UB
MW-11-Screen-4						
MW-11-Screen-4	Aug/Sep 1996	MW-11-4	5.0 U	2.00 U	10.0 U	**6.0 J**
MW-11-Screen-4	Oct/Nov 1996	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Feb/Mar 1997	MW-11-4	5.0 U	**9.30**	10.0 U	5.0 U
MW-11-Screen-4	June/July 1997	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Sep/Oct 1997	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Jan/Feb 1998	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Apr/May 1998	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Jul/Aug 1998	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Oct/Nov 1998	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Feb/Mar 1999	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	May/Jun 1999	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Nov/Dec 1999	MW-11-4	NA	NA	10.0 U	5.0 U
MW-11-Screen-4	Jul/Aug 2000	MW-11-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-4	Jan/Feb 2001	MW-11-4	5.0 U	1.00 U	**2.0 J**	10.0 U
MW-11-Screen-4	Jan/Feb 2002	MW-11-4	5.0 U	**0.22 J**	**2.1**	10.0 U
MW-11-Screen-4	Jan/Feb 2003	MW-11-4	NA	NA	NA	10.0 U
MW-11-Screen-4	Apr/May 2003	MW-11-4	5.0 U	1.00 U	**0.3 J**	10.0 U
MW-11-Screen-4	Oct/Nov 2003	MW-11-4	NA	NA	0.8 UJ	10.0 U
MW-11-Screen-4	Apr/May 2004	MW-11-4	5.0 U	**0.01 J**	**2.2**	**4.0 J**
MW-11-Screen-4	Oct/Nov 2004	MW-11-4	NA	NA	**5.2 J**	10.0 U
MW-11-Screen-4	Apr/May 2005	MW-11-4	5.0 U	**0.09 J**	**3.8**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-4	Jul/Sep 2005	MW-11-4	NA	NA	**2.7**	10.0 U
MW-11-Screen-4	Oct/Nov 2005	MW-11-4	NA	NA	**3.6**	10.0 U
MW-11-Screen-4	May/Jun 2006	MW-11-4	1.0 U	1.00 U	1.0 U	10.0 U
MW-11-Screen-4	Oct/Dec 2006	MW-11-4	NA	NA	**1.9**	10.0 U
MW-11-Screen-4	Jun/Jul 2007	MW-11-4	1.0 U	1.00 U	**1.4 J**	10.0 U
MW-11-Screen-4	Oct/Dec 2007	MW-11-4	NA	NA	**4.1**	10.0 U
MW-11-Screen-4	Apr/May 2008	MW-11-4	1.0 U	1.00 U	**1.7**	10.0 U
MW-11-Screen-4	Oct/Nov 2008	MW-11-4	NA	NA	5.0 U	10.0 U
MW-11-Screen-4	Oct/Nov 2008	DUPE-07-4Q08	NA	NA	5.0 U	10.0 U
MW-11-Screen-4	Apr/May 2009	MW-11-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-4	Nov/Dec 2009	MW-11-4	NA	NA	5.0 U	10.0 U
MW-11-Screen-4	Apr/May 2010	MW-11-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-4	Oct/Nov 2010	MW-11-4	NA	NA	5.0 U	10.0 U
MW-11-Screen-4	Apr/May 2011	MW-11-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-4	Nov/Dec 2011	MW-11-4	NA	NA	5.0 U	10.0 U
MW-11-Screen-4	Apr/May 2012	MW-11-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-11-Screen-4	Nov 2012	MW-11-4	NA	NA	3.0 U	2.0 U
MW-11-Screen-4	Apr/May 2013	MW-11-4	**0.7 J**	1.00 U	**1.3 J**	2.0 U
MW-11-Screen-4	Oct/Nov 2013	MW-11-4	NA	NA	3.0 U	2.0 U
MW-11-Screen-4	Apr/May 2014	MW-11-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-4	Oct 2014	MW-11-4	NA	NA	3.0 U	2.0 U
MW-11-Screen-4	Apr/May 2015	MW-11-4	2.0 U	1.00 U	**0.8**	2.0 UJ
MW-11-Screen-4	Oct 2015	MW-11-4	NA	NA	**0.6 J**	2.0 U
MW-11-Screen-4	Oct 2015	DUP-7-4Q15	NA	NA	**0.8 J**	2.0 U
MW-11-Screen-4	Apr/May 2016	MW-11-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-4	Oct 2016	MW-11-4	NA	NA	**1.2 J**	2.0 U
MW-11-Screen-4	Oct 2016	DUP-4-4Q16	NA	NA	**1.4 J**	2.0 U
MW-11-Screen-4	Apr/May 2017	MW-11-4	2.0 U	1.00 U	**1.2 J**	2.0 U
MW-11-Screen-4	Oct-17	MW-11-4	NA	NA	3.0 U	2.0 U
MW-11-Screen-4	April 2018	MW-11-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-11-Screen-4	Oct 2018	MW-11-4	NA	NA	3.0 U	2.0 U
MW-11-Screen-4	Apr/May 2019	MW-11-4	2.0 U	1.00 U	3.0 U	**0.05 J**
MW-11-Screen-4	Oct 2019	MW-11-4	NA	NA	3.0 U	0.20 U
MW-11-Screen-4	Jun 2020	MW-11-4	2.0 U	1.00 U	3.0 U	**0.06 J**
MW-11-Screen-4	Oct/Nov 2020	MW-11-4	NA	NA	3.0 U	0.20 U
MW-11-Screen-4	May/June 2021	MW-11-4	**1.4 J**	1.00 U	3.0 U	0.14 UB
MW-11-Screen-5						
MW-11-Screen-5	Aug/Sep 1996	MW-11-5	**7.0**	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Oct/Nov 1996	MW-11-5	**5.0**	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Feb/Mar 1997	MW-11-5	5.0 U	**2.40**	10.0 U	5.0 U
MW-11-Screen-5	June/July 1997	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Sep/Oct 1997	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Jan/Feb 1998	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Apr/May 1998	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Jul/Aug 1998	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-11-Screen-5	Oct/Nov 1998	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Feb/Mar 1999	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	May/Jun 1999	MW-11-5	**5.3**	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Nov/Dec 1999	MW-11-5	NA	NA	10.0 U	5.0 U
MW-11-Screen-5	Jul/Aug 2000	MW-11-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-11-Screen-5	Jan/Feb 2001	MW-11-5	**6.0**	1.00 U	**2.8 J**	10.0 U
MW-11-Screen-5	Jan/Feb 2002	MW-11-5	**5.0**	**0.16 J**	**2.3 J**	10.0 U
MW-11-Screen-5	Apr/May 2003	MW-11-5	5.0 U	1.00 U	**1.1**	10.0 U
MW-11-Screen-5	Oct/Nov 2003	MW-11-5	NA	NA	**1.5 J**	10.0 U
MW-11-Screen-5	Apr/May 2004	MW-11-5	5.0 U	0.10 U	0.7 U	**4.0 J**
MW-11-Screen-5	Oct/Nov 2004	MW-11-5	NA	NA	**1.8 J**	10.0 U
MW-11-Screen-5	Apr/May 2005	MW-11-5	5.0 U	**0.33 J**	**5.7**	10.0 U
MW-11-Screen-5	Oct/Nov 2005	DUPE-6-4Q05	NA	NA	**5.5**	10.0 U
MW-11-Screen-5	Oct/Nov 2005	MW-11-5	NA	NA	**5.1**	10.0 U
MW-11-Screen-5	May/Jun 2006	MW-11-5	**6.2**	1.00 U	1.0 U	10.0 U
MW-11-Screen-5	Oct/Dec 2006	MW-11-5	NA	NA	**1.4**	10.0 U
MW-11-Screen-5	Jun/Jul 2007	MW-11-5	**6.0**	1.00 U	**1.8 J**	10.0 U
MW-11-Screen-5	Oct/Dec 2007	MW-11-5	NA	NA	**1.8**	**8.0 J**
MW-11-Screen-5	Apr/May 2008	MW-11-5	**6.2**	1.00 U	**2.4**	10.0 U
MW-11-Screen-5	Oct/Nov 2008	MW-11-5	NA	NA	5.0 U	10.0 U
MW-11-Screen-5	Apr/May 2009	MW-11-5	**5.1**	5.00 U	5.0 U	10.0 U
MW-11-Screen-5	Nov/Dec 2009	MW-11-5	NA	NA	5.0 U	10.0 U
MW-11-Screen-5	Apr/May 2010	MW-11-5	**5.0**	5.00 U	5.0 U	10.0 U
MW-11-Screen-5	Oct/Nov 2010	MW-11-5	NA	NA	5.0 U	10.0 U
MW-11-Screen-5	Apr/May 2011	MW-11-5	**6.2**	5.00 U	5.0 U	10.0 U
MW-11-Screen-5	Nov/Dec 2011	MW-11-5	NA	NA	5.0 U	10.0 U
MW-11-Screen-5	Apr/May 2012	MW-11-5	**10.0**	5.00 U	**5.7**	10.0 U
MW-11-Screen-5	Nov 2012	MW-11-5	NA	NA	**0.9 J**	2.0 U
MW-11-Screen-5	Apr/May 2013	MW-11-5	**6.9**	**0.14 J**	**1.7 J**	2.0 U
MW-11-Screen-5	Oct/Nov 2013	MW-11-5	NA	NA	3.0 U	2.0 U
MW-11-Screen-5	Apr/May 2014	MW-11-5	**5.8**	**1.20**	**4.0**	2.0 U
MW-11-Screen-5	Oct 2014	MW-11-5	NA	NA	**1.2 J**	2.0 U
MW-11-Screen-5	Apr/May 2015	MW-11-5	**6.1**	**0.37 J**	**2.4**	2.0 UJ
MW-11-Screen-5	Oct 2015	MW-11-5	NA	NA	**2.4 J**	2.0 U
MW-11-Screen-5	Apr/May 2016	MW-11-5	**4.6**	1.00 U	**1.3 J**	2.0 U
MW-11-Screen-5	Oct 2016	MW-11-5	NA	NA	**3.2**	2.0 U
MW-11-Screen-5	Apr/May 2017	MW-11-5	**6.1**	**0.40 J**	**2.1 J**	2.0 U
MW-11-Screen-5	Oct-17	MW-11-5	NA	NA	**1.3 J**	2.0 U
MW-11-Screen-5	April 2018	MW-11-5	**7.4**	**0.90 J**	3.0 U	2.0 U
MW-11-Screen-5	Oct 2018	MW-11-5	NA	NA	**1.3 J**	2.0 U
MW-11-Screen-5	Apr/May 2019	MW-11-5	**6.4**	**0.32 J**	**1.6 J**	**0.28**
MW-11-Screen-5	Oct 2019	MW-11-5	NA	NA	**1.2 J**	0.20 U
MW-11-Screen-5	Jun 2020	MW-11-5	**5.6**	**1.60**	**7.4**	**0.07 J**
MW-11-Screen-5	Oct/Nov 2020	MW-11-5	NA	NA	**1.4 J**	0.20 U
MW-11-Screen-5	May/June 2021	MW-11-5	**5.4**	**0.13 J**	0.8 UB	0.28 UB

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-1						
MW-12-Screen-1	Aug/Sep 1996	MW-12-1	5.0 U	**4.40**	10.0 U	5.0 U
MW-12-Screen-1	Feb/Mar 1997	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	June/July 1997	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	Jan/Feb 1998	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	Apr/May 1998	MW-12-1	5.0 U	2.00 U	**10.0**	5.0 U
MW-12-Screen-1	Jul/Aug 1998	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	Oct/Nov 1998	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	Feb/Mar 1999	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	May/Jun 1999	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	Aug 1999	MW-12-1	NA	NA	10.0 U	5.0 U
MW-12-Screen-1	Nov/Dec 1999	MW-12-1	NA	NA	10.0 U	5.0 U
MW-12-Screen-1	Mar/Apr 2000	MW-12-1	NA	NA	10.0 U	5.0 U
MW-12-Screen-1	Jul/Aug 2000	MW-12-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-1	Sep/Oct 2000	MW-12-1	NA	NA	10.0 U	5.0 U
MW-12-Screen-1	Jan/Feb 2001	MW-12-1	5.0 U	1.00 U	**8.3**	10.0 U
MW-12-Screen-1	Jul 2001	MW-12-1	NA	NA	NA	NA U
MW-12-Screen-1	Jul 2001	MW-12-1	NA	NA	**8.8**	NA
MW-12-Screen-1	Oct 2001	MW-12-1	NA	NA	**6.7**	10.0 U
MW-12-Screen-1	Jan/Feb 2002	MW-12-1	5.0 U	1.00 U	**4.0 J**	10.0 U
MW-12-Screen-1	Apr/May 2002	MW-12-1	NA	NA	**5.0**	10.0 U
MW-12-Screen-1	Jul 2002	MW-12-1	NA	NA	**5.0**	NA U
MW-12-Screen-1	Oct/Nov 2002	MW-12-1	NA	NA	NA	10.0 U
MW-12-Screen-1	Jan/Feb 2003	MW-12-1	NA	NA	**6.0**	10.0 U
MW-12-Screen-1	Apr/May 2003	MW-12-1	5.0 U	1.00 U	**9.7**	10.0 U
MW-12-Screen-1	Jul/Aug 2003	MW-12-1	NA	NA	**8.0 J**	10.0 U
MW-12-Screen-1	Oct/Nov 2003	MW-12-1	NA	NA	**8.1 J**	10.0 U
MW-12-Screen-1	Oct/Nov 2003	DUPE-4-4Q03	NA	NA	**8.4 J**	10.0 U
MW-12-Screen-1	Feb 2004	MW-12-1	NA	NA	**9.5**	10.0 U
MW-12-Screen-1	Apr/May 2004	MW-12-1	5.0 U	0.04 U	**2.6**	**4.0 J**
MW-12-Screen-1	Jul/Aug 2004	MW-12-1	NA	NA	**11.7**	10.0 U
MW-12-Screen-1	Oct/Nov 2004	MW-12-1	NA	NA	**14.6 J**	10.0 U
MW-12-Screen-1	Jan/Feb 2005	MW-12-1	NA	NA	**7.1**	10.0 U
MW-12-Screen-1	Apr/May 2005	MW-12-1	5.0 U	**0.03 J**	**6.8**	10.0 U
MW-12-Screen-1	Jul/Sep 2005	MW-12-1	NA	NA	**10.1**	10.0 U
MW-12-Screen-1	Oct/Nov 2005	MW-12-1	NA	NA	**8.1**	10.0 U
MW-12-Screen-1	Mar/Apr 2006	MW-12-1	NA	NA	**1.6**	10.0 U
MW-12-Screen-1	Mar/Apr 2006	DUPE-6-1Q06	NA	NA	**1.6**	10.0 U
MW-12-Screen-1	May/Jun 2006	MW-12-1	1.0 U	1.00 U	**2.0 J**	**4.0 J**
MW-12-Screen-1	Aug/Sep 2006	MW-12-1	NA	NA	0.5 U	10.0 U
MW-12-Screen-1	Oct/Dec 2006	MW-12-1	NA	NA	**4.3**	10.0 U
MW-12-Screen-1	Mar/Apr 2007	MW-12-1	NA	NA	**3.1 J**	10.0 U
MW-12-Screen-1	Jun/Jul 2007	DUPE-5-2Q07	1.0 U	1.00 U	**5.4 J**	NA
MW-12-Screen-1	Jun/Jul 2007	MW-12-1	1.0 U	1.00 U	**5.2 J**	10.0 U
MW-12-Screen-1	Jun/Jul 2007	DUPE-5-2Q07	NA	NA	NA	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-1	Aug/Sep 2007	MW-12-1	NA	NA	**16.6**	10.0 U
MW-12-Screen-1	Oct/Dec 2007	MW-12-1	NA	NA	**10.2**	10.0 U
MW-12-Screen-1	Jan/Feb 2008	MW-12-1	NA	NA	**2.2**	10.0 U
MW-12-Screen-1	Apr/May 2008	MW-12-1	1.0 U	1.00 U	**8.1**	10.0 U
MW-12-Screen-1	Jul/Aug 2008	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Oct/Nov 2008	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Jan/Feb 2009	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Apr/May 2009	MW-12-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-1	Jul/Aug 2009	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Nov/Dec 2009	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Feb 2010	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Apr/May 2010	MW-12-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-1	Jul/Aug 2010	MW-12-1	NA	NA	**6.5**	10.0 U
MW-12-Screen-1	Oct/Nov 2010	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Feb/Mar 2011	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Apr/May 2011	MW-12-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-1	Aug/Sep 2011	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Nov/Dec 2011	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Jan/Feb 2012	MW-12-1	NA	NA	5.0 U	10.0 U
MW-12-Screen-1	Apr/May 2012	MW-12-1	2.0 U	5.00 U	5.0 U	**3.0 J**
MW-12-Screen-1	Aug/Sep 2012	DUPE-5-3Q12	NA	NA	3.0 U	2.0 U
MW-12-Screen-1	Aug/Sep 2012	MW-12-1	NA	NA	3.0 U	2.0 U
MW-12-Screen-1	Nov 2012	MW-12-1	NA	NA	3.0 U	2.0 U
MW-12-Screen-1	Jan/Feb 2013	MW-12-1	NA	NA	**1.1 J**	2.0 U
MW-12-Screen-1	Apr/May 2013	MW-12-1	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-12-Screen-1	Jul 2013	MW-12-1	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-1	Oct/Nov 2013	MW-12-1	NA	NA	**1.9 J**	**0.7 J**
MW-12-Screen-1	Jan/Feb 2014	MW-12-1	NA	NA	3.0 U	2.0 U
MW-12-Screen-1	Apr/May 2014	DUP-4-2Q14	2.0 U	1.00 U	**1.1 J**	NA
MW-12-Screen-1	Apr/May 2014	MW-12-1	2.0 U	1.00 U	**1.1 J**	NA
MW-12-Screen-1	Apr/May 2014	MW-12-1	NA	NA	NA	2.0 U
MW-12-Screen-1	Apr/May 2014	DUP-4-2Q14	NA	NA	NA	2.0 U
MW-12-Screen-1	Jan/Feb 2015	MW-12-1	NA	NA	**2.3**	**1.8 J**
MW-12-Screen-1	Apr/May 2015	MW-12-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-12-Screen-1	Apr/May 2016	MW-12-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-12-Screen-1	Jan/Feb 2017	MW-12-1	NA	NA	2.5 U	2.0 U
MW-12-Screen-1	Apr/May 2017	MW-12-1	2.0 U	1.00 U	**1.8 J**	2.0 U
MW-12-Screen-1	Jul/Aug 2017	MW-12-1	NA	NA	2.9 U	2.0 U
MW-12-Screen-1	April 2018	MW-12-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-12-Screen-1	Feb/Mar 2019	MW-12-1	NA	NA	**2.2 J**	**1.7 J**
MW-12-Screen-1	Apr/May 2019	MW-12-1	2.0 U	1.00 U	**1.7 J**	**1.00**
MW-12-Screen-1	Jul/Aug 2019	MW-12-1	NA	NA	3.0 U	**0.52**
MW-12-Screen-1	Feb 2020	MW-12-1	NA	NA	3.0 U	**0.29**
MW-12-Screen-1	Jun 2020	MW-12-1	2.0 U	1.00 U	3.0 U	**0.77**
MW-12-Screen-2						

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-2	Aug/Sep 1996	MW-12-2	5.0 U	**24.00**	10.0 U	5.0 U
MW-12-Screen-2	Oct/Nov 1996	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Feb/Mar 1997	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	June/July 1997	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Sep/Oct 1997	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Jan/Feb 1998	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Apr/May 1998	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Jul/Aug 1998	MW-12-2	5.0 U	**5.80**	10.0 U	5.0 U
MW-12-Screen-2	Oct/Nov 1998	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Feb/Mar 1999	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	May/Jun 1999	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Aug 1999	MW-12-2	NA	NA	10.0 U	5.0 U
MW-12-Screen-2	Nov/Dec 1999	MW-12-2	NA	NA	10.0 U	5.0 U
MW-12-Screen-2	Mar/Apr 2000	MW-12-2	NA	NA	10.0 U	5.0 U
MW-12-Screen-2	Jul/Aug 2000	MW-12-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-2	Sep/Oct 2000	MW-12-2	NA	NA	10.0 U	5.0 U
MW-12-Screen-2	Jan/Feb 2001	MW-12-2	5.0 U	1.00 U	**4.8 J**	10.0 U
MW-12-Screen-2	Jul 2001	MW-12-2	NA	NA	NA	NA U
MW-12-Screen-2	Jul 2001	MW-12-2	NA	NA	**5.0**	NA
MW-12-Screen-2	Oct 2001	MW-12-2	NA	NA	**7.4**	10.0 U
MW-12-Screen-2	Jan/Feb 2002	MW-12-2	5.0 U	1.00 U	**3.1 J**	10.0 U
MW-12-Screen-2	Apr/May 2002	MW-12-2	NA	NA	**7.0**	10.0 U
MW-12-Screen-2	Jul 2002	MW-12-2	NA	NA	**3.0**	NA U
MW-12-Screen-2	Oct/Nov 2002	MW-12-2	NA	NA	NA	10.0 U
MW-12-Screen-2	Jan/Feb 2003	MW-12-2	NA	NA	**3.8**	10.0 U
MW-12-Screen-2	Jan/Feb 2003	DUPE-4-1Q03	NA	NA	**4.0**	10.0 U
MW-12-Screen-2	Apr/May 2003	MW-12-2	5.0 U	1.00 U	**2.9**	10.0 U
MW-12-Screen-2	Jul/Aug 2003	MW-12-2	NA	NA	**3.8 J**	10.0 U
MW-12-Screen-2	Oct/Nov 2003	MW-12-2	NA	NA	**2.9 J**	10.0 U
MW-12-Screen-2	Feb 2004	MW-12-2	NA	NA	**4.4**	10.0 U
MW-12-Screen-2	Apr/May 2004	MW-12-2	5.0 U	0.12 U	**10.9**	10.0 U
MW-12-Screen-2	Jul/Aug 2004	MW-12-2	NA	NA	**12.0**	10.0 U
MW-12-Screen-2	Oct/Nov 2004	MW-12-2	NA	NA	**13.1 J**	10.0 U
MW-12-Screen-2	Jan/Feb 2005	MW-12-2	NA	NA	**7.1**	10.0 U
MW-12-Screen-2	Apr/May 2005	MW-12-2	5.0 U	**0.04 J**	**6.6**	10.0 U
MW-12-Screen-2	Jul/Sep 2005	MW-12-2	NA	NA	**10.2**	10.0 U
MW-12-Screen-2	Oct/Nov 2005	MW-12-2	NA	NA	**9.7**	10.0 U
MW-12-Screen-2	Mar/Apr 2006	MW-12-2	NA	NA	**1.7**	10.0 U
MW-12-Screen-2	May/Jun 2006	MW-12-2	1.0 U	1.00 U	**1.4 J**	10.0 U
MW-12-Screen-2	Aug/Sep 2006	MW-12-2	NA	NA	0.5 U	**4.0 J**
MW-12-Screen-2	Oct/Dec 2006	MW-12-2	NA	NA	**3.3**	10.0 U
MW-12-Screen-2	Mar/Apr 2007	MW-12-2	NA	NA	**1.2 J**	10.0 U
MW-12-Screen-2	Jun/Jul 2007	MW-12-2	1.0 U	1.00 U	**2.2 J**	10.0 U
MW-12-Screen-2	Aug/Sep 2007	MW-12-2	NA	NA	**15.7**	10.0 U
MW-12-Screen-2	Oct/Dec 2007	MW-12-2	NA	NA	**9.5**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-2	Jan/Feb 2008	MW-12-2	NA	NA	**1.1**	10.0 U
MW-12-Screen-2	Apr/May 2008	MW-12-2	1.0 U	1.00 U	**5.8**	10.0 U
MW-12-Screen-2	Jul/Aug 2008	DUPE-7-3Q08	NA	NA	NA	10.0 U
MW-12-Screen-2	Jul/Aug 2008	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Jul/Aug 2008	DUPE-7-3Q08	NA	NA	5.0 U	NA
MW-12-Screen-2	Oct/Nov 2008	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Jan/Feb 2009	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Apr/May 2009	MW-12-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-2	Jul/Aug 2009	DUPE-7-3Q09	NA	NA	5.0 U	NA
MW-12-Screen-2	Jul/Aug 2009	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Jul/Aug 2009	DUPE-7-3Q09	NA	NA	NA	10.0 U
MW-12-Screen-2	Nov/Dec 2009	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Feb 2010	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Apr/May 2010	DUPE-03-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-12-Screen-2	Apr/May 2010	MW-12-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-2	Apr/May 2010	DUPE-03-2Q10	NA	NA	NA	10.0 U
MW-12-Screen-2	Jul/Aug 2010	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Oct/Nov 2010	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Feb/Mar 2011	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Apr/May 2011	MW-12-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-2	Aug/Sep 2011	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Nov/Dec 2011	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Jan/Feb 2012	MW-12-2	NA	NA	5.0 U	10.0 U
MW-12-Screen-2	Apr/May 2012	MW-12-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-2	Aug/Sep 2012	MW-12-2	NA	NA	**0.6 J**	2.0 U
MW-12-Screen-2	Nov 2012	MW-12-2	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-2	Jan/Feb 2013	MW-12-2	NA	NA	**2.0 J**	2.0 U
MW-12-Screen-2	Apr/May 2013	DUP-4-2Q13	2.0 U	1.00 U	**1.2 J**	2.0 U
MW-12-Screen-2	Apr/May 2013	MW-12-2	**0.8 J**	1.00 U	**1.1 J**	2.0 U
MW-12-Screen-2	Jul 2013	MW-12-2	NA	NA	**1.6 J**	2.0 U
MW-12-Screen-2	Oct/Nov 2013	MW-12-2	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-2	Jan/Feb 2014	MW-12-2	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-2	Apr/May 2014	MW-12-2	2.0 U	1.00 U	**1.0 J**	NA
MW-12-Screen-2	Apr/May 2014	MW-12-2	NA	NA	NA	2.0 U
MW-12-Screen-2	Jul/Aug 2014	MW-12-2	NA	NA	3.0 U	2.0 U
MW-12-Screen-2	Oct 2014	MW-12-2	NA	NA	**2.8 J**	2.0 U
MW-12-Screen-2	Jan/Feb 2015	MW-12-2	NA	NA	**0.9**	2.0 U
MW-12-Screen-2	Apr/May 2015	MW-12-2	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-12-Screen-2	Jul/Aug 2015	MW-12-2	NA	NA	**0.9 J**	2.0 U
MW-12-Screen-2	Oct 2015	MW-12-2	NA	NA	0.5 U	2.0 U
MW-12-Screen-2	Jan/Feb 2016	MW-12-2	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-2	Apr/May 2016	MW-12-2	2.0 U	**0.14 J**	3.0 U	2.0 U
MW-12-Screen-2	Jul/Aug 2016	MW-12-2	NA	NA	**1.6 J**	2.0 U
MW-12-Screen-2	Oct 2016	MW-12-2	NA	NA	**1.7 J**	2.0 U
MW-12-Screen-2	Jan/Feb 2017	MW-12-2	NA	NA	2.1 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-2	Apr/May 2017	MW-12-2	2.0 U	1.00 U	**1.2 J**	2.0 U
MW-12-Screen-2	Jul/Aug 2017	MW-12-2	NA	NA	1.9 U	4.0 U
MW-12-Screen-2	Oct-17	MW-12-2	NA	NA	**0.7 J**	2.0 U
MW-12-Screen-2	Jan/Feb 2018	MW-12-2	NA	NA	3.0 U	2.0 U
MW-12-Screen-2	April 2018	MW-12-2	2.0 U	1.00 U	**1.0 J**	2.0 U
MW-12-Screen-2	Jul/Aug 2018	MW-12-2	NA	NA	3.0 U	2.0 U
MW-12-Screen-2	Oct 2018	MW-12-2	NA	NA	**1.4 J**	2.0 U
MW-12-Screen-2	Feb/Mar 2019	MW-12-2	NA	NA	**1.2 J**	2.0 U
MW-12-Screen-2	Apr/May 2019	MW-12-2	**0.9 J**	1.00 U	**0.7 J**	0.20 U
MW-12-Screen-2	Jul/Aug 2019	MW-12-2	NA	NA	3.0 U	0.20 U
MW-12-Screen-2	Oct 2019	MW-12-2	NA	NA	**0.5 J**	**0.07 J**
MW-12-Screen-2	Feb 2020	MW-12-2	NA	NA	**0.8 J**	0.20 U
MW-12-Screen-2	Feb 2020	DUP-6-1Q20	NA	NA	**0.6 J**	0.20 U
MW-12-Screen-2	Jun 2020	MW-12-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-12-Screen-2	Aug 2020	MW-12-2	NA	NA	**1.0 J**	0.20 U
MW-12-Screen-2	Oct/Nov 2020	MW-12-2	NA	NA	**1.2 J**	0.20 U
MW-12-Screen-2	Mar/Apr 2021	MW-12-2	NA	NA	**1.4 J**	0.10 UB
MW-12-Screen-2	May/June 2021	MW-12-2	**1.1 J**	1.00 U	**1.3 J**	0.09 UB
MW-12-Screen-3						
MW-12-Screen-3	Aug/Sep 1996	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Oct/Nov 1996	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Feb/Mar 1997	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	June/July 1997	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Sep/Oct 1997	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Jan/Feb 1998	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Apr/May 1998	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Jul/Aug 1998	MW-12-3	5.0 U	**18.00**	10.0 U	5.0 U
MW-12-Screen-3	Oct/Nov 1998	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Feb/Mar 1999	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	May/Jun 1999	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Aug 1999	MW-12-3	NA	NA	10.0 U	5.0 U
MW-12-Screen-3	Nov/Dec 1999	MW-12-3	NA	NA	10.0 U	5.0 U
MW-12-Screen-3	Mar/Apr 2000	MW-12-3	NA	NA	10.0 U	5.0 U
MW-12-Screen-3	Jul/Aug 2000	MW-12-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-3	Sep/Oct 2000	MW-12-3	NA	NA	10.0 U	5.0 U
MW-12-Screen-3	Jan/Feb 2001	MW-12-3	5.0 U	1.00 U	**4.6 J**	10.0 U
MW-12-Screen-3	Jul 2001	MW-12-3	NA	NA	NA	NA U
MW-12-Screen-3	Jul 2001	MW-12-3	NA	NA	**2.5 J**	NA
MW-12-Screen-3	Oct 2001	MW-12-3	NA	NA	**6.4**	10.0 U
MW-12-Screen-3	Jan/Feb 2002	MW-12-3	5.0 U	**0.07 J**	**4.0 J**	10.0 U
MW-12-Screen-3	Apr/May 2002	MW-12-3	NA	NA	**4.0**	10.0 U
MW-12-Screen-3	Jul 2002	MW-12-3	NA	NA	**2.0**	NA U
MW-12-Screen-3	Oct/Nov 2002	MW-12-3	NA	NA	NA	10.0 U
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	**0.7**	**0.09 J**	**3.9**	NA
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	NA	NA	NA	0.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-3	Jan/Feb 2003	MW-12-3	NA	NA	**2.5**	10.0 U
MW-12-Screen-3	Apr/May 2003	MW-12-3	5.0 U	1.00 U	**1.3**	10.0 U
MW-12-Screen-3	Apr/May 2003	DUPE-6-2Q03	5.0 U	1.00 U	**1.3**	10.0 U
MW-12-Screen-3	Jul/Aug 2003	MW-12-3	NA	NA	**2.4 J**	10.0 U
MW-12-Screen-3	Oct/Nov 2003	MW-12-3	NA	NA	1.6 UJ	10.0 U
MW-12-Screen-3	Feb 2004	MW-12-3	NA	NA	1.0 U	10.0 U
MW-12-Screen-3	Apr/May 2004	MW-12-3	5.0 U	0.01 U	**6.2**	10.0 U
MW-12-Screen-3	Jul/Aug 2004	MW-12-3	NA	NA	**6.5**	10.0 U
MW-12-Screen-3	Oct/Nov 2004	MW-12-3	NA	NA	**8.8 J**	10.0 U
MW-12-Screen-3	Jan/Feb 2005	MW-12-3	NA	NA	**5.1**	10.0 U
MW-12-Screen-3	Apr/May 2005	MW-12-3	5.0 U	**0.07 J**	**5.1**	10.0 U
MW-12-Screen-3	Jul/Sep 2005	MW-12-3	NA	NA	**6.7**	10.0 U
MW-12-Screen-3	Oct/Nov 2005	MW-12-3	NA	NA	**6.0**	10.0 U
MW-12-Screen-3	Mar/Apr 2006	MW-12-3	NA	NA	1.0 U	10.0 U
MW-12-Screen-3	May/Jun 2006	MW-12-3	1.0 U	1.00 U	1.0 U	10.0 U
MW-12-Screen-3	Aug/Sep 2006	MW-12-3	NA	NA	0.5 U	**8.0 J**
MW-12-Screen-3	Oct/Dec 2006	MW-12-3	NA	NA	**1.5**	10.0 U
MW-12-Screen-3	Mar/Apr 2007	MW-12-3	NA	NA	1.0 U	10.0 U
MW-12-Screen-3	Jun/Jul 2007	MW-12-3	1.0 U	1.00 U	**1.2 J**	10.0 U
MW-12-Screen-3	Aug/Sep 2007	MW-12-3	NA	NA	**12.3**	10.0 U
MW-12-Screen-3	Oct/Dec 2007	MW-12-3	NA	NA	**8.0**	10.0 U
MW-12-Screen-3	Jan/Feb 2008	MW-12-3	NA	NA	**1.2**	10.0 U
MW-12-Screen-3	Apr/May 2008	MW-12-3	1.0 U	1.00 U	**4.4**	10.0 U
MW-12-Screen-3	Jul/Aug 2008	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Oct/Nov 2008	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Jan/Feb 2009	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Apr/May 2009	DUPE-07-2Q09	2.0 U	5.00 U	5.0 U	NA
MW-12-Screen-3	Apr/May 2009	MW-12-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-3	Apr/May 2009	DUPE-07-2Q09	NA	NA	NA	10.0 U
MW-12-Screen-3	Jul/Aug 2009	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Nov/Dec 2009	DUPE-06-4Q09	NA	NA	NA	10.0 U
MW-12-Screen-3	Nov/Dec 2009	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Nov/Dec 2009	DUPE-06-4Q09	NA	NA	5.0 U	NA
MW-12-Screen-3	Feb 2010	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Apr/May 2010	MW-12-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-3	Jul/Aug 2010	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Oct/Nov 2010	DUPE-05-4Q10	NA	NA	NA	10.0 U
MW-12-Screen-3	Oct/Nov 2010	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Oct/Nov 2010	DUPE-05-4Q10	NA	NA	5.0 U	NA
MW-12-Screen-3	Feb/Mar 2011	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Apr/May 2011	MW-12-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-3	Aug/Sep 2011	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Nov/Dec 2011	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Jan/Feb 2012	MW-12-3	NA	NA	5.0 U	10.0 U
MW-12-Screen-3	Apr/May 2012	MW-12-3	2.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-3	Aug/Sep 2012	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Nov 2012	MW-12-3	NA	NA	3.0 U	**0.8 J**
MW-12-Screen-3	Jan/Feb 2013	MW-12-3	NA	NA	**1.1 J**	2.0 U
MW-12-Screen-3	Apr/May 2013	MW-12-3	**1.3 J**	1.00 U	3.0 U	2.0 U
MW-12-Screen-3	Jul 2013	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Oct/Nov 2013	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Jan/Feb 2014	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Apr/May 2014	MW-12-3	**0.8 J**	1.00 U	3.0 U	NA
MW-12-Screen-3	Apr/May 2014	MW-12-3	NA	NA	NA	2.0 U
MW-12-Screen-3	Jul/Aug 2014	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Oct 2014	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Jan/Feb 2015	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Apr/May 2015	MW-12-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-12-Screen-3	Jul/Aug 2015	MW-12-3	NA	NA	3.0 UJ	2.0 U
MW-12-Screen-3	Oct 2015	MW-12-3	NA	NA	0.5 U	2.0 U
MW-12-Screen-3	Jan/Feb 2016	MW-12-3	NA	NA	**5.6 J**	2.0 U
MW-12-Screen-3	Apr/May 2016	MW-12-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-12-Screen-3	Jul/Aug 2016	MW-12-3	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-3	Oct 2016	MW-12-3	NA	NA	**1.2 J**	2.0 U
MW-12-Screen-3	Jan/Feb 2017	MW-12-3	NA	NA	1.6 U	2.0 U
MW-12-Screen-3	Jan/Feb 2017	DUP-7-1Q17	NA	NA	1.5 U	2.0 U
MW-12-Screen-3	Apr/May 2017	MW-12-3	2.0 U	1.00 U	**0.9 J**	**0.8 J**
MW-12-Screen-3	Jul/Aug 2017	MW-12-3	NA	NA	1.8 U	2.0 U
MW-12-Screen-3	Jul/Aug 2017	DUP-4-3Q17	NA	NA	2.4 U	2.0 U
MW-12-Screen-3	Oct-17	MW-12-3	NA	NA	3.0 UJ	2.0 U
MW-12-Screen-3	Jan/Feb 2018	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	April 2018	MW-12-3	**1.0 J**	1.00 U	3.0 U	2.0 U
MW-12-Screen-3	April 2018	DUP-8-2Q18	2.0 U	1.00 U	**0.5 J**	2.0 U
MW-12-Screen-3	Jul/Aug 2018	MW-12-3	NA	NA	3.0 U	2.0 U
MW-12-Screen-3	Oct 2018	MW-12-3	NA	NA	**1.7 J**	2.0 U
MW-12-Screen-3	Feb/Mar 2019	MW-12-3	NA	NA	**1.0 J**	**0.9 J**
MW-12-Screen-3	Feb/Mar 2019	DUP-6-1Q19	NA	NA	**1.1 J**	2.0 U
MW-12-Screen-3	Apr/May 2019	MW-12-3	**1.1 J**	1.00 U	**1.0 J**	**0.48**
MW-12-Screen-3	Jul/Aug 2019	MW-12-3	NA	NA	3.0 U	**0.30**
MW-12-Screen-3	Oct 2019	MW-12-3	NA	NA	3.0 U	**0.21**
MW-12-Screen-3	Feb 2020	MW-12-3	NA	NA	3.0 U	**0.33**
MW-12-Screen-3	Jun 2020	MW-12-3	2.0 U	1.00 U	3.0 U	**0.51**
MW-12-Screen-3	Jun 2020	Dup-4-2Q2020	2.0 U	1.00 U	3.0 U	**0.54**
MW-12-Screen-3	Aug 2020	MW-12-3	NA	NA	**0.6 J**	**0.45**
MW-12-Screen-3	Oct/Nov 2020	MW-12-3	NA	NA	**1.2 J**	**0.40**
MW-12-Screen-3	Mar/Apr 2021	MW-12-3	NA	NA	3.0 U	0.26 UB
MW-12-Screen-3	May/June 2021	MW-12-3	**1.2 J**	1.00 U	3.0 U	0.29 UB
MW-12-Screen-4						
MW-12-Screen-4	Aug/Sep 1996	MW-12-4	5.0 U	**4.50**	10.0 U	5.0 U
MW-12-Screen-4	Oct/Nov 1996	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-4	Feb/Mar 1997	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	June/July 1997	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Sep/Oct 1997	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Jan/Feb 1998	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Apr/May 1998	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Jul/Aug 1998	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Oct/Nov 1998	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Feb/Mar 1999	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	May/Jun 1999	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Nov/Dec 1999	MW-12-4	NA	NA	10.0 U	5.0 U
MW-12-Screen-4	Jul/Aug 2000	MW-12-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-4	Jan/Feb 2001	MW-12-4	5.0 U	1.00 U	**5.9**	10.0 U
MW-12-Screen-4	Jan/Feb 2002	MW-12-4	5.0 U	1.00 U	**3.9 J**	10.0 U
MW-12-Screen-4	Jan/Feb 2003	MW-12-4	NA	NA	NA	10.0 U
MW-12-Screen-4	Apr/May 2003	MW-12-4	5.0 U	1.00 U	**1.3**	10.0 U
MW-12-Screen-4	Oct/Nov 2003	MW-12-4	NA	NA	**2.8 J**	10.0 U
MW-12-Screen-4	Apr/May 2004	MW-12-4	5.0 U	0.12 U	**9.0**	10.0 U
MW-12-Screen-4	Apr/May 2004	DUPE-4-2Q04	5.0 U	**0.001 J**	**8.2**	**4.0 J**
MW-12-Screen-4	Oct/Nov 2004	MW-12-4	NA	NA	**12.1 J**	10.0 U
MW-12-Screen-4	Oct/Nov 2004	DUPE-4-4Q04	NA	NA	**12.8 J**	10.0 U
MW-12-Screen-4	Apr/May 2005	MW-12-4	5.0 U	**0.02 J**	**5.5**	10.0 U
MW-12-Screen-4	Jul/Sep 2005	MW-12-4	NA	NA	**10.1**	10.0 U
MW-12-Screen-4	Oct/Nov 2005	MW-12-4	NA	NA	**6.4**	10.0 U
MW-12-Screen-4	May/Jun 2006	MW-12-4	**1.5 J**	1.00 U	1.0 U	10.0 U
MW-12-Screen-4	Oct/Dec 2006	MW-12-4	NA	NA	**2.6**	10.0 U
MW-12-Screen-4	Jun/Jul 2007	MW-12-4	**1.9**	1.00 U	**2.0 J**	10.0 U
MW-12-Screen-4	Oct/Dec 2007	MW-12-4	NA	NA	**10.2**	10.0 U
MW-12-Screen-4	Apr/May 2008	MW-12-4	**1.8**	1.00 U	**4.7**	10.0 U
MW-12-Screen-4	Oct/Nov 2008	MW-12-4	NA	NA	5.0 U	10.0 U
MW-12-Screen-4	Apr/May 2009	MW-12-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-4	Nov/Dec 2009	MW-12-4	NA	NA	5.0 U	10.0 U
MW-12-Screen-4	Apr/May 2010	MW-12-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-4	Oct/Nov 2010	MW-12-4	NA	NA	5.0 U	10.0 U
MW-12-Screen-4	Apr/May 2011	MW-12-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-4	Nov/Dec 2011	MW-12-4	NA	NA	5.0 U	10.0 U
MW-12-Screen-4	Apr/May 2012	MW-12-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-4	Nov 2012	MW-12-4	NA	NA	3.0 U	**0.8 J**
MW-12-Screen-4	Apr/May 2013	MW-12-4	**1.7 J**	1.00 U	**0.8 J**	**1.3 J**
MW-12-Screen-4	Oct/Nov 2013	MW-12-4	NA	NA	**0.9 J**	**0.9 J**
MW-12-Screen-4	Apr/May 2014	MW-12-4	**2.3**	1.00 U	3.0 U	NA
MW-12-Screen-4	Apr/May 2014	MW-12-4	NA	NA	NA	2.0 U
MW-12-Screen-4	Oct 2014	MW-12-4	NA	NA	**0.8 J**	2.0 U
MW-12-Screen-4	Apr/May 2015	MW-12-4	**1.4 J**	1.00 U	3.0 U	2.0 U
MW-12-Screen-4	Apr/May 2015	DUP-5-2Q15	**1.2 J**	1.00 U	3.0 U	2.0 U
MW-12-Screen-4	Oct 2015	MW-12-4	NA	NA	0.7 U	**0.7 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-4	Apr/May 2016	MW-12-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-12-Screen-4	Oct 2016	MW-12-4	NA	NA	**1.4 J**	**1.0 J**
MW-12-Screen-4	Apr/May 2017	MW-12-4	**1.4 J**	1.00 U	**1.1 J**	**0.8 J**
MW-12-Screen-4	Oct-17	MW-12-4	NA	NA	**1.0 J**	2.0 U
MW-12-Screen-4	Oct-17	DUP-5-4Q17	NA	NA	**0.8 J**	**0.7 J**
MW-12-Screen-4	April 2018	MW-12-4	**0.9 J**	1.00 U	**0.7 J**	2.0 U
MW-12-Screen-4	Oct 2018	MW-12-4	NA	NA	**2.0 J**	**0.8 J**
MW-12-Screen-4	Apr/May 2019	MW-12-4	**1.7 J**	1.00 U	3.0 U	**0.55**
MW-12-Screen-4	Apr/May 2019	DUP-6-2Q19	**1.5 J**	1.00 U	**0.7 J**	**0.58**
MW-12-Screen-4	Oct 2019	MW-12-4	NA	NA	3.0 U	**0.55**
MW-12-Screen-4	Jun 2020	MW-12-4	**1.8 J**	1.00 U	**0.6 J**	**0.58**
MW-12-Screen-4	Oct/Nov 2020	MW-12-4	NA	NA	**0.8 J**	**0.71**
MW-12-Screen-4	May/June 2021	MW-12-4	**1.3 J**	1.00 U	**0.9 J**	0.43 UB
MW-12-Screen-5						
MW-12-Screen-5	Aug/Sep 1996	MW-12-5	5.0 U	2.00 U	10.0 U	**6.0 J**
MW-12-Screen-5	Oct/Nov 1996	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Feb/Mar 1997	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	June/July 1997	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Sep/Oct 1997	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Jan/Feb 1998	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Apr/May 1998	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Jul/Aug 1998	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Oct/Nov 1998	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Feb/Mar 1999	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	May/Jun 1999	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Nov/Dec 1999	MW-12-5	NA	NA	10.0 U	5.0 U
MW-12-Screen-5	Jul/Aug 2000	MW-12-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-12-Screen-5	Jan/Feb 2001	MW-12-5	**2.7 B**	1.00 U	**6.4**	10.0 U
MW-12-Screen-5	Jan/Feb 2002	MW-12-5	**1.8 B**	**1.05**	**4.3 J**	10.0 U
MW-12-Screen-5	Jan/Feb 2003	MW-12-5	**0.6**	**0.20**	**1.2**	NA
MW-12-Screen-5	Jan/Feb 2003	MW-12-5	NA	NA	NA	0.0 U
MW-12-Screen-5	Jan/Feb 2003	MW-12-5	NA	NA	NA	10.0 U
MW-12-Screen-5	Apr/May 2003	MW-12-5	5.0 U	1.00 U	**1.2**	10.0 U
MW-12-Screen-5	Oct/Nov 2003	MW-12-5	NA	NA	**4.7 J**	10.0 U
MW-12-Screen-5	Apr/May 2004	MW-12-5	5.0 U	0.05 U	**1.8**	**5.0 J**
MW-12-Screen-5	Oct/Nov 2004	MW-12-5	NA	NA	**3.8 J**	10.0 U
MW-12-Screen-5	Apr/May 2005	MW-12-5	5.0 U	**0.03 J**	**5.4**	10.0 U
MW-12-Screen-5	Jul/Sep 2005	MW-12-5	NA	NA	**9.9**	10.0 U
MW-12-Screen-5	Oct/Nov 2005	MW-12-5	NA	NA	**7.4**	10.0 U
MW-12-Screen-5	May/Jun 2006	MW-12-5	**2.3 J**	1.00 U	**1.7 J**	10.0 U
MW-12-Screen-5	Oct/Dec 2006	MW-12-5	NA	NA	**5.0**	10.0 U
MW-12-Screen-5	Jun/Jul 2007	MW-12-5	**2.0**	1.00 U	**3.0**	10.0 U
MW-12-Screen-5	Oct/Dec 2007	MW-12-5	NA	NA	**9.4**	10.0 U
MW-12-Screen-5	Apr/May 2008	MW-12-5	**2.3**	1.00 U	**10.6**	10.0 U
MW-12-Screen-5	Oct/Nov 2008	MW-12-5	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-12-Screen-5	Apr/May 2009	MW-12-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-5	Nov/Dec 2009	MW-12-5	NA	NA	5.0 U	10.0 U
MW-12-Screen-5	Apr/May 2010	MW-12-5	**2.1**	5.00 U	5.0 U	10.0 U
MW-12-Screen-5	Oct/Nov 2010	MW-12-5	NA	NA	5.0 U	10.0 U
MW-12-Screen-5	Apr/May 2011	MW-12-5	**2.9**	5.00 U	5.0 U	10.0 U
MW-12-Screen-5	Nov/Dec 2011	MW-12-5	NA	NA	5.0 U	10.0 U
MW-12-Screen-5	Apr/May 2012	MW-12-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-12-Screen-5	Nov 2012	MW-12-5	NA	NA	**2.2 J**	**2.6**
MW-12-Screen-5	Apr/May 2013	MW-12-5	**2.2**	1.00 U	**1.8 J**	**2.3**
MW-12-Screen-5	Oct/Nov 2013	MW-12-5	NA	NA	**1.5 J**	**1.9 J**
MW-12-Screen-5	Apr/May 2014	MW-12-5	**1.9 J**	1.00 U	**1.8 J**	NA
MW-12-Screen-5	Apr/May 2014	MW-12-5	NA	NA	NA	**0.9 J**
MW-12-Screen-5	Oct 2014	MW-12-5	NA	NA	**2.7 J**	**1.3 J**
MW-12-Screen-5	Apr/May 2015	MW-12-5	**1.5 J**	1.00 U	**0.9 J**	**0.9 J**
MW-12-Screen-5	Oct 2015	MW-12-5	NA	NA	1.5 U	**1.3 J**
MW-12-Screen-5	Apr/May 2016	MW-12-5	**1.8 J**	1.00 U	3.0 U	**1.1 J**
MW-12-Screen-5	Oct 2016	MW-12-5	NA	NA	**2.3 J**	**1.8 J**
MW-12-Screen-5	Apr/May 2017	MW-12-5	**1.8 J**	1.00 U	**1.8 J**	**1.5 J**
MW-12-Screen-5	Oct-17	MW-12-5	NA	NA	**1.3 J**	**1.0 J**
MW-12-Screen-5	April 2018	MW-12-5	**1.9 J**	**0.20 J**	**1.4 J**	2.0 U
MW-12-Screen-5	Oct 2018	MW-12-5	NA	NA	**0.8 J**	**1.4 J**
MW-12-Screen-5	Apr/May 2019	MW-12-5	**1.8 J**	1.00 U	**1.0 J**	**0.90**
MW-12-Screen-5	Oct 2019	MW-12-5	NA	NA	**0.6 J**	**0.98**
MW-12-Screen-5	Jun 2020	MW-12-5	**2.2**	**0.11 J**	**2.4 J**	**1.20**
MW-12-Screen-5	Oct/Nov 2020	MW-12-5	NA	NA	**1.7 J**	**1.50**
MW-12-Screen-5	May/June 2021	MW-12-5	**2.0**	**0.14 J**	**1.6 J**	**1.20 J**
MW-13						
MW-13	Aug/Sep 1996	MW-13	5.0 U	2.00 U	**46.0**	**47.0**
MW-13	Oct/Nov 1996	MW-13	5.0 U	**5.40**	**31.0**	**28.0**
MW-13	Feb/Mar 1997	MW-13	5.0 U	2.00 U	**32.0**	**35.0**
MW-13	June/July 1997	MW-13	5.0 U	2.00 U	**38.0**	**37.0**
MW-13	Sep/Oct 1997	MW-13	5.0 U	2.00 U	**50.0**	**45.0**
MW-13	Jan/Feb 1998	MW-13	5.0 U	2.00 U	**43.0**	**35.0**
MW-13	Apr/May 1998	MW-13	5.0 U	2.00 U	**82.0**	**24.0**
MW-13	Jul/Aug 1998	MW-13	5.0 U	2.00 U	**25.0**	**23.4**
MW-13	Oct/Nov 1998	MW-13	5.0 U	2.00 U	**36.0**	**28.8**
MW-13	Feb/Mar 1999	MW-13	5.0 U	2.00 U	**27.0**	**17.5**
MW-13	May/Jun 1999	MW-13	5.0 U	2.00 U	**24.0**	**24.0**
MW-13	Aug 1999	MW-13	NA	NA	**37.0**	**31.0**
MW-13	Nov/Dec 1999	MW-13	NA	NA	**33.0**	**29.0**
MW-13	Mar/Apr 2000	MW-13	NA	NA	**32.0**	**29.0**
MW-13	Jan/Feb 2001	MW-13	5.0 U	10.00 U	**110.0**	**32.0**
MW-13	Jul 2001	MW-13	NA	NA	NA	NA U
MW-13	Jul 2001	MW-13	NA	NA	**13.7**	NA
MW-13	Oct 2001	MW-13	NA	NA	**33.2**	**28.0**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-13	Jan/Feb 2002	MW-13	**2.7 B**	1.00 U	**11.8 J**	**34.0**
MW-13	Apr/May 2002	MW-13	NA	NA	**58.0**	**37.0**
MW-13	Jul 2002	MW-13	NA	NA	**28.0**	**10.0**
MW-13	Jul 2002	DUP	NA	NA	**28.0**	**10.0**
MW-13	Oct/Nov 2002	MW-13	NA	NA	NA	**50.0**
MW-13	Jan/Feb 2003	MW-13	NA	NA	**90.0**	**55.0**
MW-13	Apr/May 2003	MW-13	5.0 U	1.00 U	**16.0 J**	**24.0**
MW-13	Jul/Aug 2003	MW-13	NA	NA	**8.5 J**	10.0 U
MW-13	Oct/Nov 2003	MW-13	NA	NA	**18.0 J**	**20.0**
MW-13	Feb 2004	MW-13	NA	NA	**63.0**	**52.0**
MW-13	Apr/May 2004	MW-13	5.0 U	0.12 U	**31.5**	**24.0**
MW-13	Jul/Aug 2004	MW-13	NA	NA	**26.1 J**	**11.0**
MW-13	Oct/Nov 2004	MW-13	NA	NA	**55.1 J**	**48.0**
MW-13	Jan/Feb 2005	MW-13	NA	NA	**50.9**	**32.0**
MW-13	Apr/May 2005	MW-13	**1.3 J**	**0.04 J**	**25.7**	**20.0**
MW-13	Jul/Sep 2005	MW-13	NA	NA	**31.7**	**24.0**
MW-13	Oct/Nov 2005	MW-13	NA	NA	**89.9**	**13.0**
MW-13	Mar/Apr 2006	MW-13	NA	NA	**48.2 J**	**24.0**
MW-13	May/Jun 2006	DUPE-9-2Q06	1.0 U	1.00 U	**17.1**	NA
MW-13	May/Jun 2006	MW-13	1.0 U	1.00 U	**16.2**	**8.0 J**
MW-13	May/Jun 2006	DUPE-9-2Q06	NA	NA	NA	10.0 U
MW-13	Aug/Sep 2006	DUPE-3-3Q06	NA	NA	NA	**8.0 J**
MW-13	Aug/Sep 2006	MW-13	NA	NA	**14.8**	**8.0 J**
MW-13	Aug/Sep 2006	DUPE-3-3Q06	NA	NA	**15.7**	NA
MW-13	Oct/Dec 2006	MW-13	NA	NA	**131.0**	**84.0**
MW-13	Mar/Apr 2007	MW-13	NA	NA	**70.3**	**41.0**
MW-13	Jun/Jul 2007	MW-13	1.0 U	**22.20**	**66.2 J**	**66.0**
MW-13	Aug/Sep 2007	DUPE-6-3Q07	NA	NA	NA	**60.0**
MW-13	Aug/Sep 2007	MW-13	NA	NA	**83.2**	**70.0**
MW-13	Aug/Sep 2007	DUPE-6-3Q07	NA	NA	**85.7**	NA
MW-13	Oct/Dec 2007	DUPE-6-4Q07	NA	NA	NA	**20.0**
MW-13	Oct/Dec 2007	MW-13	NA	NA	**37.9**	**20.0**
MW-13	Oct/Dec 2007	DUPE-6-4Q07	NA	NA	**38.5**	NA
MW-13	Jan/Feb 2008	MW-13	NA	NA	**13.8 E**	**8.0 J**
MW-13	Apr/May 2008	MW-13	1.0 U	1.00 U	**51.6 E**	**58.0**
MW-13	Jul/Aug 2008	MW-13	NA	NA	**51.0**	**39.0**
MW-13	Oct/Nov 2008	MW-13	NA	NA	**88.0**	**33.0**
MW-13	Jan/Feb 2009	MW-13	NA	NA	**31.0**	10.0 U
MW-13	Apr/May 2009	MW-13	2.0 U	**10.00**	**33.0**	**28.0**
MW-13	Jul/Aug 2009	MW-13	NA	NA	**31.0**	**31.0**
MW-13	Nov/Dec 2009	MW-13	NA	NA	**12.0**	10.0 U
MW-13	Feb 2010	MW-13	NA	NA	5.0 U	NA
MW-13	Apr/May 2010	MW-13	2.0 U	5.00 U	**22.0**	**21.7**
MW-13	Jul/Aug 2010	MW-13	NA	NA	**12.0**	**15.0**
MW-13	Oct/Nov 2010	MW-13	NA	NA	**8.1**	**9.0 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-13	Feb/Mar 2011	MW-13	NA	NA	**15.0**	**8.0 J**
MW-13	Apr/May 2011	MW-13	2.0 U	5.00 U	**15.0**	**9.0 J**
MW-13	Aug/Sep 2011	MW-13	NA	NA	**6.0**	**6.0 J**
MW-13	Nov/Dec 2011	MW-13	NA	NA	**14.0 J**	**5.0 J**
MW-13	Jan/Feb 2012	DUPE-6-1Q12	NA	NA	NA	**8.0 J**
MW-13	Jan/Feb 2012	MW-13	NA	NA	**5.8**	**7.0 J**
MW-13	Jan/Feb 2012	DUPE-6-1Q12	NA	NA	**5.6**	NA
MW-13	Apr/May 2012	MW-13	2.0 U	5.00 U	**11.0**	**8.0 J**
MW-13	Aug/Sep 2012	MW-13	NA	NA	**11.0**	**4.9**
MW-13	Nov 2012	MW-13	NA	NA	**23.0**	**6.7**
MW-13	Nov 2012	DUPE-7-4Q12	NA	NA	**43.0**	**6.5**
MW-13	Jan/Feb 2013	MW-13	NA	NA	**17.0**	**6.0**
MW-13	Jan/Feb 2013	DUP-5-1Q13	NA	NA	**15.0**	**5.8**
MW-13	Apr/May 2013	MW-13	**0.7 J**	**0.10 J**	**14.0 J**	**4.9**
MW-13	Jul 2013	MW-13	NA	NA	**140.0**	**4.2**
MW-13	Oct/Nov 2013	MW-13	NA	NA	**67.0**	**1.5 J**
MW-13	Jan/Feb 2014	MW-13	NA	NA	**150.0**	2.0 U
MW-13	Jan/Feb 2014	DUPE-4-1Q14	NA	NA	**150.0**	2.0 U
MW-13	Apr/May 2014	MW-13	2.0 U	1.00 U	**220.0**	2.0 U
MW-13	Jul/Aug 2014	MW-13	NA	NA	**51000.0**	2.0 U
MW-13	Apr/May 2017	MW-13	2.0 U	**0.10 J**	**330.0 J**	**4.0**
MW-13	Jul/Aug 2017	MW-13	NA	NA	**1300.0**	**2.5**
MW-13	Jul/Aug 2017	DUP-6-3Q17	NA	NA	**680.0**	**2.7**
MW-13	Oct-17	MW-13	NA	NA	**1500.0 J**	**3.6**
MW-13	Jan/Feb 2018	MW-13	NA	NA	**3500.0**	**4.6**
MW-13	April 2018	MW-13	2.0 U	**0.46 J**	**170.0**	2.0 U
MW-13	Feb/Mar 2019	MW-13	NA	NA	**15.0**	**2.9**
MW-13	Apr/May 2019	MW-13	2.0 U	1.00 U	**5.7**	**3.70**
MW-13	Jul/Aug 2019	MW-13	NA	NA	**8.5**	**3.10**
MW-13	Jun 2020	MW-13	2.0 U	1.00 U	**8.3**	**2.60**
MW-14-Screen-1						
MW-14-Screen-1	Aug/Sep 1996	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Oct/Nov 1996	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Feb/Mar 1997	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	June/July 1997	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Sep/Oct 1997	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Jan/Feb 1998	MW-14-1	5.0 U	**4.30**	10.0 U	5.0 U
MW-14-Screen-1	Apr/May 1998	MW-14-1	5.0 U	2.00 U	**11.0**	5.0 U
MW-14-Screen-1	Jul/Aug 1998	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Oct/Nov 1998	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Feb/Mar 1999	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	May/Jun 1999	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-1	Aug 1999	MW-14-1	NA	NA	10.0 U	5.0 U
MW-14-Screen-1	Mar/Apr 2000	MW-14-1	NA	NA	10.0 U	5.0 U
MW-14-Screen-1	Jul/Aug 2000	MW-14-1	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-1	Sep/Oct 2000	MW-14-1	NA	NA	10.0 U	5.0 U
MW-14-Screen-1	Jan/Feb 2001	MW-14-1	5.0 U	1.00 U	**5.0 J**	10.0 U
MW-14-Screen-1	Apr 2001	MW-14-1	NA	NA	NA	10.0 U
MW-14-Screen-1	Jul 2001	MW-14-1	NA	NA	NA	NA U
MW-14-Screen-1	Jul 2001	MW-14-1	NA	NA	**2.6 J**	NA
MW-14-Screen-1	Oct 2001	MW-14-1	NA	NA	**11.8**	10.0 U
MW-14-Screen-1	Jan/Feb 2002	MW-14-1	5.0 U	1.00 U	**4.9 J**	10.0 U
MW-14-Screen-1	Apr/May 2002	MW-14-1	NA	NA	**9.0**	10.0 U
MW-14-Screen-1	Jul 2002	MW-14-1	NA	NA	**7.0**	NA U
MW-14-Screen-1	Oct/Nov 2002	MW-14-1	NA	NA	NA	10.0 U
MW-14-Screen-1	Jan/Feb 2003	MW-14-1	NA	NA	**3.5**	10.0 U
MW-14-Screen-1	Apr/May 2003	MW-14-1	5.0 U	1.00 U	**4.6 J**	10.0 U
MW-14-Screen-1	Jul/Aug 2003	MW-14-1	NA	NA	**3.9 J**	10.0 U
MW-14-Screen-1	Oct/Nov 2003	MW-14-1	NA	NA	0.0 UJ	10.0 U
MW-14-Screen-1	Feb 2004	MW-14-1	NA	NA	**4.4**	10.0 U
MW-14-Screen-1	Feb 2004	DUPE-3-1Q04	NA	NA	**5.3**	10.0 U
MW-14-Screen-1	Apr/May 2004	MW-14-1	5.0 UJ	0.12 U	**15.0**	10.0 U
MW-14-Screen-1	Jul/Aug 2004	MW-14-1	NA	NA	**12.8 J**	10.0 U
MW-14-Screen-1	Oct/Nov 2004	MW-14-1	NA	NA	**13.5 J**	10.0 U
MW-14-Screen-1	Jan/Feb 2005	MW-14-1	NA	NA	**12.0**	10.0 U
MW-14-Screen-1	Apr/May 2005	MW-14-1	**1.8 J**	**0.10 J**	**8.3**	10.0 U
MW-14-Screen-1	Jul/Sep 2005	MW-14-1	NA	NA	**11.5**	10.0 U
MW-14-Screen-1	Oct/Nov 2005	DUPE-4-4Q05	NA	NA	**11.9**	10.0 U
MW-14-Screen-1	Oct/Nov 2005	MW-14-1	NA	NA	**10.8**	10.0 U
MW-14-Screen-1	Mar/Apr 2006	MW-14-1	NA	NA	**1.6**	10.0 U
MW-14-Screen-1	May/Jun 2006	MW-14-1	1.0 U	1.00 U	**1.7 J**	10.0 U
MW-14-Screen-1	Aug/Sep 2006	MW-14-1	NA	NA	1.0 U	10.0 U
MW-14-Screen-1	Oct/Dec 2006	MW-14-1	NA	NA	**1.8**	10.0 U
MW-14-Screen-1	Mar/Apr 2007	MW-14-1	NA	NA	1.0 U	NA
MW-14-Screen-1	Jun/Jul 2007	MW-14-1	NA	NA	NA	10.0 U
MW-14-Screen-1	Jun/Jul 2007	MW-14-1	**1.3**	1.00 U	**2.8**	NA
MW-14-Screen-1	Aug/Sep 2007	MW-14-1	NA	NA	**11.2 E**	10.0 U
MW-14-Screen-1	Oct/Dec 2007	MW-14-1	NA	NA	**10.4 E**	10.0 U
MW-14-Screen-1	Jan/Feb 2008	MW-14-1	NA	NA	1.0 U	10.0 U
MW-14-Screen-1	Apr/May 2008	MW-14-1	1.0 U	1.00 U	**9.2**	10.0 U
MW-14-Screen-1	Jul/Aug 2008	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Oct/Nov 2008	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Jan/Feb 2009	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Apr/May 2009	MW-14-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-1	Jul/Aug 2009	DUPE-2-3Q09	NA	NA	5.0 U	NA
MW-14-Screen-1	Jul/Aug 2009	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Jul/Aug 2009	DUPE-2-3Q09	NA	NA	NA	10.0 U
MW-14-Screen-1	Nov/Dec 2009	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Feb 2010	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Apr/May 2010	MW-14-1	2.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-1	Jul/Aug 2010	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Oct/Nov 2010	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Feb/Mar 2011	DUPE-02-1Q11	NA	NA	NA	10.0 U
MW-14-Screen-1	Feb/Mar 2011	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Feb/Mar 2011	DUPE-02-1Q11	NA	NA	5.0 U	NA
MW-14-Screen-1	Apr/May 2011	MW-14-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-1	Aug/Sep 2011	DUPE-02-3Q11	NA	NA	5.0 U	NA
MW-14-Screen-1	Aug/Sep 2011	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Aug/Sep 2011	DUPE-02-3Q11	NA	NA	NA	10.0 U
MW-14-Screen-1	Nov/Dec 2011	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Jan/Feb 2012	MW-14-1	NA	NA	5.0 U	10.0 U
MW-14-Screen-1	Apr/May 2012	MW-14-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-1	Aug/Sep 2012	MW-14-1	NA	NA	**0.9 J**	2.0 U
MW-14-Screen-1	Nov 2012	MW-14-1	NA	NA	3.0 U	2.0 U
MW-14-Screen-1	Jan/Feb 2013	MW-14-1	NA	NA	**1.3 J**	2.0 U
MW-14-Screen-1	Apr/May 2013	MW-14-1	2.0 U	1.00 U	**0.8 J**	**8.8**
MW-14-Screen-1	Jul 2013	MW-14-1	NA	NA	**1.3 J**	2.0 U
MW-14-Screen-1	Oct/Nov 2013	DUPE-2-4Q13	NA	NA	**1.0 J**	2.0 U
MW-14-Screen-1	Oct/Nov 2013	MW-14-1	NA	NA	**0.8 J**	2.0 U
MW-14-Screen-1	Jan/Feb 2014	MW-14-1	NA	NA	3.0 U	**1.1 J**
MW-14-Screen-1	Apr/May 2014	MW-14-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-1	Jul/Aug 2014	MW-14-1	NA	NA	**0.5 J**	**0.9 J**
MW-14-Screen-1	Jan/Feb 2015	MW-14-1	NA	NA	**6.4**	2.0 U
MW-14-Screen-1	Apr/May 2015	MW-14-1	2.0 U	1.00 U	**24.0**	2.0 U
MW-14-Screen-1	Apr/May 2016	MW-14-1	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-14-Screen-1	Apr/May 2017	MW-14-1	2.0 U	1.00 U	**1.2 J**	0.8 U
MW-14-Screen-1	Jul/Aug 2017	MW-14-1	NA	NA	1.8 U	**0.9 J**
MW-14-Screen-1	Jan/Feb 2018	MW-14-1	NA	NA	3.0 U	2.0 U
MW-14-Screen-1	April 2018	MW-14-1	**1.0 J**	1.00 U	**2.3 J**	**1.8 J**
MW-14-Screen-1	Apr/May 2019	MW-14-1	2.0 U	1.00 U	**1.2 J**	**2.00**
MW-14-Screen-1	Jul/Aug 2019	MW-14-1	NA	NA	**1.2 J**	0.20 U
MW-14-Screen-2						
MW-14-Screen-2	Aug/Sep 1996	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Oct/Nov 1996	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Feb/Mar 1997	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	June/July 1997	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Sep/Oct 1997	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Jan/Feb 1998	MW-14-2	5.0 U	**2.70**	10.0 U	5.0 U
MW-14-Screen-2	Apr/May 1998	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Jul/Aug 1998	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Oct/Nov 1998	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Feb/Mar 1999	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	May/Jun 1999	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Aug 1999	MW-14-2	NA	NA	10.0 U	5.0 U
MW-14-Screen-2	Nov/Dec 1999	MW-14-2	NA	NA	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-2	Mar/Apr 2000	MW-14-2	NA	NA	10.0 U	5.0 U
MW-14-Screen-2	Jul/Aug 2000	MW-14-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-2	Sep/Oct 2000	MW-14-2	NA	NA	10.0 U	5.0 U
MW-14-Screen-2	Jan/Feb 2001	MW-14-2	5.0 U	1.00 U	**5.0 J**	10.0 U
MW-14-Screen-2	Apr 2001	MW-14-2	NA	NA	NA	10.0 U
MW-14-Screen-2	Jul 2001	MW-14-2	NA	NA	NA	NA U
MW-14-Screen-2	Jul 2001	MW-14-2	NA	NA	**4.1 J**	NA
MW-14-Screen-2	Oct 2001	MW-14-2	NA	NA	**8.4**	10.0 U
MW-14-Screen-2	Jan/Feb 2002	MW-14-2	5.0 U	1.00 U	**4.9 J**	10.0 U
MW-14-Screen-2	Apr/May 2002	MW-14-2	NA	NA	**2.0**	10.0 U
MW-14-Screen-2	Jul 2002	MW-14-2	NA	NA	**8.0**	NA U
MW-14-Screen-2	Oct/Nov 2002	MW-14-2	NA	NA	NA	10.0 U
MW-14-Screen-2	Dec 2002	MW-14-2	NA	NA	NA	0.0 U
MW-14-Screen-2	Dec 2002	MW-14-2	0.2 U	**0.08 J**	0.2 U	NA
MW-14-Screen-2	Jan/Feb 2003	MW-14-2	NA	NA	**3.7**	10.0 U
MW-14-Screen-2	Apr/May 2003	MW-14-2	5.0 U	1.00 U	**4.4 J**	10.0 U
MW-14-Screen-2	Jul/Aug 2003	MW-14-2	NA	NA	**1.9 J**	10.0 U
MW-14-Screen-2	Oct/Nov 2003	MW-14-2	NA	NA	**2.3 J**	10.0 U
MW-14-Screen-2	Feb 2004	MW-14-2	NA	NA	**2.9**	10.0 U
MW-14-Screen-2	Apr/May 2004	MW-14-2	2.6 UJ	0.12 U	**11.0**	10.0 U
MW-14-Screen-2	Jul/Aug 2004	MW-14-2	NA	NA	**6.9 J**	10.0 U
MW-14-Screen-2	Oct/Nov 2004	MW-14-2	NA	NA	**10.7 J**	10.0 U
MW-14-Screen-2	Jan/Feb 2005	MW-14-2	NA	NA	**10.7**	10.0 U
MW-14-Screen-2	Apr/May 2005	MW-14-2	5.0 U	**0.09 J**	**7.6**	10.0 U
MW-14-Screen-2	Jul/Sep 2005	MW-14-2	NA	NA	**10.4**	10.0 U
MW-14-Screen-2	Oct/Nov 2005	MW-14-2	NA	NA	**9.8**	10.0 U
MW-14-Screen-2	Mar/Apr 2006	MW-14-2	NA	NA	**1.0**	10.0 U
MW-14-Screen-2	May/Jun 2006	MW-14-2	1.0 U	1.00 U	**1.5 J**	10.0 U
MW-14-Screen-2	Aug/Sep 2006	MW-14-2	NA	NA	1.0 U	10.0 U
MW-14-Screen-2	Oct/Dec 2006	MW-14-2	NA	NA	**1.5**	10.0 U
MW-14-Screen-2	Mar/Apr 2007	MW-14-2	NA	NA	**1.8**	NA
MW-14-Screen-2	Jun/Jul 2007	MW-14-2	NA	NA	NA	10.0 U
MW-14-Screen-2	Jun/Jul 2007	MW-14-2	**1.3**	1.00 U	**3.6**	NA
MW-14-Screen-2	Aug/Sep 2007	MW-14-2	NA	NA	**15.3 E**	10.0 U
MW-14-Screen-2	Oct/Dec 2007	MW-14-2	NA	NA	**14.5 E**	10.0 U
MW-14-Screen-2	Jan/Feb 2008	MW-14-2	NA	NA	**8.8**	10.0 U
MW-14-Screen-2	Apr/May 2008	MW-14-2	1.0 U	1.00 U	1.0 U	10.0 U
MW-14-Screen-2	Jul/Aug 2008	DUPE-01-3Q08	NA	NA	NA	10.0 U
MW-14-Screen-2	Jul/Aug 2008	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Jul/Aug 2008	DUPE-01-3Q08	NA	NA	5.0 U	NA
MW-14-Screen-2	Oct/Nov 2008	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Jan/Feb 2009	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Apr/May 2009	MW-14-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-2	Jul/Aug 2009	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Nov/Dec 2009	MW-14-2	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-2	Feb 2010	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Apr/May 2010	MW-14-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-2	Jul/Aug 2010	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Oct/Nov 2010	DUPE-02-4Q10	NA	NA	NA	10.0 U
MW-14-Screen-2	Oct/Nov 2010	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Oct/Nov 2010	DUPE-02-4Q10	NA	NA	5.0 U	NA
MW-14-Screen-2	Feb/Mar 2011	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Apr/May 2011	MW-14-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-2	Aug/Sep 2011	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Nov/Dec 2011	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Jan/Feb 2012	MW-14-2	NA	NA	5.0 U	10.0 U
MW-14-Screen-2	Apr/May 2012	MW-14-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-2	Aug/Sep 2012	MW-14-2	NA	NA	**0.7 J**	2.0 U
MW-14-Screen-2	Nov 2012	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Jan/Feb 2013	MW-14-2	NA	NA	**0.7 J**	2.0 U
MW-14-Screen-2	Apr/May 2013	MW-14-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-2	Jul 2013	DUPE-2-3Q13	NA	NA	**1.3 J**	2.0 U
MW-14-Screen-2	Jul 2013	MW-14-2	NA	NA	**1.3 J**	2.0 U
MW-14-Screen-2	Oct/Nov 2013	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Jan/Feb 2014	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Apr/May 2014	DUP-1-2Q14	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-2	Apr/May 2014	MW-14-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-2	Jul/Aug 2014	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Oct 2014	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Jan/Feb 2015	MW-14-2	NA	NA	**1.2**	2.0 U
MW-14-Screen-2	Apr/May 2015	MW-14-2	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-14-Screen-2	Jul/Aug 2015	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Jul/Aug 2015	DUP-4-3Q15	NA	NA	3.0 U	**0.8 J**
MW-14-Screen-2	Oct 2015	MW-14-2	NA	NA	0.5 U	2.0 U
MW-14-Screen-2	Jan/Feb 2016	MW-14-2	NA	NA	**0.6 J**	0.2 U
MW-14-Screen-2	Apr/May 2016	MW-14-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-2	Jul/Aug 2016	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Oct 2016	MW-14-2	NA	NA	**0.9 J**	**0.8 J**
MW-14-Screen-2	Jan/Feb 2017	MW-14-2	NA	NA	1.2 U	**1.0 J**
MW-14-Screen-2	Apr/May 2017	MW-14-2	2.0 U	1.00 U	**0.6 J**	1.8 U
MW-14-Screen-2	Apr/May 2017	DUP-8-2Q17	2.0 U	1.00 U	**0.7 J**	**1.7 J**
MW-14-Screen-2	Jul/Aug 2017	MW-14-2	NA	NA	1.0 U	**0.9 J**
MW-14-Screen-2	Oct-17	MW-14-2	NA	NA	3.0 UJ	2.0 U
MW-14-Screen-2	Jan/Feb 2018	MW-14-2	NA	NA	3.0 U	**0.9 J**
MW-14-Screen-2	April 2018	MW-14-2	2.0 U	1.00 U	3.0 U	**0.9 J**
MW-14-Screen-2	Jul/Aug 2018	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Oct 2018	MW-14-2	NA	NA	3.0 U	2.0 U
MW-14-Screen-2	Feb/Mar 2019	MW-14-2	NA	NA	3.0 U	**0.9 J**
MW-14-Screen-2	Apr/May 2019	MW-14-2	2.0 U	1.00 U	3.0 U	**0.17 J**
MW-14-Screen-2	Jul/Aug 2019	MW-14-2	NA	NA	**1.0 J**	**0.61**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-2	Oct 2019	MW-14-2	NA	NA	3.0 U	**0.42**
MW-14-Screen-2	Feb 2020	MW-14-2	NA	NA	3.0 U	**0.22**
MW-14-Screen-2	Jun 2020	MW-14-2	2.0 U	1.00 U	**1.3 J**	**0.11 J**
MW-14-Screen-2	Aug 2020	MW-14-2	NA	NA	3.0 U	**0.51 J**
MW-14-Screen-2	Oct/Nov 2020	MW-14-2	NA	NA	**0.6 J**	**0.64 J**
MW-14-Screen-2	Mar/Apr 2021	MW-14-2	NA	NA	15.0 U	**0.28 J**
MW-14-Screen-2	May/June 2021	MW-14-2	**0.8 J**	1.00 U	1.0 UB	**0.57 J**
MW-14-Screen-3						
MW-14-Screen-3	Aug/Sep 1996	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Oct/Nov 1996	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Feb/Mar 1997	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	June/July 1997	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Sep/Oct 1997	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Jan/Feb 1998	MW-14-3	5.0 U	**2.80**	**26.0**	5.0 U
MW-14-Screen-3	Apr/May 1998	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Jul/Aug 1998	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Oct/Nov 1998	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Feb/Mar 1999	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	May/Jun 1999	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Aug 1999	MW-14-3	NA	NA	10.0 U	5.0 U
MW-14-Screen-3	Nov/Dec 1999	MW-14-3	NA	NA	10.0 U	5.0 U
MW-14-Screen-3	Mar/Apr 2000	MW-14-3	NA	NA	10.0 U	5.0 U
MW-14-Screen-3	Jul/Aug 2000	MW-14-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-3	Sep/Oct 2000	MW-14-3	NA	NA	10.0 U	5.0 U
MW-14-Screen-3	Jan/Feb 2001	MW-14-3	5.0 U	1.00 U	**3.8 J**	10.0 U
MW-14-Screen-3	Apr 2001	MW-14-3	NA	NA	NA	10.0 U
MW-14-Screen-3	Jul 2001	MW-14-3	NA	NA	NA	NA U
MW-14-Screen-3	Jul 2001	MW-14-3	NA	NA	**4.3 J**	NA
MW-14-Screen-3	Oct 2001	MW-14-3	NA	NA	**6.7**	10.0 U
MW-14-Screen-3	Jan/Feb 2002	MW-14-3	5.0 U	1.00 U	**3.9 J**	10.0 U
MW-14-Screen-3	Apr/May 2002	MW-14-3	NA	NA	**6.0**	10.0 U
MW-14-Screen-3	Jul 2002	MW-14-3	NA	NA	**7.0**	NA U
MW-14-Screen-3	Oct/Nov 2002	MW-14-3	NA	NA	NA	10.0 U
MW-14-Screen-3	Jan/Feb 2003	MW-14-3	NA	NA	**3.6**	10.0 U
MW-14-Screen-3	Apr/May 2003	MW-14-3	5.0 U	1.00 U	**3.2 J**	10.0 U
MW-14-Screen-3	Apr/May 2003	DUPE-2-2Q03	5.0 U	1.00 U	**2.6 J**	10.0 U
MW-14-Screen-3	Jul/Aug 2003	MW-14-3	NA	NA	**3.6 J**	10.0 U
MW-14-Screen-3	Jul/Aug 2003	DUPE-4-3-Q03	NA	NA	**3.4 J**	10.0 U
MW-14-Screen-3	Oct/Nov 2003	MW-14-3	NA	NA	**2.7 J**	10.0 U
MW-14-Screen-3	Feb 2004	MW-14-3	NA	NA	**3.9**	10.0 U
MW-14-Screen-3	Apr/May 2004	MW-14-3	2.9 UJ	0.12 U	**10.1**	10.0 U
MW-14-Screen-3	Jul/Aug 2004	MW-14-3	NA	NA	**5.2 J**	10.0 U
MW-14-Screen-3	Oct/Nov 2004	MW-14-3	NA	NA	**8.6 J**	10.0 U
MW-14-Screen-3	Jan/Feb 2005	MW-14-3	NA	NA	**8.6**	10.0 U
MW-14-Screen-3	Apr/May 2005	MW-14-3	**1.1 J**	**0.15 J**	**5.6**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-3	Jul/Sep 2005	MW-14-3	NA	NA	**8.6**	10.0 U
MW-14-Screen-3	Oct/Nov 2005	MW-14-3	NA	NA	**9.1**	10.0 U
MW-14-Screen-3	Mar/Apr 2006	MW-14-3	NA	NA	1.0 U	10.0 U
MW-14-Screen-3	May/Jun 2006	MW-14-3	1.0 U	1.00 U	1.0 U	10.0 U
MW-14-Screen-3	Aug/Sep 2006	MW-14-3	NA	NA	1.0 U	**6.0 J**
MW-14-Screen-3	Oct/Dec 2006	MW-14-3	NA	NA	**1.1**	10.0 U
MW-14-Screen-3	Mar/Apr 2007	MW-14-3	NA	NA	1.0 U	NA
MW-14-Screen-3	Jun/Jul 2007	MW-14-3	NA	NA	NA	10.0 U
MW-14-Screen-3	Jun/Jul 2007	MW-14-3	**1.3**	1.00 U	**3.3**	NA
MW-14-Screen-3	Aug/Sep 2007	MW-14-3	NA	NA	**13.6 E**	10.0 U
MW-14-Screen-3	Oct/Dec 2007	MW-14-3	NA	NA	**12.6 E**	10.0 U
MW-14-Screen-3	Jan/Feb 2008	MW-14-3	NA	NA	**7.9**	10.0 U
MW-14-Screen-3	Apr/May 2008	MW-14-3	1.0 U	1.00 U	**9.0**	10.0 U
MW-14-Screen-3	Jul/Aug 2008	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Oct/Nov 2008	DUPE-05-4Q08	NA	NA	5.0 U	NA
MW-14-Screen-3	Oct/Nov 2008	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Oct/Nov 2008	DUPE-05-4Q08	NA	NA	NA	10.0 U
MW-14-Screen-3	Jan/Feb 2009	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Apr/May 2009	MW-14-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-3	Jul/Aug 2009	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Nov/Dec 2009	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Feb 2010	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Apr/May 2010	DUPE-01-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-14-Screen-3	Apr/May 2010	MW-14-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-3	Apr/May 2010	DUPE-01-2Q10	NA	NA	NA	10.0 U
MW-14-Screen-3	Jul/Aug 2010	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Oct/Nov 2010	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Feb/Mar 2011	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Apr/May 2011	MW-14-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-3	Aug/Sep 2011	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Nov/Dec 2011	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Jan/Feb 2012	MW-14-3	NA	NA	5.0 U	10.0 U
MW-14-Screen-3	Apr/May 2012	MW-14-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-3	Aug/Sep 2012	MW-14-3	NA	NA	**0.9 J**	2.0 U
MW-14-Screen-3	Nov 2012	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Jan/Feb 2013	MW-14-3	NA	NA	**1.2 J**	2.0 U
MW-14-Screen-3	Apr/May 2013	MW-14-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-3	Jul 2013	MW-14-3	NA	NA	**1.1 J**	2.0 U
MW-14-Screen-3	Oct/Nov 2013	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Jan/Feb 2014	MW-14-3	NA	NA	**0.8 J**	**1.2 J**
MW-14-Screen-3	Apr/May 2014	MW-14-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-3	Jul/Aug 2014	MW-14-3	NA	NA	**0.9 J**	2.0 U
MW-14-Screen-3	Oct 2014	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Jan/Feb 2015	MW-14-3	NA	NA	**1.2 J**	2.0 U
MW-14-Screen-3	Apr/May 2015	MW-14-3	2.0 U	1.00 U	**1.3**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-3	Apr/May 2015	DUP-1-2Q15	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-14-Screen-3	Jul/Aug 2015	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Oct 2015	MW-14-3	NA	NA	0.5 U	1.0 U
MW-14-Screen-3	Jan/Feb 2016	MW-14-3	NA	NA	0.5 U	**0.7**
MW-14-Screen-3	Apr/May 2016	MW-14-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-3	Jul/Aug 2016	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Oct 2016	MW-14-3	NA	NA	**0.6 J**	2.0 U
MW-14-Screen-3	Jan/Feb 2017	MW-14-3	NA	NA	1.4 U	**0.9 J**
MW-14-Screen-3	Apr/May 2017	MW-14-3	2.0 U	1.00 U	**0.7 J**	1.0 U
MW-14-Screen-3	Jul/Aug 2017	MW-14-3	NA	NA	1.0 U	2.0 UJ
MW-14-Screen-3	Jul/Aug 2017	DUP-2-3Q17	NA	NA	0.8 U	2.0 UJ
MW-14-Screen-3	Oct-17	MW-14-3	NA	NA	3.0 UJ	2.0 U
MW-14-Screen-3	Jan/Feb 2018	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	April 2018	MW-14-3	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-14-Screen-3	Jul/Aug 2018	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Oct 2018	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Feb/Mar 2019	MW-14-3	NA	NA	3.0 U	2.0 U
MW-14-Screen-3	Apr/May 2019	MW-14-3	2.0 U	1.00 U	3.0 U	**0.40**
MW-14-Screen-3	Jul/Aug 2019	MW-14-3	NA	NA	3.0 U	**0.37**
MW-14-Screen-3	Oct 2019	MW-14-3	NA	NA	3.0 U	**0.08 J**
MW-14-Screen-3	Feb 2020	MW-14-3	NA	NA	3.0 U	**0.40**
MW-14-Screen-3	Jun 2020	MW-14-3	2.0 U	1.00 U	**0.6 J**	0.20 U
MW-14-Screen-3	Aug 2020	MW-14-3	NA	NA	3.0 U	0.28 UJ
MW-14-Screen-3	Oct/Nov 2020	MW-14-3	NA	NA	3.0 U	0.41 UJ
MW-14-Screen-3	Mar/Apr 2021	MW-14-3	NA	NA	3.0 U	**0.51 J**
MW-14-Screen-3	Mar/Apr 2021	DUP-2-1Q21	NA	NA	3.0 U	**0.49 J**
MW-14-Screen-3	May/June 2021	MW-14-3	2.0 U	1.00 U	0.6 UB	0.44 UB
MW-14-Screen-4						
MW-14-Screen-4	Aug/Sep 1996	MW-14-4	5.0 U	2.00 U	10.0 U	**6.0 J**
MW-14-Screen-4	Oct/Nov 1996	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Feb/Mar 1997	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	June/July 1997	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Sep/Oct 1997	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Jan/Feb 1998	MW-14-4	5.0 U	**2.40**	10.0 U	5.0 U
MW-14-Screen-4	Apr/May 1998	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Jul/Aug 1998	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Oct/Nov 1998	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Feb/Mar 1999	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	May/Jun 1999	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Aug 1999	MW-14-4	NA	NA	10.0 U	5.0 U
MW-14-Screen-4	Nov/Dec 1999	MW-14-4	NA	NA	10.0 U	5.0 U
MW-14-Screen-4	Mar/Apr 2000	MW-14-4	NA	NA	10.0 U	5.0 U
MW-14-Screen-4	Jul/Aug 2000	MW-14-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-4	Sep/Oct 2000	MW-14-4	NA	NA	10.0 U	5.0 U
MW-14-Screen-4	Jan/Feb 2001	MW-14-4	**2.2 B**	1.00 U	**5.0 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-4	Apr 2001	MW-14-4	NA	NA	NA	10.0 U
MW-14-Screen-4	Jul 2001	MW-14-4	NA	NA	NA	NA U
MW-14-Screen-4	Jul 2001	MW-14-4	NA	NA	**3.4 J**	NA
MW-14-Screen-4	Oct 2001	MW-14-4	NA	NA	**7.3**	10.0 U
MW-14-Screen-4	Jan/Feb 2002	MW-14-4	5.0 U	1.00 U	**5.6**	10.0 U
MW-14-Screen-4	Apr/May 2002	MW-14-4	NA	NA	**8.0**	10.0 U
MW-14-Screen-4	Jul 2002	MW-14-4	NA	NA	**8.0**	NA U
MW-14-Screen-4	Oct/Nov 2002	MW-14-4	NA	NA	NA	10.0 U
MW-14-Screen-4	Dec 2002	MW-14-4	NA	NA	NA	**2.5**
MW-14-Screen-4	Dec 2002	MW-14-4	**0.8**	0.20 U	**4.4**	NA
MW-14-Screen-4	Jan/Feb 2003	MW-14-4	NA	NA	NA	10.0 U
MW-14-Screen-4	Jan/Feb 2003	DUPE-3-1Q03	NA	NA	NA	10.0 U
MW-14-Screen-4	Apr/May 2003	MW-14-4	5.0 U	1.00 U	**3.8 J**	10.0 U
MW-14-Screen-4	Jul/Aug 2003	MW-14-4	NA	NA	**1.6 J**	10.0 U
MW-14-Screen-4	Oct/Nov 2003	MW-14-4	NA	NA	**3.7 J**	10.0 U
MW-14-Screen-4	Apr/May 2004	MW-14-4	5.0 UJ	0.12 U	**9.2**	10.0 U
MW-14-Screen-4	Oct/Nov 2004	MW-14-4	NA	NA	**8.4 J**	10.0 U
MW-14-Screen-4	Apr/May 2005	DUPE-4-2Q05	5.0 U	**0.04 J**	**6.9**	10.0 U
MW-14-Screen-4	Apr/May 2005	MW-14-4	5.0 U	**0.13 J**	**6.3**	10.0 U
MW-14-Screen-4	Jul/Sep 2005	MW-14-4	NA	NA	**9.8**	10.0 U
MW-14-Screen-4	Oct/Nov 2005	MW-14-4	NA	NA	**8.1**	10.0 U
MW-14-Screen-4	May/Jun 2006	MW-14-4	1.0 U	1.00 U	**3.2 J**	10.0 U
MW-14-Screen-4	Oct/Dec 2006	MW-14-4	NA	NA	**3.1**	10.0 U
MW-14-Screen-4	Jun/Jul 2007	MW-14-4	NA	NA	NA	10.0 U
MW-14-Screen-4	Jun/Jul 2007	MW-14-4	**1.1**	1.00 U	**5.1**	NA
MW-14-Screen-4	Oct/Dec 2007	MW-14-4	NA	NA	**11.7 E**	10.0 U
MW-14-Screen-4	Apr/May 2008	MW-14-4	1.0 U	1.00 U	**8.7**	10.0 U
MW-14-Screen-4	Oct/Nov 2008	MW-14-4	NA	NA	5.0 U	10.0 U
MW-14-Screen-4	Apr/May 2009	MW-14-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-4	Nov/Dec 2009	MW-14-4	NA	NA	5.0 U	10.0 U
MW-14-Screen-4	Apr/May 2010	MW-14-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-4	Oct/Nov 2010	MW-14-4	NA	NA	5.0 U	10.0 U
MW-14-Screen-4	Apr/May 2011	MW-14-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-4	Nov/Dec 2011	DUPE-5-4Q11	NA	NA	NA	10.0 U
MW-14-Screen-4	Nov/Dec 2011	MW-14-4	NA	NA	5.0 U	10.0 U
MW-14-Screen-4	Nov/Dec 2011	DUPE-5-4Q11	NA	NA	5.0 U	NA
MW-14-Screen-4	Apr/May 2012	MW-14-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-4	Nov 2012	MW-14-4	NA	NA	**0.8 J**	**1.4 J**
MW-14-Screen-4	Apr/May 2013	DUP-2-2Q13	2.0 U	1.00 U	**5.0**	**1.2 J**
MW-14-Screen-4	Apr/May 2013	MW-14-4	2.0 U	1.00 U	**2.1 J**	**1.4 J**
MW-14-Screen-4	Oct/Nov 2013	MW-14-4	NA	NA	3.0 U	**1.9 J**
MW-14-Screen-4	Apr/May 2014	MW-14-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-14-Screen-4	Oct 2014	MW-14-4	NA	NA	3.0 U	**1.7 J**
MW-14-Screen-4	Apr/May 2015	MW-14-4	2.0 U	1.00 U	**3.2**	**1.3 J**
MW-14-Screen-4	Oct 2015	MW-14-4	NA	NA	**0.7 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-4	Oct 2015	Dup-3-4Q15	NA	NA	**0.7 J**	3.0 U
MW-14-Screen-4	Apr/May 2016	MW-14-4	2.0 U	1.00 U	**2.0 J**	**1.3 J**
MW-14-Screen-4	Oct 2016	MW-14-4	NA	NA	**2.2 J**	**2.7**
MW-14-Screen-4	Apr/May 2017	MW-14-4	2.0 U	1.00 U	**2.0 J**	**1.8 J**
MW-14-Screen-4	Oct-17	MW-14-4	NA	NA	**2.3 J**	**1.8 J**
MW-14-Screen-4	April 2018	MW-14-4	2.0 U	1.00 U	**2.0 J**	**2.8**
MW-14-Screen-4	April 2018	DUP-1-2Q18	2.0 U	1.00 U	**3.7**	**2.8**
MW-14-Screen-4	Oct 2018	MW-14-4	NA	NA	3.0 U	**2.4**
MW-14-Screen-4	Apr/May 2019	MW-14-4	2.0 U	1.00 U	3.0 U	**0.66**
MW-14-Screen-4	Oct 2019	MW-14-4	NA	NA	**1.9 J**	**2.10**
MW-14-Screen-4	Jun 2020	MW-14-4	**0.9 J**	1.00 U	**3.3**	**0.58**
MW-14-Screen-4	Oct/Nov 2020	MW-14-4	NA	NA	**2.5 J**	**2.60**
MW-14-Screen-4	May/June 2021	MW-14-4	2.0 U	1.00 U	3.3 UB	**2.00 J**
MW-14-Screen-5						
MW-14-Screen-5	Aug/Sep 1996	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Oct/Nov 1996	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Feb/Mar 1997	MW-14-5	5.0 U	**28.00**	10.0 U	5.0 U
MW-14-Screen-5	June/July 1997	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Sep/Oct 1997	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Jan/Feb 1998	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Apr/May 1998	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Jul/Aug 1998	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Oct/Nov 1998	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Feb/Mar 1999	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	May/Jun 1999	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Nov/Dec 1999	MW-14-5	NA	NA	10.0 U	5.0 U
MW-14-Screen-5	Jul/Aug 2000	MW-14-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-14-Screen-5	Jan/Feb 2001	MW-14-5	**2.7 B**	1.00 U	**2.8 J**	10.0 U
MW-14-Screen-5	Jan/Feb 2002	MW-14-5	5.0 U	1.00 U	**2.1 J**	10.0 U
MW-14-Screen-5	Jan/Feb 2003	MW-14-5	NA	NA	NA	10.0 U
MW-14-Screen-5	Apr/May 2003	MW-14-5	5.0 U	1.00 U	**2.1 J**	10.0 U
MW-14-Screen-5	Oct/Nov 2003	MW-14-5	NA	NA	1.8 UJ	10.0 U
MW-14-Screen-5	Apr/May 2004	MW-14-5	3.2 UJ	0.12 U	**5.8**	10.0 U
MW-14-Screen-5	Oct/Nov 2004	MW-14-5	NA	NA	**4.5 J**	10.0 U
MW-14-Screen-5	Oct/Nov 2004	DUPE-2-4Q04	NA	NA	**6.3 J**	10.0 U
MW-14-Screen-5	Apr/May 2005	MW-14-5	**3.0 J**	**0.04 J**	**3.9**	10.0 U
MW-14-Screen-5	Jul/Sep 2005	MW-14-5	NA	NA	**7.6**	10.0 U
MW-14-Screen-5	Oct/Nov 2005	MW-14-5	NA	NA	**5.1**	10.0 U
MW-14-Screen-5	May/Jun 2006	MW-14-5	**1.6 J**	1.00 U	1.0 U	10.0 U
MW-14-Screen-5	Oct/Dec 2006	MW-14-5	NA	NA	**1.6**	10.0 U
MW-14-Screen-5	Jun/Jul 2007	MW-14-5	NA	NA	NA	10.0 U
MW-14-Screen-5	Jun/Jul 2007	MW-14-5	**1.2**	1.00 U	**2.5**	NA
MW-14-Screen-5	Oct/Dec 2007	MW-14-5	NA	NA	**7.7 E**	10.0 U
MW-14-Screen-5	Apr/May 2008	MW-14-5	**1.3**	1.00 U	**5.5**	10.0 U
MW-14-Screen-5	Oct/Nov 2008	MW-14-5	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-14-Screen-5	Apr/May 2009	MW-14-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-5	Nov/Dec 2009	MW-14-5	NA	NA	5.0 U	10.0 U
MW-14-Screen-5	Apr/May 2010	MW-14-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-5	Oct/Nov 2010	MW-14-5	NA	NA	5.0 U	10.0 U
MW-14-Screen-5	Apr/May 2011	MW-14-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-5	Nov/Dec 2011	MW-14-5	NA	NA	5.0 U	10.0 U
MW-14-Screen-5	Apr/May 2012	MW-14-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-14-Screen-5	Nov 2012	MW-14-5	NA	NA	3.0 U	2.0 U
MW-14-Screen-5	Apr/May 2013	MW-14-5	**1.3 J**	1.00 U	3.0 U	2.0 U
MW-14-Screen-5	Oct/Nov 2013	MW-14-5	NA	NA	3.0 U	2.0 U
MW-14-Screen-5	Apr/May 2014	MW-14-5	**1.0 J**	1.00 U	3.0 U	2.0 U
MW-14-Screen-5	Oct 2014	MW-14-5	NA	NA	3.0 U	2.0 U
MW-14-Screen-5	Apr/May 2015	MW-14-5	**1.0 J**	1.00 U	**1.6**	2.0 U
MW-14-Screen-5	Oct 2015	MW-14-5	NA	NA	0.5 U	1.0 U
MW-14-Screen-5	Apr/May 2016	MW-14-5	**1.1 J**	1.00 U	3.0 U	2.0 U
MW-14-Screen-5	Oct 2016	MW-14-5	NA	NA	**0.8 J**	2.0 U
MW-14-Screen-5	Apr/May 2017	MW-14-5	2.0 U	1.00 U	**0.9 J**	2.0 U
MW-14-Screen-5	Oct-17	MW-14-5	NA	NA	**0.9 J**	2.0 U
MW-14-Screen-5	April 2018	MW-14-5	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-14-Screen-5	Oct 2018	MW-14-5	NA	NA	3.0 U	2.0 U
MW-14-Screen-5	Apr/May 2019	MW-14-5	2.0 U	1.00 U	3.0 U	0.20 U
MW-14-Screen-5	Oct 2019	MW-14-5	NA	NA	3.0 U	**0.11 J**
MW-14-Screen-5	Jun 2020	MW-14-5	2.0 U	1.00 U	**3.9**	**0.04 J**
MW-14-Screen-5	Oct/Nov 2020	MW-14-5	NA	NA	3.0 U	0.20 U
MW-14-Screen-5	May/June 2021	MW-14-5	**1.2 J**	1.00 U	0.6 UB	0.30 UB
MW-15						
MW-15	Aug/Sep 1996	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Oct/Nov 1996	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Feb/Mar 1997	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	June/July 1997	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Sep/Oct 1997	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Jan/Feb 1998	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Apr/May 1998	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Jul/Aug 1998	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Oct/Nov 1998	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Feb/Mar 1999	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	May/Jun 1999	MW-15	5.0 U	2.00 U	10.0 U	5.0 U
MW-15	Nov/Dec 1999	MW-15	NA	NA	10.0 U	5.0 U
MW-15	Jan/Feb 2001	MW-15	5.0 U	1.00 U	**3.7 J**	10.0 U
MW-15	Jan/Feb 2002	MW-15	**3.0 B**	1.00 U	**12.7**	10.0 U
MW-15	Jan/Feb 2002	DUP	**3.4 B**	NA	NA	10.0 U
MW-15	Jan/Feb 2003	MW-15	NA	NA	**6.3**	10.0 U
MW-15	Apr/May 2003	MW-15	**2.1 J**	**0.15 J**	**3.9 J**	10.0 U
MW-15	Jul/Aug 2003	MW-15	NA	NA	**3.9 J**	10.0 U
MW-15	Jul/Aug 2003	DUPE-6-3Q03	NA	NA	**3.6 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-15	Oct/Nov 2003	MW-15	NA	NA	**3.4 J**	10.0 U
MW-15	Oct/Nov 2003	DUPE-2-4Q03	NA	NA	NA	10.0 U
MW-15	Oct/Nov 2003	DUPE-2-4-Q03	NA	NA	**3.4 J**	NA
MW-15	Feb 2004	MW-15	NA	NA	**1.3**	10.0 U
MW-15	Apr/May 2004	MW-15	3.2 U	**0.04 J**	**12.1**	10.0 U
MW-15	Apr/May 2004	DUPE-6-2Q04	5.0 U	**0.05 J**	**11.6**	10.0 U
MW-15	Jul/Aug 2004	MW-15	NA	NA	**12.6 J**	10.0 U
MW-15	Oct/Nov 2004	MW-15	NA	NA	**21.0**	10.0 U
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	NA	NA	**12.0**	10.0 U
MW-15	Jan/Feb 2005	MW-15	NA	NA	**10.0**	10.0 U
MW-15	Apr/May 2005	MW-15	**1.5 J**	**0.49 J**	**5.7**	**9.0 J**
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	NA	NA	**6.9 J**	10.0 U
MW-15	Jul/Sep 2005	MW-15	NA	NA	**9.9 J**	10.0 U
MW-15	Oct/Nov 2005	MW-15	NA	NA	**7.7 J**	10.0 U
MW-15	Mar/Apr 2006	MW-15	NA	NA	**1.5**	10.0 U
MW-15	May/Jun 2006	MW-15	1.0 U	**2.36**	**3.8**	10.0 U
MW-15	Aug/Sep 2006	DUPE-7-3Q06	NA	NA	2.0 U	NA
MW-15	Aug/Sep 2006	MW-15	NA	NA	**6.0**	10.0 U
MW-15	Aug/Sep 2006	DUPE-7-3Q06	NA	NA	NA	10.0 U
MW-15	Oct/Dec 2006	MW-15	NA	NA	**3.3**	10.0 U
MW-15	Mar/Apr 2007	DUPE-8-1Q07	NA	NA	NA	10.0 U
MW-15	Mar/Apr 2007	MW-15	NA	NA	**8.5**	10.0 U
MW-15	Mar/Apr 2007	DUPE-8-1Q07	NA	NA	**8.1**	NA
MW-15	Jun/Jul 2007	MW-15	1.0 U	**1.96**	**5.6**	10.0 U
MW-15	Aug/Sep 2007	MW-15	NA	NA	**11.7**	10.0 U
MW-15	Aug/Sep 2007	DUPE-3-3Q07	NA	NA	**12.3**	10.0 U
MW-15	Oct/Dec 2007	MW-15	NA	NA	**14.0**	10.0 U
MW-15	Jan/Feb 2008	MW-15	NA	NA	**19.1 E**	10.0 U
MW-15	Apr/May 2008	DUPE-7-2Q08	NA	NA	NA	10.0 U
MW-15	Apr/May 2008	MW-15	**1.8**	1.00 U	**16.2 E**	10.0 U
MW-15	Apr/May 2008	DUPE-7-2Q08	**1.7**	**1.34**	**9.9 E**	NA
MW-15	Jul/Aug 2008	MW-15	NA	NA	**5.1**	10.0 U
MW-15	Oct/Nov 2008	MW-15	NA	NA	**7.6**	10.0 U
MW-15	Jan/Feb 2009	MW-15	NA	NA	**15.0**	10.0 U
MW-15	Apr/May 2009	MW-15	2.0 U	**17.00**	**6.8**	10.0 U
MW-15	Jul/Aug 2009	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Nov/Dec 2009	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Feb 2010	DUPE-7-1Q10	NA	NA	5.0 U	NA
MW-15	Feb 2010	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Feb 2010	DUPE-7-1Q10	NA	NA	NA	10.0 U
MW-15	Apr/May 2010	MW-15	2.0 U	5.00 U	5.0 U	10.0 U
MW-15	Jul/Aug 2010	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Oct/Nov 2010	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Feb/Mar 2011	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Apr/May 2011	MW-15	2.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-15	Aug/Sep 2011	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Nov/Dec 2011	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Jan/Feb 2012	MW-15	NA	NA	5.0 U	10.0 U
MW-15	Apr/May 2012	MW-15	2.0 U	5.00 U	5.0 U	10.0 U
MW-15	Aug/Sep 2012	MW-15	NA	NA	3.0 U	2.0 U
MW-15	Nov 2012	MW-15	NA	NA	**0.9 J**	2.0 U
MW-15	Nov 2012	DUPE-6-4Q12	NA	NA	3.0 U	2.0 U
MW-15	Jan/Feb 2013	MW-15	NA	NA	**0.6 J**	2.0 U
MW-15	Apr/May 2013	MW-15	**1.5 J**	1.00 U	**0.5 J**	2.0 U
MW-15	Jul 2013	MW-15	NA	NA	**4.2**	2.0 U
MW-15	Oct/Nov 2013	MW-15	NA	NA	3.0 U	2.0 U
MW-15	Oct/Nov 2013	DUPE-6-4Q13	NA	NA	3.0 U	2.0 U
MW-15	Jan/Feb 2014	MW-15	NA	NA	3.0 U	2.0 U
MW-15	Apr/May 2014	MW-15	**1.0 J**	1.00 U	**1.0 J**	2.0 U
MW-15	Apr/May 2014	DUP-7-2Q14	**1.0 J**	1.00 U	**1.4 J**	2.0 U
MW-15	Jul/Aug 2014	MW-15	NA	NA	3.0 U	2.0 U
MW-15	Oct 2014	MW-15	NA	NA	**0.8 J**	2.0 U
MW-15	Jan/Feb 2015	MW-15	NA	NA	**3.2**	2.0 U
MW-15	Jan/Feb 2015	Dup-5-1Q15	NA	NA	**0.9**	2.0 U
MW-15	Apr/May 2015	MW-15	2.0 U	1.00 U	**1.2**	2.0 U
MW-15	Oct 2015	MW-15	NA	NA	0.5 U	**0.9 J**
MW-15	Jan/Feb 2016	MW-15	NA	NA	**4.1**	2.0 U
MW-15	Jan/Feb 2016	DUP-7-1Q16	NA	NA	**4.2**	2.0 U
MW-15	Apr/May 2016	MW-15	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-15	Jul/Aug 2016	MW-15	NA	NA	**3.5 J**	2.0 U
MW-15	Oct 2016	MW-15	NA	NA	**2.3 J**	0.8 U
MW-15	Jan/Feb 2017	MW-15	NA	NA	6.6 U	**0.8 J**
MW-15	Apr/May 2017	MW-15	**1.1 J**	1.00 U	2.0 U	**0.9 J**
MW-15	Apr/May 2017	DUP-5-2Q17	**1.1 J**	1.00 U	3.2 U	**0.8 J**
MW-15	Jul/Aug 2017	MW-15	NA	NA	**5.9**	2.0 U
MW-15	Oct-17	MW-15	NA	NA	**29.0 J**	2.0 U
MW-15	Jan/Feb 2018	MW-15	NA	NA	**6.8**	2.0 U
MW-15	Jan/Feb 2018	DUP-7-1Q18	NA	NA	**5.0**	2.0 U
MW-15	April 2018	MW-15	**1.0 J**	1.00 U	**2.8 J**	2.0 U
MW-15	Jul/Aug 2018	MW-15	NA	NA	3.0 U	2.0 U
MW-15	Oct 2018	MW-15	NA	NA	**19.0**	2.0 U
MW-15	Feb/Mar 2019	MW-15	NA	NA	**9.7**	**0.1 J**
MW-15	Apr/May 2019	MW-15	2.0 U	1.00 U	**2.4 J**	**0.62**
MW-15	Jul/Aug 2019	MW-15	NA	NA	**2.6 J**	**0.45**
MW-15	Jul/Aug 2019	DUP-7-3Q19	NA	NA	**1.9 J**	**0.46**
MW-15	Oct 2019	MW-15	NA	NA	**1.7 J**	**0.53**
MW-15	Feb 2020	MW-15	NA	NA	3.0 U	**0.57**
MW-15	Jun 2020	MW-15	**0.9 J**	1.00 U	3.0 U	**0.58**
MW-15	Jun 2020	Dup-7-2Q2020	**0.9 J**	1.00 U	3.0 U	**0.58**
MW-15	Aug 2020	MW-15	NA	NA	**7.7**	**0.60**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-15	Aug 2020	DUP-6-3Q20	NA	NA	**5.2**	**0.58**
MW-15	Oct/Nov 2020	MW-15	NA	NA	**7.2**	0.30 UJ
MW-15	Oct/Nov 2020	DUP-8-4Q20	NA	NA	**21.0**	0.33 UJ
MW-15	Mar/Apr 2021	MW-15	NA	NA	**0.9 J**	**0.51 J**
MW-15	May/June 2021	MW-15	**0.7 J**	1.00 U	**0.6 J**	**0.52 J**
MW-16						
MW-16	Aug/Sep 1996	MW-16	5.0 U	2.00 U	**18.0**	5.0 U
MW-16	Feb/Mar 1997	MW-16	5.0 U	2.00 U	10.0 U	**7.0**
MW-16	June/July 1997	MW-16	5.0 U	2.00 U	10.0 U	5.0 U
MW-16	Apr/May 1998	MW-16	5.0 U	2.00 U	**14.0**	5.0 U
MW-16	Jul/Aug 1998	MW-16	5.0 U	2.00 U	10.0 U	5.0 U
MW-16	Oct/Nov 1998	MW-16	5.0 U	2.00 U	**13.0**	5.0 U
MW-16	Feb/Mar 1999	MW-16	5.0 U	2.00 U	**13.0**	**5.5**
MW-16	May/Jun 1999	MW-16	5.0 U	2.00 U	10.0 U	5.0 U
MW-16	Aug 1999	MW-16	NA	NA	10.0 U	**7.0**
MW-16	Nov/Dec 1999	MW-16	NA	NA	10.0 U	**6.0**
MW-16	Mar/Apr 2000	MW-16	NA	NA	10.0 U	5.0 U
MW-16	Jan/Feb 2001	MW-16	**2.4 B**	1.00 U	**7.8**	10.0 U
MW-16	Jul 2001	MW-16	NA	NA	NA	NA U
MW-16	Jul 2001	DUP	NA	NA	NA	NA U
MW-16	Jul 2001	MW-16	NA	NA	**13.0 J**	NA
MW-16	Oct 2001	MW-16	NA	NA	**141.0**	10.0 U
MW-16	Jan/Feb 2002	MW-16	**2.8 B**	**0.22 J**	**14.4**	10.0 U
MW-16	Jan/Feb 2002	DUP	**3.1 B**	NA	NA	10.0 U
MW-16	Apr/May 2002	MW-16	NA	NA	**9.0**	10.0 U
MW-16	Apr/May 2002	DUP	NA	NA	NA	10.0 U
MW-16	Jul 2002	MW-16	NA	NA	**11.0**	NA U
MW-16	Oct/Nov 2002	MW-16	NA	NA	NA	10.0 U
MW-16	Oct/Nov 2002	DUP	NA	NA	NA	10.0 U
MW-16	Jan/Feb 2003	MW-16	**1.2**	**0.10 J**	**2.0**	0.2 U
MW-16	Jan/Feb 2003	MW-16	NA	NA	**7.2**	10.0 U
MW-16	Apr/May 2003	MW-16	5.0 U	1.00 U	**4.5 J**	10.0 U
MW-16	Jul/Aug 2003	MW-16	NA	NA	**2.7 J**	10.0 U
MW-16	Oct/Nov 2003	MW-16	NA	NA	**3.3 J**	10.0 U
MW-16	Feb 2004	MW-16	NA	NA	**8.2**	10.0 U
MW-16	Apr/May 2004	MW-16	1.7 U	0.12 U	**9.2**	10.0 U
MW-16	Jul/Aug 2004	MW-16	NA	NA	**9.1 J**	10.0 U
MW-16	Oct/Nov 2004	MW-16	NA	NA	**11.6 J**	10.0 U
MW-16	Jan/Feb 2005	MW-16	NA	NA	**14.9**	10.0 U
MW-16	Jan/Feb 2005	DUPE-7-1Q05	NA	NA	**14.4**	10.0 U
MW-16	Apr/May 2005	MW-16	**1.6 J**	**0.03 J**	**7.3**	10.0 U
MW-16	Jul/Sep 2005	MW-16	NA	NA	**38.0 J**	10.0 U
MW-16	Oct/Nov 2005	MW-16	NA	NA	**7.6 J**	10.0 U
MW-16	Mar/Apr 2006	MW-16	NA	NA	**13.9 J**	**5.0 J**
MW-16	May/Jun 2006	MW-16	1.0 U	1.00 U	**7.5 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-16	Aug/Sep 2006	DUPE-4-3Q06	NA	NA	NA	10.0 U
MW-16	Aug/Sep 2006	MW-16	NA	NA	**8.4**	10.0 U
MW-16	Aug/Sep 2006	DUPE-4-3Q06	NA	NA	**2.1**	NA
MW-16	Oct/Dec 2006	MW-16	NA	NA	**73.7**	10.0 U
MW-16	Mar/Apr 2007	DUPE-7-1Q07	NA	NA	NA	10.0 U
MW-16	Mar/Apr 2007	MW-16	NA	NA	**11.3**	10.0 U
MW-16	Mar/Apr 2007	DUPE-7-1Q07	NA	NA	**10.5**	NA
MW-16	Jun/Jul 2007	MW-16	**1.9**	1.00 U	**9.4**	10.0 U
MW-16	Aug/Sep 2007	DUPE-5-3Q07	NA	NA	NA	10.0 U
MW-16	Aug/Sep 2007	MW-16	NA	NA	**12.7**	10.0 U
MW-16	Aug/Sep 2007	DUPE-5-3Q07	NA	NA	**13.0**	NA
MW-16	Oct/Dec 2007	DUPE-5-4Q07	NA	NA	NA	10.0 U
MW-16	Oct/Dec 2007	MW-16	NA	NA	**10.8**	10.0 U
MW-16	Oct/Dec 2007	DUPE-5-4Q07	NA	NA	**10.1**	NA
MW-16	Jan/Feb 2008	MW-16	NA	NA	**2.0 J**	10.0 U
MW-16	Apr/May 2008	MW-16	**2.5**	1.00 U	**18.1 E**	**17.0**
MW-16	Apr/May 2008	DUPE-6-2Q08	**2.4**	1.00 U	**17.4 E**	**21.0**
MW-16	Jul/Aug 2008	MW-16	NA	NA	**8.1**	10.0 U
MW-16	Oct/Nov 2008	MW-16	NA	NA	**5.8**	10.0 U
MW-16	Jan/Feb 2009	MW-16	NA	NA	5.0 U	10.0 U
MW-16	Apr/May 2009	MW-16	2.0 U	**13.00**	**28.0**	**25.0**
MW-16	Jul/Aug 2009	MW-16	NA	NA	**16.0 J**	**13.0**
MW-16	Nov/Dec 2009	MW-16	NA	NA	NA	10.0 U
MW-16	Nov/Dec 2009	MW-16	NA	NA	5.0 U	NA
MW-16	Feb 2010	MW-16	NA	NA	5.0 U	10.0 U
MW-16	Apr/May 2010	MW-16	**3.6**	5.00 U	**17.0**	**18.0**
MW-16	Jul/Aug 2010	MW-16	NA	NA	5.0 U	10.0 U
MW-16	Oct/Nov 2010	MW-16	NA	NA	**32.0**	NA
MW-16	Feb/Mar 2011	MW-16	NA	NA	**29.0**	**27.3**
MW-16	Apr/May 2011	MW-16	**4.7**	5.00 U	**5.9**	**5.0 J**
MW-16	Aug/Sep 2011	MW-16	NA	NA	**5.1**	10.0 U
MW-16	Nov/Dec 2011	MW-16	NA	NA	5.0 U	10.0 U
MW-16	Jan/Feb 2012	DUPE-7-1Q12	NA	NA	NA	10.0 U
MW-16	Jan/Feb 2012	MW-16	NA	NA	5.0 U	10.0 U
MW-16	Jan/Feb 2012	DUPE-7-1Q12	NA	NA	5.0 U	NA
MW-16	Apr/May 2012	MW-16	**6.7**	5.00 U	5.0 U	10.0 U
MW-16	Apr/May 2012	DUPE-8-2Q12	**6.8**	5.00 U	5.0 U	10.0 U
MW-16	Aug/Sep 2012	MW-16	NA	NA	**93.0**	**6.1**
MW-16	Nov 2012	MW-16	NA	NA	**18.0**	**16.0**
MW-16	Jan/Feb 2013	MW-16	NA	NA	**17.0**	**18.0 J**
MW-16	Apr/May 2013	MW-16	**4.8**	1.00 U	**14.0**	**9.9**
MW-16	Jul 2013	MW-16	NA	NA	**15.0**	**14.0**
MW-16	Oct/Nov 2013	MW-16	NA	NA	**260.0**	**14.0**
MW-16	Oct/Nov 2013	DUPE-7-4Q13	NA	NA	**180.0**	**14.0**
MW-16	Jan/Feb 2014	MW-16	NA	NA	**410.0**	**15.0**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-16	Apr/May 2014	MW-16	**11.0**	**3.20**	**690.0**	**7.0**
MW-16	Jul/Aug 2014	MW-16	NA	NA	**2900.0**	**2.5**
MW-16	Jan/Feb 2015	MW-16	NA	NA	NA	**4.4**
MW-16	Jan/Feb 2015	Dup-6-1Q15	NA	NA	NA	**4.3**
MW-16	Apr/May 2017	MW-16	**3.9**	1.00 U	**4.7 J**	2.7 U
MW-16	Jul/Aug 2017	MW-16	NA	NA	**76.0**	**1.6 J**
MW-16	Oct-17	MW-16	NA	NA	**490.0 J**	**1.7 J**
MW-16	Oct-17	DUP-7-4Q17	NA	NA	**1100.0 J**	**1.9 J**
MW-16	Jan/Feb 2018	MW-16	NA	NA	**4600.0**	**1.9 J**
MW-16	April 2018	MW-16	NA	NA	NA	NA
MW-16	Apr/May 2019	MW-16	**5.1**	1.00 U	**1.6 J**	**1.10**
MW-16	Jul/Aug 2019	MW-16	NA	NA	**40.0**	**1.10**
MW-16	Oct 2019	MW-16	NA	NA	**16000.0**	**0.71**
MW-17-Screen-1						
MW-17-Screen-1	Aug/Sep 1996	MW-17-1	5.0 U	2.00 U	NA	NA
MW-17-Screen-1	Oct/Nov 1996	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Feb/Mar 1997	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	June/July 1997	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Sep/Oct 1997	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Jan/Feb 1998	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Apr/May 1998	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Jul/Aug 1998	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Oct/Nov 1998	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Feb/Mar 1999	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	May/Jun 1999	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Nov/Dec 1999	MW-17-1	NA	NA	10.0 U	5.0 U
MW-17-Screen-1	Jul/Aug 2000	MW-17-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-1	Jan/Feb 2001	MW-17-1	5.0 U	1.00 U	**1.7 J**	10.0 U
MW-17-Screen-1	Jan/Feb 2002	MW-17-1	5.0 U	**0.03 J**	**2.9 J**	10.0 U
MW-17-Screen-1	Apr/May 2003	MW-17-1	5.0 U	1.00 U	**2.9**	10.0 U
MW-17-Screen-1	Oct/Nov 2003	MW-17-1	NA	NA	**2.1 J**	10.0 U
MW-17-Screen-1	Apr/May 2004	MW-17-1	5.0 U	0.12 U	**7.3**	10.0 U
MW-17-Screen-1	Oct/Nov 2004	MW-17-1	NA	NA	**8.9 J**	10.0 U
MW-17-Screen-1	Apr/May 2005	MW-17-1	5.0 U	**0.02 J**	**5.1**	10.0 U
MW-17-Screen-1	Oct/Nov 2005	MW-17-1	NA	NA	**5.8**	10.0 U
MW-17-Screen-1	May/Jun 2006	DUPE-3-2Q06	1.0 U	1.00 U	1.0 U	NA
MW-17-Screen-1	May/Jun 2006	MW-17-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-17-Screen-1	May/Jun 2006	DUPE-3-2Q06	NA	NA	NA	10.0 U
MW-17-Screen-1	Oct/Dec 2006	MW-17-1	NA	NA	1.0 U	10.0 U
MW-17-Screen-1	Jun/Jul 2007	MW-17-1	1.0 U	1.00 U	**7.1**	10.0 U
MW-17-Screen-1	Oct/Dec 2007	MW-17-1	NA	NA	**12.4 E**	10.0 U
MW-17-Screen-1	Apr/May 2008	MW-17-1	1.0 U	1.00 U	**2.2**	10.0 U
MW-17-Screen-1	Oct/Nov 2008	MW-17-1	NA	NA	5.0 U	10.0 U
MW-17-Screen-1	Apr/May 2009	MW-17-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-1	Nov/Dec 2009	DUPE-03-4Q09	NA	NA	5.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-1	Nov/Dec 2009	MW-17-1	NA	NA	5.0 U	10.0 U
MW-17-Screen-1	Nov/Dec 2009	DUPE-03-4Q09	NA	NA	NA	10.0 U
MW-17-Screen-1	Apr/May 2010	DUPE-6-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-17-Screen-1	Apr/May 2010	MW-17-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-1	Apr/May 2010	DUPE-6-2Q10	NA	NA	NA	10.0 U
MW-17-Screen-1	Oct/Nov 2010	MW-17-1	NA	NA	5.0 U	10.0 U
MW-17-Screen-1	Apr/May 2011	MW-17-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-1	Nov/Dec 2011	MW-17-1	NA	NA	5.0 U	10.0 U
MW-17-Screen-1	Apr/May 2012	MW-17-1	5.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-1	Nov 2012	MW-17-1	NA	NA	3.0 U	2.0 U
MW-17-Screen-1	Apr/May 2013	MW-17-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-1	Oct/Nov 2013	MW-17-1	NA	NA	3.0 U	2.0 U
MW-17-Screen-1	Apr/May 2014	MW-17-1	2.0 U	1.00 U	3.0 U	NA
MW-17-Screen-1	Apr/May 2014	MW-17-1	NA	NA	NA	2.0 U
MW-17-Screen-1	Apr/May 2015	MW-17-1	2.0 U	1.00 U	3.0 U	10.0 U
MW-17-Screen-1	Apr/May 2016	MW-17-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-1	Apr/May 2017	MW-17-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-1	Oct-17	MW-17-1	NA	NA	3.0 U	2.0 U
MW-17-Screen-1	April 2018	MW-17-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-1	Apr/May 2019	MW-17-1	2.0 U	1.00 U	3.0 U	**0.08 J**
MW-17-Screen-1	Oct 2019	MW-17-1	NA	NA	3.0 U	**0.10 J**
MW-17-Screen-1	Jun 2020	MW-17-1	2.0 U	1.00 U	3.0 U	0.20 U
MW-17-Screen-2						
MW-17-Screen-2	Jan/Feb 1996	MW-17-2	5.0 U	2.00 U	10.0 U	10.0 U
MW-17-Screen-2	Aug/Sep 1996	MW-17-2	5.0 U	2.00 U	NA	NA
MW-17-Screen-2	Oct/Nov 1996	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Feb/Mar 1997	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	June/July 1997	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Sep/Oct 1997	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Jan/Feb 1998	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Apr/May 1998	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Jul/Aug 1998	MW-17-2	5.0 U	**6.70**	10.0 U	5.0 U
MW-17-Screen-2	Oct/Nov 1998	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Feb/Mar 1999	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	May/Jun 1999	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Aug 1999	MW-17-2	NA	NA	10.0 U	5.0 U
MW-17-Screen-2	Nov/Dec 1999	MW-17-2	NA	NA	10.0 U	5.0 U
MW-17-Screen-2	Mar/Apr 2000	MW-17-2	NA	NA	10.0 U	5.0 U
MW-17-Screen-2	Jul/Aug 2000	MW-17-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-2	Sep/Oct 2000	MW-17-2	NA	NA	10.0 U	5.0 U
MW-17-Screen-2	Jan/Feb 2001	MW-17-2	5.0 U	1.00 U	**2.8 J**	10.0 U
MW-17-Screen-2	Apr 2001	MW-17-2	NA	NA	NA	10.0 U
MW-17-Screen-2	Jul 2001	MW-17-2	NA	NA	NA	NA U
MW-17-Screen-2	Oct 2001	MW-17-2	NA	NA	**5.0**	10.0 U
MW-17-Screen-2	Jan/Feb 2002	MW-17-2	5.0 U	**0.03 J**	**2.5 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-2	Apr/May 2002	MW-17-2	NA	NA	**3.0**	10.0 U
MW-17-Screen-2	Jul 2002	MW-17-2	NA	NA	**2.0**	NA U
MW-17-Screen-2	Oct/Nov 2002	MW-17-2	NA	NA	NA	10.0 U
MW-17-Screen-2	Jan/Feb 2003	MW-17-2	NA	NA	**2.1**	10.0 U
MW-17-Screen-2	Apr/May 2003	MW-17-2	5.0 U	**0.14 J**	**2.0**	10.0 U
MW-17-Screen-2	Jul/Aug 2003	MW-17-2	NA	NA	**2.6 J**	10.0 U
MW-17-Screen-2	Oct/Nov 2003	MW-17-2	NA	NA	**2.8 J**	10.0 U
MW-17-Screen-2	Feb 2004	MW-17-2	NA	NA	**3.2**	10.0 U
MW-17-Screen-2	Apr/May 2004	MW-17-2	5.0 U	0.01 U	**7.6**	10.0 U
MW-17-Screen-2	Jul/Aug 2004	MW-17-2	NA	NA	**10.0**	10.0 U
MW-17-Screen-2	Oct/Nov 2004	MW-17-2	NA	NA	**11.8 J**	10.0 U
MW-17-Screen-2	Jan/Feb 2005	DUPE-3-1Q05	NA	NA	**8.1**	10.0 U
MW-17-Screen-2	Jan/Feb 2005	MW-17-2	NA	NA	**7.6**	10.0 U
MW-17-Screen-2	Apr/May 2005	MW-17-2	5.0 U	**0.03 J**	**8.6**	10.0 U
MW-17-Screen-2	Jul/Sep 2005	MW-17-2	NA	NA	**9.6**	10.0 U
MW-17-Screen-2	Oct/Nov 2005	MW-17-2	NA	NA	**8.8**	10.0 U
MW-17-Screen-2	Mar/Apr 2006	MW-17-2	NA	NA	1.0 U	10.0 U
MW-17-Screen-2	May/Jun 2006	MW-17-2	1.0 U	1.00 U	**1.6 J**	10.0 U
MW-17-Screen-2	Aug/Sep 2006	MW-17-2	NA	NA	0.5 U	10.0 U
MW-17-Screen-2	Oct/Dec 2006	DUPE-1-4Q06	NA	NA	NA	10.0 U
MW-17-Screen-2	Oct/Dec 2006	MW-17-2	NA	NA	**3.3**	10.0 U
MW-17-Screen-2	Oct/Dec 2006	DUPE-1-4Q06	NA	NA	**2.4**	NA
MW-17-Screen-2	Mar/Apr 2007	MW-17-2	NA	NA	**1.7**	NA
MW-17-Screen-2	Mar/Apr 2007	DUPE-1-1Q07	NA	NA	**1.8**	NA
MW-17-Screen-2	Jun/Jul 2007	MW-17-2	1.0 U	1.00 U	**10.2**	10.0 U
MW-17-Screen-2	Aug/Sep 2007	MW-17-2	NA	NA	**14.1 E**	10.0 U
MW-17-Screen-2	Oct/Dec 2007	MW-17-2	NA	NA	**14.8 E**	10.0 U
MW-17-Screen-2	Jan/Feb 2008	MW-17-2	NA	NA	**10.4**	10.0 U
MW-17-Screen-2	Apr/May 2008	MW-17-2	1.0 U	1.00 U	**3.0**	10.0 U
MW-17-Screen-2	Jul/Aug 2008	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Oct/Nov 2008	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Jan/Feb 2009	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Apr/May 2009	MW-17-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-2	Jul/Aug 2009	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Nov/Dec 2009	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Feb 2010	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Apr/May 2010	MW-17-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-2	Jul/Aug 2010	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Oct/Nov 2010	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Feb/Mar 2011	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Apr/May 2011	MW-17-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-2	Aug/Sep 2011	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Nov/Dec 2011	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Jan/Feb 2012	MW-17-2	NA	NA	5.0 U	10.0 U
MW-17-Screen-2	Apr/May 2012	MW-17-2	5.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-2	Aug/Sep 2012	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Nov 2012	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Jan/Feb 2013	MW-17-2	NA	NA	**0.6 J**	2.0 U
MW-17-Screen-2	Apr/May 2013	MW-17-2	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-17-Screen-2	Jul 2013	MW-17-2	NA	NA	**0.7 J**	2.0 U
MW-17-Screen-2	Oct/Nov 2013	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Jan/Feb 2014	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Apr/May 2014	MW-17-2	2.0 U	1.00 U	3.0 U	NA
MW-17-Screen-2	Apr/May 2014	MW-17-2	NA	NA	NA	2.0 U
MW-17-Screen-2	Jul/Aug 2014	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Oct 2014	MW-17-2	NA	NA	3.0 U	4.0 U
MW-17-Screen-2	Jan/Feb 2015	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Apr/May 2015	MW-17-2	2.0 U	1.00 U	3.0 U	10.0 U
MW-17-Screen-2	Jul/Aug 2015	MW-17-2	NA	NA	**0.7 J**	**1.0 J**
MW-17-Screen-2	Oct 2015	MW-17-2	NA	NA	0.5 U	2.0 U
MW-17-Screen-2	Jan/Feb 2016	MW-17-2	NA	NA	0.5 U	0.2 U
MW-17-Screen-2	Apr/May 2016	MW-17-2	**0.8 J**	1.00 U	**0.6 J**	2.0 U
MW-17-Screen-2	Apr/May 2016	DUP-7-2Q16	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-2	Jul/Aug 2016	MW-17-2	NA	NA	**1.1 J**	2.0 U
MW-17-Screen-2	Oct 2016	MW-17-2	NA	NA	2.7 U	2.0 U
MW-17-Screen-2	Oct 2016	DUP-1-4Q16	NA	NA	2.6 U	2.0 U
MW-17-Screen-2	Jan/Feb 2017	MW-17-2	NA	NA	1.9 U	2.0 U
MW-17-Screen-2	Apr/May 2017	MW-17-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-2	Jul/Aug 2017	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Oct-17	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Jan/Feb 2018	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	April 2018	MW-17-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-2	April 2018	DUP-5-2Q18	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-2	Jul/Aug 2018	MW-17-2	NA	NA	3.0 U	**0.7 J**
MW-17-Screen-2	Oct 2018	MW-17-2	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Oct 2018	DUP-3-4Q18	NA	NA	3.0 U	2.0 U
MW-17-Screen-2	Feb/Mar 2019	MW-17-2	NA	NA	**0.8 J**	2.0 U
MW-17-Screen-2	Apr/May 2019	MW-17-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-17-Screen-2	Jul/Aug 2019	MW-17-2	NA	NA	3.0 U	**0.07 J**
MW-17-Screen-2	Oct 2019	MW-17-2	NA	NA	3.0 U	0.20 U
MW-17-Screen-2	Feb 2020	MW-17-2	NA	NA	3.0 U	0.20 U
MW-17-Screen-2	Jun 2020	MW-17-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-17-Screen-2	Jun 2020	Dup-2-2Q2020	2.0 U	1.00 U	3.0 U	0.20 U
MW-17-Screen-2	Aug 2020	MW-17-2	NA	NA	3.0 U	0.20 U
MW-17-Screen-2	Oct/Nov 2020	MW-17-2	NA	NA	**0.7 J**	0.20 U
MW-17-Screen-2	Mar/Apr 2021	MW-17-2	NA	NA	3.0 U	0.04 UB
MW-17-Screen-2	May/June 2021	MW-17-2	2.0 U	1.00 U	3.0 U	0.07 UB
MW-17-Screen-2	May/June 2021	DUP-5-2Q21	2.0 U	1.00 U	3.0 U	0.05 UB
MW-17-Screen-3						
MW-17-Screen-3	Jan/Feb 1996	MW-17-3	5.0 U	2.00 U	10.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-3	Aug/Sep 1996	MW-17-3	5.0 U	**2.30**	NA	NA
MW-17-Screen-3	Oct/Nov 1996	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Feb/Mar 1997	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	June/July 1997	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Sep/Oct 1997	MW-17-3	5.0 U	2.00 U	10.0 U	**6.0**
MW-17-Screen-3	Sep/Oct 1997	MW-17-3	NA	NA	NA	**8.0**
MW-17-Screen-3	Jan/Feb 1998	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Jan/Feb 1998	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Apr/May 1998	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Jul/Aug 1998	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Oct/Nov 1998	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Feb/Mar 1999	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	May/Jun 1999	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Aug 1999	MW-17-3	NA	NA	10.0 U	5.0 U
MW-17-Screen-3	Nov/Dec 1999	MW-17-3	NA	NA	10.0 U	5.0 U
MW-17-Screen-3	Mar/Apr 2000	MW-17-3	NA	NA	10.0 U	5.0 U
MW-17-Screen-3	Jul/Aug 2000	MW-17-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-3	Sep/Oct 2000	MW-17-3	NA	NA	10.0 U	5.0 U
MW-17-Screen-3	Jan/Feb 2001	MW-17-3	**3.2 B**	1.00 U	**3.2 J**	10.0 U
MW-17-Screen-3	Apr 2001	MW-17-3	NA	NA	NA	10.0 U
MW-17-Screen-3	Jul 2001	MW-17-3	NA	NA	NA	NA U
MW-17-Screen-3	Jul 2001	MW-17-3	NA	NA	**5.0**	NA
MW-17-Screen-3	Oct 2001	MW-17-3	NA	NA	**6.3**	10.0 U
MW-17-Screen-3	Jan/Feb 2002	MW-17-3	**2.0 B**	**0.77 J**	**4.6 J**	10.0 U
MW-17-Screen-3	Apr/May 2002	MW-17-3	NA	NA	**4.0**	10.0 U
MW-17-Screen-3	Jul 2002	MW-17-3	NA	NA	**6.0**	NA U
MW-17-Screen-3	Oct/Nov 2002	MW-17-3	NA	NA	NA	10.0 U
MW-17-Screen-3	Dec 2002	MW-17-3	**2.1**	**0.10 J**	**2.8**	0.0 U
MW-17-Screen-3	Jan/Feb 2003	MW-17-3	NA	NA	**3.8**	10.0 U
MW-17-Screen-3	Apr/May 2003	MW-17-3	5.0 U	**0.16 J**	**3.0**	10.0 U
MW-17-Screen-3	Jul/Aug 2003	MW-17-3	NA	NA	**4.0 J**	10.0 U
MW-17-Screen-3	Oct/Nov 2003	MW-17-3	NA	NA	**3.8 J**	10.0 U
MW-17-Screen-3	Oct/Nov 2003	DUPE-5-4Q03	NA	NA	**3.7 J**	10.0 U
MW-17-Screen-3	Feb 2004	MW-17-3	NA	NA	**3.6**	10.0 U
MW-17-Screen-3	Apr/May 2004	MW-17-3	**2.5 J**	**0.001 J**	**8.1**	10.0 U
MW-17-Screen-3	Jul/Aug 2004	MW-17-3	NA	NA	**10.3**	10.0 U
MW-17-Screen-3	Oct/Nov 2004	MW-17-3	NA	NA	**10.2 J**	**6.0 J**
MW-17-Screen-3	Jan/Feb 2005	MW-17-3	NA	NA	**7.2**	10.0 U
MW-17-Screen-3	Apr/May 2005	MW-17-3	5.0 U	**0.10 J**	**3.1**	10.0 U
MW-17-Screen-3	Jul/Sep 2005	MW-17-3	NA	NA	**10.8**	10.0 U
MW-17-Screen-3	Oct/Nov 2005	DUPE-1-4Q05	NA	NA	**9.1**	10.0 U
MW-17-Screen-3	Oct/Nov 2005	MW-17-3	NA	NA	**11.0**	10.0 U
MW-17-Screen-3	Mar/Apr 2006	MW-17-3	NA	NA	**2.2**	10.0 U
MW-17-Screen-3	May/Jun 2006	MW-17-3	**1.1 J**	1.00 U	**3.1 J**	10.0 U
MW-17-Screen-3	Aug/Sep 2006	MW-17-3	NA	NA	0.5 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-3	Oct/Dec 2006	MW-17-3	NA	NA	**2.7**	10.0 U
MW-17-Screen-3	Mar/Apr 2007	MW-17-3	NA	NA	**2.3**	NA
MW-17-Screen-3	Jun/Jul 2007	DUPE-3-2Q07	**2.3**	1.00 U	**9.1**	NA
MW-17-Screen-3	Jun/Jul 2007	MW-17-3	**2.0**	1.00 U	**9.2**	10.0 U
MW-17-Screen-3	Jun/Jul 2007	DUPE-3-2Q07	NA	NA	NA	10.0 U
MW-17-Screen-3	Aug/Sep 2007	MW-17-3	NA	NA	**13.9 E**	10.0 U
MW-17-Screen-3	Oct/Dec 2007	MW-17-3	NA	NA	**13.2 E**	10.0 U
MW-17-Screen-3	Jan/Feb 2008	MW-17-3	NA	NA	1.0 U	**4.0 J**
MW-17-Screen-3	Apr/May 2008	MW-17-3	**1.5**	1.00 U	**5.7**	10.0 U
MW-17-Screen-3	Jul/Aug 2008	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Oct/Nov 2008	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Jan/Feb 2009	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Apr/May 2009	MW-17-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-3	Jul/Aug 2009	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Nov/Dec 2009	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Feb 2010	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Apr/May 2010	MW-17-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-3	Jul/Aug 2010	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Oct/Nov 2010	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Feb/Mar 2011	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Apr/May 2011	MW-17-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-3	Aug/Sep 2011	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Nov/Dec 2011	DUPE-4-4Q11	NA	NA	NA	10.0 U
MW-17-Screen-3	Nov/Dec 2011	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Nov/Dec 2011	DUPE-4-4Q11	NA	NA	5.0 U	NA
MW-17-Screen-3	Jan/Feb 2012	MW-17-3	NA	NA	5.0 U	10.0 U
MW-17-Screen-3	Apr/May 2012	MW-17-3	5.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-3	Aug/Sep 2012	MW-17-3	NA	NA	**1.3 J**	2.0 U
MW-17-Screen-3	Nov 2012	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Jan/Feb 2013	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Apr/May 2013	MW-17-3	**1.0 J**	1.00 U	**0.6 J**	2.0 U
MW-17-Screen-3	Jul 2013	MW-17-3	NA	NA	**0.9 J**	2.0 U
MW-17-Screen-3	Oct/Nov 2013	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Jan/Feb 2014	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Apr/May 2014	MW-17-3	**1.0 J**	1.00 U	**1.2 J**	NA
MW-17-Screen-3	Apr/May 2014	MW-17-3	NA	NA	NA	**1.8 J**
MW-17-Screen-3	Jul/Aug 2014	DUP-2-3Q14	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Jul/Aug 2014	MW-17-3	NA	NA	3.0 U	**0.7 J**
MW-17-Screen-3	Oct 2014	MW-17-3	NA	NA	**0.7 J**	2.0 U
MW-17-Screen-3	Jan/Feb 2015	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Apr/May 2015	MW-17-3	2.0 U	1.00 U	3.0 U	10.0 U
MW-17-Screen-3	Jul/Aug 2015	MW-17-3	NA	NA	**1.8 J**	2.0 U
MW-17-Screen-3	Oct 2015	MW-17-3	NA	NA	0.5 U	2.0 U
MW-17-Screen-3	Jan/Feb 2016	MW-17-3	NA	NA	0.5 U	**0.1 J**
MW-17-Screen-3	Apr/May 2016	MW-17-3	**1.4 J**	2.00 U	6.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-3	Jul/Aug 2016	MW-17-3	NA	NA	**2.3 J**	2.0 U
MW-17-Screen-3	Oct 2016	MW-17-3	NA	NA	2.4 U	2.0 U
MW-17-Screen-3	Jan/Feb 2017	MW-17-3	NA	NA	1.7 U	2.0 U
MW-17-Screen-3	Apr/May 2017	MW-17-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-3	Jul/Aug 2017	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Oct-17	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Jan/Feb 2018	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	April 2018	MW-17-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-17-Screen-3	Jul/Aug 2018	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Oct 2018	MW-17-3	NA	NA	3.0 U	2.0 U
MW-17-Screen-3	Feb/Mar 2019	MW-17-3	NA	NA	**0.8 J**	2.0 U
MW-17-Screen-3	Apr/May 2019	MW-17-3	2.0 U	1.00 U	3.0 U	**0.15 J**
MW-17-Screen-3	Jul/Aug 2019	MW-17-3	NA	NA	3.0 U	0.20 U
MW-17-Screen-3	Oct 2019	MW-17-3	NA	NA	3.0 U	0.20 U
MW-17-Screen-3	Feb 2020	MW-17-3	NA	NA	3.0 U	**0.05 J**
MW-17-Screen-3	Jun 2020	MW-17-3	2.0 U	**0.13 J**	3.0 U	0.20 U
MW-17-Screen-3	Aug 2020	MW-17-3	NA	NA	3.0 U	0.20 U
MW-17-Screen-3	Oct/Nov 2020	MW-17-3	NA	NA	**1.1 J**	0.14 UJ
MW-17-Screen-3	Mar/Apr 2021	MW-17-3	NA	NA	3.0 U	0.04 UB
MW-17-Screen-3	May/June 2021	MW-17-3	2.0 U	1.00 U	3.0 U	0.05 UB
MW-17-Screen-4						
MW-17-Screen-4	Jan/Feb 1996	MW-17-4	5.0 U	2.00 U	10.0 U	10.0 U
MW-17-Screen-4	Aug/Sep 1996	MW-17-4	5.0 U	2.00 U	NA	NA
MW-17-Screen-4	Oct/Nov 1996	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Feb/Mar 1997	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	June/July 1997	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Sep/Oct 1997	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Jan/Feb 1998	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Apr/May 1998	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Jul/Aug 1998	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Oct/Nov 1998	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Feb/Mar 1999	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	May/Jun 1999	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Aug 1999	MW-17-4	NA	NA	10.0 U	5.0 U
MW-17-Screen-4	Nov/Dec 1999	MW-17-4	NA	NA	10.0 U	5.0 U
MW-17-Screen-4	Mar/Apr 2000	MW-17-4	NA	NA	10.0 U	5.0 U
MW-17-Screen-4	Jul/Aug 2000	MW-17-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-4	Sep/Oct 2000	MW-17-4	NA	NA	10.0 U	5.0 U
MW-17-Screen-4	Jan/Feb 2001	MW-17-4	**3.7 B**	**0.12 J**	**2.1 J**	10.0 U
MW-17-Screen-4	Apr 2001	MW-17-4	NA	NA	NA	10.0 U
MW-17-Screen-4	Jul 2001	MW-17-4	NA	NA	NA	NA U
MW-17-Screen-4	Jul 2001	MW-17-4	NA	NA	**3.6 J**	NA
MW-17-Screen-4	Oct 2001	MW-17-4	NA	NA	**5.7**	10.0 U
MW-17-Screen-4	Jan/Feb 2002	MW-17-4	**2.9 B**	**0.29 J**	**3.9 J**	10.0 U
MW-17-Screen-4	Apr/May 2002	MW-17-4	NA	NA	**4.0**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-4	Jul 2002	MW-17-4	NA	NA	**2.0**	NA U
MW-17-Screen-4	Oct/Nov 2002	MW-17-4	NA	NA	NA	**45.0**
MW-17-Screen-4	Dec 2002	MW-17-4	**2.8**	0.20 U	**1.7**	NA
MW-17-Screen-4	Dec 2002	MW-17-4	NA	NA	NA	0.0 U
MW-17-Screen-4	Jan/Feb 2003	MW-17-4	NA	NA	**2.5**	10.0 U
MW-17-Screen-4	Apr/May 2003	MW-17-4	**2.2 J**	**0.23 J**	**2.2**	10.0 U
MW-17-Screen-4	Jul/Aug 2003	MW-17-4	NA	NA	**1.9 J**	10.0 U
MW-17-Screen-4	Oct/Nov 2003	MW-17-4	NA	NA	1.5 UJ	10.0 U
MW-17-Screen-4	Feb 2004	MW-17-4	NA	NA	**2.1**	10.0 U
MW-17-Screen-4	Apr/May 2004	MW-17-4	**3.9 J**	**0.14**	**5.6**	10.0 U
MW-17-Screen-4	Jul/Aug 2004	MW-17-4	NA	NA	**5.7**	10.0 U
MW-17-Screen-4	Oct/Nov 2004	MW-17-4	NA	NA	**6.1 J**	10.0 U
MW-17-Screen-4	Jan/Feb 2005	MW-17-4	NA	NA	**3.7**	10.0 U
MW-17-Screen-4	Apr/May 2005	MW-17-4	5.0 U	**0.05 J**	**3.7**	10.0 U
MW-17-Screen-4	Jul/Sep 2005	MW-17-4	NA	NA	**6.1**	10.0 U
MW-17-Screen-4	Oct/Nov 2005	MW-17-4	NA	NA	**4.6**	10.0 U
MW-17-Screen-4	Mar/Apr 2006	MW-17-4	NA	NA	1.0 U	10.0 U
MW-17-Screen-4	May/Jun 2006	MW-17-4	**4.2 J**	1.00 U	1.0 U	10.0 U
MW-17-Screen-4	Aug/Sep 2006	MW-17-4	NA	NA	0.5 U	10.0 U
MW-17-Screen-4	Oct/Dec 2006	MW-17-4	NA	NA	**1.1**	10.0 U
MW-17-Screen-4	Mar/Apr 2007	MW-17-4	NA	NA	1.0 U	NA
MW-17-Screen-4	Jun/Jul 2007	MW-17-4	**4.5**	1.00 U	**4.8**	10.0 U
MW-17-Screen-4	Aug/Sep 2007	MW-17-4	NA	NA	**8.7 E**	10.0 U
MW-17-Screen-4	Oct/Dec 2007	MW-17-4	NA	NA	**6.9 E**	10.0 U
MW-17-Screen-4	Jan/Feb 2008	MW-17-4	NA	NA	**5.4**	10.0 U
MW-17-Screen-4	Apr/May 2008	MW-17-4	**4.2**	1.00 U	**2.4**	10.0 U
MW-17-Screen-4	Jul/Aug 2008	DUPE-3-3Q08	NA	NA	NA	10.0 U
MW-17-Screen-4	Jul/Aug 2008	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Jul/Aug 2008	DUPE-3-3Q08	NA	NA	5.0 U	NA
MW-17-Screen-4	Oct/Nov 2008	DUPE-03-4Q08	NA	NA	5.0 U	NA
MW-17-Screen-4	Oct/Nov 2008	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Oct/Nov 2008	DUPE-03-4Q08	NA	NA	NA	10.0 U
MW-17-Screen-4	Jan/Feb 2009	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Apr/May 2009	MW-17-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-4	Jul/Aug 2009	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Nov/Dec 2009	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Feb 2010	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Apr/May 2010	MW-17-4	**3.0**	5.00 U	5.0 U	10.0 U
MW-17-Screen-4	Jul/Aug 2010	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Oct/Nov 2010	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Feb/Mar 2011	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Apr/May 2011	MW-17-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-4	Aug/Sep 2011	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Nov/Dec 2011	MW-17-4	NA	NA	5.0 U	10.0 U
MW-17-Screen-4	Jan/Feb 2012	MW-17-4	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-4	Apr/May 2012	MW-17-4	5.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-4	Aug/Sep 2012	MW-17-4	NA	NA	**0.9 J**	2.0 U
MW-17-Screen-4	Nov 2012	MW-17-4	NA	NA	**1.4 J**	**1.6 J**
MW-17-Screen-4	Jan/Feb 2013	MW-17-4	NA	NA	**1.8 J**	2.0 U
MW-17-Screen-4	Apr/May 2013	MW-17-4	**2.4**	1.00 U	**1.1 J**	2.0 U
MW-17-Screen-4	Jul 2013	MW-17-4	NA	NA	**0.6 J**	2.0 U
MW-17-Screen-4	Oct/Nov 2013	MW-17-4	NA	NA	**2.0 J**	**1.7 J**
MW-17-Screen-4	Jan/Feb 2014	MW-17-4	NA	NA	**4.0**	**2.8**
MW-17-Screen-4	Apr/May 2014	MW-17-4	**1.9 J**	1.00 U	**2.5 J**	NA
MW-17-Screen-4	Apr/May 2014	MW-17-4	NA	NA	NA	**2.0**
MW-17-Screen-4	Jul/Aug 2014	MW-17-4	NA	NA	**2.8 J**	**2.3**
MW-17-Screen-4	Oct 2014	MW-17-4	NA	NA	**0.6 J**	2.0 U
MW-17-Screen-4	Jan/Feb 2015	MW-17-4	NA	NA	3.0 U	2.0 U
MW-17-Screen-4	Apr/May 2015	MW-17-4	**3.2**	**0.12 J**	**0.7 J**	10.0 U
MW-17-Screen-4	Jul/Aug 2015	MW-17-4	NA	NA	**1.6 J**	**0.8 J**
MW-17-Screen-4	Jul/Aug 2015	DUP-3-3Q15	NA	NA	**1.4 J**	**1.3 J**
MW-17-Screen-4	Oct 2015	MW-17-4	NA	NA	0.5 U	2.0 U
MW-17-Screen-4	Jan/Feb 2016	MW-17-4	NA	NA	0.5 U	**0.1 J**
MW-17-Screen-4	Apr/May 2016	MW-17-4	**3.0**	1.00 U	3.0 U	2.0 U
MW-17-Screen-4	Jul/Aug 2016	MW-17-4	NA	NA	**1.2 J**	2.0 U
MW-17-Screen-4	Oct 2016	MW-17-4	NA	NA	2.3 U	0.9 U
MW-17-Screen-4	Jan/Feb 2017	MW-17-4	NA	NA	2.5 U	2.0 U
MW-17-Screen-4	Apr/May 2017	MW-17-4	**3.0**	1.00 U	**0.7 J**	1.0 U
MW-17-Screen-4	Jul/Aug 2017	MW-17-4	NA	NA	0.5 U	2.0 U
MW-17-Screen-4	Oct-17	MW-17-4	NA	NA	**1.3 J**	**1.9 J**
MW-17-Screen-4	Jan/Feb 2018	MW-17-4	NA	NA	**1.7 J**	**2.1**
MW-17-Screen-4	Jan/Feb 2018	Dup-3-IQ18	NA	NA	**1.8 J**	**1.8 J**
MW-17-Screen-4	April 2018	MW-17-4	**1.3 J**	1.00 U	3.0 U	**1.7 J**
MW-17-Screen-4	Jul/Aug 2018	MW-17-4	NA	NA	3.0 U	**0.8 J**
MW-17-Screen-4	Oct 2018	MW-17-4	NA	NA	**4.0**	**2.4**
MW-17-Screen-4	Feb/Mar 2019	MW-17-4	NA	NA	**2.3 J**	**2.1**
MW-17-Screen-4	Apr/May 2019	MW-17-4	2.0 U	1.00 U	**1.2 J**	**0.97**
MW-17-Screen-4	Jul/Aug 2019	MW-17-4	NA	NA	**0.8 J**	**1.40**
MW-17-Screen-4	Oct 2019	MW-17-4	NA	NA	**1.5 J**	**1.40**
MW-17-Screen-4	Feb 2020	MW-17-4	NA	NA	**0.9 J**	**1.20**
MW-17-Screen-4	Jun 2020	MW-17-4	2.0 U	1.00 U	3.0 U	**0.59**
MW-17-Screen-4	Aug 2020	MW-17-4	NA	NA	**1.9 J**	**1.90**
MW-17-Screen-4	Oct/Nov 2020	MW-17-4	NA	NA	**1.9 J**	**1.90**
MW-17-Screen-4	Mar/Apr 2021	MW-17-4	NA	NA	**1.9 J**	**1.80 J**
MW-17-Screen-4	May/June 2021	MW-17-4	**2.1**	1.00 U	**1.3 J**	**0.77 J**
MW-17-Screen-5						
MW-17-Screen-5	Jan/Feb 1996	MW-17-5	5.0 U	2.00 U	10.0 U	10.0 U
MW-17-Screen-5	Aug/Sep 1996	MW-17-5	5.0 U	2.00 U	NA	NA
MW-17-Screen-5	Oct/Nov 1996	MW-17-5	5.0 U	**5.30**	10.0 U	5.0 U
MW-17-Screen-5	Feb/Mar 1997	MW-17-5	5.0 U	**2.50**	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-5	June/July 1997	MW-17-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-5	Sep/Oct 1997	MW-17-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-5	Jan/Feb 1998	MW-17-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-5	Apr/May 1998	MW-17-5	5.0 U	**2.10**	10.0 U	5.0 U
MW-17-Screen-5	Jul/Aug 1998	MW-17-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-5	Oct/Nov 1998	MW-17-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-5	Feb/Mar 1999	MW-17-5	5.0 U	**7.40**	10.0 U	5.0 U
MW-17-Screen-5	May/Jun 1999	MW-17-5	5.0 U	**4.10**	10.0 U	5.0 U
MW-17-Screen-5	Nov/Dec 1999	MW-17-5	NA	NA	10.0 U	5.0 U
MW-17-Screen-5	Jul/Aug 2000	MW-17-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-17-Screen-5	Jan/Feb 2001	MW-17-5	**2.8 B**	**0.19 J**	**3.5 J**	10.0 U
MW-17-Screen-5	Jan/Feb 2002	MW-17-5	5.0 U	**2.77**	**3.7 J**	10.0 U
MW-17-Screen-5	Apr/May 2003	MW-17-5	**3.2 J**	**0.59 J**	**1.6**	10.0 U
MW-17-Screen-5	Oct/Nov 2003	MW-17-5	NA	NA	1.7 UJ	10.0 U
MW-17-Screen-5	Apr/May 2004	MW-17-5	**12.0**	**73.30**	**8.3**	10.0 U
MW-17-Screen-5	Oct/Nov 2004	MW-17-5	NA	NA	**2.2 J**	10.0 U
MW-17-Screen-5	Apr/May 2005	MW-17-5	5.0 U	**1.70**	**0.6 J**	10.0 U
MW-17-Screen-5	Oct/Nov 2005	MW-17-5	NA	NA	**0.7 J**	10.0 U
MW-17-Screen-5	May/Jun 2006	MW-17-5	**7.1 J**	**1.91 J**	**1.2 J**	10.0 U
MW-17-Screen-5	Oct/Dec 2006	MW-17-5	NA	NA	1.0 U	10.0 U
MW-17-Screen-5	Jun/Jul 2007	MW-17-5	**7.7**	**1.89**	**1.5**	10.0 U
MW-17-Screen-5	Oct/Dec 2007	MW-17-5	NA	NA	1.0 U	10.0 U
MW-17-Screen-5	Apr/May 2008	MW-17-5	**8.3**	**1.20**	**1.9**	10.0 U
MW-17-Screen-5	Oct/Nov 2008	MW-17-5	NA	NA	5.0 U	10.0 U
MW-17-Screen-5	Apr/May 2009	MW-17-5	**7.3**	5.00 U	5.0 U	10.0 U
MW-17-Screen-5	Nov/Dec 2009	MW-17-5	NA	NA	5.0 U	10.0 U
MW-17-Screen-5	Apr/May 2010	MW-17-5	**7.2**	5.00 U	5.0 U	10.0 U
MW-17-Screen-5	Oct/Nov 2010	MW-17-5	NA	NA	5.0 U	10.0 U
MW-17-Screen-5	Apr/May 2011	MW-17-5	**8.1**	5.00 U	5.0 U	10.0 U
MW-17-Screen-5	Nov/Dec 2011	MW-17-5	NA	NA	5.0 U	10.0 U
MW-17-Screen-5	Apr/May 2012	MW-17-5	5.0 U	5.00 U	5.0 U	10.0 U
MW-17-Screen-5	Nov 2012	MW-17-5	NA	NA	3.0 U	2.0 U
MW-17-Screen-5	Apr/May 2013	MW-17-5	**6.6**	**0.34 J**	3.0 U	2.0 U
MW-17-Screen-5	Oct/Nov 2013	MW-17-5	NA	NA	3.0 U	2.0 U
MW-17-Screen-5	Apr/May 2014	MW-17-5	**3.3**	**0.25 J**	**1.5 J**	NA
MW-17-Screen-5	Apr/May 2014	MW-17-5	NA	NA	NA	2.0 U
MW-17-Screen-5	Oct 2014	MW-17-5	NA	NA	**0.7 J**	2.0 U
MW-17-Screen-5	Apr/May 2015	MW-17-5	**9.0**	**0.93 J**	**0.7 J**	10.0 U
MW-17-Screen-5	Oct 2015	MW-17-5	NA	NA	**1.1 J**	2.0 U
MW-17-Screen-5	Apr/May 2016	MW-17-5	**6.9**	**1.20**	3.0 U	2.0 U
MW-17-Screen-5	Oct 2016	MW-17-5	NA	NA	2.6 U	2.0 U
MW-17-Screen-5	Apr/May 2017	MW-17-5	**7.7**	**2.70**	**0.9 J**	0.9 U
MW-17-Screen-5	Oct-17	MW-17-5	NA	NA	**1.4 J**	**1.3 J**
MW-17-Screen-5	April 2018	MW-17-5	**2.4**	**0.50 J**	3.0 U	**1.3 J**
MW-17-Screen-5	Oct 2018	MW-17-5	NA	NA	**3.1**	**1.7 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-17-Screen-5	Apr/May 2019	MW-17-5	2.0 U	**0.74 J**	**1.4 J**	**0.45**
MW-17-Screen-5	Oct 2019	MW-17-5	NA	NA	**1.6 J**	**1.20**
MW-17-Screen-5	Jun 2020	MW-17-5	2.0 U	**1.00**	**5.2**	**1.30**
MW-17-Screen-5	Oct/Nov 2020	MW-17-5	NA	NA	**3.1**	**1.90**
MW-17-Screen-5	May/June 2021	MW-17-5	**1.2 J**	**0.21 J**	**1.5 J**	**0.67 J**
MW-18-Screen-1						
MW-18-Screen-1	Aug/Sep 1996	MW-18-1	5.0 U	2.00 U	NA	NA
MW-18-Screen-1	Feb/Mar 1997	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	June/July 1997	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	Apr/May 1998	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	Jul/Aug 1998	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	Oct/Nov 1998	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	Feb/Mar 1999	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	May/Jun 1999	MW-18-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-1	Apr/May 2003	MW-18-1	5.0 UJ	1.00 U	0.4 UJ	10.0 U
MW-18-Screen-1	Oct/Nov 2003	MW-18-1	NA	NA	1.5 U	10.0 U
MW-18-Screen-1	Apr/May 2004	MW-18-1	5.0 U	0.12 U	**8.4 J**	10.0 U
MW-18-Screen-1	Oct/Nov 2004	MW-18-1	NA	NA	**10.6 J**	10.0 U
MW-18-Screen-1	Apr/May 2005	MW-18-1	**5.9**	**0.10 J**	**5.9**	10.0 U
MW-18-Screen-1	Jul/Sep 2005	MW-18-1	NA	NA	**8.2**	10.0 U
MW-18-Screen-1	Oct/Nov 2005	MW-18-1	NA	NA	**4.6**	10.0 U
MW-18-Screen-1	May/Jun 2006	DUPE-4-2Q06	1.0 U	1.00 U	1.0 U	NA
MW-18-Screen-1	May/Jun 2006	MW-18-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-18-Screen-1	May/Jun 2006	DUPE-4-2Q06	NA	NA	NA	10.0 U
MW-18-Screen-1	Oct/Dec 2006	MW-18-1	NA	NA	**2.7 J**	10.0 U
MW-18-Screen-1	Jun/Jul 2007	MW-18-1	1.0 U	1.00 U	**6.6**	10.0 U
MW-18-Screen-1	Oct/Dec 2007	MW-18-1	NA	NA	**9.9**	10.0 U
MW-18-Screen-1	Apr/May 2008	DUPE-2-2Q08	1.0 U	1.00 U	**2.2**	NA
MW-18-Screen-1	Apr/May 2008	MW-18-1	1.0 U	1.00 U	**4.1**	10.0 U
MW-18-Screen-1	Apr/May 2008	DUPE-2-2Q08	NA	NA	NA	10.0 U
MW-18-Screen-1	Oct/Nov 2008	MW-18-1	NA	NA	5.0 U	10.0 U
MW-18-Screen-1	Apr/May 2009	MW-18-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-1	Nov/Dec 2009	MW-18-1	NA	NA	5.0 U	10.0 U
MW-18-Screen-1	Apr/May 2010	MW-18-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-1	Oct/Nov 2010	MW-18-1	NA	NA	5.0 U	10.0 U
MW-18-Screen-1	Apr/May 2011	MW-18-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-1	Nov/Dec 2011	MW-18-1	NA	NA	5.0 U	10.0 U
MW-18-Screen-1	Apr/May 2012	MW-18-1	2.0 U	5.00 U	10.0 U	10.0 U
MW-18-Screen-1	Nov 2012	MW-18-1	NA	NA	3.0 U	2.0 U
MW-18-Screen-1	Apr/May 2013	MW-18-1	2.0 U	**0.72 J**	3.0 U	4.0 U
MW-18-Screen-1	Apr/May 2017	MW-18-1	2.0 U	1.00 U	**0.8 J**	2.0 U
MW-18-Screen-1	Apr/May 2019	MW-18-1	2.0 U	1.00 U	**0.5 J**	**0.10 J**
MW-18-Screen-1	Apr/May 2019	MW-18-1	2.0 U	1.00 U	**0.5 J**	**0.10 J**
MW-18-Screen-1	Jun 2020	MW-18-1	2.0 U	1.00 U	3.0 U	**0.20**
MW-18-Screen-2						

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-2	Aug/Sep 1996	MW-18-2	5.0 U	2.00 U	NA	NA
MW-18-Screen-2	Oct/Nov 1996	MW-18-2	5.0 U	**3.40**	10.0 U	5.0 U
MW-18-Screen-2	Feb/Mar 1997	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	June/July 1997	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Sep/Oct 1997	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Jan/Feb 1998	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Apr/May 1998	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Jul/Aug 1998	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Oct/Nov 1998	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Feb/Mar 1999	MW-18-2	5.0 U	**5.30**	10.0 U	5.0 U
MW-18-Screen-2	May/Jun 1999	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Aug 1999	MW-18-2	NA	NA	10.0 U	5.0 U
MW-18-Screen-2	Nov/Dec 1999	MW-18-2	NA	NA	10.0 U	5.0 U
MW-18-Screen-2	Mar/Apr 2000	MW-18-2	NA	NA	10.0 U	5.0 U
MW-18-Screen-2	Jul/Aug 2000	MW-18-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-2	Sep/Oct 2000	MW-18-2	NA	NA	10.0 U	5.0 U
MW-18-Screen-2	Jan/Feb 2001	MW-18-2	5.0 U	1.00 U	**4.0 J**	10.0 U
MW-18-Screen-2	Apr 2001	MW-18-2	NA	NA	NA	10.0 U
MW-18-Screen-2	Jul 2001	MW-18-2	NA	NA	NA	NA U
MW-18-Screen-2	Jul 2001	MW-18-2	NA	NA	**3.6 J**	NA
MW-18-Screen-2	Oct 2001	MW-18-2	NA	NA	**4.3**	10.0 U
MW-18-Screen-2	Jan/Feb 2002	MW-18-2	5.0 U	1.00 U	**2.6 J**	10.0 U
MW-18-Screen-2	Apr/May 2002	MW-18-2	NA	NA	**6.0**	10.0 U
MW-18-Screen-2	Jul 2002	MW-18-2	NA	NA	**3.0**	NA U
MW-18-Screen-2	Oct/Nov 2002	MW-18-2	NA	NA	NA	10.0 U
MW-18-Screen-2	Jan/Feb 2003	MW-18-2	NA	NA	**3.6**	10.0 U
MW-18-Screen-2	Apr/May 2003	MW-18-2	5.0 UJ	1.00 U	1.0 UJ	10.0 U
MW-18-Screen-2	Jul/Aug 2003	MW-18-2	NA	NA	**2.1 J**	10.0 U
MW-18-Screen-2	Oct/Nov 2003	MW-18-2	NA	NA	1.9 U	10.0 U
MW-18-Screen-2	Feb 2004	MW-18-2	NA	NA	**3.5**	10.0 U
MW-18-Screen-2	Apr/May 2004	MW-18-2	5.0 U	0.12 U	**9.3 J**	10.0 U
MW-18-Screen-2	Jul/Aug 2004	MW-18-2	NA	NA	**4.6 J**	10.0 U
MW-18-Screen-2	Oct/Nov 2004	MW-18-2	NA	NA	**11.9 J**	10.0 U
MW-18-Screen-2	Jan/Feb 2005	DUPE-4-1Q05	NA	NA	**6.9**	10.0 U
MW-18-Screen-2	Jan/Feb 2005	MW-18-2	NA	NA	**5.1**	10.0 U
MW-18-Screen-2	Apr/May 2005	DUPE-1-2Q05	**3.7 J**	**0.06 J**	**7.6**	10.0 U
MW-18-Screen-2	Apr/May 2005	MW-18-2	**4.4 J**	**0.09 J**	**6.6**	10.0 U
MW-18-Screen-2	Jul/Sep 2005	MW-18-2	NA	NA	**7.7**	10.0 U
MW-18-Screen-2	Oct/Nov 2005	MW-18-2	NA	NA	**6.2**	10.0 U
MW-18-Screen-2	Mar/Apr 2006	MW-18-2	NA	NA	1.0 U	10.0 U
MW-18-Screen-2	May/Jun 2006	MW-18-2	**1.7 J**	1.00 U	1.0 U	10.0 U
MW-18-Screen-2	Aug/Sep 2006	MW-18-2	NA	NA	0.5 U	10.0 U
MW-18-Screen-2	Oct/Dec 2006	MW-18-2	NA	NA	**1.4 J**	10.0 U
MW-18-Screen-2	Mar/Apr 2007	MW-18-2	NA	NA	1.0 U	NA
MW-18-Screen-2	Mar/Apr 2007	DUPE-2-1Q07	NA	NA	1.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-2	Jun/Jul 2007	MW-18-2	**1.6**	1.00 U	**7.7**	10.0 U
MW-18-Screen-2	Aug/Sep 2007	MW-18-2	NA	NA	**12.4 E**	10.0 U
MW-18-Screen-2	Oct/Dec 2007	MW-18-2	NA	NA	**11.4**	10.0 U
MW-18-Screen-2	Jan/Feb 2008	MW-18-2	NA	NA	**9.1**	10.0 U
MW-18-Screen-2	Apr/May 2008	MW-18-2	**1.2**	1.00 U	**3.6**	10.0 U
MW-18-Screen-2	Jul/Aug 2008	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Oct/Nov 2008	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Jan/Feb 2009	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Apr/May 2009	MW-18-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-2	Jul/Aug 2009	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Nov/Dec 2009	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Feb 2010	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Apr/May 2010	MW-18-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-2	Jul/Aug 2010	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Oct/Nov 2010	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Feb/Mar 2011	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Apr/May 2011	MW-18-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-2	Aug/Sep 2011	DUPE-03-3Q11	NA	NA	5.0 U	NA
MW-18-Screen-2	Aug/Sep 2011	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Aug/Sep 2011	DUPE-03-3Q11	NA	NA	NA	10.0 U
MW-18-Screen-2	Nov/Dec 2011	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Jan/Feb 2012	MW-18-2	NA	NA	5.0 U	10.0 U
MW-18-Screen-2	Apr/May 2012	MW-18-2	2.0 U	5.00 U	10.0 U	10.0 U
MW-18-Screen-2	Aug/Sep 2012	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Nov 2012	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Jan/Feb 2013	MW-18-2	NA	NA	3.0 U	4.0 U
MW-18-Screen-2	Apr/May 2013	MW-18-2	**0.9 J**	1.00 U	3.0 U	2.0 U
MW-18-Screen-2	Jul 2013	MW-18-2	NA	NA	**0.6 J**	2.0 U
MW-18-Screen-2	Oct/Nov 2013	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Jan/Feb 2014	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Apr/May 2014	MW-18-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-18-Screen-2	Jul/Aug 2014	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Oct 2014	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Jan/Feb 2015	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Apr/May 2015	MW-18-2	**1.4 J**	1.00 U	**0.7**	2.0 U
MW-18-Screen-2	Jul/Aug 2015	MW-18-2	NA	NA	**0.7 J**	**0.9 J**
MW-18-Screen-2	Oct 2015	MW-18-2	NA	NA	0.5 U	2.0 U
MW-18-Screen-2	Jan/Feb 2016	MW-18-2	NA	NA	0.5 U	**0.1 J**
MW-18-Screen-2	Apr/May 2016	MW-18-2	2.0 U	**0.24 J**	3.0 U	2.0 U
MW-18-Screen-2	Jul/Aug 2016	MW-18-2	NA	NA	**1.1 J**	**1.0 J**
MW-18-Screen-2	Oct 2016	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Jan/Feb 2017	MW-18-2	NA	NA	1.8 U	2.0 U
MW-18-Screen-2	Apr/May 2017	MW-18-2	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-18-Screen-2	Jul/Aug 2017	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Oct-17	MW-18-2	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-2	Jan/Feb 2018	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	April 2018	MW-18-2	2.0 U	**0.11 J**	**1.1 J**	2.0 U
MW-18-Screen-2	Jul/Aug 2018	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Oct 2018	MW-18-2	NA	NA	3.0 U	2.0 U
MW-18-Screen-2	Feb/Mar 2019	MW-18-2	NA	NA	**0.6 J**	2.0 U
MW-18-Screen-2	Apr/May 2019	MW-18-2	**0.9 J**	1.00 U	3.0 U	**0.07 J**
MW-18-Screen-2	Jul/Aug 2019	MW-18-2	NA	NA	3.0 U	**0.05 J**
MW-18-Screen-2	Jul/Aug 2019	DUP-3-3Q19	NA	NA	3.0 U	**0.04 J**
MW-18-Screen-2	Oct 2019	MW-18-2	NA	NA	3.0 U	0.20 U
MW-18-Screen-2	Oct 2019	DUP-7-4Q19	NA	NA	3.0 U	0.20 U
MW-18-Screen-2	Feb 2020	MW-18-2	NA	NA	3.0 U	**0.05 J**
MW-18-Screen-2	Jun 2020	MW-18-2	2.0 U	1.00 U	3.0 U	**0.08 J**
MW-18-Screen-2	Aug 2020	MW-18-2	NA	NA	3.0 UJ	0.20 U
MW-18-Screen-2	Oct/Nov 2020	MW-18-2	NA	NA	**0.6 J**	0.20 U
MW-18-Screen-2	Mar/Apr 2021	MW-18-2	NA	NA	3.0 U	0.16 UB
MW-18-Screen-2	May/June 2021	MW-18-2	2.0 U	1.00 U	3.0 U	0.08 UB
MW-18-Screen-3						
MW-18-Screen-3	Aug/Sep 1996	MW-18-3	5.0 U	2.00 U	NA	NA
MW-18-Screen-3	Oct/Nov 1996	MW-18-3	5.0 U	**2.40**	10.0 U	5.0 U
MW-18-Screen-3	Feb/Mar 1997	MW-18-3	5.0 U	2.00 U	**15.0**	**7.0**
MW-18-Screen-3	June/July 1997	MW-18-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-3	Sep/Oct 1997	MW-18-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-3	Jan/Feb 1998	MW-18-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-3	Apr/May 1998	MW-18-3	5.0 U	2.00 U	**12.0**	**6.6**
MW-18-Screen-3	Jul/Aug 1998	MW-18-3	5.0 U	2.00 U	**14.0**	5.0 U
MW-18-Screen-3	Oct/Nov 1998	MW-18-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-3	Feb/Mar 1999	MW-18-3	5.0 U	2.00 U	10.0 U	**6.9**
MW-18-Screen-3	May/Jun 1999	MW-18-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-3	Aug 1999	MW-18-3	NA	NA	10.0 U	5.0 U
MW-18-Screen-3	Nov/Dec 1999	MW-18-3	NA	NA	10.0 U	5.0 U
MW-18-Screen-3	Mar/Apr 2000	MW-18-3	NA	NA	10.0 U	5.0 U
MW-18-Screen-3	Jul/Aug 2000	MW-18-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-3	Sep/Oct 2000	MW-18-3	NA	NA	10.0 U	5.0 U
MW-18-Screen-3	Jan/Feb 2001	MW-18-3	5.0 U	1.00 U	**7.5**	10.0 U
MW-18-Screen-3	Apr 2001	MW-18-3	NA	NA	NA	10.0 U
MW-18-Screen-3	Jul 2001	MW-18-3	NA	NA	NA	NA U
MW-18-Screen-3	Jul 2001	MW-18-3	NA	NA	**6.5**	NA
MW-18-Screen-3	Oct 2001	MW-18-3	NA	NA	**7.7**	10.0 U
MW-18-Screen-3	Jan/Feb 2002	MW-18-3	5.0 U	1.00 U	**5.6**	10.0 U
MW-18-Screen-3	Apr/May 2002	MW-18-3	NA	NA	**10.0**	10.0 U
MW-18-Screen-3	Jul 2002	MW-18-3	NA	NA	**7.0**	**10.0**
MW-18-Screen-3	Oct/Nov 2002	MW-18-3	NA	NA	NA	10.0 U
MW-18-Screen-3	Dec 2002	MW-18-3	**1.5**	**0.06 J**	**7.2**	**2.7**
MW-18-Screen-3	Jan/Feb 2003	MW-18-3	NA	NA	**7.8**	10.0 U
MW-18-Screen-3	Apr/May 2003	MW-18-3	5.0 UJ	1.00 U	**5.4 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-3	Jul/Aug 2003	MW-18-3	NA	NA	**5.9 J**	10.0 U
MW-18-Screen-3	Oct/Nov 2003	MW-18-3	NA	NA	**5.9**	10.0 U
MW-18-Screen-3	Feb 2004	MW-18-3	NA	NA	**8.6**	10.0 U
MW-18-Screen-3	Apr/May 2004	MW-18-3	5.0 U	0.12 U	**15.5 J**	10.0 U
MW-18-Screen-3	Jul/Aug 2004	MW-18-3	NA	NA	**9.3 J**	10.0 U
MW-18-Screen-3	Oct/Nov 2004	MW-18-3	NA	NA	**19.2 J**	10.0 U
MW-18-Screen-3	Jan/Feb 2005	MW-18-3	NA	NA	**10.8**	10.0 U
MW-18-Screen-3	Apr/May 2005	MW-18-3	**6.5**	**0.08 J**	**11.7**	10.0 U
MW-18-Screen-3	Jul/Sep 2005	MW-18-3	NA	NA	**11.8**	10.0 U
MW-18-Screen-3	Oct/Nov 2005	MW-18-3	NA	NA	**14.0**	**5.0 J**
MW-18-Screen-3	Mar/Apr 2006	MW-18-3	NA	NA	**5.4 J**	10.0 U
MW-18-Screen-3	May/Jun 2006	MW-18-3	**1.7 J**	1.00 U	**6.1 J**	10.0 U
MW-18-Screen-3	Aug/Sep 2006	MW-18-3	NA	NA	**5.7**	10.0 U
MW-18-Screen-3	Oct/Dec 2006	MW-18-3	NA	NA	**5.4 J**	10.0 U
MW-18-Screen-3	Mar/Apr 2007	MW-18-3	NA	NA	**4.9**	NA
MW-18-Screen-3	Jun/Jul 2007	MW-18-3	**1.7**	1.00 U	**12.9**	10.0 U
MW-18-Screen-3	Aug/Sep 2007	MW-18-3	NA	NA	**14.2 E**	10.0 U
MW-18-Screen-3	Oct/Dec 2007	MW-18-3	NA	NA	**16.6**	10.0 U
MW-18-Screen-3	Jan/Feb 2008	MW-18-3	NA	NA	**12.9**	**5.0 J**
MW-18-Screen-3	Apr/May 2008	MW-18-3	**1.5**	1.00 U	**7.4**	10.0 U
MW-18-Screen-3	Jul/Aug 2008	DUPE-4-3Q08	NA	NA	NA	10.0 U
MW-18-Screen-3	Jul/Aug 2008	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Jul/Aug 2008	DUPE-4-3Q08	NA	NA	5.0 U	NA
MW-18-Screen-3	Oct/Nov 2008	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Jan/Feb 2009	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Apr/May 2009	MW-18-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-3	Jul/Aug 2009	DUPE-3-3Q09	NA	NA	5.0 U	NA
MW-18-Screen-3	Jul/Aug 2009	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Jul/Aug 2009	DUPE-3-3Q09	NA	NA	NA	10.0 U
MW-18-Screen-3	Nov/Dec 2009	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Feb 2010	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Apr/May 2010	MW-18-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-3	Jul/Aug 2010	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Oct/Nov 2010	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Feb/Mar 2011	DUPE-03-1Q11	NA	NA	NA	10.0 U
MW-18-Screen-3	Feb/Mar 2011	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Feb/Mar 2011	DUPE-03-1Q11	NA	NA	5.0 U	NA
MW-18-Screen-3	Apr/May 2011	MW-18-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-3	Aug/Sep 2011	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Nov/Dec 2011	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Jan/Feb 2012	MW-18-3	NA	NA	5.0 U	10.0 U
MW-18-Screen-3	Apr/May 2012	MW-18-3	2.0 U	5.00 U	10.0 U	10.0 U
MW-18-Screen-3	Aug/Sep 2012	DUPE-1-3Q12	NA	NA	**2.1 J**	**1.7 J**
MW-18-Screen-3	Aug/Sep 2012	MW-18-3	NA	NA	**2.5 J**	**1.8 J**
MW-18-Screen-3	Nov 2012	MW-18-3	NA	NA	**1.7 J**	**2.0**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-3	Jan/Feb 2013	MW-18-3	NA	NA	**2.1 J**	2.0 U
MW-18-Screen-3	Apr/May 2013	MW-18-3	2.0 U	1.00 U	**2.2 J**	**1.0 J**
MW-18-Screen-3	Jul 2013	MW-18-3	NA	NA	**2.8 J**	**1.4 J**
MW-18-Screen-3	Oct/Nov 2013	MW-18-3	NA	NA	**2.9 J**	**0.8 J**
MW-18-Screen-3	Jan/Feb 2014	MW-18-3	NA	NA	**1.8 J**	**1.5 J**
MW-18-Screen-3	Apr/May 2014	DUP-3-2Q14	2.0 U	1.00 U	3.0 U	**2.2**
MW-18-Screen-3	Apr/May 2014	MW-18-3	**1.0 J**	1.00 U	3.0 U	**2.2**
MW-18-Screen-3	Jul/Aug 2014	MW-18-3	NA	NA	**1.9 J**	**1.5 J**
MW-18-Screen-3	Oct 2014	MW-18-3	NA	NA	3.0 U	**1.8 J**
MW-18-Screen-3	Jan/Feb 2015	MW-18-3	NA	NA	**1.3 J**	**1.1 J**
MW-18-Screen-3	Apr/May 2015	MW-18-3	**1.3 J**	1.00 U	**2.4**	**1.8 J**
MW-18-Screen-3	Jul/Aug 2015	MW-18-3	NA	NA	**2.4 J**	**2.6**
MW-18-Screen-3	Oct 2015	MW-18-3	NA	NA	**1.1 J**	**1.8 J**
MW-18-Screen-3	Jan/Feb 2016	MW-18-3	NA	NA	NA	**2.2**
MW-18-Screen-3	Apr/May 2016	MW-18-3	**0.8 J**	1.00 U	**1.7 J**	**1.3 J**
MW-18-Screen-3	Jul/Aug 2016	MW-18-3	NA	NA	**2.8 J**	**2.0**
MW-18-Screen-3	Oct 2016	MW-18-3	NA	NA	**2.0 J**	**1.3 J**
MW-18-Screen-3	Oct 2016	DUP-2-4Q16	NA	NA	**1.9 J**	**1.8 J**
MW-18-Screen-3	Jan/Feb 2017	MW-18-3	NA	NA	**3.3**	**1.3 J**
MW-18-Screen-3	Apr/May 2017	MW-18-3	**0.9 J**	1.00 U	**2.6 J**	**1.6 J**
MW-18-Screen-3	Jul/Aug 2017	MW-18-3	NA	NA	2.1 U	**1.6 J**
MW-18-Screen-3	Oct-17	MW-18-3	NA	NA	**1.5 J**	**1.2 J**
MW-18-Screen-3	Oct-17	DUP-3-4Q17	NA	NA	**1.5 J**	**1.9 J**
MW-18-Screen-3	Jan/Feb 2018	MW-18-3	NA	NA	**2.1 J**	**1.1 J**
MW-18-Screen-3	April 2018	MW-18-3	2.0 U	1.00 U	**2.6 J**	**1.8 J**
MW-18-Screen-3	Jul/Aug 2018	MW-18-3	NA	NA	3.0 U	**1.7 J**
MW-18-Screen-3	Oct 2018	MW-18-3	NA	NA	**1.1 J**	**1.8 J**
MW-18-Screen-3	Feb/Mar 2019	MW-18-3	NA	NA	**2.9 J**	**2.1**
MW-18-Screen-3	Apr/May 2019	DUP-3-2Q19	**1.1 J**	1.00 U	**2.1 J**	**1.80**
MW-18-Screen-3	Jul/Aug 2019	MW-18-3	NA	NA	**1.6 J**	**1.50**
MW-18-Screen-3	Oct 2019	MW-18-3	NA	NA	**1.5 J**	**1.70**
MW-18-Screen-3	Feb 2020	MW-18-3	NA	NA	**1.5 J**	**1.40**
MW-18-Screen-3	Jun 2020	MW-18-3	2.0 U	1.00 U	**1.2 J**	**1.60**
MW-18-Screen-3	Aug 2020	MW-18-3	NA	NA	**1.4 J**	**1.70**
MW-18-Screen-3	Oct/Nov 2020	MW-18-3	NA	NA	**1.7 J**	**1.80**
MW-18-Screen-3	Mar/Apr 2021	MW-18-3	NA	NA	**1.6 J**	**1.80 J**
MW-18-Screen-3	May/June 2021	MW-18-3	2.0 U	1.00 U	**1.5 J**	**1.20 J**
MW-18-Screen-3	May/June 2021	DUP-4-2Q21	**0.9 J**	**0.63 J**	**2.8 J**	**1.20 J**
MW-18-Screen-4						
MW-18-Screen-4	Aug/Sep 1996	MW-18-4	5.0 U	2.00 U	NA	NA
MW-18-Screen-4	Oct/Nov 1996	MW-18-4	5.0 U	**2.50**	10.0 U	5.0 U
MW-18-Screen-4	Feb/Mar 1997	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	June/July 1997	MW-18-4	**5.0**	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Sep/Oct 1997	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Jan/Feb 1998	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-4	Apr/May 1998	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Jul/Aug 1998	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Oct/Nov 1998	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Feb/Mar 1999	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	May/Jun 1999	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Aug 1999	MW-18-4	NA	NA	10.0 U	5.0 U
MW-18-Screen-4	Nov/Dec 1999	MW-18-4	NA	NA	10.0 U	5.0 U
MW-18-Screen-4	Mar/Apr 2000	MW-18-4	NA	NA	10.0 U	5.0 U
MW-18-Screen-4	Jul/Aug 2000	MW-18-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-4	Sep/Oct 2000	MW-18-4	NA	NA	10.0 U	5.0 U
MW-18-Screen-4	Jan/Feb 2001	MW-18-4	5.0 U	1.00 U	**4.3 J**	10.0 U
MW-18-Screen-4	Apr 2001	MW-18-4	NA	NA	NA	10.0 U
MW-18-Screen-4	Jul 2001	MW-18-4	NA	NA	NA	NA U
MW-18-Screen-4	Jul 2001	MW-18-4	NA	NA	**5.3**	NA
MW-18-Screen-4	Oct 2001	MW-18-4	NA	NA	**7.1**	10.0 U
MW-18-Screen-4	Jan/Feb 2002	MW-18-4	5.0 U	**0.25 J**	**5.6**	10.0 U
MW-18-Screen-4	Apr/May 2002	MW-18-4	NA	NA	**6.0**	10.0 U
MW-18-Screen-4	Jul 2002	MW-18-4	NA	NA	**4.0**	NA U
MW-18-Screen-4	Oct/Nov 2002	MW-18-4	NA	NA	NA	10.0 U
MW-18-Screen-4	Dec 2002	MW-18-4	**1.0**	0.20 U	**3.2**	**0.9**
MW-18-Screen-4	Jan/Feb 2003	MW-18-4	NA	NA	**4.1**	10.0 U
MW-18-Screen-4	Apr/May 2003	MW-18-4	5.0 UJ	**0.14 J**	**2.0 J**	10.0 U
MW-18-Screen-4	Apr/May 2003	DUPE-7-2Q03	5.0 UJ	**0.13 J**	**2.2 J**	10.0 U
MW-18-Screen-4	Jul/Aug 2003	MW-18-4	NA	NA	**2.7 J**	10.0 U
MW-18-Screen-4	Oct/Nov 2003	MW-18-4	NA	NA	2.6 U	10.0 U
MW-18-Screen-4	Feb 2004	MW-18-4	NA	NA	**5.4**	10.0 U
MW-18-Screen-4	Apr/May 2004	MW-18-4	5.0 U	0.12 U	**6.9 J**	10.0 U
MW-18-Screen-4	Jul/Aug 2004	MW-18-4	NA	NA	**5.4 J**	10.0 U
MW-18-Screen-4	Oct/Nov 2004	MW-18-4	NA	NA	**12.9 J**	10.0 U
MW-18-Screen-4	Jan/Feb 2005	MW-18-4	NA	NA	**7.0**	10.0 U
MW-18-Screen-4	Apr/May 2005	MW-18-4	**3.6 J**	**0.04 J**	**7.4**	10.0 U
MW-18-Screen-4	Jul/Sep 2005	MW-18-4	NA	NA	**7.0**	10.0 U
MW-18-Screen-4	Oct/Nov 2005	MW-18-4	NA	NA	**7.0**	10.0 U
MW-18-Screen-4	Mar/Apr 2006	MW-18-4	NA	NA	**1.8 J**	10.0 U
MW-18-Screen-4	May/Jun 2006	MW-18-4	**1.3 J**	1.00 U	**1.9 J**	10.0 U
MW-18-Screen-4	Aug/Sep 2006	MW-18-4	NA	NA	0.5 U	10.0 U
MW-18-Screen-4	Oct/Dec 2006	MW-18-4	NA	NA	**2.3 J**	10.0 U
MW-18-Screen-4	Mar/Apr 2007	MW-18-4	NA	NA	**1.7**	NA
MW-18-Screen-4	Jun/Jul 2007	MW-18-4	**1.3**	1.00 U	**7.2**	10.0 U
MW-18-Screen-4	Aug/Sep 2007	MW-18-4	NA	NA	**9.5 E**	10.0 U
MW-18-Screen-4	Oct/Dec 2007	MW-18-4	NA	NA	**12.0**	10.0 U
MW-18-Screen-4	Jan/Feb 2008	MW-18-4	NA	NA	**9.6**	10.0 U
MW-18-Screen-4	Apr/May 2008	MW-18-4	**1.5**	1.00 U	**6.0**	10.0 U
MW-18-Screen-4	Jul/Aug 2008	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Oct/Nov 2008	DUPE-02-4Q08	NA	NA	5.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-4	Oct/Nov 2008	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Oct/Nov 2008	DUPE-02-4Q08	NA	NA	NA	10.0 U
MW-18-Screen-4	Jan/Feb 2009	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Apr/May 2009	MW-18-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-4	Jul/Aug 2009	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Nov/Dec 2009	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Feb 2010	DUPE-2-1Q10	NA	NA	5.0 U	NA
MW-18-Screen-4	Feb 2010	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Feb 2010	DUPE-2-1Q10	NA	NA	NA	10.0 U
MW-18-Screen-4	Apr/May 2010	MW-18-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-4	Jul/Aug 2010	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Oct/Nov 2010	MW-18-4	NA	NA	**7.1**	10.0 U
MW-18-Screen-4	Feb/Mar 2011	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Apr/May 2011	MW-18-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-4	Aug/Sep 2011	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Nov/Dec 2011	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Jan/Feb 2012	MW-18-4	NA	NA	5.0 U	10.0 U
MW-18-Screen-4	Apr/May 2012	DUPE-6-2Q12	2.0 U	5.00 U	10.0 U	NA
MW-18-Screen-4	Apr/May 2012	MW-18-4	2.0 U	5.00 U	10.0 U	10.0 U
MW-18-Screen-4	Apr/May 2012	DUPE-6-2Q12	NA	NA	NA	10.0 U
MW-18-Screen-4	Aug/Sep 2012	MW-18-4	NA	NA	**2.8 J**	**1.6 J**
MW-18-Screen-4	Nov 2012	MW-18-4	NA	NA	**2.1 J**	2.0 U
MW-18-Screen-4	Jan/Feb 2013	MW-18-4	NA	NA	**2.2 J**	2.0 U
MW-18-Screen-4	Apr/May 2013	MW-18-4	**1.2 J**	1.00 U	**1.2 J**	2.0 U
MW-18-Screen-4	Jul 2013	DUPE-3-3Q13	NA	NA	**2.1 J**	2.0 U
MW-18-Screen-4	Jul 2013	MW-18-4	NA	NA	**2.5 J**	2.0 U
MW-18-Screen-4	Oct/Nov 2013	MW-18-4	NA	NA	**3.5**	**0.8 J**
MW-18-Screen-4	Jan/Feb 2014	MW-18-4	NA	NA	**2.8 J**	**2.0**
MW-18-Screen-4	Apr/May 2014	MW-18-4	**1.5 J**	1.00 U	**3.4**	**2.3**
MW-18-Screen-4	Jul/Aug 2014	DUP-3-3Q14	NA	NA	**2.4 J**	**1.7 J**
MW-18-Screen-4	Jul/Aug 2014	MW-18-4	NA	NA	**2.4 J**	**1.6 J**
MW-18-Screen-4	Oct 2014	MW-18-4	NA	NA	3.0 U	**1.0 J**
MW-18-Screen-4	Jan/Feb 2015	MW-18-4	NA	NA	3.0 U	2.0 U
MW-18-Screen-4	Apr/May 2015	MW-18-4	**1.0 J**	1.00 U	**1.2**	2.0 U
MW-18-Screen-4	Jul/Aug 2015	MW-18-4	NA	NA	**2.1 J**	**1.8 J**
MW-18-Screen-4	Oct 2015	MW-18-4	NA	NA	**0.5 J**	**0.8 J**
MW-18-Screen-4	Jan/Feb 2016	MW-18-4	NA	NA	**1.2 J**	**1.2**
MW-18-Screen-4	Apr/May 2016	MW-18-4	**1.4 J**	1.00 U	3.0 U	**0.9 J**
MW-18-Screen-4	Jul/Aug 2016	MW-18-4	NA	NA	**3.0**	**2.0**
MW-18-Screen-4	Oct 2016	MW-18-4	NA	NA	**2.6 J**	**1.9 J**
MW-18-Screen-4	Jan/Feb 2017	MW-18-4	NA	NA	2.5 U	2.0 U
MW-18-Screen-4	Apr/May 2017	MW-18-4	2.0 U	1.00 U	2.5 U	**1.2 J**
MW-18-Screen-4	Jul/Aug 2017	MW-18-4	NA	NA	2.0 U	**1.6 J**
MW-18-Screen-4	Oct-17	MW-18-4	NA	NA	**1.7 J**	**1.8 J**
MW-18-Screen-4	Jan/Feb 2018	MW-18-4	NA	NA	**1.6 J**	**1.3 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-4	April 2018	MW-18-4	2.0 U	1.00 U	**2.6 J**	**2.2**
MW-18-Screen-4	Jul/Aug 2018	MW-18-4	NA	NA	3.0 U	**2.0**
MW-18-Screen-4	Oct 2018	MW-18-4	NA	NA	**2.8 J**	**2.3**
MW-18-Screen-4	Feb/Mar 2019	MW-18-4	NA	NA	**9.2**	**1.7 J**
MW-18-Screen-4	Apr/May 2019	MW-18-4	**1.1 J**	1.00 U	**2.0 J**	**0.86**
MW-18-Screen-4	Jul/Aug 2019	MW-18-4	NA	NA	**3.2**	**2.10**
MW-18-Screen-4	Oct 2019	MW-18-4	NA	NA	**2.3 J**	**1.90**
MW-18-Screen-4	Feb 2020	MW-18-4	NA	NA	**2.5 J**	**2.20**
MW-18-Screen-4	Jun 2020	MW-18-4	2.0 U	1.00 U	**2.4 J**	**2.80**
MW-18-Screen-4	Aug 2020	MW-18-4	NA	NA	**3.3**	**2.60**
MW-18-Screen-4	Oct/Nov 2020	MW-18-4	NA	NA	**3.0**	**2.90**
MW-18-Screen-4	Mar/Apr 2021	MW-18-4	NA	NA	**3.1**	**2.70 J**
MW-18-Screen-4	Mar/Apr 2021	DUP-5-1Q21	NA	NA	**2.8 J**	**2.60 J**
MW-18-Screen-4	May/June 2021	MW-18-4	2.0 U	**0.10 J**	**2.9 J**	**1.00 J**
MW-18-Screen-5						
MW-18-Screen-5	Aug/Sep 1996	MW-18-5	5.0 U	2.00 U	NA	NA
MW-18-Screen-5	Oct/Nov 1996	MW-18-5	5.0 U	**2.30**	10.0 U	5.0 U
MW-18-Screen-5	Feb/Mar 1997	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	June/July 1997	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Sep/Oct 1997	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Jan/Feb 1998	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Apr/May 1998	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Jul/Aug 1998	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Oct/Nov 1998	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Feb/Mar 1999	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	May/Jun 1999	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Nov/Dec 1999	MW-18-5	NA	NA	10.0 U	5.0 U
MW-18-Screen-5	Jul/Aug 2000	MW-18-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-18-Screen-5	Jan/Feb 2001	MW-18-5	**2.2 B**	1.00 U	**4.1 J**	10.0 U
MW-18-Screen-5	Apr 2001	MW-18-5	NA	NA	NA	10.0 U
MW-18-Screen-5	Jul 2001	MW-18-5	NA	NA	NA	NA U
MW-18-Screen-5	Jan/Feb 2002	MW-18-5	5.0 U	**0.06 J**	**1.8 J**	10.0 U
MW-18-Screen-5	Jan/Feb 2003	MW-18-5	NA	NA	NA	10.0 U
MW-18-Screen-5	Apr/May 2003	MW-18-5	5.0 UJ	1.00 U	0.4 UJ	10.0 U
MW-18-Screen-5	Oct/Nov 2003	MW-18-5	NA	NA	1.0 U	10.0 U
MW-18-Screen-5	Apr/May 2004	MW-18-5	5.0 U	0.12 U	**6.1 J**	10.0 U
MW-18-Screen-5	Oct/Nov 2004	MW-18-5	NA	NA	**9.0 J**	10.0 U
MW-18-Screen-5	Apr/May 2005	MW-18-5	**3.6 J**	**0.04 J**	**4.3**	10.0 U
MW-18-Screen-5	Jul/Sep 2005	MW-18-5	NA	NA	**6.9**	10.0 U
MW-18-Screen-5	Oct/Nov 2005	MW-18-5	NA	NA	**4.2**	10.0 U
MW-18-Screen-5	May/Jun 2006	MW-18-5	**1.2 J**	1.00 U	1.0 U	10.0 U
MW-18-Screen-5	Oct/Dec 2006	MW-18-5	NA	NA	**1.4 J**	10.0 U
MW-18-Screen-5	Jun/Jul 2007	MW-18-5	**1.1**	1.00 U	**5.2**	10.0 U
MW-18-Screen-5	Oct/Dec 2007	MW-18-5	NA	NA	**8.4**	10.0 U
MW-18-Screen-5	Apr/May 2008	MW-18-5	**1.0**	1.00 U	**3.2**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-18-Screen-5	Oct/Nov 2008	MW-18-5	NA	NA	5.0 U	10.0 U
MW-18-Screen-5	Apr/May 2009	MW-18-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-5	Nov/Dec 2009	MW-18-5	NA	NA	5.0 U	10.0 U
MW-18-Screen-5	Apr/May 2010	MW-18-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-18-Screen-5	Oct/Nov 2010	MW-18-5	NA	NA	5.0 U	10.0 U
MW-18-Screen-5	Apr/May 2011	MW-18-5	**2.1**	5.00 U	5.0 U	10.0 U
MW-18-Screen-5	Nov/Dec 2011	MW-18-5	NA	NA	5.0 U	10.0 U
MW-18-Screen-5	Apr/May 2012	MW-18-5	2.0 U	5.00 U	10.0 U	10.0 U
MW-18-Screen-5	Nov 2012	MW-18-5	NA	NA	3.0 U	2.0 U
MW-18-Screen-5	Apr/May 2013	MW-18-5	**1.3 J**	1.00 U	3.0 U	2.0 U
MW-18-Screen-5	Oct/Nov 2013	MW-18-5	NA	NA	3.0 U	2.0 U
MW-18-Screen-5	Apr/May 2014	MW-18-5	**1.0 J**	1.00 U	3.0 U	2.0 U
MW-18-Screen-5	Oct 2014	MW-18-5	NA	NA	3.0 U	2.0 U
MW-18-Screen-5	Apr/May 2015	MW-18-5	**0.8 J**	1.00 U	3.0 U	2.0 U
MW-18-Screen-5	Oct 2015	MW-18-5	NA	NA	0.5 U	2.0 U
MW-18-Screen-5	Apr/May 2016	MW-18-5	**1.3 J**	1.00 U	3.0 U	2.0 U
MW-18-Screen-5	Oct 2016	MW-18-5	NA	NA	3.0 U	2.0 U
MW-18-Screen-5	Apr/May 2017	MW-18-5	2.0 U	1.00 U	**1.5 J**	2.0 U
MW-18-Screen-5	Oct-17	MW-18-5	NA	NA	3.0 U	2.0 U
MW-18-Screen-5	April 2018	MW-18-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-18-Screen-5	Oct 2018	MW-18-5	NA	NA	3.0 U	2.0 U
MW-18-Screen-5	Apr/May 2019	MW-18-5	**1.8 J**	1.00 U	3.0 U	**0.05 J**
MW-18-Screen-5	Jun 2020	MW-18-5	2.0 U	1.00 U	3.0 U	0.20 U
MW-18-Screen-5	Oct/Nov 2020	MW-18-5	NA	NA	**0.7 J**	0.20 U
MW-18-Screen-5	May/June 2021	MW-18-5	2.0 U	**0.10 J**	3.0 U	0.14 UB
MW-19-Screen-1						
MW-19-Screen-1	Jan/Feb 1996	MW-19-1	5.0 U	2.00 U	10.0 U	10.0 U
MW-19-Screen-1	Aug/Sep 1996	MW-19-1	5.0 U	2.00 U	NA	NA
MW-19-Screen-1	Oct/Nov 1996	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Feb/Mar 1997	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	June/July 1997	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Sep/Oct 1997	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Jan/Feb 1998	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Apr/May 1998	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Jul/Aug 1998	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Oct/Nov 1998	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Feb/Mar 1999	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	May/Jun 1999	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Nov/Dec 1999	MW-19-1	NA	NA	10.0 U	5.0 U
MW-19-Screen-1	Jul/Aug 2000	MW-19-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-1	Jan/Feb 2001	MW-19-1	5.0 U	1.00 U	**3.4 J**	10.0 U
MW-19-Screen-1	Jan/Feb 2002	MW-19-1	5.0 U	1.00 U	**2.9 J**	10.0 U
MW-19-Screen-1	Jan/Feb 2003	MW-19-1	NA	NA	NA	10.0 U
MW-19-Screen-1	Apr/May 2003	MW-19-1	5.0 U	1.00 U	**1.7 J**	10.0 U
MW-19-Screen-1	Oct/Nov 2003	MW-19-1	NA	NA	1.2 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-1	Apr/May 2004	MW-19-1	5.0 U	**0.23**	0.6 U	10.0 U
MW-19-Screen-1	Oct/Nov 2004	MW-19-1	NA	NA	0.2 U	10.0 U
MW-19-Screen-1	Apr/May 2005	MW-19-1	**1.7 J**	**0.03 J**	**2.5**	10.0 U
MW-19-Screen-1	Jul/Sep 2005	MW-19-1	NA	NA	**6.3**	10.0 U
MW-19-Screen-1	Oct/Nov 2005	MW-19-1	NA	NA	**5.9**	10.0 U
MW-19-Screen-1	May/Jun 2006	MW-19-1	1.0 U	1.00 U	1.0 U	**3.0 J**
MW-19-Screen-1	Oct/Dec 2006	MW-19-1	NA	NA	1.0 U	10.0 U
MW-19-Screen-1	Jun/Jul 2007	MW-19-1	1.0 U	1.00 U	**6.7**	**8.0 J**
MW-19-Screen-1	Oct/Dec 2007	MW-19-1	NA	NA	1.0 U	10.0 U
MW-19-Screen-1	Apr/May 2008	MW-19-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-19-Screen-1	Oct/Nov 2008	MW-19-1	NA	NA	5.0 U	10.0 U
MW-19-Screen-1	Apr/May 2009	MW-19-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-1	Nov/Dec 2009	MW-19-1	NA	NA	5.0 U	10.0 U
MW-19-Screen-1	Apr/May 2010	MW-19-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-1	Oct/Nov 2010	MW-19-1	NA	NA	5.0 U	10.0 U
MW-19-Screen-1	Apr/May 2011	MW-19-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-1	Nov/Dec 2011	DUPE-2-4Q11	NA	NA	NA	10.0 U
MW-19-Screen-1	Nov/Dec 2011	MW-19-1	NA	NA	5.0 U	10.0 U
MW-19-Screen-1	Nov/Dec 2011	DUPE-2-4Q11	NA	NA	5.0 U	NA
MW-19-Screen-1	Apr/May 2012	MW-19-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-1	Nov 2012	MW-19-1	NA	NA	3.0 U	2.0 U
MW-19-Screen-1	Apr/May 2013	MW-19-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-1	Oct/Nov 2013	MW-19-1	NA	NA	**2.3 J**	2.0 U
MW-19-Screen-1	Apr/May 2014	MW-19-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-1	Oct 2014	MW-19-1	NA	NA	**1.0 J**	2.0 U
MW-19-Screen-1	Apr/May 2015	MW-19-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-1	Oct 2015	MW-19-1	NA	NA	0.5 U	1.0 U
MW-19-Screen-1	Apr/May 2016	MW-19-1	2.0 U	1.00 U	1.4 U	2.0 U
MW-19-Screen-1	Apr/May 2016	MW-19-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-1	Oct 2016	MW-19-1	NA	NA	3.0 U	2.0 U
MW-19-Screen-1	Apr/May 2017	MW-19-1	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-19-Screen-1	Oct-17	MW-19-1	NA	NA	3.0 U	2.0 U
MW-19-Screen-1	April 2018	MW-19-1	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-19-Screen-1	Oct 2018	MW-19-1	NA	NA	3.0 U	2.0 U
MW-19-Screen-1	Apr/May 2019	MW-19-1	2.0 U	1.00 U	3.0 U	0.20 U
MW-19-Screen-1	Oct 2019	MW-19-1	NA	NA	3.0 U	0.20 U
MW-19-Screen-1	Jun 2020	MW-19-1	2.0 U	1.00 U	3.0 U	0.20 U
MW-19-Screen-1	Oct/Nov 2020	MW-19-1	NA	NA	3.0 U	0.20 U
MW-19-Screen-1	May/June 2021	MW-19-1	2.0 U	1.00 U	3.0 U	0.15 UB
MW-19-Screen-2						
MW-19-Screen-2	Jan/Feb 1996	MW-19-2	5.0 U	2.00 U	10.0 U	10.0 U
MW-19-Screen-2	Aug/Sep 1996	MW-19-2	5.0 U	2.00 U	NA	NA
MW-19-Screen-2	Oct/Nov 1996	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Feb/Mar 1997	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	June/July 1997	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-2	Sep/Oct 1997	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Jan/Feb 1998	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Apr/May 1998	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Jul/Aug 1998	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Oct/Nov 1998	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Feb/Mar 1999	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	May/Jun 1999	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Nov/Dec 1999	MW-19-2	NA	NA	10.0 U	5.0 U
MW-19-Screen-2	Jul/Aug 2000	MW-19-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-2	Jan/Feb 2001	MW-19-2	5.0 U	1.00 U	**3.6 J**	10.0 U
MW-19-Screen-2	Jan/Feb 2002	MW-19-2	5.0 U	1.00 U	**4.3 J**	10.0 U
MW-19-Screen-2	Jan/Feb 2003	MW-19-2	NA	NA	NA	10.0 U
MW-19-Screen-2	Apr/May 2003	MW-19-2	5.0 U	1.00 U	**4.2 J**	10.0 U
MW-19-Screen-2	Oct/Nov 2003	MW-19-2	NA	NA	**4.0**	10.0 U
MW-19-Screen-2	Apr/May 2004	MW-19-2	5.0 U	**0.001 J**	**10.0**	10.0 U
MW-19-Screen-2	Oct/Nov 2004	MW-19-2	NA	NA	**5.1**	10.0 U
MW-19-Screen-2	Apr/May 2005	MW-19-2	**1.8 J**	**0.03 J**	**4.3**	10.0 U
MW-19-Screen-2	Jul/Sep 2005	MW-19-2	NA	NA	**14.1**	10.0 U
MW-19-Screen-2	Oct/Nov 2005	MW-19-2	NA	NA	**11.1**	10.0 U
MW-19-Screen-2	May/Jun 2006	MW-19-2	1.0 U	1.00 U	**1.9 J**	10.0 U
MW-19-Screen-2	Oct/Dec 2006	MW-19-2	NA	NA	**1.9**	10.0 U
MW-19-Screen-2	Jun/Jul 2007	MW-19-2	**1.3**	1.00 U	**10.8**	**10.0**
MW-19-Screen-2	Oct/Dec 2007	MW-19-2	NA	NA	**3.0**	10.0 U
MW-19-Screen-2	Apr/May 2008	MW-19-2	1.0 U	1.00 U	**2.1**	10.0 U
MW-19-Screen-2	Oct/Nov 2008	MW-19-2	NA	NA	5.0 U	10.0 U
MW-19-Screen-2	Apr/May 2009	MW-19-2	2.0 U	5.00 U	**5.3**	10.0 U
MW-19-Screen-2	Nov/Dec 2009	MW-19-2	NA	NA	5.0 U	10.0 U
MW-19-Screen-2	Apr/May 2010	MW-19-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-2	Oct/Nov 2010	MW-19-2	NA	NA	5.0 U	10.0 U
MW-19-Screen-2	Apr/May 2011	MW-19-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-2	Nov/Dec 2011	MW-19-2	NA	NA	5.0 U	10.0 U
MW-19-Screen-2	Apr/May 2012	DUPE-5-2Q12	2.0 U	5.00 U	5.0 U	NA
MW-19-Screen-2	Apr/May 2012	MW-19-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-2	Apr/May 2012	DUPE-5-2Q12	NA	NA	NA	10.0 U
MW-19-Screen-2	Nov 2012	MW-19-2	NA	NA	**24.0**	**1.5 J**
MW-19-Screen-2	Apr/May 2013	MW-19-2	2.0 U	1.00 U	**1.7 J**	2.0 U
MW-19-Screen-2	Oct/Nov 2013	MW-19-2	NA	NA	**2.1 J**	2.0 U
MW-19-Screen-2	Apr/May 2014	MW-19-2	2.0 U	1.00 U	3.0 U	**1.2 J**
MW-19-Screen-2	Oct 2014	MW-19-2	NA	NA	**2.0 J**	2.0 U
MW-19-Screen-2	Apr/May 2015	MW-19-2	2.0 U	**0.20 J**	**0.8**	2.0 U
MW-19-Screen-2	Oct 2015	MW-19-2	NA	NA	0.5 U	1.0 U
MW-19-Screen-2	Apr/May 2016	MW-19-2	**1.2 J**	1.00 U	1.8 U	2.0 U
MW-19-Screen-2	Apr/May 2016	MW-19-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-2	Oct 2016	MW-19-2	NA	NA	**1.7 J**	**0.8 J**
MW-19-Screen-2	Apr/May 2017	MW-19-2	2.0 U	1.00 U	**2.3 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-2	Oct-17	MW-19-2	NA	NA	**2.4 J**	**0.7 J**
MW-19-Screen-2	April 2018	MW-19-2	2.0 U	1.00 U	**2.0 J**	2.0 U
MW-19-Screen-2	Oct 2018	MW-19-2	NA	NA	**2.8 J**	2.0 U
MW-19-Screen-2	Apr/May 2019	MW-19-2	2.0 U	1.00 U	**2.0 J**	**0.31**
MW-19-Screen-2	Oct 2019	MW-19-2	NA	NA	**1.5 J**	**0.91**
MW-19-Screen-2	Jun 2020	MW-19-2	2.0 U	1.00 U	**1.3 J**	**1.60**
MW-19-Screen-2	Oct/Nov 2020	MW-19-2	NA	NA	**3.2**	**0.43 J**
MW-19-Screen-2	May/June 2021	MW-19-2	2.0 U	1.00 U	2.1 UB	**0.87 J**
MW-19-Screen-3						
MW-19-Screen-3	Jan/Feb 1996	MW-19-3	5.0 U	**2.10**	10.0 U	10.0 U
MW-19-Screen-3	Aug/Sep 1996	MW-19-3	5.0 U	2.00 U	NA	NA
MW-19-Screen-3	Oct/Nov 1996	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Feb/Mar 1997	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	June/July 1997	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Sep/Oct 1997	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Jan/Feb 1998	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Apr/May 1998	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Jul/Aug 1998	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Oct/Nov 1998	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Feb/Mar 1999	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	May/Jun 1999	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Nov/Dec 1999	MW-19-3	NA	NA	10.0 U	5.0 U
MW-19-Screen-3	Jul/Aug 2000	MW-19-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-3	Jan/Feb 2001	MW-19-3	5.0 U	1.00 U	**6.1**	10.0 U
MW-19-Screen-3	Jan/Feb 2002	MW-19-3	5.0 U	1.00 U	**5.3**	10.0 U
MW-19-Screen-3	Dec 2002	MW-19-3	NA	NA	NA	**0.5**
MW-19-Screen-3	Dec 2002	MW-19-3	**1.0**	**0.30**	**4.1**	NA
MW-19-Screen-3	Jan/Feb 2003	MW-19-3	NA	NA	NA	10.0 U
MW-19-Screen-3	Apr/May 2003	MW-19-3	5.0 U	1.00 U	**5.0 J**	10.0 U
MW-19-Screen-3	Oct/Nov 2003	MW-19-3	NA	NA	**4.3 J**	10.0 U
MW-19-Screen-3	Apr/May 2004	MW-19-3	5.0 U	0.12 U	**10.7**	10.0 U
MW-19-Screen-3	Oct/Nov 2004	MW-19-3	NA	NA	**15.8**	10.0 U
MW-19-Screen-3	Apr/May 2005	MW-19-3	**4.3 J**	**0.03 J**	**4.8**	10.0 U
MW-19-Screen-3	Jul/Sep 2005	MW-19-3	NA	NA	**9.8**	10.0 U
MW-19-Screen-3	Oct/Nov 2005	MW-19-3	NA	NA	**9.2**	10.0 U
MW-19-Screen-3	May/Jun 2006	DUPE-1-2Q06	1.0 U	1.00 U	**2.5 J**	NA
MW-19-Screen-3	May/Jun 2006	MW-19-3	1.0 U	1.00 U	**2.4 J**	**3.0 J**
MW-19-Screen-3	May/Jun 2006	DUPE-1-2Q06	NA	NA	NA	**3.0 J**
MW-19-Screen-3	Oct/Dec 2006	MW-19-3	NA	NA	**2.6**	10.0 U
MW-19-Screen-3	Jun/Jul 2007	MW-19-3	**1.4**	1.00 U	**10.6**	**5.0 J**
MW-19-Screen-3	Oct/Dec 2007	MW-19-3	NA	NA	**2.8**	10.0 U
MW-19-Screen-3	Apr/May 2008	MW-19-3	**1.1**	1.00 U	**2.7**	10.0 U
MW-19-Screen-3	Oct/Nov 2008	MW-19-3	NA	NA	5.0 U	10.0 U
MW-19-Screen-3	Apr/May 2009	MW-19-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-3	Nov/Dec 2009	MW-19-3	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-3	Apr/May 2010	MW-19-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-3	Oct/Nov 2010	MW-19-3	NA	NA	5.0 U	10.0 U
MW-19-Screen-3	Apr/May 2009	MW-19-3	2.0 U	5.00 U	5.0 U	NA
MW-19-Screen-3	Apr/May 2011	DUPE-3-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-19-Screen-3	Apr/May 2011	MW-19-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-3	Apr/May 2011	DUPE-3-2Q11	NA	NA	NA	10.0 U
MW-19-Screen-3	Nov/Dec 2011	MW-19-3	NA	NA	5.0 U	10.0 U
MW-19-Screen-3	Apr/May 2012	MW-19-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-3	Nov 2012	DUPE-1-4Q12	NA	NA	**2.9 J**	**2.5**
MW-19-Screen-3	Nov 2012	MW-19-3	NA	NA	**2.4 J**	**2.3**
MW-19-Screen-3	Apr/May 2013	MW-19-3	**0.9 J**	1.00 U	**1.9 J**	**0.7 J**
MW-19-Screen-3	Oct/Nov 2013	MW-19-3	NA	NA	**2.6 J**	2.0 U
MW-19-Screen-3	Apr/May 2014	MW-19-3	**1.0 J**	1.00 U	3.0 U	**1.7 J**
MW-19-Screen-3	Oct 2014	MW-19-3	NA	NA	**2.5 J**	2.0 U
MW-19-Screen-3	Apr/May 2015	MW-19-3	2.0 U	1.00 U	**3.0**	**1.6 J**
MW-19-Screen-3	Oct 2015	MW-19-3	NA	NA	**1.3 J**	1.0 U
MW-19-Screen-3	Apr/May 2016	MW-19-3	4.0 U	2.00 U	1.7 U	2.0 U
MW-19-Screen-3	Apr/May 2016	MW-19-3	2.0 U	1.00 U	**1.8 J**	**1.7 J**
MW-19-Screen-3	Oct 2016	MW-19-3	NA	NA	**5.1**	2.0 U
MW-19-Screen-3	Apr/May 2017	MW-19-3	2.0 U	1.00 U	**3.1**	**1.3 J**
MW-19-Screen-3	Oct-17	MW-19-3	NA	NA	**2.5 J**	**1.2 J**
MW-19-Screen-3	April 2018	MW-19-3	2.0 U	1.00 U	**2.6 J**	**2.0**
MW-19-Screen-3	Oct 2018	MW-19-3	NA	NA	**3.2**	2.0 U
MW-19-Screen-3	Apr/May 2019	MW-19-3	2.0 U	1.00 U	**2.8 J**	**1.50**
MW-19-Screen-3	Oct 2019	MW-19-3	NA	NA	**2.0 J**	**1.90**
MW-19-Screen-3	Jun 2020	MW-19-3	2.0 U	1.00 U	**1.9 J**	**0.89**
MW-19-Screen-3	Jun 2020	DUP-1-2Q2020	2.0 U	1.00 U	**2.0 J**	**1.90**
MW-19-Screen-3	Oct/Nov 2020	MW-19-3	NA	NA	**2.7 J**	**2.00**
MW-19-Screen-3	Oct/Nov 2020	DUP-2-4Q20	NA	NA	**2.7 J**	**2.20**
MW-19-Screen-3	May/June 2021	MW-19-3	**1.8 J**	1.00 U	**2.2 J**	**0.84 J**
MW-19-Screen-4						
MW-19-Screen-4	Jan/Feb 1996	MW-19-4	5.0 U	2.00 U	10.0 U	10.0 U
MW-19-Screen-4	Aug/Sep 1996	MW-19-4	5.0 U	2.00 U	NA	NA
MW-19-Screen-4	Oct/Nov 1996	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Feb/Mar 1997	MW-19-4	5.0 U	**2.50**	10.0 U	5.0 U
MW-19-Screen-4	June/July 1997	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Sep/Oct 1997	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Jan/Feb 1998	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Apr/May 1998	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Jul/Aug 1998	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Oct/Nov 1998	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Feb/Mar 1999	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	May/Jun 1999	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-4	Nov/Dec 1999	MW-19-4	NA	NA	10.0 U	5.0 U
MW-19-Screen-4	Jul/Aug 2000	MW-19-4	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-4	Jan/Feb 2001	MW-19-4	**3.2 B**	1.00 U	**2.2 J**	10.0 U
MW-19-Screen-4	Jan/Feb 2002	MW-19-4	5.0 U	1.00 U	**2.6 J**	10.0 U
MW-19-Screen-4	Jan/Feb 2003	MW-19-4	NA	NA	NA	10.0 U
MW-19-Screen-4	Jan/Feb 2003	DUPE-2-1Q03	NA	NA	NA	10.0 U
MW-19-Screen-4	Apr/May 2003	MW-19-4	5.0 U	1.00 U	**2.4 J**	10.0 U
MW-19-Screen-4	Oct/Nov 2003	MW-19-4	NA	NA	2.4 U	10.0 U
MW-19-Screen-4	Apr/May 2004	MW-19-4	5.0 U	0.12 U	**7.3**	10.0 U
MW-19-Screen-4	Oct/Nov 2004	MW-19-4	NA	NA	**10.7**	10.0 U
MW-19-Screen-4	Apr/May 2005	MW-19-4	**3.1 J**	**0.02 J**	**3.2**	10.0 U
MW-19-Screen-4	Jul/Sep 2005	MW-19-4	NA	NA	**10.1**	10.0 U
MW-19-Screen-4	Oct/Nov 2005	MW-19-4	NA	NA	**8.3**	10.0 U
MW-19-Screen-4	May/Jun 2006	MW-19-4	1.0 U	1.00 U	**1.4 J**	**3.0 J**
MW-19-Screen-4	Oct/Dec 2006	MW-19-4	NA	NA	**1.6**	10.0 U
MW-19-Screen-4	Jun/Jul 2007	MW-19-4	**1.4**	1.00 U	**8.7**	10.0 U
MW-19-Screen-4	Oct/Dec 2007	MW-19-4	NA	NA	**1.2**	10.0 U
MW-19-Screen-4	Apr/May 2008	MW-19-4	**1.1**	1.00 U	**1.5**	10.0 U
MW-19-Screen-4	Oct/Nov 2008	MW-19-4	NA	NA	5.0 U	10.0 U
MW-19-Screen-4	Apr/May 2009	MW-19-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-4	Apr/May 2009	DUPE-08-2Q09	NA	NA	NA	10.0 U
MW-19-Screen-4	Nov/Dec 2009	MW-19-4	NA	NA	5.0 U	10.0 U
MW-19-Screen-4	Apr/May 2010	MW-19-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-4	Oct/Nov 2010	MW-19-4	NA	NA	5.0 U	10.0 U
MW-19-Screen-4	Apr/May 2011	MW-19-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-4	Nov/Dec 2011	MW-19-4	NA	NA	5.0 U	10.0 U
MW-19-Screen-4	Apr/May 2012	MW-19-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-4	Nov 2012	MW-19-4	NA	NA	**2.3 J**	**2.8**
MW-19-Screen-4	Apr/May 2013	MW-19-4	**1.3 J**	1.00 U	**1.1 J**	**1.6 J**
MW-19-Screen-4	Oct/Nov 2013	MW-19-4	NA	NA	**2.5 J**	**1.8 J**
MW-19-Screen-4	Apr/May 2014	MW-19-4	**1.3 J**	1.00 U	**2.6 J**	NA
MW-19-Screen-4	Apr/May 2014	MW-19-4	NA	NA	NA	**1.3 J**
MW-19-Screen-4	Oct 2014	MW-19-4	NA	NA	**1.3 J**	2.0 U
MW-19-Screen-4	Apr/May 2015	MW-19-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-4	Oct 2015	MW-19-4	NA	NA	0.5 U	2.0 U
MW-19-Screen-4	Oct 2015	Dup-2-4Q15	NA	NA	0.5 U	2.0 U
MW-19-Screen-4	Apr/May 2016	MW-19-4	**1.7 J**	2.00 U	6.0 U	2.0 U
MW-19-Screen-4	Apr/May 2016	MW-19-4	2.0 U	1.00 U	**0.8 J**	2.0 U
MW-19-Screen-4	Oct 2016	MW-19-4	NA	NA	**3.1**	**1.8 J**
MW-19-Screen-4	Oct 2016	DUP-6-4Q16	NA	NA	**2.5 J**	**1.9 J**
MW-19-Screen-4	Apr/May 2017	MW-19-4	**0.7 J**	1.00 U	**2.7 J**	**1.5 J**
MW-19-Screen-4	Oct-17	MW-19-4	NA	NA	**1.9 J**	**1.5 J**
MW-19-Screen-4	April 2018	MW-19-4	2.0 U	1.00 U	**1.8 J**	**1.8 J**
MW-19-Screen-4	Oct 2018	MW-19-4	NA	NA	**2.1 J**	**2.5**
MW-19-Screen-4	Apr/May 2019	MW-19-4	**1.4 J**	1.00 U	**1.5 J**	**1.60**
MW-19-Screen-4	Oct 2019	MW-19-4	NA	NA	**2.2 J**	**2.60**
MW-19-Screen-4	Oct 2019	DUP-2-4Q19	NA	NA	**2.4 J**	**2.60**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-4	Jun 2020	MW-19-4	**1.4 J**	1.00 U	**2.2 J**	**2.60**
MW-19-Screen-4	Oct/Nov 2020	MW-19-4	NA	NA	**2.6 J**	**2.60**
MW-19-Screen-4	May/June 2021	MW-19-4	**1.2 J**	1.00 U	**2.5 J**	**1.30 J**
MW-19-Screen-5						
MW-19-Screen-5	Jan/Feb 1996	MW-19-5	5.0 U	2.00 U	10.0 U	10.0 U
MW-19-Screen-5	Aug/Sep 1996	MW-19-5	5.0 U	2.00 U	NA	NA
MW-19-Screen-5	Oct/Nov 1996	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Feb/Mar 1997	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	June/July 1997	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Sep/Oct 1997	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Jan/Feb 1998	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Apr/May 1998	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Jul/Aug 1998	MW-19-5	5.0 U	**9.90**	10.0 U	5.0 U
MW-19-Screen-5	Oct/Nov 1998	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Feb/Mar 1999	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	May/Jun 1999	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Nov/Dec 1999	MW-19-5	NA	NA	10.0 U	5.0 U
MW-19-Screen-5	Jul/Aug 2000	MW-19-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-19-Screen-5	Jan/Feb 2001	MW-19-5	5.0 U	1.00 U	**4.6 J**	10.0 U
MW-19-Screen-5	Jan/Feb 2002	MW-19-5	5.0 U	**0.05 J**	**5.1**	10.0 U
MW-19-Screen-5	Dec 2002	MW-19-5	**0.5**	**0.10 J**	**2.5**	0.0 U
MW-19-Screen-5	Jan/Feb 2003	MW-19-5	NA	NA	NA	10.0 U
MW-19-Screen-5	Apr/May 2003	MW-19-5	5.0 U	1.00 U	**2.5 J**	10.0 U
MW-19-Screen-5	Oct/Nov 2003	MW-19-5	NA	NA	1.8 U	10.0 U
MW-19-Screen-5	Apr/May 2004	MW-19-5	5.0 U	0.12 U	**5.4**	10.0 U
MW-19-Screen-5	Oct/Nov 2004	MW-19-5	NA	NA	**9.0**	10.0 U
MW-19-Screen-5	Apr/May 2005	MW-19-5	**4.1 J**	**0.08 J**	**3.6**	10.0 U
MW-19-Screen-5	Jul/Sep 2005	MW-19-5	NA	NA	**9.0**	10.0 U
MW-19-Screen-5	Oct/Nov 2005	DUPE-2-4Q05	NA	NA	**6.7**	10.0 U
MW-19-Screen-5	Oct/Nov 2005	MW-19-5	NA	NA	**6.5**	10.0 U
MW-19-Screen-5	May/Jun 2006	MW-19-5	1.0 U	1.00 U	1.0 U	10.0 U
MW-19-Screen-5	Oct/Dec 2006	MW-19-5	NA	NA	1.0 U	10.0 U
MW-19-Screen-5	Jun/Jul 2007	MW-19-5	1.0 U	1.00 U	**8.3**	10.0 U
MW-19-Screen-5	Oct/Dec 2007	MW-19-5	NA	NA	1.0 U	10.0 U
MW-19-Screen-5	Apr/May 2008	MW-19-5	1.0 U	1.00 U	1.0 U	10.0 U
MW-19-Screen-5	Oct/Nov 2008	MW-19-5	NA	NA	5.0 U	10.0 U
MW-19-Screen-5	Apr/May 2009	MW-19-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-5	Nov/Dec 2009	MW-19-5	NA	NA	5.0 U	10.0 U
MW-19-Screen-5	Apr/May 2010	MW-19-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-5	Oct/Nov 2010	MW-19-5	NA	NA	5.0 U	10.0 U
MW-19-Screen-5	Apr/May 2011	MW-19-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-19-Screen-5	Nov/Dec 2011	MW-19-5	NA	NA	5.0 U	10.0 U
MW-19-Screen-5	Apr/May 2012	MW-19-5	**3.6**	5.00 U	**5.4**	10.0 U
MW-19-Screen-5	Nov 2012	MW-19-5	NA	NA	**0.8 J**	**0.9 J**
MW-19-Screen-5	Apr/May 2013	MW-19-5	**1.1 J**	1.00 U	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-19-Screen-5	Oct/Nov 2013	MW-19-5	NA	NA	**1.1 J**	2.0 U
MW-19-Screen-5	Apr/May 2014	MW-19-5	**1.5 J**	1.00 U	**1.4 J**	NA
MW-19-Screen-5	Apr/May 2014	MW-19-5	NA	NA	NA	2.0 U
MW-19-Screen-5	Oct 2014	MW-19-5	NA	NA	**0.8 J**	2.0 U
MW-19-Screen-5	Apr/May 2015	MW-19-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-5	Oct 2015	MW-19-5	NA	NA	0.5 U	1.0 U
MW-19-Screen-5	Apr/May 2016	MW-19-5	4.0 U	2.00 U	6.0 U	2.0 U
MW-19-Screen-5	Apr/May 2016	MW-19-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-19-Screen-5	Oct 2016	MW-19-5	NA	NA	**1.3 J**	2.0 U
MW-19-Screen-5	Apr/May 2017	MW-19-5	**1.1 J**	1.00 U	**1.5 J**	2.0 U
MW-19-Screen-5	Oct-17	MW-19-5	NA	NA	**3.7**	**2.0**
MW-19-Screen-5	April 2018	MW-19-5	**1.7 J**	1.00 U	**2.4 J**	**1.9 J**
MW-19-Screen-5	Oct 2018	MW-19-5	NA	NA	**1.9 J**	**2.4**
MW-19-Screen-5	Oct 2018	DUP-1-4Q18	NA	NA	**1.8 J**	**2.7**
MW-19-Screen-5	Apr/May 2019	MW-19-5	**1.9 J**	1.00 U	**2.2 J**	**1.70**
MW-19-Screen-5	Oct 2019	MW-19-5	NA	NA	**2.2 J**	**1.90**
MW-19-Screen-5	Jun 2020	MW-19-5	**1.5 J**	1.00 U	**2.0 J**	**2.20**
MW-19-Screen-5	Oct/Nov 2020	MW-19-5	NA	NA	**2.3 J**	**2.40**
MW-19-Screen-5	May/June 2021	MW-19-5	**1.3 J**	1.00 U	**2.3 J**	**1.10 J**
MW-20-Screen-1						
MW-20-Screen-1	Jan/Feb 1996	MW-20-1	5.0 U	2.00 U	10.0 U	10.0 U
MW-20-Screen-1	Aug/Sep 1996	MW-20-1	5.0 U	2.00 U	NA	NA
MW-20-Screen-1	Feb/Mar 1997	MW-20-1	5.0 U	2.00 U	2.0 U	5.0 U
MW-20-Screen-1	June/July 1997	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Jan/Feb 1998	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Apr/May 1998	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Jul/Aug 1998	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Oct/Nov 1998	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Feb/Mar 1999	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	May/Jun 1999	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Aug 1999	MW-20-1	NA	NA	10.0 U	5.0 U
MW-20-Screen-1	Nov/Dec 1999	MW-20-1	NA	NA	10.0 U	5.0 U
MW-20-Screen-1	Mar/Apr 2000	MW-20-1	NA	NA	10.0 U	5.0 U
MW-20-Screen-1	Jul/Aug 2000	MW-20-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-1	Sep/Oct 2000	MW-20-1	NA	NA	10.0 U	5.0 U
MW-20-Screen-1	Jan/Feb 2001	MW-20-1	5.0 U	1.00 U	**3.9 J**	10.0 U
MW-20-Screen-1	Apr 2001	MW-20-1	NA	NA	NA	10.0 U
MW-20-Screen-1	Jul 2001	MW-20-1	NA	NA	NA	NA U
MW-20-Screen-1	Jul 2001	MW-20-1	NA	NA	**3.1 J**	NA
MW-20-Screen-1	Oct 2001	MW-20-1	NA	NA	**3.6**	10.0 U
MW-20-Screen-1	Jan/Feb 2002	MW-20-1	5.0 U	**0.03 J**	**2.6 J**	10.0 U
MW-20-Screen-1	Apr/May 2002	MW-20-1	NA	NA	**5.0**	10.0 U
MW-20-Screen-1	Jul 2002	MW-20-1	NA	NA	**4.0**	NA U
MW-20-Screen-1	Oct/Nov 2002	MW-20-1	NA	NA	NA	10.0 U
MW-20-Screen-1	Jan/Feb 2003	MW-20-1	NA	NA	**2.8**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-1	Jan/Feb 2003	DUPE-1-1Q03	NA	NA	**2.5**	10.0 U
MW-20-Screen-1	Apr/May 2003	MW-20-1	5.0 U	1.00 U	**2.4 J**	10.0 U
MW-20-Screen-1	Apr/May 2003	DUPE-3-2Q03	5.0 U	1.00 U	**2.1 J**	10.0 U
MW-20-Screen-1	Jul/Aug 2003	MW-20-1	NA	NA	**1.8 J**	10.0 U
MW-20-Screen-1	Oct/Nov 2003	MW-20-1	NA	NA	**1.9 J**	10.0 U
MW-20-Screen-1	Feb 2004	MW-20-1	NA	NA	**3.2**	10.0 U
MW-20-Screen-1	Apr/May 2004	MW-20-1	5.0 U	0.12 U	**6.6 J**	10.0 U
MW-20-Screen-1	Jul/Aug 2004	MW-20-1	NA	NA	**10.5**	10.0 U
MW-20-Screen-1	Oct/Nov 2004	MW-20-1	NA	0.02 U	**7.0 J**	10.0 U
MW-20-Screen-1	Jan/Feb 2005	MW-20-1	NA	NA	**3.5**	10.0 U
MW-20-Screen-1	Apr/May 2005	MW-20-1	5.0 U	**0.03 J**	**4.8**	10.0 U
MW-20-Screen-1	Jul/Sep 2005	MW-20-1	NA	NA	**7.0**	10.0 U
MW-20-Screen-1	Oct/Nov 2005	MW-20-1	NA	NA	**8.0**	10.0 U
MW-20-Screen-1	Mar/Apr 2006	MW-20-1	NA	NA	1.0 U	10.0 U
MW-20-Screen-1	May/Jun 2006	MW-20-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-20-Screen-1	Aug/Sep 2006	MW-20-1	NA	NA	**2.4 J**	**5.0 J**
MW-20-Screen-1	Oct/Dec 2006	MW-20-1	NA	NA	1.0 U	10.0 U
MW-20-Screen-1	Mar/Apr 2007	MW-20-1	NA	NA	**1.1**	NA
MW-20-Screen-1	Jun/Jul 2007	DUPE-2-2Q07	1.0 U	1.00 U	**7.7**	NA
MW-20-Screen-1	Jun/Jul 2007	MW-20-1	1.0 U	1.00 U	**7.4**	10.0 U
MW-20-Screen-1	Jun/Jul 2007	DUPE-2-2Q07	NA	NA	NA	**6.0 J**
MW-20-Screen-1	Aug/Sep 2007	MW-20-1	NA	NA	**10.9**	10.0 U
MW-20-Screen-1	Oct/Dec 2007	MW-20-1	NA	NA	**8.8**	10.0 U
MW-20-Screen-1	Jan/Feb 2008	MW-20-1	NA	NA	**6.8**	10.0 U
MW-20-Screen-1	Apr/May 2008	MW-20-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-20-Screen-1	Jul/Aug 2008	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Oct/Nov 2008	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Oct/Nov 2008	MW-20-1RS	NA	NA	NA	10.0 U
MW-20-Screen-1	Oct/Nov 2008	MW-20-1	NA	NA	5.0 U	NA
MW-20-Screen-1	Jan/Feb 2009	DUPE-04-1Q09	NA	NA	5.0 U	NA
MW-20-Screen-1	Jan/Feb 2009	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Jan/Feb 2009	DUPE-04-1Q09	NA	NA	NA	10.0 U
MW-20-Screen-1	Apr/May 2009	MW-20-1	5.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-1	Jul/Aug 2009	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Nov/Dec 2009	DUPE-01-4Q09	NA	NA	5.0 U	NA
MW-20-Screen-1	Nov/Dec 2009	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Nov/Dec 2009	DUPE-01-4Q09	NA	NA	NA	10.0 U
MW-20-Screen-1	Feb 2010	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Apr/May 2010	MW-20-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-1	Jul/Aug 2010	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Oct/Nov 2010	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Feb/Mar 2011	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Apr/May 2011	MW-20-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-1	Aug/Sep 2011	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Nov/Dec 2011	MW-20-1	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-1	Jan/Feb 2012	MW-20-1	NA	NA	5.0 U	10.0 U
MW-20-Screen-1	Apr/May 2012	MW-20-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-1	Aug/Sep 2012	MW-20-1	NA	NA	3.0 U	2.0 U
MW-20-Screen-1	Nov 2012	MW-20-1	NA	NA	3.0 U	2.0 U
MW-20-Screen-1	Jan/Feb 2013	MW-20-1	NA	NA	3.0 U	2.0 U
MW-20-Screen-1	Apr/May 2013	MW-20-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-1	Jul 2013	MW-20-1	NA	NA	**1.1 J**	2.0 U
MW-20-Screen-1	Oct/Nov 2013	MW-20-1	NA	NA	3.0 U	2.0 U
MW-20-Screen-1	Jan/Feb 2014	DUPE-2-1Q14	NA	NA	3.0 U	2.0 U
MW-20-Screen-1	Jan/Feb 2014	MW-20-1	NA	NA	3.0 U	2.0 U
MW-20-Screen-1	Apr/May 2014	MW-20-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-1	Jul/Aug 2017	MW-20-1	NA	NA	1.7 U	2.0 UJ
MW-20-Screen-1	Jul/Aug 2019	MW-20-1	NA	NA	**0.6 J**	**0.16 J**
MW-20-Screen-2						
MW-20-Screen-2	Jan/Feb 1996	MW-20-2	5.0 U	2.00 U	10.0 U	10.0 U
MW-20-Screen-2	Aug/Sep 1996	MW-20-2	5.0 U	2.00 U	NA	NA
MW-20-Screen-2	Oct/Nov 1996	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Feb/Mar 1997	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	June/July 1997	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Sep/Oct 1997	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Jan/Feb 1998	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Apr/May 1998	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Jul/Aug 1998	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Oct/Nov 1998	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Feb/Mar 1999	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	May/Jun 1999	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Aug 1999	MW-20-2	NA	NA	10.0 U	5.0 U
MW-20-Screen-2	Nov/Dec 1999	MW-20-2	NA	NA	10.0 U	5.0 U
MW-20-Screen-2	Mar/Apr 2000	MW-20-2	NA	NA	10.0 U	5.0 U
MW-20-Screen-2	Jul/Aug 2000	MW-20-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-2	Sep/Oct 2000	MW-20-2	NA	NA	10.0 U	5.0 U
MW-20-Screen-2	Jan/Feb 2001	MW-20-2	5.0 U	1.00 U	**2.3 J**	10.0 U
MW-20-Screen-2	Apr 2001	MW-20-2	NA	NA	NA	10.0 U
MW-20-Screen-2	Jul 2001	MW-20-2	NA	NA	NA	NA U
MW-20-Screen-2	Jul 2001	MW-20-2	NA	NA	**2.1 J**	NA
MW-20-Screen-2	Oct 2001	MW-20-2	NA	NA	**4.4**	10.0 U
MW-20-Screen-2	Jan/Feb 2002	MW-20-2	5.0 U	1.00 U	**1.4 J**	10.0 U
MW-20-Screen-2	Apr/May 2002	MW-20-2	NA	NA	**3.0**	10.0 U
MW-20-Screen-2	Jul 2002	MW-20-2	NA	NA	**1.0**	NA U
MW-20-Screen-2	Oct/Nov 2002	MW-20-2	NA	NA	NA	10.0 U
MW-20-Screen-2	Jan/Feb 2003	MW-20-2	NA	NA	**2.2**	10.0 U
MW-20-Screen-2	Apr/May 2003	MW-20-2	5.0 U	1.00 U	**2.1 J**	10.0 U
MW-20-Screen-2	Jul/Aug 2003	MW-20-2	NA	NA	**1.5 J**	10.0 U
MW-20-Screen-2	Oct/Nov 2003	MW-20-2	NA	NA	1.3 UJ	10.0 U
MW-20-Screen-2	Oct/Nov 2003	DUPE-6-4Q03	NA	NA	1.4 UJ	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-2	Feb 2004	MW-20-2	NA	NA	**2.6**	10.0 U
MW-20-Screen-2	Apr/May 2004	MW-20-2	5.0 U	0.12 U	**5.1 J**	10.0 U
MW-20-Screen-2	Jul/Aug 2004	MW-20-2	NA	NA	**0.9**	10.0 U
MW-20-Screen-2	Oct/Nov 2004	MW-20-2	NA	0.12 U	**5.6 J**	10.0 U
MW-20-Screen-2	Jan/Feb 2005	MW-20-2	NA	NA	**4.2**	10.0 U
MW-20-Screen-2	Apr/May 2005	MW-20-2	5.0 U	**0.01 J**	**3.8**	10.0 U
MW-20-Screen-2	Jul/Sep 2005	MW-20-2	NA	NA	**6.3**	10.0 U
MW-20-Screen-2	Oct/Nov 2005	MW-20-2	NA	NA	**6.0**	10.0 U
MW-20-Screen-2	Mar/Apr 2006	MW-20-2	NA	NA	1.0 U	10.0 U
MW-20-Screen-2	May/Jun 2006	MW-20-2	**1.1 J**	1.00 U	1.0 U	10.0 U
MW-20-Screen-2	Aug/Sep 2006	MW-20-2	NA	NA	**1.2 J**	10.0 U
MW-20-Screen-2	Oct/Dec 2006	MW-20-2	NA	NA	1.0 U	10.0 U
MW-20-Screen-2	Mar/Apr 2007	MW-20-2	NA	NA	1.0 U	NA
MW-20-Screen-2	Mar/Apr 2007	DUPE-3-1Q07	NA	NA	1.0 U	NA
MW-20-Screen-2	Jun/Jul 2007	MW-20-2	**1.3**	1.00 U	**5.6**	10.0 U
MW-20-Screen-2	Aug/Sep 2007	MW-20-2	NA	NA	**9.4**	10.0 U
MW-20-Screen-2	Oct/Dec 2007	MW-20-2	NA	NA	**9.3**	10.0 U
MW-20-Screen-2	Jan/Feb 2008	MW-20-2	NA	NA	**7.4**	10.0 U
MW-20-Screen-2	Apr/May 2008	MW-20-2	**1.2**	1.00 U	1.0 U	10.0 U
MW-20-Screen-2	Jul/Aug 2008	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Oct/Nov 2008	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Oct/Nov 2008	MW-20-2RS	NA	NA	NA	10.0 U
MW-20-Screen-2	Oct/Nov 2008	MW-20-2	NA	NA	5.0 U	NA
MW-20-Screen-2	Jan/Feb 2009	DUPE-03-1Q09	NA	NA	5.0 U	NA
MW-20-Screen-2	Jan/Feb 2009	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Jan/Feb 2009	DUPE-03-1Q09	NA	NA	NA	10.0 U
MW-20-Screen-2	Apr/May 2009	MW-20-2	5.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-2	Jul/Aug 2009	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Nov/Dec 2009	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Feb 2010	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Apr/May 2010	DUPE-04-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-20-Screen-2	Apr/May 2010	MW-20-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-2	Apr/May 2010	DUPE-04-2Q10	NA	NA	NA	10.0 U
MW-20-Screen-2	Jul/Aug 2010	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Oct/Nov 2010	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Feb/Mar 2011	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Apr/May 2011	MW-20-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-2	Aug/Sep 2011	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Nov/Dec 2011	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Jan/Feb 2012	MW-20-2	NA	NA	5.0 U	10.0 U
MW-20-Screen-2	Apr/May 2012	MW-20-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-2	Aug/Sep 2012	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Nov 2012	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Jan/Feb 2013	MW-20-2	NA	NA	**0.6 J**	2.0 U
MW-20-Screen-2	Apr/May 2013	MW-20-2	**0.7 J**	1.00 U	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-2	Jul 2013	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Oct/Nov 2013	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Jan/Feb 2014	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Apr/May 2014	MW-20-2	2.0 U	1.00 U	3.0 U	**0.8 J**
MW-20-Screen-2	Jul/Aug 2014	DUP-1-3Q14	NA	NA	3.0 U	4.0 UJ
MW-20-Screen-2	Jul/Aug 2014	MW-20-2	NA	NA	3.0 U	4.0 UJ
MW-20-Screen-2	Oct 2014	MW-20-2	NA	NA	**1.0 J**	2.0 U
MW-20-Screen-2	Jan/Feb 2015	MW-20-2	NA	NA	**0.7**	**1.2**
MW-20-Screen-2	Apr/May 2015	MW-20-2	2.0 U	1.00 U	3.0 U	10.0 U
MW-20-Screen-2	Jul/Aug 2015	MW-20-2	NA	NA	**1.2 J**	**1.0 J**
MW-20-Screen-2	Oct 2015	MW-20-2	NA	NA	0.5 U	1.0 U
MW-20-Screen-2	Jan/Feb 2016	MW-20-2	NA	NA	0.5 U	0.2 R
MW-20-Screen-2	Jan/Feb 2016	DUP-1-1Q16	NA	NA	0.5 U	0.2 U
MW-20-Screen-2	Apr/May 2016	MW-20-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-2	Jul/Aug 2016	MW-20-2	NA	NA	**2.6 J**	2.0 U
MW-20-Screen-2	Oct 2016	MW-20-2	NA	NA	2.1 U	0.9 U
MW-20-Screen-2	Jan/Feb 2017	MW-20-2	NA	NA	1.7 U	2.0 U
MW-20-Screen-2	Apr/May 2017	MW-20-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-2	Jul/Aug 2017	MW-20-2	NA	NA	1.2 U	2.0 UJ
MW-20-Screen-2	Oct-17	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Jan/Feb 2018	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	April 2018	MW-20-2	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-20-Screen-2	April 2018	DUP-7-2Q18	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-2	Jul/Aug 2018	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Oct 2018	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Feb/Mar 2019	MW-20-2	NA	NA	3.0 U	2.0 U
MW-20-Screen-2	Apr/May 2019	MW-20-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-20-Screen-2	Jul/Aug 2019	MW-20-2	NA	NA	**0.6 J**	0.20 U
MW-20-Screen-2	Oct 2019	MW-20-2	NA	NA	3.0 U	0.20 U
MW-20-Screen-2	Feb 2020	MW-20-2	NA	NA	3.0 U	0.20 U
MW-20-Screen-2	Jun 2020	MW-20-2	2.0 U	1.00 U	3.0 U	**0.05 J**
MW-20-Screen-2	Aug 2020	MW-20-2	NA	NA	3.0 U	0.12 UJ
MW-20-Screen-2	Oct/Nov 2020	MW-20-2	NA	NA	3.0 U	0.20 U
MW-20-Screen-2	Oct/Nov 2020	DUP-1-4Q20	NA	NA	**1.6 J**	0.20 U
MW-20-Screen-2	Mar/Apr 2021	MW-20-2	NA	NA	3.0 U	0.20 UJ
MW-20-Screen-2	May/June 2021	MW-20-2	2.0 U	1.00 U	3.0 U	0.09 UB
MW-20-Screen-3						
MW-20-Screen-3	Jan/Feb 1996	MW-20-3	5.0 U	2.00 U	10.0 U	10.0 U
MW-20-Screen-3	Aug/Sep 1996	MW-20-3	5.0 U	2.00 U	NA	NA
MW-20-Screen-3	Oct/Nov 1996	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Feb/Mar 1997	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	June/July 1997	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Sep/Oct 1997	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Jan/Feb 1998	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Apr/May 1998	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-3	Jul/Aug 1998	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Oct/Nov 1998	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Feb/Mar 1999	MW-20-3	5.0 U	**9.50**	10.0 U	5.0 U
MW-20-Screen-3	May/Jun 1999	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Aug 1999	MW-20-3	NA	NA	10.0 U	5.0 U
MW-20-Screen-3	Nov/Dec 1999	MW-20-3	NA	NA	10.0 U	5.0 U
MW-20-Screen-3	Mar/Apr 2000	MW-20-3	NA	NA	10.0 U	5.0 U
MW-20-Screen-3	Jul/Aug 2000	MW-20-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-3	Sep/Oct 2000	MW-20-3	NA	NA	10.0 U	5.0 U
MW-20-Screen-3	Jan/Feb 2001	MW-20-3	5.0 U	1.00 U	**3.6 J**	10.0 U
MW-20-Screen-3	Apr 2001	MW-20-3	NA	NA	NA	10.0 U
MW-20-Screen-3	Jul 2001	MW-20-3	NA	NA	NA	NA U
MW-20-Screen-3	Jul 2001	MW-20-3	NA	NA	**4.0 J**	NA
MW-20-Screen-3	Oct 2001	MW-20-3	NA	NA	**7.4**	10.0 U
MW-20-Screen-3	Jan/Feb 2002	MW-20-3	5.0 U	1.00 U	**4.9 J**	10.0 U
MW-20-Screen-3	Apr/May 2002	MW-20-3	NA	NA	**7.0**	10.0 U
MW-20-Screen-3	Jul 2002	MW-20-3	NA	NA	**2.0**	NA U
MW-20-Screen-3	Oct/Nov 2002	MW-20-3	NA	NA	NA	10.0 U
MW-20-Screen-3	Jan/Feb 2003	MW-20-3	NA	NA	1.7 U	10.0 U
MW-20-Screen-3	Apr/May 2003	MW-20-3	5.0 U	1.00 U	**4.2 J**	10.0 U
MW-20-Screen-3	Jul/Aug 2003	MW-20-3	NA	NA	**4.0 J**	10.0 U
MW-20-Screen-3	Jul/Aug 2003	DUPE-2-3Q03	NA	NA	**4.0 J**	10.0 U
MW-20-Screen-3	Oct/Nov 2003	MW-20-3	NA	NA	**2.9 J**	10.0 U
MW-20-Screen-3	Feb 2004	MW-20-3	NA	NA	**4.2**	10.0 U
MW-20-Screen-3	Apr/May 2004	MW-20-3	**2.5 J**	0.12 U	**10.5 J**	10.0 U
MW-20-Screen-3	Jul/Aug 2004	MW-20-3	NA	NA	**12.7**	10.0 U
MW-20-Screen-3	Oct/Nov 2004	MW-20-3	NA	0.12 U	**10.4 J**	10.0 U
MW-20-Screen-3	Jan/Feb 2005	MW-20-3	NA	NA	**5.5**	10.0 U
MW-20-Screen-3	Apr/May 2005	MW-20-3	5.0 U	**0.01 J**	**5.3**	10.0 U
MW-20-Screen-3	Jul/Sep 2005	MW-20-3	NA	NA	**11.6**	10.0 U
MW-20-Screen-3	Oct/Nov 2005	MW-20-3	NA	NA	**8.8**	10.0 U
MW-20-Screen-3	Mar/Apr 2006	MW-20-3	NA	NA	**2.0**	10.0 U
MW-20-Screen-3	May/Jun 2006	MW-20-3	**1.6 J**	1.00 U	**2.0 J**	**4.0 J**
MW-20-Screen-3	Aug/Sep 2006	MW-20-3	NA	NA	**2.9 J**	10.0 U
MW-20-Screen-3	Oct/Dec 2006	MW-20-3	NA	NA	**1.7**	10.0 U
MW-20-Screen-3	Mar/Apr 2007	MW-20-3	NA	NA	**1.9**	NA
MW-20-Screen-3	Jun/Jul 2007	MW-20-3	**2.0**	1.00 U	**9.7**	10.0 U
MW-20-Screen-3	Aug/Sep 2007	MW-20-3	NA	NA	**15.1**	10.0 U
MW-20-Screen-3	Oct/Dec 2007	MW-20-3	NA	NA	**11.8**	10.0 U
MW-20-Screen-3	Jan/Feb 2008	MW-20-3	NA	NA	**7.7**	10.0 U
MW-20-Screen-3	Apr/May 2008	MW-20-3	**1.4**	1.00 U	1.0 U	10.0 U
MW-20-Screen-3	Jul/Aug 2008	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Oct/Nov 2008	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Oct/Nov 2008	MW-20-3RS	NA	NA	NA	10.0 U
MW-20-Screen-3	Oct/Nov 2008	MW-20-3	NA	NA	5.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-3	Jan/Feb 2009	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Apr/May 2009	DUPE-06-2Q09	5.0 U	5.00 U	5.0 U	NA
MW-20-Screen-3	Apr/May 2009	MW-20-3	5.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-3	Apr/May 2009	DUPE-06-2Q09	NA	NA	NA	10.0 U
MW-20-Screen-3	Jul/Aug 2009	DUPE-5-3Q09	NA	NA	5.0 U	NA
MW-20-Screen-3	Jul/Aug 2009	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Jul/Aug 2009	DUPE-5-3Q09	NA	NA	NA	10.0 U
MW-20-Screen-3	Nov/Dec 2009	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Feb 2010	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Apr/May 2010	MW-20-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-3	Jul/Aug 2010	DUPE-2-3Q10	NA	NA	NA	10.0 U
MW-20-Screen-3	Jul/Aug 2010	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Jul/Aug 2010	DUPE-2-3Q10	NA	NA	5.0 U	NA
MW-20-Screen-3	Oct/Nov 2010	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Feb/Mar 2011	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Apr/May 2011	MW-20-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-3	Aug/Sep 2011	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Nov/Dec 2011	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Jan/Feb 2012	MW-20-3	NA	NA	5.0 U	10.0 U
MW-20-Screen-3	Apr/May 2012	MW-20-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-3	Aug/Sep 2012	MW-20-3	NA	NA	**0.6 J**	2.0 U
MW-20-Screen-3	Nov 2012	MW-20-3	NA	NA	3.0 U	**0.7 J**
MW-20-Screen-3	Jan/Feb 2013	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Apr/May 2013	DUP-1-2Q13	**1.1 J**	1.00 U	3.0 U	2.0 U
MW-20-Screen-3	Apr/May 2013	MW-20-3	**1.0 J**	1.00 U	3.0 U	2.0 U
MW-20-Screen-3	Jul 2013	MW-20-3	NA	NA	**0.9 J**	2.0 U
MW-20-Screen-3	Oct/Nov 2013	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Jan/Feb 2014	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Apr/May 2014	MW-20-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-3	Jul/Aug 2014	MW-20-3	NA	NA	3.0 U	4.0 UJ
MW-20-Screen-3	Oct 2014	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Jan/Feb 2015	MW-20-3	NA	NA	**1.0**	**1.0**
MW-20-Screen-3	Apr/May 2015	MW-20-3	**0.7 J**	1.00 U	3.0 U	10.0 U
MW-20-Screen-3	Jul/Aug 2015	MW-20-3	NA	NA	**0.7 J**	**0.8 J**
MW-20-Screen-3	Jul/Aug 2015	Dup-1-3Q15	NA	NA	**1.1 J**	**1.1 J**
MW-20-Screen-3	Oct 2015	MW-20-3	NA	NA	0.5 U	1.0 U
MW-20-Screen-3	Jan/Feb 2016	MW-20-3	NA	NA	0.5 U	0.2 UJ
MW-20-Screen-3	Apr/May 2016	MW-20-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-3	Jul/Aug 2016	MW-20-3	NA	NA	**2.8 J**	2.0 U
MW-20-Screen-3	Oct 2016	MW-20-3	NA	NA	2.6 U	0.9 U
MW-20-Screen-3	Jan/Feb 2017	MW-20-3	NA	NA	1.5 U	2.0 U
MW-20-Screen-3	Apr/May 2017	MW-20-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-3	Apr/May 2017	DUP-2-2Q17	2.0 U	1.00 U	**0.5 J**	2.0 U
MW-20-Screen-3	Jul/Aug 2017	MW-20-3	NA	NA	1.2 U	2.0 UJ
MW-20-Screen-3	Jul/Aug 2017	DUP-1-3Q17	NA	NA	1.4 U	2.0 UJ

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-3	Oct-17	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Oct-17	DUP-1-4Q17	NA	NA	**0.7 J**	2.0 U
MW-20-Screen-3	Jan/Feb 2018	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	April 2018	MW-20-3	**1.3 J**	1.00 U	**0.7 J**	2.0 U
MW-20-Screen-3	Jul/Aug 2018	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Oct 2018	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Feb/Mar 2019	MW-20-3	NA	NA	3.0 U	2.0 U
MW-20-Screen-3	Apr/May 2019	MW-20-3	2.0 U	1.00 U	3.0 U	0.20 U
MW-20-Screen-3	Apr/May 2019	DUP-4-2Q19	**0.7 J**	1.00 U	3.0 U	0.20 U
MW-20-Screen-3	Jul/Aug 2019	MW-20-3	NA	NA	3.0 U	0.20 U
MW-20-Screen-3	Oct 2019	MW-20-3	NA	NA	3.0 U	0.20 U
MW-20-Screen-3	Feb 2020	MW-20-3	NA	NA	**0.6 J**	0.20 U
MW-20-Screen-3	Jun 2020	MW-20-3	**1.5 J**	1.00 U	3.0 U	**0.14 J**
MW-20-Screen-3	Aug 2020	MW-20-3	NA	NA	3.0 U	0.20 U
MW-20-Screen-3	Oct/Nov 2020	MW-20-3	NA	NA	3.0 U	0.20 U
MW-20-Screen-3	Mar/Apr 2021	MW-20-3	NA	NA	3.0 U	0.20 UJ
MW-20-Screen-3	May/June 2021	MW-20-3	**1.2 J**	1.00 U	**0.9 J**	0.05 UB
MW-20-Screen-3	May/June 2021	DUP-8-2Q21	**1.6 J**	1.00 U	**0.7 J**	0.14 UB
MW-20-Screen-4						
MW-20-Screen-4	Jan/Feb 1996	MW-20-4	5.0 U	2.00 U	10.0 U	10.0 U
MW-20-Screen-4	Aug/Sep 1996	MW-20-4	5.0 U	2.00 U	NA	NA
MW-20-Screen-4	Oct/Nov 1996	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Feb/Mar 1997	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	June/July 1997	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Sep/Oct 1997	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Jan/Feb 1998	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Apr/May 1998	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Jul/Aug 1998	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Oct/Nov 1998	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Feb/Mar 1999	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	May/Jun 1999	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Aug 1999	MW-20-4	NA	NA	10.0 U	5.0 U
MW-20-Screen-4	Nov/Dec 1999	MW-20-4	NA	NA	10.0 U	5.0 U
MW-20-Screen-4	Mar/Apr 2000	MW-20-4	NA	NA	10.0 U	5.0 U
MW-20-Screen-4	Jul/Aug 2000	MW-20-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-4	Sep/Oct 2000	MW-20-4	NA	NA	10.0 U	5.0 U
MW-20-Screen-4	Jan/Feb 2001	MW-20-4	5.0 U	NA	NA	10.0 U
MW-20-Screen-4	Jan/Feb 2001	MW-20-4	NA	1.00 U	**2.4 J**	NA
MW-20-Screen-4	Apr 2001	MW-20-4	NA	NA	NA	10.0 U
MW-20-Screen-4	Jul 2001	MW-20-4	NA	NA	NA	NA U
MW-20-Screen-4	Jul 2001	MW-20-4	NA	NA	**2.4 J**	NA
MW-20-Screen-4	Oct 2001	MW-20-4	NA	NA	**3.1**	10.0 U
MW-20-Screen-4	Jan/Feb 2002	MW-20-4	5.0 U	1.00 U	**1.7 J**	10.0 U
MW-20-Screen-4	Apr/May 2002	MW-20-4	NA	NA	**4.0**	10.0 U
MW-20-Screen-4	Jul 2002	MW-20-4	NA	NA	**3.0**	NA U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-4	Oct/Nov 2002	MW-20-4	NA	NA	NA	10.0 U
MW-20-Screen-4	Jan/Feb 2003	MW-20-4	NA	NA	**2.4**	10.0 U
MW-20-Screen-4	Apr/May 2003	MW-20-4	5.0 U	1.00 U	**2.2 J**	10.0 U
MW-20-Screen-4	Jul/Aug 2003	MW-20-4	NA	NA	**1.9 J**	10.0 U
MW-20-Screen-4	Oct/Nov 2003	MW-20-4	NA	NA	**1.6 J**	10.0 U
MW-20-Screen-4	Feb 2004	MW-20-4	NA	NA	**2.7**	10.0 U
MW-20-Screen-4	Apr/May 2004	MW-20-4	5.0 U	0.12 U	**6.5 J**	10.0 U
MW-20-Screen-4	Jul/Aug 2004	MW-20-4	NA	NA	**6.2**	10.0 U
MW-20-Screen-4	Oct/Nov 2004	MW-20-4	NA	0.02 U	**5.0 J**	10.0 U
MW-20-Screen-4	Jan/Feb 2005	MW-20-4	NA	NA	**3.8**	10.0 U
MW-20-Screen-4	Apr/May 2005	MW-20-4	5.0 U	**0.05 J**	**1.9**	10.0 U
MW-20-Screen-4	Jul/Sep 2005	MW-20-4	NA	NA	**5.8**	10.0 U
MW-20-Screen-4	Oct/Nov 2005	MW-20-4	NA	NA	**5.7**	10.0 U
MW-20-Screen-4	Mar/Apr 2006	MW-20-4	NA	NA	1.0 U	10.0 U
MW-20-Screen-4	May/Jun 2006	MW-20-4	**2.3 J**	1.00 U	1.0 U	10.0 U
MW-20-Screen-4	Aug/Sep 2006	MW-20-4	NA	NA	**1.6 J**	10.0 U
MW-20-Screen-4	Oct/Dec 2006	MW-20-4	NA	NA	1.0 U	10.0 U
MW-20-Screen-4	Mar/Apr 2007	MW-20-4	NA	NA	1.0 U	NA
MW-20-Screen-4	Jun/Jul 2007	MW-20-4	**1.9**	1.00 U	**5.3**	10.0 U
MW-20-Screen-4	Aug/Sep 2007	MW-20-4	NA	NA	**8.3**	10.0 U
MW-20-Screen-4	Oct/Dec 2007	MW-20-4	NA	NA	**6.3**	10.0 U
MW-20-Screen-4	Jan/Feb 2008	MW-20-4	NA	NA	**4.7**	10.0 U
MW-20-Screen-4	Apr/May 2008	MW-20-4	**1.6**	1.00 U	1.0 U	10.0 U
MW-20-Screen-4	Jul/Aug 2008	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Oct/Nov 2008	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Oct/Nov 2008	MW-20-4RS	NA	NA	NA	10.0 U
MW-20-Screen-4	Oct/Nov 2008	MW-20-4	NA	NA	5.0 U	NA
MW-20-Screen-4	Jan/Feb 2009	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Apr/May 2009	DUPE-05-2Q09	5.0 U	5.00 U	5.0 U	NA
MW-20-Screen-4	Apr/May 2009	MW-20-4	5.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-4	Apr/May 2009	DUPE-05-2Q09	NA	NA	NA	10.0 U
MW-20-Screen-4	Jul/Aug 2009	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Nov/Dec 2009	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Feb 2010	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Apr/May 2010	MW-20-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-4	Jul/Aug 2010	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Oct/Nov 2010	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Feb/Mar 2011	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Apr/May 2011	DUPE-2-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-20-Screen-4	Apr/May 2011	MW-20-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-4	Apr/May 2011	DUPE-2-2Q11	NA	NA	NA	10.0 U
MW-20-Screen-4	Aug/Sep 2011	DUPE-04-3Q11	NA	NA	5.0 U	NA
MW-20-Screen-4	Aug/Sep 2011	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Aug/Sep 2011	DUPE-04-3Q11	NA	NA	NA	10.0 U
MW-20-Screen-4	Nov/Dec 2011	MW-20-4	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-4	Jan/Feb 2012	MW-20-4	NA	NA	5.0 U	10.0 U
MW-20-Screen-4	Apr/May 2012	MW-20-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-4	Aug/Sep 2012	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Nov 2012	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Jan/Feb 2013	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Apr/May 2013	MW-20-4	**1.8 J**	1.00 U	**2.8 J**	2.0 U
MW-20-Screen-4	Jul 2013	MW-20-4	NA	NA	**0.9 J**	2.0 U
MW-20-Screen-4	Oct/Nov 2013	DUPE-1-4Q13	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Oct/Nov 2013	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Jan/Feb 2014	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Apr/May 2014	MW-20-4	**1.1 J**	1.00 U	3.0 U	10.0 U
MW-20-Screen-4	Jul/Aug 2014	MW-20-4	NA	NA	3.0 U	4.0 UJ
MW-20-Screen-4	Oct 2014	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Jan/Feb 2015	MW-20-4	NA	NA	**1.9**	**1.4**
MW-20-Screen-4	Apr/May 2015	MW-20-4	**1.5 J**	1.00 U	3.0 U	10.0 U
MW-20-Screen-4	Jul/Aug 2015	MW-20-4	NA	NA	3.0 U	**1.0 J**
MW-20-Screen-4	Oct 2015	MW-20-4	NA	NA	0.5 U	1.0 U
MW-20-Screen-4	Oct 2015	Dup-1-4Q15	NA	NA	0.5 U	1.0 U
MW-20-Screen-4	Jan/Feb 2016	MW-20-4	NA	NA	0.5 U	0.2 UJ
MW-20-Screen-4	Apr/May 2016	MW-20-4	**1.6 J**	1.00 U	3.0 U	2.0 U
MW-20-Screen-4	Jul/Aug 2016	MW-20-4	NA	NA	**2.7 J**	2.0 U
MW-20-Screen-4	Oct 2016	MW-20-4	NA	NA	2.0 U	0.8 U
MW-20-Screen-4	Jan/Feb 2017	MW-20-4	NA	NA	1.0 U	10.0 UJ
MW-20-Screen-4	Apr/May 2017	MW-20-4	**1.1 J**	1.00 U	**0.7 J**	2.0 U
MW-20-Screen-4	Jul/Aug 2017	MW-20-4	NA	NA	1.7 U	2.0 UJ
MW-20-Screen-4	Oct-17	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Jan/Feb 2018	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	April 2018	MW-20-4	**1.4 J**	1.00 U	3.0 U	2.0 U
MW-20-Screen-4	Jul/Aug 2018	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Oct 2018	MW-20-4	NA	NA	3.0 U	2.0 U
MW-20-Screen-4	Feb/Mar 2019	MW-20-4	NA	NA	3.0 U	**1.1 J**
MW-20-Screen-4	Apr/May 2019	MW-20-4	**1.3 J**	1.00 U	3.0 U	0.20 U
MW-20-Screen-4	Jul/Aug 2019	MW-20-4	NA	NA	3.0 U	**0.09 J**
MW-20-Screen-4	Oct 2019	MW-20-4	NA	NA	3.0 U	**0.06 J**
MW-20-Screen-4	Oct 2019	Dup-1-4Q19	NA	NA	**0.6 J**	**0.07 J**
MW-20-Screen-4	Feb 2020	MW-20-4	NA	NA	3.0 U	**0.12 J**
MW-20-Screen-4	Jun 2020	MW-20-4	**0.8 J**	1.00 U	3.0 U	**0.12 J**
MW-20-Screen-4	Aug 2020	MW-20-4	NA	NA	3.0 U	0.14 UJ
MW-20-Screen-4	Aug 2020	DUP-1-3Q20	NA	NA	3.0 U	0.20 U
MW-20-Screen-4	Oct/Nov 2020	MW-20-4	NA	NA	3.0 U	0.20 U
MW-20-Screen-4	Mar/Apr 2021	MW-20-4	NA	NA	3.0 U	0.08 UB
MW-20-Screen-4	May/June 2021	MW-20-4	2.0 U	1.00 U	3.0 U	0.12 UB
MW-20-Screen-5						
MW-20-Screen-5	Jan/Feb 1996	MW-20-5	5.0 U	2.00 U	10.0 U	10.0 U
MW-20-Screen-5	Aug/Sep 1996	MW-20-5	5.0 U	2.00 U	NA	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-5	Oct/Nov 1996	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Feb/Mar 1997	MW-20-5	5.0 U	**3.80**	10.0 U	5.0 U
MW-20-Screen-5	June/July 1997	MW-20-5	**6.0**	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Sep/Oct 1997	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Jan/Feb 1998	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Apr/May 1998	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Jul/Aug 1998	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Oct/Nov 1998	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Feb/Mar 1999	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	May/Jun 1999	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Aug 1999	MW-20-5	NA	NA	10.0 U	5.0 U
MW-20-Screen-5	Nov/Dec 1999	MW-20-5	NA	NA	10.0 U	5.0 U
MW-20-Screen-5	Mar/Apr 2000	MW-20-5	NA	NA	10.0 U	5.0 U
MW-20-Screen-5	Jul/Aug 2000	MW-20-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-20-Screen-5	Sep/Oct 2000	MW-20-5	NA	NA	10.0 U	5.0 U
MW-20-Screen-5	Jan/Feb 2001	MW-20-5	5.0 U	NA	NA	10.0 U
MW-20-Screen-5	Jan/Feb 2001	MW-20-5	NA	1.00 U	**2.4 J**	NA
MW-20-Screen-5	Apr 2001	MW-20-5	NA	NA	NA	10.0 U
MW-20-Screen-5	Jul 2001	MW-20-5	NA	NA	NA	NA U
MW-20-Screen-5	Jul 2001	MW-20-5	NA	NA	**2.2 J**	NA
MW-20-Screen-5	Oct 2001	MW-20-5	NA	NA	**3.4**	10.0 U
MW-20-Screen-5	Jan/Feb 2002	MW-20-5	5.0 U	1.00 U	**2.2 J**	10.0 U
MW-20-Screen-5	Apr/May 2002	MW-20-5	NA	NA	**4.0**	10.0 U
MW-20-Screen-5	Jul 2002	MW-20-5	NA	NA	**3.0**	NA U
MW-20-Screen-5	Oct/Nov 2002	MW-20-5	NA	NA	NA	10.0 U
MW-20-Screen-5	Jan/Feb 2003	MW-20-5	NA	NA	**2.7**	10.0 U
MW-20-Screen-5	Apr/May 2003	MW-20-5	5.0 U	1.00 U	**1.7 J**	10.0 U
MW-20-Screen-5	Jul/Aug 2003	MW-20-5	NA	NA	**1.6 J**	10.0 U
MW-20-Screen-5	Oct/Nov 2003	MW-20-5	NA	NA	1.3 UJ	10.0 U
MW-20-Screen-5	Feb 2004	MW-20-5	NA	NA	**2.8**	10.0 U
MW-20-Screen-5	Apr/May 2004	MW-20-5	5.0 U	0.12 U	**4.5 J**	10.0 U
MW-20-Screen-5	Jul/Aug 2004	MW-20-5	NA	NA	**6.8**	10.0 U
MW-20-Screen-5	Oct/Nov 2004	MW-20-5	NA	0.01 U	**5.2 J**	10.0 U
MW-20-Screen-5	Jan/Feb 2005	MW-20-5	NA	NA	**3.6**	10.0 U
MW-20-Screen-5	Apr/May 2005	MW-20-5	**4.6 J**	**0.03 J**	**3.4**	10.0 U
MW-20-Screen-5	Jul/Sep 2005	MW-20-5	NA	NA	**4.7**	10.0 U
MW-20-Screen-5	Oct/Nov 2005	MW-20-5	NA	NA	**5.2**	10.0 U
MW-20-Screen-5	Mar/Apr 2006	MW-20-5	NA	NA	1.0 U	10.0 U
MW-20-Screen-5	May/Jun 2006	DUPE-2-2Q06	**1.1 J**	1.00 U	1.0 U	NA
MW-20-Screen-5	May/Jun 2006	MW-20-5	**1.1 J**	1.00 U	1.0 U	10.0 U
MW-20-Screen-5	May/Jun 2006	DUPE-2-2Q06	NA	NA	NA	10.0 U
MW-20-Screen-5	Aug/Sep 2006	MW-20-5	NA	NA	**1.6 J**	10.0 U
MW-20-Screen-5	Oct/Dec 2006	MW-20-5	NA	NA	1.0 U	10.0 U
MW-20-Screen-5	Mar/Apr 2007	MW-20-5	NA	NA	1.0 U	NA
MW-20-Screen-5	Jun/Jul 2007	MW-20-5	**1.1**	1.00 U	**4.9**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-5	Aug/Sep 2007	MW-20-5	NA	NA	**6.3**	10.0 U
MW-20-Screen-5	Oct/Dec 2007	MW-20-5	NA	NA	**5.0**	10.0 U
MW-20-Screen-5	Jan/Feb 2008	MW-20-5	NA	NA	**4.8**	10.0 U
MW-20-Screen-5	Apr/May 2008	MW-20-5	1.0 U	1.00 U	1.0 U	10.0 U
MW-20-Screen-5	Jul/Aug 2008	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Oct/Nov 2008	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Oct/Nov 2008	MW-20-5RS	NA	NA	NA	10.0 U
MW-20-Screen-5	Oct/Nov 2008	MW-20-5	NA	NA	5.0 U	NA
MW-20-Screen-5	Jan/Feb 2009	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Apr/May 2009	MW-20-5	5.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-5	Jul/Aug 2009	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Nov/Dec 2009	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Feb 2010	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Apr/May 2010	MW-20-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-5	Jul/Aug 2010	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Oct/Nov 2010	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Feb/Mar 2011	MW-20-5	NA	NA	**28.0**	10.0 U
MW-20-Screen-5	Apr/May 2011	MW-20-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-5	Aug/Sep 2011	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Nov/Dec 2011	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Jan/Feb 2012	MW-20-5	NA	NA	5.0 U	10.0 U
MW-20-Screen-5	Apr/May 2012	MW-20-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-20-Screen-5	Aug/Sep 2012	MW-20-5	NA	NA	**0.9 J**	2.0 U
MW-20-Screen-5	Nov 2012	MW-20-5	NA	NA	3.0 U	**0.8 J**
MW-20-Screen-5	Jan/Feb 2013	MW-20-5	NA	NA	3.0 U	2.0 U
MW-20-Screen-5	Apr/May 2013	MW-20-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-5	Jul 2013	MW-20-5	NA	NA	**1.5 J**	2.0 U
MW-20-Screen-5	Oct/Nov 2013	MW-20-5	NA	NA	3.0 U	2.0 U
MW-20-Screen-5	Jan/Feb 2014	MW-20-5	NA	NA	3.0 U	**0.7 J**
MW-20-Screen-5	Apr/May 2014	MW-20-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-20-Screen-5	Jul/Aug 2014	MW-20-5	NA	NA	3.0 U	4.0 UJ
MW-20-Screen-5	Oct 2014	MW-20-5	NA	NA	**0.9 J**	2.0 U
MW-20-Screen-5	Jan/Feb 2015	MW-20-5	NA	NA	**0.9**	**1.2**
MW-20-Screen-5	Apr/May 2015	MW-20-5	2.0 U	1.00 U	3.0 U	10.0 U
MW-20-Screen-5	Jul/Aug 2015	MW-20-5	NA	NA	3.0 U	**1.2 J**
MW-20-Screen-5	Oct 2015	MW-20-5	NA	NA	0.5 U	1.0 U
MW-20-Screen-5	Jan/Feb 2016	MW-20-5	NA	NA	0.5 U	0.2 UJ
MW-20-Screen-5	Apr/May 2016	MW-20-5	4.0 U	2.00 U	6.0 U	2.0 U
MW-20-Screen-5	Jul/Aug 2016	MW-20-5	NA	NA	**2.3 J**	2.0 U
MW-20-Screen-5	Jul/Aug 2016	DUP-1-3Q16	NA	NA	**3.2**	2.0 U
MW-20-Screen-5	Oct 2016	MW-20-5	NA	NA	2.4 U	2.0 U
MW-20-Screen-5	Jan/Feb 2017	MW-20-5	NA	NA	1.3 U	2.0 U
MW-20-Screen-5	Apr/May 2017	MW-20-5	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-20-Screen-5	Jul/Aug 2017	MW-20-5	NA	NA	1.3 U	2.0 UJ
MW-20-Screen-5	Oct-17	MW-20-5	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-20-Screen-5	Jan/Feb 2018	MW-20-5	NA	NA	3.0 U	2.0 U
MW-20-Screen-5	Jan/Feb 2018	DUP-1-1Q18	NA	NA	3.0 U	2.0 U
MW-20-Screen-5	April 2018	MW-20-5	**1.7 J**	1.00 U	3.0 U	2.0 U
MW-20-Screen-5	Jul/Aug 2018	MW-20-5	NA	NA	3.0 U	2.0 U
MW-20-Screen-5	Oct 2018	MW-20-5	NA	NA	3.0 U	2.0 U
MW-20-Screen-5	Feb/Mar 2019	MW-20-5	NA	NA	3.0 U	**0.8 J**
MW-20-Screen-5	Apr/May 2019	MW-20-5	**1.7 J**	1.00 U	3.0 U	**0.09 J**
MW-20-Screen-5	Jul/Aug 2019	MW-20-5	NA	NA	3.0 U	**0.11 J**
MW-20-Screen-5	Oct 2019	MW-20-5	NA	NA	3.0 U	**0.12 J**
MW-20-Screen-5	Feb 2020	MW-20-5	NA	NA	3.0 U	**0.06 J**
MW-20-Screen-5	Jun 2020	MW-20-5	**1.0 J**	1.00 U	3.0 U	**0.09 J**
MW-20-Screen-5	Aug 2020	MW-20-5	NA	NA	**0.5 J**	0.22 UJ
MW-20-Screen-5	Oct/Nov 2020	MW-20-5	NA	NA	3.0 U	0.20 U
MW-20-Screen-5	Mar/Apr 2021	MW-20-5	NA	NA	3.0 U	0.10 UB
MW-20-Screen-5	May/June 2021	MW-20-5	**1.3 J**	1.00 U	**0.9 J**	0.23 UB
MW-21-Screen-1						
MW-21-Screen-1	Jan/Feb 1996	MW-21-1	5.0 U	2.00 U	10.0 U	10.0 U
MW-21-Screen-1	Aug/Sep 1996	MW-21-1	5.0 U	2.00 U	NA	NA
MW-21-Screen-1	Feb/Mar 1997	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	June/July 1997	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Jan/Feb 1998	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Apr/May 1998	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Jul/Aug 1998	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Oct/Nov 1998	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Feb/Mar 1999	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	May/Jun 1999	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Nov/Dec 1999	MW-21-1	NA	NA	10.0 U	5.0 U
MW-21-Screen-1	Jul/Aug 2000	MW-21-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-1	Jan/Feb 2001	MW-21-1	5.0 U	1.00 U	**5.6**	10.0 U
MW-21-Screen-1	Jan/Feb 2002	MW-21-1	5.0 U	1.00 U	**4.0 J**	10.0 U
MW-21-Screen-1	Jan/Feb 2003	MW-21-1	NA	NA	**4.8**	10.0 U
MW-21-Screen-1	Apr/May 2003	MW-21-1	5.0 U	1.00 U	**3.5 J**	10.0 U
MW-21-Screen-1	Jul/Aug 2003	MW-21-1	NA	NA	**3.8 J**	10.0 U
MW-21-Screen-1	Oct/Nov 2003	MW-21-1	NA	NA	**3.0 J**	10.0 U
MW-21-Screen-1	Feb 2004	MW-21-1	NA	NA	**5.1**	10.0 U
MW-21-Screen-1	Apr/May 2004	MW-21-1	5.0 U	0.12 U	**10.9**	10.0 U
MW-21-Screen-1	Jul/Aug 2004	MW-21-1	NA	NA	**5.3 J**	10.0 U
MW-21-Screen-1	Oct/Nov 2004	MW-21-1	NA	NA	**14.1 J**	10.0 U
MW-21-Screen-1	Jan/Feb 2005	MW-21-1	NA	NA	**6.8**	10.0 U
MW-21-Screen-1	Apr/May 2005	MW-21-1	**2.7 J**	**0.06 J**	**5.7**	10.0 U
MW-21-Screen-1	Jul/Sep 2005	MW-21-1	NA	NA	**7.9**	10.0 U
MW-21-Screen-1	Oct/Nov 2005	MW-21-1	NA	NA	**8.3**	10.0 U
MW-21-Screen-1	Mar/Apr 2006	MW-21-1	NA	NA	1.0 U	10.0 U
MW-21-Screen-1	May/Jun 2006	MW-21-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-21-Screen-1	Aug/Sep 2006	MW-21-1	NA	NA	1.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-1	Oct/Dec 2006	MW-21-1	NA	NA	**1.3**	**4.0 J**
MW-21-Screen-1	Mar/Apr 2007	MW-21-1	NA	NA	1.0 U	NA
MW-21-Screen-1	Jun/Jul 2007	MW-21-1	**1.3**	1.00 U	**9.2**	10.0 U
MW-21-Screen-1	Aug/Sep 2007	MW-21-1	NA	NA	**11.5**	10.0 U
MW-21-Screen-1	Oct/Dec 2007	MW-21-1	NA	NA	**1.4**	10.0 U
MW-21-Screen-1	Jan/Feb 2008	MW-21-1	NA	NA	**7.8**	10.0 U
MW-21-Screen-1	Apr/May 2008	MW-21-1	1.0 U	1.00 U	**1.1 J**	10.0 U
MW-21-Screen-1	Jul/Aug 2008	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Oct/Nov 2008	DUPE-01-4Q08	NA	NA	5.0 U	NA
MW-21-Screen-1	Oct/Nov 2008	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Oct/Nov 2008	DUPE-01-4Q08	NA	NA	NA	10.0 U
MW-21-Screen-1	Jan/Feb 2009	DUPE-01-1Q09	NA	NA	5.0 U	NA
MW-21-Screen-1	Jan/Feb 2009	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Jan/Feb 2009	DUPE-01-1Q09	NA	NA	NA	10.0 U
MW-21-Screen-1	Apr/May 2009	MW-21-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-1	Jul/Aug 2009	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Nov/Dec 2009	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Feb 2010	DUPE-1-1Q10	NA	NA	5.0 U	NA
MW-21-Screen-1	Feb 2010	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Feb 2010	DUPE-1-1Q10	NA	NA	NA	10.0 U
MW-21-Screen-1	Apr/May 2010	MW-21-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-1	Jul/Aug 2010	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Oct/Nov 2010	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Feb/Mar 2011	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Apr/May 2011	MW-21-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-1	Aug/Sep 2011	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Nov/Dec 2011	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Jan/Feb 2012	MW-21-1	NA	NA	5.0 U	10.0 U
MW-21-Screen-1	Apr/May 2012	MW-21-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-1	Aug/Sep 2012	MW-21-1	NA	NA	**1.4 J**	2.0 U
MW-21-Screen-1	Nov 2012	MW-21-1	NA	NA	**0.7 J**	**1.2 J**
MW-21-Screen-1	Jan/Feb 2013	MW-21-1	NA	NA	**1.7 J**	2.0 U
MW-21-Screen-1	Apr/May 2013	MW-21-1	2.0 U	1.00 U	**1.4 J**	**1.0 J**
MW-21-Screen-1	Jul 2013	MW-21-1	NA	NA	3.0 U	**0.7 J**
MW-21-Screen-1	Oct/Nov 2013	MW-21-1	NA	NA	3.0 U	2.0 U
MW-21-Screen-1	Jan/Feb 2014	MW-21-1	NA	NA	**1.8 J**	**2.1**
MW-21-Screen-1	Apr/May 2014	MW-21-1	2.0 U	1.00 U	**1.6 J**	NA
MW-21-Screen-1	Apr/May 2014	MW-21-1	NA	NA	NA	2.0 U
MW-21-Screen-1	Apr/May 2017	MW-21-1	2.0 U	1.00 U	3.0 U	**1.4 J**
MW-21-Screen-1	Jul/Aug 2017	MW-21-1	NA	NA	3.1 U	**1.8 J**
MW-21-Screen-1	Apr/May 2019	MW-21-1	2.0 U	1.00 U	**2.2 J**	**0.68**
MW-21-Screen-1	Jul/Aug 2019	MW-21-1	NA	NA	**2.3 J**	**1.30**
MW-21-Screen-2						
MW-21-Screen-2	Aug/Sep 1996	MW-21-2	5.0 U	2.00 U	NA	NA
MW-21-Screen-2	Oct/Nov 1996	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-2	Feb/Mar 1997	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	June/July 1997	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Sep/Oct 1997	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Jan/Feb 1998	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Apr/May 1998	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Jul/Aug 1998	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Oct/Nov 1998	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Feb/Mar 1999	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	May/Jun 1999	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Nov/Dec 1999	MW-21-2	NA	NA	10.0 U	5.0 U
MW-21-Screen-2	Jul/Aug 2000	MW-21-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-2	Jan/Feb 2001	MW-21-2	5.0 U	1.00 U	**8.0**	10.0 U
MW-21-Screen-2	Jan/Feb 2002	MW-21-2	5.0 U	**0.02 J**	**5.8**	10.0 U
MW-21-Screen-2	Jan/Feb 2003	MW-21-2	NA	NA	**6.7**	10.0 U
MW-21-Screen-2	Apr/May 2003	MW-21-2	5.0 U	1.00 U	**4.8 J**	10.0 U
MW-21-Screen-2	Jul/Aug 2003	MW-21-2	NA	NA	**4.2 J**	10.0 U
MW-21-Screen-2	Oct/Nov 2003	MW-21-2	NA	NA	**4.5 J**	10.0 U
MW-21-Screen-2	Feb 2004	MW-21-2	NA	NA	**5.0**	10.0 U
MW-21-Screen-2	Apr/May 2004	MW-21-2	5.0 U	**0.01 J**	**11.7**	10.0 U
MW-21-Screen-2	Jul/Aug 2004	MW-21-2	NA	NA	**7.8 J**	10.0 U
MW-21-Screen-2	Oct/Nov 2004	MW-21-2	NA	NA	**20.8 J**	10.0 U
MW-21-Screen-2	Jan/Feb 2005	MW-21-2	NA	NA	**9.8**	10.0 U
MW-21-Screen-2	Apr/May 2005	MW-21-2	5.0 U	**0.09 J**	**5.0**	10.0 U
MW-21-Screen-2	Jul/Sep 2005	MW-21-2	NA	NA	**11.3**	10.0 U
MW-21-Screen-2	Oct/Nov 2005	MW-21-2	NA	NA	**12.5**	10.0 U
MW-21-Screen-2	Mar/Apr 2006	MW-21-2	NA	NA	**1.4**	10.0 U
MW-21-Screen-2	May/Jun 2006	MW-21-2	1.0 U	1.00 U	1.0 U	10.0 U
MW-21-Screen-2	Aug/Sep 2006	MW-21-2	NA	NA	1.0 U	10.0 U
MW-21-Screen-2	Oct/Dec 2006	MW-21-2	NA	NA	1.0 U	**4.0 J**
MW-21-Screen-2	Mar/Apr 2007	MW-21-2	NA	NA	**1.0 J**	NA
MW-21-Screen-2	Jun/Jul 2007	DUPE-1-2Q07	**1.4**	1.00 U	**12.4**	NA
MW-21-Screen-2	Jun/Jul 2007	MW-21-2	**1.3**	1.00 U	**12.9**	10.0 U
MW-21-Screen-2	Jun/Jul 2007	DUPE-1-2Q07	NA	NA	NA	10.0 U
MW-21-Screen-2	Aug/Sep 2007	MW-21-2	NA	NA	**15.9**	10.0 U
MW-21-Screen-2	Oct/Dec 2007	MW-21-2	NA	NA	**2.6**	10.0 U
MW-21-Screen-2	Jan/Feb 2008	MW-21-2	NA	NA	**10.0**	10.0 U
MW-21-Screen-2	Apr/May 2008	MW-21-2	1.0 U	1.00 U	**1.0 J**	10.0 U
MW-21-Screen-2	Jul/Aug 2008	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Oct/Nov 2008	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Jan/Feb 2009	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Apr/May 2009	MW-21-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-2	Jul/Aug 2009	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Nov/Dec 2009	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Feb 2010	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Apr/May 2010	MW-21-2	2.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-2	Jul/Aug 2010	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Oct/Nov 2010	DUPE-01-4Q10	NA	NA	NA	10.0 U
MW-21-Screen-2	Oct/Nov 2010	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Oct/Nov 2010	DUPE-01-4Q10	NA	NA	5.0 U	NA
MW-21-Screen-2	Feb/Mar 2011	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Apr/May 2011	MW-21-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-2	Aug/Sep 2011	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Nov/Dec 2011	DUPE-1-4Q11	NA	NA	NA	10.0 U
MW-21-Screen-2	Nov/Dec 2011	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Nov/Dec 2011	DUPE-1-4Q11	NA	NA	5.0 U	NA
MW-21-Screen-2	Jan/Feb 2012	MW-21-2	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Jan/Feb 2012	DUPE-1-1Q12	NA	NA	5.0 U	10.0 U
MW-21-Screen-2	Apr/May 2012	MW-21-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-2	Aug/Sep 2012	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Nov 2012	MW-21-2	NA	NA	3.0 U	**1.1 J**
MW-21-Screen-2	Jan/Feb 2013	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Apr/May 2013	MW-21-2	2.0 U	1.00 U	**3.3**	**1.4 J**
MW-21-Screen-2	Jul 2013	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Oct/Nov 2013	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Jan/Feb 2014	MW-21-2	NA	NA	3.0 U	**1.3 J**
MW-21-Screen-2	Apr/May 2014	MW-21-2	2.0 U	1.00 U	3.0 U	NA
MW-21-Screen-2	Apr/May 2014	MW-21-2	NA	NA	NA	2.0 U
MW-21-Screen-2	Jul/Aug 2014	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Oct 2014	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Jan/Feb 2015	MW-21-2	NA	NA	**1.0 J**	2.0 U
MW-21-Screen-2	Apr/May 2015	MW-21-2	2.0 U	1.00 U	**0.7**	**0.8 J**
MW-21-Screen-2	Apr/May 2015	DUP-7-2Q15	2.0 U	1.00 U	**0.6**	2.0 U
MW-21-Screen-2	Jul/Aug 2015	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Oct 2015	MW-21-2	NA	NA	**1.0 J**	2.0 U
MW-21-Screen-2	Jan/Feb 2016	MW-21-2	NA	NA	**1.0 J**	2.0 U
MW-21-Screen-2	Apr/May 2016	MW-21-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-21-Screen-2	Jul/Aug 2016	MW-21-2	NA	NA	**1.3 J**	2.0 U
MW-21-Screen-2	Oct 2016	MW-21-2	NA	NA	**1.6 J**	2.0 U
MW-21-Screen-2	Jan/Feb 2017	MW-21-2	NA	NA	1.4 U	**0.7 J**
MW-21-Screen-2	Apr/May 2017	MW-21-2	2.0 U	1.00 U	3.0 U	**1.0 J**
MW-21-Screen-2	Jul/Aug 2017	MW-21-2	NA	NA	1.8 U	2.0 U
MW-21-Screen-2	Oct-17	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Jan/Feb 2018	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	April 2018	MW-21-2	2.0 U	1.00 UJ	3.0 U	2.0 U
MW-21-Screen-2	Jul/Aug 2018	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Oct 2018	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Oct 2018	DUP-4-4Q18	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Feb/Mar 2019	MW-21-2	NA	NA	3.0 U	2.0 U
MW-21-Screen-2	Apr/May 2019	MW-21-2	2.0 U	1.00 U	**0.9 J**	**0.18 J**
MW-21-Screen-2	Jul/Aug 2019	MW-21-2	NA	NA	**1.4 J**	**0.08 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-2	Jul/Aug 2019	DUP-6-3Q19	NA	NA	**1.0 J**	**0.24**
MW-21-Screen-2	Oct 2019	MW-21-2	NA	NA	3.0 U	0.20 U
MW-21-Screen-2	Feb 2020	MW-21-2	NA	NA	3.0 U	**0.09 J**
MW-21-Screen-2	Jun 2020	MW-21-2	2.0 U	1.00 U	**7.0**	0.20 U
MW-21-Screen-2	Jun 2020	DUP-6-2Q2020	2.0 U	1.00 U	**0.9 J**	**0.36**
MW-21-Screen-2	Aug 2020	MW-21-2	NA	NA	3.0 U	0.18 UJ
MW-21-Screen-2	Oct/Nov 2020	MW-21-2	NA	NA	**0.5 J**	0.20 U
MW-21-Screen-2	Oct/Nov 2020	DUP-5-4Q20	NA	NA	3.0 U	0.24 UJ
MW-21-Screen-2	Mar/Apr 2021	MW-21-2	NA	NA	3.0 U	**0.22 J**
MW-21-Screen-2	May/June 2021	MW-21-2	2.0 U	1.00 U	3.0 U	0.10 UB
MW-21-Screen-2	May/June 2021	DUP-6-2Q21	2.0 U	1.00 U	3.0 U	0.04 UB
MW-21-Screen-3						
MW-21-Screen-3	Jan/Feb 1996	MW-21-3	5.0 U	2.00 U	10.0 U	10.0 U
MW-21-Screen-3	Aug/Sep 1996	MW-21-3	5.0 U	2.00 U	NA	NA
MW-21-Screen-3	Oct/Nov 1996	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Feb/Mar 1997	MW-21-3	5.0 U	**3.20**	10.0 U	5.0 U
MW-21-Screen-3	June/July 1997	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Sep/Oct 1997	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Jan/Feb 1998	MW-21-3	5.0 U	**3.00**	10.0 U	5.0 U
MW-21-Screen-3	Apr/May 1998	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Jul/Aug 1998	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Oct/Nov 1998	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Feb/Mar 1999	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	May/Jun 1999	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Nov/Dec 1999	MW-21-3	NA	NA	10.0 U	5.0 U
MW-21-Screen-3	Jul/Aug 2000	MW-21-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-3	Jan/Feb 2001	MW-21-3	5.0 U	1.00 U	**6.9**	10.0 U
MW-21-Screen-3	Jan/Feb 2002	MW-21-3	5.0 U	**0.05 J**	**7.0**	10.0 U
MW-21-Screen-3	Dec 2002	MW-21-3	NA	NA	NA	**0.8**
MW-21-Screen-3	Dec 2002	MW-21-3	**0.7**	**0.30**	**4.2**	NA
MW-21-Screen-3	Jan/Feb 2003	MW-21-3	NA	NA	**5.9**	10.0 U
MW-21-Screen-3	Apr/May 2003	MW-21-3	5.0 U	1.00 U	**3.7 J**	10.0 U
MW-21-Screen-3	Jul/Aug 2003	MW-21-3	NA	NA	**3.7 J**	10.0 U
MW-21-Screen-3	Oct/Nov 2003	MW-21-3	NA	NA	**4.1 J**	10.0 U
MW-21-Screen-3	Feb 2004	MW-21-3	NA	NA	**4.4**	10.0 U
MW-21-Screen-3	Apr/May 2004	MW-21-3	5.0 U	0.12 U	**12.2**	10.0 U
MW-21-Screen-3	Jul/Aug 2004	MW-21-3	NA	NA	**8.2 J**	10.0 U
MW-21-Screen-3	Oct/Nov 2004	MW-21-3	NA	NA	**18.4 J**	10.0 U
MW-21-Screen-3	Jan/Feb 2005	MW-21-3	NA	NA	**8.8**	10.0 U
MW-21-Screen-3	Apr/May 2005	MW-21-3	**4.2 J**	**0.06 J**	**0.9 J**	10.0 U
MW-21-Screen-3	Jul/Sep 2005	MW-21-3	NA	NA	**12.9**	10.0 U
MW-21-Screen-3	Oct/Nov 2005	MW-21-3	NA	NA	**12.2**	10.0 U
MW-21-Screen-3	Mar/Apr 2006	MW-21-3	NA	NA	**1.5**	10.0 U
MW-21-Screen-3	May/Jun 2006	MW-21-3	1.0 U	1.00 U	1.0 U	10.0 U
MW-21-Screen-3	Aug/Sep 2006	MW-21-3	NA	NA	1.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-3	Oct/Dec 2006	MW-21-3	NA	NA	**1.1**	10.0 U
MW-21-Screen-3	Mar/Apr 2007	MW-21-3	NA	NA	**1.4 J**	NA
MW-21-Screen-3	Jun/Jul 2007	MW-21-3	**1.3**	1.00 U	**14.2**	10.0 U
MW-21-Screen-3	Aug/Sep 2007	MW-21-3	NA	NA	**16.1**	10.0 U
MW-21-Screen-3	Oct/Dec 2007	MW-21-3	NA	NA	**2.0**	10.0 U
MW-21-Screen-3	Jan/Feb 2008	MW-21-3	NA	NA	**9.9**	**5.0 J**
MW-21-Screen-3	Apr/May 2008	MW-21-3	1.0 U	1.00 U	**1.0 J**	10.0 U
MW-21-Screen-3	Jul/Aug 2008	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Oct/Nov 2008	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Jan/Feb 2009	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Apr/May 2009	MW-21-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-3	Jul/Aug 2009	DUPE-4-3Q09	NA	NA	5.0 U	NA
MW-21-Screen-3	Jul/Aug 2009	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Jul/Aug 2009	DUPE-4-3Q09	NA	NA	NA	10.0 U
MW-21-Screen-3	Nov/Dec 2009	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Feb 2010	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Apr/May 2010	MW-21-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-3	Jul/Aug 2010	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Oct/Nov 2010	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Feb/Mar 2011	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Apr/May 2011	MW-21-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-3	Aug/Sep 2011	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Nov/Dec 2011	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Jan/Feb 2012	MW-21-3	NA	NA	5.0 U	10.0 U
MW-21-Screen-3	Apr/May 2012	MW-21-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-3	Aug/Sep 2012	DUPE-7-3Q12	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Aug/Sep 2012	MW-21-3	NA	NA	**0.6 J**	2.0 U
MW-21-Screen-3	Nov 2012	MW-21-3	NA	NA	3.0 U	**1.8 J**
MW-21-Screen-3	Jan/Feb 2013	MW-21-3	NA	NA	**1.0 J**	2.0 U
MW-21-Screen-3	Apr/May 2013	MW-21-3	**0.9 J**	1.00 U	**0.7 J**	**1.2 J**
MW-21-Screen-3	Jul 2013	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Oct/Nov 2013	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Jan/Feb 2014	MW-21-3	NA	NA	**0.6 J**	**1.4 J**
MW-21-Screen-3	Apr/May 2014	MW-21-3	2.0 U	1.00 U	3.0 U	NA
MW-21-Screen-3	Apr/May 2014	MW-21-3	NA	NA	NA	2.0 U
MW-21-Screen-3	Jul/Aug 2014	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Oct 2014	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Jan/Feb 2015	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Apr/May 2015	MW-21-3	2.0 U	1.00 U	**0.8**	2.0 U
MW-21-Screen-3	Jul/Aug 2015	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Oct 2015	MW-21-3	NA	NA	NA	2.0 U
MW-21-Screen-3	Oct 2015	MW-21-3	NA	NA	**0.9 J**	2.0 U
MW-21-Screen-3	Jan/Feb 2016	MW-21-3	NA	NA	**0.9 J**	2.0 U
MW-21-Screen-3	Jan/Feb 2016	DUP-4-1Q16	NA	NA	0.9 U	2.0 U
MW-21-Screen-3	Apr/May 2016	MW-21-3	2.0 U	1.00 U	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-3	Jul/Aug 2016	MW-21-3	NA	NA	**1.0 J**	2.0 U
MW-21-Screen-3	Oct 2016	MW-21-3	NA	NA	**1.7 J**	2.0 U
MW-21-Screen-3	Jan/Feb 2017	MW-21-3	NA	NA	1.3 U	2.0 U
MW-21-Screen-3	Jan/Feb 2017	DUP-3-1Q17	NA	NA	1.1 U	2.0 U
MW-21-Screen-3	Apr/May 2017	MW-21-3	2.0 U	1.00 U	3.0 U	**0.8 J**
MW-21-Screen-3	Jul/Aug 2017	MW-21-3	NA	NA	**4.2**	2.0 U
MW-21-Screen-3	Oct-17	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Jan/Feb 2018	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	April 2018	DUP-2-2Q18	2.0 U	1.00 U	3.0 U	2.0 U
MW-21-Screen-3	Jul/Aug 2018	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Oct 2018	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Feb/Mar 2019	MW-21-3	NA	NA	3.0 U	2.0 U
MW-21-Screen-3	Apr/May 2019	MW-21-3	**1.1 J**	1.00 U	**0.7 J**	**0.23**
MW-21-Screen-3	Jul/Aug 2019	MW-21-3	NA	NA	**1.6 J**	**0.08 J**
MW-21-Screen-3	Jul/Aug 2019	DUP-5-3Q19	NA	NA	**1.2 J**	**0.13 J**
MW-21-Screen-3	Oct 2019	MW-21-3	NA	NA	3.0 U	0.20 U
MW-21-Screen-3	Feb 2020	MW-21-3	NA	NA	3.0 U	**0.42**
MW-21-Screen-3	Feb 2020	DUP-3-1Q20	NA	NA	3.0 U	**0.56**
MW-21-Screen-3	Jun 2020	MW-21-3	2.0 U	**0.12 J**	**7.6**	0.20 U
MW-21-Screen-3	Aug 2020	MW-21-3	NA	NA	3.0 U	**0.33 J**
MW-21-Screen-3	Oct/Nov 2020	MW-21-3	NA	NA	3.0 U	**0.57**
MW-21-Screen-3	Mar/Apr 2021	MW-21-3	NA	NA	3.0 U	**0.82 J**
MW-21-Screen-3	Mar/Apr 2021	DUP-7-1Q21	NA	NA	3.0 U	**0.83 J**
MW-21-Screen-3	May/June 2021	MW-21-3	**0.9 J**	1.00 U	**1.1 J**	**0.52 J**
MW-21-Screen-4						
MW-21-Screen-4	Jan/Feb 1996	MW-21-4	5.0 U	2.00 U	10.0 U	10.0 U
MW-21-Screen-4	Aug/Sep 1996	MW-21-4	5.0 U	2.00 U	NA	NA
MW-21-Screen-4	Oct/Nov 1996	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Feb/Mar 1997	MW-21-4	5.0 U	**3.50**	10.0 U	5.0 U
MW-21-Screen-4	June/July 1997	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Sep/Oct 1997	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Jan/Feb 1998	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Apr/May 1998	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Jul/Aug 1998	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Oct/Nov 1998	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Feb/Mar 1999	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	May/Jun 1999	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Nov/Dec 1999	MW-21-4	NA	NA	10.0 U	5.0 U
MW-21-Screen-4	Jul/Aug 2000	MW-21-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-4	Jan/Feb 2001	MW-21-4	5.0 U	1.00 U	**6.0**	10.0 U
MW-21-Screen-4	Jan/Feb 2002	MW-21-4	5.0 U	1.00 U	**6.9**	10.0 U
MW-21-Screen-4	Jan/Feb 2003	MW-21-4	NA	NA	**4.7**	10.0 U
MW-21-Screen-4	Apr/May 2003	MW-21-4	**2.2 J**	1.00 U	**3.8 J**	10.0 U
MW-21-Screen-4	Jul/Aug 2003	MW-21-4	NA	NA	**4.0 J**	10.0 U
MW-21-Screen-4	Oct/Nov 2003	MW-21-4	NA	NA	**4.3 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-4	Feb 2004	MW-21-4	NA	NA	**5.3**	10.0 U
MW-21-Screen-4	Apr/May 2004	MW-21-4	5.0 U	0.12 U	**8.3**	10.0 U
MW-21-Screen-4	Jul/Aug 2004	MW-21-4	NA	NA	**6.9 J**	10.0 U
MW-21-Screen-4	Oct/Nov 2004	MW-21-4	NA	NA	**16.5 J**	10.0 U
MW-21-Screen-4	Jan/Feb 2005	DUPE-1-1Q05	NA	NA	**8.4**	10.0 U
MW-21-Screen-4	Jan/Feb 2005	MW-21-4	NA	NA	**7.2**	10.0 U
MW-21-Screen-4	Apr/May 2005	MW-21-4	**3.5 J**	**0.05 J**	**5.6**	10.0 U
MW-21-Screen-4	Jul/Sep 2005	MW-21-4	NA	NA	**9.4**	10.0 U
MW-21-Screen-4	Oct/Nov 2005	MW-21-4	NA	NA	**9.7**	10.0 U
MW-21-Screen-4	Mar/Apr 2006	MW-21-4	NA	NA	**2.4**	10.0 U
MW-21-Screen-4	May/Jun 2006	MW-21-4	1.0 U	1.00 U	**1.5 J**	**4.0 J**
MW-21-Screen-4	Aug/Sep 2006	MW-21-4	NA	NA	1.0 U	10.0 U
MW-21-Screen-4	Oct/Dec 2006	MW-21-4	NA	NA	**2.5**	**6.0 J**
MW-21-Screen-4	Mar/Apr 2007	MW-21-4	NA	NA	**2.4 J**	NA
MW-21-Screen-4	Jun/Jul 2007	MW-21-4	**1.3**	1.00 U	**9.7**	10.0 U
MW-21-Screen-4	Aug/Sep 2007	MW-21-4	NA	NA	**13.0**	10.0 U
MW-21-Screen-4	Oct/Dec 2007	MW-21-4	NA	NA	**2.2**	10.0 U
MW-21-Screen-4	Jan/Feb 2008	MW-21-4	NA	NA	**7.1**	10.0 U
MW-21-Screen-4	Apr/May 2008	MW-21-4	1.0 U	1.00 U	**1.6 J**	10.0 U
MW-21-Screen-4	Jul/Aug 2008	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Oct/Nov 2008	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Jan/Feb 2009	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Apr/May 2009	DUPE-03-2Q09	2.0 U	5.00 U	5.0 U	NA
MW-21-Screen-4	Apr/May 2009	MW-21-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-4	Apr/May 2009	DUPE-03-2Q09	NA	NA	NA	10.0 U
MW-21-Screen-4	Jul/Aug 2009	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Nov/Dec 2009	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Feb 2010	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Apr/May 2010	MW-21-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-4	Jul/Aug 2010	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Oct/Nov 2010	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Feb/Mar 2011	DUPE-01-1Q11	NA	NA	NA	10.0 U
MW-21-Screen-4	Feb/Mar 2011	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Feb/Mar 2011	DUPE-01-1Q11	NA	NA	5.0 U	NA
MW-21-Screen-4	Apr/May 2011	MW-21-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-4	Aug/Sep 2011	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Nov/Dec 2011	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Jan/Feb 2012	MW-21-4	NA	NA	5.0 U	10.0 U
MW-21-Screen-4	Apr/May 2012	MW-21-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-4	Aug/Sep 2012	MW-21-4	NA	NA	**0.7 J**	2.0 U
MW-21-Screen-4	Nov 2012	MW-21-4	NA	NA	**0.8 J**	**1.7 J**
MW-21-Screen-4	Jan/Feb 2013	MW-21-4	NA	NA	**1.1 J**	2.0 U
MW-21-Screen-4	Apr/May 2013	MW-21-4	**0.8 J**	1.00 U	**1.5 J**	**1.3 J**
MW-21-Screen-4	Jul 2013	DUPE-7-3Q13	NA	NA	**1.6 J**	2.0 U
MW-21-Screen-4	Jul 2013	MW-21-4	NA	NA	**1.6 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-4	Oct/Nov 2013	MW-21-4	NA	NA	3.0 U	2.0 U
MW-21-Screen-4	Jan/Feb 2014	MW-21-4	NA	NA	**0.9 J**	**1.2 J**
MW-21-Screen-4	Apr/May 2014	MW-21-4	2.0 U	1.00 U	**1.2 J**	NA
MW-21-Screen-4	Apr/May 2014	MW-21-4	NA	NA	NA	2.0 U
MW-21-Screen-4	Jul/Aug 2014	DUP-6-3Q14	NA	NA	3.0 U	2.0 U
MW-21-Screen-4	Jul/Aug 2014	MW-21-4	NA	NA	**1.9 J**	2.0 U
MW-21-Screen-4	Oct 2014	MW-21-4	NA	NA	3.0 U	2.0 U
MW-21-Screen-4	Jan/Feb 2015	MW-21-4	NA	NA	**1.3 J**	**1.1 J**
MW-21-Screen-4	Apr/May 2015	MW-21-4	2.0 U	1.00 U	**1.5**	**1.0 J**
MW-21-Screen-4	Jul/Aug 2015	MW-21-4	NA	NA	**0.7 J**	2.0 U
MW-21-Screen-4	Oct 2015	MW-21-4	NA	NA	**1.4 J**	2.0 U
MW-21-Screen-4	Jan/Feb 2016	MW-21-4	NA	NA	1.1 U	2.0 U
MW-21-Screen-4	Apr/May 2016	MW-21-4	2.0 U	1.00 U	**1.1 J**	2.0 U
MW-21-Screen-4	Jul/Aug 2016	MW-21-4	NA	NA	**1.0 J**	2.0 U
MW-21-Screen-4	Jul/Aug 2016	DUP-7-3Q16	NA	NA	**1.8 J**	2.0 U
MW-21-Screen-4	Oct 2016	MW-21-4	NA	NA	**3.6**	**1.2 J**
MW-21-Screen-4	Jan/Feb 2017	MW-21-4	NA	NA	2.6 U	**1.4 J**
MW-21-Screen-4	Apr/May 2017	MW-21-4	2.0 U	1.00 U	**1.8 J**	1.1 U
MW-21-Screen-4	Apr/May 2017	DUP-6-2Q17	2.0 U	1.00 U	**1.8 J**	1.2 U
MW-21-Screen-4	Jul/Aug 2017	MW-21-4	NA	NA	3.0 U	**1.3 J**
MW-21-Screen-4	Oct-17	MW-21-4	NA	NA	**1.0 J**	**1.1 J**
MW-21-Screen-4	Jan/Feb 2018	MW-21-4	NA	NA	**7.6**	**1.2 J**
MW-21-Screen-4	April 2018	MW-21-4	2.0 U	**0.24 J**	3.0 U	**1.3 J**
MW-21-Screen-4	Jul/Aug 2018	MW-21-4	NA	NA	3.0 U	**1.0 J**
MW-21-Screen-4	Oct 2018	MW-21-4	NA	NA	**0.8 J**	**1.6 J**
MW-21-Screen-4	Feb/Mar 2019	MW-21-4	NA	NA	3.0 U	**1.2 J**
MW-21-Screen-4	Apr/May 2019	MW-21-4	**1.4 J**	1.00 U	3.0 U	**1.20**
MW-21-Screen-4	Jul/Aug 2019	MW-21-4	NA	NA	**11.0 J**	**1.30**
MW-21-Screen-4	Oct 2019	MW-21-4	NA	NA	**1.2 J**	**1.20**
MW-21-Screen-4	Oct 2019	DUP-5-4Q19	NA	NA	**1.2 J**	**1.20**
MW-21-Screen-4	Feb 2020	MW-21-4	NA	NA	3.0 U	**1.20**
MW-21-Screen-4	Jun 2020	MW-21-4	2.0 U	1.00 U	**1.4 J**	**1.20**
MW-21-Screen-4	Aug 2020	MW-21-4	NA	NA	**0.6 J**	**1.50**
MW-21-Screen-4	Aug 2020	DUP-5-3Q20	NA	NA	**1.2 J**	**1.60 J**
MW-21-Screen-4	Oct/Nov 2020	MW-21-4	NA	NA	**1.4 J**	**1.60**
MW-21-Screen-4	Mar/Apr 2021	MW-21-4	NA	NA	**1.2 J**	**1.30 J**
MW-21-Screen-4	May/June 2021	MW-21-4	2.0 U	**0.10 J**	3.0 U	**0.76 J**
MW-21-Screen-5						
MW-21-Screen-5	Jan/Feb 1996	MW-21-5	5.0 U	2.00 U	10.0 U	10.0 U
MW-21-Screen-5	Aug/Sep 1996	MW-21-5	5.0 U	2.00 U	NA	NA
MW-21-Screen-5	Oct/Nov 1996	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Feb/Mar 1997	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	June/July 1997	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Sep/Oct 1997	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Jan/Feb 1998	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-5	Apr/May 1998	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Jul/Aug 1998	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Oct/Nov 1998	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Feb/Mar 1999	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	May/Jun 1999	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Nov/Dec 1999	MW-21-5	NA	NA	10.0 U	5.0 U
MW-21-Screen-5	Jul/Aug 2000	MW-21-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-21-Screen-5	Jan/Feb 2001	MW-21-5	5.0 U	**0.10 J**	**6.0**	10.0 U
MW-21-Screen-5	Jan/Feb 2002	MW-21-5	5.0 U	**0.30 J**	**7.5**	10.0 U
MW-21-Screen-5	Dec 2002	MW-21-5	**1.0**	**0.60**	**9.2**	NA
MW-21-Screen-5	Dec 2002	MW-21-5	NA	NA	NA	**2.2**
MW-21-Screen-5	Jan/Feb 2003	MW-21-5	NA	NA	**5.7**	10.0 U
MW-21-Screen-5	Apr/May 2003	MW-21-5	5.0 U	1.00 U	**2.7 J**	10.0 U
MW-21-Screen-5	Jul/Aug 2003	MW-21-5	NA	NA	**2.9 J**	10.0 U
MW-21-Screen-5	Oct/Nov 2003	MW-21-5	NA	NA	**4.0 J**	10.0 U
MW-21-Screen-5	Feb 2004	MW-21-5	NA	NA	**5.0**	10.0 U
MW-21-Screen-5	Apr/May 2004	MW-21-5	5.0 U	**0.03 J**	**8.3**	10.0 U
MW-21-Screen-5	Jul/Aug 2004	MW-21-5	NA	NA	**6.0 J**	10.0 U
MW-21-Screen-5	Oct/Nov 2004	MW-21-5	NA	NA	**12.7 J**	10.0 U
MW-21-Screen-5	Jan/Feb 2005	MW-21-5	NA	NA	**5.6**	10.0 U
MW-21-Screen-5	Apr/May 2005	MW-21-5	**2.1 J**	**0.07 J**	**5.5**	10.0 U
MW-21-Screen-5	Jul/Sep 2005	MW-21-5	NA	NA	**9.2**	10.0 U
MW-21-Screen-5	Oct/Nov 2005	MW-21-5	NA	NA	**9.5**	10.0 U
MW-21-Screen-5	Mar/Apr 2006	MW-21-5	NA	NA	**2.4**	10.0 U
MW-21-Screen-5	Mar/Apr 2006	DUPE-1-1Q06	NA	NA	**2.1**	10.0 U
MW-21-Screen-5	May/Jun 2006	MW-21-5	1.0 U	1.00 U	**1.5 J**	10.0 U
MW-21-Screen-5	Aug/Sep 2006	MW-21-5	NA	NA	1.0 U	10.0 U
MW-21-Screen-5	Oct/Dec 2006	MW-21-5	NA	NA	**1.8**	10.0 U
MW-21-Screen-5	Mar/Apr 2007	MW-21-5	NA	NA	**1.8 J**	NA
MW-21-Screen-5	Jun/Jul 2007	MW-21-5	**1.4**	1.00 U	**9.6**	10.0 U
MW-21-Screen-5	Aug/Sep 2007	MW-21-5	NA	NA	**10.3**	**5.0 J**
MW-21-Screen-5	Oct/Dec 2007	MW-21-5	NA	NA	**2.5**	10.0 U
MW-21-Screen-5	Jan/Feb 2008	MW-21-5	NA	NA	**7.2**	10.0 U
MW-21-Screen-5	Apr/May 2008	MW-21-5	1.0 U	1.00 U	**1.7 J**	10.0 U
MW-21-Screen-5	Jul/Aug 2008	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Oct/Nov 2008	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Jan/Feb 2009	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Apr/May 2009	MW-21-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-5	Jul/Aug 2009	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Nov/Dec 2009	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Feb 2010	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Apr/May 2010	MW-21-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-5	Jul/Aug 2010	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Oct/Nov 2010	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Feb/Mar 2011	MW-21-5	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-21-Screen-5	Apr/May 2011	MW-21-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-5	Aug/Sep 2011	MW-21-5	NA	NA	**5.8**	10.0 U
MW-21-Screen-5	Nov/Dec 2011	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Jan/Feb 2012	MW-21-5	NA	NA	5.0 U	10.0 U
MW-21-Screen-5	Apr/May 2012	MW-21-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-21-Screen-5	Aug/Sep 2012	MW-21-5	NA	NA	**0.8 J**	**1.2 J**
MW-21-Screen-5	Nov 2012	MW-21-5	NA	NA	**0.7 J**	**1.4 J**
MW-21-Screen-5	Jan/Feb 2013	MW-21-5	NA	NA	**1.5 J**	2.0 U
MW-21-Screen-5	Apr/May 2013	MW-21-5	**1.6 J**	1.00 U	**1.9 J**	**1.8 J**
MW-21-Screen-5	Jul 2013	MW-21-5	NA	NA	**1.7 J**	**1.3 J**
MW-21-Screen-5	Oct/Nov 2013	MW-21-5	NA	NA	3.0 U	**1.0 J**
MW-21-Screen-5	Jan/Feb 2014	MW-21-5	NA	NA	3.0 U	**1.8 J**
MW-21-Screen-5	Apr/May 2014	MW-21-5	2.0 U	1.00 U	**1.2 J**	NA
MW-21-Screen-5	Apr/May 2014	MW-21-5	NA	NA	NA	2.0 U
MW-21-Screen-5	Jul/Aug 2014	MW-21-5	NA	NA	3.0 U	2.0 U
MW-21-Screen-5	Oct 2014	MW-21-5	NA	NA	3.0 U	**0.8 J**
MW-21-Screen-5	Jan/Feb 2015	MW-21-5	NA	NA	**0.8 J**	**1.0 J**
MW-21-Screen-5	Apr/May 2015	MW-21-5	2.0 U	1.00 U	**1.6**	**1.1 J**
MW-21-Screen-5	Jul/Aug 2015	MW-21-5	NA	NA	**0.8 J**	**1.0 J**
MW-21-Screen-5	Oct 2015	MW-21-5	NA	NA	**1.1 J**	2.0 U
MW-21-Screen-5	Jan/Feb 2016	MW-21-5	NA	NA	1.1 U	2.0 U
MW-21-Screen-5	Apr/May 2016	MW-21-5	2.0 U	1.00 U	**0.9 J**	2.0 U
MW-21-Screen-5	Jul/Aug 2016	MW-21-5	NA	NA	**2.1 J**	2.0 U
MW-21-Screen-5	Oct 2016	MW-21-5	NA	NA	**1.6 J**	**1.6 J**
MW-21-Screen-5	Jan/Feb 2017	MW-21-5	NA	NA	2.5 U	**1.6 J**
MW-21-Screen-5	Apr/May 2017	MW-21-5	2.0 U	1.00 U	3.0 U	**1.8 J**
MW-21-Screen-5	Jul/Aug 2017	MW-21-5	NA	NA	2.6 U	**1.4 J**
MW-21-Screen-5	Oct-17	MW-21-5	NA	NA	**1.2 J**	**1.2 J**
MW-21-Screen-5	Jan/Feb 2018	MW-21-5	NA	NA	3.0 U	**1.4 J**
MW-21-Screen-5	April 2018	MW-21-5	2.0 U	1.00 U	3.0 U	**2.0**
MW-21-Screen-5	Jul/Aug 2018	MW-21-5	NA	NA	3.0 U	**1.3 J**
MW-21-Screen-5	Oct 2018	MW-21-5	NA	NA	**0.6 J**	**1.4 J**
MW-21-Screen-5	Feb/Mar 2019	MW-21-5	NA	NA	3.0 U	**1.8 J**
MW-21-Screen-5	Feb/Mar 2019	DUP-5-1Q19	NA	NA	3.0 U	**1.5 J**
MW-21-Screen-5	Apr/May 2019	MW-21-5	**1.2 J**	1.00 U	**1.2 J**	**0.92**
MW-21-Screen-5	Jul/Aug 2019	MW-21-5	NA	NA	**1.8 J**	0.20 U
MW-21-Screen-5	Oct 2019	MW-21-5	NA	NA	**1.0 J**	**1.10**
MW-21-Screen-5	Feb 2020	MW-21-5	NA	NA	**1.1 J**	**1.40**
MW-21-Screen-5	Jun 2020	MW-21-5	2.0 U	**0.20 J**	**4.8**	**1.20**
MW-21-Screen-5	Aug 2020	MW-21-5	NA	NA	**0.8 J**	**1.40**
MW-21-Screen-5	Oct/Nov 2020	MW-21-5	NA	NA	**1.0 J**	**1.40**
MW-21-Screen-5	Mar/Apr 2021	MW-21-5	NA	NA	**0.5 J**	**1.30 J**
MW-21-Screen-5	May/June 2021	MW-21-5	2.0 U	**0.16 J**	3.0 U	**0.61 J**
MW-22-Screen-1						
MW-22-Screen-1	Sep/Oct 1997	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-1	Jan/Feb 1998	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	Apr/May 1998	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	Jul/Aug 1998	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	Oct/Nov 1998	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	Feb/Mar 1999	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	May/Jun 1999	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	Aug 1999	MW-22-1	NA	NA	10.0 U	5.0 U
MW-22-Screen-1	Nov/Dec 1999	MW-22-1	NA	NA	10.0 U	5.0 U
MW-22-Screen-1	Mar/Apr 2000	MW-22-1	NA	NA	10.0 U	5.0 U
MW-22-Screen-1	Jul/Aug 2000	MW-22-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-1	Sep/Oct 2000	MW-22-1	NA	NA	10.0 U	5.0 U
MW-22-Screen-1	Jan/Feb 2001	MW-22-1	5.0 U	1.00 U	**6.0**	10.0 U
MW-22-Screen-1	Apr 2001	MW-22-1	NA	NA	NA	10.0 U
MW-22-Screen-1	Jul 2001	MW-22-1	NA	NA	NA	NA U
MW-22-Screen-1	Jul 2001	MW-22-1	NA	NA	**3.3 J**	NA
MW-22-Screen-1	Oct 2001	MW-22-1	NA	NA	**7.8**	10.0 U
MW-22-Screen-1	Jan/Feb 2002	MW-22-1	5.0 U	1.00 U	**5.1**	10.0 U
MW-22-Screen-1	Apr/May 2002	MW-22-1	NA	NA	**10.0**	10.0 U
MW-22-Screen-1	Jul 2002	MW-22-1	NA	NA	**10.0**	NA U
MW-22-Screen-1	Oct/Nov 2002	MW-22-1	NA	NA	NA	10.0 U
MW-22-Screen-1	Jan/Feb 2003	MW-22-1	NA	NA	**4.1**	10.0 U
MW-22-Screen-1	Apr/May 2003	MW-22-1	5.0 U	1.00 U	**1.9 J**	10.0 U
MW-22-Screen-1	Jul/Aug 2003	MW-22-1	NA	NA	**4.2 J**	10.0 U
MW-22-Screen-1	Oct/Nov 2003	MW-22-1	NA	NA	**3.0 J**	10.0 U
MW-22-Screen-1	Feb 2004	MW-22-1	NA	NA	**6.8**	10.0 U
MW-22-Screen-1	Apr/May 2004	MW-22-1	5.0 UJ	0.02 U	**10.3**	10.0 U
MW-22-Screen-1	Jul/Aug 2004	MW-22-1	NA	NA	**7.3 J**	10.0 U
MW-22-Screen-1	Oct/Nov 2004	MW-22-1	NA	NA	**18.8 J**	10.0 U
MW-22-Screen-1	Jan/Feb 2005	MW-22-1	NA	NA	**0.3**	10.0 U
MW-22-Screen-1	Apr/May 2005	MW-22-1	5.0 U	**0.15 J**	**5.7**	10.0 U
MW-22-Screen-1	Jul/Sep 2005	MW-22-1	NA	NA	**9.6**	10.0 U
MW-22-Screen-1	Oct/Nov 2005	MW-22-1	NA	NA	**10.8**	10.0 U
MW-22-Screen-1	Mar/Apr 2006	MW-22-1	NA	NA	**1.8**	10.0 U
MW-22-Screen-1	May/Jun 2006	DUPE-5-2Q06	1.0 U	1.00 U	1.0 U	NA
MW-22-Screen-1	May/Jun 2006	MW-22-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-22-Screen-1	May/Jun 2006	DUPE-5-2Q06	NA	NA	NA	10.0 U
MW-22-Screen-1	Aug/Sep 2006	MW-22-1	NA	NA	0.5 U	**7.0 J**
MW-22-Screen-1	Oct/Dec 2006	DUPE-5-4Q06	NA	NA	NA	10.0 U
MW-22-Screen-1	Oct/Dec 2006	MW-22-1	NA	NA	**3.0**	10.0 U
MW-22-Screen-1	Oct/Dec 2006	DUPE-5-4Q06	NA	NA	**3.8**	NA
MW-22-Screen-1	Mar/Apr 2007	MW-22-1	NA	NA	**8.0 J**	10.0 U
MW-22-Screen-1	Jun/Jul 2007	MW-22-1	1.0 U	1.00 U	**10.3 J**	10.0 U
MW-22-Screen-1	Aug/Sep 2007	MW-22-1	NA	NA	**17.4**	10.0 U
MW-22-Screen-1	Oct/Dec 2007	MW-22-1	NA	NA	**14.6**	10.0 U
MW-22-Screen-1	Jan/Feb 2008	MW-22-1	NA	NA	**11.6 E**	**4.0 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-1	Apr/May 2008	MW-22-1	1.0 U	1.00 U	**9.2**	10.0 U
MW-22-Screen-1	Jul/Aug 2008	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Oct/Nov 2008	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Jan/Feb 2009	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Apr/May 2009	MW-22-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-1	Jul/Aug 2009	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Nov/Dec 2009	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Feb 2010	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Apr/May 2010	MW-22-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-1	Jul/Aug 2010	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Oct/Nov 2010	MW-22-1	NA	NA	NA	10.0 U
MW-22-Screen-1	Oct/Nov 2010	MW-22-1	NA	NA	5.0 U	NA
MW-22-Screen-1	Feb/Mar 2011	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Apr/May 2011	MW-22-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-1	Aug/Sep 2011	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Nov/Dec 2011	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Jan/Feb 2012	MW-22-1	NA	NA	5.0 U	10.0 U
MW-22-Screen-1	Apr/May 2012	DUPE-1-2Q12	2.0 U	5.00 U	5.0 U	NA
MW-22-Screen-1	Apr/May 2012	MW-22-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-1	Apr/May 2012	DUPE-1-2Q12	NA	NA	NA	10.0 U
MW-22-Screen-1	Aug/Sep 2012	MW-22-1	NA	NA	**0.6 J**	2.0 U
MW-22-Screen-1	Nov 2012	MW-22-1	NA	NA	**0.8 J**	2.0 U
MW-22-Screen-1	Jan/Feb 2013	MW-22-1	NA	NA	**1.7 J**	4.0 U
MW-22-Screen-1	Apr/May 2013	MW-22-1	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-22-Screen-1	Jul 2013	MW-22-1	NA	NA	**0.9 J**	2.0 U
MW-22-Screen-1	Oct/Nov 2013	MW-22-1	NA	NA	3.0 U	2.0 U
MW-22-Screen-1	Jan/Feb 2014	MW-22-1	NA	NA	**2.7 J**	2.0 U
MW-22-Screen-1	Apr/May 2014	MW-22-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-1	Jul/Aug 2014	MW-22-1	NA	NA	3.0 U	2.0 U
MW-22-Screen-1	Oct 2014	MW-22-1	NA	NA	**1.3 J**	2.0 U
MW-22-Screen-1	Jan/Feb 2015	MW-22-1	NA	NA	**0.9 J**	2.0 U
MW-22-Screen-1	Apr/May 2015	MW-22-1	2.0 U	1.00 U	**1.1 J**	2.0 U
MW-22-Screen-1	Jul/Aug 2015	MW-22-1	NA	NA	3.0 U	2.0 U
MW-22-Screen-1	Oct 2015	MW-22-1	NA	NA	0.5 U	1.0 U
MW-22-Screen-1	Jan/Feb 2016	MW-22-1	NA	NA	**0.7 J**	0.2 U
MW-22-Screen-1	Apr/May 2016	MW-22-1	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-22-Screen-1	Jul/Aug 2016	MW-22-1	NA	NA	**1.4 J**	2.0 U
MW-22-Screen-1	Oct 2016	MW-22-1	NA	NA	**2.3 J**	2.0 U
MW-22-Screen-1	Jan/Feb 2017	MW-22-1	NA	NA	3.0 U	2.0 U
MW-22-Screen-1	Apr/May 2017	MW-22-1	2.0 U	1.00 U	**1.2 J**	1.3 U
MW-22-Screen-1	Jul/Aug 2017	MW-22-1	NA	NA	2.5 U	2.0 U
MW-22-Screen-1	Oct-17	MW-22-1	NA	NA	**0.8 J**	2.0 U
MW-22-Screen-1	Jan/Feb 2018	MW-22-1	NA	NA	3.0 U	2.0 U
MW-22-Screen-1	Jan/Feb 2018	Dup-4-1Q18	NA	NA	3.0 U	2.0 U
MW-22-Screen-1	April 2018	MW-22-1	2.0 U	1.00 U	**1.0 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-1	Jul/Aug 2018	MW-22-1	NA	NA	3.0 U	**0.9 J**
MW-22-Screen-1	Oct 2018	MW-22-1	NA	NA	3.0 U	**0.9 J**
MW-22-Screen-1	Feb/Mar 2019	MW-22-1	NA	NA	3.0 U	**1.7 J**
MW-22-Screen-1	Apr/May 2019	MW-22-1	2.0 U	1.00 U	3.0 U	**0.75**
MW-22-Screen-1	Apr/May 2019	DUP-2-2Q19	2.0 U	1.00 U	**0.5 J**	**0.69**
MW-22-Screen-1	Jul/Aug 2019	MW-22-1	NA	NA	3.0 U	**0.56**
MW-22-Screen-1	Oct 2019	MW-22-1	NA	NA	3.0 U	**0.57**
MW-22-Screen-1	Feb 2020	MW-22-1	NA	NA	3.0 U	**0.36**
MW-22-Screen-1	Jun 2020	MW-22-1	2.0 U	1.00 U	**0.9 J**	**0.48**
MW-22-Screen-1	Aug 2020	MW-22-1	NA	NA	**0.6 J**	**0.84 J**
MW-22-Screen-1	Oct/Nov 2020	MW-22-1	NA	NA	3.0 U	**0.72**
MW-22-Screen-1	Mar/Apr 2021	MW-22-1	NA	NA	**0.6 J**	**0.90 J**
MW-22-Screen-1	May/June 2021	MW-22-1	2.0 U	1.00 U	**0.7 J**	**0.73**
MW-22-Screen-2						
MW-22-Screen-2	Sep/Oct 1997	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Jan/Feb 1998	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Apr/May 1998	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Jul/Aug 1998	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Oct/Nov 1998	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Feb/Mar 1999	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	May/Jun 1999	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Aug 1999	MW-22-2	NA	NA	10.0 U	5.0 U
MW-22-Screen-2	Nov/Dec 1999	MW-22-2	NA	NA	10.0 U	5.0 U
MW-22-Screen-2	Mar/Apr 2000	MW-22-2	NA	NA	10.0 U	5.0 U
MW-22-Screen-2	Jul/Aug 2000	MW-22-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-2	Sep/Oct 2000	MW-22-2	NA	NA	10.0 U	5.0 U
MW-22-Screen-2	Jan/Feb 2001	MW-22-2	**2.9 B**	1.00 U	**4.1 J**	10.0 U
MW-22-Screen-2	Apr 2001	MW-22-2	NA	NA	NA	10.0 U
MW-22-Screen-2	Jul 2001	MW-22-2	NA	NA	NA	NA U
MW-22-Screen-2	Jul 2001	MW-22-2	NA	NA	**2.6 J**	NA
MW-22-Screen-2	Oct 2001	MW-22-2	NA	NA	**6.2**	10.0 U
MW-22-Screen-2	Jan/Feb 2002	MW-22-2	5.0 U	1.00 U	**4.5 J**	10.0 U
MW-22-Screen-2	Apr/May 2002	MW-22-2	NA	NA	**8.0**	10.0 U
MW-22-Screen-2	Jul 2002	MW-22-2	NA	NA	**6.0**	NA U
MW-22-Screen-2	Oct/Nov 2002	MW-22-2	NA	NA	NA	10.0 U
MW-22-Screen-2	Jan/Feb 2003	MW-22-2	NA	NA	**3.5**	10.0 U
MW-22-Screen-2	Jan/Feb 2003	DUPE-5-1Q03	NA	NA	**3.2**	10.0 U
MW-22-Screen-2	Apr/May 2003	MW-22-2	5.0 U	1.00 U	0.6 UJ	10.0 U
MW-22-Screen-2	Jul/Aug 2003	MW-22-2	NA	NA	**2.7 J**	10.0 U
MW-22-Screen-2	Jul/Aug 2003	DUPE-5-3Q03	NA	NA	**2.5 J**	10.0 U
MW-22-Screen-2	Oct/Nov 2003	MW-22-2	NA	NA	0.9 UJ	10.0 U
MW-22-Screen-2	Feb 2004	MW-22-2	NA	NA	**4.7**	10.0 U
MW-22-Screen-2	Apr/May 2004	MW-22-2	5.0 UJ	0.12 U	**7.6**	10.0 U
MW-22-Screen-2	Jul/Aug 2004	MW-22-2	NA	NA	**9.8 J**	10.0 U
MW-22-Screen-2	Oct/Nov 2004	MW-22-2	NA	NA	**13.4 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-2	Jan/Feb 2005	MW-22-2	NA	NA	**4.6**	10.0 U
MW-22-Screen-2	Apr/May 2005	MW-22-2	5.0 U	**0.11 J**	**4.7**	10.0 U
MW-22-Screen-2	Jul/Sep 2005	MW-22-2	NA	NA	**7.2**	10.0 U
MW-22-Screen-2	Oct/Nov 2005	MW-22-2	NA	NA	**9.2**	10.0 U
MW-22-Screen-2	Mar/Apr 2006	MW-22-2	NA	NA	**2.8**	10.0 U
MW-22-Screen-2	May/Jun 2006	MW-22-2	**1.1 J**	1.00 U	**1.7 J**	10.0 U
MW-22-Screen-2	Aug/Sep 2006	MW-22-2	NA	NA	0.5 U	**8.0 J**
MW-22-Screen-2	Oct/Dec 2006	MW-22-2	NA	NA	**4.0**	10.0 U
MW-22-Screen-2	Mar/Apr 2007	MW-22-2	NA	NA	**8.5 J**	10.0 U
MW-22-Screen-2	Jun/Jul 2007	MW-22-2	**1.6**	1.00 U	**8.4 J**	10.0 U
MW-22-Screen-2	Aug/Sep 2007	MW-22-2	NA	NA	**13.6**	10.0 U
MW-22-Screen-2	Oct/Dec 2007	MW-22-2	NA	NA	**9.0**	10.0 U
MW-22-Screen-2	Jan/Feb 2008	MW-22-2	NA	NA	**8.7 E**	10.0 U
MW-22-Screen-2	Apr/May 2008	MW-22-2	**1.2**	1.00 U	**7.6**	10.0 U
MW-22-Screen-2	Jul/Aug 2008	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Oct/Nov 2008	DUPE-06-4Q08	NA	NA	5.0 U	NA
MW-22-Screen-2	Oct/Nov 2008	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Oct/Nov 2008	DUPE-06-4Q08	NA	NA	NA	10.0 U
MW-22-Screen-2	Jan/Feb 2009	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Apr/May 2009	MW-22-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-2	Jul/Aug 2009	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Nov/Dec 2009	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Feb 2010	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Apr/May 2010	MW-22-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-2	Jul/Aug 2010	DUPE-4-3Q10	NA	NA	NA	10.0 U
MW-22-Screen-2	Jul/Aug 2010	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Jul/Aug 2010	DUPE-4-3Q10	NA	NA	5.0 U	NA
MW-22-Screen-2	Oct/Nov 2010	MW-22-2	NA	NA	NA	10.0 U
MW-22-Screen-2	Oct/Nov 2010	DUPE-03-4Q10	NA	NA	NA	10.0 U
MW-22-Screen-2	Oct/Nov 2010	MW-22-2	NA	NA	5.0 U	NA
MW-22-Screen-2	Oct/Nov 2010	DUPE-03-4Q10	NA	NA	5.0 U	NA
MW-22-Screen-2	Feb/Mar 2011	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Apr/May 2011	MW-22-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-2	Aug/Sep 2011	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Nov/Dec 2011	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Jan/Feb 2012	MW-22-2	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Jan/Feb 2012	DUPE-4-1Q12	NA	NA	5.0 U	10.0 U
MW-22-Screen-2	Apr/May 2012	MW-22-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-2	Aug/Sep 2012	MW-22-2	NA	NA	**1.0 J**	**1.4 J**
MW-22-Screen-2	Nov 2012	MW-22-2	NA	NA	**1.4 J**	**1.4 J**
MW-22-Screen-2	Jan/Feb 2013	MW-22-2	NA	NA	**2.0 J**	2.0 U
MW-22-Screen-2	Apr/May 2013	MW-22-2	**0.9 J**	1.00 U	**1.7 J**	**0.8 J**
MW-22-Screen-2	Jul 2013	MW-22-2	NA	NA	**1.9 J**	**1.2 J**
MW-22-Screen-2	Oct/Nov 2013	MW-22-2	NA	NA	3.0 U	**1.2 J**
MW-22-Screen-2	Jan/Feb 2014	MW-22-2	NA	NA	**1.4 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-2	Apr/May 2014	MW-22-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-2	Jul/Aug 2014	MW-22-2	NA	NA	**1.0 J**	**1.6 J**
MW-22-Screen-2	Oct 2014	MW-22-2	NA	NA	**2.0 J**	**1.4 J**
MW-22-Screen-2	Jan/Feb 2015	MW-22-2	NA	NA	**2.0 J**	**1.3 J**
MW-22-Screen-2	Apr/May 2015	MW-22-2	**1.1 J**	1.00 U	**1.7 J**	**0.9 J**
MW-22-Screen-2	Jul/Aug 2015	MW-22-2	NA	NA	**1.6 J**	**1.4 J**
MW-22-Screen-2	Oct 2015	MW-22-2	NA	NA	**1.6 J**	2.0 U
MW-22-Screen-2	Jan/Feb 2016	MW-22-2	NA	NA	**1.9 J**	**1.8**
MW-22-Screen-2	Apr/May 2016	MW-22-2	**1.0 J**	1.00 U	**1.3 J**	**1.1 J**
MW-22-Screen-2	Jul/Aug 2016	MW-22-2	NA	NA	**2.2 J**	**1.0 J**
MW-22-Screen-2	Oct 2016	MW-22-2	NA	NA	**4.9**	**1.7 J**
MW-22-Screen-2	Jan/Feb 2017	MW-22-2	NA	NA	**2.2 J**	**1.5 J**
MW-22-Screen-2	Apr/May 2017	MW-22-2	2.0 U	1.00 U	**1.2 J**	1.1 U
MW-22-Screen-2	Apr/May 2017	DUP-3-2Q17	2.0 U	1.00 U	**1.4 J**	1.1 U
MW-22-Screen-2	Jul/Aug 2017	MW-22-2	NA	NA	**3.2**	**1.3 J**
MW-22-Screen-2	Oct-17	MW-22-2	NA	NA	**1.6 J**	**1.7 J**
MW-22-Screen-2	Jan/Feb 2018	MW-22-2	NA	NA	3.0 U	**2.4**
MW-22-Screen-2	April 2018	MW-22-2	2.0 U	1.00 U	**2.0 J**	**1.8 J**
MW-22-Screen-2	Jul/Aug 2018	MW-22-2	NA	NA	3.0 U	**2.0**
MW-22-Screen-2	Oct 2018	MW-22-2	NA	NA	3.0 U	**2.4**
MW-22-Screen-2	Feb/Mar 2019	MW-22-2	NA	NA	3.0 U	**2.2**
MW-22-Screen-2	Apr/May 2019	MW-22-2	2.0 U	1.00 U	3.0 U	**0.26**
MW-22-Screen-2	Jul/Aug 2019	MW-22-2	NA	NA	3.0 U	**0.54**
MW-22-Screen-2	Oct 2019	MW-22-2	NA	NA	**1.6 J**	**1.60**
MW-22-Screen-2	Oct 2019	DUP-4-4Q19	NA	NA	**0.8 J**	**0.92**
MW-22-Screen-2	Feb 2020	MW-22-2	NA	NA	**1.6 J**	**1.80**
MW-22-Screen-2	Jun 2020	MW-22-2	2.0 U	1.00 U	**1.4 J**	**1.30**
MW-22-Screen-2	Aug 2020	MW-22-2	NA	NA	**1.4 J**	**1.90**
MW-22-Screen-2	Aug 2020	DUP-3-3Q20	NA	NA	**1.8 J**	**1.90 J**
MW-22-Screen-2	Oct/Nov 2020	MW-22-2	NA	NA	**1.2 J**	**1.80**
MW-22-Screen-2	Mar/Apr 2021	MW-22-2	NA	NA	**1.6 J**	**1.90 J**
MW-22-Screen-2	May/June 2021	MW-22-2	2.0 U	1.00 U	**1.5 J**	**2.10**
MW-22-Screen-3						
MW-22-Screen-3	Sep/Oct 1997	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Jan/Feb 1998	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Apr/May 1998	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Jul/Aug 1998	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Oct/Nov 1998	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Feb/Mar 1999	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	May/Jun 1999	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Nov/Dec 1999	MW-22-3	NA	NA	10.0 U	5.0 U
MW-22-Screen-3	Jul/Aug 2000	MW-22-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-3	Jan/Feb 2001	MW-22-3	**2.7 B**	1.00 U	**5.6**	10.0 U
MW-22-Screen-3	Jan/Feb 2002	MW-22-3	**1.8 B**	1.00 U	**4.9 J**	10.0 U
MW-22-Screen-3	Jan/Feb 2003	MW-22-3	NA	NA	**3.6**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-3	Apr/May 2003	MW-22-3	5.0 U	1.00 U	0.8 UJ	10.0 U
MW-22-Screen-3	Jul/Aug 2003	MW-22-3	NA	NA	**2.9 J**	10.0 U
MW-22-Screen-3	Oct/Nov 2003	MW-22-3	NA	NA	**3.2 J**	10.0 U
MW-22-Screen-3	Feb 2004	MW-22-3	NA	NA	**6.6**	10.0 U
MW-22-Screen-3	Apr/May 2004	MW-22-3	5.0 UJ	0.12 U	**8.5**	10.0 U
MW-22-Screen-3	Jul/Aug 2004	MW-22-3	NA	NA	**10.0 J**	10.0 U
MW-22-Screen-3	Oct/Nov 2004	MW-22-3	NA	NA	**13.2 J**	10.0 U
MW-22-Screen-3	Jan/Feb 2005	MW-22-3	NA	NA	**4.8**	10.0 U
MW-22-Screen-3	Apr/May 2005	DUPE-5-2Q05	5.0 U	**0.05 J**	**5.3**	10.0 U
MW-22-Screen-3	Apr/May 2005	MW-22-3	5.0 U	**0.04 J**	**5.0**	10.0 U
MW-22-Screen-3	Jul/Sep 2005	DUPE-5-3Q05	NA	NA	**7.7**	10.0 U
MW-22-Screen-3	Jul/Sep 2005	MW-22-3	NA	NA	**8.2**	10.0 U
MW-22-Screen-3	Oct/Nov 2005	MW-22-3	NA	NA	**9.2**	10.0 U
MW-22-Screen-3	Mar/Apr 2006	MW-22-3	NA	NA	**3.0**	10.0 U
MW-22-Screen-3	May/Jun 2006	MW-22-3	1.0 U	1.00 U	**2.0 J**	10.0 U
MW-22-Screen-3	Aug/Sep 2006	MW-22-3	NA	NA	0.5 U	10.0 U
MW-22-Screen-3	Oct/Dec 2006	MW-22-3	NA	NA	**4.0**	10.0 U
MW-22-Screen-3	Mar/Apr 2007	DUPE-6-1Q07	NA	NA	**8.0 J**	NA
MW-22-Screen-3	Mar/Apr 2007	MW-22-3	NA	NA	**9.6 J**	10.0 U
MW-22-Screen-3	Mar/Apr 2007	DUPE-6-1Q07	NA	NA	NA	10.0 U
MW-22-Screen-3	Jun/Jul 2007	MW-22-3	**1.3**	1.00 U	**9.0 J**	10.0 U
MW-22-Screen-3	Aug/Sep 2007	MW-22-3	NA	NA	**14.7**	10.0 U
MW-22-Screen-3	Oct/Dec 2007	MW-22-3	NA	NA	**9.7**	**6.0 J**
MW-22-Screen-3	Jan/Feb 2008	MW-22-3	NA	NA	**9.8 E**	10.0 U
MW-22-Screen-3	Apr/May 2008	MW-22-3	**1.0**	1.00 U	**8.2**	10.0 U
MW-22-Screen-3	Jul/Aug 2008	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Oct/Nov 2008	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Jan/Feb 2009	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Apr/May 2009	MW-22-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-3	Jul/Aug 2009	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Nov/Dec 2009	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Feb 2010	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Apr/May 2010	MW-22-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-3	Jul/Aug 2010	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Oct/Nov 2010	MW-22-3	NA	NA	NA	10.0 U
MW-22-Screen-3	Oct/Nov 2010	MW-22-3	NA	NA	5.0 U	NA
MW-22-Screen-3	Feb/Mar 2011	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Apr/May 2011	MW-22-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-3	Aug/Sep 2011	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Nov/Dec 2011	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Jan/Feb 2012	MW-22-3	NA	NA	5.0 U	10.0 U
MW-22-Screen-3	Apr/May 2012	MW-22-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-3	Aug/Sep 2012	MW-22-3	NA	NA	**0.5 J**	**1.8 J**
MW-22-Screen-3	Nov 2012	MW-22-3	NA	NA	**2.3 J**	**1.9 J**
MW-22-Screen-3	Jan/Feb 2013	MW-22-3	NA	NA	**2.5 J**	**1.0 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-3	Apr/May 2013	DUP-3-2Q13	2.0 U	1.00 U	**2.0 J**	**1.3 J**
MW-22-Screen-3	Apr/May 2013	MW-22-3	2.0 U	1.00 U	**2.1 J**	**1.5 J**
MW-22-Screen-3	Jul 2013	MW-22-3	NA	NA	**2.7 J**	**1.7 J**
MW-22-Screen-3	Oct/Nov 2013	MW-22-3	NA	NA	3.0 U	**2.0**
MW-22-Screen-3	Jan/Feb 2014	MW-22-3	NA	NA	**1.4 J**	2.0 U
MW-22-Screen-3	Apr/May 2014	MW-22-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-3	Jul/Aug 2014	MW-22-3	NA	NA	**1.4 J**	**2.2**
MW-22-Screen-3	Oct 2014	MW-22-3	NA	NA	**2.5 J**	**1.9 J**
MW-22-Screen-3	Jan/Feb 2015	MW-22-3	NA	NA	**1.6 J**	**1.5 J**
MW-22-Screen-3	Apr/May 2015	MW-22-3	**1.3 J**	1.00 U	**2.4 J**	**1.3 J**
MW-22-Screen-3	Jul/Aug 2015	MW-22-3	NA	NA	**1.9 J**	**1.8 J**
MW-22-Screen-3	Oct 2015	MW-22-3	NA	NA	**1.9 J**	3.0 U
MW-22-Screen-3	Jan/Feb 2016	MW-22-3	NA	NA	**2.2 J**	**2.4**
MW-22-Screen-3	Apr/May 2016	MW-22-3	**1.1 J**	1.00 U	**1.5 J**	**2.9**
MW-22-Screen-3	Jul/Aug 2016	MW-22-3	NA	NA	**2.4 J**	**1.0 J**
MW-22-Screen-3	Oct 2016	MW-22-3	NA	NA	**8.2**	**3.1**
MW-22-Screen-3	Oct 2016	DUP-3-4Q16	NA	NA	**3.3**	**2.7**
MW-22-Screen-3	Jan/Feb 2017	MW-22-3	NA	NA	**1.7 J**	**1.9 J**
MW-22-Screen-3	Apr/May 2017	MW-22-3	**1.2 J**	1.00 U	**2.7 J**	2.8 U
MW-22-Screen-3	Jul/Aug 2017	MW-22-3	NA	NA	**3.1**	**2.3**
MW-22-Screen-3	Oct-17	MW-22-3	NA	NA	**2.4 J**	**2.4**
MW-22-Screen-3	Oct-17	DUP-4-4Q17	NA	NA	**2.4 J**	**2.5**
MW-22-Screen-3	Jan/Feb 2018	MW-22-3	NA	NA	3.0 U	**2.8**
MW-22-Screen-3	April 2018	MW-22-3	2.0 U	1.00 U	**2.2 J**	**2.0**
MW-22-Screen-3	April 2018	DUP-3-2Q18	2.0 U	1.00 U	**2.6 J**	**1.6 J**
MW-22-Screen-3	Jul/Aug 2018	MW-22-3	NA	NA	3.0 U	**1.9 J**
MW-22-Screen-3	Oct 2018	MW-22-3	NA	NA	3.0 U	**1.8 J**
MW-22-Screen-3	Feb/Mar 2019	MW-22-3	NA	NA	3.0 U	**1.9 J**
MW-22-Screen-3	Apr/May 2019	MW-22-3	**0.9 J**	1.00 U	**0.5 J**	**0.90**
MW-22-Screen-3	Jul/Aug 2019	MW-22-3	NA	NA	3.0 U	**1.20**
MW-22-Screen-3	Oct 2019	MW-22-3	NA	NA	**1.2 J**	**0.94**
MW-22-Screen-3	Feb 2020	MW-22-3	NA	NA	**2.0 J**	**2.00**
MW-22-Screen-3	Jun 2020	MW-22-3	2.0 U	1.00 U	**1.0 J**	**0.75**
MW-22-Screen-3	Aug 2020	MW-22-3	NA	NA	3.0 U	**0.54**
MW-22-Screen-3	Oct/Nov 2020	MW-22-3	NA	NA	**1.4 J**	**2.50**
MW-22-Screen-3	Mar/Apr 2021	MW-22-3	NA	NA	**1.9 J**	**2.30 J**
MW-22-Screen-3	Mar/Apr 2021	DUP-3-1Q21	NA	NA	**1.6 J**	**2.30 J**
MW-22-Screen-3	May/June 2021	MW-22-3	2.0 U	1.00 U	**1.6 J**	**1.30**
MW-22-Screen-4						
MW-22-Screen-4	Sep/Oct 1997	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Jan/Feb 1998	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Apr/May 1998	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Jul/Aug 1998	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Oct/Nov 1998	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Feb/Mar 1999	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-4	May/Jun 1999	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Nov/Dec 1999	MW-22-4	NA	NA	10.0 U	5.0 U
MW-22-Screen-4	Jul/Aug 2000	MW-22-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-4	Jan/Feb 2001	MW-22-4	**2.3 B**	1.00 U	**4.9 J**	10.0 U
MW-22-Screen-4	Jan/Feb 2002	MW-22-4	**1.6 B**	1.00 U	**4.5 J**	10.0 U
MW-22-Screen-4	Apr/May 2003	MW-22-4	5.0 U	1.00 U	**2.4 J**	10.0 U
MW-22-Screen-4	Oct/Nov 2003	MW-22-4	NA	NA	**3.1 J**	10.0 U
MW-22-Screen-4	Apr/May 2004	MW-22-4	3.0 UJ	0.12 U	**8.1**	10.0 U
MW-22-Screen-4	Oct/Nov 2004	MW-22-4	NA	NA	**12.6 J**	10.0 U
MW-22-Screen-4	Apr/May 2005	MW-22-4	5.0 U	**0.10 J**	**3.1**	10.0 U
MW-22-Screen-4	Oct/Nov 2005	MW-22-4	NA	NA	**9.1**	10.0 U
MW-22-Screen-4	May/Jun 2006	MW-22-4	**1.2 J**	1.00 U	**2.9 J**	10.0 U
MW-22-Screen-4	Oct/Dec 2006	MW-22-4	NA	NA	**3.1**	10.0 U
MW-22-Screen-4	Jun/Jul 2007	MW-22-4	**1.4**	1.00 U	**9.0 J**	10.0 U
MW-22-Screen-4	Oct/Dec 2007	MW-22-4	NA	NA	**9.7**	**8.0 J**
MW-22-Screen-4	Apr/May 2008	MW-22-4	**1.2**	1.00 U	**8.2**	10.0 U
MW-22-Screen-4	Oct/Nov 2008	MW-22-4	NA	NA	5.0 U	10.0 U
MW-22-Screen-4	Apr/May 2009	MW-22-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-4	Nov/Dec 2009	DUPE-04-4Q09	NA	NA	NA	10.0 U
MW-22-Screen-4	Nov/Dec 2009	MW-22-4	NA	NA	5.0 U	10.0 U
MW-22-Screen-4	Nov/Dec 2009	DUPE-04-4Q09	NA	NA	5.0 U	NA
MW-22-Screen-4	Apr/May 2010	MW-22-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-4	Oct/Nov 2010	MW-22-4	NA	NA	NA	10.0 U
MW-22-Screen-4	Oct/Nov 2010	MW-22-4	NA	NA	5.0 U	NA
MW-22-Screen-4	Apr/May 2011	MW-22-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-4	Nov/Dec 2011	DUPE-6-4Q11	NA	NA	NA	10.0 U
MW-22-Screen-4	Nov/Dec 2011	MW-22-4	NA	NA	5.0 U	10.0 U
MW-22-Screen-4	Nov/Dec 2011	DUPE-6-4Q11	NA	NA	5.0 U	NA
MW-22-Screen-4	Apr/May 2012	MW-22-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-4	Nov 2012	MW-22-4	NA	NA	**2.5 J**	**2.0**
MW-22-Screen-4	Apr/May 2013	MW-22-4	**1.0 J**	1.00 U	**2.2 J**	**1.4 J**
MW-22-Screen-4	Oct/Nov 2013	MW-22-4	NA	NA	3.0 U	**1.7 J**
MW-22-Screen-4	Apr/May 2014	MW-22-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-4	Oct 2014	MW-22-4	NA	NA	**2.3 J**	**1.9 J**
MW-22-Screen-4	Apr/May 2015	MW-22-4	**1.1 J**	1.00 U	**2.0 J**	**1.2 J**
MW-22-Screen-4	Apr/May 2015	DUP-3-2Q15	**1.2 J**	1.00 U	**2.7 J**	**1.4 J**
MW-22-Screen-4	Oct 2015	MW-22-4	NA	NA	**1.9 J**	3.0 U
MW-22-Screen-4	Apr/May 2016	MW-22-4	**1.0 J**	1.00 U	**1.6 J**	**1.8 J**
MW-22-Screen-4	Oct 2016	MW-22-4	NA	NA	**3.5**	**2.9**
MW-22-Screen-4	Apr/May 2017	MW-22-4	**0.8 J**	1.00 U	**2.9 J**	2.9 U
MW-22-Screen-4	Oct-17	MW-22-4	NA	NA	**2.4 J**	**2.5**
MW-22-Screen-4	April 2018	MW-22-4	2.0 U	1.00 U	**3.1**	**2.6**
MW-22-Screen-4	Oct 2018	MW-22-4	NA	NA	3.0 U	**3.0**
MW-22-Screen-4	Apr/May 2019	MW-22-4	**0.9 J**	1.00 U	**2.0 J**	**2.40**
MW-22-Screen-4	Oct 2019	MW-22-4	NA	NA	**2.3 J**	**2.50**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-4	Jun 2020	MW-22-4	2.0 U	1.00 U	**2.8 J**	**2.50**
MW-22-Screen-4	Oct/Nov 2020	MW-22-4	NA	NA	**2.0 J**	**2.90**
MW-22-Screen-4	May/June 2021	MW-22-4	**0.7 J**	1.00 U	**2.6 J**	**1.70**
MW-22-Screen-5						
MW-22-Screen-5	Sep/Oct 1997	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Jan/Feb 1998	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Apr/May 1998	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Jul/Aug 1998	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Oct/Nov 1998	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Feb/Mar 1999	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	May/Jun 1999	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Nov/Dec 1999	MW-22-5	NA	NA	10.0 U	5.0 U
MW-22-Screen-5	Jul/Aug 2000	MW-22-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-22-Screen-5	Jan/Feb 2001	MW-22-5	**3.9 B**	1.00 U	**1.9 J**	10.0 U
MW-22-Screen-5	Jan/Feb 2002	MW-22-5	**1.8 B**	**0.04 J**	**1.9 J**	10.0 U
MW-22-Screen-5	Apr/May 2003	MW-22-5	5.0 U	1.00 U	1.0 UJ	10.0 U
MW-22-Screen-5	Oct/Nov 2003	MW-22-5	NA	NA	0.7 UJ	10.0 U
MW-22-Screen-5	Apr/May 2004	MW-22-5	2.7 UJ	0.02 U	**2.6 J**	**4.0 J**
MW-22-Screen-5	Apr/May 2004	DUPE-2-2Q04	5.0 UJ	0.04 U	**4.6 J**	**4.0 J**
MW-22-Screen-5	Oct/Nov 2004	MW-22-5	NA	NA	**7.0 J**	10.0 U
MW-22-Screen-5	Apr/May 2005	MW-22-5	5.0 U	**0.07 J**	**2.0**	10.0 U
MW-22-Screen-5	Oct/Nov 2005	MW-22-5	NA	NA	**4.0**	10.0 U
MW-22-Screen-5	May/Jun 2006	MW-22-5	1.0 U	1.00 U	1.0 U	10.0 U
MW-22-Screen-5	Oct/Dec 2006	MW-22-5	NA	NA	1.0 U	10.0 U
MW-22-Screen-5	Jun/Jul 2007	MW-22-5	1.0 U	1.00 U	**2.8**	10.0 U
MW-22-Screen-5	Oct/Dec 2007	MW-22-5	NA	NA	**3.4**	10.0 U
MW-22-Screen-5	Apr/May 2008	MW-22-5	1.0 U	1.00 U	**2.7**	10.0 U
MW-22-Screen-5	Oct/Nov 2008	MW-22-5	NA	NA	5.0 U	10.0 U
MW-22-Screen-5	Apr/May 2009	MW-22-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-5	Nov/Dec 2009	MW-22-5	NA	NA	5.0 U	10.0 U
MW-22-Screen-5	Apr/May 2010	MW-22-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-5	Oct/Nov 2010	MW-22-5	NA	NA	NA	10.0 U
MW-22-Screen-5	Oct/Nov 2010	MW-22-5	NA	NA	5.0 U	NA
MW-22-Screen-5	Apr/May 2011	MW-22-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-5	Nov/Dec 2011	MW-22-5	NA	NA	5.0 U	10.0 U
MW-22-Screen-5	Apr/May 2012	MW-22-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-22-Screen-5	Nov 2012	MW-22-5	NA	NA	3.0 U	2.0 U
MW-22-Screen-5	Apr/May 2013	MW-22-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-5	Oct/Nov 2013	MW-22-5	NA	NA	3.0 U	2.0 U
MW-22-Screen-5	Apr/May 2014	MW-22-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-5	Oct 2014	MW-22-5	NA	NA	3.0 U	2.0 U
MW-22-Screen-5	Apr/May 2015	MW-22-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-5	Oct 2015	MW-22-5	NA	NA	**0.5 J**	1.0 U
MW-22-Screen-5	Apr/May 2016	MW-22-5	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-22-Screen-5	Oct 2016	MW-22-5	NA	NA	**1.9 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-22-Screen-5	Apr/May 2017	MW-22-5	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-22-Screen-5	Oct-17	MW-22-5	NA	NA	3.0 U	2.0 U
MW-22-Screen-5	April 2018	MW-22-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-22-Screen-5	Oct 2018	MW-22-5	NA	NA	3.0 U	2.0 U
MW-22-Screen-5	Apr/May 2019	MW-22-5	2.0 U	1.00 U	3.0 U	0.20 U
MW-22-Screen-5	Oct 2019	MW-22-5	NA	NA	3.0 U	**0.11 J**
MW-22-Screen-5	Jun 2020	MW-22-5	2.0 U	1.00 U	3.0 U	**0.09 J**
MW-22-Screen-5	Oct/Nov 2020	MW-22-5	NA	NA	3.0 U	0.20 U
MW-22-Screen-5	May/June 2021	MW-22-5	2.0 U	**0.11 J**	3.0 U	**0.20**
MW-23-Screen-1						
MW-23-Screen-1	Sep/Oct 1997	MW-23-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-1	Jan/Feb 1998	MW-23-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-1	Jul/Aug 1998	MW-23-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-1	Oct/Nov 1998	MW-23-1	5.0 U	2.00 U	**10.0**	5.0 U
MW-23-Screen-1	Feb/Mar 1999	MW-23-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-1	May/Jun 1999	MW-23-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-1	Aug 1999	MW-23-1	NA	NA	10.0 U	5.0 U
MW-23-Screen-1	Nov/Dec 1999	MW-23-1	NA	NA	10.0 U	5.0 U
MW-23-Screen-1	Mar/Apr 2000	MW-23-1	NA	NA	10.0 U	5.0 U
MW-23-Screen-1	Jul/Aug 2000	MW-23-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-1	Sep/Oct 2000	MW-23-1	NA	NA	10.0 U	5.0 U
MW-23-Screen-1	Jan/Feb 2001	MW-23-1	5.0 U	1.00 U	**6.2**	10.0 U
MW-23-Screen-1	Apr 2001	MW-23-1	NA	NA	NA	10.0 U
MW-23-Screen-1	Jul 2001	MW-23-1	NA	NA	NA	NA U
MW-23-Screen-1	Jul 2001	MW-23-1	NA	NA	**3.5 J**	NA
MW-23-Screen-1	Oct 2001	MW-23-1	NA	NA	**6.7**	10.0 U
MW-23-Screen-1	Jan/Feb 2002	MW-23-1	**1.8 B**	1.00 U	**6.2**	10.0 U
MW-23-Screen-1	Apr/May 2002	MW-23-1	NA	NA	**7.0**	10.0 U
MW-23-Screen-1	Jul 2002	MW-23-1	NA	NA	**3.0**	NA U
MW-23-Screen-1	Oct/Nov 2002	MW-23-1	NA	NA	NA	10.0 U
MW-23-Screen-1	Jan/Feb 2003	MW-23-1	NA	NA	**3.4**	10.0 U
MW-23-Screen-1	Apr/May 2003	MW-23-1	5.0 U	1.00 U	**4.4**	10.0 U
MW-23-Screen-1	Jul/Aug 2003	MW-23-1	NA	NA	**4.2 J**	10.0 U
MW-23-Screen-1	Oct/Nov 2003	MW-23-1	NA	NA	**4.6 J**	10.0 U
MW-23-Screen-1	Feb 2004	MW-23-1	NA	NA	**8.1**	10.0 U
MW-23-Screen-1	Apr/May 2004	MW-23-1	5.0 U	0.02 U	**11.9**	10.0 U
MW-23-Screen-1	Jul/Aug 2004	MW-23-1	NA	NA	**15.2**	10.0 U
MW-23-Screen-1	Oct/Nov 2004	MW-23-1	NA	NA	**16.4 J**	10.0 U
MW-23-Screen-1	Jan/Feb 2005	MW-23-1	NA	NA	**6.5**	10.0 U
MW-23-Screen-1	Apr/May 2005	MW-23-1	5.0 U	**0.04 J**	**1.3**	10.0 U
MW-23-Screen-1	Jul/Sep 2005	MW-23-1	NA	NA	**0.9 J**	10.0 U
MW-23-Screen-1	Oct/Nov 2005	MW-23-1	NA	NA	**11.1**	10.0 U
MW-23-Screen-1	Mar/Apr 2006	MW-23-1	NA	NA	**1.1**	10.0 U
MW-23-Screen-1	May/Jun 2006	DUPE-6-2Q06	1.0 U	1.00 U	**1.2**	NA
MW-23-Screen-1	May/Jun 2006	MW-23-1	1.0 U	1.00 U	**1.5**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-1	May/Jun 2006	DUPE-6-2Q06	NA	NA	NA	10.0 U
MW-23-Screen-1	Aug/Sep 2006	MW-23-1	NA	NA	0.5 U	20.0 U
MW-23-Screen-1	Oct/Dec 2006	MW-23-1	NA	NA	**2.1**	10.0 U
MW-23-Screen-1	Mar/Apr 2007	MW-23-1	NA	NA	**2.8**	10.0 U
MW-23-Screen-1	Jun/Jul 2007	MW-23-1	1.0 U	1.00 U	**3.2 J**	10.0 U
MW-23-Screen-1	Aug/Sep 2007	MW-23-1	NA	NA	**19.8**	10.0 U
MW-23-Screen-1	Oct/Dec 2007	MW-23-1	NA	NA	**1.5 E**	**6.0 J**
MW-23-Screen-1	Jan/Feb 2008	MW-23-1	NA	NA	**8.2 E**	10.0 U
MW-23-Screen-1	Apr/May 2008	MW-23-1	**1.0 J**	1.00 U	**5.4**	10.0 U
MW-23-Screen-1	Jul/Aug 2008	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Oct/Nov 2008	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Jan/Feb 2009	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Apr/May 2009	MW-23-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-1	Jul/Aug 2009	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Nov/Dec 2009	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Feb 2010	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Apr/May 2010	MW-23-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-1	Jul/Aug 2010	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Oct/Nov 2010	DUPE-07-4Q10	NA	NA	NA	10.0 U
MW-23-Screen-1	Oct/Nov 2010	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Oct/Nov 2010	DUPE-07-4Q10	NA	NA	5.0 U	NA
MW-23-Screen-1	Feb/Mar 2011	MW-23-1	NA	NA	**7.2**	10.0 U
MW-23-Screen-1	Apr/May 2011	MW-23-1	2.0 U	5.00 U	**7.6**	10.0 U
MW-23-Screen-1	Aug/Sep 2011	MW-23-1	NA	NA	**7.2**	10.0 U
MW-23-Screen-1	Nov/Dec 2011	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Jan/Feb 2012	MW-23-1	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Jan/Feb 2012	DUPE-3-1Q12	NA	NA	5.0 U	10.0 U
MW-23-Screen-1	Apr/May 2012	DUPE-3-2Q12	2.0 U	5.00 U	5.0 U	NA
MW-23-Screen-1	Apr/May 2012	MW-23-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-1	Apr/May 2012	DUPE-3-2Q12	NA	NA	NA	10.0 U
MW-23-Screen-1	Aug/Sep 2012	MW-23-1	NA	NA	3.0 U	2.0 U
MW-23-Screen-1	Nov 2012	MW-23-1	NA	NA	**7.5**	2.0 U
MW-23-Screen-1	Jan/Feb 2013	MW-23-1	NA	NA	**1.6 J**	2.0 U
MW-23-Screen-1	Apr/May 2013	MW-23-1	2.0 U	1.00 U	**2.7 J**	2.0 U
MW-23-Screen-1	Jul 2013	MW-23-1	NA	NA	**7.0**	2.0 U
MW-23-Screen-1	Oct/Nov 2013	MW-23-1	NA	NA	**2.0 J**	2.0 U
MW-23-Screen-1	Jan/Feb 2014	MW-23-1	NA	NA	**1.6 J**	2.0 U
MW-23-Screen-1	Apr/May 2014	MW-23-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-23-Screen-1	Jul/Aug 2014	MW-23-1	NA	NA	**1.2 J**	**1.1 J**
MW-23-Screen-1	Oct 2014	MW-23-1	NA	NA	**0.7 J**	**0.8 J**
MW-23-Screen-1	Jan/Feb 2015	MW-23-1	NA	NA	**1.0 J**	**1.6 J**
MW-23-Screen-1	Apr/May 2015	MW-23-1	2.0 U	1.00 U	**1.3 J**	2.0 U
MW-23-Screen-1	Jul/Aug 2015	MW-23-1	NA	NA	**1.7 J**	2.0 U
MW-23-Screen-1	Oct 2015	MW-23-1	NA	NA	**1.5 J**	2.0 U
MW-23-Screen-1	Oct 2015	DUP-5-4Q15	NA	NA	**0.9 J**	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-1	Jan/Feb 2016	MW-23-1	NA	NA	0.9 U	2.0 U
MW-23-Screen-1	Apr/May 2016	MW-23-1	4.0 U	2.00 U	6.0 U	2.0 U
MW-23-Screen-1	Apr/May 2016	MW-23-1	2.0 U	1.00 U	**0.6 J**	2.0 U
MW-23-Screen-1	Jul/Aug 2016	MW-23-1	NA	NA	**0.7 J**	**1.0 J**
MW-23-Screen-1	Jul/Aug 2016	DUP-6-3Q16	NA	NA	**0.8 J**	**1.0 J**
MW-23-Screen-1	Oct 2016	MW-23-1	NA	NA	**2.1 J**	**1.1 J**
MW-23-Screen-1	Jan/Feb 2017	MW-23-1	NA	NA	3.8 U	2.0 U
MW-23-Screen-1	Apr/May 2017	MW-23-1	2.0 U	1.00 U	**1.6 J**	2.0 U
MW-23-Screen-1	Jul/Aug 2017	MW-23-1	NA	NA	**2.0 J**	2.0 U
MW-23-Screen-1	Oct-17	MW-23-1	NA	NA	**0.9 J**	2.0 U
MW-23-Screen-1	Jan/Feb 2018	MW-23-1	NA	NA	3.0 U	**0.7 J**
MW-23-Screen-1	April 2018	MW-23-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-23-Screen-1	Jul/Aug 2018	MW-23-1	NA	NA	**1.3 J**	2.0 U
MW-23-Screen-1	Jul/Aug 2018	Dup-4-3Q18	NA	NA	**1.5 J**	**1.1 J**
MW-23-Screen-1	Oct 2018	MW-23-1	NA	NA	3.0 U	**1.6 J**
MW-23-Screen-1	Feb/Mar 2019	MW-23-1	NA	NA	3.0 U	2.0 U
MW-23-Screen-1	Apr/May 2019	MW-23-1	**0.8 J**	1.00 U	3.0 U	**0.49**
MW-23-Screen-1	Jul/Aug 2019	MW-23-1	NA	NA	**0.7 J**	**0.15 J**
MW-23-Screen-1	Oct 2019	MW-23-1	NA	NA	**0.6 J**	**0.44**
MW-23-Screen-1	Feb 2020	MW-23-1	NA	NA	**0.6 J**	**0.18 J**
MW-23-Screen-1	Jun 2020	MW-23-1	2.0 U	1.00 U	3.0 U	**0.58**
MW-23-Screen-1	Aug 2020	MW-23-1	NA	NA	**0.6 J**	**1.00**
MW-23-Screen-1	Oct/Nov 2020	MW-23-1	NA	NA	**1.3 J**	**1.30**
MW-23-Screen-2						
MW-23-Screen-2	Sep/Oct 1997	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	Jan/Feb 1998	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	Jul/Aug 1998	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	Oct/Nov 1998	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	Feb/Mar 1999	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	May/Jun 1999	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	Aug 1999	MW-23-2	NA	NA	10.0 U	5.0 U
MW-23-Screen-2	Nov/Dec 1999	MW-23-2	NA	NA	10.0 U	5.0 U
MW-23-Screen-2	Mar/Apr 2000	MW-23-2	NA	NA	10.0 U	5.0 U
MW-23-Screen-2	Jul/Aug 2000	MW-23-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-2	Sep/Oct 2000	MW-23-2	NA	NA	10.0 U	5.0 U
MW-23-Screen-2	Jan/Feb 2001	MW-23-2	**2.7 B**	1.00 U	**5.6**	10.0 U
MW-23-Screen-2	Apr 2001	MW-23-2	NA	NA	NA	10.0 U
MW-23-Screen-2	Jul 2001	MW-23-2	NA	NA	NA	NA U
MW-23-Screen-2	Jul 2001	MW-23-2	NA	NA	**4.3 J**	NA
MW-23-Screen-2	Oct 2001	MW-23-2	NA	NA	**7.4**	10.0 U
MW-23-Screen-2	Jan/Feb 2002	MW-23-2	5.0 U	**0.14 J**	**4.7 J**	10.0 U
MW-23-Screen-2	Apr/May 2002	MW-23-2	NA	NA	**9.0**	10.0 U
MW-23-Screen-2	Jul 2002	MW-23-2	NA	NA	**7.0**	NA U
MW-23-Screen-2	Oct/Nov 2002	MW-23-2	NA	NA	NA	10.0 U
MW-23-Screen-2	Jan/Feb 2003	MW-23-2	NA	NA	**3.8**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-2	Apr/May 2003	MW-23-2	5.0 U	1.00 U	**2.9**	10.0 U
MW-23-Screen-2	Jul/Aug 2003	MW-23-2	NA	NA	**3.9 J**	10.0 U
MW-23-Screen-2	Oct/Nov 2003	MW-23-2	NA	NA	**3.5 J**	10.0 U
MW-23-Screen-2	Feb 2004	MW-23-2	NA	NA	**5.9**	10.0 U
MW-23-Screen-2	Apr/May 2004	MW-23-2	2.5 U	**0.004 J**	**9.8**	**5.0 J**
MW-23-Screen-2	Jul/Aug 2004	MW-23-2	NA	NA	**14.1**	10.0 U
MW-23-Screen-2	Oct/Nov 2004	MW-23-2	NA	NA	**14.1 J**	10.0 U
MW-23-Screen-2	Jan/Feb 2005	MW-23-2	NA	NA	**5.0**	10.0 U
MW-23-Screen-2	Apr/May 2005	MW-23-2	5.0 U	**0.02 J**	**6.0**	10.0 U
MW-23-Screen-2	Jul/Sep 2005	MW-23-2	NA	NA	**10.7**	10.0 U
MW-23-Screen-2	Oct/Nov 2005	MW-23-2	NA	NA	**9.3**	10.0 U
MW-23-Screen-2	Mar/Apr 2006	MW-23-2	NA	NA	**1.6**	10.0 U
MW-23-Screen-2	Mar/Apr 2006	DUPE-5-1Q06	NA	NA	**1.7**	10.0 U
MW-23-Screen-2	May/Jun 2006	MW-23-2	1.0 U	1.00 U	**2.2**	10.0 U
MW-23-Screen-2	Aug/Sep 2006	DUPE-2-3Q06	NA	NA	0.5 U	NA
MW-23-Screen-2	Aug/Sep 2006	MW-23-2	NA	NA	0.5 U	10.0 U
MW-23-Screen-2	Aug/Sep 2006	DUPE-2-3Q06	NA	NA	NA	10.0 U
MW-23-Screen-2	Oct/Dec 2006	MW-23-2	NA	NA	2.0 U	10.0 U
MW-23-Screen-2	Mar/Apr 2007	MW-23-2	NA	NA	**2.0 J**	10.0 U
MW-23-Screen-2	Jun/Jul 2007	MW-23-2	1.0 U	1.00 U	**8.4 J**	10.0 U
MW-23-Screen-2	Aug/Sep 2007	DUPE-2-3Q07	NA	NA	NA	10.0 U
MW-23-Screen-2	Aug/Sep 2007	MW-23-2	NA	NA	**14.6**	10.0 U
MW-23-Screen-2	Aug/Sep 2007	DUPE-2-3Q07	NA	NA	**14.7**	NA
MW-23-Screen-2	Oct/Dec 2007	MW-23-2	NA	NA	**9.3 E**	**10.0**
MW-23-Screen-2	Jan/Feb 2008	MW-23-2	NA	NA	**6.0 E**	10.0 U
MW-23-Screen-2	Apr/May 2008	DUPE-3-2Q08	**1.0 J**	1.00 U	**6.6**	NA
MW-23-Screen-2	Apr/May 2008	MW-23-2	**1.0 J**	1.00 U	**6.9**	10.0 U
MW-23-Screen-2	Apr/May 2008	DUPE-3-2Q08	NA	NA	NA	10.0 U
MW-23-Screen-2	Jul/Aug 2008	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Oct/Nov 2008	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Jan/Feb 2009	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Apr/May 2009	MW-23-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-2	Jul/Aug 2009	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Nov/Dec 2009	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Feb 2010	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Apr/May 2010	MW-23-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-2	Jul/Aug 2010	MW-23-2	NA	NA	**5.4 J**	10.0 U
MW-23-Screen-2	Oct/Nov 2010	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Feb/Mar 2011	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Apr/May 2011	MW-23-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-2	Aug/Sep 2011	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Nov/Dec 2011	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Jan/Feb 2012	MW-23-2	NA	NA	5.0 U	10.0 U
MW-23-Screen-2	Apr/May 2012	MW-23-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-2	Aug/Sep 2012	DUPE-4-3Q12	NA	NA	3.0 U	**1.5 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-2	Aug/Sep 2012	MW-23-2	NA	NA	3.0 U	2.0 U
MW-23-Screen-2	Nov 2012	MW-23-2	NA	NA	**1.8 J**	**1.7 J**
MW-23-Screen-2	Jan/Feb 2013	MW-23-2	NA	NA	**1.6 J**	2.0 U
MW-23-Screen-2	Apr/May 2013	MW-23-2	**0.8 J**	1.00 U	**1.9 J**	**1.5 J**
MW-23-Screen-2	Jul 2013	MW-23-2	NA	NA	**1.4 J**	**1.1 J**
MW-23-Screen-2	Oct/Nov 2013	MW-23-2	NA	NA	**0.9 J**	**1.2 J**
MW-23-Screen-2	Jan/Feb 2014	MW-23-2	NA	NA	**1.2 J**	2.0 U
MW-23-Screen-2	Apr/May 2014	MW-23-2	2.0 U	1.00 U	3.0 U	2.0 U
MW-23-Screen-2	Jul/Aug 2014	MW-23-2	NA	NA	**1.3 J**	**1.4 J**
MW-23-Screen-2	Oct 2014	MW-23-2	NA	NA	**0.7 J**	**1.1 J**
MW-23-Screen-2	Jan/Feb 2015	MW-23-2	NA	NA	**1.0 J**	**1.6 J**
MW-23-Screen-2	Jan/Feb 2015	Dup-2-1Q15	NA	NA	**0.7 J**	2.0 U
MW-23-Screen-2	Apr/May 2015	MW-23-2	2.0 U	1.00 U	**1.3 J**	2.0 U
MW-23-Screen-2	Jul/Aug 2015	MW-23-2	NA	NA	**2.8 J**	**0.9 J**
MW-23-Screen-2	Oct 2015	MW-23-2	NA	NA	**1.0 J**	2.0 U
MW-23-Screen-2	Jan/Feb 2016	MW-23-2	NA	NA	**0.9 J**	2.0 U
MW-23-Screen-2	Apr/May 2016	MW-23-2	4.0 U	2.00 U	1.6 U	2.0 U
MW-23-Screen-2	Apr/May 2016	MW-23-2	2.0 U	1.00 U	**0.7 J**	**0.9 J**
MW-23-Screen-2	Jul/Aug 2016	MW-23-2	NA	NA	**0.7 J**	2.0 U
MW-23-Screen-2	Oct 2016	MW-23-2	NA	NA	**2.7 J**	**1.6 J**
MW-23-Screen-2	Jan/Feb 2017	MW-23-2	NA	NA	2.6 U	1.1 U
MW-23-Screen-2	Apr/May 2017	MW-23-2	2.0 U	1.00 U	**1.7 J**	1.4 U
MW-23-Screen-2	Jul/Aug 2017	MW-23-2	NA	NA	**2.2 J**	**1.1 J**
MW-23-Screen-2	Jul/Aug 2017	DUP-3-3Q17	NA	NA	**2.2 J**	**1.0 J**
MW-23-Screen-2	Oct-17	MW-23-2	NA	NA	**1.1 J**	**1.0 J**
MW-23-Screen-2	Jan/Feb 2018	MW-23-2	NA	NA	3.0 U	**0.8 J**
MW-23-Screen-2	April 2018	MW-23-2	2.0 U	1.00 U	3.0 U	**0.8 J**
MW-23-Screen-2	Jul/Aug 2018	MW-23-2	NA	NA	**1.6 J**	**0.9 J**
MW-23-Screen-2	Oct 2018	MW-23-2	NA	NA	3.0 U	**1.7 J**
MW-23-Screen-2	Feb/Mar 2019	MW-23-2	NA	NA	3.0 U	**1.3 J**
MW-23-Screen-2	Apr/May 2019	MW-23-2	2.0 U	1.00 U	3.0 U	**1.40**
MW-23-Screen-2	Apr/May 2019	DUP-1-2Q19	2.0 U	1.00 U	3.0 U	**1.30**
MW-23-Screen-2	Jul/Aug 2019	MW-23-2	NA	NA	**1.1 J**	**0.90**
MW-23-Screen-2	Oct 2019	MW-23-2	NA	NA	**0.6 J**	**0.86**
MW-23-Screen-2	Feb 2020	MW-23-2	NA	NA	**1.0 J**	**0.84**
MW-23-Screen-2	Jun 2020	MW-23-2	2.0 U	1.00 U	**1.2 J**	**0.94**
MW-23-Screen-2	Aug 2020	MW-23-2	NA	NA	**0.7 J**	1.10 UJ
MW-23-Screen-2	Oct/Nov 2020	MW-23-2	NA	NA	**1.3 J**	**1.10 J**
MW-23-Screen-2	Oct/Nov 2020	DUP-4-4Q20	NA	NA	**1.5 J**	**1.30 J**
MW-23-Screen-2	Mar/Apr 2021	MW-23-2	NA	NA	**0.7 J**	**2.00 J**
MW-23-Screen-2	May/June 2021	MW-23-2	**1.0 J**	1.00 U	**1.5 J**	**1.20 J**
MW-23-Screen-3						
MW-23-Screen-3	Sep/Oct 1997	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-3	Jan/Feb 1998	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-3	Jul/Aug 1998	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-3	Oct/Nov 1998	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-3	Feb/Mar 1999	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-3	May/Jun 1999	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-3	Aug 1999	MW-23-3	NA	NA	10.0 U	5.0 U
MW-23-Screen-3	Nov/Dec 1999	MW-23-3	NA	NA	10.0 U	5.0 U
MW-23-Screen-3	Mar/Apr 2000	MW-23-3	NA	NA	10.0 U	5.0 U
MW-23-Screen-3	Jul/Aug 2000	MW-23-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-3	Sep/Oct 2000	MW-23-3	NA	NA	10.0 U	5.0 U
MW-23-Screen-3	Jan/Feb 2001	MW-23-3	**3.6 B**	1.00 U	**5.4**	10.0 U
MW-23-Screen-3	Apr 2001	MW-23-3	NA	NA	NA	10.0 U
MW-23-Screen-3	Jul 2001	MW-23-3	NA	NA	NA	NA U
MW-23-Screen-3	Jul 2001	MW-23-3	NA	NA	**4.6 J**	NA
MW-23-Screen-3	Oct 2001	MW-23-3	NA	NA	**5.8**	10.0 U
MW-23-Screen-3	Jan/Feb 2002	MW-23-3	5.0 U	1.00 U	**5.8**	10.0 U
MW-23-Screen-3	Apr/May 2002	MW-23-3	NA	NA	**6.0**	10.0 U
MW-23-Screen-3	Jul 2002	MW-23-3	NA	NA	**7.0**	NA U
MW-23-Screen-3	Oct/Nov 2002	MW-23-3	NA	NA	NA	10.0 U
MW-23-Screen-3	Jan/Feb 2003	MW-23-3	NA	NA	**3.9**	10.0 U
MW-23-Screen-3	Apr/May 2003	MW-23-3	5.0 U	1.00 U	**3.7**	10.0 U
MW-23-Screen-3	Jul/Aug 2003	MW-23-3	NA	NA	**3.5 J**	10.0 U
MW-23-Screen-3	Oct/Nov 2003	MW-23-3	NA	NA	**4.2 J**	10.0 U
MW-23-Screen-3	Feb 2004	MW-23-3	NA	NA	**5.2**	10.0 U
MW-23-Screen-3	Feb 2004	DUPE-4-1Q04	NA	NA	**5.0**	10.0 U
MW-23-Screen-3	Apr/May 2004	MW-23-3	5.0 U	0.12 U	**8.3**	**4.0 J**
MW-23-Screen-3	Jul/Aug 2004	MW-23-3	NA	NA	**11.2**	10.0 U
MW-23-Screen-3	Oct/Nov 2004	MW-23-3	NA	NA	**11.8 J**	10.0 U
MW-23-Screen-3	Jan/Feb 2005	MW-23-3	NA	NA	**4.8**	10.0 U
MW-23-Screen-3	Apr/May 2005	MW-23-3	5.0 U	**0.04 J**	**3.1**	10.0 U
MW-23-Screen-3	Jul/Sep 2005	MW-23-3	NA	NA	**10.6**	10.0 U
MW-23-Screen-3	Oct/Nov 2005	MW-23-3	NA	NA	**8.3**	10.0 U
MW-23-Screen-3	Mar/Apr 2006	MW-23-3	NA	NA	**2.9**	10.0 U
MW-23-Screen-3	May/Jun 2006	MW-23-3	**1.0**	1.00 U	**3.1**	10.0 U
MW-23-Screen-3	Aug/Sep 2006	MW-23-3	NA	NA	0.5 U	10.0 U
MW-23-Screen-3	Oct/Dec 2006	MW-23-3	NA	NA	**4.1**	10.0 U
MW-23-Screen-3	Mar/Apr 2007	MW-23-3	NA	NA	**3.1 J**	10.0 U
MW-23-Screen-3	Jun/Jul 2007	MW-23-3	**1.4**	1.00 U	**9.0 J**	10.0 U
MW-23-Screen-3	Aug/Sep 2007	MW-23-3	NA	NA	**11.7**	10.0 U
MW-23-Screen-3	Oct/Dec 2007	MW-23-3	NA	NA	**7.9 E**	**8.0 J**
MW-23-Screen-3	Jan/Feb 2008	MW-23-3	NA	NA	**5.9 E**	**4.0 J**
MW-23-Screen-3	Apr/May 2008	MW-23-3	**1.3 J**	1.00 U	**3.3**	10.0 U
MW-23-Screen-3	Jul/Aug 2008	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Oct/Nov 2008	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Jan/Feb 2009	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Apr/May 2009	MW-23-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-3	Jul/Aug 2009	MW-23-3	NA	NA	**5.3**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-3	Nov/Dec 2009	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Feb 2010	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Apr/May 2010	MW-23-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-3	Jul/Aug 2010	MW-23-3	NA	NA	**6.0 J**	10.0 U
MW-23-Screen-3	Oct/Nov 2010	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Feb/Mar 2011	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Apr/May 2011	MW-23-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-3	Aug/Sep 2011	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Nov/Dec 2011	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Jan/Feb 2012	MW-23-3	NA	NA	5.0 U	10.0 U
MW-23-Screen-3	Apr/May 2012	MW-23-3	2.0 U	5.00 U	**7.8**	10.0 U
MW-23-Screen-3	Aug/Sep 2012	MW-23-3	NA	NA	**2.5 J**	**2.9 J**
MW-23-Screen-3	Nov 2012	MW-23-3	NA	NA	**2.8 J**	**3.0**
MW-23-Screen-3	Jan/Feb 2013	MW-23-3	NA	NA	**3.2**	**1.8 J**
MW-23-Screen-3	Apr/May 2013	MW-23-3	**1.2 J**	1.00 U	**3.0**	**2.9 J**
MW-23-Screen-3	Jul 2013	MW-23-3	NA	NA	**3.1**	**2.6**
MW-23-Screen-3	Oct/Nov 2013	MW-23-3	NA	NA	**2.7 J**	**2.9**
MW-23-Screen-3	Jan/Feb 2014	MW-23-3	NA	NA	**3.1**	2.0 U
MW-23-Screen-3	Apr/May 2014	MW-23-3	**1.0 J**	1.00 U	3.0 U	2.0 U
MW-23-Screen-3	Jul/Aug 2014	MW-23-3	NA	NA	**3.2**	**3.1**
MW-23-Screen-3	Oct 2014	MW-23-3	NA	NA	**2.9 J**	**3.0**
MW-23-Screen-3	Jan/Feb 2015	MW-23-3	NA	NA	**3.3**	**3.6**
MW-23-Screen-3	Apr/May 2015	MW-23-3	**0.8 J**	1.00 U	**3.4**	**1.8 J**
MW-23-Screen-3	Jul/Aug 2015	MW-23-3	NA	NA	**6.6**	**2.7**
MW-23-Screen-3	Oct 2015	MW-23-3	NA	NA	**2.6 J**	**1.0 J**
MW-23-Screen-3	Jan/Feb 2016	MW-23-3	NA	NA	2.8 U	2.0 U
MW-23-Screen-3	Apr/May 2016	MW-23-3	2.0 U	1.00 U	3.0 U	**1.6 J**
MW-23-Screen-3	Apr/May 2016	MW-23-3	2.0 U	1.00 U	**2.4 J**	**2.9**
MW-23-Screen-3	Jul/Aug 2016	MW-23-3	NA	NA	**3.1**	**3.0**
MW-23-Screen-3	Oct 2016	MW-23-2	NA	NA	**3.9**	**3.6**
MW-23-Screen-3	Jan/Feb 2017	MW-23-2	NA	NA	4.7 U	2.5 U
MW-23-Screen-3	Apr/May 2017	MW-23-3	2.0 U	1.00 U	**3.2**	2.9 U
MW-23-Screen-3	Jul/Aug 2017	MW-23-3	NA	NA	**3.8**	**2.9**
MW-23-Screen-3	Oct-17	MW-23-3	NA	NA	**3.0**	**3.0**
MW-23-Screen-3	Jan/Feb 2018	MW-23-3	NA	NA	**3.4**	2.0 U
MW-23-Screen-3	April 2018	MW-23-3	2.0 U	1.00 U	3.0 U	**3.2**
MW-23-Screen-3	Jul/Aug 2018	MW-23-3	NA	NA	**3.6**	**3.3**
MW-23-Screen-3	Oct 2018	MW-23-3	NA	NA	**3.0**	**3.7**
MW-23-Screen-3	Oct 2018	DUP-5-4Q18	NA	NA	**3.1**	**3.6**
MW-23-Screen-3	Feb/Mar 2019	MW-23-3	NA	NA	3.0 U	**3.3**
MW-23-Screen-3	Apr/May 2019	MW-23-3	**1.0 J**	1.00 U	3.0 U	**2.80**
MW-23-Screen-3	Jul/Aug 2019	MW-23-3	NA	NA	**3.1**	**2.70**
MW-23-Screen-3	Oct 2019	MW-23-3	NA	NA	**2.6 J**	**2.60**
MW-23-Screen-3	Feb 2020	MW-23-3	NA	NA	**2.8 J**	**2.60**
MW-23-Screen-3	Jun 2020	Dup-3-2Q2020	2.0 U	1.00 U	**3.5**	**2.90**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-3	Aug 2020	MW-23-3	NA	NA	**2.3 J**	**3.10**
MW-23-Screen-3	Oct/Nov 2020	MW-23-3	NA	NA	**2.7 J**	**2.80**
MW-23-Screen-3	Mar/Apr 2021	MW-23-3	NA	NA	**2.6 J**	**3.30 J**
MW-23-Screen-3	May/June 2021	MW-23-3	**1.1 J**	1.00 U	**2.7 J**	**3.00 J**
MW-23-Screen-3	May/June 2021	DUP-1-2Q21	**1.0 J**	1.00 U	**2.6 J**	**3.00**
MW-23-Screen-4						
MW-23-Screen-4	Sep/Oct 1997	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	Jan/Feb 1998	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	Jul/Aug 1998	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	Oct/Nov 1998	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	Feb/Mar 1999	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	May/Jun 1999	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	Aug 1999	MW-23-4	NA	NA	10.0 U	5.0 U
MW-23-Screen-4	Nov/Dec 1999	MW-23-4	NA	NA	10.0 U	5.0 U
MW-23-Screen-4	Mar/Apr 2000	MW-23-4	NA	NA	10.0 U	5.0 U
MW-23-Screen-4	Jul/Aug 2000	MW-23-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-4	Sep/Oct 2000	MW-23-4	NA	NA	10.0 U	5.0 U
MW-23-Screen-4	Jan/Feb 2001	MW-23-4	**4.2 B**	**0.78 J**	**2.7 J**	10.0 U
MW-23-Screen-4	Apr 2001	MW-23-4	NA	NA	NA	10.0 U
MW-23-Screen-4	Jul 2001	MW-23-4	NA	NA	NA	NA U
MW-23-Screen-4	Jul 2001	MW-23-4	NA	NA	**3.8 J**	NA
MW-23-Screen-4	Oct 2001	MW-23-4	NA	NA	**5.9**	10.0 U
MW-23-Screen-4	Jan/Feb 2002	MW-23-4	5.0 U	1.00 U	**3.7 J**	10.0 U
MW-23-Screen-4	Apr/May 2002	MW-23-4	NA	NA	**5.0**	10.0 U
MW-23-Screen-4	Jul 2002	MW-23-4	NA	NA	**2.0**	NA U
MW-23-Screen-4	Oct/Nov 2002	MW-23-4	NA	NA	NA	10.0 U
MW-23-Screen-4	Jan/Feb 2003	MW-23-4	NA	NA	**2.5**	10.0 U
MW-23-Screen-4	Apr/May 2003	MW-23-4	5.0 U	1.00 U	**2.2**	10.0 U
MW-23-Screen-4	Jul/Aug 2003	MW-23-4	NA	NA	**2.6 J**	10.0 U
MW-23-Screen-4	Oct/Nov 2003	MW-23-4	NA	NA	**2.6 J**	10.0 U
MW-23-Screen-4	Feb 2004	MW-23-4	NA	NA	**3.3**	10.0 U
MW-23-Screen-4	Apr/May 2004	MW-23-4	3.3 U	**0.01 J**	**6.7**	**4.0 J**
MW-23-Screen-4	Jul/Aug 2004	MW-23-4	NA	NA	**7.9**	10.0 U
MW-23-Screen-4	Oct/Nov 2004	MW-23-4	NA	NA	**9.9 J**	10.0 U
MW-23-Screen-4	Jan/Feb 2005	MW-23-4	NA	NA	**2.9**	10.0 U
MW-23-Screen-4	Apr/May 2005	MW-23-4	5.0 U	**0.02 J**	**4.2**	10.0 U
MW-23-Screen-4	Jul/Sep 2005	MW-23-4	NA	NA	**8.4**	10.0 U
MW-23-Screen-4	Oct/Nov 2005	MW-23-4	NA	NA	**7.2**	10.0 U
MW-23-Screen-4	Mar/Apr 2006	MW-23-4	NA	NA	**1.9**	10.0 U
MW-23-Screen-4	May/Jun 2006	MW-23-4	**1.7**	1.00 U	**2.3**	10.0 U
MW-23-Screen-4	Aug/Sep 2006	MW-23-4	NA	NA	0.5 U	10.0 U
MW-23-Screen-4	Oct/Dec 2006	MW-23-4	NA	NA	**3.4**	10.0 U
MW-23-Screen-4	Mar/Apr 2007	MW-23-4	NA	NA	**2.5 J**	10.0 U
MW-23-Screen-4	Jun/Jul 2007	MW-23-4	**2.0**	1.00 U	**8.1 J**	10.0 U
MW-23-Screen-4	Aug/Sep 2007	MW-23-4	NA	NA	**10.6**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-4	Oct/Dec 2007	MW-23-4	NA	NA	**6.1 E**	**9.0 J**
MW-23-Screen-4	Jan/Feb 2008	MW-23-4	NA	NA	**3.2 E**	10.0 U
MW-23-Screen-4	Apr/May 2008	MW-23-4	**1.9 J**	1.00 U	**5.2**	10.0 U
MW-23-Screen-4	Jul/Aug 2008	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Oct/Nov 2008	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Jan/Feb 2009	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Apr/May 2009	MW-23-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-4	Jul/Aug 2009	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Nov/Dec 2009	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Feb 2010	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Apr/May 2010	MW-23-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-4	Jul/Aug 2010	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Oct/Nov 2010	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Feb/Mar 2011	DUPE-05-1Q11	NA	NA	5.0 U	NA
MW-23-Screen-4	Feb/Mar 2011	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Feb/Mar 2011	DUPE-05-1Q11	NA	NA	NA	10.0 U
MW-23-Screen-4	Apr/May 2011	MW-23-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-4	Aug/Sep 2011	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Nov/Dec 2011	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Jan/Feb 2012	MW-23-4	NA	NA	5.0 U	10.0 U
MW-23-Screen-4	Apr/May 2012	MW-23-4	**3.3**	5.00 U	**7.1**	10.0 U
MW-23-Screen-4	Aug/Sep 2012	MW-23-4	NA	NA	**2.2 J**	**2.8 J**
MW-23-Screen-4	Nov 2012	MW-23-4	NA	NA	**3.0**	**2.9**
MW-23-Screen-4	Jan/Feb 2013	DUP-3-1Q13	NA	NA	**3.1**	**1.7 J**
MW-23-Screen-4	Jan/Feb 2013	MW-23-4	NA	NA	**3.0**	**1.6 J**
MW-23-Screen-4	Apr/May 2013	MW-23-4	**1.7 J**	1.00 U	**2.7 J**	**2.3 J**
MW-23-Screen-4	Jul 2013	MW-23-4	NA	NA	**3.3**	**1.9 J**
MW-23-Screen-4	Oct/Nov 2013	MW-23-4	NA	NA	**2.3 J**	**2.6**
MW-23-Screen-4	Jan/Feb 2014	MW-23-4	NA	NA	**2.6 J**	NA
MW-23-Screen-4	Jan/Feb 2014	MW-23-4	NA	NA	NA	**2.6**
MW-23-Screen-4	Apr/May 2014	MW-23-4	**1.3 J**	1.00 U	3.0 U	2.0 U
MW-23-Screen-4	Jul/Aug 2014	MW-23-4	NA	NA	**2.8 J**	**2.7**
MW-23-Screen-4	Oct 2014	MW-23-4	NA	NA	**2.0 J**	**2.3**
MW-23-Screen-4	Jan/Feb 2015	MW-23-4	NA	NA	**2.3 J**	**2.6**
MW-23-Screen-4	Apr/May 2015	MW-23-4	**1.6 J**	**0.14 J**	**2.0**	**1.5 J**
MW-23-Screen-4	Oct 2015	MW-23-4	NA	NA	**2.6 J**	**0.7 J**
MW-23-Screen-4	Jan/Feb 2016	MW-23-4	NA	NA	2.7 U	2.0 U
MW-23-Screen-4	Apr/May 2016	MW-23-4	**1.5 J**	1.00 U	3.0 U	**0.9 J**
MW-23-Screen-4	Apr/May 2016	MW-23-4	**1.3 J**	1.00 U	**2.3 J**	**2.0**
MW-23-Screen-4	Jul/Aug 2016	MW-23-4	NA	NA	**2.7 J**	**3.0**
MW-23-Screen-4	Oct 2016	MW-23-4	NA	NA	**4.6**	**2.9**
MW-23-Screen-4	Jan/Feb 2017	MW-23-4	NA	NA	4.2 U	2.3 U
MW-23-Screen-4	Apr/May 2017	MW-23-4	**1.1 J**	1.00 U	**3.1**	3.2 U
MW-23-Screen-4	Apr/May 2017	DUP-7-2Q17	**1.2 J**	1.00 U	**3.0**	3.6 U
MW-23-Screen-4	Jul/Aug 2017	MW-23-4	NA	NA	**3.7**	**3.1**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-4	Oct-17	MW-23-4	NA	NA	**3.2**	**3.5**
MW-23-Screen-4	Jan/Feb 2018	MW-23-4	NA	NA	**3.1**	**3.0**
MW-23-Screen-4	Jan/Feb 2018	DUP-5-1Q18	NA	NA	**3.4**	**2.8**
MW-23-Screen-4	April 2018	MW-23-4	2.0 U	1.00 U	3.0 U	**3.9**
MW-23-Screen-4	Jul/Aug 2018	MW-23-4	NA	NA	**3.4**	**3.1**
MW-23-Screen-4	Oct 2018	MW-23-4	NA	NA	**4.3**	**3.9**
MW-23-Screen-4	Feb/Mar 2019	MW-23-4	NA	NA	3.0 U	**3.6**
MW-23-Screen-4	Apr/May 2019	MW-23-4	**1.7 J**	1.00 U	**3.4**	**3.10**
MW-23-Screen-4	Jul/Aug 2019	MW-23-4	NA	NA	**3.2**	**2.90**
MW-23-Screen-4	Oct 2019	MW-23-4	NA	NA	**2.4 J**	**2.90**
MW-23-Screen-4	Feb 2020	MW-23-4	NA	NA	**2.9 J**	**2.70**
MW-23-Screen-4	Jun 2020	MW-23-4	**1.7 J**	1.00 U	**3.4**	**2.60**
MW-23-Screen-4	Aug 2020	MW-23-4	NA	NA	**2.4 J**	**2.80**
MW-23-Screen-4	Oct/Nov 2020	MW-23-4	NA	NA	**3.1**	**3.60 J**
MW-23-Screen-4	Mar/Apr 2021	MW-23-4	NA	NA	**2.7 J**	**3.40 J**
MW-23-Screen-4	May/June 2021	MW-23-4	**1.1 J**	**0.11 J**	**3.2**	**2.60 J**
MW-23-Screen-5						
MW-23-Screen-5	Sep/Oct 1997	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	Jan/Feb 1998	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	Jul/Aug 1998	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	Oct/Nov 1998	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	Feb/Mar 1999	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	May/Jun 1999	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	Nov/Dec 1999	MW-23-5	NA	NA	10.0 U	5.0 U
MW-23-Screen-5	Jul/Aug 2000	MW-23-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-23-Screen-5	Jan/Feb 2001	MW-23-5	**6.2**	1.00 U	**2.9 J**	10.0 U
MW-23-Screen-5	Jan/Feb 2002	MW-23-5	**3.4 B**	**0.75 J**	**2.5 J**	10.0 U
MW-23-Screen-5	Apr/May 2003	MW-23-5	**3.2 J**	**0.57 J**	**1.7**	10.0 U
MW-23-Screen-5	Oct/Nov 2003	MW-23-5	NA	NA	1.8 UJ	10.0 U
MW-23-Screen-5	Apr/May 2004	MW-23-5	4.0 U	**1.20**	**7.1**	**4.0 J**
MW-23-Screen-5	Oct/Nov 2004	MW-23-5	NA	NA	**9.2 J**	10.0 U
MW-23-Screen-5	Apr/May 2005	MW-23-5	5.0 U	**0.81 J**	**3.3**	10.0 U
MW-23-Screen-5	Oct/Nov 2005	MW-23-5	NA	NA	**5.7**	10.0 U
MW-23-Screen-5	May/Jun 2006	MW-23-5	**3.0**	**1.23**	1.0 U	10.0 U
MW-23-Screen-5	Oct/Dec 2006	MW-23-5	NA	NA	**1.8**	10.0 U
MW-23-Screen-5	Jun/Jul 2007	MW-23-5	**5.3**	**1.29**	**8.1 J**	10.0 U
MW-23-Screen-5	Oct/Dec 2007	MW-23-5	NA	NA	1.0 U	10.0 U
MW-23-Screen-5	Apr/May 2008	MW-23-5	**3.9 J**	1.00 U	**3.7**	10.0 U
MW-23-Screen-5	Oct/Nov 2008	MW-23-5	NA	NA	5.0 U	10.0 U
MW-23-Screen-5	Apr/May 2009	MW-23-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-23-Screen-5	Nov/Dec 2009	MW-23-5	NA	NA	5.0 U	10.0 U
MW-23-Screen-5	Apr/May 2010	MW-23-5	**4.4**	5.00 U	5.0 U	10.0 U
MW-23-Screen-5	Oct/Nov 2010	MW-23-5	NA	NA	5.0 U	10.0 U
MW-23-Screen-5	Apr/May 2011	MW-23-5	**4.7**	5.00 U	5.0 U	10.0 U
MW-23-Screen-5	Nov/Dec 2011	MW-23-5	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-23-Screen-5	Apr/May 2012	MW-23-5	2.0 U	5.00 U	**5.4**	10.0 U
MW-23-Screen-5	Nov 2012	MW-23-5	NA	NA	3.0 U	2.0 U
MW-23-Screen-5	Apr/May 2013	MW-23-5	**3.7**	**0.15 J**	3.0 U	2.0 U
MW-23-Screen-5	Oct/Nov 2013	MW-23-5	NA	NA	3.0 U	2.0 U
MW-23-Screen-5	Apr/May 2014	MW-23-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-23-Screen-5	Oct 2014	MW-23-5	NA	NA	3.0 U	2.0 U
MW-23-Screen-5	Apr/May 2015	MW-23-5	**3.4**	**0.30 J**	3.0 U	2.0 U
MW-23-Screen-5	Oct 2015	MW-23-5	NA	NA	**0.7 J**	2.0 U
MW-23-Screen-5	Apr/May 2016	MW-23-5	**3.6**	**0.33 J**	0.5 U	2.0 U
MW-23-Screen-5	Apr/May 2016	MW-23-5	**3.6**	**0.30 J**	3.0 U	2.0 U
MW-23-Screen-5	Oct 2016	MW-23-5	NA	NA	**1.6 J**	2.0 U
MW-23-Screen-5	Apr/May 2017	MW-23-5	**2.6**	**0.30 J**	**0.6 J**	2.0 U
MW-23-Screen-5	Oct-17	MW-23-5	NA	NA	3.0 UJ	2.0 U
MW-23-Screen-5	April 2018	MW-23-5	**1.7 J**	**0.20 J**	3.0 U	2.0 U
MW-23-Screen-5	Oct 2018	MW-23-5	NA	NA	3.0 U	2.0 U
MW-23-Screen-5	Apr/May 2019	MW-23-5	**2.4**	**0.31 J**	3.0 U	0.20 U
MW-23-Screen-5	Oct 2019	MW-23-5	NA	NA	3.0 U	0.20 U
MW-23-Screen-5	Jun 2020	MW-23-5	**2.0**	**0.11 J**	3.0 U	0.20 U
MW-23-Screen-5	Oct/Nov 2020	MW-23-5	NA	NA	**2.3 J**	0.20 U
MW-23-Screen-5	May/June 2021	MW-23-5	**1.8 J**	**0.55 J**	**1.7 J**	0.24 UB
MW-24-Screen-1						
MW-24-Screen-1	Sep/Oct 1997	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Jan/Feb 1998	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Apr/May 1998	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Jul/Aug 1998	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Oct/Nov 1998	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Feb/Mar 1999	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	May/Jun 1999	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Aug 1999	MW-24-1	NA	NA	10.0 U	5.0 U
MW-24-Screen-1	Nov/Dec 1999	MW-24-1	NA	NA	10.0 U	5.0 U
MW-24-Screen-1	Mar/Apr 2000	MW-24-1	NA	NA	10.0 U	5.0 U
MW-24-Screen-1	Jul/Aug 2000	MW-24-1	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-1	Sep/Oct 2000	MW-24-1	NA	NA	10.0 U	5.0 U
MW-24-Screen-1	Jan/Feb 2001	MW-24-1	5.0 U	1.00 U	**6.1**	10.0 U
MW-24-Screen-1	Apr 2001	MW-24-1	NA	NA	NA	10.0 U
MW-24-Screen-1	Jul 2001	MW-24-1	NA	NA	NA	NA U
MW-24-Screen-1	Jul 2001	MW-24-1	NA	NA	**3.1 J**	NA
MW-24-Screen-1	Oct 2001	MW-24-1	NA	NA	**5.7**	10.0 U
MW-24-Screen-1	Jan/Feb 2002	MW-24-1	**1.7 B**	**0.39 J**	**5.2**	10.0 U
MW-24-Screen-1	Apr/May 2002	MW-24-1	NA	NA	**5.0**	10.0 U
MW-24-Screen-1	Jul 2002	MW-24-1	NA	NA	**7.0**	NA U
MW-24-Screen-1	Oct/Nov 2002	MW-24-1	NA	NA	NA	10.0 U
MW-24-Screen-1	Jan/Feb 2003	MW-24-1	NA	NA	**4.9**	10.0 U
MW-24-Screen-1	Apr/May 2003	MW-24-1	5.0 U	1.00 U	**5.7**	10.0 U
MW-24-Screen-1	Jul/Aug 2003	MW-24-1	NA	NA	**3.0**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-1	Oct/Nov 2003	MW-24-1	NA	NA	**4.0**	10.0 U
MW-24-Screen-1	Feb 2004	MW-24-1	NA	NA	**5.8**	10.0 U
MW-24-Screen-1	Apr/May 2004	MW-24-1	2.0 U	**0.02 J**	**7.9**	10.0 U
MW-24-Screen-1	Jul/Aug 2004	MW-24-1	NA	NA	**11.2**	10.0 U
MW-24-Screen-1	Oct/Nov 2004	MW-24-1	NA	NA	**4.3 J**	10.0 U
MW-24-Screen-1	Jan/Feb 2005	MW-24-1	NA	NA	**12.0**	10.0 U
MW-24-Screen-1	Apr/May 2005	MW-24-1	5.0 U	**0.13 J**	**6.1**	10.0 U
MW-24-Screen-1	Jul/Sep 2005	MW-24-1	NA	NA	**9.8**	10.0 U
MW-24-Screen-1	Oct/Nov 2005	MW-24-1	NA	NA	**9.3 J**	10.0 U
MW-24-Screen-1	Mar/Apr 2006	MW-24-1	NA	NA	**1.5**	10.0 U
MW-24-Screen-1	May/Jun 2006	DUPE-8-2Q06	1.0 U	1.00 U	1.0 U	NA
MW-24-Screen-1	May/Jun 2006	MW-24-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-24-Screen-1	May/Jun 2006	DUPE-8-2Q06	NA	NA	NA	10.0 U
MW-24-Screen-1	Aug/Sep 2006	MW-24-1	NA	NA	0.5 U	10.0 U
MW-24-Screen-1	Oct/Dec 2006	MW-24-1	NA	NA	2.0 U	10.0 U
MW-24-Screen-1	Mar/Apr 2007	DUPE-5-1Q07	NA	NA	**7.8 J**	NA
MW-24-Screen-1	Mar/Apr 2007	MW-24-1	NA	NA	**8.5 J**	**15.0 J**
MW-24-Screen-1	Mar/Apr 2007	DUPE-5-1Q07	NA	NA	NA	10.0 U
MW-24-Screen-1	Jun/Jul 2007	MW-24-1	1.0 U	1.00 U	**3.3 J**	10.0 U
MW-24-Screen-1	Aug/Sep 2007	MW-24-1	NA	NA	**5.1**	10.0 U
MW-24-Screen-1	Oct/Dec 2007	DUPE-3-4Q07	NA	NA	NA	10.0 U
MW-24-Screen-1	Oct/Dec 2007	MW-24-1	NA	NA	**9.1**	10.0 U
MW-24-Screen-1	Oct/Dec 2007	DUPE-3-4Q07	NA	NA	**9.3**	NA
MW-24-Screen-1	Jan/Feb 2008	MW-24-1	NA	NA	**6.7**	10.0 U
MW-24-Screen-1	Jan/Feb 2008	DUPE-5-1Q08	NA	NA	**7.4**	10.0 U
MW-24-Screen-1	Apr/May 2008	DUPE-4-2Q08	1.0 U	1.00 U	**4.7 J**	NA
MW-24-Screen-1	Apr/May 2008	MW-24-1	1.0 U	1.00 U	**3.8 J**	10.0 U
MW-24-Screen-1	Apr/May 2008	DUPE-4-2Q08	NA	NA	NA	10.0 U
MW-24-Screen-1	Jul/Aug 2008	MW-24-1	NA	NA	**11.0**	10.0 U
MW-24-Screen-1	Oct/Nov 2008	MW-24-1	NA	NA	**8.6**	10.0 U
MW-24-Screen-1	Jan/Feb 2009	MW-24-1	NA	NA	**8.6**	10.0 U
MW-24-Screen-1	Apr/May 2009	DUPE-02-2Q09	2.0 U	5.00 U	5.0 U	NA
MW-24-Screen-1	Apr/May 2009	MW-24-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-1	Apr/May 2009	DUPE-02-2Q09	NA	NA	NA	10.0 U
MW-24-Screen-1	Jul/Aug 2009	MW-24-1	NA	NA	**8.6**	10.0 U
MW-24-Screen-1	Nov/Dec 2009	MW-24-1	NA	NA	**13.0**	10.0 U
MW-24-Screen-1	Feb 2010	MW-24-1	NA	NA	**25.0**	NA
MW-24-Screen-1	Feb 2010	DUPE-5-1Q10	NA	NA	**13.0**	NA
MW-24-Screen-1	Apr/May 2010	MW-24-1	2.0 U	5.00 U	**12.0**	10.0 U
MW-24-Screen-1	Jul/Aug 2010	MW-24-1	NA	NA	**6.4 J**	10.0 U
MW-24-Screen-1	Oct/Nov 2010	MW-24-1	NA	NA	**6.0**	10.0 U
MW-24-Screen-1	Feb/Mar 2011	MW-24-1	NA	NA	5.0 U	10.0 U
MW-24-Screen-1	Apr/May 2011	MW-24-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-1	Aug/Sep 2011	MW-24-1	NA	NA	**7.9**	10.0 U
MW-24-Screen-1	Nov/Dec 2011	MW-24-1	NA	NA	**5.8**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-1	Jan/Feb 2012	MW-24-1	NA	NA	5.0 U	10.0 U
MW-24-Screen-1	Apr/May 2012	MW-24-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-1	Aug/Sep 2012	MW-24-1	NA	NA	**2.7 J**	2.0 U
MW-24-Screen-1	Nov 2012	MW-24-1	NA	NA	**4.2**	**0.8 J**
MW-24-Screen-1	Jan/Feb 2013	MW-24-1	NA	NA	**19.0**	2.0 U
MW-24-Screen-1	Apr/May 2013	MW-24-1	2.0 U	1.00 U	**20.0**	**2.5**
MW-24-Screen-1	Jul 2013	MW-24-1	NA	NA	**13.0**	**7.3**
MW-24-Screen-1	Oct/Nov 2013	MW-24-1	NA	NA	**9.9**	**6.4**
MW-24-Screen-1	Jan/Feb 2014	MW-24-1	NA	NA	**16.0**	2.0 U
MW-24-Screen-1	Apr/May 2014	MW-24-1	2.0 U	1.00 U	**16.0**	**6.3**
MW-24-Screen-1	Jul/Aug 2014	MW-24-1	NA	NA	**6.1**	2.0 U
MW-24-Screen-1	Oct 2014	MW-24-1	NA	NA	**4.7**	2.0 U
MW-24-Screen-1	Jan/Feb 2015	MW-24-1	NA	NA	**8.5**	2.0 U
MW-24-Screen-1	Apr/May 2015	MW-24-1	2.0 U	1.00 U	**10.0**	2.0 U
MW-24-Screen-1	Jul/Aug 2015	MW-24-1	NA	NA	**2.2 J**	2.0 U
MW-24-Screen-1	Oct 2015	MW-24-1	NA	NA	**1.8 J**	2.0 U
MW-24-Screen-1	Jan/Feb 2016	MW-24-1	NA	NA	**4.5**	**1.0**
MW-24-Screen-1	Jan/Feb 2016	DUP-3-1Q16	NA	NA	**3.5**	0.6 U
MW-24-Screen-1	Apr/May 2016	MW-24-1	2.0 U	1.00 U	**5.4**	2.0 U
MW-24-Screen-1	Jul/Aug 2016	MW-24-1	NA	NA	**2.6 J**	2.0 UJ
MW-24-Screen-1	Oct 2016	MW-24-1	NA	NA	**2.3 J**	2.0 U
MW-24-Screen-1	Jan/Feb 2017	MW-24-1	NA	NA	**1.1 J**	2.0 U
MW-24-Screen-1	Apr/May 2017	MW-24-1	**0.9 J**	1.00 U	4.7 U	1.0 U
MW-24-Screen-1	Jul/Aug 2017	MW-24-1	NA	NA	**4.6**	2.0 U
MW-24-Screen-1	Oct-17	MW-24-1	NA	NA	**1.1 J**	2.0 U
MW-24-Screen-1	Jan/Feb 2018	MW-24-1	NA	NA	3.0 U	2.0 U
MW-24-Screen-1	April 2018	MW-24-1	2.0 U	1.00 U	**1.7 J**	2.0 U
MW-24-Screen-1	Jul/Aug 2018	MW-24-1	NA	NA	**2.8 J**	2.0 U
MW-24-Screen-1	Jul/Aug 2018	Dup-3-3Q18	NA	NA	**3.1**	2.0 U
MW-24-Screen-1	Oct 2018	MW-24-1	NA	NA	3.0 U	2.0 U
MW-24-Screen-1	Feb/Mar 2019	MW-24-1	NA	NA	3.0 U	2.0 U
MW-24-Screen-1	Apr/May 2019	MW-24-1	2.0 U	1.00 U	**6.3**	**0.56**
MW-24-Screen-1	Jul/Aug 2019	MW-24-1	NA	NA	**1.7 J**	**0.71**
MW-24-Screen-1	Oct 2019	MW-24-1	NA	NA	**3.6**	**0.11 J**
MW-24-Screen-1	Feb 2020	MW-24-1	NA	NA	**0.9 J**	0.20 U
MW-24-Screen-1	Jun 2020	MW-24-1	2.0 U	1.00 U	**1.1 J**	**0.14 J**
MW-24-Screen-1	Aug 2020	MW-24-1	NA	NA	**3.3**	0.20 U
MW-24-Screen-1	Oct/Nov 2020	MW-24-1	NA	NA	**0.7 J**	**0.24**
MW-24-Screen-1	Mar/Apr 2021	MW-24-1	NA	NA	3.0 U	0.09 UB
MW-24-Screen-1	May/June 2021	MW-24-1	2.0 U	1.00 U	**0.7 J**	0.16 UB
MW-24-Screen-2						
MW-24-Screen-2	Sep/Oct 1997	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	Jan/Feb 1998	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	Apr/May 1998	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	Jul/Aug 1998	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-2	Oct/Nov 1998	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	Feb/Mar 1999	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	May/Jun 1999	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	Aug 1999	MW-24-2	NA	NA	10.0 U	5.0 U
MW-24-Screen-2	Nov/Dec 1999	MW-24-2	NA	NA	10.0 U	5.0 U
MW-24-Screen-2	Mar/Apr 2000	MW-24-2	NA	NA	10.0 U	5.0 U
MW-24-Screen-2	Jul/Aug 2000	MW-24-2	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-2	Sep/Oct 2000	MW-24-2	NA	NA	10.0 U	5.0 U
MW-24-Screen-2	Jan/Feb 2001	MW-24-2	5.0 U	1.00 U	**3.3 J**	10.0 U
MW-24-Screen-2	Apr 2001	MW-24-2	NA	NA	NA	10.0 U
MW-24-Screen-2	Jul 2001	MW-24-2	NA	NA	NA	NA U
MW-24-Screen-2	Jul 2001	MW-24-2	NA	NA	**4.0 J**	NA
MW-24-Screen-2	Oct 2001	MW-24-2	NA	NA	**4.7**	10.0 U
MW-24-Screen-2	Jan/Feb 2002	MW-24-2	**2.2 B**	1.00 U	**3.8 J**	10.0 U
MW-24-Screen-2	Apr/May 2002	MW-24-2	NA	NA	**2.0**	10.0 U
MW-24-Screen-2	Jul 2002	MW-24-2	NA	NA	**6.0**	NA U
MW-24-Screen-2	Oct/Nov 2002	MW-24-2	NA	NA	NA	10.0 U
MW-24-Screen-2	Jan/Feb 2003	MW-24-2	**2.0**	**0.05 J**	**2.8**	NA
MW-24-Screen-2	Jan/Feb 2003	MW-24-2	NA	NA	NA	0.0 U
MW-24-Screen-2	Jan/Feb 2003	MW-24-2	NA	NA	**2.4**	10.0 U
MW-24-Screen-2	Apr/May 2003	MW-24-2	5.0 U	1.00 U	**2.3**	10.0 U
MW-24-Screen-2	Apr/May 2003	DUPE-4-2Q03	5.0 U	1.00 U	**2.0**	10.0 U
MW-24-Screen-2	Jul/Aug 2003	MW-24-2	NA	NA	**2.0**	10.0 U
MW-24-Screen-2	Oct/Nov 2003	MW-24-2	NA	NA	2.7 U	10.0 U
MW-24-Screen-2	Feb 2004	MW-24-2	NA	NA	**2.3**	10.0 U
MW-24-Screen-2	Apr/May 2004	MW-24-2	3.5 U	0.12 U	**6.2**	10.0 U
MW-24-Screen-2	Jul/Aug 2004	MW-24-2	NA	NA	**9.2**	10.0 U
MW-24-Screen-2	Oct/Nov 2004	MW-24-2	NA	NA	**7.9 J**	10.0 U
MW-24-Screen-2	Jan/Feb 2005	MW-24-2	NA	NA	**8.8**	10.0 U
MW-24-Screen-2	Apr/May 2005	MW-24-2	5.0 U	**0.03 J**	**4.7**	10.0 U
MW-24-Screen-2	Jul/Sep 2005	MW-24-2	NA	NA	**7.9**	10.0 U
MW-24-Screen-2	Oct/Nov 2005	MW-24-2	NA	NA	**9.2 J**	10.0 U
MW-24-Screen-2	Mar/Apr 2006	MW-24-2	NA	NA	**2.9**	10.0 U
MW-24-Screen-2	Mar/Apr 2006	DUPE-2-1Q06	NA	NA	**3.0**	10.0 U
MW-24-Screen-2	May/Jun 2006	MW-24-2	**2.3**	1.00 U	**1.8 J**	10.0 U
MW-24-Screen-2	Aug/Sep 2006	MW-24-2	NA	NA	0.5 U	10.0 U
MW-24-Screen-2	Oct/Dec 2006	MW-24-2	NA	NA	**2.6**	10.0 U
MW-24-Screen-2	Mar/Apr 2007	MW-24-2	NA	NA	**8.0 J**	10.0 U
MW-24-Screen-2	Jun/Jul 2007	MW-24-2	**2.3**	1.00 U	**3.4 J**	10.0 U
MW-24-Screen-2	Aug/Sep 2007	MW-24-2	NA	NA	**13.1**	10.0 U
MW-24-Screen-2	Oct/Dec 2007	MW-24-2	NA	NA	**7.8**	10.0 U
MW-24-Screen-2	Jan/Feb 2008	MW-24-2	NA	NA	**5.9**	10.0 U
MW-24-Screen-2	Jan/Feb 2008	DUPE-4-1Q08	NA	NA	**5.6**	10.0 U
MW-24-Screen-2	Apr/May 2008	MW-24-2	**2.1**	1.00 U	**2.3 J**	10.0 U
MW-24-Screen-2	Jul/Aug 2008	MW-24-2	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-2	Oct/Nov 2008	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Jan/Feb 2009	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Apr/May 2009	MW-24-2	**2.4**	5.00 U	5.0 U	10.0 U
MW-24-Screen-2	Jul/Aug 2009	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Nov/Dec 2009	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Feb 2010	MW-24-2	NA	NA	5.0 U	NA
MW-24-Screen-2	Apr/May 2010	MW-24-2	**2.3**	5.00 U	5.0 U	10.0 U
MW-24-Screen-2	Jul/Aug 2010	DUPE-7-3Q10	NA	NA	NA	10.0 U
MW-24-Screen-2	Jul/Aug 2010	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Jul/Aug 2010	DUPE-7-3Q10	NA	NA	5.0 U	NA
MW-24-Screen-2	Oct/Nov 2010	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Feb/Mar 2011	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Apr/May 2011	DUPE-1-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-24-Screen-2	Apr/May 2011	MW-24-2	**2.1**	5.00 U	5.0 U	10.0 U
MW-24-Screen-2	Apr/May 2011	DUPE-1-2Q11	NA	NA	NA	10.0 U
MW-24-Screen-2	Aug/Sep 2011	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Nov/Dec 2011	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Jan/Feb 2012	MW-24-2	NA	NA	5.0 U	10.0 U
MW-24-Screen-2	Apr/May 2012	MW-24-2	**3.0**	5.00 U	5.0 U	10.0 U
MW-24-Screen-2	Aug/Sep 2012	MW-24-2	NA	NA	**1.7 J**	**1.5 J**
MW-24-Screen-2	Nov 2012	DUPE-3-4Q12	NA	NA	**2.7 J**	**2.4**
MW-24-Screen-2	Nov 2012	MW-24-2	NA	NA	**3.1**	**2.4**
MW-24-Screen-2	Jan/Feb 2013	MW-24-2	NA	NA	**2.9 J**	**0.9 J**
MW-24-Screen-2	Apr/May 2013	MW-24-2	**2.4**	1.00 U	**1.8 J**	**2.5**
MW-24-Screen-2	Jul 2013	MW-24-2	NA	NA	**2.4 J**	**1.3 J**
MW-24-Screen-2	Oct/Nov 2013	MW-24-2	NA	NA	3.0 U	**1.7 J**
MW-24-Screen-2	Jan/Feb 2014	MW-24-2	NA	NA	**2.6 J**	**2.1**
MW-24-Screen-2	Apr/May 2014	DUP-2-2Q14	**2.5**	1.00 U	**2.4 J**	**2.9**
MW-24-Screen-2	Apr/May 2014	MW-24-2	**2.2**	1.00 U	**2.0 J**	**2.7**
MW-24-Screen-2	Jul/Aug 2014	MW-24-2	NA	NA	**1.7 J**	**2.1**
MW-24-Screen-2	Oct 2014	MW-24-2	NA	NA	**2.6 J**	**1.9 J**
MW-24-Screen-2	Jan/Feb 2015	MW-24-2	NA	NA	**2.2**	**1.3 J**
MW-24-Screen-2	Apr/May 2015	MW-24-2	**1.7 J**	1.00 U	**2.1**	**1.4 J**
MW-24-Screen-2	Jul/Aug 2015	MW-24-2	NA	NA	**1.8 J**	**1.8 J**
MW-24-Screen-2	Oct 2015	MW-24-2	NA	NA	**2.1 J**	3.0 U
MW-24-Screen-2	Jan/Feb 2016	MW-24-2	NA	NA	**1.0 J**	**1.0**
MW-24-Screen-2	Apr/May 2016	MW-24-2	4.0 U	2.00 U	**2.0 J**	**1.3 J**
MW-24-Screen-2	Apr/May 2016	Dup-2-2Q16	**0.9 J**	1.00 U	**1.8 J**	**2.1**
MW-24-Screen-2	Jul/Aug 2016	MW-24-2	NA	NA	**2.3 J**	**1.0 J**
MW-24-Screen-2	Oct 2016	MW-24-2	NA	NA	**3.1**	**2.2**
MW-24-Screen-2	Jan/Feb 2017	MW-24-2	NA	NA	3.0 U	**0.9 J**
MW-24-Screen-2	Apr/May 2017	MW-24-2	**1.5 J**	1.00 U	**2.6 J**	2.3 U
MW-24-Screen-2	Jul/Aug 2017	MW-24-2	NA	NA	**3.9**	**1.8 J**
MW-24-Screen-2	Oct-17	MW-24-2	NA	NA	**1.9 J**	**1.9 J**
MW-24-Screen-2	Jan/Feb 2018	MW-24-2	NA	NA	3.0 U	**1.9 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-2	April 2018	MW-24-2	**2.3**	1.00 U	**1.3 J**	**2.3**
MW-24-Screen-2	Jul/Aug 2018	MW-24-2	NA	NA	**2.4 J**	2.0 U
MW-24-Screen-2	Oct 2018	MW-24-2	NA	NA	3.0 U	**2.5**
MW-24-Screen-2	Feb/Mar 2019	MW-24-2	NA	NA	3.0 U	**2.0**
MW-24-Screen-2	Apr/May 2019	MW-24-2	**1.6 J**	1.00 U	**2.0 J**	**1.90**
MW-24-Screen-2	Jul/Aug 2019	MW-24-2	NA	NA	**1.3 J**	**1.60**
MW-24-Screen-2	Oct 2019	MW-24-2	NA	NA	**2.1 J**	**2.10**
MW-24-Screen-2	Feb 2020	MW-24-2	NA	NA	**1.9 J**	**2.00**
MW-24-Screen-2	Feb 2020	DUP-5-1Q20	NA	NA	**2.2 J**	**2.00**
MW-24-Screen-2	Jun 2020	MW-24-2	2.0 U	1.00 U	3.0 U	**2.20**
MW-24-Screen-2	Aug 2020	MW-24-2	NA	NA	**2.3 J**	**2.50**
MW-24-Screen-2	Aug 2020	DUP-4-3Q20	NA	NA	**2.7 J**	**2.40**
MW-24-Screen-2	Oct/Nov 2020	MW-24-2	NA	NA	**2.0 J**	0.20 U
MW-24-Screen-2	Mar/Apr 2021	MW-24-2	NA	NA	**1.8 J**	**2.30 J**
MW-24-Screen-2	Mar/Apr 2021	DUP-4-1Q21	NA	NA	**1.7 J**	**2.30 J**
MW-24-Screen-2	May/June 2021	MW-24-2	**1.9 J**	1.00 U	**2.3 J**	**2.00 J**
MW-24-Screen-3						
MW-24-Screen-3	Sep/Oct 1997	MW-24-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Jan/Feb 1998	MW-24-3	**6.0**	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Apr/May 1998	MW-24-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Jul/Aug 1998	MW-24-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Oct/Nov 1998	MW-24-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Feb/Mar 1999	MW-24-3	**6.0**	2.00 U	**13.0**	5.0 U
MW-24-Screen-3	May/Jun 1999	MW-24-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Aug 1999	MW-24-3	NA	NA	10.0 U	5.0 U
MW-24-Screen-3	Nov/Dec 1999	MW-24-3	NA	NA	10.0 U	5.0 U
MW-24-Screen-3	Mar/Apr 2000	MW-24-3	NA	NA	10.0 U	5.0 U
MW-24-Screen-3	Jul/Aug 2000	MW-24-3	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-3	Sep/Oct 2000	MW-24-3	NA	NA	10.0 U	5.0 U
MW-24-Screen-3	Jan/Feb 2001	MW-24-3	5.0 U	1.00 U	**3.9 J**	10.0 U
MW-24-Screen-3	Apr 2001	MW-24-3	NA	NA	NA	10.0 U
MW-24-Screen-3	Jul 2001	MW-24-3	NA	NA	NA	NA U
MW-24-Screen-3	Jul 2001	MW-24-3	NA	NA	**5.3**	NA
MW-24-Screen-3	Oct 2001	MW-24-3	NA	NA	**6.9**	10.0 U
MW-24-Screen-3	Jan/Feb 2002	MW-24-3	**4.3 B**	**0.13 J**	**5.9**	10.0 U
MW-24-Screen-3	Apr/May 2002	MW-24-3	NA	NA	**5.0**	10.0 U
MW-24-Screen-3	Jul 2002	MW-24-3	NA	NA	**5.0**	NA U
MW-24-Screen-3	Oct/Nov 2002	MW-24-3	NA	NA	NA	10.0 U
MW-24-Screen-3	Jan/Feb 2003	MW-24-3	NA	NA	**2.5**	10.0 U
MW-24-Screen-3	Apr/May 2003	MW-24-3	**4.4 J**	1.00 U	**2.2**	10.0 U
MW-24-Screen-3	Jul/Aug 2003	MW-24-3	NA	NA	1.3 U	10.0 U
MW-24-Screen-3	Oct/Nov 2003	MW-24-3	NA	NA	1.7 U	10.0 U
MW-24-Screen-3	Feb 2004	MW-24-3	NA	NA	**3.6**	10.0 U
MW-24-Screen-3	Apr/May 2004	MW-24-3	4.3 U	**0.01 J**	**5.1**	10.0 U
MW-24-Screen-3	Jul/Aug 2004	MW-24-3	NA	NA	**7.3**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-3	Oct/Nov 2004	MW-24-3	NA	NA	**7.2 J**	10.0 U
MW-24-Screen-3	Jan/Feb 2005	MW-24-3	NA	NA	**8.2**	10.0 U
MW-24-Screen-3	Apr/May 2005	MW-24-3	5.0 U	**0.05 J**	**3.6**	10.0 U
MW-24-Screen-3	Jul/Sep 2005	MW-24-3	NA	NA	**6.4**	10.0 U
MW-24-Screen-3	Oct/Nov 2005	MW-24-3	NA	NA	**7.7 J**	10.0 U
MW-24-Screen-3	Mar/Apr 2006	MW-24-3	NA	NA	**1.0**	10.0 U
MW-24-Screen-3	May/Jun 2006	MW-24-3	**2.6**	1.00 U	**1.2 J**	10.0 U
MW-24-Screen-3	Aug/Sep 2006	MW-24-3	NA	NA	0.5 U	10.0 U
MW-24-Screen-3	Oct/Dec 2006	MW-24-3	NA	NA	2.0 U	10.0 U
MW-24-Screen-3	Mar/Apr 2007	MW-24-3	NA	NA	**7.0 J**	10.0 U
MW-24-Screen-3	Jun/Jul 2007	MW-24-3	**2.8**	1.00 U	**5.9 J**	10.0 U
MW-24-Screen-3	Aug/Sep 2007	MW-24-3	NA	NA	**11.0**	10.0 U
MW-24-Screen-3	Oct/Dec 2007	MW-24-3	NA	NA	**6.1**	10.0 U
MW-24-Screen-3	Jan/Feb 2008	MW-24-3	NA	NA	**4.5**	10.0 U
MW-24-Screen-3	Apr/May 2008	MW-24-3	**2.8**	**3.62 J**	**14.5**	10.0 U
MW-24-Screen-3	Jul/Aug 2008	MW-24-3	NA	NA	**5.9**	10.0 U
MW-24-Screen-3	Oct/Nov 2008	DUPE-08-4Q08	NA	NA	5.0 U	NA
MW-24-Screen-3	Oct/Nov 2008	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Oct/Nov 2008	DUPE-08-4Q08	NA	NA	NA	10.0 U
MW-24-Screen-3	Jan/Feb 2009	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Apr/May 2009	DUPE-01-2Q09	**3.5**	5.00 U	5.0 U	NA
MW-24-Screen-3	Apr/May 2009	MW-24-3	**3.0**	5.00 U	5.0 U	10.0 U
MW-24-Screen-3	Apr/May 2009	DUPE-01-2Q09	NA	NA	NA	10.0 U
MW-24-Screen-3	Jul/Aug 2009	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Nov/Dec 2009	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Feb 2010	MW-24-3	NA	NA	5.0 U	NA
MW-24-Screen-3	Apr/May 2010	MW-24-3	**2.5**	5.00 U	5.0 U	10.0 U
MW-24-Screen-3	Jul/Aug 2010	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Oct/Nov 2010	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Feb/Mar 2011	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Apr/May 2011	MW-24-3	**3.0**	5.00 U	5.0 U	10.0 U
MW-24-Screen-3	Aug/Sep 2011	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Nov/Dec 2011	DUPE-7-4Q11	NA	NA	NA	10.0 U
MW-24-Screen-3	Nov/Dec 2011	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Nov/Dec 2011	DUPE-7-4Q11	NA	NA	5.0 U	NA
MW-24-Screen-3	Jan/Feb 2012	MW-24-3	NA	NA	5.0 U	10.0 U
MW-24-Screen-3	Apr/May 2012	DUPE-2-2Q12	**4.9**	5.00 U	5.0 U	NA
MW-24-Screen-3	Apr/May 2012	MW-24-3	**5.2**	5.00 U	5.0 U	10.0 U
MW-24-Screen-3	Apr/May 2012	DUPE-2-2Q12	NA	NA	NA	10.0 U
MW-24-Screen-3	Aug/Sep 2012	DUPE-6-3Q12	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Aug/Sep 2012	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Nov 2012	MW-24-3	NA	NA	**0.5 J**	2.0 U
MW-24-Screen-3	Jan/Feb 2013	MW-24-3	NA	NA	**0.7 J**	2.0 U
MW-24-Screen-3	Apr/May 2013	MW-24-3	**2.3**	1.00 U	3.0 U	4.0 U
MW-24-Screen-3	Jul 2013	MW-24-3	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-3	Oct/Nov 2013	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Jan/Feb 2014	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Apr/May 2014	MW-24-3	2.0 U	1.00 U	3.0 U	2.0 U
MW-24-Screen-3	Jul/Aug 2014	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Oct 2014	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Jan/Feb 2015	MW-24-3	NA	NA	**1.1**	2.0 U
MW-24-Screen-3	Apr/May 2015	MW-24-3	**1.6 J**	1.00 U	**1.1**	10.0 U
MW-24-Screen-3	Jul/Aug 2015	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Oct 2015	MW-24-3	NA	NA	**0.6 J**	1.0 U
MW-24-Screen-3	Oct 2015	DUP-4-4Q15	NA	NA	**0.7 J**	1.0 U
MW-24-Screen-3	Jan/Feb 2016	MW-24-3	NA	NA	0.5 U	0.2 U
MW-24-Screen-3	Apr/May 2016	MW-24-3	**2.0**	1.00 U	3.0 U	2.0 U
MW-24-Screen-3	Jul/Aug 2016	MW-24-3	NA	NA	**1.5 J**	2.0 UJ
MW-24-Screen-3	Oct 2016	MW-24-3	NA	NA	**2.5 J**	2.0 U
MW-24-Screen-3	Jan/Feb 2017	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Apr/May 2017	MW-24-3	**1.7 J**	1.00 U	**1.0 J**	2.0 U
MW-24-Screen-3	Jul/Aug 2017	MW-24-3	NA	NA	2.3 U	2.0 U
MW-24-Screen-3	Oct-17	MW-24-3	NA	NA	**0.6 J**	2.0 U
MW-24-Screen-3	Jan/Feb 2018	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	April 2018	MW-24-3	**2.4**	1.00 U	**0.9 J**	2.0 U
MW-24-Screen-3	Jul/Aug 2018	MW-24-3	NA	NA	1.9 UJ	2.0 U
MW-24-Screen-3	Oct 2018	MW-24-3	NA	NA	3.0 U	**0.8 J**
MW-24-Screen-3	Feb/Mar 2019	MW-24-3	NA	NA	3.0 U	2.0 U
MW-24-Screen-3	Apr/May 2019	MW-24-3	**2.0**	1.00 U	**0.6 J**	0.20 U
MW-24-Screen-3	Jul/Aug 2019	MW-24-3	NA	NA	3.0 U	0.20 U
MW-24-Screen-3	Oct 2019	MW-24-3	NA	NA	3.0 U	**0.04 J**
MW-24-Screen-3	Feb 2020	MW-24-3	NA	NA	3.0 U	0.20 U
MW-24-Screen-3	Jun 2020	MW-24-3	**1.3 J**	1.00 U	3.0 U	0.20 U
MW-24-Screen-3	Aug 2020	MW-24-3	NA	NA	3.0 U	0.20 U
MW-24-Screen-3	Oct/Nov 2020	MW-24-3	NA	NA	3.0 U	0.09 UJ
MW-24-Screen-3	Oct/Nov 2020	DUP-3-4Q20	NA	NA	3.0 U	0.20 U
MW-24-Screen-3	Mar/Apr 2021	MW-24-3	NA	NA	3.0 U	0.07 UB
MW-24-Screen-3	May/June 2021	MW-24-3	**1.4 J**	1.00 U	3.0 U	0.10 UB
MW-24-Screen-4						
MW-24-Screen-4	Sep/Oct 1997	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-4	Jan/Feb 1998	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-4	Apr/May 1998	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-4	Jul/Aug 1998	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-4	Oct/Nov 1998	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-4	Feb/Mar 1999	MW-24-4	5.0 U	**3.10**	10.0 U	5.0 U
MW-24-Screen-4	May/Jun 1999	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-4	Aug 1999	MW-24-4	NA	NA	10.0 U	5.0 U
MW-24-Screen-4	Nov/Dec 1999	MW-24-4	NA	NA	10.0 U	5.0 U
MW-24-Screen-4	Mar/Apr 2000	MW-24-4	NA	NA	10.0 U	5.0 U
MW-24-Screen-4	Jul/Aug 2000	MW-24-4	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-4	Sep/Oct 2000	MW-24-4	NA	NA	10.0 U	5.0 U
MW-24-Screen-4	Jan/Feb 2001	MW-24-4	5.0 U	1.00 U	**2.4 J**	10.0 U
MW-24-Screen-4	Apr 2001	MW-24-4	NA	NA	NA	10.0 U
MW-24-Screen-4	Jul 2001	MW-24-4	NA	NA	NA	NA U
MW-24-Screen-4	Jul 2001	MW-24-4	NA	NA	**4.0 J**	NA
MW-24-Screen-4	Oct 2001	MW-24-4	NA	NA	**5.2**	10.0 U
MW-24-Screen-4	Jan/Feb 2002	MW-24-4	**1.9 B**	1.00 U	**2.4 J**	10.0 U
MW-24-Screen-4	Apr/May 2002	MW-24-4	NA	NA	1.0 U	10.0 U
MW-24-Screen-4	Jul 2002	MW-24-4	NA	NA	**3.0**	NA U
MW-24-Screen-4	Oct/Nov 2002	MW-24-4	NA	NA	NA	10.0 U
MW-24-Screen-4	Jan/Feb 2003	MW-24-4	NA	NA	**1.5**	10.0 U
MW-24-Screen-4	Apr/May 2003	MW-24-4	5.0 U	1.00 U	**0.3 J**	10.0 U
MW-24-Screen-4	Jul/Aug 2003	MW-24-4	NA	NA	0.7 UJ	10.0 U
MW-24-Screen-4	Oct/Nov 2003	MW-24-4	NA	NA	1.2 U	10.0 U
MW-24-Screen-4	Oct/Nov 2003	DUPE-1-4Q03	NA	NA	1.1 U	10.0 U
MW-24-Screen-4	Feb 2004	MW-24-4	NA	NA	**1.5**	10.0 U
MW-24-Screen-4	Apr/May 2004	MW-24-4	2.2 U	0.12 U	**4.3**	10.0 U
MW-24-Screen-4	Jul/Aug 2004	MW-24-4	NA	NA	**6.2**	10.0 U
MW-24-Screen-4	Oct/Nov 2004	MW-24-4	NA	NA	**4.9 J**	10.0 U
MW-24-Screen-4	Jan/Feb 2005	MW-24-4	NA	NA	**7.3**	10.0 U
MW-24-Screen-4	Apr/May 2005	MW-24-4	5.0 U	**0.08 J**	**2.6**	10.0 U
MW-24-Screen-4	Jul/Sep 2005	MW-24-4	NA	NA	**5.0**	10.0 U
MW-24-Screen-4	Oct/Nov 2005	MW-24-4	NA	NA	**5.3 J**	10.0 U
MW-24-Screen-4	Mar/Apr 2006	MW-24-4	NA	NA	1.0 U	10.0 U
MW-24-Screen-4	May/Jun 2006	MW-24-4	**2.3**	1.00 U	1.0 U	10.0 U
MW-24-Screen-4	Aug/Sep 2006	MW-24-4	NA	NA	0.5 U	10.0 U
MW-24-Screen-4	Oct/Dec 2006	MW-24-4	NA	NA	1.0 U	10.0 U
MW-24-Screen-4	Mar/Apr 2007	MW-24-4	NA	NA	**4.9 J**	**6.0 J**
MW-24-Screen-4	Jun/Jul 2007	MW-24-4	**1.5**	1.00 U	**1.3 J**	10.0 U
MW-24-Screen-4	Aug/Sep 2007	MW-24-4	NA	NA	**8.7**	10.0 U
MW-24-Screen-4	Oct/Dec 2007	MW-24-4	NA	NA	**4.1**	10.0 U
MW-24-Screen-4	Jan/Feb 2008	MW-24-4	NA	NA	**3.2**	10.0 U
MW-24-Screen-4	Apr/May 2008	MW-24-4	**1.4**	1.00 U	**1.6 J**	**7.0 J**
MW-24-Screen-4	Jul/Aug 2008	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Oct/Nov 2008	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Jan/Feb 2009	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Apr/May 2009	MW-24-4	**3.3**	5.00 U	5.0 U	10.0 U
MW-24-Screen-4	Jul/Aug 2009	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Nov/Dec 2009	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Feb 2010	MW-24-4	NA	NA	5.0 U	NA
MW-24-Screen-4	Apr/May 2010	MW-24-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-4	Jul/Aug 2010	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Oct/Nov 2010	DUPE-06-4Q10	NA	NA	NA	10.0 U
MW-24-Screen-4	Oct/Nov 2010	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Oct/Nov 2010	DUPE-06-4Q10	NA	NA	5.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-4	Feb/Mar 2011	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Apr/May 2011	MW-24-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-4	Aug/Sep 2011	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Nov/Dec 2011	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Jan/Feb 2012	MW-24-4	NA	NA	5.0 U	10.0 U
MW-24-Screen-4	Apr/May 2012	MW-24-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-4	Aug/Sep 2012	MW-24-4	NA	NA	3.0 U	2.0 U
MW-24-Screen-4	Nov 2012	MW-24-4	NA	NA	**0.6 J**	2.0 U
MW-24-Screen-4	Jan/Feb 2013	MW-24-4	NA	NA	3.0 U	2.0 U
MW-24-Screen-4	Apr/May 2013	MW-24-4	**1.1 J**	1.00 U	3.0 U	2.0 U
MW-24-Screen-4	Jul 2013	MW-24-4	NA	NA	**0.6 J**	2.0 U
MW-24-Screen-4	Oct/Nov 2013	MW-24-4	NA	NA	3.0 U	2.0 U
MW-24-Screen-4	Jan/Feb 2014	MW-24-4	NA	NA	3.0 U	NA
MW-24-Screen-4	Jan/Feb 2014	MW-24-4	NA	NA	NA	2.0 U
MW-24-Screen-4	Apr/May 2014	MW-24-4	2.0 U	1.00 U	3.0 U	2.0 U
MW-24-Screen-4	Jul/Aug 2014	MW-24-4	NA	NA	3.0 U	2.0 U
MW-24-Screen-4	Oct 2014	MW-24-4	NA	NA	3.0 U	2.0 U
MW-24-Screen-4	Jan/Feb 2015	MW-24-4	NA	NA	**1.4**	2.0 U
MW-24-Screen-4	Apr/May 2015	MW-24-4	**1.0 J**	1.00 U	**1.0**	2.0 U
MW-24-Screen-4	Oct 2015	MW-24-4	NA	NA	0.5 U	1.0 U
MW-24-Screen-4	Jan/Feb 2016	MW-24-4	NA	NA	**0.8 J**	0.2 U
MW-24-Screen-4	Apr/May 2016	MW-24-4	2.0 U	1.00 U	**0.5 J**	10.0 UJ
MW-24-Screen-4	Jul/Aug 2016	MW-24-4	NA	NA	**0.8 J**	2.0 UJ
MW-24-Screen-4	Oct 2016	MW-24-4	NA	NA	**1.4 J**	2.0 UJ
MW-24-Screen-4	Jan/Feb 2017	MW-24-4	NA	NA	2.4 U	2.0 U
MW-24-Screen-4	Apr/May 2017	MW-24-4	**0.7 J**	1.00 U	**1.4 J**	2.0 U
MW-24-Screen-4	Jul/Aug 2017	MW-24-4	NA	NA	2.2 U	2.0 U
MW-24-Screen-4	Oct-17	MW-24-4	NA	NA	**0.5 J**	**2.5**
MW-24-Screen-4	Jan/Feb 2018	MW-24-4	NA	NA	3.0 U	10.0 U
MW-24-Screen-4	April 2018	MW-24-4	**1.1 J**	1.00 U	**0.8 J**	2.0 U
MW-24-Screen-4	Jul/Aug 2018	MW-24-4	NA	NA	2.1 UJ	2.0 U
MW-24-Screen-4	Oct 2018	MW-24-4	NA	NA	3.0 U	2.0 U
MW-24-Screen-4	Feb/Mar 2019	MW-24-4	NA	NA	3.0 U	10.0 U
MW-24-Screen-4	Apr/May 2019	MW-24-4	**1.4 J**	1.00 U	3.0 U	0.20 U
MW-24-Screen-4	Jul/Aug 2019	MW-24-4	NA	NA	3.0 U	**0.07 J**
MW-24-Screen-4	Jul/Aug 2019	DUP-4-3Q19	NA	NA	3.0 U	**0.06 J**
MW-24-Screen-4	Oct 2019	MW-24-4	NA	NA	3.0 U	**0.08 J**
MW-24-Screen-4	Feb 2020	MW-24-4	NA	NA	3.0 U	0.20 U
MW-24-Screen-4	Jun 2020	MW-24-4	2.0 U	**0.10 J**	**0.9 J**	0.20 U
MW-24-Screen-4	Aug 2020	MW-24-4	NA	NA	3.0 U	**0.03 J**
MW-24-Screen-4	Oct/Nov 2020	MW-24-4	NA	NA	3.0 U	0.10 UJ
MW-24-Screen-4	Mar/Apr 2021	MW-24-4	NA	NA	3.0 U	0.13 UB
MW-24-Screen-4	May/June 2021	MW-24-4	**1.0 J**	1.00 U	3.0 U	0.12 UB
MW-24-Screen-5						
MW-24-Screen-5	Sep/Oct 1997	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-5	Jan/Feb 1998	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	Apr/May 1998	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	Jul/Aug 1998	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	Oct/Nov 1998	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	Feb/Mar 1999	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	May/Jun 1999	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	Nov/Dec 1999	MW-24-5	NA	NA	10.0 U	5.0 U
MW-24-Screen-5	Jul/Aug 2000	MW-24-5	5.0 U	2.00 U	10.0 U	5.0 U
MW-24-Screen-5	Jan/Feb 2001	MW-24-5	5.0 U	1.00 U	**5.2**	10.0 U
MW-24-Screen-5	Jan/Feb 2002	MW-24-5	**3.2 B**	1.00 U	**5.0**	10.0 U
MW-24-Screen-5	Apr/May 2003	MW-24-5	**2.7 J**	1.00 U	**4.1**	10.0 U
MW-24-Screen-5	Oct/Nov 2003	MW-24-5	NA	NA	**3.7**	10.0 U
MW-24-Screen-5	Apr/May 2004	MW-24-5	3.8 U	0.12 U	**7.6**	10.0 U
MW-24-Screen-5	Oct/Nov 2004	MW-24-5	NA	NA	**9.7 J**	10.0 U
MW-24-Screen-5	Apr/May 2005	MW-24-5	5.0 U	**0.08 J**	**5.6**	10.0 U
MW-24-Screen-5	Oct/Nov 2005	MW-24-5	NA	NA	**9.8 J**	10.0 U
MW-24-Screen-5	May/Jun 2006	MW-24-5	**2.5**	1.00 U	**2.7 J**	10.0 U
MW-24-Screen-5	Oct/Dec 2006	MW-24-5	NA	NA	**3.3**	10.0 U
MW-24-Screen-5	Jun/Jul 2007	MW-24-5	**2.4**	1.00 U	**3.9 J**	10.0 U
MW-24-Screen-5	Oct/Dec 2007	MW-24-5	NA	NA	**8.6**	10.0 U
MW-24-Screen-5	Apr/May 2008	MW-24-5	**2.4**	1.00 U	**3.4 J**	10.0 U
MW-24-Screen-5	Oct/Nov 2008	MW-24-5	NA	NA	5.0 U	10.0 U
MW-24-Screen-5	Apr/May 2009	MW-24-5	**3.2**	5.00 U	5.0 U	10.0 U
MW-24-Screen-5	Nov/Dec 2009	MW-24-5	NA	NA	5.0 U	10.0 U
MW-24-Screen-5	Apr/May 2010	MW-24-5	**3.0**	5.00 U	5.0 U	10.0 U
MW-24-Screen-5	Oct/Nov 2010	MW-24-5	NA	NA	5.0 U	10.0 U
MW-24-Screen-5	Apr/May 2011	MW-24-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-24-Screen-5	Nov/Dec 2011	MW-24-5	NA	NA	5.0 U	10.0 U
MW-24-Screen-5	Apr/May 2012	MW-24-5	**2.8**	5.00 U	5.0 U	10.0 U
MW-24-Screen-5	Nov 2012	MW-24-5	NA	NA	**2.9 J**	**2.4**
MW-24-Screen-5	Apr/May 2013	MW-24-5	**2.4**	1.00 U	**2.3 J**	**2.8**
MW-24-Screen-5	Oct/Nov 2013	MW-24-5	NA	NA	3.0 U	**1.4 J**
MW-24-Screen-5	Apr/May 2014	MW-24-5	2.0 U	1.00 U	3.0 U	2.0 U
MW-24-Screen-5	Oct 2014	MW-24-5	NA	NA	**1.1 J**	**2.0**
MW-24-Screen-5	Apr/May 2015	MW-24-5	**2.4**	1.00 U	**3.0**	10.0 UJ
MW-24-Screen-5	Oct 2015	MW-24-5	NA	NA	**3.1**	3.0 U
MW-24-Screen-5	Apr/May 2016	MW-24-5	2.0 U	1.00 U	**2.2 J**	**2.6**
MW-24-Screen-5	Oct 2016	MW-24-5	NA	NA	**4.5**	**3.0**
MW-24-Screen-5	Apr/May 2017	MW-24-5	**1.8 J**	1.00 U	**3.8**	2.2 U
MW-24-Screen-5	Oct-17	MW-24-5	NA	NA	**3.0**	2.0 U
MW-24-Screen-5	April 2018	MW-24-5	**1.7 J**	**0.17 J**	**3.9**	**2.9**
MW-24-Screen-5	Oct 2018	MW-24-5	NA	NA	3.0 U	**3.0**
MW-24-Screen-5	Apr/May 2019	MW-24-5	**2.7**	**0.19 J**	3.0 U	**2.50**
MW-24-Screen-5	Oct 2019	MW-24-5	NA	NA	**3.1**	**2.50**
MW-24-Screen-5	Jun 2020	MW-24-5	**2.3**	**0.13 J**	**3.1**	**2.30**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-24-Screen-5	Oct/Nov 2020	MW-24-5	NA	NA	**1.8 J**	**2.60**
MW-24-Screen-5	May/June 2021	MW-24-5	**2.5**	1.00 U	**2.4 J**	**2.60 J**
MW-25-Screen-1						
MW-25-Screen-1	Jan/Feb 2005	MW-25-1	5.0 U	**0.05 J**	**4.4**	10.0 U
MW-25-Screen-1	Apr/May 2005	MW-25-1	5.0 U	**0.10 J**	**4.2**	10.0 U
MW-25-Screen-1	Jul/Sep 2005	MW-25-1	NA	NA	**6.9**	10.0 U
MW-25-Screen-1	Oct/Nov 2005	MW-25-1	NA	NA	**9.7**	10.0 U
MW-25-Screen-1	Mar/Apr 2006	MW-25-1	NA	NA	**2.3 J**	10.0 U
MW-25-Screen-1	May/Jun 2006	MW-25-1	1.0 U	1.00 U	**1.5 J**	10.0 U
MW-25-Screen-1	Aug/Sep 2006	MW-25-1	NA	NA	0.5 U	10.0 U
MW-25-Screen-1	Oct/Dec 2006	DUPE-6-4Q06	NA	NA	NA	10.0 U
MW-25-Screen-1	Oct/Dec 2006	MW-25-1	NA	NA	1.0 U	10.0 U
MW-25-Screen-1	Oct/Dec 2006	DUPE-6-4Q06	NA	NA	1.0 U	NA
MW-25-Screen-1	Mar/Apr 2007	MW-25-1	NA	NA	**1.8**	10.0 U
MW-25-Screen-1	Jun/Jul 2007	DUPE-6-2Q07	1.0 U	1.00 U	**1.7**	NA
MW-25-Screen-1	Jun/Jul 2007	MW-25-1	1.0 U	1.00 U	**1.7**	10.0 U
MW-25-Screen-1	Jun/Jul 2007	DUPE-6-2Q07	NA	NA	NA	10.0 U
MW-25-Screen-1	Aug/Sep 2007	MW-25-1	NA	NA	2.0 U	10.0 U
MW-25-Screen-1	Oct/Dec 2007	MW-25-1	NA	NA	**7.6 E**	10.0 U
MW-25-Screen-1	Jan/Feb 2008	MW-25-1	NA	NA	**9.1 E**	10.0 U
MW-25-Screen-1	Jan/Feb 2008	DUPE-3-1Q08	NA	NA	**8.5 E**	10.0 U
MW-25-Screen-1	Apr/May 2008	MW-25-1	1.0 U	1.00 U	**4.8**	10.0 U
MW-25-Screen-1	Jul/Aug 2008	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Oct/Nov 2008	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Jan/Feb 2009	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Jan/Feb 2009	DUPE-02-1Q09	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Apr/May 2009	MW-25-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-1	Jul/Aug 2009	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Nov/Dec 2009	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Feb 2010	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Apr/May 2010	MW-25-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-1	Jul/Aug 2010	MW-25-1	NA	NA	**7.1**	10.0 U
MW-25-Screen-1	Oct/Nov 2010	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Feb/Mar 2011	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Apr/May 2011	MW-25-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-1	Aug/Sep 2011	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Nov/Dec 2011	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Jan/Feb 2012	MW-25-1	NA	NA	5.0 U	10.0 U
MW-25-Screen-1	Apr/May 2012	MW-25-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-1	Aug/Sep 2012	MW-25-1	NA	NA	**1.5 J**	2.0 U
MW-25-Screen-1	Nov 2012	MW-25-1	NA	NA	**5.0**	2.0 U
MW-25-Screen-1	Jan/Feb 2013	MW-25-1	NA	NA	**2.1 J**	4.0 U
MW-25-Screen-1	Apr/May 2013	MW-25-1	2.0 U	1.00 U	**1.6 J**	2.0 U
MW-25-Screen-1	Jul 2013	MW-25-1	NA	NA	**1.7 J**	2.0 U
MW-25-Screen-1	Oct/Nov 2013	MW-25-1	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-1	Jan/Feb 2014	MW-25-1	NA	NA	3.0 U	2.0 U
MW-25-Screen-1	Apr/May 2014	MW-25-1	2.0 U	1.00 U	**1.5 J**	2.0 U
MW-25-Screen-1	Jul/Aug 2014	MW-25-1	NA	NA	3.0 U	2.0 U
MW-25-Screen-1	Oct 2014	MW-25-1	NA	NA	**1.4 J**	2.0 U
MW-25-Screen-1	Jan/Feb 2015	MW-25-1	NA	NA	**1.5 J**	2.0 U
MW-25-Screen-1	Apr/May 2015	MW-25-1	2.0 U	1.00 U	**0.9**	2.0 U
MW-25-Screen-1	Jul/Aug 2015	MW-25-1	NA	NA	**2.0 J**	2.0 U
MW-25-Screen-1	Oct 2015	MW-25-1	NA	NA	0.5 U	1.0 U
MW-25-Screen-1	Jan/Feb 2016	MW-25-1	NA	NA	**1.5 J**	0.2 U
MW-25-Screen-1	Jan/Feb 2016	DUP-2-1Q16	NA	NA	**1.4 J**	0.2 U
MW-25-Screen-1	Apr/May 2016	MW-25-1	2.0 U	1.00 U	**1.1 J**	2.0 U
MW-25-Screen-1	Oct 2016	MW-25-1	NA	NA	**2.5 J**	2.0 U
MW-25-Screen-1	Jan/Feb 2017	MW-25-1	NA	NA	1.9 U	2.0 U
MW-25-Screen-1	Apr/May 2017	MW-25-1	2.0 U	1.00 U	2.6 U	2.0 U
MW-25-Screen-1	Jul/Aug 2017	MW-25-1	NA	NA	**3.1**	2.0 UJ
MW-25-Screen-1	Oct-17	MW-25-1	NA	NA	**1.8 J**	2.0 U
MW-25-Screen-1	Oct-17	DUP-2-4Q17	NA	NA	**2.6 J**	**2.1**
MW-25-Screen-1	Jan/Feb 2018	MW-25-1	NA	NA	3.0 U	2.0 U
MW-25-Screen-1	April 2018	MW-25-1	**0.9 J**	**0.14 J**	**2.4 J**	2.0 U
MW-25-Screen-1	Jul/Aug 2018	MW-25-1	NA	NA	3.0 U	2.0 U
MW-25-Screen-1	Jul/Aug 2018	DUP-2-3Q18	NA	NA	3.0 U	2.0 U
MW-25-Screen-1	Oct 2018	MW-25-1	NA	NA	3.0 U	2.0 U
MW-25-Screen-1	Feb/Mar 2019	MW-25-1	NA	NA	**1.9 J**	2.0 U
MW-25-Screen-1	Apr/May 2019	MW-25-1	**1.1 J**	1.00 U	**2.1 J**	**0.58**
MW-25-Screen-1	Jul/Aug 2019	MW-25-1	NA	NA	**2.0 J**	**0.33**
MW-25-Screen-1	Oct 2019	MW-25-1	NA	NA	**1.3 J**	**0.30**
MW-25-Screen-1	Feb 2020	MW-25-1	NA	NA	**1.6 J**	0.20 U
MW-25-Screen-1	Jun 2020	MW-25-1	2.0 U	1.00 U	**1.6 J**	0.20 U
MW-25-Screen-1	Aug 2020	MW-25-1	NA	NA	3.0 U	**0.71**
MW-25-Screen-1	Aug 2020	DUP-2-3Q20	NA	NA	3.0 U	**0.70**
MW-25-Screen-1	Oct/Nov 2020	MW-25-1	NA	NA	**2.4 J**	**0.66**
MW-25-Screen-1	Mar/Apr 2021	MW-25-1	NA	NA	**0.6 J**	**0.47 J**
MW-25-Screen-1	Mar/Apr 2021	DUP-1-1Q21	NA	NA	**0.5 J**	**0.44 J**
MW-25-Screen-1	May/June 2021	MW-25-1	**0.9 J**	1.00 U	**1.6 J**	0.39 UB
MW-25-Screen-2						
MW-25-Screen-2	Jan/Feb 2005	MW-25-2	5.0 U	**0.09 J**	**1.0**	10.0 U
MW-25-Screen-2	Apr/May 2005	DUPE-6-2Q05	5.0 U	**0.05 J**	**3.5**	10.0 U
MW-25-Screen-2	Apr/May 2005	MW-25-2	5.0 U	**0.06 J**	**3.2**	10.0 U
MW-25-Screen-2	Jul/Sep 2005	MW-25-2	NA	NA	**5.2**	10.0 U
MW-25-Screen-2	Oct/Nov 2005	MW-25-2	NA	NA	**6.3**	10.0 U
MW-25-Screen-2	Mar/Apr 2006	MW-25-2	NA	NA	**2.3 J**	10.0 U
MW-25-Screen-2	May/Jun 2006	MW-25-2	**1.2 J**	1.00 U	**2.3 J**	10.0 U
MW-25-Screen-2	Aug/Sep 2006	MW-25-2	NA	NA	0.5 U	10.0 U
MW-25-Screen-2	Oct/Dec 2006	MW-25-2	NA	NA	1.0 U	10.0 U
MW-25-Screen-2	Mar/Apr 2007	MW-25-2	NA	NA	**8.7 J**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-2	Jun/Jul 2007	MW-25-2	**1.6**	1.00 U	**5.4**	10.0 U
MW-25-Screen-2	Aug/Sep 2007	MW-25-2	NA	NA	**12.2 E**	10.0 U
MW-25-Screen-2	Oct/Dec 2007	MW-25-2	NA	NA	**10.1 E**	10.0 U
MW-25-Screen-2	Jan/Feb 2008	MW-25-2	NA	NA	**10.3 E**	10.0 U
MW-25-Screen-2	Apr/May 2008	MW-25-2	**1.2**	1.00 U	**6.5**	10.0 U
MW-25-Screen-2	Jul/Aug 2008	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Oct/Nov 2008	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Jan/Feb 2009	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Apr/May 2009	MW-25-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-2	Jul/Aug 2009	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Nov/Dec 2009	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Feb 2010	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Apr/May 2010	DUPE-7-2Q10	2.0 U	5.00 U	5.0 U	NA
MW-25-Screen-2	Apr/May 2010	MW-25-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-2	Apr/May 2010	DUPE-7-2Q10	NA	NA	NA	10.0 U
MW-25-Screen-2	Jul/Aug 2010	MW-25-2	NA	NA	**6.5 J**	10.0 U
MW-25-Screen-2	Oct/Nov 2010	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Feb/Mar 2011	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Apr/May 2011	DUPE-4-2Q11	2.0 U	5.00 U	5.0 U	NA
MW-25-Screen-2	Apr/May 2011	MW-25-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-2	Apr/May 2011	DUPE-4-2Q11	NA	NA	NA	10.0 U
MW-25-Screen-2	Aug/Sep 2011	DUPE-05-3Q11	NA	NA	5.0 U	NA
MW-25-Screen-2	Aug/Sep 2011	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Aug/Sep 2011	DUPE-05-3Q11	NA	NA	NA	10.0 U
MW-25-Screen-2	Nov/Dec 2011	MW-25-2	NA	NA	5.0 U	10.0 U
MW-25-Screen-2	Jan/Feb 2012	MW-25-2	NA	NA	**5.0**	10.0 U
MW-25-Screen-2	Apr/May 2012	MW-25-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-2	Aug/Sep 2012	MW-25-2	NA	NA	**2.8 J**	**1.9 J**
MW-25-Screen-2	Nov 2012	MW-25-2	NA	NA	**2.8 J**	**2.5**
MW-25-Screen-2	Jan/Feb 2013	MW-25-2	NA	NA	**3.7**	4.0 U
MW-25-Screen-2	Apr/May 2013	MW-25-2	**0.8 J**	1.00 U	**2.8 J**	**1.5 J**
MW-25-Screen-2	Jul 2013	MW-25-2	NA	NA	**2.9 J**	**1.8 J**
MW-25-Screen-2	Oct/Nov 2013	DUPE-4-4Q13	NA	NA	3.0 U	**1.1 J**
MW-25-Screen-2	Oct/Nov 2013	MW-25-2	NA	NA	**2.5 J**	**1.1 J**
MW-25-Screen-2	Jan/Feb 2014	MW-25-2	NA	NA	**4.0**	**1.6 J**
MW-25-Screen-2	Apr/May 2014	MW-25-2	**0.8 J**	1.00 U	3.0 U	**1.8 J**
MW-25-Screen-2	Jul/Aug 2014	DUP-4-3Q14	NA	NA	**2.7 J**	**2.4**
MW-25-Screen-2	Jul/Aug 2014	MW-25-2	NA	NA	**3.0**	**2.5**
MW-25-Screen-2	Oct 2014	MW-25-2	NA	NA	**2.3 J**	**2.3**
MW-25-Screen-2	Jan/Feb 2015	MW-25-2	NA	NA	**2.7 J**	**2.7**
MW-25-Screen-2	Apr/May 2015	MW-25-2	**1.0 J**	1.00 U	**2.6 J**	**1.1 J**
MW-25-Screen-2	Jul/Aug 2015	MW-25-2	NA	NA	**3.4**	**2.4**
MW-25-Screen-2	Oct 2015	MW-25-2	NA	NA	**1.2 J**	2.0 U
MW-25-Screen-2	Jan/Feb 2016	MW-25-2	NA	NA	**2.2 J**	**2.0**
MW-25-Screen-2	Apr/May 2016	MW-25-2	2.0 U	1.00 U	**1.6 J**	**1.6 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-2	Oct 2016	MW-25-2	NA	NA	**2.6 J**	**2.1**
MW-25-Screen-2	Jan/Feb 2017	MW-25-2	NA	NA	**2.2 J**	**1.1 J**
MW-25-Screen-2	Apr/May 2017	MW-25-2	2.0 U	1.00 U	3.9 U	**2.9**
MW-25-Screen-2	Apr/May 2017	DUP-1-2Q17	2.0 U	1.00 U	3.9 U	**2.8**
MW-25-Screen-2	Jul/Aug 2017	MW-25-2	NA	NA	**4.2**	**3.1 J**
MW-25-Screen-2	Oct-17	MW-25-2	NA	NA	**3.0 J**	**2.7**
MW-25-Screen-2	Jan/Feb 2018	MW-25-2	NA	NA	**8.8**	**1.5 J**
MW-25-Screen-2	April 2018	MW-25-2	**0.8 J**	1.00 U	**2.4 J**	**2.1**
MW-25-Screen-2	Jul/Aug 2018	MW-25-2	NA	NA	3.0 U	**3.5**
MW-25-Screen-2	Oct 2018	MW-25-2	NA	NA	3.0 U	**3.6**
MW-25-Screen-2	Feb/Mar 2019	MW-25-2	NA	NA	**3.2**	**3.7**
MW-25-Screen-2	Apr/May 2019	MW-25-2	**1.0 J**	1.00 U	**3.2**	**2.90**
MW-25-Screen-2	Jul/Aug 2019	MW-25-2	NA	NA	**3.1**	**1.00**
MW-25-Screen-2	Oct 2019	MW-25-2	NA	NA	**1.2 J**	**1.00**
MW-25-Screen-2	Feb 2020	MW-25-2	NA	NA	**3.6**	**2.80**
MW-25-Screen-2	Jun 2020	MW-25-2	**1.1 J**	1.00 U	**3.2**	**2.80**
MW-25-Screen-2	Aug 2020	MW-25-2	NA	NA	3.0 U	**1.40**
MW-25-Screen-2	Oct/Nov 2020	MW-25-2	NA	NA	**2.6 J**	**1.80**
MW-25-Screen-2	Mar/Apr 2021	MW-25-2	NA	NA	**0.8 J**	**1.90 J**
MW-25-Screen-2	May/June 2021	MW-25-2	**0.9 J**	1.00 U	**2.3 J**	**1.40 J**
MW-25-Screen-3						
MW-25-Screen-3	Jan/Feb 2005	MW-25-3	5.0 U	**0.01 J**	**5.2**	10.0 U
MW-25-Screen-3	Apr/May 2005	MW-25-3	5.0 U	**0.06 J**	**6.5**	10.0 U
MW-25-Screen-3	Jul/Sep 2005	MW-25-3	NA	NA	**8.5**	10.0 U
MW-25-Screen-3	Oct/Nov 2005	MW-25-3	NA	NA	**10.2**	10.0 U
MW-25-Screen-3	Mar/Apr 2006	MW-25-3	NA	NA	**3.9 J**	**20.0**
MW-25-Screen-3	May/Jun 2006	MW-25-3	**1.6 J**	1.00 U	**3.7 J**	10.0 U
MW-25-Screen-3	Aug/Sep 2006	MW-25-3	NA	NA	0.5 U	10.0 U
MW-25-Screen-3	Oct/Dec 2006	MW-25-3	NA	NA	**3.2**	10.0 U
MW-25-Screen-3	Mar/Apr 2007	MW-25-3	NA	NA	**9.6 J**	10.0 U
MW-25-Screen-3	Jun/Jul 2007	MW-25-3	**1.4**	1.00 U	**5.0**	10.0 U
MW-25-Screen-3	Aug/Sep 2007	MW-25-3	NA	NA	**13.1 E**	10.0 U
MW-25-Screen-3	Oct/Dec 2007	MW-25-3	NA	NA	**11.0 E**	10.0 U
MW-25-Screen-3	Jan/Feb 2008	MW-25-3	NA	NA	**10.5 E**	10.0 U
MW-25-Screen-3	Apr/May 2008	MW-25-3	**1.4**	1.00 U	**7.4**	10.0 U
MW-25-Screen-3	Jul/Aug 2008	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Oct/Nov 2008	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Jan/Feb 2009	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Apr/May 2009	DUPE-04-2Q09	2.0 U	5.00 U	5.0 U	NA
MW-25-Screen-3	Apr/May 2009	MW-25-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-3	Apr/May 2009	DUPE-04-2Q09	NA	NA	NA	10.0 U
MW-25-Screen-3	Jul/Aug 2009	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Nov/Dec 2009	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Feb 2010	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Apr/May 2010	MW-25-3	2.0 U	5.00 U	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-3	Jul/Aug 2010	MW-25-3	NA	NA	**5.9**	10.0 U
MW-25-Screen-3	Oct/Nov 2010	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Feb/Mar 2011	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Apr/May 2011	MW-25-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-3	Aug/Sep 2011	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Nov/Dec 2011	MW-25-3	NA	NA	5.0 U	10.0 U
MW-25-Screen-3	Jan/Feb 2012	MW-25-3	NA	NA	**5.1**	10.0 U
MW-25-Screen-3	Apr/May 2012	MW-25-3	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-3	Aug/Sep 2012	DUPE-2-3Q12	NA	NA	**3.2**	**3.0**
MW-25-Screen-3	Aug/Sep 2012	MW-25-3	NA	NA	**3.2**	**3.1**
MW-25-Screen-3	Nov 2012	MW-25-3	NA	NA	**3.1**	**3.6**
MW-25-Screen-3	Jan/Feb 2013	MW-25-3	NA	NA	**3.5**	**1.4 J**
MW-25-Screen-3	Apr/May 2013	MW-25-3	**0.9 J**	**0.23 J**	**3.2**	**2.2 J**
MW-25-Screen-3	Jul 2013	DUPE-4-3Q13	NA	NA	**3.1**	**2.8**
MW-25-Screen-3	Jul 2013	MW-25-3	NA	NA	**3.3**	**3.0**
MW-25-Screen-3	Oct/Nov 2013	MW-25-3	NA	NA	**2.4 J**	**2.1**
MW-25-Screen-3	Jan/Feb 2014	MW-25-3	NA	NA	**1.8 J**	**3.0**
MW-25-Screen-3	Apr/May 2014	MW-25-3	**1.0 J**	1.00 U	3.0 U	**3.1**
MW-25-Screen-3	Jul/Aug 2014	MW-25-3	NA	NA	**3.5**	**3.1**
MW-25-Screen-3	Oct 2014	MW-25-3	NA	NA	**2.6 J**	**3.0**
MW-25-Screen-3	Jan/Feb 2015	MW-25-3	NA	NA	**3.4**	**3.3**
MW-25-Screen-3	Apr/May 2015	MW-25-3	**0.7 J**	1.00 U	**3.1**	**1.9 J**
MW-25-Screen-3	Apr/May 2015	DUP-4-2Q15	2.0 U	1.00 U	**1.7**	**1.9 J**
MW-25-Screen-3	Jul/Aug 2015	MW-25-3	NA	NA	**3.0**	**3.7**
MW-25-Screen-3	Oct 2015	MW-25-3	NA	NA	**1.7 J**	3.0 U
MW-25-Screen-3	Jan/Feb 2016	MW-25-3	NA	NA	**2.8 J**	**2.3**
MW-25-Screen-3	Apr/May 2016	MW-25-3	2.0 U	1.00 U	**2.4 J**	**1.7 J**
MW-25-Screen-3	Apr/May 2016	DUP-5-2Q16	**0.7 J**	1.00 U	**2.8 J**	**2.0**
MW-25-Screen-3	Oct 2016	MW-25-3	NA	NA	**2.8 J**	**2.5**
MW-25-Screen-3	Jan/Feb 2017	MW-25-3	NA	NA	**2.5 J**	**1.6 J**
MW-25-Screen-3	Apr/May 2017	MW-25-3	2.0 U	1.00 U	4.9 U	**2.9**
MW-25-Screen-3	Jul/Aug 2017	MW-25-3	NA	NA	**4.1**	**3.3 J**
MW-25-Screen-3	Oct-17	MW-25-3	NA	NA	**3.1 J**	**3.2**
MW-25-Screen-3	Jan/Feb 2018	MW-25-3	NA	NA	3.0 U	**2.5**
MW-25-Screen-3	April 2018	MW-25-3	**1.4 J**	**0.18 J**	**3.9**	**2.2**
MW-25-Screen-3	Jul/Aug 2018	MW-25-3	NA	NA	3.0 U	**3.5**
MW-25-Screen-3	Oct 2018	MW-25-3	NA	NA	3.0 U	**3.3**
MW-25-Screen-3	Feb/Mar 2019	MW-25-3	NA	NA	**3.6**	**3.9**
MW-25-Screen-3	Apr/May 2019	MW-25-3	**0.9 J**	1.00 U	**3.7**	**3.30**
MW-25-Screen-3	Jul/Aug 2019	MW-25-3	NA	NA	**2.4 J**	**1.90**
MW-25-Screen-3	Oct 2019	MW-25-3	NA	NA	**1.9 J**	**2.50**
MW-25-Screen-3	Oct 2019	DUP-3-4Q19	NA	NA	**3.9**	**2.50**
MW-25-Screen-3	Feb 2020	MW-25-3	NA	NA	**3.3**	**3.70**
MW-25-Screen-3	Jun 2020	MW-25-3	**1.2 J**	1.00 U	**3.0**	**3.20**
MW-25-Screen-3	Aug 2020	MW-25-3	NA	NA	3.0 U	**2.50 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-3	Oct/Nov 2020	MW-25-3	NA	NA	**3.2**	**3.00 J**
MW-25-Screen-3	Mar/Apr 2021	MW-25-3	NA	NA	**2.0 J**	**3.20 J**
MW-25-Screen-3	May/June 2021	MW-25-3	2.0 U	1.00 U	**2.7 J**	**2.70 J**
MW-25-Screen-3	May/June 2021	DUP-2-2Q21	2.0 U	1.00 U	**2.9 J**	**2.90 J**
MW-25-Screen-4						
MW-25-Screen-4	Jan/Feb 2005	MW-25-4	5.0 U	**0.03 J**	**5.3**	10.0 U
MW-25-Screen-4	Apr/May 2005	MW-25-4	5.0 U	**0.07 J**	**6.6**	10.0 U
MW-25-Screen-4	Jul/Sep 2005	MW-25-4	NA	NA	**9.1**	10.0 U
MW-25-Screen-4	Oct/Nov 2005	MW-25-4	NA	NA	**10.4**	10.0 U
MW-25-Screen-4	Mar/Apr 2006	MW-25-4	NA	NA	**2.3 J**	10.0 U
MW-25-Screen-4	May/Jun 2006	MW-25-4	**1.4 J**	1.00 U	**2.2 J**	10.0 U
MW-25-Screen-4	Aug/Sep 2006	MW-25-4	NA	NA	0.5 U	10.0 U
MW-25-Screen-4	Oct/Dec 2006	MW-25-4	NA	NA	**2.8 E**	10.0 U
MW-25-Screen-4	Mar/Apr 2007	MW-25-4	NA	NA	**9.5 J**	10.0 U
MW-25-Screen-4	Jun/Jul 2007	MW-25-4	**1.6**	1.00 U	**3.8**	10.0 U
MW-25-Screen-4	Aug/Sep 2007	MW-25-4	NA	NA	**12.9 E**	10.0 U
MW-25-Screen-4	Oct/Dec 2007	MW-25-4	NA	NA	**11.6 E**	10.0 U
MW-25-Screen-4	Jan/Feb 2008	MW-25-4	NA	NA	**11.1 E**	10.0 U
MW-25-Screen-4	Apr/May 2008	MW-25-4	**1.4**	1.00 U	**6.4**	10.0 U
MW-25-Screen-4	Jul/Aug 2008	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Oct/Nov 2008	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Jan/Feb 2009	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Apr/May 2009	MW-25-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-4	Jul/Aug 2009	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Nov/Dec 2009	DUPE-07-4Q09	NA	NA	NA	10.0 U
MW-25-Screen-4	Nov/Dec 2009	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Nov/Dec 2009	DUPE-07-4Q09	NA	NA	5.0 U	NA
MW-25-Screen-4	Feb 2010	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Apr/May 2010	MW-25-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-4	Jul/Aug 2010	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Oct/Nov 2010	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Feb/Mar 2011	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Apr/May 2011	MW-25-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-4	Aug/Sep 2011	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Nov/Dec 2011	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Jan/Feb 2012	MW-25-4	NA	NA	5.0 U	10.0 U
MW-25-Screen-4	Apr/May 2012	MW-25-4	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-4	Aug/Sep 2012	MW-25-4	NA	NA	**1.1 J**	2.0 U
MW-25-Screen-4	Nov 2012	MW-25-4	NA	NA	**1.4 J**	**0.9 J**
MW-25-Screen-4	Jan/Feb 2013	DUP-2-1Q13	NA	NA	**1.8 J**	2.0 U
MW-25-Screen-4	Jan/Feb 2013	MW-25-4	NA	NA	**2.0 J**	2.0 U
MW-25-Screen-4	Apr/May 2013	MW-25-4	**0.8 J**	1.00 U	**1.3 J**	2.0 U
MW-25-Screen-4	Jul 2013	MW-25-4	NA	NA	**1.5 J**	2.0 U
MW-25-Screen-4	Oct/Nov 2013	MW-25-4	NA	NA	**1.1 J**	2.0 U
MW-25-Screen-4	Jan/Feb 2014	MW-25-4	NA	NA	**0.9 J**	**0.9 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-4	Apr/May 2014	MW-25-4	**0.8 J**	1.00 U	3.0 U	**1.0 J**
MW-25-Screen-4	Jul/Aug 2014	MW-25-4	NA	NA	**1.4 J**	**0.9 J**
MW-25-Screen-4	Oct 2014	MW-25-4	NA	NA	**0.9 J**	**0.8 J**
MW-25-Screen-4	Jan/Feb 2015	MW-25-4	NA	NA	**1.4 J**	**1.0 J**
MW-25-Screen-4	Apr/May 2015	MW-25-4	**1.0 J**	1.00 U	**1.5 J**	2.0 U
MW-25-Screen-4	Jul/Aug 2015	MW-25-4	NA	NA	**1.7 J**	**1.8 J**
MW-25-Screen-4	Oct 2015	MW-25-4	NA	NA	0.5 U	2.0 U
MW-25-Screen-4	Jan/Feb 2016	MW-25-4	NA	NA	**0.9 J**	**0.7**
MW-25-Screen-4	Apr/May 2016	MW-25-4	**0.8 J**	1.00 U	**0.9 J**	2.0 U
MW-25-Screen-4	Oct 2016	MW-25-4	NA	NA	**2.5 J**	**1.0 J**
MW-25-Screen-4	Jan/Feb 2017	MW-25-4	NA	NA	**1.8 J**	2 U
MW-25-Screen-4	Apr/May 2017	MW-25-4	2.0 U	1.00 U	2.7 U	**0.7 J**
MW-25-Screen-4	Jul/Aug 2017	MW-25-4	NA	NA	2.3 U	**1.1 J**
MW-25-Screen-4	Oct-17	MW-25-4	NA	NA	**1.7 J**	**1.6 J**
MW-25-Screen-4	Jan/Feb 2018	MW-25-4	NA	NA	3.0 U	**0.9 J**
MW-25-Screen-4	April 2018	MW-25-4	2.0 U	1.00 U	**1.7 J**	**0.8 J**
MW-25-Screen-4	Jul/Aug 2018	MW-25-4	NA	NA	3.0 U	**1.1 J**
MW-25-Screen-4	Oct 2018	MW-25-4	NA	NA	3.0 U	2.0 U
MW-25-Screen-4	Feb/Mar 2019	MW-25-4	NA	NA	**1.9 J**	**1.0 J**
MW-25-Screen-4	Apr/May 2019	MW-25-4	2.0 U	1.00 U	**0.9 J**	**0.59**
MW-25-Screen-4	Jul/Aug 2019	MW-25-4	NA	NA	**1.8 J**	**0.46**
MW-25-Screen-4	Jul/Aug 2019	DUP-1-3Q19	NA	NA	**1.7 J**	**0.44**
MW-25-Screen-4	Oct 2019	MW-25-4	NA	NA	**0.9 J**	**0.44**
MW-25-Screen-4	Feb 2020	MW-25-4	NA	NA	**1.8 J**	**0.90**
MW-25-Screen-4	Jun 2020	MW-25-4	**1.2 J**	1.00 U	**3.6**	**0.96**
MW-25-Screen-4	Aug 2020	MW-25-4	NA	NA	3.0 U	**0.74**
MW-25-Screen-4	Oct/Nov 2020	MW-25-4	NA	NA	**1.4 J**	**0.72 J**
MW-25-Screen-4	Mar/Apr 2021	MW-25-4	NA	NA	3.0 U	**0.81 J**
MW-25-Screen-4	May/June 2021	MW-25-4	**1.7 J**	1.00 U	**1.7 J**	0.38 UB
MW-25-Screen-5						
MW-25-Screen-5	Jan/Feb 2005	MW-25-5	5.0 U	0.12 U	**2.2**	10.0 U
MW-25-Screen-5	Apr/May 2005	MW-25-5	5.0 U	**0.02 J**	**3.3**	10.0 U
MW-25-Screen-5	Jul/Sep 2005	MW-25-5	NA	NA	**6.4**	10.0 U
MW-25-Screen-5	Oct/Nov 2005	MW-25-5	NA	NA	**7.3**	10.0 U
MW-25-Screen-5	Mar/Apr 2006	MW-25-5	NA	NA	1.0 U	10.0 U
MW-25-Screen-5	May/Jun 2006	MW-25-5	**2.3 J**	1.00 U	1.0 U	10.0 U
MW-25-Screen-5	Aug/Sep 2006	MW-25-5	NA	NA	0.5 U	10.0 U
MW-25-Screen-5	Oct/Dec 2006	MW-25-5	NA	NA	**1.7 E**	10.0 U
MW-25-Screen-5	Mar/Apr 2007	MW-25-5	NA	NA	**3.6 J**	10.0 U
MW-25-Screen-5	Jun/Jul 2007	MW-25-5	**4.4**	1.00 U	**1.6**	10.0 U
MW-25-Screen-5	Aug/Sep 2007	MW-25-5	NA	NA	**5.4 E**	10.0 U
MW-25-Screen-5	Oct/Dec 2007	MW-25-5	NA	NA	**3.9 E**	10.0 U
MW-25-Screen-5	Jan/Feb 2008	MW-25-5	NA	NA	**4.7 E**	10.0 U
MW-25-Screen-5	Apr/May 2008	MW-25-5	**3.1**	1.00 U	**2.4**	10.0 U
MW-25-Screen-5	Jul/Aug 2008	MW-25-5	NA	NA	5.0 U	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-5	Oct/Nov 2008	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Jan/Feb 2009	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Apr/May 2009	MW-25-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-5	Jul/Aug 2009	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Nov/Dec 2009	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Feb 2010	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Apr/May 2010	MW-25-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-5	Jul/Aug 2010	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Oct/Nov 2010	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Feb/Mar 2011	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Apr/May 2011	MW-25-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-5	Aug/Sep 2011	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Nov/Dec 2011	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Jan/Feb 2012	MW-25-5	NA	NA	5.0 U	10.0 U
MW-25-Screen-5	Apr/May 2012	MW-25-5	2.0 U	5.00 U	5.0 U	10.0 U
MW-25-Screen-5	Aug/Sep 2012	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Nov 2012	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Jan/Feb 2013	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Apr/May 2013	MW-25-5	**2.1**	**0.37 J**	3.0 U	2.0 U
MW-25-Screen-5	Jul 2013	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Oct/Nov 2013	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Jan/Feb 2014	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Apr/May 2014	MW-25-5	**1.7 J**	1.00 U	3.0 U	2.0 U
MW-25-Screen-5	Jul/Aug 2014	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Oct 2014	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Jan/Feb 2015	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Apr/May 2015	MW-25-5	**2.1**	1.00 U	**0.5 J**	2.0 U
MW-25-Screen-5	Jul/Aug 2015	MW-25-5	NA	NA	3.0 UJ	2.0 U
MW-25-Screen-5	Oct 2015	MW-25-5	NA	NA	0.5 U	1.0 U
MW-25-Screen-5	Jan/Feb 2016	MW-25-5	NA	NA	0.5 U	0.2 U
MW-25-Screen-5	Apr/May 2016	MW-25-5	**1.3 J**	1.00 U	3.0 U	2.0 U
MW-25-Screen-5	Oct 2016	MW-25-5	NA	NA	**1.5 J**	2.0 U
MW-25-Screen-5	Jan/Feb 2017	MW-25-5	NA	NA	**1.1 J**	2.0 U
MW-25-Screen-5	Apr/May 2017	MW-25-5	**0.8 J**	1.00 U	1.3 U	2.0 U
MW-25-Screen-5	Jul/Aug 2017	MW-25-5	NA	NA	0.8 U	2.0 UJ
MW-25-Screen-5	Oct-17	MW-25-5	NA	NA	3.0 UJ	2.0 U
MW-25-Screen-5	Jan/Feb 2018	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	April 2018	MW-25-5	**0.9 J**	1.00 U	3.0 U	2.0 U
MW-25-Screen-5	Jul/Aug 2018	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Oct 2018	MW-25-5	NA	NA	3.0 U	2.0 U
MW-25-Screen-5	Feb/Mar 2019	MW-25-5	NA	NA	**0.7 J**	2.0 U
MW-25-Screen-5	Feb/Mar 2019	DUP-1-1Q19	NA	NA	**0.8 J**	2.0 U
MW-25-Screen-5	Apr/May 2019	MW-25-5	**0.7 J**	1.00 U	3.0 U	0.20 U
MW-25-Screen-5	Jul/Aug 2019	MW-25-5	NA	NA	**0.5 J**	**0.05 J**
MW-25-Screen-5	Oct 2019	MW-25-5	NA	NA	3.0 U	**0.05 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-25-Screen-5	Feb 2020	MW-25-5	NA	NA	3.0 U	**0.04 J**
MW-25-Screen-5	Feb 2020	DUP-1-1Q20	NA	NA	3.0 U	**0.05 J**
MW-25-Screen-5	Jun 2020	MW-25-5	**0.8 J**	1.00 U	3.0 U	0.20 U
MW-25-Screen-5	Aug 2020	MW-25-5	NA	NA	3.0 U	0.20 U
MW-25-Screen-5	Oct/Nov 2020	MW-25-5	NA	NA	**0.6 J**	0.20 U
MW-25-Screen-5	Mar/Apr 2021	MW-25-5	NA	NA	3.0 U	0.14 UB
MW-25-Screen-5	May/June 2021	MW-25-5	2.0 U	**0.11 J**	3.0 U	0.31 UB
MW-26-Screen-1						
MW-26-Screen-1	Apr/May 2005	MW-26-1	**3.6 J**	**0.02 J**	**7.1**	10.0 U
MW-26-Screen-1	Jul/Sep 2005	DUPE-6-3Q05	NA	NA	**15.0**	10.0 U
MW-26-Screen-1	Jul/Sep 2005	MW-26-1	NA	NA	**13.2**	10.0 U
MW-26-Screen-1	Oct/Nov 2005	MW-26-1	NA	NA	**12.0**	10.0 U
MW-26-Screen-1	Mar/Apr 2006	MW-26-1	NA	NA	1.0 U	10.0 U
MW-26-Screen-1	May/Jun 2006	MW-26-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-26-Screen-1	Aug/Sep 2006	MW-26-1	NA	NA	0.5 U	10.0 U
MW-26-Screen-1	Oct/Dec 2006	MW-26-1	NA	NA	**3.3**	10.0 U
MW-26-Screen-1	Mar/Apr 2007	MW-26-1	NA	NA	**9.7**	10.0 U
MW-26-Screen-1	Jun/Jul 2007	MW-26-1	1.0 U	1.00 U	1.0 U	10.0 U
MW-26-Screen-1	Aug/Sep 2007	MW-26-1	NA	NA	**14.3 E**	10.0 U
MW-26-Screen-1	Oct/Dec 2007	MW-26-1	NA	NA	**10.4**	10.0 U
MW-26-Screen-1	Jan/Feb 2008	MW-26-1	NA	NA	**14.2 E**	10.0 U
MW-26-Screen-1	Apr/May 2008	MW-26-1	1.0 U	1.00 U	**5.4**	10.0 U
MW-26-Screen-1	Jul/Aug 2008	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Oct/Nov 2008	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Jan/Feb 2009	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Apr/May 2009	MW-26-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-26-Screen-1	Jul/Aug 2009	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Nov/Dec 2009	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Feb 2010	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Apr/May 2010	MW-26-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-26-Screen-1	Jul/Aug 2010	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Oct/Nov 2010	DUPE-08-4Q10	NA	NA	NA	10.0 U
MW-26-Screen-1	Oct/Nov 2010	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Oct/Nov 2010	DUPE-08-4Q10	NA	NA	5.0 U	NA
MW-26-Screen-1	Feb/Mar 2011	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Apr/May 2011	MW-26-1	2.0 U	5.00 U	5.0 U	10.0 U
MW-26-Screen-1	Aug/Sep 2011	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Nov/Dec 2011	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Jan/Feb 2012	MW-26-1	NA	NA	5.0 U	10.0 U
MW-26-Screen-1	Apr/May 2012	MW-26-1	2.0 U	5.00 U	5.0 U	NA
MW-26-Screen-1	Apr/May 2012	MW-26-1	NA	NA	NA	10.0 U
MW-26-Screen-1	Aug/Sep 2012	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Nov 2012	DUPE-2-4Q12	NA	NA	**0.5 J**	2.0 U
MW-26-Screen-1	Nov 2012	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Jan/Feb 2013	MW-26-1	NA	NA	3.0 U	2.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-26-Screen-1	Apr/May 2013	MW-26-1	2.0 U	**0.13 J**	**0.9 J**	2.0 U
MW-26-Screen-1	Jul 2013	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Oct/Nov 2013	DUPE-3-4Q13	NA	NA	**7.2**	2.0 U
MW-26-Screen-1	Oct/Nov 2013	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Jan/Feb 2014	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Apr/May 2014	MW-26-1	2.0 U	1.00 U	3.0 U	NA
MW-26-Screen-1	Apr/May 2014	MW-26-1	NA	NA	NA	2.0 U
MW-26-Screen-1	Jul/Aug 2014	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Oct 2014	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Jan/Feb 2015	MW-26-1	NA	NA	**0.7 J**	2.0 U
MW-26-Screen-1	Apr/May 2015	MW-26-1	2.0 U	1.00 U	3.0 U	2.0 U
MW-26-Screen-1	Jul/Aug 2015	MW-26-1	NA	NA	**1.3 J**	2.0 U
MW-26-Screen-1	Oct 2015	MW-26-1	NA	NA	**1.0 J**	2.0 U
MW-26-Screen-1	Jan/Feb 2016	MW-26-1	NA	NA	0.5 U	**0.1 J**
MW-26-Screen-1	Apr/May 2016	MW-26-1	10.0 U	5.00 U	15.0 U	2.0 U
MW-26-Screen-1	Jul/Aug 2016	MW-26-1	NA	NA	**1.6 J**	**1.0 J**
MW-26-Screen-1	Oct 2016	MW-26-1	NA	NA	3.0 U	**0.7 J**
MW-26-Screen-1	Jan/Feb 2017	MW-26-1	NA	NA	1.9 U	2.0 U
MW-26-Screen-1	Apr/May 2017	MW-26-1	2.0 U	1.00 U	**1.0 J**	2.0 U
MW-26-Screen-1	Apr/May 2017	DUP-4-2Q17	2.0 U	1.00 U	0.9 U	**0.9 J**
MW-26-Screen-1	Jul/Aug 2017	MW-26-1	NA	NA	**1.6 J**	2.0 U
MW-26-Screen-1	Oct-17	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Jan/Feb 2018	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	April 2018	MW-26-1	2.0 U	1.00 U	**0.7 J**	2.0 U
MW-26-Screen-1	April 2018	DUP-4-2Q18	2.0 U	1.00 U	**0.8 J**	2.0 U
MW-26-Screen-1	Jul/Aug 2018	MW-26-1	NA	NA	3.0 U	2.0 U
MW-26-Screen-1	Oct 2018	MW-26-1	NA	NA	3.0 U	**0.8 J**
MW-26-Screen-1	Feb/Mar 2019	MW-26-1	NA	NA	**1.1 J**	2.0 U
MW-26-Screen-1	Apr/May 2019	MW-26-1	2.0 U	1.00 U	3.0 U	**0.52**
MW-26-Screen-1	Jul/Aug 2019	MW-26-1	NA	NA	3.0 U	**0.50**
MW-26-Screen-1	Oct 2019	MW-26-1	NA	NA	3.0 U	0.20 U
MW-26-Screen-1	Feb 2020	MW-26-1	NA	NA	3.0 U	**0.40**
MW-26-Screen-1	Jun 2020	MW-26-1	2.0 U	1.00 U	3.0 U	**0.34**
MW-26-Screen-1	Aug 2020	MW-26-1	NA	NA	3.0 UJ	**0.30**
MW-26-Screen-1	Oct/Nov 2020	MW-26-1	NA	NA	**0.5 J**	**0.46 J**
MW-26-Screen-2						
MW-26-Screen-2	Apr/May 2005	MW-26-2	**1.3 J**	1.00 U	**11.1**	10.0 U
MW-26-Screen-2	Jul/Sep 2005	MW-26-2	NA	NA	**12.7**	10.0 U
MW-26-Screen-2	Oct/Nov 2005	DUPE-7-4Q05	NA	NA	**11.9**	10.0 U
MW-26-Screen-2	Oct/Nov 2005	MW-26-2	NA	NA	**12.8**	10.0 U
MW-26-Screen-2	Mar/Apr 2006	MW-26-2	NA	NA	**2.9 J**	10.0 U
MW-26-Screen-2	May/Jun 2006	MW-26-2	**1.8**	1.00 U	**1.7 J**	10.0 U
MW-26-Screen-2	Aug/Sep 2006	MW-26-2	NA	NA	0.5 U	10.0 U
MW-26-Screen-2	Oct/Dec 2006	MW-26-2	NA	NA	**4.6**	10.0 U
MW-26-Screen-2	Mar/Apr 2007	MW-26-2	NA	NA	**10.0**	10.0 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-26-Screen-2	Jun/Jul 2007	MW-26-2	**2.0**	1.00 U	**2.1**	10.0 U
MW-26-Screen-2	Aug/Sep 2007	MW-26-2	NA	NA	**14.4 E**	10.0 U
MW-26-Screen-2	Oct/Dec 2007	MW-26-2	NA	NA	**10.2**	10.0 U
MW-26-Screen-2	Jan/Feb 2008	MW-26-2	NA	NA	**12.9 E**	10.0 U
MW-26-Screen-2	Apr/May 2008	MW-26-2	**3.4**	1.00 U	**9.9**	10.0 U
MW-26-Screen-2	Jul/Aug 2008	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Oct/Nov 2008	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Jan/Feb 2009	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Apr/May 2009	MW-26-2	**3.0**	5.00 U	5.0 U	10.0 U
MW-26-Screen-2	Jul/Aug 2009	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Nov/Dec 2009	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Feb 2010	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Apr/May 2010	MW-26-2	**2.2**	5.00 U	5.0 U	10.0 U
MW-26-Screen-2	Jul/Aug 2010	MW-26-2	NA	NA	**6.8**	10.0 U
MW-26-Screen-2	Oct/Nov 2010	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Feb/Mar 2011	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Apr/May 2011	MW-26-2	2.0 U	5.00 U	5.0 U	10.0 U
MW-26-Screen-2	Aug/Sep 2011	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Nov/Dec 2011	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Jan/Feb 2012	MW-26-2	NA	NA	5.0 U	10.0 U
MW-26-Screen-2	Apr/May 2012	MW-26-2	2.0 U	5.00 U	5.0 U	NA
MW-26-Screen-2	Apr/May 2012	MW-26-2	NA	NA	NA	10.0 U
MW-26-Screen-2	Aug/Sep 2012	MW-26-2	NA	NA	3.0 U	2.0 U
MW-26-Screen-2	Nov 2012	MW-26-2	NA	NA	**0.8 J**	**1.0 J**
MW-26-Screen-2	Jan/Feb 2013	MW-26-2	NA	NA	**3.6**	2.0 U
MW-26-Screen-2	Apr/May 2013	MW-26-2	**1.2 J**	1.00 U	**2.9 J**	2.0 U
MW-26-Screen-2	Jul 2013	MW-26-2	NA	NA	**2.6 J**	2.0 U
MW-26-Screen-2	Oct/Nov 2013	MW-26-2	NA	NA	**2.1 J**	2.0 U
MW-26-Screen-2	Jan/Feb 2014	MW-26-2	NA	NA	3.0 U	2.0 U
MW-26-Screen-2	Apr/May 2014	MW-26-2	**2.3**	1.00 U	**5.0**	NA
MW-26-Screen-2	Apr/May 2014	MW-26-2	NA	NA	NA	2.0 U
MW-26-Screen-2	Jul/Aug 2014	MW-26-2	NA	NA	**2.0 J**	2.0 U
MW-26-Screen-2	Oct 2014	MW-26-2	NA	NA	3.0 U	2.0 U
MW-26-Screen-2	Jan/Feb 2015	MW-26-2	NA	NA	**2.4 J**	**1.1 J**
MW-26-Screen-2	Apr/May 2015	MW-26-2	**1.2 J**	1.00 U	**0.8 J**	**0.8 J**
MW-26-Screen-2	Jul/Aug 2015	MW-26-2	NA	NA	**2.0 J**	**1.1 J**
MW-26-Screen-2	Oct 2015	MW-26-2	NA	NA	**0.9 J**	2.5 UJ
MW-26-Screen-2	Jan/Feb 2016	MW-26-2	NA	NA	**0.8 J**	**0.2**
MW-26-Screen-2	Apr/May 2016	MW-26-2	**1.2 J**	1.00 U	**2.7 J**	2.0 U
MW-26-Screen-2	Apr/May 2016	DUP-6-2Q16	**1.9 J**	1.00 U	**4.4**	2.0 U
MW-26-Screen-2	Jul/Aug 2016	MW-26-2	NA	NA	**5.6**	1.7 U
MW-26-Screen-2	Jul/Aug 2016	DUP-3-3Q16	NA	NA	**8.3**	**2.0**
MW-26-Screen-2	Oct 2016	MW-26-2	NA	NA	**3.2**	**1.4 J**
MW-26-Screen-2	Jan/Feb 2017	MW-26-2	NA	NA	2.3 U	2 U
MW-26-Screen-2	Apr/May 2017	MW-26-2	2.0 U	1.00 U	**1.2 J**	1.7 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (µg/L)
MW-26-Screen-2	Jul/Aug 2017	MW-26-2	NA	NA	**3.0**	**1.3 J**
MW-26-Screen-2	Oct-17	MW-26-2	NA	NA	**1.4 J**	**1.5 J**
MW-26-Screen-2	Jan/Feb 2018	MW-26-2	NA	NA	3.0 U	2.0 U
MW-26-Screen-2	Jan/Feb 2018	DUP-2-1Q18	NA	NA	3.0 U	**0.8 J**
MW-26-Screen-2	April 2018	MW-26-2	2.0 U	1.00 U	**0.6 J**	**2.0**
MW-26-Screen-2	Jul/Aug 2018	MW-26-2	NA	NA	3.0 U	**1.5 J**
MW-26-Screen-2	Oct 2018	MW-26-2	NA	NA	3.0 U	**1.1 J**
MW-26-Screen-2	Oct 2018	DUP-6-4Q18	NA	NA	3.0 U	**1.4 J**
MW-26-Screen-2	Feb/Mar 2019	MW-26-2	NA	NA	**2.1 J**	**1.5 J**
MW-26-Screen-2	Apr/May 2019	MW-26-2	**1.0 J**	1.00 U	3.0 U	**0.75**
MW-26-Screen-2	Jul/Aug 2019	MW-26-2	NA	NA	**2.6 J**	**0.94**
MW-26-Screen-2	Oct 2019	MW-26-2	NA	NA	**1.1 J**	**0.42**
MW-26-Screen-2	Feb 2020	MW-26-2	NA	NA	**0.5 J**	0.20 U
MW-26-Screen-2	Jun 2020	MW-26-2	2.0 U	1.00 U	3.0 U	0.20 U
MW-26-Screen-2	Aug 2020	MW-26-2	NA	NA	**2.4 J**	**0.54**
MW-26-Screen-2	Oct/Nov 2020	MW-26-2	NA	NA	**2.4 J**	**0.69**
MW-26-Screen-2	Mar/Apr 2021	MW-26-2	NA	NA	**1.0 J**	**0.46 J**
MW-26-Screen-2	Mar/Apr 2021	DUP-6-1Q21	NA	NA	**0.5 J**	**0.44 J**
MW-26-Screen-2	May/June 2021	MW-26-2	2.0 U	1.00 U	**1.4 J**	0.11 UB
Analyte concentration exceeds the standard for:						
CA MCL			10.0	15.0*	50.0	50.0**
EPA REGION IX MCL			10.0	15.0*	100.0	NE

Notes

DUP(E)	Field Duplicate
NA	Not analyzed
NE	Not established
*	Regulatory Action Level
**	Due to a court ruling, the State Water Resources Control Board adopted a resolution on August 1, 2017 to remove the current maximum contaminant level (MCL[10.0 µg/L]) for CrVI. CrVI is regulated under the 50.0 µg/L MCL for total chromium."
B	Analyte is present in method blank
E	Analyte concentration is above calibration range
J	Analyte concentration is an estimated value
U	Analyte was analyzed for but not detected at or above the stated limit
UB	Result should be considered "not-detected" because it was detected in a method blank or equipment blank at a similar level.
UJ	Analyte was analyzed for but not detected; analyte concentration is an estimated value
Method analysis note	Starting 2Q19; CR(VI) method analysis was switched to EPA 218.6 resulting in a lower method detection limit (MDL) of 0.064 µg/L and a reporting limit (RL) of 0.40 µg/L. Prior to 2Q19 EPA method analysis 7196 was used with an MDL of 0.70 µg/L and an RL of 2.0 µg/L.

TABLE 3A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE REPORTED IN MUNICIPAL PRODUCTION WELLS NEAR JPL DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. WELL 01					
	3/27/1997	NA	0.5 U	**0.6**	0.5 U
	6/17/1997	5.0 U	NA	NA	NA
	6/23/1997	NA	NA	0.5 U	NA
	9/12/1997	NA	NA	0.5 U	NA
	12/15/1997	5.0 U	NA	NA	NA
	3/16/1998	5.0 U	0.5 U	0.5 U	0.5 U
	6/29/1998	**4.8**	NA	0.5 U	NA
	8/24/1998	5.0 U	NA	0.5 U	NA
	12/19/1998	5.0 U	NA	0.5 U	NA
	3/28/1999	5.0 U	0.5 U	0.5 U	0.5 U
	6/13/1999	5.0 U	NA	NA	NA
	12/28/1999	5.0 U	NA	NA	NA
	3/17/2000	5.0 U	0.5 U	0.5 U	0.5 U
	6/19/2000	5.0 U	NA	NA	NA
	9/25/2000	5.0 U	NA	NA	NA
	12/18/2000	5.0 U	NA	NA	NA
	3/19/2001	NA	0.5 U	0.5 U	0.5 U
	3/25/2002	NA	0.5 U	**0.6**	0.5 U
	6/24/2002	NA	NA	**0.8**	NA
	9/23/2002	NA	NA	**1.4**	NA
	6/23/2003	NA	NA	**0.6**	NA
	9/22/2003	NA	NA	**0.7**	NA
	12/8/2003	NA	NA	**1.6**	NA
	6/7/2004	NA	NA	**0.6**	0.5 U
	12/20/2004	NA	NA	**0.8**	**0.5**
	3/28/2005	NA	0.5 U	**1.5**	**1.0**
	6/13/2005	NA	NA	**0.8**	**0.6**
	9/26/2005	NA	NA	0.5 U	0.5 U
	12/19/2005	NA	NA	**1.6**	**1.0**
	3/27/2006	NA	0.5 U	**1.1**	**1.1**
	6/26/2006	NA	NA	**0.8**	**1.0**
	9/25/2006	NA	NA	**0.6**	**0.9**
	12/26/2006	NA	NA	0.5 U	0.5 U
	3/26/2007	NA	0.5 U	0.5 U	**1.3**
	6/18/2007	NA	NA	**0.5**	**1.0**
	9/24/2007	NA	NA	**0.6**	**1.1**
	12/3/2007	NA	NA	**0.5**	**1.2**
	3/17/2008	NA	0.5 U	**0.5**	**1.2**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/9/2008	NA	NA	0.5 U	**1.1**
	8/25/2008	4.0 U	NA	NA	NA
	9/29/2008	NA	NA	**0.7**	**1.3**
	10/14/2008	4.0 U	NA	NA	NA
	12/22/2008	NA	NA	**0.7**	**1.6**
	2/23/2009	4.0 U	NA	NA	NA
	3/16/2009	NA	0.5 U	**0.7**	**1.8**
	8/10/2009	4.0 U	NA	NA	NA
	2/28/2010	**4.5**	NA	NA	NA
	3/22/2010	**4.0**	0.5 U	0.5 U	**0.9**
	5/24/2010	4.0 U	NA	NA	NA
	6/28/2010	NA	NA	**0.8**	**1.5**
	8/30/2010	4.0 U	NA	NA	NA
	9/27/2010	NA	NA	**0.8**	**1.7**
	11/29/2010	**4.0**	NA	NA	NA
	12/27/2010	NA	NA	**0.7**	**1.9**
	2/22/2011	**5.0**	NA	NA	NA
	3/15/2011	NA	0.5 U	**0.7**	**1.9**
	5/23/2011	4.0 U	NA	NA	NA
	6/13/2011	NA	NA	**0.8**	**1.7**
	8/22/2011	**4.3**	NA	NA	NA
	9/19/2011	NA	NA	**0.6**	**1.2**
	3/26/2012	NA	0.5 U	**0.6**	**1.7**
	5/29/2012	4.0 U	NA	NA	NA
	6/30/2012	NA	NA	**0.8**	**1.9**
	8/27/2012	**4.7**	NA	NA	NA
	9/24/2012	NA	NA	**0.8**	**2.2**
	11/26/2012	4.0 U	NA	NA	NA
	12/26/2012	NA	NA	**0.6**	**2.0**
	2/19/2013	**4.0**	NA	NA	NA
	3/11/2013	**4.9**	0.5 U	**0.8**	**2.2**
	5/20/2013	4.0 U	NA	NA	NA
	6/10/2013	NA	NA	**0.6**	**1.7**
	8/19/2013	4.0 U	NA	NA	NA
	9/3/2013	NA	NA	**0.7**	**1.9**
	11/25/2013	4.0 U	NA	NA	NA
	2/24/2014	4.0 U	NA	NA	NA
	5/27/2014	4.0 U	NA	NA	NA
	6/23/2014	NA	NA	0.5 U	**0.6**
	9/22/2014	NA	NA	**1.3**	**1.9**
	12/22/2014	NA	NA	**1.5**	**2.2**
	3/16/2015	4.0 U	0.5 U	**1.0**	**2.0**
	6/1/2015	NA	NA	**1.2**	**1.6**
	9/14/2015	NA	NA	**1.0**	**1.1**
	12/14/2015	NA	NA	**1.1**	**1.6**
	3/21/2016	4.0 U	0.5 U	**0.9**	**1.2**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/18/2016	NA	0.5 U	**0.5**	**0.8**
	6/6/2016	NA	0.5 U	**0.6**	**0.6**
	9/6/2016	NA	NA	**0.8**	**1.2**
LA CANADA IRRIGATION DIST. WELL 06					
	9/22/1997	5.0 U	NA	NA	NA
	10/16/1997	5.0 U	0.5 U	0.5 U	0.5 U
	12/29/1997	NA	0.5 U	0.5 U	0.5 U
	6/8/1998	5.0 U	NA	NA	NA
	8/24/1998	5.0 U	NA	NA	NA
	12/19/1998	5.0 U	0.5 U	0.5 U	0.5 U
	3/28/1999	5.0 U	NA	NA	NA
	5/17/1999	NA	0.5 U	0.5 U	0.5 U
	6/13/1999	5.0 U	NA	NA	NA
	9/27/1999	5.0 U	NA	NA	NA
	12/28/1999	5.0 U	0.5 U	0.5 U	0.5 U
	3/17/2000	5.0 U	NA	NA	NA
	6/19/2000	5.0 U	NA	NA	NA
	8/14/2000	NA	0.5 U	0.5 U	0.5 U
	9/25/2000	5.0 U	NA	NA	NA
	12/18/2000	5.0 U	0.5 U	**0.7**	0.5 U
	3/19/2001	NA	NA	0.5 U	NA
	5/7/2001	NA	0.5 U	0.5 U	0.5 U
	6/26/2001	NA	NA	**0.7**	NA
	9/30/2001	NA	NA	0.5 U	NA
	12/31/2001	NA	0.5 U	**0.8**	0.5 U
	3/25/2002	NA	NA	**0.9**	NA
	5/6/2002	NA	0.5 U	0.5 U	0.5 U
	6/24/2002	NA	NA	**0.8**	NA
	9/23/2002	NA	NA	**1.4**	NA
	3/24/2003	NA	NA	**0.7**	NA
	6/23/2003	NA	NA	**0.8**	NA
	9/22/2003	NA	NA	**0.8**	NA
	12/8/2003	NA	0.5 U	**1.4**	**1.3**
	3/29/2004	NA	NA	**0.7**	**0.6**
	6/7/2004	NA	NA	0.5 U	0.5 U
	12/20/2004	NA	0.5 U	0.5 U	0.5 U
	3/28/2005	NA	NA	**0.9**	**0.7**
	6/13/2005	NA	NA	**0.8**	**0.6**
	9/26/2005	NA	NA	0.5 U	0.5 U
	12/19/2005	NA	0.5 U	**1.7**	**1.0**
	3/27/2006	NA	NA	0.5 U	**0.5**
	6/26/2006	NA	NA	0.5 U	0.5 U
	9/25/2006	NA	NA	**0.7**	**0.9**
	12/26/2006	NA	0.5 U	0.5 U	0.5 U
	3/26/2007	NA	NA	**0.7**	**0.9**
	6/18/2007	NA	NA	0.5 U	**0.5**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/24/2007	NA	NA	0.5 U	**1.0**
	12/31/2007	NA	0.5 U	0.5 U	0.5 U
	3/24/2008	NA	NA	0.5 U	**0.5**
	6/9/2008	NA	NA	0.5 U	**0.6**
	9/29/2008	NA	NA	0.5 U	0.5 U
	10/14/2008	4.0 U	NA	NA	NA
	12/8/2008	NA	0.5 U	0.5 U	0.5 U
	3/16/2009	NA	NA	0.5 U	0.5 U
	6/15/2009	NA	NA	0.5 U	**0.6**
	9/28/2009	4.0 U	NA	0.5 U	**0.6**
	12/28/2009	NA	0.5 U	**0.7**	**2.0**
	3/22/2010	NA	NA	**0.6**	**1.2**
	6/1/2010	NA	NA	0.5 U	0.5 U
	9/27/2010	4.0 U	NA	0.5 U	0.5 U
	12/27/2010	NA	0.5 U	0.5 U	**0.8**
	3/21/2011	NA	NA	0.5 U	**0.5**
	6/27/2011	NA	NA	0.5 U	0.5 U
	9/26/2011	**5.5**	NA	0.5 U	**0.6**
	12/5/2011	NA	0.5 U	0.5 U	**0.6**
	3/23/2012	NA	NA	0.5 U	**0.7**
	6/30/2012	NA	NA	0.5 U	**0.9**
	9/24/2012	4.0 U	NA	**0.8**	**2.0**
	12/17/2012	4.0 U	0.5 U	0.5 U	**0.9**
	3/3/2013	NA	NA	0.5 U	**0.6**
	6/17/2013	NA	NA	0.5 U	**0.8**
	7/29/2013	4.0 U	NA	NA	NA
	9/9/2013	NA	NA	0.5 U	0.5 U
	3/17/2014	NA	NA	**0.6**	**1.4**
	6/9/2014	NA	NA	0.5 U	**0.7**
	9/15/2014	NA	NA	**0.6**	**1.1**
	12/15/2014	NA	0.5 U	**0.5**	**1.0**
	3/9/2015	4.0 U	NA	0.5 U	**0.9**
	6/8/2015	NA	NA	0.5 U	**0.9**
	9/28/2015	NA	NA	0.5 U	**0.8**
	12/7/2015	4.0 U	0.5 U	0.5 U	**0.9**
	3/14/2016	4.0 U	NA	**0.5**	**0.8**
	9/12/2016	NA	NA	**0.7**	**1.4**
	12/12/2016	NA	0.5 U	**0.6**	**1.1**
	3/12/2017	4.0 U	NA	0.5 U	**0.9**
	6/5/2017	NA	NA	**0.5**	**1.1**
	3/26/2018	4.0 U	0.5 U	0.5 U	**1.0**
	3/31/2019	4.0 U	0.5 U	0.5 U	**0.8**
LAS FLORES WATER CO. WELL 02					
	12/9/1996	NA	0.5 U	0.5 U	0.5 U
	6/17/1997	**5.0**	NA	NA	NA
	6/24/1997	**5.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/15/1997	**4.0**	NA	NA	NA
	12/17/1997	NA	0.5 U	**4.7**	0.5 U
	1/5/1998	NA	0.5 U	**4.8**	0.5 U
	1/6/1998	NA	NA	**4.8**	NA
	5/11/1998	NA	NA	**9.0**	NA
	5/20/1998	NA	NA	**8.8**	NA
	7/13/1998	NA	NA	**4.7**	NA
	8/17/1998	NA	NA	**7.8**	NA
	8/24/1998	NA	NA	**7.1**	NA
	9/18/1998	NA	NA	**8.0**	NA
	10/12/1998	NA	NA	**8.9**	NA
	12/14/1998	NA	0.5 U	**9.3**	0.5 U
	1/11/1999	NA	NA	**12.6**	NA
	1/20/1999	NA	NA	**8.7**	NA
	2/8/1999	NA	NA	**11.0**	NA
	2/16/1999	NA	NA	**9.1**	NA
	3/8/1999	NA	NA	**9.1**	NA
	3/16/1999	NA	NA	**9.5**	NA
	3/22/1999	NA	NA	**9.9**	NA
	3/29/1999	NA	NA	**6.9**	NA
	4/5/1999	NA	NA	**8.7**	NA
	4/13/1999	NA	NA	**3.0**	NA
	4/19/1999	NA	NA	**7.9**	NA
	4/26/1999	NA	NA	**10.7**	NA
	5/3/1999	NA	NA	**9.3**	NA
	5/10/1999	NA	NA	**7.5**	NA
	5/17/1999	NA	NA	**7.4**	NA
	5/24/1999	NA	NA	**7.6**	NA
	6/1/1999	NA	NA	**4.6**	NA
	6/7/1999	NA	NA	**9.8**	NA
	6/14/1999	NA	NA	**5.6**	NA
	6/21/1999	NA	NA	**10.6**	NA
	6/28/1999	NA	NA	**6.3**	NA
	7/6/1999	NA	NA	**7.0**	NA
	7/12/1999	NA	NA	**9.0**	NA
	7/19/1999	NA	NA	**8.1**	NA
	7/27/1999	NA	NA	**8.7**	NA
	7/29/1999	**5.3**	NA	NA	NA
	8/3/1999	NA	NA	**6.0**	NA
	8/9/1999	NA	NA	**11.6**	NA
	8/16/1999	NA	NA	**8.4**	NA
	8/23/1999	NA	NA	**9.2**	NA
	8/30/1999	NA	NA	**10.7**	NA
	9/7/1999	NA	0.5 U	**11.5**	0.5 U
	9/13/1999	NA	NA	**11.2**	NA
	9/20/1999	NA	NA	**9.2**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/27/1999	NA	NA	**11.5**	NA
	10/4/1999	NA	NA	**9.8**	NA
	10/11/1999	NA	NA	**9.3**	NA
	10/18/1999	NA	NA	**11.2**	NA
	10/25/1999	NA	NA	**9.8**	NA
	11/1/1999	NA	NA	**11.2**	NA
	11/8/1999	NA	NA	**9.9**	NA
	11/15/1999	NA	NA	**8.1**	NA
	11/22/1999	NA	NA	**10.0**	NA
	11/29/1999	NA	NA	**11.8**	NA
	12/6/1999	NA	NA	**13.7**	NA
	12/13/1999	**6.3**	0.5 U	**10.2**	0.5 U
	12/20/1999	NA	NA	**14.5**	NA
	1/3/2000	NA	NA	**13.5**	NA
	1/11/2000	NA	NA	**7.6**	NA
	1/17/2000	NA	NA	**14.8**	NA
	1/24/2000	NA	NA	**13.2**	NA
	1/31/2000	NA	NA	**14.0**	NA
	2/7/2000	NA	NA	**11.7**	NA
	2/14/2000	NA	NA	**12.4**	NA
	2/22/2000	NA	NA	**16.5**	NA
	2/28/2000	NA	NA	**8.0**	NA
	3/6/2000	NA	NA	**12.0**	NA
	3/12/2000	NA	NA	**11.0**	NA
	3/20/2000	NA	NA	**13.0**	NA
	3/27/2000	**8.0**	NA	**12.0**	NA
	4/3/2000	NA	0.5 U	**12.0**	0.5 U
	4/10/2000	NA	NA	**11.0**	NA
	4/17/2000	NA	NA	**12.0**	NA
	4/24/2000	NA	NA	**13.0**	NA
	5/1/2000	NA	NA	**9.7**	NA
	5/8/2000	NA	NA	**13.5**	NA
	5/15/2000	NA	NA	**13.3**	NA
	5/22/2000	NA	NA	**9.9**	NA
	5/30/2000	NA	NA	**13.6**	NA
	6/5/2000	NA	NA	**9.2**	NA
	6/12/2000	NA	NA	**11.8**	NA
	6/19/2000	NA	NA	**11.2**	NA
	6/26/2000	NA	NA	**9.9**	NA
	7/3/2000	NA	NA	**11.0**	NA
	7/10/2000	**7.0**	0.5 U	**9.6**	0.5 U
	8/11/2000	NA	NA	**13.7**	NA
	8/21/2000	NA	NA	**11.2**	NA
	8/28/2000	NA	NA	**10.0**	NA
	9/5/2000	NA	NA	**13.0**	NA
	9/11/2000	NA	NA	**16.0**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/18/2000	NA	NA	**12.0**	NA
	9/25/2000	NA	NA	**10.0**	NA
	10/2/2000	NA	NA	**15.0**	NA
	10/9/2000	NA	NA	**16.0**	NA
	10/16/2000	NA	NA	**13.0**	NA
	10/23/2000	**5.6**	NA	**14.2**	NA
	10/30/2000	NA	NA	**16.8**	NA
	11/6/2000	NA	NA	**10.4**	NA
	11/13/2000	NA	NA	**17.2**	NA
	11/27/2000	NA	NA	**15.9**	NA
	12/4/2000	NA	NA	**8.0**	NA
	12/11/2000	NA	NA	**13.5**	NA
	12/18/2000	NA	NA	**14.6**	NA
	12/26/2000	**5.3**	0.5 U	**10.3**	0.5 U
	1/2/2001	NA	NA	**15.0**	NA
	1/8/2001	NA	NA	**6.9**	NA
	1/15/2001	NA	NA	**9.3**	NA
	1/22/2001	NA	NA	**13.5**	NA
	1/29/2001	NA	NA	**13.0**	NA
	2/5/2001	NA	NA	**13.9**	NA
	2/12/2001	NA	NA	**7.7**	NA
	2/20/2001	NA	NA	**7.5**	NA
	2/26/2001	NA	NA	**13.0**	NA
	3/5/2001	NA	NA	**5.5**	NA
	3/12/2001	NA	NA	**9.7**	NA
	3/19/2001	NA	NA	**4.1**	NA
	3/26/2001	NA	NA	**14.0**	NA
	4/2/2001	NA	NA	**6.3**	NA
	4/9/2001	NA	NA	**12.0**	NA
	4/16/2001	NA	NA	**12.0**	NA
	4/23/2001	NA	NA	**13.0**	NA
	4/30/2001	NA	NA	**12.0**	NA
	5/7/2001	**7.4**	NA	**11.0**	NA
	5/21/2001	NA	NA	**12.0**	NA
	5/29/2001	NA	NA	**14.0**	NA
	6/4/2001	NA	NA	**14.0**	NA
	6/11/2001	NA	NA	**13.1**	NA
	6/18/2001	NA	NA	**17.0**	NA
	6/25/2001	NA	NA	**15.0**	NA
	7/2/2001	NA	NA	**15.0**	NA
	7/9/2001	NA	NA	**11.0**	NA
	7/16/2001	NA	NA	**13.0**	NA
	7/23/2001	NA	NA	**14.0**	NA
	7/30/2001	NA	NA	**13.0**	NA
	8/6/2001	NA	NA	**11.0**	NA
	8/13/2001	NA	NA	**12.0**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/20/2001	NA	NA	**15.0**	NA
	8/27/2001	NA	NA	**13.0**	NA
	9/4/2001	NA	NA	**15.0**	NA
	9/10/2001	**9.0**	NA	**14.0**	NA
	9/17/2001	NA	NA	**13.0**	NA
	9/24/2001	NA	NA	**16.0**	NA
	10/1/2001	NA	NA	**12.0**	NA
	10/8/2001	NA	NA	**13.0**	NA
	10/15/2001	NA	NA	**14.0**	NA
	10/22/2001	NA	NA	**12.0**	NA
	10/29/2001	NA	NA	**14.0**	NA
	11/5/2001	NA	NA	**12.0**	NA
	11/12/2001	NA	NA	**15.0**	NA
	11/19/2001	NA	NA	**15.0**	NA
	11/26/2001	NA	NA	**13.0**	NA
	12/3/2001	NA	NA	**13.0**	NA
	12/10/2001	NA	NA	**9.8**	NA
	12/17/2001	NA	NA	**14.0**	NA
	12/26/2001	NA	NA	**11.0**	NA
	1/2/2002	NA	NA	**11.0**	NA
	1/7/2002	NA	NA	**14.0**	NA
	1/14/2002	NA	NA	**13.0**	NA
	1/21/2002	NA	NA	**13.0**	NA
	1/28/2002	**7.2**	NA	**13.0**	NA
	2/4/2002	NA	NA	**12.0**	NA
	2/11/2002	**7.6**	NA	**13.0**	NA
	2/19/2002	NA	NA	**14.0**	NA
	2/25/2002	**7.1**	NA	**13.0**	NA
	3/4/2002	**6.6**	NA	**12.0**	NA
	3/11/2002	**5.6**	0.5 U	**13.0**	0.5 U
	3/18/2002	**5.7**	NA	**11.0**	NA
	3/25/2002	**5.9**	NA	**11.0**	NA
	4/1/2002	**7.1**	NA	**12.0**	NA
	4/8/2002	**6.0**	NA	**6.2**	NA
	4/15/2002	**7.2**	NA	**14.0**	NA
	4/22/2002	**7.7**	NA	**12.0**	NA
	4/29/2002	**6.2**	NA	**12.0**	NA
	5/6/2002	**6.3**	NA	**12.0**	NA
	5/13/2002	**7.0**	NA	**12.0**	NA
	5/20/2002	**6.6**	NA	**13.0**	NA
	5/28/2002	**6.6**	NA	**12.0**	NA
	6/3/2002	**7.5**	0.5 U	**14.0**	0.5 U
	6/10/2002	**6.8**	NA	**13.0**	NA
	6/17/2002	**6.0**	NA	**12.0**	NA
	6/24/2002	**6.6**	NA	**14.0**	NA
	7/1/2002	**6.0**	NA	**13.0**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/8/2002	4.8	NA	11.0	NA
	7/15/2002	7.3	NA	15.0	NA
	7/22/2002	6.8	NA	12.0	NA
	7/29/2002	4.2	NA	13.0	NA
	8/5/2002	6.8	NA	14.0	NA
	8/12/2002	6.9	NA	15.0	NA
	8/26/2002	7.0	NA	12.0	NA
	9/3/2002	8.9	NA	14.0	NA
	9/9/2002	6.2	0.5 U	15.0	0.5 U
	9/16/2002	5.8	NA	14.0	NA
	9/23/2002	6.4	NA	15.0	NA
	3/3/2003	5.8	NA	11.0	NA
	3/27/2003	6.1	0.5 U	2.2	0.5 U
	3/31/2003	4.8	NA	5.4	NA
	4/7/2003	5.0 U	NA	7.8	NA
	4/14/2003	5.7	NA	6.4	NA
	4/21/2003	5.9	NA	4.1	NA
	4/28/2003	6.0	NA	11.0	NA
	5/5/2003	6.8	NA	9.1	NA
	5/12/2003	5.7	NA	8.9	NA
	5/19/2003	6.8	NA	11.0	NA
	5/27/2003	6.1	NA	10.0	NA
	6/2/2003	6.8	0.5 U	14.0	0.5 U
	6/9/2003	6.5	NA	6.3	NA
	6/16/2003	5.8	0.5 U	11.0	0.5 U
	6/23/2003	6.7	NA	10.0	NA
	6/30/2003	6.9	NA	12.0	NA
	7/7/2003	5.4	NA	10.0	NA
	7/14/2003	7.1	NA	10.0	NA
	7/21/2003	6.9	NA	13.0	NA
	7/28/2003	7.9	NA	10.0	NA
	8/4/2003	6.5	NA	10.0	NA
	8/11/2003	6.1	NA	8.9	NA
	8/18/2003	5.1	NA	11.0	NA
	9/2/2003	6.8	NA	11.0	NA
	9/8/2003	6.1	NA	11.0	NA
	9/15/2003	5.7	NA	10.0	NA
	9/22/2003	6.5	0.5 U	8.7	0.5 U
	9/29/2003	6.3	NA	13.0	NA
	10/6/2003	6.3	NA	13.0	NA
	10/13/2003	6.6	NA	13.0	NA
	10/20/2003	5.6	NA	14.0	NA
	10/27/2003	4.5	NA	8.8	NA
	11/3/2003	5.6	NA	18.0	NA
	11/10/2003	4.9	NA	13.0	NA
	11/17/2003	6.6	NA	11.0	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	11/24/2003	**7.3**	NA	**11.0**	NA
	12/1/2003	**7.0**	NA	**13.0**	NA
	12/8/2003	**7.2**	NA	NA	NA
	12/15/2003	**6.7**	NA	**13.0**	NA
	12/29/2003	**7.7**	NA	**12.0**	NA
	1/5/2004	**7.6**	NA	**10.0**	NA
	1/12/2004	**7.2**	NA	**9.4**	NA
	1/19/2004	**5.4**	NA	**9.7**	NA
	1/26/2004	**5.5**	NA	**9.6**	NA
	2/2/2004	**5.3**	NA	**9.5**	NA
	2/9/2004	**5.6**	NA	**9.2**	NA
	2/17/2004	**5.5**	NA	**9.1**	NA
	2/23/2004	**4.1**	NA	**9.0**	NA
	3/1/2004	4.0 U	NA	**9.8**	NA
	3/8/2004	**6.1**	NA	**9.4**	NA
	3/15/2004	4.0 U	NA	**8.5**	NA
	3/22/2004	**6.6**	NA	**8.9**	NA
	3/29/2004	**5.5**	NA	**8.7**	NA
	4/5/2004	**5.8**	NA	**8.4**	NA
	4/12/2004	4.0 U	NA	**9.3**	NA
	4/19/2004	**5.5**	NA	**8.4**	NA
	4/26/2004	**5.6**	NA	**7.1**	NA
	5/3/2004	**5.8**	NA	**7.9**	NA
	5/10/2004	**4.6**	NA	**7.3**	NA
	5/17/2004	**4.8**	NA	**6.9**	NA
	5/24/2004	**4.2**	NA	**6.6**	NA
	6/1/2004	**5.1**	NA	**7.5**	NA
	6/7/2004	**4.9**	NA	**5.7**	NA
	6/14/2004	**4.5**	NA	**6.5**	NA
	6/21/2004	4.0 U	NA	**6.3**	NA
	6/28/2004	4.0 U	NA	**6.0**	NA
	7/6/2004	**4.4**	NA	**5.1**	NA
	7/12/2004	**4.3**	NA	**6.5**	NA
	7/19/2004	**4.8**	NA	**5.4**	NA
	7/26/2004	**4.4**	NA	**6.0**	NA
	8/2/2004	4.0 U	NA	**5.4**	NA
	8/9/2004	4.0 U	0.5 U	**5.4**	0.5 U
	8/16/2004	4.0 U	NA	**5.6**	NA
	8/23/2004	4.0 U	NA	**5.0**	NA
	8/30/2004	4.0 U	NA	**5.2**	NA
	9/7/2004	4.0 U	NA	**5.7**	NA
	9/13/2004	**5.8**	NA	**5.7**	NA
	9/20/2004	**4.8**	NA	**5.2**	NA
	9/27/2004	**5.5**	NA	**5.8**	NA
	10/4/2004	**5.6**	NA	**4.7**	NA
	10/11/2004	**5.9**	NA	**5.1**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/25/2004	**6.0**	NA	**6.4**	NA
	11/1/2004	**8.8**	NA	**6.4**	NA
	11/8/2004	**6.5**	NA	NA	NA
	11/15/2004	**6.0**	NA	**5.8**	NA
	11/22/2004	**5.9**	NA	**5.5**	NA
	11/29/2004	**6.0**	NA	**4.7**	NA
	12/6/2004	**6.0**	NA	NA	NA
	12/13/2004	**8.1**	NA	**5.5**	NA
	12/20/2004	**5.3**	NA	**5.4**	NA
	12/27/2004	**5.5**	NA	**5.9**	NA
	1/3/2005	**5.6**	NA	**5.0**	NA
	1/10/2005	**7.0**	NA	**5.5**	NA
	1/24/2005	**5.9**	NA	**6.1**	NA
	2/7/2005	**7.6**	0.5 U	**5.1**	0.5 U
	2/14/2005	**5.0**	NA	**2.7**	NA
	2/22/2005	**7.6**	NA	**3.5**	NA
	2/28/2005	**5.9**	NA	**4.9**	NA
	3/7/2005	**7.0**	NA	**3.5**	NA
	3/14/2005	**4.3**	NA	**3.3**	NA
	3/20/2005	4.0 U	NA	0.5 U	NA
	3/28/2005	**5.8**	NA	**3.4**	NA
	4/4/2005	**6.2**	NA	**4.7**	NA
	4/11/2005	**6.2**	NA	**3.3**	NA
	4/18/2005	**6.3**	NA	**1.5**	NA
	4/25/2005	**7.1**	NA	**3.5**	NA
	5/2/2005	**7.4**	NA	**3.2**	NA
	5/9/2005	**6.3**	NA	**3.1**	NA
	5/16/2005	**7.8**	NA	**2.9**	NA
	5/23/2005	**6.1**	NA	**3.1**	NA
	5/31/2005	**6.4**	NA	**2.6**	NA
	6/6/2005	**5.8**	NA	**2.6**	NA
	6/13/2005	**6.8**	NA	**2.5**	NA
	6/20/2005	**6.7**	NA	**2.3**	NA
	6/27/2005	**6.3**	NA	**2.6**	NA
	7/5/2005	**6.6**	NA	**2.6**	NA
	7/18/2005	**6.1**	NA	**2.6**	NA
	7/25/2005	**6.1**	NA	**2.5**	NA
	8/1/2005	**6.9**	NA	**1.2**	NA
	8/8/2005	**4.7**	NA	**2.2**	NA
	8/15/2005	**5.8**	NA	**2.2**	NA
	8/22/2005	**6.5**	NA	**2.0**	NA
	8/29/2005	**5.1**	NA	**2.2**	NA
	9/6/2005	**6.4**	NA	**2.1**	NA
	9/12/2005	**5.4**	NA	**1.9**	NA
	9/19/2005	**5.8**	NA	**1.9**	NA
	9/26/2005	**6.3**	NA	**2.0**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/3/2005	**7.0**	NA	**1.9**	NA
	10/10/2005	**7.0**	NA	**1.9**	NA
	10/17/2005	**7.0**	NA	**1.7**	NA
	10/24/2005	**6.8**	NA	**1.4**	NA
	10/31/2005	**6.0**	NA	**1.7**	NA
	11/7/2005	**6.0**	NA	**1.7**	NA
	11/14/2005	**7.2**	NA	**1.7**	NA
	11/21/2005	**5.0**	NA	NA	NA
	11/28/2005	**6.0**	NA	**1.6**	NA
	12/5/2005	**5.4**	NA	**1.5**	NA
	12/12/2005	**6.2**	NA	**1.5**	NA
	12/19/2005	**8.0**	NA	**1.3**	NA
	12/27/2005	**7.1**	NA	**1.4**	NA
	1/3/2006	**5.8**	NA	**1.3**	NA
	1/9/2006	**7.8**	NA	**1.3**	NA
	1/16/2006	**6.0**	NA	**1.2**	NA
	1/30/2006	**5.8**	NA	**1.1**	NA
	2/6/2006	**6.0**	NA	**1.2**	NA
	2/13/2006	**5.4**	NA	**1.2**	NA
	2/21/2006	**5.5**	0.5 U	**1.2**	0.5 U
	2/27/2006	**5.0**	NA	**1.0**	NA
	3/6/2006	**5.2**	NA	**0.7**	NA
	3/13/2006	**5.8**	NA	**0.6**	NA
	3/20/2006	**8.0**	NA	**0.8**	NA
	4/3/2006	**7.0**	NA	**0.5**	NA
	4/10/2006	**6.5**	NA	**0.6**	NA
	4/17/2006	**6.0**	NA	**0.7**	NA
	4/24/2006	**6.0**	NA	**0.7**	NA
	5/1/2006	**6.0**	NA	0.5 U	NA
	5/8/2006	**6.9**	NA	**0.6**	NA
	5/15/2006	**6.2**	NA	**0.7**	NA
	5/22/2006	**6.0**	NA	**0.6**	NA
	5/30/2006	**6.8**	NA	**0.5**	NA
	6/5/2006	**6.7**	NA	**0.7**	NA
	6/12/2006	**6.1**	NA	**0.6**	NA
	6/19/2006	**7.0**	NA	**0.6**	NA
	6/26/2006	**6.9**	NA	**0.6**	NA
	7/3/2006	**6.4**	NA	**0.7**	NA
	7/12/2006	**6.7**	NA	**0.8**	NA
	7/17/2006	**6.6**	NA	**0.7**	NA
	7/24/2006	**6.3**	NA	**0.7**	NA
	7/31/2006	**6.6**	NA	**0.8**	NA
	8/7/2006	**6.5**	NA	**0.5**	NA
	8/14/2006	**6.3**	NA	**0.7**	NA
	8/21/2006	**5.9**	NA	**0.8**	NA
	8/28/2006	**5.5**	NA	**0.8**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/5/2006	**5.6**	NA	**0.8**	NA
	9/11/2006	**6.2**	NA	**0.8**	NA
	9/18/2006	**6.3**	NA	**0.7**	NA
	9/25/2006	**6.4**	NA	**0.7**	NA
	10/2/2006	**6.2**	NA	**0.8**	NA
	10/9/2006	**6.7**	NA	**0.8**	NA
	10/16/2006	**7.3**	NA	**0.7**	NA
	10/23/2006	**6.0**	NA	**0.8**	NA
	10/30/2006	**5.9**	NA	**0.8**	NA
	11/6/2006	**5.3**	NA	**0.8**	NA
	11/13/2006	**5.4**	NA	**0.8**	NA
	11/20/2006	**6.6**	NA	**0.7**	NA
	12/11/2006	**6.4**	NA	**0.7**	NA
	12/21/2006	**6.3**	NA	**0.7**	NA
	12/26/2006	**6.2**	NA	**0.7**	NA
	1/2/2007	**5.6**	NA	**0.7**	NA
	1/8/2007	**6.4**	NA	**0.7**	NA
	1/15/2007	**5.8**	NA	**0.7**	NA
	1/22/2007	**6.4**	NA	**0.8**	NA
	1/29/2007	**5.5**	NA	**0.7**	NA
	2/5/2007	**5.9**	NA	**0.8**	0.5 U
	2/12/2007	**6.8**	NA	**0.8**	NA
	2/20/2007	**6.3**	NA	**0.6**	NA
	2/26/2007	**6.2**	NA	**0.6**	NA
	3/5/2007	**5.9**	NA	**0.6**	NA
	3/12/2007	**5.8**	NA	**0.6**	NA
	3/19/2007	**5.3**	NA	**0.5**	NA
	3/26/2007	**5.7**	NA	0.5 U	NA
	4/2/2007	**5.0**	NA	0.5 U	NA
	4/9/2007	**4.8**	NA	**0.5**	NA
	4/16/2007	**4.7**	NA	**0.5**	NA
	4/23/2007	**5.1**	NA	**0.5**	NA
	4/30/2007	**5.0**	NA	**0.5**	NA
	5/7/2007	**6.0**	NA	**0.5**	NA
	5/14/2007	**5.3**	NA	**0.5**	NA
	5/21/2007	**5.0**	NA	0.5 U	NA
	5/29/2007	**5.9**	NA	0.5 U	NA
	6/4/2007	**5.8**	NA	**0.5**	NA
	6/11/2007	**5.2**	NA	0.5 U	NA
	6/18/2007	**5.5**	NA	0.5 U	NA
	6/25/2007	**4.6**	NA	0.5 U	NA
	9/17/2007	4.0 U	NA	**0.5**	NA
	9/24/2007	**4.3**	NA	**0.6**	NA
	10/1/2007	**4.9**	NA	**0.6**	NA
	10/8/2007	**5.1**	NA	**0.5**	NA
	10/15/2007	**15.0**	NA	**0.5**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/22/2007	**5.9**	NA	0.5 U	NA
	10/29/2007	**6.8**	NA	0.5 U	NA
	11/5/2007	**8.1**	NA	**0.6**	NA
	11/12/2007	**8.8**	NA	**0.5**	NA
	11/19/2007	**8.2**	NA	**0.5**	NA
	11/26/2007	**5.8**	NA	**0.5**	NA
	12/3/2007	**5.8**	NA	**0.5**	NA
	12/10/2007	**6.1**	NA	**0.5**	NA
	12/17/2007	**5.0**	NA	**0.6**	NA
	12/26/2007	**4.9**	NA	**0.5**	NA
	1/2/2008	**5.9**	NA	**0.6**	NA
	1/7/2008	**5.4**	NA	**0.6**	NA
	1/14/2008	**4.9**	NA	**0.6**	NA
	1/21/2008	**6.1**	NA	**0.7**	NA
	1/28/2008	**5.5**	NA	**0.7**	NA
	2/4/2008	**6.2**	0.5 U	**0.7**	0.5 U
	2/11/2008	**7.4**	NA	**0.7**	NA
	2/19/2008	**6.9**	NA	**0.6**	NA
	2/25/2008	**5.9**	NA	**0.8**	NA
	3/3/2008	**6.5**	NA	**0.6**	NA
	3/10/2008	**6.0**	NA	**0.7**	NA
	3/17/2008	**7.4**	NA	**0.7**	NA
	3/24/2008	**6.0**	NA	**0.7**	NA
	3/31/2008	**5.4**	NA	**0.7**	NA
	4/7/2008	**5.7**	NA	**0.7**	NA
	4/14/2008	**6.0**	NA	**0.6**	NA
	4/21/2008	**6.5**	NA	**0.7**	NA
	6/2/2008	**5.7**	NA	**0.6**	NA
	6/9/2008	**5.9**	NA	**0.7**	NA
	6/16/2008	**6.2**	NA	**0.7**	NA
	6/23/2008	**5.9**	NA	**0.9**	NA
	8/18/2008	**5.7**	NA	**0.8**	NA
	8/25/2008	**5.4**	NA	**0.9**	NA
	9/2/2008	**5.3**	NA	**0.9**	NA
	9/8/2008	**4.5**	NA	**0.9**	NA
	9/15/2008	**6.6**	NA	**0.9**	NA
	9/22/2008	**4.5**	NA	**0.9**	NA
	9/29/2008	**5.3**	NA	**1.0**	NA
	10/6/2008	**4.9**	NA	**0.9**	NA
	10/13/2008	**5.2**	NA	**0.7**	NA
	10/20/2008	**5.4**	NA	**1.0**	NA
	10/27/2008	4.0 U	NA	**1.0**	NA
	12/1/2008	**5.6**	NA	**1.1**	NA
	12/8/2008	**5.5**	NA	**1.1**	NA
	12/15/2008	**4.8**	NA	**0.9**	NA
	12/22/2008	**4.6**	NA	**0.9**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/29/2008	**4.6**	NA	**1.0**	NA
	1/5/2009	**5.6**	NA	**0.9**	NA
	1/12/2009	**5.5**	NA	**0.9**	NA
	1/19/2009	**5.6**	NA	**1.0**	NA
	1/26/2009	**5.2**	NA	**1.0**	NA
	2/23/2009	**4.7**	NA	**0.8**	NA
	3/2/2009	**4.2**	NA	**0.8**	NA
	3/9/2009	**4.4**	NA	**0.8**	NA
	3/16/2009	**4.4**	NA	**0.7**	NA
	3/23/2009	**5.7**	NA	**0.7**	NA
	3/30/2009	**4.9**	NA	**0.7**	NA
	4/6/2009	**5.8**	NA	**0.7**	NA
	4/13/2009	**5.8**	NA	**0.5**	NA
	4/20/2009	**6.3**	NA	**0.6**	NA
	4/27/2009	**5.5**	NA	**0.8**	NA
	5/4/2009	**6.3**	NA	**0.8**	NA
	5/11/2009	**6.0**	NA	**0.8**	NA
	5/18/2009	**5.7**	NA	**0.7**	NA
	6/1/2009	**5.9**	NA	**0.7**	NA
	6/8/2009	**6.0**	NA	**0.8**	NA
	6/15/2009	**5.5**	NA	**0.8**	NA
	6/22/2009	**5.8**	NA	**0.7**	NA
	6/29/2009	**5.9**	NA	**0.8**	NA
	7/6/2009	**4.5**	NA	**0.8**	NA
	7/13/2009	4.0 U	NA	**0.8**	NA
	7/20/2009	**5.4**	NA	**0.6**	NA
	7/27/2009	**5.3**	NA	**0.7**	NA
	8/3/2009	**5.4**	NA	**0.8**	NA
	8/10/2009	**5.7**	NA	0.5 U	NA
	8/17/2009	**4.5**	NA	**0.7**	NA
	8/24/2009	**4.1**	NA	**0.7**	NA
	8/31/2009	**4.4**	NA	**0.7**	NA
	9/8/2009	**5.5**	NA	**0.5**	NA
	9/14/2009	**5.5**	NA	**0.7**	NA
	9/21/2009	**5.4**	NA	**0.7**	NA
	9/28/2009	**5.6**	NA	**4.4**	NA
	10/5/2009	**7.1**	NA	**1.0**	NA
	10/12/2009	**5.5**	NA	**0.5**	NA
	10/19/2009	**6.1**	NA	**0.6**	NA
	10/26/2009	**5.3**	NA	**0.5**	NA
	11/2/2009	**5.5**	NA	0.5 U	NA
	11/9/2009	**5.2**	NA	**0.6**	NA
	11/16/2009	**5.4**	NA	**0.8**	NA
	12/14/2009	**5.4**	NA	**0.6**	NA
	12/21/2009	**5.3**	NA	**0.7**	NA
	12/28/2009	**5.7**	NA	**0.8**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/4/2010	**6.3**	NA	0.5 U	NA
	1/11/2010	**5.2**	NA	**0.6**	NA
	1/18/2010	**5.0**	NA	0.5 U	NA
	2/1/2010	**5.7**	NA	0.5 U	NA
	2/8/2010	**6.0**	NA	**0.7**	NA
	2/16/2010	**6.4**	NA	**0.6**	NA
	2/22/2010	**6.4**	NA	**0.8**	NA
	3/1/2010	**7.1**	NA	0.5 U	NA
	3/15/2010	**6.6**	NA	0.5 U	NA
	3/22/2010	**5.6**	NA	**0.5**	NA
	3/29/2010	**4.0**	NA	0.5 U	NA
	4/5/2010	**5.4**	NA	0.5 U	NA
	4/12/2010	**6.4**	NA	**0.5**	NA
	4/19/2010	**6.3**	NA	0.5 U	NA
	4/26/2010	**6.8**	NA	0.5 U	NA
	5/24/2010	**6.0**	NA	0.5 U	NA
	6/1/2010	**5.9**	NA	0.5 U	NA
	6/7/2010	**5.1**	NA	0.5 U	NA
	6/14/2010	**5.5**	NA	0.5 U	NA
	6/21/2010	**5.6**	NA	0.5 U	NA
	6/28/2010	**6.7**	NA	0.5 U	NA
	7/6/2010	**6.1**	NA	0.5 U	NA
	7/12/2010	**4.1**	NA	0.5 U	NA
	7/19/2010	**6.0**	NA	0.5 U	NA
	7/26/2010	**6.9**	NA	0.5 U	NA
	8/9/2010	**6.7**	NA	0.5 U	NA
	8/16/2010	**5.4**	NA	0.5 U	NA
	8/23/2010	**5.2**	NA	0.5 U	NA
	8/30/2010	**5.1**	NA	0.5 U	NA
	9/7/2010	**5.1**	NA	0.5 U	NA
	9/13/2010	**4.9**	NA	0.5 U	NA
	9/20/2010	**6.0**	NA	0.5 U	NA
	9/27/2010	**6.1**	NA	0.5 U	NA
	10/4/2010	**5.6**	NA	0.5 U	NA
	10/11/2010	**5.1**	NA	0.5 U	NA
	10/18/2010	**6.1**	NA	0.5 U	NA
	10/25/2010	**5.8**	NA	0.5 U	NA
	11/15/2010	**5.9**	NA	0.5 U	NA
	11/23/2010	**6.2**	NA	0.5 U	NA
	11/29/2010	**5.3**	NA	0.5 U	NA
	12/6/2010	**6.3**	NA	0.5 U	NA
	12/13/2010	**6.1**	NA	0.5 U	NA
	12/20/2010	**5.9**	NA	0.5 U	NA
	12/27/2010	**8.4**	NA	0.5 U	NA
	1/4/2011	**5.5**	NA	0.5 U	NA
	1/10/2011	**6.8**	NA	0.5 U	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/17/2011	**6.4**	NA	0.5 U	NA
	1/24/2011	**6.2**	NA	0.5 U	NA
	1/31/2011	**6.2**	NA	0.5 U	NA
	2/7/2011	**6.7**	NA	0.5 U	NA
	2/14/2011	**6.9**	NA	0.5 U	NA
	2/22/2011	**7.3**	NA	0.5 U	NA
	3/14/2011	**5.1**	NA	0.5 U	NA
	3/28/2011	**6.6**	NA	0.5 U	NA
	4/4/2011	**9.6**	NA	0.5 U	NA
	4/11/2011	**7.0**	NA	0.5 U	NA
	4/18/2011	**7.1**	NA	0.5 U	NA
	4/25/2011	**7.1**	NA	0.5 U	NA
	5/23/2011	**6.0**	NA	0.5 U	NA
	5/31/2011	**7.4**	NA	0.5 U	NA
	6/6/2011	**8.5**	NA	0.5 U	NA
	6/13/2011	**7.1**	NA	0.5 U	NA
	6/20/2011	**7.7**	NA	0.5 U	NA
	6/27/2011	**6.9**	NA	0.5 U	NA
	7/5/2011	**7.0**	NA	0.5 U	NA
	7/11/2011	**6.3**	NA	0.5 U	NA
	7/18/2011	**6.0**	NA	0.5 U	NA
	7/25/2011	**5.5**	NA	0.5 U	NA
	8/1/2011	**5.7**	0.5 U	0.5 U	0.5 U
	8/8/2011	**5.4**	NA	0.5 U	NA
	8/15/2011	**6.4**	NA	0.5 U	NA
	8/22/2011	**7.6**	NA	0.5 U	NA
	8/29/2011	**5.9**	NA	0.5 U	NA
	9/6/2011	**6.6**	NA	0.5 U	NA
	9/12/2011	**6.2**	NA	0.5 U	NA
	9/19/2011	**7.0**	NA	0.5 U	NA
	9/26/2011	**6.1**	NA	0.5 U	NA
	10/3/2011	**5.4**	NA	0.5 U	NA
	10/10/2011	**7.1**	NA	0.5 U	NA
	10/17/2011	**5.7**	NA	0.5 U	NA
	10/24/2011	**5.6**	NA	0.5 U	NA
	10/31/2011	**5.6**	NA	**0.5**	NA
	11/7/2011	**5.4**	NA	0.5 U	NA
	11/14/2011	**6.0**	NA	0.5 U	NA
	11/21/2011	**5.7**	NA	0.5 U	NA
	11/28/2011	**5.6**	NA	0.5 U	NA
	12/5/2011	**5.7**	NA	0.5 U	NA
	12/12/2011	**5.7**	NA	0.5 U	NA
	12/19/2011	**5.1**	NA	0.5 U	NA
	12/27/2011	**5.6**	NA	**0.6**	NA
	1/3/2012	**6.0**	NA	0.5 U	NA
	1/9/2012	**6.1**	NA	**0.5**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/16/2012	**5.5**	NA	**0.6**	NA
	1/23/2012	**4.9**	NA	**0.5**	NA
	1/30/2012	**4.6**	NA	**0.5**	NA
	2/6/2012	**4.8**	NA	**0.6**	NA
	2/13/2012	**5.0**	NA	0.5 U	NA
	2/21/2012	**4.2**	NA	**0.5**	NA
	2/27/2012	**4.0**	NA	**0.6**	NA
	3/5/2012	**4.9**	NA	**0.6**	NA
	3/12/2012	**4.4**	NA	**0.5**	NA
	3/19/2012	**5.4**	NA	**0.5**	NA
	3/26/2012	**4.5**	NA	**0.5**	NA
	4/2/2012	**4.6**	NA	**0.5**	NA
	4/9/2012	**4.4**	NA	0.5 U	NA
	4/16/2012	**4.0**	NA	**0.5**	NA
	4/23/2012	**5.6**	NA	0.5 U	NA
	5/21/2012	**4.8**	NA	0.5 U	NA
	5/29/2012	**4.9**	NA	0.5 U	NA
	6/4/2012	**4.8**	NA	0.5 U	NA
	6/11/2012	**4.6**	NA	0.5 U	NA
	6/18/2012	**5.5**	NA	0.5 U	NA
	6/25/2012	**4.6**	NA	0.5 U	NA
	7/2/2012	**4.5**	NA	0.5 U	NA
	7/9/2012	**4.2**	NA	0.5 U	NA
	7/16/2012	**4.3**	NA	0.5 U	NA
	7/23/2012	**4.6**	NA	0.5 U	NA
	7/30/2012	**5.5**	NA	0.5 U	NA
	8/6/2012	4.0 U	NA	0.5 U	NA
	8/13/2012	**5.2**	NA	**0.5**	NA
	8/20/2012	**4.3**	NA	0.5 U	NA
	8/27/2012	**5.6**	NA	**0.8**	NA
	9/17/2012	**4.4**	NA	0.5 U	NA
	9/24/2012	4.0 U	NA	0.5 U	NA
	10/1/2012	**4.3**	NA	0.5 U	NA
	10/8/2012	**4.2**	NA	0.5 U	NA
	10/15/2012	4.0 U	NA	0.5 U	NA
	10/22/2012	**4.1**	NA	0.5 U	NA
	10/29/2012	4.0 U	NA	0.5 U	NA
	11/5/2012	4.0 U	NA	0.5 U	NA
	11/12/2012	4.0 U	NA	0.5 U	NA
	11/19/2012	**5.4**	NA	0.5 U	NA
	11/26/2012	**5.1**	NA	0.5 U	NA
	12/3/2012	**4.8**	NA	**0.7**	NA
	12/10/2012	**4.0**	NA	**0.8**	NA
	12/17/2012	**5.1**	NA	**0.5**	NA
	12/26/2012	**5.1**	NA	**0.5**	NA
	1/2/2013	**5.3**	NA	0.5 U	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/7/2013	**5.4**	NA	0.5 U	NA
	1/14/2013	**5.2**	NA	0.5 U	NA
	1/21/2013	**4.8**	NA	0.5 U	NA
	1/28/2013	**5.3**	NA	0.5 U	NA
	2/11/2013	**5.2**	NA	0.5 U	NA
	2/19/2013	**4.7**	NA	0.5 U	NA
	3/11/2013	**5.3**	NA	0.5 U	NA
	3/18/2013	**5.9**	NA	0.5 U	NA
	3/25/2013	**6.4**	NA	0.5 U	NA
	4/1/2013	**5.2**	NA	0.5 U	NA
	4/8/2013	**5.6**	NA	0.5 U	NA
	4/15/2013	**5.3**	NA	0.5 U	NA
	4/22/2013	**5.6**	NA	0.5 U	NA
	5/13/2013	**5.0**	NA	0.5 U	NA
	5/20/2013	**4.5**	NA	0.5 U	NA
	5/28/2013	**5.5**	NA	0.5 U	NA
	6/3/2013	**5.2**	NA	0.5 U	NA
	6/10/2013	**4.9**	NA	0.5 U	NA
	6/17/2013	**4.7**	NA	0.5 U	NA
	6/24/2013	**4.0**	NA	0.5 U	NA
	7/1/2013	4.0 U	NA	**0.5**	NA
	7/8/2013	**4.3**	NA	0.5 U	NA
	7/15/2013	4.0 U	NA	**0.5**	NA
	7/22/2013	**4.0**	NA	**0.6**	NA
	7/29/2013	**4.5**	NA	**0.6**	NA
	8/5/2013	**4.0**	NA	0.5 U	NA
	8/12/2013	**5.2**	NA	**0.6**	NA
	8/19/2013	**5.6**	NA	**0.5**	NA
	8/26/2013	**5.3**	NA	**0.6**	NA
	9/3/2013	**5.5**	NA	**0.6**	NA
	9/9/2013	**5.7**	NA	**0.8**	NA
	9/16/2013	**4.8**	NA	**0.7**	NA
	9/23/2013	**5.2**	NA	**0.7**	NA
	11/4/2013	**5.1**	NA	**1.2**	NA
	11/11/2013	**4.8**	NA	**1.3**	NA
	11/18/2013	**4.6**	NA	**1.3**	NA
	11/25/2013	**4.3**	NA	**1.5**	NA
	12/2/2013	4.0 U	NA	**1.5**	NA
	12/9/2013	**4.8**	NA	**1.7**	NA
	12/16/2013	**4.9**	NA	**1.7**	NA
	12/23/2013	**4.8**	NA	**1.8**	NA
	2/10/2014	**4.3**	0.5 U	**2.6**	0.5 U
	2/18/2014	**5.1**	NA	**2.8**	NA
	2/24/2014	**5.0**	NA	**2.6**	NA
	3/3/2014	**4.5**	NA	**2.7**	NA
	3/10/2014	**5.2**	NA	**4.8**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/17/2014	**4.2**	NA	**3.9**	NA
	3/24/2014	**4.7**	NA	**3.9**	NA
	3/31/2014	**5.6**	NA	**4.1**	NA
	4/7/2014	**4.7**	NA	**3.1**	NA
	4/14/2014	**4.9**	NA	**3.3**	NA
	4/21/2014	4.0 U	NA	**3.9**	NA
	4/28/2014	**5.4**	NA	**3.4**	NA
	5/19/2014	**4.2**	NA	**2.8**	NA
	5/27/2014	4.0 U	NA	**3.4**	NA
	6/2/2014	**4.3**	NA	**3.8**	NA
	6/9/2014	**5.1**	NA	**3.5**	NA
	6/16/2014	**4.3**	NA	**3.7**	NA
	6/23/2014	**4.9**	NA	**4.2**	NA
	6/30/2014	**5.2**	NA	**3.7**	NA
	7/7/2014	**4.9**	NA	**3.8**	NA
	7/14/2014	**4.8**	NA	**3.4**	NA
	7/21/2014	**4.1**	NA	**3.6**	NA
	8/11/2014	**4.9**	NA	**2.5**	NA
	8/18/2014	**4.7**	NA	**3.1**	NA
	8/25/2014	**4.7**	NA	**3.0**	NA
	9/2/2014	**4.8**	NA	**3.0**	NA
	9/8/2014	**4.6**	NA	**3.1**	NA
	9/15/2014	**4.5**	NA	**3.6**	NA
	9/22/2014	**4.1**	NA	**2.7**	NA
	9/29/2014	4.0 U	NA	**2.9**	NA
	10/6/2014	4.0 U	NA	**3.2**	NA
	10/13/2014	**5.0**	NA	**2.6**	NA
	10/20/2014	**4.8**	NA	**3.1**	NA
	10/27/2014	4.0 U	NA	**3.3**	NA
	11/24/2014	4.0 U	NA	**3.1**	NA
	12/1/2014	4.0 U	NA	**3.0**	NA
	12/8/2014	4.0 U	NA	**3.3**	NA
	12/15/2014	4.0 U	NA	**2.5**	NA
	12/22/2014	4.0 U	NA	**2.1**	NA
	12/29/2014	4.0 U	NA	**3.3**	NA
	1/5/2015	**4.4**	NA	**2.5**	NA
	1/12/2015	**4.1**	NA	**2.2**	NA
	1/19/2015	**4.4**	NA	**1.7**	NA
	1/26/2015	**4.6**	NA	**1.5**	NA
	2/9/2015	**4.1**	NA	**2.0**	NA
	2/17/2015	**5.6**	NA	**1.3**	NA
	2/23/2015	**5.0**	NA	**1.2**	NA
	3/2/2015	**4.8**	NA	**1.1**	NA
	3/9/2015	**4.3**	NA	**1.1**	NA
	3/16/2015	**5.0**	NA	**1.5**	NA
	3/23/2015	**5.0**	NA	**1.4**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/6/2015	**4.8**	NA	**2.3**	NA
	4/13/2015	**4.8**	NA	**2.5**	NA
	4/20/2015	**4.6**	NA	**2.6**	NA
	4/27/2015	**4.7**	NA	**2.8**	NA
	5/4/2015	**4.8**	NA	**3.0**	NA
	5/11/2015	**4.9**	NA	**2.5**	NA
	5/18/2015	**4.5**	NA	**2.4**	NA
	5/26/2015	**4.9**	NA	**2.4**	NA
	6/1/2015	4.0 U	NA	**2.3**	NA
	6/8/2015	**4.4**	NA	**2.2**	NA
	6/15/2015	**4.6**	NA	**0.7**	NA
	6/22/2015	**4.8**	NA	**2.3**	NA
	7/6/2015	**4.1**	NA	**2.3**	NA
	7/13/2015	**4.3**	NA	**1.7**	NA
	7/20/2015	**4.8**	NA	**2.1**	NA
	7/27/2015	**4.6**	NA	**2.2**	NA
	8/3/2015	**4.8**	NA	**2.1**	NA
	8/10/2015	**4.1**	NA	**2.0**	NA
	8/17/2015	**4.3**	NA	**1.9**	NA
	8/24/2015	4.0 U	NA	**2.0**	NA
	8/31/2015	4.0 U	NA	**1.9**	NA
	9/8/2015	4.0 U	NA	**2.3**	NA
	9/14/2015	4.0 U	NA	**2.2**	NA
	9/21/2015	**4.1**	NA	**1.8**	NA
	9/28/2015	4.0 U	NA	**1.0**	NA
	10/5/2015	**4.7**	NA	**1.2**	NA
	10/12/2015	4.0 U	NA	**1.9**	NA
	10/19/2015	**4.8**	NA	**1.7**	NA
	10/26/2015	**5.2**	NA	**1.7**	NA
	11/2/2015	**5.4**	NA	**2.0**	NA
	11/9/2015	**5.1**	NA	**1.8**	NA
	11/16/2015	**5.2**	NA	**1.6**	NA
	11/23/2015	**5.1**	NA	**1.7**	NA
	11/30/2015	**5.3**	NA	**1.7**	NA
	12/7/2015	**5.3**	NA	**1.8**	NA
	12/14/2015	**5.0**	NA	**1.9**	NA
	12/21/2015	**5.1**	NA	**1.7**	NA
	12/28/2015	**5.2**	NA	**1.3**	NA
	1/4/2016	**4.7**	NA	**1.9**	NA
	1/11/2016	**4.8**	NA	**1.6**	NA
	1/18/2016	**4.5**	NA	**1.7**	NA
	1/25/2016	**4.2**	NA	**1.7**	NA
	2/1/2016	**4.9**	NA	**1.7**	NA
	2/8/2016	4.0 U	NA	**1.9**	NA
	2/16/2016	**4.1**	NA	**1.5**	NA
	2/22/2016	**4.3**	NA	**1.6**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/29/2016	**5.0**	NA	**1.9**	NA
	3/7/2016	**4.5**	NA	**0.8**	NA
	3/14/2016	**4.6**	NA	**2.0**	NA
	3/21/2016	**5.1**	NA	**2.2**	NA
	3/28/2016	**4.8**	NA	**1.7**	NA
	4/4/2016	**5.2**	NA	**2.3**	NA
	4/11/2016	**4.3**	NA	**2.1**	NA
	4/18/2016	**4.9**	NA	**1.7**	NA
	4/25/2016	**4.6**	NA	**1.9**	NA
	5/2/2016	**4.9**	NA	**2.1**	NA
	5/9/2016	**4.7**	NA	**1.8**	NA
	5/16/2016	**4.4**	NA	**1.8**	NA
	5/23/2016	**4.8**	NA	**2.9**	NA
	5/31/2016	**4.7**	NA	**2.4**	NA
	6/6/2016	**5.0**	0.5 U	**2.3**	0.5 U
	6/13/2016	4.0 U	NA	**0.9**	NA
	6/20/2016	**4.6**	NA	**1.0**	NA
	7/5/2016	**5.5**	NA	**0.9**	NA
	7/11/2016	**4.3**	NA	0.5 U	NA
	7/18/2016	4.0 U	NA	**0.5**	NA
	7/25/2016	**5.5**	NA	**1.2**	NA
	8/1/2016	**4.5**	NA	**0.7**	NA
	8/8/2016	**4.0**	NA	0.5 U	NA
	8/15/2016	4.0 U	NA	0.5 U	NA
	8/22/2016	**4.3**	NA	0.5 U	NA
	8/29/2016	**4.8**	NA	0.5 U	NA
	9/6/2016	**4.6**	NA	0.5 U	NA
	9/12/2016	**4.5**	NA	**0.9**	NA
	9/19/2016	**4.1**	NA	**0.6**	NA
	9/26/2016	**5.3**	NA	**0.5**	NA
	10/3/2016	**4.6**	NA	**1.0**	NA
	10/10/2016	**4.1**	NA	**0.8**	NA
	10/17/2016	**5.2**	NA	**0.9**	NA
	10/24/2016	**4.8**	NA	**1.8**	NA
	11/7/2016	**4.7**	NA	**1.2**	NA
	11/14/2016	**4.5**	NA	**1.0**	NA
	11/21/2016	**4.9**	NA	**1.3**	NA
	11/28/2016	**4.0**	NA	**1.7**	NA
	12/5/2016	**4.2**	NA	**2.1**	NA
	12/12/2016	**4.6**	NA	**1.9**	NA
	12/19/2016	4.0 U	NA	**1.1**	NA
	12/27/2016	4.0 U	NA	0.5 U	NA
	1/3/2017	**4.0**	NA	0.5 U	NA
	1/9/2017	**4.5**	NA	**0.9**	NA
	1/16/2017	**4.8**	NA	**1.2**	NA
	1/23/2017	4.0 U	NA	**0.5**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/6/2017	4.0 U	NA	**0.6**	NA
	4/17/2017	**5.1**	NA	**0.9**	NA
	4/24/2017	**5.1**	NA	**1.3**	NA
	5/8/2017	**4.7**	NA	**0.6**	NA
	5/15/2017	**4.9**	NA	**0.6**	NA
	5/22/2017	**4.9**	NA	**1.1**	NA
	5/30/2017	**4.4**	NA	**1.0**	NA
	6/5/2017	**4.7**	NA	**1.2**	NA
	6/12/2017	**5.4**	NA	**1.1**	NA
	6/19/2017	**5.0**	NA	**1.0**	NA
	6/26/2017	**4.5**	NA	**1.3**	NA
	7/3/2017	**5.2**	NA	**1.3**	NA
	7/10/2017	**4.7**	NA	**1.2**	NA
	7/17/2017	**4.6**	NA	**1.2**	NA
	7/24/2017	**4.3**	NA	**1.3**	NA
	8/7/2017	**6.0**	NA	**1.8**	NA
	8/14/2017	**4.1**	NA	**1.7**	NA
	8/21/2017	**5.2**	NA	**0.9**	NA
	8/28/2017	**5.5**	NA	**1.1**	NA
	9/5/2017	**4.8**	NA	**1.4**	NA
	9/11/2017	**5.1**	NA	**0.8**	NA
	9/18/2017	**5.2**	NA	**1.2**	NA
	9/25/2017	**4.8**	NA	**1.3**	NA
	10/2/2017	**5.1**	NA	**1.3**	NA
	10/9/2017	**4.9**	NA	**1.3**	NA
	10/16/2017	**5.3**	NA	**1.1**	NA
	10/23/2017	**5.0**	NA	**1.6**	NA
	10/30/2017	**5.6**	NA	**1.2**	NA
	2/5/2018	**4.0**	NA	**1.2**	NA
	2/12/2018	**4.0**	NA	**1.2**	NA
	2/20/2018	4.0 U	NA	**1.1**	NA
	2/26/2018	**4.4**	NA	**1.0**	NA
	3/5/2018	**4.5**	NA	**0.8**	NA
	3/12/2018	**4.3**	NA	**1.3**	NA
	3/19/2018	4.0 U	NA	**1.5**	NA
	3/26/2018	4.0 U	NA	**1.1**	NA
	4/2/2018	4.0 U	NA	**1.0**	NA
	4/9/2018	**4.0**	NA	**1.4**	NA
	4/16/2018	4.0 U	NA	**1.3**	NA
	4/23/2018	4.0 U	NA	**1.2**	NA
	4/30/2018	4.0 U	NA	0.5 U	NA
	5/7/2018	4.0 U	NA	**0.8**	NA
	5/14/2018	4.0 U	NA	**1.1**	NA
	5/21/2018	**4.7**	NA	**1.6**	NA
	5/29/2018	4.0 U	NA	**1.0**	NA
	6/4/2018	**4.2**	NA	**0.8**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/11/2018	**4.1**	NA	**1.6**	NA
	6/18/2018	4.0 U	NA	**1.2**	NA
	6/25/2018	4.0 U	NA	**0.6**	NA
	7/3/2018	**4.7**	NA	**0.8**	NA
	7/9/2018	**5.5**	NA	**2.1**	NA
	7/16/2018	**4.3**	NA	**1.2**	NA
	7/23/2018	**5.3**	NA	**1.0**	NA
	7/30/2018	**4.5**	NA	**1.1**	NA
	8/6/2018	**5.0**	NA	**1.3**	NA
	8/13/2018	**5.3**	NA	**1.6**	NA
	8/20/2018	**5.6**	NA	**1.6**	NA
	8/27/2018	**5.0**	NA	**1.5**	NA
	9/4/2018	**5.0**	NA	**0.9**	NA
	9/10/2018	**5.1**	0.5 U	**0.6**	0.5 U
	9/17/2018	**5.0**	NA	**1.2**	NA
	9/24/2018	**4.5**	NA	**1.1**	NA
	10/1/2018	4.0 U	0.5 U	**0.7**	0.5 U
	10/15/2018	**4.5**	0.5 U	**0.7**	0.5 U
	11/12/2018	**4.0**	NA	**1.0**	NA
	11/19/2018	**4.6**	NA	**0.8**	NA
	11/26/2018	4.0 U	NA	**1.0**	NA
	12/3/2018	**4.5**	NA	**1.5**	NA
	12/10/2018	**4.5**	NA	**1.7**	NA
	12/19/2018	4.0 U	NA	**0.9**	NA
	12/26/2018	**4.5**	NA	**1.4**	NA
	1/2/2019	**4.3**	NA	**1.0**	NA
	1/7/2019	**4.5**	NA	**1.6**	NA
	1/14/2019	4.0 U	NA	**1.0**	NA
	1/21/2019	4.0 U	NA	**0.9**	NA
	1/28/2019	**4.6**	NA	**1.2**	NA
	2/4/2019	4.0 U	NA	**0.8**	NA
	2/11/2019	**4.2**	NA	**1.3**	NA
	2/19/2019	4.0 U	NA	**1.0**	NA
	2/25/2019	4.0 U	NA	**1.0**	NA
	3/4/2019	4.0 U	NA	**1.2**	NA
	3/12/2019	4.0 U	NA	**0.6**	NA
	3/18/2019	4.0 U	NA	**1.2**	NA
	3/25/2019	4.0 U	NA	**1.0**	NA
	4/1/2019	4.0 U	NA	**0.9**	NA
	4/8/2019	4.0 U	NA	**0.7**	NA
	4/15/2019	**4.0**	NA	**1.4**	NA
	4/22/2019	**5.6**	NA	**1.7**	NA
	4/29/2019	**4.0**	NA	**1.0**	NA
	5/6/2019	**4.3**	NA	**1.8**	NA
	5/13/2019	**4.4**	NA	**1.8**	NA
	5/20/2019	**4.2**	NA	**1.8**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/28/2019	4.0 U	NA	**1.0**	NA
	6/10/2019	**4.5**	NA	**1.8**	NA
	6/17/2019	**4.3**	NA	**0.9**	NA
	6/24/2019	**4.2**	NA	**1.9**	NA
	7/1/2019	**4.7**	NA	**2.1**	NA
	7/8/2019	4.0 U	NA	**1.7**	NA
	7/15/2019	**4.4**	NA	**1.9**	NA
	7/22/2019	**4.3**	NA	**1.1**	NA
	7/29/2019	**4.6**	NA	**1.8**	NA
	8/5/2019	**4.4**	NA	**2.1**	NA
	8/12/2019	4.0 U	NA	**1.7**	NA
	8/19/2019	4.0 U	NA	**1.8**	NA
	9/3/2019	**4.2**	NA	**2.1**	NA
	9/9/2019	**4.1**	NA	**1.4**	NA
	9/16/2019	**4.7**	NA	**1.4**	NA
	9/23/2019	**4.2**	NA	**1.2**	NA
	9/30/2019	**4.1**	NA	**1.0**	NA
	10/7/2019	**4.6**	NA	**2.4**	NA
	10/14/2019	**4.5**	NA	**2.1**	NA
	10/21/2019	**4.5**	NA	**1.6**	NA
	10/28/2019	**4.4**	NA	**1.8**	NA
	11/4/2019	4.0 U	NA	**1.1**	NA
	11/11/2019	**4.3**	NA	**1.8**	NA
	11/18/2019	**4.7**	NA	**2.1**	NA
	11/25/2019	**4.3**	NA	**2.1**	NA
	12/2/2019	**4.3**	NA	**1.4**	NA
	12/9/2019	4.0 U	NA	**1.3**	NA
	12/16/2019	4.0 U	0.5 U	**1.6**	0.5 U
	12/23/2019	**4.4**	NA	**1.5**	NA
	12/30/2019	**4.3**	NA	**1.7**	NA
	1/6/2020	4.0 U	NA	**2.8**	NA
	1/13/2020	**4.0**	NA	**1.6**	NA
	1/20/2020	**4.6**	NA	**2.2**	NA
	1/27/2020	**4.3**	NA	**2.2**	NA
	2/3/2020	**4.3**	NA	**2.4**	NA
	2/10/2020	**4.1**	NA	**2.6**	NA
	2/18/2020	**5.1**	NA	**2.6**	NA
	2/24/2020	**4.2**	NA	**2.0**	NA
	3/2/2020	**4.7**	NA	**2.3**	NA
	3/9/2020	4.0 U	NA	**2.1**	NA
	3/16/2020	**4.2**	NA	**2.1**	NA
	3/23/2020	**4.3**	NA	**1.6**	NA
	3/30/2020	4.0 U	NA	**1.9**	NA
	4/6/2020	4.0 U	NA	**2.3**	NA
	4/13/2020	4.0 U	NA	**2.4**	NA
	4/20/2020	4.0 U	NA	**2.0**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/27/2020	**4.6**	NA	**2.2**	NA
	5/4/2020	4.0 U	NA	**1.9**	NA
	5/11/2020	4.0 U	NA	**2.4**	NA
	5/18/2020	4.0 U	NA	**2.1**	NA
	5/26/2020	**4.0**	NA	**1.8**	NA
	6/1/2020	4.0 U	NA	**2.0**	NA
	6/8/2020	4.0 U	NA	**2.4**	NA
	6/22/2020	**4.1**	NA	**2.8**	NA
	6/29/2020	**4.8**	NA	**2.2**	NA
	7/6/2020	**4.0**	NA	**2.7**	NA
	7/13/2020	**5.3**	NA	**2.0**	NA
	7/20/2020	4.0 U	NA	**3.0**	NA
	7/27/2020	**4.3**	NA	**1.9**	NA
	8/3/2020	**4.1**	NA	**2.7**	NA
	8/10/2020	**4.6**	NA	**2.6**	NA
	8/17/2020	4.0 U	NA	**2.8**	NA
	8/24/2020	4.0 U	NA	**2.7**	NA
	8/31/2020	**4.3**	NA	**1.8**	NA
	9/8/2020	**4.4**	NA	**2.3**	NA
	9/14/2020	**4.9**	NA	**2.5**	NA
	9/21/2020	**4.2**	NA	**1.9**	NA
	9/28/2020	**4.1**	NA	**1.5**	NA
	10/5/2020	**5.1**	NA	**2.3**	NA
	10/12/2020	4.0 U	NA	**2.4**	NA
	10/19/2020	4.0 U	NA	**2.4**	NA
	10/26/2020	4.0 U	NA	**2.5**	NA
	11/2/2020	4.0 U	NA	**1.6**	NA
	11/9/2020	4.0 U	NA	**1.5**	NA
	11/16/2020	**4.1**	NA	**1.7**	NA
	11/23/2020	**4.4**	NA	**1.6**	NA
	11/30/2020	4.0 U	NA	**1.6**	NA
	12/7/2020	**4.3**	NA	**2.9**	NA
	12/14/2020	**5.2**	NA	**1.6**	NA
	12/21/2020	**4.2**	NA	**2.1**	NA
	12/28/2020	**4.0**	NA	**1.8**	NA
	1/4/2021	**4.1**	NA	**2.3**	NA
	1/11/2021	4.0 U	NA	**1.9**	NA
	1/18/2021	**4.0**	NA	**1.7**	NA
	1/25/2021	4.0 U	NA	**1.6**	NA
	2/1/2021	4.0 U	NA	**2.1**	NA
	2/8/2021	**5.1**	NA	**0.9**	NA
	2/16/2021	**4.0**	NA	**1.9**	NA
	2/22/2021	4.0 U	NA	**2.2**	NA
	3/1/2021	4.0 U	NA	**0.8**	NA
	3/8/2021	**4.2**	NA	**2.1**	NA
	3/15/2021	4.0 U	NA	**1.9**	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/22/2021	4.0 U	NA	**1.9**	NA
	3/29/2021	**4.0**	NA	**1.9**	NA
	4/5/2021	**4.0**	NA	**1.7**	NA
	4/12/2021	**5.8**	NA	**1.6**	NA
	4/19/2021	4.0 U	NA	**1.8**	NA
	4/26/2021	4.0 U	NA	**1.4**	NA
	5/3/2021	4.0 U	NA	**0.5**	NA
	5/10/2021	**4.3**	NA	**1.8**	NA
	5/17/2021	4.0 U	NA	**2.1**	NA
	5/24/2021	**4.1**	NA	**2.0**	NA
	6/1/2021	**4.1**	NA	**1.5**	NA
	6/7/2021	**4.6**	NA	**1.9**	NA
LINCOLN AVENUE WATER CO. WELL 03					
	5/13/1996	NA	0.5 U	0.5 U	0.5 U
	6/3/1996	NA	0.5 U	0.5 U	**6.1**
	6/17/1996	NA	**0.6**	**0.6**	**10.0**
	8/5/1996	NA	0.5 U	0.5 U	0.5 U
	9/3/1996	NA	**0.9**	**0.9**	**6.2**
	10/7/1996	NA	**1.2**	**1.4**	**9.1**
	11/4/1996	NA	**1.1**	**2.9**	**17.5**
	12/2/1996	NA	**0.7**	**0.7**	**16.8**
	1/13/1997	NA	**0.5**	**0.5**	**15.9**
	5/5/1997	NA	0.5 U	0.5 U	0.5 U
	6/2/1997	**7.0**	**0.6**	**0.7**	**9.6**
	7/7/1997	NA	0.5 U	**0.7**	**10.5**
	7/17/1997	**15.0**	NA	NA	NA
	8/4/1997	NA	**1.5**	**1.1**	**12.7**
	8/15/1997	**9.0**	NA	NA	NA
	9/2/1997	NA	**0.9**	**1.1**	**15.2**
	9/15/1997	**11.1**	NA	NA	NA
	9/16/1997	**13.0**	NA	NA	NA
	9/22/1997	**9.5**	NA	NA	NA
	9/29/1997	**11.6**	NA	NA	NA
	10/6/1997	**11.5**	**0.9**	**1.1**	**13.2**
	10/13/1997	**15.6**	NA	NA	NA
	10/20/1997	**12.4**	NA	NA	NA
	11/3/1997	**11.1**	**0.5**	**1.1**	**13.1**
	11/10/1997	**15.9**	NA	NA	NA
	11/17/1997	**16.0**	NA	NA	NA
	11/24/1997	**12.5**	NA	NA	NA
	12/1/1997	**9.2**	**0.6**	**0.9**	**12.4**
	12/8/1997	**15.5**	NA	NA	NA
	12/15/1997	**9.6**	NA	NA	NA
	12/22/1997	**11.6**	NA	NA	NA
	1/5/1998	**11.9**	**0.8**	**0.5**	**8.8**
	1/12/1998	**12.9**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/2/1998	NA	**0.9**	**0.8**	**11.2**
	4/7/1998	NA	NA	NA	**0.9**
	5/4/1998	NA	0.5 U	0.5 U	0.5 U
	6/1/1998	NA	0.5 U	0.5 U	0.5 U
	12/14/1998	NA	0.5 U	0.5 U	0.5 U
	1/4/1999	NA	0.5 U	0.5 U	**1.0**
	1/11/1999	**6.5**	NA	NA	NA
	2/1/1999	NA	0.5 U	**0.5**	**3.7**
	4/10/1999	5.0 U	NA	NA	NA
	6/1/1999	NA	0.5 U	0.5 U	**0.8**
	7/6/1999	5.0 U	0.5 U	0.5 U	**5.5**
	7/12/1999	**4.6**	NA	NA	NA
	7/22/1999	**3.1**	NA	NA	NA
	7/29/1999	**4.0**	NA	NA	NA
	8/2/1999	**3.5**	NA	NA	NA
	8/9/1999	**3.5**	NA	NA	NA
	8/16/1999	**3.2**	NA	NA	NA
	8/30/1999	**2.5**	NA	NA	NA
	9/7/1999	**4.8**	**0.5**	**0.5**	**6.1**
	9/13/1999	**3.8**	NA	NA	NA
	9/27/1999	5.0 U	NA	NA	NA
	10/4/1999	NA	**0.7**	**0.8**	**8.4**
	11/1/1999	NA	**0.7**	**0.7**	**7.5**
	3/13/2000	NA	0.5 U	0.5 U	0.5 U
	5/8/2000	NA	0.5 U	0.5 U	0.5 U
	7/3/2000	NA	0.5 U	0.5 U	0.5 U
	8/7/2000	NA	**0.5**	**0.7**	**5.6**
	9/5/2000	NA	0.5 U	0.5 U	**6.0**
	3/12/2001	NA	0.5 U	0.5 U	**0.7**
	4/2/2001	NA	0.5 U	0.5 U	**3.1**
	5/23/2001	5.0 U	0.5 U	0.5 U	0.5 U
	6/4/2001	NA	0.5 U	0.5 U	0.5 U
	7/2/2001	NA	0.5 U	0.5 U	**3.2**
	8/6/2001	NA	0.5 U	0.5 U	**3.7**
	9/4/2001	NA	0.5 U	**0.6**	**5.4**
	12/10/2001	5.0 U	NA	NA	NA
	5/5/2002	4.0 U	0.5 U	0.5 U	0.5 U
	7/8/2002	NA	0.5 U	0.5 U	0.5 U
	8/5/2002	NA	0.5 U	0.5 U	**2.7**
	9/3/2002	NA	0.5 U	0.5 U	**2.1**
	10/7/2002	NA	0.5 U	0.5 U	**3.6**
	5/27/2003	NA	0.5 U	0.5 U	0.5 U
	6/3/2003	NA	0.5 U	0.5 U	**2.6**
	7/8/2003	NA	0.5 U	0.5 U	**4.0**
	8/5/2003	NA	**1.0**	0.5 U	**1.9**
	9/2/2003	NA	**1.3**	0.5 U	**2.9**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/7/2003	NA	**1.8**	0.5 U	**3.3**
	11/4/2003	NA	**1.8**	0.5 U	**1.6**
	5/18/2004	**15.0**	NA	NA	NA
	5/25/2004	**14.0**	NA	NA	NA
	6/1/2004	**15.0**	NA	NA	NA
	6/8/2004	**15.0**	NA	NA	NA
	6/15/2004	**11.0**	**1.0**	0.5 U	**1.8**
	6/29/2004	**8.9**	NA	NA	NA
	7/6/2004	**8.4**	NA	NA	NA
	7/15/2004	**8.9**	**0.9**	0.5 U	**1.8**
	7/27/2004	**11.0**	NA	NA	NA
	8/3/2004	**7.3**	**1.7**	0.5 U	**2.0**
	9/7/2004	**17.0**	**2.7**	0.5 U	**2.9**
	10/5/2004	**28.0**	**2.4**	0.5 U	**2.7**
	10/26/2004	**31.0**	NA	NA	NA
	11/2/2004	**31.0**	**4.0**	**0.6**	**4.0**
	11/9/2004	**33.0**	NA	NA	NA
	11/16/2004	**35.0**	NA	NA	NA
	11/23/2004	**32.0**	NA	NA	NA
	11/30/2004	**35.0**	NA	NA	NA
	12/7/2004	**28.0**	**2.8**	**0.5**	**3.4**
	12/14/2004	**31.0**	NA	NA	NA
	12/21/2004	**28.0**	NA	NA	NA
	12/28/2004	**29.0**	NA	NA	NA
	1/4/2005	**35.0**	**2.8**	**0.6**	**3.8**
	1/11/2005	**31.0**	NA	NA	NA
	1/18/2005	**28.0**	NA	NA	NA
	1/25/2005	**35.0**	NA	NA	NA
	2/8/2005	**24.0**	NA	NA	NA
	2/15/2005	**22.0**	NA	NA	NA
	2/22/2005	**32.0**	NA	NA	NA
	3/1/2005	**22.0**	**2.9**	**0.6**	**3.9**
	3/8/2005	**29.0**	NA	NA	NA
	3/15/2005	**21.0**	NA	NA	NA
	3/22/2005	**22.0**	NA	NA	NA
	3/29/2005	**23.0**	NA	NA	NA
	4/5/2005	**25.0**	**3.0**	**0.6**	**2.9**
	4/12/2005	**24.0**	NA	NA	NA
	4/19/2005	**25.0**	NA	NA	NA
	4/26/2005	**24.0**	NA	NA	NA
	5/3/2005	NA	**2.0**	0.5 U	**2.3**
	5/10/2005	**46.0**	**3.2**	**0.6**	**3.1**
	5/17/2005	**27.0**	NA	NA	NA
	5/24/2005	**24.0**	NA	NA	NA
	5/31/2005	**25.0**	NA	NA	NA
	6/7/2005	**24.0**	**2.9**	**0.6**	**3.2**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/14/2005	**23.0**	NA	NA	NA
	6/21/2005	**27.0**	NA	NA	NA
	6/28/2005	**25.0**	NA	NA	NA
	7/5/2005	**26.0**	**3.1**	**0.6**	**3.1**
	7/12/2005	**29.0**	NA	NA	NA
	7/19/2005	**26.0**	NA	NA	NA
	7/26/2005	**27.0**	NA	NA	NA
	8/2/2005	**25.0**	**3.2**	**0.6**	**3.2**
	8/9/2005	**47.0**	NA	NA	NA
	9/13/2005	**23.0**	**2.9**	**0.6**	**2.9**
	9/20/2005	**25.0**	NA	NA	NA
	9/27/2005	**26.0**	NA	NA	NA
	10/4/2005	**33.0**	**3.0**	**0.6**	**3.2**
	10/11/2005	**28.0**	NA	NA	NA
	10/18/2005	**38.0**	NA	NA	NA
	10/25/2005	**27.0**	NA	NA	NA
	11/1/2005	**27.0**	**3.0**	**0.6**	**3.4**
	11/8/2005	**25.0**	NA	NA	NA
	11/17/2005	**24.0**	NA	NA	NA
	11/22/2005	**24.0**	NA	NA	NA
	11/29/2005	**27.0**	NA	NA	NA
	12/6/2005	**25.0**	**3.3**	**0.7**	**3.5**
	12/13/2005	**28.0**	NA	NA	NA
	12/20/2005	**24.0**	NA	NA	NA
	12/27/2005	**29.0**	NA	NA	NA
	1/3/2006	**24.0**	**2.6**	**0.6**	**3.0**
	1/10/2006	**27.0**	NA	NA	NA
	1/17/2006	**23.0**	NA	NA	NA
	3/14/2006	**9.3**	**0.8**	0.5 U	**1.0**
	3/21/2006	**21.0**	NA	NA	NA
	3/28/2006	**26.0**	NA	NA	NA
	4/7/2006	**18.0**	**2.3**	**0.5**	**2.3**
	5/2/2006	**18.0**	**2.1**	0.5 U	**2.2**
	5/9/2006	**17.0**	NA	NA	NA
	5/16/2006	**19.0**	NA	NA	NA
	5/23/2006	**25.0**	NA	NA	NA
	5/30/2006	**21.0**	NA	NA	NA
	6/6/2006	**21.0**	**1.6**	0.5 U	**1.9**
	6/13/2006	**23.0**	NA	NA	NA
	6/20/2006	**21.0**	NA	NA	NA
	6/27/2006	**23.0**	NA	NA	NA
	7/5/2006	**21.0**	**2.7**	**0.6**	**2.6**
	7/11/2006	**22.0**	NA	NA	NA
	7/18/2006	**19.0**	NA	NA	NA
	7/25/2006	**21.0**	NA	NA	NA
	8/1/2006	**25.0**	**2.9**	**0.6**	**2.8**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/8/2006	**21.0**	NA	NA	NA
	8/15/2006	**22.0**	NA	NA	NA
	8/22/2006	**25.0**	NA	NA	NA
	8/29/2006	**21.0**	NA	NA	NA
	9/5/2006	**25.0**	**2.8**	**0.6**	**3.0**
	9/12/2006	**22.0**	NA	NA	NA
	9/19/2006	**21.0**	NA	NA	NA
	9/26/2006	**22.0**	NA	NA	NA
	10/3/2006	**22.0**	**3.1**	**0.6**	**3.3**
	10/10/2006	**21.0**	NA	NA	NA
	10/17/2006	**27.0**	NA	NA	NA
	10/24/2006	**25.0**	NA	NA	NA
	10/31/2006	**24.0**	NA	NA	NA
	11/7/2006	**23.0**	**2.9**	**0.6**	**2.9**
	11/14/2006	**23.0**	NA	NA	NA
	11/28/2006	**22.0**	NA	NA	NA
	12/5/2006	NA	**2.4**	**0.6**	**2.7**
	12/12/2006	**22.0**	NA	NA	NA
	12/19/2006	**22.0**	NA	NA	NA
	12/26/2006	**21.0**	NA	NA	NA
	1/2/2007	**25.0**	**2.6**	**0.6**	**2.8**
	1/9/2007	**22.0**	NA	NA	NA
	1/19/2007	**21.0**	NA	NA	NA
	1/23/2007	**21.0**	NA	NA	NA
	1/30/2007	**22.0**	NA	NA	NA
	2/6/2007	**21.0**	**2.7**	**0.6**	**3.0**
	2/13/2007	**23.0**	NA	NA	NA
	2/20/2007	**25.0**	NA	NA	NA
	2/27/2007	**21.0**	NA	NA	NA
	3/6/2007	**25.0**	**2.4**	**0.5**	**2.6**
	3/13/2007	**25.0**	NA	NA	NA
	3/20/2007	**25.0**	NA	NA	NA
	3/27/2007	**21.0**	NA	NA	NA
	4/3/2007	**19.0**	**2.3**	**0.6**	**2.5**
	4/10/2007	**21.0**	NA	NA	NA
	4/17/2007	**16.0**	NA	NA	NA
	4/24/2007	**19.0**	NA	NA	NA
	5/1/2007	**25.0**	**2.5**	**0.6**	**2.8**
	5/18/2007	**15.0**	NA	NA	NA
	5/22/2007	**18.0**	NA	NA	NA
	5/29/2007	**25.0**	NA	NA	NA
	6/12/2007	**19.0**	NA	NA	NA
	6/19/2007	**25.0**	NA	NA	NA
	6/26/2007	**18.0**	NA	NA	NA
	7/17/2007	**22.0**	NA	NA	NA
	7/24/2007	**25.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/31/2007	**25.0**	NA	NA	NA
	8/7/2007	**19.0**	**2.2**	**0.6**	**2.7**
	8/14/2007	**25.0**	NA	NA	NA
	8/21/2007	**19.0**	NA	NA	NA
	8/28/2007	**25.0**	NA	NA	NA
	9/4/2007	**19.0**	**1.7**	0.5 U	**2.0**
	9/11/2007	**18.0**	NA	NA	NA
	9/18/2007	**18.0**	NA	NA	NA
	9/25/2007	**19.0**	NA	NA	NA
	10/2/2007	**16.0**	**1.8**	0.5 U	**2.3**
	10/9/2007	**25.0**	NA	NA	NA
	10/16/2007	**24.0**	NA	NA	NA
	11/6/2007	**25.0**	**1.6**	**0.5**	**2.3**
	11/13/2007	**21.0**	NA	NA	NA
	11/20/2007	**25.0**	NA	NA	NA
	11/27/2007	**18.0**	NA	NA	NA
	12/4/2007	**19.0**	**2.2**	**0.6**	**2.7**
	12/11/2007	**19.0**	NA	NA	NA
	12/18/2007	**19.0**	NA	NA	NA
	12/26/2007	**18.0**	NA	NA	NA
	1/2/2008	**25.0**	**1.9**	**0.6**	**2.3**
	1/8/2008	**19.0**	NA	NA	NA
	1/15/2008	**25.0**	NA	NA	NA
	1/22/2008	**19.0**	NA	NA	NA
	1/31/2008	**18.0**	NA	NA	NA
	2/5/2008	**17.0**	**1.7**	**0.6**	**2.4**
	2/12/2008	**17.0**	**2.2**	**0.6**	**2.7**
	2/19/2008	**17.0**	NA	NA	NA
	2/26/2008	**16.0**	NA	NA	NA
	3/4/2008	**15.0**	NA	NA	NA
	3/5/2008	NA	**1.5**	**0.6**	**2.0**
	3/11/2008	**16.0**	NA	NA	NA
	3/18/2008	**25.0**	NA	NA	NA
	3/25/2008	**16.0**	NA	NA	NA
	4/1/2008	**17.0**	**1.6**	**0.6**	**2.3**
	4/8/2008	**16.0**	NA	NA	NA
	4/15/2008	**17.0**	NA	NA	NA
	4/22/2008	**15.0**	NA	NA	NA
	6/3/2008	**9.9**	**1.6**	0.5 U	**2.1**
	6/10/2008	**15.0**	NA	NA	NA
	6/17/2008	**16.0**	NA	NA	NA
	6/24/2008	**17.0**	NA	NA	NA
	8/18/2008	NA	**2.2**	**0.7**	**2.8**
	8/19/2008	**17.0**	NA	NA	NA
	8/26/2008	**19.0**	NA	NA	NA
	9/2/2008	**17.0**	**2.1**	**0.7**	**2.7**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/9/2008	**15.0**	NA	NA	NA
	9/16/2008	**25.0**	NA	NA	NA
	9/23/2008	**18.0**	NA	NA	NA
	9/30/2008	**17.0**	NA	NA	NA
	10/7/2008	**16.0**	**1.9**	**0.7**	**2.5**
	10/14/2008	**16.0**	NA	NA	NA
	10/21/2008	**16.0**	NA	NA	NA
	10/28/2008	**17.0**	NA	NA	NA
	11/25/2008	**25.0**	NA	NA	NA
	12/2/2008	**19.0**	**2.2**	**0.7**	**2.7**
	12/17/2008	**16.0**	NA	NA	NA
	12/23/2008	**16.0**	NA	NA	NA
	12/30/2008	**19.0**	NA	NA	NA
	1/6/2009	**19.0**	**1.8**	**0.8**	**2.9**
	1/13/2009	**19.0**	NA	NA	NA
	1/20/2009	**18.0**	NA	NA	NA
	1/27/2009	**19.0**	NA	NA	NA
	2/18/2009	**17.0**	NA	NA	NA
	2/25/2009	**15.0**	NA	NA	NA
	3/3/2009	**15.0**	**1.7**	**0.7**	**2.4**
	3/10/2009	**15.0**	NA	NA	NA
	3/17/2009	**17.0**	NA	NA	NA
	3/24/2009	**18.0**	NA	NA	NA
	3/31/2009	**18.0**	NA	NA	NA
	4/7/2009	**19.0**	**1.6**	**0.6**	**2.5**
	4/14/2009	**25.0**	NA	NA	NA
	4/21/2009	**19.0**	NA	NA	NA
	4/28/2009	**25.0**	NA	NA	NA
	5/4/2009	**19.0**	**1.7**	**0.6**	**2.0**
	5/12/2009	**17.0**	NA	NA	NA
	5/19/2009	**25.0**	NA	NA	NA
	5/26/2009	**21.0**	NA	NA	NA
	6/1/2009	**19.0**	**1.6**	**0.6**	**2.3**
	6/9/2009	**25.0**	NA	NA	NA
	6/16/2009	**21.0**	NA	NA	NA
	6/23/2009	**25.0**	NA	NA	NA
	6/30/2009	**21.0**	NA	NA	NA
	7/7/2009	**21.0**	**1.5**	0.5 U	**2.1**
	7/14/2009	**21.0**	NA	NA	NA
	7/21/2009	**24.0**	NA	NA	NA
	7/28/2009	**24.0**	NA	NA	NA
	8/4/2009	**24.0**	**0.7**	**0.6**	**1.9**
	8/6/2009	NA	**1.4**	**0.5**	**2.0**
	8/11/2009	**19.0**	NA	NA	NA
	8/18/2009	**19.0**	NA	NA	NA
	8/25/2009	**25.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/1/2009	**25.0**	**1.5**	**0.7**	**2.1**
	9/8/2009	**25.0**	NA	NA	NA
	9/15/2009	**25.0**	NA	NA	NA
	9/29/2009	**27.0**	NA	NA	NA
	10/6/2009	**27.0**	**2.3**	**0.8**	**2.9**
	10/13/2009	**28.0**	NA	NA	NA
	10/20/2009	**28.0**	NA	NA	NA
	10/27/2009	**28.0**	NA	NA	NA
	11/10/2009	**29.0**	**1.4**	**0.7**	**2.6**
	11/17/2009	**29.0**	NA	NA	NA
	12/15/2009	**29.0**	NA	NA	NA
	12/22/2009	**29.0**	NA	NA	NA
	12/29/2009	**29.0**	NA	NA	NA
	1/5/2010	**31.0**	**1.4**	**0.5**	**1.9**
	1/12/2010	**26.0**	NA	NA	NA
	1/19/2010	**29.0**	NA	NA	NA
	1/26/2010	**27.0**	NA	NA	NA
	2/2/2010	**34.0**	**1.5**	**0.6**	**2.0**
	2/9/2010	**35.0**	NA	NA	NA
	2/16/2010	**31.0**	NA	NA	NA
	3/2/2010	**35.0**	**1.4**	**0.6**	**1.9**
	3/9/2010	**39.0**	NA	NA	NA
	5/24/2010	4.0 U	NA	NA	NA
	7/8/2010	**36.0**	0.5 U	**0.5**	**0.7**
	7/13/2010	**36.0**	NA	NA	NA
	7/27/2010	**31.0**	NA	NA	NA
	8/3/2010	**35.0**	**0.6**	0.5 U	NA
	8/10/2010	**35.0**	NA	NA	NA
	8/17/2010	**32.0**	NA	NA	NA
	8/24/2010	**35.0**	NA	NA	NA
	8/26/2010	NA	**0.9**	0.5 U	**1.6**
	8/31/2010	**34.0**	NA	NA	NA
	9/7/2010	**34.0**	**1.0**	**0.5**	**1.4**
	9/14/2010	**35.0**	NA	NA	NA
	9/21/2010	**37.0**	NA	NA	NA
	9/28/2010	**38.0**	NA	NA	NA
	10/5/2010	**34.0**	**1.0**	**0.5**	**1.4**
	10/12/2010	**38.0**	NA	NA	NA
	10/19/2010	**38.0**	NA	NA	NA
	11/9/2010	**39.0**	NA	NA	NA
	11/16/2010	**38.0**	NA	NA	NA
	11/23/2010	**41.0**	NA	NA	NA
	11/30/2010	**45.0**	NA	NA	NA
	2/10/2011	**34.0**	0.5 U	0.5 U	0.5 U
	2/15/2011	**36.0**	NA	NA	NA
	2/22/2011	**39.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/15/2011	**42.0**	NA	NA	NA
	3/22/2011	**38.0**	NA	NA	NA
	4/1/2011	**41.0**	NA	NA	NA
	4/5/2011	**46.0**	**1.0**	**0.5**	**1.5**
	7/31/2011	**22.0**	NA	NA	NA
	8/2/2011	**22.0**	0.5 U	0.5 U	0.5 U
	8/4/2011	NA	0.5 U	0.5 U	0.5 U
	8/16/2011	**26.0**	NA	NA	NA
	8/23/2011	**35.0**	NA	NA	NA
	8/30/2011	**34.0**	NA	NA	NA
	9/6/2011	**37.0**	0.5 U	0.5 U	**0.6**
	9/13/2011	**38.0**	NA	NA	NA
	9/20/2011	**45.0**	NA	NA	NA
	9/27/2011	**44.0**	NA	NA	NA
	10/4/2011	**35.0**	**1.2**	0.5 U	**1.3**
	10/11/2011	**36.0**	NA	NA	NA
	10/18/2011	**35.0**	NA	NA	NA
	10/25/2011	**35.0**	NA	NA	NA
	11/1/2011	**35.0**	**1.1**	0.5 U	**1.6**
	11/8/2011	**31.0**	NA	NA	NA
	11/15/2011	**35.0**	NA	NA	NA
	11/22/2011	**15.0**	NA	NA	NA
	12/6/2011	**26.0**	0.5 U	0.5 U	0.5 U
	12/13/2011	**24.0**	NA	NA	NA
	1/5/2012	**24.0**	0.5 U	0.5 U	0.5 U
	1/11/2012	**24.0**	NA	NA	NA
	1/17/2012	**26.0**	NA	NA	NA
	2/3/2012	4.0 U	0.5 U	0.5 U	0.5 U
	2/14/2012	**18.0**	NA	NA	NA
	3/9/2012	**24.0**	0.5 U	0.5 U	0.5 U
	3/16/2012	**18.0**	NA	NA	NA
	4/10/2012	**14.0**	0.5 U	0.5 U	0.5 U
	5/22/2012	**14.0**	NA	NA	NA
	5/30/2012	**13.0**	NA	NA	NA
	6/5/2012	**16.0**	0.5 U	0.5 U	0.5 U
	6/12/2012	**17.0**	NA	NA	NA
	6/19/2012	**18.0**	NA	NA	NA
	6/26/2012	**19.0**	NA	NA	NA
	7/3/2012	**19.0**	**0.5**	0.5 U	**0.6**
	7/10/2012	**19.0**	NA	NA	NA
	7/17/2012	**19.0**	NA	NA	NA
	7/24/2012	**25.0**	NA	NA	NA
	7/31/2012	**19.0**	NA	NA	NA
	8/6/2012	NA	**0.7**	0.5 U	**0.9**
	8/7/2012	**19.0**	**0.7**	0.5 U	**0.8**
	8/14/2012	**25.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/21/2012	**25.0**	NA	NA	NA
	8/28/2012	**25.0**	NA	NA	NA
	9/18/2012	**25.0**	NA	NA	NA
	9/25/2012	**22.0**	NA	NA	NA
	10/2/2012	**21.0**	**1.0**	0.5 U	**1.3**
	10/9/2012	**22.0**	NA	NA	NA
	10/16/2012	**25.0**	NA	NA	NA
	10/31/2012	**13.0**	NA	NA	NA
	11/7/2012	**18.0**	**0.9**	0.5 U	**0.9**
	11/13/2012	**18.0**	NA	NA	NA
	12/21/2012	**6.5**	0.5 U	0.5 U	0.5 U
	1/17/2013	**4.9**	0.5 U	0.5 U	0.5 U
	2/12/2013	**11.0**	NA	NA	NA
	2/19/2013	**13.0**	NA	NA	NA
	2/26/2013	**15.0**	NA	NA	NA
	3/5/2013	**18.0**	**0.9**	0.5 U	**1.2**
	3/12/2013	**18.0**	NA	NA	NA
	3/19/2013	**18.0**	NA	NA	NA
	4/1/2013	**19.0**	**1.2**	0.5 U	**1.2**
	4/9/2013	**19.0**	NA	NA	NA
	4/23/2013	**18.0**	NA	NA	NA
	5/7/2013	**18.0**	**1.1**	0.5 U	**1.3**
	5/14/2013	**18.0**	NA	NA	NA
	5/21/2013	**18.0**	NA	NA	NA
	5/28/2013	**18.0**	NA	NA	NA
	6/4/2013	**18.0**	**1.1**	0.5 U	**1.4**
	6/11/2013	**16.0**	NA	NA	NA
	6/18/2013	**16.0**	NA	NA	NA
	6/25/2013	**16.0**	NA	NA	NA
	7/2/2013	**16.0**	**1.4**	**0.4**	**1.6**
	7/9/2013	**18.0**	NA	NA	NA
	7/16/2013	**18.0**	NA	NA	NA
	7/23/2013	**19.0**	NA	NA	NA
	7/30/2013	**17.0**	NA	NA	NA
	8/6/2013	**17.0**	**1.1**	0.5 U	**1.2**
	8/13/2013	**18.0**	NA	NA	NA
	8/20/2013	**17.0**	NA	NA	NA
	8/26/2013	NA	**1.3**	0.5 U	**1.5**
	8/27/2013	**17.0**	NA	NA	NA
	9/3/2013	**17.0**	**1.4**	0.5 U	**1.6**
	9/10/2013	**19.0**	NA	NA	NA
	9/17/2013	**19.0**	NA	NA	NA
	9/24/2013	**19.0**	NA	NA	NA
	11/5/2013	**25.0**	**1.8**	0.5 U	**1.8**
	11/12/2013	**24.0**	NA	NA	NA
	11/19/2013	**22.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/3/2013	**26.0**	**2.0**	0.5 U	**1.9**
	12/10/2013	**27.0**	NA	NA	NA
	12/17/2013	**29.0**	NA	NA	NA
	12/23/2013	**27.0**	NA	NA	NA
	2/11/2014	**13.0**	NA	NA	NA
	2/18/2014	**28.0**	NA	NA	NA
	2/25/2014	**27.0**	NA	NA	NA
	3/4/2014	**35.0**	**2.0**	0.5 U	**1.9**
	3/14/2014	**29.0**	NA	NA	NA
	3/18/2014	**27.0**	NA	NA	NA
	3/25/2014	**27.0**	NA	NA	NA
	4/1/2014	**26.0**	**2.5**	**0.7**	**2.6**
	4/8/2014	**25.0**	NA	NA	NA
	4/15/2014	**25.0**	NA	NA	NA
	4/22/2014	**25.0**	NA	NA	NA
	4/29/2014	**24.0**	NA	NA	NA
	5/20/2014	**22.0**	NA	NA	NA
	5/27/2014	**22.0**	NA	NA	NA
	6/3/2014	**23.0**	**2.1**	**0.5**	**1.9**
	6/10/2014	**22.0**	NA	NA	NA
	6/17/2014	**22.0**	NA	NA	NA
	6/24/2014	**22.0**	NA	NA	NA
	7/1/2014	**23.0**	**2.1**	**0.5**	**2.2**
	7/8/2014	**23.0**	NA	NA	NA
	7/15/2014	**24.0**	NA	NA	NA
	7/16/2014	NA	**2.6**	**0.5**	**2.3**
	7/22/2014	**23.0**	NA	NA	NA
	7/29/2014	**25.0**	NA	NA	NA
	8/12/2014	**25.0**	NA	NA	NA
	8/19/2014	**25.0**	NA	NA	NA
	8/26/2014	**25.0**	NA	NA	NA
	9/2/2014	**24.0**	**2.8**	**0.6**	**2.2**
	9/9/2014	**24.0**	NA	NA	NA
	9/16/2014	**22.0**	NA	NA	NA
	9/23/2014	**23.0**	NA	NA	NA
	9/30/2014	**24.0**	NA	NA	NA
	10/7/2014	**22.0**	**2.1**	0.5 U	**1.8**
	10/14/2014	**23.0**	NA	NA	NA
	10/21/2014	**25.0**	NA	NA	NA
	10/28/2014	**23.0**	NA	NA	NA
	11/25/2014	**21.0**	NA	NA	NA
	12/2/2014	**21.0**	**2.7**	**0.8**	**2.5**
	12/9/2014	**25.0**	NA	NA	NA
	12/16/2014	**25.0**	NA	NA	NA
	12/23/2014	**21.0**	NA	NA	NA
	12/30/2014	**19.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/6/2015	**25.0**	**1.8**	0.5 U	**1.6**
	1/13/2015	**25.0**	NA	NA	NA
	1/20/2015	**25.0**	NA	NA	NA
	1/27/2015	**19.0**	NA	NA	NA
	2/10/2015	**17.0**	NA	NA	NA
	2/17/2015	**14.0**	NA	NA	NA
	2/24/2015	**14.0**	NA	NA	NA
	3/3/2015	**16.0**	**1.8**	0.5 U	**2.0**
	3/10/2015	**17.0**	NA	NA	NA
	3/17/2015	**17.0**	NA	NA	NA
	3/24/2015	**17.0**	NA	NA	NA
	4/7/2015	**15.0**	**1.9**	0.5 U	**2.0**
	4/14/2015	**16.0**	NA	NA	NA
	4/21/2015	**15.0**	NA	NA	NA
	4/28/2015	**14.0**	NA	NA	NA
	5/5/2015	**15.0**	**2.2**	**0.6**	**2.2**
	5/12/2015	**15.0**	NA	NA	NA
	5/19/2015	**14.0**	NA	NA	NA
	5/26/2015	**17.0**	NA	NA	NA
	6/2/2015	**17.0**	**1.7**	0.5 U	**1.5**
	6/9/2015	**16.0**	NA	NA	NA
	6/16/2015	**16.0**	NA	NA	NA
	6/23/2015	**17.0**	NA	NA	NA
	7/7/2015	**16.0**	**2.0**	**0.5**	**2.2**
	7/14/2015	**15.0**	NA	NA	NA
	7/21/2015	**14.0**	NA	NA	NA
	7/28/2015	**15.0**	NA	NA	NA
	8/5/2015	**15.0**	**1.8**	**0.5**	**1.6**
	8/6/2015	NA	**1.5**	0.5 U	**1.6**
	8/11/2015	**15.0**	NA	NA	NA
	8/18/2015	**14.0**	NA	NA	NA
	8/25/2015	**13.0**	NA	NA	NA
	9/1/2015	**13.0**	**1.7**	**0.6**	**1.9**
	9/8/2015	**13.0**	NA	NA	NA
	9/16/2015	**13.0**	NA	NA	NA
	9/22/2015	**12.0**	NA	NA	NA
	9/29/2015	**13.0**	NA	NA	NA
	11/30/2015	4.0 U	0.5 U	0.5 U	**0.6**
	12/1/2015	4.0 U	0.5 U	0.5 U	**0.6**
	12/29/2015	4.0 U	NA	NA	NA
	1/25/2016	4.0 U	0.5 U	0.5 U	**0.6**
	2/8/2016	4.0 U	0.5 U	0.5 U	**0.6**
	2/9/2016	4.0 U	NA	NA	NA
	2/16/2016	4.0 U	NA	NA	NA
	2/23/2016	**4.4**	NA	NA	NA
	3/1/2016	**5.9**	**0.8**	0.5 U	**1.0**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/8/2016	**6.7**	NA	NA	NA
	3/15/2016	**6.7**	NA	NA	NA
	3/22/2016	**6.7**	NA	NA	NA
	3/29/2016	**7.3**	NA	NA	NA
	4/5/2016	**6.5**	**1.0**	0.5 U	**1.5**
	4/12/2016	**7.8**	NA	NA	NA
	4/19/2016	**7.1**	NA	NA	NA
	4/26/2016	**6.7**	NA	NA	NA
	5/3/2016	**7.5**	**1.1**	**0.6**	**2.1**
	5/10/2016	**7.5**	NA	NA	NA
	5/17/2016	**7.2**	NA	NA	NA
	5/24/2016	**7.2**	NA	NA	NA
	5/31/2016	**6.8**	NA	NA	NA
	6/7/2016	**7.5**	**0.8**	0.5 U	**1.4**
	6/14/2016	**6.7**	NA	NA	NA
	6/21/2016	**6.7**	NA	NA	NA
	6/28/2016	**6.8**	NA	NA	NA
	7/5/2016	**6.6**	**0.8**	0.5 U	**1.4**
	7/12/2016	**6.2**	NA	NA	NA
	7/19/2016	**6.4**	NA	NA	NA
	7/26/2016	**7.7**	NA	NA	NA
	8/2/2016	**7.8**	**1.0**	0.5 U	**1.6**
	8/8/2016	NA	**1.3**	0.5 U	**1.6**
	8/9/2016	**6.7**	NA	NA	NA
	8/16/2016	**7.6**	NA	NA	NA
	8/23/2016	**8.4**	NA	NA	NA
	8/30/2016	**9.0**	NA	NA	NA
	9/6/2016	**9.2**	**1.2**	0.5 U	**1.6**
	9/13/2016	4.0 U	NA	NA	NA
	9/20/2016	**8.0**	NA	NA	NA
	9/27/2016	**9.0**	NA	NA	NA
	10/4/2016	**7.9**	**1.7**	**0.7**	**2.5**
	10/11/2016	**8.6**	NA	NA	NA
	10/18/2016	**8.2**	NA	NA	NA
	10/25/2016	**7.8**	NA	NA	NA
	11/8/2016	**7.9**	NA	NA	NA
	11/15/2016	**7.3**	NA	NA	NA
	11/22/2016	**14.0**	NA	NA	NA
	11/29/2016	**7.2**	NA	NA	NA
	12/6/2016	**6.9**	**1.2**	0.5 U	**1.5**
	12/13/2016	**8.0**	NA	NA	NA
	12/20/2016	**7.4**	NA	NA	NA
	12/27/2016	**7.3**	NA	NA	NA
	1/3/2017	**7.9**	**0.9**	0.5 U	**1.5**
	1/10/2017	**7.9**	NA	NA	NA
	1/17/2017	**7.3**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/24/2017	**7.0**	NA	NA	NA
	2/7/2017	**5.2**	**0.6**	0.5 U	**1.3**
	2/14/2017	**5.7**	NA	NA	NA
	2/21/2017	**5.1**	NA	NA	NA
	2/28/2017	**4.9**	NA	NA	NA
	3/7/2017	4.0 U	0.5 U	0.5 U	**1.3**
	3/14/2017	**4.0**	NA	NA	NA
	3/21/2017	4.0 U	NA	NA	NA
	3/28/2017	4.0 U	NA	NA	NA
	4/4/2017	4.0 U	0.5 U	0.5 U	**1.1**
	4/11/2017	4.0 U	NA	NA	NA
	4/18/2017	4.0 U	NA	NA	NA
	4/25/2017	4.0 U	NA	NA	NA
	5/2/2017	4.0 U	0.5 U	0.5 U	**1.0**
	5/9/2017	4.0 U	NA	NA	NA
	5/16/2017	4.0 U	NA	NA	NA
	5/23/2017	4.0 U	NA	NA	NA
	5/30/2017	4.0 U	NA	NA	NA
	6/6/2017	4.0 U	0.5 U	0.5 U	**1.0**
	6/13/2017	4.0 U	NA	NA	NA
	6/20/2017	4.0 U	NA	NA	NA
	6/27/2017	4.0 U	NA	NA	NA
	7/3/2017	4.0 U	0.5 U	0.5 U	**1.0**
	7/11/2017	4.0 U	NA	NA	NA
	8/8/2017	NA	0.5 U	0.50 U	0.5 U
	4/20/2018	4.0 U	NA	NA	NA
	4/24/2018	4.0 U	0.5 U	0.5 U	0.5 U
	10/13/2020	4.0 U	NA	NA	NA
LINCOLN AVENUE WATER CO. WELL 05					
	1/16/1996	NA	NA	**0.9**	NA
	5/16/1996	NA	NA	**0.8**	NA
	6/17/1996	NA	**0.6**	**1.0**	**28.1**
	7/1/1996	NA	**1.4**	**1.4**	**23.8**
	8/5/1996	NA	**0.6**	**1.2**	**22.4**
	8/30/1996	NA	0.5 U	**0.8**	**0.6**
	9/26/1996	NA	NA	NA	**0.6**
	10/31/1996	NA	NA	**0.8**	**0.7**
	1/13/1997	NA	NA	**1.4**	**0.9**
	4/22/1997	NA	NA	**1.6**	0.5 U
	6/2/1997	**6.0**	0.5 U	**0.7**	**13.3**
	7/17/1997	**6.0**	NA	NA	NA
	9/3/1997	NA	0.5 U	**0.5**	0.5 U
	9/19/1997	5.0 U	NA	NA	NA
	9/22/1997	5.0 U	NA	NA	NA
	11/25/1997	5.0 U	NA	**0.6**	0.5 U
	12/29/1997	NA	0.5 U	0.5 U	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/11/1998	5.0 U	NA	**1.2**	0.5 U
	5/1/1998	NA	NA	**1.5**	**0.5**
	6/1/1998	NA	0.5 U	0.5 U	**11.4**
	8/13/1998	NA	0.5 U	**1.6**	0.5 U
	10/19/1998	**4.4**	NA	NA	NA
	11/13/1998	NA	NA	**1.5**	0.5 U
	12/7/1998	NA	0.5 U	0.5 U	**9.0**
	1/11/1999	**4.1**	NA	NA	NA
	1/19/1999	NA	0.5 U	0.5 U	**3.6**
	2/1/1999	NA	0.5 U	0.5 U	**3.2**
	2/8/1999	NA	NA	**1.9**	**0.6**
	4/10/1999	5.0 U	NA	NA	NA
	5/17/1999	NA	0.5 U	0.5 U	0.5 U
	6/24/1999	NA	NA	**1.6**	**0.5**
	7/6/1999	**5.4**	0.5 U	**0.5**	**10.7**
	7/12/1999	**3.9**	NA	NA	NA
	7/22/1999	**3.8**	NA	NA	NA
	7/29/1999	**4.3**	NA	NA	NA
	8/2/1999	**2.0**	NA	NA	NA
	8/9/1999	**2.1**	NA	NA	NA
	8/23/1999	**2.5**	NA	NA	NA
	8/30/1999	5.0 U	NA	NA	NA
	9/7/1999	NA	0.5 U	0.5 U	**8.4**
	9/23/1999	NA	0.5 U	**0.9**	0.5 U
	9/27/1999	**5.0**	NA	NA	NA
	10/4/1999	NA	0.5 U	**0.5**	**8.5**
	12/7/1999	5.0 U	NA	**1.3**	0.5 U
	3/14/2000	5.0 U	NA	**1.0**	0.5 U
	5/8/2000	NA	0.5 U	0.5 U	**3.5**
	7/3/2000	NA	0.5 U	0.5 U	**3.8**
	8/7/2000	NA	0.5 U	**0.5**	**6.3**
	8/14/2000	NA	0.5 U	0.5 U	0.5 U
	9/5/2000	5.0 U	0.5 U	0.5 U	**6.0**
	3/6/2001	NA	NA	**1.0**	0.5 U
	5/7/2001	NA	0.5 U	0.5 U	0.5 U
	5/23/2001	5.0 U	0.5 U	0.5 U	**3.8**
	6/4/2001	NA	0.5 U	0.5 U	**2.4**
	7/2/2001	NA	0.5 U	0.5 U	**5.1**
	8/6/2001	NA	0.5 U	0.5 U	**3.5**
	9/4/2001	NA	0.5 U	0.5 U	**4.4**
	12/10/2001	**4.2**	NA	NA	NA
	5/5/2002	**4.8**	0.5 U	0.5 U	**2.4**
	5/6/2002	NA	0.5 U	0.5 U	0.5 U
	6/3/2002	NA	0.5 U	0.5 U	**2.7**
	7/1/2002	NA	0.5 U	0.5 U	**4.6**
	8/5/2002	NA	0.5 U	0.5 U	**4.6**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/3/2002	NA	0.5 U	0.5 U	**3.1**
	5/14/2003	NA	**0.7**	**1.3**	**17.0**
	5/27/2003	NA	0.5 U	0.5 U	**3.5**
	6/3/2003	NA	0.5 U	0.5 U	**4.7**
	7/8/2003	NA	0.5 U	0.5 U	**8.6**
	8/5/2003	NA	0.5 U	0.5 U	**3.8**
	9/2/2003	NA	0.5 U	0.5 U	**4.7**
	10/7/2003	NA	0.5 U	0.5 U	**4.8**
	11/4/2003	NA	0.5 U	0.5 U	**2.9**
	5/25/2004	**13.0**	NA	NA	NA
	6/1/2004	**8.9**	NA	NA	NA
	6/8/2004	**7.8**	NA	NA	NA
	6/15/2004	**7.0**	0.5 U	**0.7**	**7.7**
	6/22/2004	**5.0**	NA	NA	NA
	6/29/2004	**5.0**	NA	NA	NA
	7/6/2004	**4.6**	NA	NA	NA
	7/15/2004	**4.4**	0.5 U	**0.6**	**6.0**
	7/27/2004	**4.4**	NA	NA	NA
	8/3/2004	**4.0**	0.5 U	0.5 U	**6.0**
	9/7/2004	4.0 U	0.5 U	0.5 U	**4.7**
	10/5/2004	**4.5**	0.5 U	0.5 U	**3.9**
	11/23/2004	**5.0**	NA	NA	NA
	11/30/2004	**5.3**	NA	NA	NA
	12/7/2004	**4.6**	0.5 U	0.5 U	**4.8**
	12/14/2004	**5.0**	NA	NA	NA
	12/21/2004	**4.5**	NA	NA	NA
	1/11/2005	**5.8**	0.5 U	0.5 U	**4.4**
	1/18/2005	**5.2**	NA	NA	NA
	1/25/2005	**5.7**	NA	NA	NA
	3/15/2005	**4.6**	0.5 U	**0.5**	**4.7**
	4/5/2005	**4.9**	0.5 U	**0.6**	**4.7**
	4/19/2005	**4.7**	NA	NA	NA
	4/26/2005	**5.1**	NA	NA	NA
	7/5/2005	**5.9**	0.5 U	**0.6**	**4.6**
	7/12/2005	**6.1**	NA	NA	NA
	8/2/2005	**5.1**	0.5 U	**0.6**	**4.2**
	8/9/2005	**15.0**	NA	NA	NA
	9/13/2005	**4.7**	**0.5**	**0.6**	**4.6**
	9/20/2005	**5.5**	NA	NA	NA
	9/27/2005	**5.7**	NA	NA	NA
	10/4/2005	**6.6**	**0.5**	**0.6**	**4.1**
	10/11/2005	**6.0**	NA	NA	NA
	10/18/2005	**9.0**	NA	NA	NA
	10/25/2005	**6.2**	NA	NA	NA
	11/1/2005	**6.0**	0.5 U	**0.5**	**4.0**
	11/8/2005	**5.3**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	11/17/2005	4.0	NA	NA	NA
	11/22/2005	5.5	NA	NA	NA
	11/29/2005	5.6	NA	NA	NA
	12/6/2005	6.0	0.6	0.5	4.4
	12/13/2005	5.8	NA	NA	NA
	12/20/2005	5.6	NA	NA	NA
	12/27/2005	6.6	NA	NA	NA
	1/3/2006	5.6	0.6	0.5	3.9
	1/10/2006	6.1	NA	NA	NA
	1/17/2006	5.3	NA	NA	NA
	3/21/2006	7.5	0.7	0.7	4.7
	4/7/2006	7.0	0.7	0.7	4.7
	5/9/2006	7.4	0.8	0.7	5.8
	5/18/2006	7.1	NA	NA	NA
	5/30/2006	7.2	NA	NA	NA
	6/6/2006	7.0	0.7	0.6	4.9
	6/13/2006	6.6	NA	NA	NA
	6/20/2006	6.8	NA	NA	NA
	6/27/2006	7.3	NA	NA	NA
	7/5/2006	7.3	0.8	0.6	4.0
	7/11/2006	7.3	NA	NA	NA
	7/18/2006	7.6	NA	NA	NA
	7/25/2006	7.1	NA	NA	NA
	8/1/2006	7.0	1.0	0.6	3.9
	8/8/2006	7.6	NA	NA	NA
	8/15/2006	7.4	NA	NA	NA
	8/17/2006	NA	0.6	0.5 U	3.5
	8/22/2006	7.6	NA	NA	NA
	8/29/2006	7.5	NA	NA	NA
	9/13/2006	8.1	1.1	0.6	4.3
	9/19/2006	8.3	NA	NA	NA
	9/26/2006	7.7	NA	NA	NA
	10/3/2006	7.9	1.1	0.6	3.8
	10/10/2006	7.8	NA	NA	NA
	10/17/2006	9.9	NA	NA	NA
	10/24/2006	8.0	NA	NA	NA
	10/31/2006	9.1	NA	NA	NA
	11/7/2006	8.4	1.2	0.6	3.8
	11/14/2006	7.7	NA	NA	NA
	11/28/2006	9.4	NA	NA	NA
	12/5/2006	NA	1.2	0.6	3.4
	12/12/2006	9.5	NA	NA	NA
	12/19/2006	9.4	NA	NA	NA
	12/26/2006	9.5	NA	NA	NA
	1/2/2007	9.3	1.3	0.6	3.5
	1/9/2007	9.9	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/16/2007	**9.8**	NA	NA	NA
	1/23/2007	**9.9**	NA	NA	NA
	1/30/2007	**9.3**	NA	NA	NA
	2/6/2007	**9.9**	**1.5**	**0.6**	**3.6**
	2/13/2007	**11.0**	NA	NA	NA
	2/20/2007	**9.6**	NA	NA	NA
	2/27/2007	**15.0**	NA	NA	NA
	3/6/2007	**9.7**	**1.3**	**0.5**	**3.0**
	3/13/2007	**15.0**	NA	NA	NA
	3/20/2007	**9.0**	NA	NA	NA
	3/27/2007	**11.0**	NA	NA	NA
	4/3/2007	**9.3**	**1.4**	**0.6**	**3.0**
	4/10/2007	**12.0**	NA	NA	NA
	4/17/2007	**7.6**	NA	NA	NA
	4/24/2007	**8.7**	NA	NA	NA
	5/1/2007	**9.7**	**1.4**	**0.5**	**3.1**
	5/18/2007	**15.0**	NA	NA	NA
	5/22/2007	**11.0**	NA	NA	NA
	5/29/2007	**11.0**	NA	NA	NA
	6/5/2007	**11.0**	**1.3**	**0.5**	**2.9**
	6/12/2007	**15.0**	NA	NA	NA
	6/19/2007	**9.8**	NA	NA	NA
	6/26/2007	**9.8**	NA	NA	NA
	8/21/2007	**12.0**	**1.4**	**0.5**	**2.7**
	8/28/2007	**11.0**	NA	NA	NA
	9/4/2007	**11.0**	**1.3**	0.5 U	**2.4**
	9/11/2007	**15.0**	NA	NA	NA
	9/18/2007	**11.0**	NA	NA	NA
	9/25/2007	**13.0**	NA	NA	NA
	10/2/2007	**9.3**	**1.3**	0.5 U	**2.4**
	10/9/2007	**15.0**	NA	NA	NA
	10/16/2007	**14.0**	NA	NA	NA
	11/6/2007	**13.0**	**1.1**	0.5 U	**2.4**
	11/13/2007	**12.0**	NA	NA	NA
	11/20/2007	**12.0**	NA	NA	NA
	11/27/2007	**11.0**	NA	NA	NA
	12/11/2007	**11.0**	**1.4**	NA	**2.4**
	12/26/2007	**15.0**	NA	NA	NA
	1/2/2008	**11.0**	**1.4**	**0.5**	**2.5**
	1/8/2008	**11.0**	NA	NA	NA
	1/15/2008	**12.0**	NA	NA	NA
	1/22/2008	**12.0**	NA	NA	NA
	1/29/2008	**11.0**	NA	NA	NA
	2/5/2008	**12.0**	**1.4**	**0.6**	**2.6**
	3/4/2008	**13.0**	NA	NA	NA
	3/5/2008	NA	**1.6**	**0.6**	**2.7**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/11/2008	**12.0**	NA	NA	NA
	3/18/2008	**17.0**	NA	NA	NA
	3/25/2008	**13.0**	NA	NA	NA
	4/8/2008	**14.0**	**1.5**	**0.6**	**2.8**
	4/15/2008	**15.0**	NA	NA	NA
	4/22/2008	**13.0**	NA	NA	NA
	6/3/2008	**17.0**	**1.5**	0.5 U	**2.4**
	6/10/2008	**14.0**	NA	NA	NA
	6/17/2008	**15.0**	NA	NA	NA
	6/24/2008	**15.0**	NA	NA	NA
	8/18/2008	NA	**1.8**	**0.5**	**2.7**
	8/19/2008	**13.0**	NA	NA	NA
	8/26/2008	**14.0**	NA	NA	NA
	9/2/2008	**16.0**	**1.9**	**0.6**	**2.9**
	9/9/2008	**12.0**	NA	NA	NA
	9/16/2008	**15.0**	NA	NA	NA
	9/30/2008	**13.0**	NA	NA	NA
	10/7/2008	**12.0**	**2.0**	**0.7**	**2.5**
	10/14/2008	**12.0**	NA	NA	NA
	10/21/2008	**12.0**	NA	NA	NA
	10/28/2008	**9.9**	NA	NA	NA
	11/25/2008	**15.0**	NA	NA	NA
	12/2/2008	**14.0**	**2.2**	**0.7**	**2.8**
	12/17/2008	**12.0**	NA	NA	NA
	12/23/2008	**12.0**	NA	NA	NA
	12/30/2008	**14.0**	NA	NA	NA
	1/6/2009	**14.0**	**1.6**	**0.7**	**2.5**
	1/13/2009	**14.0**	NA	NA	NA
	1/20/2009	**14.0**	NA	NA	NA
	2/18/2009	**13.0**	NA	NA	NA
	2/24/2009	**13.0**	NA	NA	NA
	3/10/2009	**13.0**	**2.0**	**0.7**	**2.6**
	4/7/2009	**16.0**	**2.1**	**0.8**	**3.1**
	4/14/2009	**16.0**	NA	NA	NA
	4/21/2009	**14.0**	NA	NA	NA
	4/28/2009	**15.0**	NA	NA	NA
	5/4/2009	**14.0**	**2.2**	**0.7**	**2.4**
	5/12/2009	**13.0**	NA	NA	NA
	5/19/2009	**15.0**	NA	NA	NA
	5/26/2009	**15.0**	NA	NA	NA
	6/1/2009	**15.0**	**2.5**	**0.7**	**3.8**
	6/9/2009	**15.0**	NA	NA	NA
	6/16/2009	**15.0**	NA	NA	NA
	6/23/2009	**15.0**	NA	NA	NA
	7/7/2009	**16.0**	**2.2**	**0.8**	**2.9**
	7/14/2009	**16.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/21/2009	**16.0**	NA	NA	NA
	7/28/2009	**16.0**	NA	NA	NA
	8/4/2009	**16.0**	**1.4**	**0.6**	**2.4**
	8/6/2009	NA	**1.9**	**0.6**	**2.5**
	8/11/2009	**12.0**	NA	NA	NA
	8/18/2009	**13.0**	NA	NA	NA
	3/11/2011	**21.0**	**2.1**	**1.3**	**4.9**
	3/23/2011	NA	**2.2**	**0.9**	**3.1**
	4/1/2011	**36.0**	**3.5**	**1.0**	**3.9**
	4/12/2011	**32.0**	NA	NA	NA
	7/7/2011	**44.0**	**4.1**	**1.1**	**4.0**
	7/12/2011	**37.0**	NA	NA	NA
	7/19/2011	**35.0**	NA	NA	NA
	7/26/2011	**33.0**	NA	NA	NA
	8/2/2011	**31.0**	**3.2**	**0.8**	**3.2**
	8/9/2011	**35.0**	NA	NA	NA
	8/16/2011	**29.0**	NA	NA	NA
	8/23/2011	**29.0**	NA	NA	NA
	8/30/2011	**29.0**	NA	NA	NA
	9/6/2011	**35.0**	**2.3**	**0.7**	**2.4**
	11/18/2011	**31.0**	**2.4**	**0.5**	**2.1**
	11/22/2011	**35.0**	NA	NA	NA
	11/29/2011	**35.0**	NA	NA	NA
	12/6/2011	**29.0**	**2.4**	**0.7**	**3.0**
	12/13/2011	**29.0**	NA	NA	NA
	12/20/2011	**32.0**	NA	NA	NA
	12/27/2011	**35.0**	NA	NA	NA
	1/3/2012	**35.0**	**2.3**	**0.6**	**2.3**
	1/10/2012	**29.0**	NA	NA	NA
	1/17/2012	**29.0**	NA	NA	NA
	1/24/2012	**27.0**	NA	NA	NA
	1/31/2012	**28.0**	NA	NA	NA
	2/6/2012	NA	**2.8**	**0.7**	**2.4**
	2/7/2012	**27.0**	**2.4**	**0.7**	**2.3**
	2/14/2012	**27.0**	NA	NA	NA
	2/21/2012	**29.0**	NA	NA	NA
	2/28/2012	**27.0**	NA	NA	NA
	3/6/2012	**27.0**	**2.3**	**0.6**	**2.1**
	3/13/2012	**27.0**	NA	NA	NA
	3/20/2012	**28.0**	NA	NA	NA
	3/27/2012	**28.0**	NA	NA	NA
	4/3/2012	**29.0**	**2.4**	**0.6**	**2.1**
	4/10/2012	**29.0**	NA	NA	NA
	4/17/2012	**31.0**	NA	NA	NA
	4/24/2012	**32.0**	NA	NA	NA
	5/22/2012	**35.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/29/2012	**28.0**	NA	NA	NA
	6/5/2012	**28.0**	**2.5**	**0.7**	**2.0**
	6/12/2012	**27.0**	NA	NA	NA
	6/19/2012	**27.0**	NA	NA	NA
	6/26/2012	**27.0**	NA	NA	NA
	7/3/2012	**27.0**	**2.1**	**0.7**	**1.8**
	7/10/2012	**26.0**	NA	NA	NA
	7/17/2012	**26.0**	NA	NA	NA
	7/24/2012	**26.0**	NA	NA	NA
	7/31/2012	**26.0**	NA	NA	NA
	8/7/2012	**26.0**	**2.2**	**0.6**	**2.0**
	8/14/2012	**26.0**	NA	NA	NA
	8/21/2012	**26.0**	NA	NA	NA
	8/28/2012	**26.0**	NA	NA	NA
	9/18/2012	**24.0**	NA	NA	NA
	9/25/2012	**25.0**	NA	NA	NA
	10/2/2012	**23.0**	**2.2**	**0.7**	**2.0**
	10/9/2012	**23.0**	NA	NA	NA
	10/16/2012	**22.0**	NA	NA	NA
	10/23/2012	**21.0**	NA	NA	NA
	10/30/2012	**21.0**	NA	NA	NA
	11/6/2012	**21.0**	**2.0**	**0.6**	**1.5**
	11/13/2012	**23.0**	NA	NA	NA
	11/20/2012	**23.0**	NA	NA	NA
	11/27/2012	**23.0**	NA	NA	NA
	12/4/2012	**23.0**	**2.0**	**0.8**	**1.7**
	12/11/2012	**27.0**	NA	NA	NA
	12/18/2012	**22.0**	NA	NA	NA
	12/26/2012	**24.0**	NA	NA	NA
	1/2/2013	**22.0**	**2.1**	**0.7**	**1.9**
	1/8/2013	**23.0**	NA	NA	NA
	1/15/2013	**22.0**	NA	NA	NA
	1/22/2013	**23.0**	NA	NA	NA
	1/29/2013	**22.0**	NA	NA	NA
	2/12/2013	**21.0**	**1.9**	**0.6**	**1.7**
	2/19/2013	**23.0**	NA	NA	NA
	2/26/2013	**25.0**	NA	NA	NA
	2/28/2013	NA	**2.3**	**0.6**	**1.8**
	3/5/2013	**19.0**	**1.9**	**0.6**	**1.9**
	3/26/2013	**25.0**	NA	NA	NA
	4/1/2013	**21.0**	**2.0**	**0.6**	**1.7**
	4/9/2013	**25.0**	NA	NA	NA
	4/16/2013	**25.0**	NA	NA	NA
	4/23/2013	**25.0**	NA	NA	NA
	5/7/2013	**18.0**	**2.0**	**0.6**	**1.9**
	5/14/2013	**19.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/21/2013	**18.0**	NA	NA	NA
	5/28/2013	**19.0**	NA	NA	NA
	6/4/2013	**18.0**	**1.9**	**0.6**	**2.0**
	6/11/2013	**17.0**	NA	NA	NA
	6/18/2013	**16.0**	NA	NA	NA
	6/25/2013	**17.0**	NA	NA	NA
	7/2/2013	**16.0**	**2.0**	**0.7**	**1.9**
	7/9/2013	**17.0**	NA	NA	NA
	7/16/2013	**19.0**	NA	NA	NA
	7/23/2013	**17.0**	NA	NA	NA
	7/30/2013	**17.0**	NA	NA	NA
	8/6/2013	**16.0**	**1.8**	**0.6**	**1.6**
	8/13/2013	**17.0**	NA	NA	NA
	8/20/2013	**16.0**	NA	NA	NA
	8/27/2013	**17.0**	NA	NA	NA
	9/3/2013	**18.0**	**1.9**	**0.6**	**1.8**
	9/10/2013	**16.0**	NA	NA	NA
	9/17/2013	**16.0**	NA	NA	NA
	9/24/2013	**16.0**	NA	NA	NA
	11/5/2013	**15.0**	**1.5**	0.5 U	**1.5**
	11/12/2013	**14.0**	NA	NA	NA
	11/19/2013	**14.0**	NA	NA	NA
	11/26/2013	**15.0**	NA	NA	NA
	12/4/2013	**14.0**	**1.5**	**0.5**	**1.3**
	12/10/2013	**14.0**	NA	NA	NA
	12/17/2013	**16.0**	NA	NA	NA
	12/23/2013	**13.0**	NA	NA	NA
	2/11/2014	**27.0**	NA	NA	NA
	2/20/2014	**13.0**	NA	NA	NA
	2/25/2014	**13.0**	NA	NA	NA
	3/14/2014	**14.0**	**2.5**	**0.8**	**2.0**
	3/18/2014	**12.0**	NA	NA	NA
	3/25/2014	**11.0**	NA	NA	NA
	4/1/2014	**12.0**	**1.5**	**0.6**	**1.6**
	4/8/2014	**12.0**	NA	NA	NA
	4/15/2014	**13.0**	NA	NA	NA
	4/22/2014	**15.0**	NA	NA	NA
	4/29/2014	**11.0**	NA	NA	NA
	5/20/2014	**11.0**	NA	NA	NA
	5/27/2014	**15.0**	NA	NA	NA
	6/3/2014	**11.0**	**1.3**	**0.6**	**1.4**
	6/10/2014	**15.0**	NA	NA	NA
	6/17/2014	**11.0**	NA	NA	NA
	6/24/2014	**13.0**	NA	NA	NA
	7/1/2014	**11.0**	**1.2**	**0.5**	**1.2**
	7/8/2014	**11.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/15/2014	**15.0**	NA	NA	NA
	7/22/2014	**9.9**	NA	NA	NA
	7/29/2014	**11.0**	NA	NA	NA
	8/12/2014	**11.0**	NA	NA	NA
	8/19/2014	**11.0**	NA	NA	NA
	8/26/2014	**15.0**	NA	NA	NA
	9/2/2014	**15.0**	**1.3**	**0.5**	**1.4**
	9/9/2014	**11.0**	NA	NA	NA
	9/16/2014	**9.9**	NA	NA	NA
	9/23/2014	**9.9**	NA	NA	NA
	9/30/2014	**11.0**	NA	NA	NA
	10/7/2014	**15.0**	**1.1**	**0.6**	**1.2**
	10/14/2014	**11.0**	NA	NA	NA
	10/21/2014	**9.8**	NA	NA	NA
	10/28/2014	**11.0**	NA	NA	NA
	11/25/2014	**9.3**	NA	NA	NA
	12/2/2014	**15.0**	**1.5**	**0.8**	**1.7**
	12/9/2014	**8.7**	NA	NA	NA
	12/16/2014	**11.0**	NA	NA	NA
	1/6/2015	**15.0**	**1.1**	0.5 U	**1.1**
	1/13/2015	**15.0**	NA	NA	NA
	1/20/2015	**15.0**	NA	NA	NA
	1/27/2015	**11.0**	NA	NA	NA
	2/10/2015	**9.6**	NA	NA	NA
	2/17/2015	**8.6**	NA	NA	NA
	2/24/2015	**15.0**	NA	NA	NA
	3/3/2015	**11.0**	**1.3**	**0.6**	**1.7**
	3/10/2015	**11.0**	NA	NA	NA
	3/17/2015	**15.0**	NA	NA	NA
	3/24/2015	**15.0**	NA	NA	NA
	4/7/2015	**15.0**	**1.4**	**0.6**	**1.5**
	4/14/2015	**11.0**	NA	NA	NA
	4/21/2015	**11.0**	NA	NA	NA
	4/28/2015	**11.0**	NA	NA	NA
	5/5/2015	**9.8**	**1.5**	**0.8**	**1.8**
	5/12/2015	**15.0**	NA	NA	NA
	5/26/2015	**9.6**	NA	NA	NA
	6/2/2015	**11.0**	**1.3**	**0.6**	**1.2**
	6/9/2015	**15.0**	NA	NA	NA
	6/16/2015	**15.0**	NA	NA	NA
	6/23/2015	**11.0**	NA	NA	NA
	7/7/2015	**15.0**	**1.5**	**0.6**	**1.6**
	7/14/2015	**15.0**	NA	NA	NA
	7/28/2015	**9.8**	NA	NA	NA
	8/5/2015	**9.8**	**1.5**	**0.6**	**1.3**
	8/11/2015	**9.6**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/18/2015	**15.0**	NA	NA	NA
	8/25/2015	**8.9**	NA	NA	NA
	9/1/2015	**15.0**	**1.5**	**0.6**	**1.4**
	9/8/2015	**9.4**	NA	NA	NA
	9/16/2015	**15.0**	NA	NA	NA
	9/22/2015	**15.0**	NA	NA	NA
	9/29/2015	**11.0**	NA	NA	NA
	10/12/2015	**11.0**	**1.0**	0.5 U	**0.9**
	10/13/2015	**12.0**	NA	NA	NA
	10/21/2015	**9.8**	NA	NA	NA
	10/27/2015	**12.0**	NA	NA	NA
	11/3/2015	**12.0**	**1.4**	**0.6**	**1.3**
	11/10/2015	**12.0**	NA	NA	NA
	11/24/2015	**9.8**	NA	NA	NA
	12/1/2015	**12.0**	**1.4**	**0.5**	**1.1**
	12/8/2015	**12.0**	NA	NA	NA
	12/23/2015	**5.6**	NA	NA	NA
	12/29/2015	**11.0**	NA	NA	NA
	1/5/2016	**12.0**	**1.7**	**0.6**	**1.3**
	1/19/2016	**5.7**	**1.3**	0.5 U	**0.9**
	1/26/2016	**10.0**	NA	NA	NA
	2/2/2016	**11.0**	**1.6**	**0.6**	**1.2**
	2/9/2016	**12.0**	NA	NA	NA
	2/16/2016	**11.0**	NA	NA	NA
	2/23/2016	**12.0**	NA	NA	NA
	3/2/2016	**12.0**	**2.1**	**0.7**	**1.6**
	3/15/2016	**12.0**	NA	NA	NA
	3/22/2016	**13.0**	NA	NA	NA
	3/29/2016	**12.0**	NA	NA	NA
	4/7/2016	**13.0**	**1.9**	**0.8**	**1.6**
	4/12/2016	**14.0**	NA	NA	NA
	4/26/2016	**12.0**	NA	NA	NA
	5/3/2016	**13.0**	**3.2**	**1.2**	**2.4**
	5/10/2016	**13.0**	NA	NA	NA
	5/24/2016	**12.0**	NA	NA	NA
	5/31/2016	**13.0**	NA	NA	NA
	6/7/2016	**13.0**	**1.8**	**0.6**	**1.4**
	6/14/2016	**13.0**	NA	NA	NA
	6/21/2016	**12.0**	NA	NA	NA
	6/28/2016	**13.0**	NA	NA	NA
	7/5/2016	**14.0**	**1.9**	**0.6**	**1.5**
	7/12/2016	**13.0**	NA	NA	NA
	7/19/2016	**13.0**	NA	NA	NA
	7/26/2016	**13.0**	NA	NA	NA
	8/2/2016	**13.0**	**2.0**	**0.6**	**1.4**
	8/9/2016	**12.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/16/2016	**12.0**	NA	NA	NA
	8/23/2016	**13.0**	NA	NA	NA
	8/30/2016	**14.0**	NA	NA	NA
	9/6/2016	**13.0**	**2.1**	**0.6**	**1.4**
	9/13/2016	**13.0**	NA	NA	NA
	9/20/2016	**14.0**	NA	NA	NA
	9/27/2016	**14.0**	NA	NA	NA
	10/4/2016	**12.0**	**2.9**	**0.8**	**2.1**
	10/11/2016	**14.0**	NA	NA	NA
	10/18/2016	**13.0**	NA	NA	NA
	10/25/2016	**13.0**	NA	NA	NA
	11/8/2016	**13.0**	NA	NA	NA
	11/15/2016	**12.0**	NA	NA	NA
	11/22/2016	**7.8**	NA	NA	NA
	11/29/2016	**13.0**	NA	NA	NA
	12/6/2016	**12.0**	**2.8**	**0.6**	**1.5**
	12/13/2016	**14.0**	NA	NA	NA
	12/20/2016	**13.0**	NA	NA	NA
	12/27/2016	**13.0**	NA	NA	NA
	1/5/2017	**13.0**	**1.6**	0.5 U	**0.9**
	1/17/2017	**13.0**	NA	NA	NA
	2/7/2017	**13.0**	**1.7**	**0.5**	**1.5**
	7/11/2017	**8.8**	**0.5**	**0.8**	**2.0**
	7/18/2017	**17.0**	NA	NA	NA
	7/25/2017	**18.0**	NA	NA	NA
	8/8/2017	**16.0**	**1.6**	**0.8**	**2.2**
	2/27/2018	**6.6**	**2.6**	0.5 U	**0.6**
	3/16/2018	**8.1**	**5.8**	0.5 U	**0.9**
	4/20/2018	**7.5**	NA	NA	NA
	4/24/2018	**8.7**	**2.1**	**0.6**	**1.1**
	5/29/2018	**5.7**	**3.2**	0.5 U	**0.5**
	10/17/2018	**6.7**	**5.3**	0.5 U	0.5 U
	2/25/2019	**6.2**	**4.9**	**0.2**	**0.4**
	4/26/2019	**5.5**	**3.7**	0.5 U	**0.5**
	4/30/2019	**8.1**	NA	NA	NA
	5/7/2019	**10.0**	**2.1**	**0.6**	**1.4**
	5/14/2019	**12.0**	NA	NA	NA
	5/21/2019	**10.0**	NA	NA	NA
	5/28/2019	**12.0**	NA	NA	NA
	6/4/2019	**12.0**	**2.1**	**0.8**	**1.9**
	6/11/2019	**11.0**	NA	NA	NA
	6/18/2019	**11.0**	NA	NA	NA
	6/25/2019	**12.0**	NA	NA	NA
	7/2/2019	**11.0**	**1.9**	**0.7**	**2.0**
	7/9/2019	**11.0**	NA	NA	NA
	2/12/2020	**5.2**	**5.0**	0.5 U	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/18/2020	**7.4**	NA	NA	NA
	2/19/2020	NA	**2.3**	**0.5**	**0.9**
	8/19/2020	**4.0**	**5.0**	0.5 U	0.5 U
	4/27/2021	4.0 U	NA	NA	NA
	5/3/2021	NA	**1.8**	0.5 U	**0.7**
	5/4/2021	**4.2**	**3.5**	0.5 U	**0.6**
	6/4/2021	4.0 U	**3.9**	0.5 U	0.5 U
	6/8/2021	4.0 U	NA	NA	NA
LINCOLN AVENUE WATER CO. WELL #6					
	9/5/2017	**17.0**	**2.1**	**0.8**	**1.9**
	9/12/2017	**18.0**	**1.9**	**0.8**	**1.8**
	9/19/2017	**17.0**	NA	NA	NA
	9/26/2017	**17.0**	NA	NA	NA
	10/3/2017	**18.0**	**1.9**	**0.6**	**1.5**
	10/10/2017	**18.0**	NA	NA	NA
	10/17/2017	**16.0**	NA	NA	NA
	10/24/2017	**17.0**	NA	NA	NA
	2/6/2018	**14.0**	**2.0**	**0.7**	**1.6**
	2/13/2018	**15.0**	NA	NA	NA
	2/20/2018	**14.0**	NA	NA	NA
	2/27/2018	**18.0**	**1.8**	**0.7**	**1.9**
	3/6/2018	**18.0**	**1.3**	**0.8**	**1.7**
	3/13/2018	**16.0**	NA	NA	NA
	3/20/2018	**17.0**	NA	NA	NA
	3/29/2018	**16.0**	NA	NA	NA
	4/3/2018	**15.0**	**1.9**	**0.7**	**1.5**
	4/10/2018	**16.0**	NA	NA	NA
	4/17/2018	**15.0**	NA	NA	NA
	4/24/2018	**11.0**	NA	NA	NA
	5/1/2018	**14.0**	**1.6**	0.5 U	**1.2**
	5/8/2018	**14.0**	**1.8**	**0.6**	**1.4**
	5/15/2018	**12.0**	NA	NA	NA
	5/22/2018	**14.0**	NA	NA	NA
	5/29/2018	**16.0**	NA	NA	NA
	6/5/2018	**15.0**	**2.1**	**0.8**	**1.7**
	6/12/2018	**14.0**	NA	NA	NA
	6/19/2018	**13.0**	NA	NA	NA
	6/26/2018	**14.0**	NA	NA	NA
	7/3/2018	**14.0**	**2.6**	**0.5**	**1.2**
	7/10/2018	**14.0**	NA	NA	NA
	7/17/2018	**14.0**	NA	NA	NA
	7/24/2018	**15.0**	NA	NA	NA
	7/31/2018	**14.0**	NA	NA	NA
	8/7/2018	**13.0**	**2.7**	**0.6**	**1.1**
	8/14/2018	**13.0**	NA	NA	NA
	8/21/2018	**13.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/27/2018	NA	**2.6**	**0.7**	**1.5**
	8/28/2018	**13.0**	NA	NA	NA
	9/4/2018	**13.0**	**2.0**	**0.6**	**1.3**
	9/11/2018	**14.0**	NA	NA	NA
	9/18/2018	**13.0**	NA	NA	NA
	9/25/2018	**13.0**	NA	NA	NA
	10/2/2018	**13.0**	**2.3**	**0.7**	**1.5**
	10/9/2018	**13.0**	NA	NA	NA
	10/16/2018	**12.0**	NA	NA	NA
	10/23/2018	**12.0**	NA	NA	NA
	10/30/2018	**12.0**	NA	NA	NA
	11/6/2018	**13.0**	**2.4**	**0.6**	**1.3**
	11/12/2018	NA	**2.7**	**0.6**	**1.6**
	11/13/2018	**12.0**	NA	NA	NA
	11/20/2018	**12.0**	NA	NA	NA
	11/27/2018	**12.0**	NA	NA	NA
	12/4/2018	**12.0**	**2.1**	**0.6**	**1.2**
	12/11/2018	**12.0**	NA	NA	NA
	12/18/2018	**12.0**	NA	NA	NA
	12/26/2018	**12.0**	NA	NA	NA
	1/2/2019	**12.0**	**2.0**	**0.6**	**1.4**
	1/8/2019	**11.0**	NA	NA	NA
	1/15/2019	**11.0**	NA	NA	NA
	1/22/2019	**12.0**	NA	NA	NA
	1/29/2019	**11.0**	NA	NA	NA
	2/5/2019	**11.0**	**2.1**	**0.6**	**1.3**
	2/12/2019	**11.0**	NA	NA	NA
	2/19/2019	**12.0**	NA	NA	NA
	2/26/2019	**13.0**	NA	NA	NA
	3/5/2019	**11.0**	**1.8**	**0.7**	**1.5**
	3/12/2019	**11.0**	NA	NA	NA
	3/19/2019	**10.0**	NA	NA	NA
	3/26/2019	**10.0**	NA	NA	NA
	4/2/2019	**11.0**	**1.6**	**0.7**	**1.7**
	4/10/2019	**10.0**	NA	NA	NA
	4/16/2019	**11.0**	NA	NA	NA
	4/23/2019	**12.0**	NA	NA	NA
	7/11/2019	**7.5**	0.5 U	**0.7**	**1.9**
	7/16/2019	**11.0**	NA	NA	NA
	7/23/2019	**11.0**	NA	NA	NA
	7/30/2019	**11.0**	NA	NA	NA
	8/6/2019	**11.0**	**2.1**	**0.7**	**1.7**
	8/13/2019	**11.0**	NA	NA	NA
	8/20/2019	**11.0**	NA	NA	NA
	9/3/2019	**10.0**	**2.3**	**0.7**	**1.4**
	9/10/2019	**12.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/17/2019	**10.0**	NA	NA	NA
	9/24/2019	**11.0**	NA	NA	NA
	10/1/2019	**11.0**	**1.7**	**0.6**	**1.1**
	10/8/2019	**10.0**	NA	NA	NA
	10/15/2019	**10.0**	NA	NA	NA
	10/21/2019	**9.8**	NA	NA	NA
	10/29/2019	**9.8**	NA	NA	NA
	11/5/2019	**9.7**	**1.8**	**0.7**	**1.2**
	11/12/2019	**9.6**	NA	NA	NA
	11/19/2019	**9.9**	NA	NA	NA
	11/26/2019	**9.5**	NA	NA	NA
	12/3/2019	**9.2**	**1.8**	**0.5**	**1.1**
	12/12/2019	**9.7**	NA	NA	NA
	12/17/2019	**9.1**	NA	NA	NA
	12/24/2019	**9.4**	NA	NA	NA
	12/31/2019	**10.0**	NA	NA	NA
	1/7/2020	**9.6**	**2.6**	**0.7**	**1.4**
	1/15/2020	**9.7**	NA	NA	NA
	1/21/2020	**9.5**	NA	NA	NA
	1/28/2020	**9.5**	NA	NA	NA
	2/4/2020	**8.9**	**1.8**	**0.6**	**1.2**
	2/11/2020	**9.5**	NA	NA	NA
	2/25/2020	**11.0**	NA	NA	NA
	3/4/2020	**9.7**	**1.9**	**0.6**	**1.4**
	3/10/2020	**9.0**	NA	NA	NA
	3/17/2020	**10.0**	NA	NA	NA
	3/24/2020	**9.0**	NA	NA	NA
	3/31/2020	**9.1**	NA	NA	NA
	4/8/2020	**8.7**	**1.8**	**0.5**	**1.2**
	4/14/2020	**9.6**	NA	NA	NA
	4/21/2020	**9.5**	NA	NA	NA
	4/28/2020	**8.4**	NA	NA	NA
	5/6/2020	**7.4**	**2.1**	**0.6**	**1.3**
	5/13/2020	**8.2**	NA	NA	NA
	5/19/2020	**7.3**	NA	NA	NA
	5/26/2020	**7.3**	NA	NA	NA
	6/2/2020	**7.2**	**2.1**	**0.6**	**1.3**
	6/9/2020	**8.3**	NA	NA	NA
	6/16/2020	**7.8**	NA	NA	NA
	6/23/2020	**8.2**	NA	NA	NA
	6/30/2020	**9.8**	NA	NA	NA
	7/7/2020	**9.2**	**1.6**	**0.6**	**1.3**
	7/14/2020	**8.3**	NA	NA	NA
	7/21/2020	**8.3**	NA	NA	NA
	7/28/2020	**8.2**	NA	NA	NA
	8/4/2020	**7.7**	**1.6**	**0.5**	**1.0**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/11/2020	**9.3**	NA	NA	NA
	8/18/2020	**7.8**	NA	NA	NA
	8/25/2020	**7.5**	NA	NA	NA
	9/1/2020	**7.0**	**0.6**	**0.6**	**1.2**
	9/8/2020	**7.2**	NA	NA	NA
	9/15/2020	**7.8**	NA	NA	NA
	9/22/2020	**7.1**	NA	NA	NA
	9/29/2020	**6.3**	NA	NA	NA
	10/6/2020	**7.2**	**1.7**	**0.5**	**1.2**
	10/14/2020	**6.9**	NA	NA	NA
	10/20/2020	**6.8**	NA	NA	NA
	10/27/2020	**7.6**	NA	NA	NA
	11/3/2020	**6.8**	**1.6**	0.5 U	**1.0**
	11/4/2020	NA	**1.5**	**0.5**	**1.1**
	11/10/2020	**7.3**	NA	NA	NA
	11/17/2020	**6.8**	NA	NA	NA
	11/24/2020	**6.6**	NA	NA	NA
	12/8/2020	**6.4**	NA	NA	NA
	12/15/2020	**6.7**	NA	NA	NA
	12/22/2020	**5.9**	NA	NA	NA
	12/29/2020	**5.7**	NA	NA	NA
	1/5/2021	**6.4**	**1.7**	**0.5**	**1.0**
	1/12/2021	**6.1**	NA	NA	NA
	1/19/2021	**5.6**	NA	NA	NA
	1/26/2021	**5.8**	NA	NA	NA
	2/2/2021	**6.1**	**1.9**	**0.6**	**1.0**
	2/9/2021	**6.4**	NA	NA	NA
	2/16/2021	**6.1**	NA	NA	NA
	2/23/2021	**5.7**	NA	NA	NA
	3/2/2021	**5.8**	**1.8**	**0.6**	**1.0**
	3/9/2021	**5.9**	NA	NA	NA
	3/16/2021	**5.5**	NA	NA	NA
	3/23/2021	**5.9**	NA	NA	NA
	3/30/2021	**5.7**	NA	NA	NA
	4/6/2021	**5.2**	**1.4**	0.5 U	**0.8**
	4/12/2021	**5.2**	NA	NA	NA
	4/20/2021	**5.4**	NA	NA	NA
	5/4/2021	**9.9**	**0.9**	**0.8**	**1.6**
	5/11/2021	**7.1**	NA	NA	NA
	5/18/2021	**6.1**	NA	NA	NA
	5/25/2021	**5.6**	NA	NA	NA
	6/1/2021	**5.6**	**1.6**	**0.5**	**1.0**
PASADENA-CITY, WATER DEPT. ARROYO					
	1/3/1996	NA	**3.2**	0.5 U	**3.6**
	3/7/1996	NA	0.5 U	0.5 U	0.5 U
	4/3/1996	NA	**2.0**	**0.7**	**1.6**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/16/1996	NA	**2.6**	0.5 U	**2.4**
	5/1/1996	NA	**2.6**	0.5 U	**2.4**
	6/5/1996	NA	**3.4**	0.5 U	**2.6**
	7/2/1996	NA	**2.5**	0.5 U	**2.2**
	8/1/1996	NA	NA	0.5 U	NA
	8/7/1996	NA	**3.7**	NA	**3.6**
	9/4/1996	NA	**4.7**	**0.5**	**3.9**
	10/2/1996	NA	**4.4**	**0.5**	**4.0**
	11/1/1996	NA	NA	0.5 U	NA
	11/6/1996	NA	**2.5**	NA	**2.8**
	12/1/1996	NA	NA	0.5 U	NA
	12/4/1996	NA	**3.2**	NA	**3.5**
	1/8/1997	NA	**3.0**	**0.6**	**2.9**
	3/1/1997	NA	NA	0.5 U	NA
	3/3/1997	NA	**3.3**	NA	**2.4**
	3/5/1997	NA	**4.1**	NA	**2.9**
	4/2/1997	NA	**4.1**	0.5 U	**2.7**
	5/1/1997	NA	NA	NA U	NA
	5/7/1997	NA	**3.6**	NA	**2.2**
	6/4/1997	NA	**4.7**	**1.1**	**3.5**
	6/9/1997	**46.0**	NA	NA	NA
	6/13/1997	**55.0**	NA	NA	NA
	6/19/1997	**54.0**	NA	NA	NA
	7/30/1997	**115.0**	NA	NA	NA
	8/15/1997	**115.0**	NA	NA	NA
	8/16/1997	**95.0**	NA	NA	NA
	8/20/1997	**125.0**	NA	NA	NA
	8/27/1997	**135.0**	NA	NA	NA
	9/3/1997	**165.0**	NA	NA	NA
	2/2/1998	**144.0**	**10.1**	0.5 U	**3.9**
	3/22/2011	**76.4**	**0.7**	**0.6**	**1.1**
	3/29/2011	**77.8**	**0.6**	**0.6**	**0.9**
	7/7/2011	**158.0**	**0.9**	**0.6**	**0.9**
	7/12/2011	**75.3**	**1.1**	**0.5**	**0.8**
	7/19/2011	**79.5**	**1.5**	**0.5**	**0.8**
	7/26/2011	**79.5**	**1.7**	**0.5**	**0.8**
	8/2/2011	**77.4**	**2.1**	**0.6**	**0.8**
	8/9/2011	**81.6**	**2.2**	**0.5**	**0.8**
	8/16/2011	**78.2**	**2.6**	**0.6**	**0.8**
	8/17/2011	**76.4**	NA	NA	NA
	8/23/2011	**85.1**	**2.8**	**0.5**	**0.8**
	8/30/2011	**76.5**	**2.6**	**0.5**	**0.8**
	9/6/2011	**77.9**	**3.1**	**0.5**	**0.8**
	9/13/2011	**66.8**	**3.1**	**0.5**	**0.8**
	9/20/2011	**75.3**	**3.1**	**0.5**	**0.8**
	9/27/2011	**58.7**	**3.0**	**0.5**	**0.8**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/4/2011	**57.0**	**2.8**	0.5 U	0.5 U
	10/11/2011	**61.7**	**2.5**	0.5 U	**0.8**
	10/18/2011	**57.8**	**2.8**	**0.5**	**0.9**
	10/25/2011	**65.2**	**2.8**	**0.6**	**0.9**
	11/1/2011	**59.2**	**3.1**	**0.6**	**0.9**
	11/8/2011	**55.5**	**2.7**	**0.5**	**0.8**
	11/15/2011	**53.5**	**3.1**	**0.6**	**0.9**
	11/22/2011	**55.8**	**3.0**	**0.6**	**0.9**
	11/29/2011	**52.9**	**2.9**	**0.5**	**0.9**
	12/6/2011	**52.4**	**2.8**	0.5 U	**0.8**
	12/13/2011	**55.6**	**2.8**	**0.5**	**0.8**
	12/20/2011	**53.3**	**2.9**	**0.5**	**0.8**
	12/27/2011	**46.9**	**2.7**	0.5 U	**0.8**
	1/3/2012	**47.9**	**2.8**	0.5 U	**0.8**
	1/10/2012	**55.3**	**2.6**	0.5 U	**0.8**
	1/17/2012	**46.5**	**3.9**	**0.6**	**0.9**
	1/24/2012	**51.1**	**2.7**	0.5 U	**0.8**
	1/31/2012	**46.1**	**2.7**	0.5 U	**0.8**
	2/7/2012	**45.2**	**3.6**	0.5 U	**0.6**
	2/15/2012	**41.2**	**3.5**	0.5 U	**0.8**
	2/21/2012	NA	**2.8**	0.5 U	**0.6**
	2/28/2012	**42.2**	**2.8**	0.5 U	**0.7**
	3/6/2012	**43.5**	**3.3**	**0.6**	**0.9**
	3/13/2012	**43.9**	**3.2**	**0.6**	**0.9**
	3/20/2012	**48.3**	**2.5**	0.5 U	**0.7**
	3/27/2012	**44.9**	**3.0**	0.5 U	**0.9**
	4/12/2012	**48.4**	NA	NA	NA
	6/12/2012	**41.6**	**2.9**	0.5 U	**0.8**
	6/19/2012	**36.5**	**2.7**	0.5 U	**0.8**
	6/26/2012	**35.6**	**2.9**	0.5 U	**0.7**
	7/3/2012	**41.4**	0.5 U	0.5 U	0.5 U
	7/10/2012	**39.8**	**3.2**	0.5 U	**0.7**
	7/17/2012	**39.4**	**3.5**	0.5 U	**0.8**
	7/24/2012	**38.2**	**3.0**	0.5 U	**0.7**
	8/1/2012	NA	**2.8**	0.5 U	**0.6**
	8/7/2012	**36.8**	**2.7**	0.5 U	**0.6**
	8/14/2012	**36.5**	**3.0**	0.5 U	**0.7**
	8/21/2012	**35.1**	**3.0**	0.5 U	**0.6**
	8/28/2012	**39.9**	**3.8**	0.5 U	**0.7**
	9/18/2012	**37.3**	**3.1**	0.5 U	**0.7**
	9/19/2012	**35.0**	NA	NA	NA
	9/25/2012	**37.9**	**2.7**	0.5 U	**0.6**
	10/2/2012	**37.3**	**3.1**	0.5 U	**0.7**
	10/9/2012	**39.0**	**3.0**	0.5 U	**0.7**
	10/17/2012	**41.4**	**2.8**	0.5 U	**0.6**
	10/23/2012	**39.8**	**3.0**	0.5 U	**0.7**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/30/2012	**41.5**	**2.8**	0.5 U	**0.6**
	11/6/2012	**45.6**	**3.7**	0.5 U	**0.8**
	11/13/2012	**38.1**	**3.4**	0.5 U	**0.7**
	11/20/2012	**45.2**	**4.0**	0.5 U	**0.8**
	11/27/2012	**38.7**	**3.8**	0.5 U	**0.7**
	12/4/2012	**39.8**	**2.7**	0.5 U	**0.6**
	12/11/2012	**43.2**	**2.9**	0.5 U	**0.6**
	12/18/2012	**43.2**	**3.1**	0.5 U	**0.6**
	12/24/2012	**39.8**	**3.4**	0.5 U	**0.7**
	1/2/2013	**45.0**	**3.1**	0.5 U	**0.7**
	1/8/2013	**38.1**	**2.8**	0.5 U	**0.7**
	1/15/2013	**43.3**	**2.8**	0.5 U	**0.6**
	1/22/2013	**37.3**	**2.9**	0.5 U	**0.6**
	1/29/2013	**43.7**	**3.2**	0.5 U	**0.7**
	2/13/2013	**37.4**	**3.0**	0.5 U	**0.6**
	2/19/2013	**41.2**	**3.2**	0.5 U	**0.6**
	2/26/2013	**45.3**	**2.8**	0.5 U	**0.6**
	3/5/2013	**36.0**	**2.7**	0.5 U	**0.6**
	3/12/2013	**39.7**	**2.6**	0.5 U	**0.6**
	3/19/2013	**42.1**	**2.4**	0.5 U	**0.6**
	3/26/2013	**38.6**	**2.7**	0.5 U	**0.6**
	4/2/2013	**43.0**	**2.3**	0.5 U	**0.6**
	4/10/2013	**44.6**	**2.2**	0.5 U	**0.6**
	4/16/2013	**37.4**	**2.4**	0.5 U	**0.6**
	4/23/2013	**35.0**	**2.3**	0.5 U	**0.6**
	4/30/2013	**34.6**	**2.0**	0.5 U	**0.5**
	5/7/2013	**45.5**	**2.2**	0.5 U	**0.6**
	5/14/2013	**31.4**	**1.7**	0.5 U	**0.5**
	5/22/2013	**31.7**	**1.9**	0.5 U	**0.6**
	5/28/2013	**28.5**	**2.8**	0.5 U	**0.6**
	6/4/2013	**29.6**	**2.7**	0.5 U	**0.6**
	6/11/2013	**35.2**	**2.1**	0.5 U	**0.6**
	6/18/2013	**31.4**	**1.7**	0.5 U	**0.6**
	6/25/2013	**25.7**	**1.7**	0.5 U	**0.6**
	7/2/2013	**28.1**	**1.5**	0.5 U	**0.6**
	7/9/2013	**27.8**	**1.2**	0.5 U	**0.5**
	7/16/2013	**28.2**	**1.7**	0.5 U	**0.6**
	7/23/2013	**27.0**	**1.5**	0.5 U	**0.7**
	8/2/2013	**28.5**	**1.6**	0.5 U	**0.6**
	8/6/2013	**28.7**	**1.7**	0.5 U	**0.7**
	8/13/2013	**29.9**	**1.5**	0.5 U	**0.6**
	8/20/2013	**26.9**	**2.4**	0.5 U	**0.6**
	8/27/2013	**29.6**	**2.3**	0.5 U	**0.6**
	9/3/2013	**26.1**	**1.9**	0.5 U	**0.7**
	9/10/2013	**28.5**	**1.5**	0.5 U	**0.7**
	9/17/2013	**27.2**	**2.0**	0.5 U	**0.7**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/24/2013	**23.9**	**1.7**	0.5 U	**0.7**
	11/5/2013	**28.3**	**1.4**	0.5 U	**0.6**
	11/13/2013	**28.9**	**1.8**	0.5 U	**0.7**
	11/19/2013	**26.2**	**1.8**	0.5 U	**0.7**
	11/26/2013	**23.9**	**1.8**	0.5 U	**0.7**
	12/3/2013	**24.4**	**1.6**	0.5 U	**0.6**
	12/10/2013	**25.1**	**1.7**	0.5 U	**0.6**
	12/17/2013	**24.3**	**1.9**	0.5 U	**0.7**
	12/24/2013	**25.1**	**1.7**	0.5 U	**0.7**
	12/31/2013	**24.8**	**1.7**	0.5 U	**0.8**
	2/11/2014	**25.2**	**1.5**	0.5 U	**0.7**
	2/18/2014	**24.8**	**1.6**	0.5 U	**0.7**
	2/25/2014	**23.8**	**1.6**	0.5 U	**0.6**
	3/11/2014	**23.1**	**1.0**	0.5 U	0.5 U
	3/18/2014	**23.8**	**1.4**	0.5 U	**0.5**
	3/25/2014	**25.0**	**1.4**	0.5 U	**0.5**
	4/1/2014	**25.5**	**1.3**	0.5 U	**0.5**
	4/8/2014	**26.0**	**1.3**	0.5 U	**0.6**
	4/15/2014	**23.7**	**1.2**	0.5 U	**0.6**
	4/22/2014	NA	**1.6**	0.5 U	**0.7**
	4/29/2014	NA	**1.4**	0.5 U	**0.6**
	5/20/2014	**21.6**	**1.5**	0.5 U	**0.7**
	5/27/2014	**18.6**	**1.8**	0.5 U	**0.7**
	6/3/2014	**18.1**	**1.5**	0.5 U	**0.7**
	6/10/2014	**19.0**	**1.7**	0.5 U	**0.8**
	6/24/2014	**19.5**	**1.5**	0.5 U	**0.7**
	7/1/2014	**19.5**	**1.6**	0.5 U	**0.8**
	7/8/2014	**19.4**	**1.9**	0.5 U	**0.9**
	7/15/2014	**19.3**	**1.8**	0.5 U	**0.9**
	7/22/2014	**18.4**	**1.1**	0.5 U	**0.7**
	7/29/2014	**18.4**	**1.7**	0.5 U	**0.8**
	8/12/2014	**17.7**	**1.4**	0.5 U	**0.7**
	8/19/2014	**18.8**	**1.5**	0.5 U	**0.7**
	8/26/2014	**19.5**	**2.2**	0.5 U	**1.0**
	9/2/2014	**18.1**	**1.3**	0.5 U	**0.7**
	9/9/2014	**17.6**	**1.2**	0.5 U	**0.8**
	9/16/2014	**18.6**	**1.1**	0.5 U	**0.7**
	9/23/2014	**16.6**	**1.2**	0.5 U	**0.8**
	9/30/2014	**17.3**	**1.1**	0.5 U	**0.8**
	10/7/2014	**17.1**	**1.1**	**0.8**	0.5 U
	10/14/2014	**17.4**	**1.1**	0.5 U	**0.7**
	10/21/2014	**17.6**	**1.3**	0.5 U	**0.9**
	10/28/2014	**17.2**	**1.3**	0.5 U	**0.9**
	11/4/2014	**25.2**	**1.5**	0.5 U	**0.9**
	11/11/2014	**16.2**	**1.3**	0.5 U	**0.9**
	11/18/2014	**17.1**	**1.3**	0.5 U	**0.8**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	11/25/2014	18.7	1.3	0.5 U	0.9
	12/1/2014	16.2	1.2	0.5 U	0.8
	12/9/2014	15.4	1.3	0.5 U	1.0
	12/15/2014	15.8	1.3	0.5 U	1.0
	12/23/2014	15.5	1.2	0.5 U	1.1
	12/30/2014	16.2	1.2	0.5 U	1.1
	1/6/2015	17.0	1.1	0.5 U	1.0
	1/13/2015	16.3	1.2	0.5 U	1.2
	1/20/2015	16.8	0.9	0.5 U	1.1
	1/27/2015	16.5	0.9	0.5 U	0.5 U
	2/10/2015	15.3	0.9	0.5 U	1.1
	2/17/2015	16.0	1.0	0.5 U	1.1
	2/24/2015	15.4	1.0	0.5 U	1.1
	3/3/2015	16.0	1.0	0.5 U	1.1
	3/10/2015	15.5	1.1	0.5 U	1.2
	3/17/2015	15.7	1.0	0.5 U	1.2
	3/24/2015	15.1	1.0	0.5 U	1.3
	3/31/2015	15.5	0.9	0.5 U	1.1
	4/7/2015	15.4	1.1	0.5 U	1.2
	4/14/2015	16.0	0.8	0.5 U	1.2
	4/21/2015	15.3	1.0	0.5 U	1.3
	4/28/2015	16.9	0.8	0.5 U	1.2
	5/5/2015	15.0	0.8	0.5 U	1.3
	5/12/2015	16.4	0.9	0.5 U	1.4
	5/19/2015	14.8	1.0	0.5 U	1.4
	5/26/2015	14.0	1.0	0.5 U	1.5
	6/2/2015	14.1	0.9	0.4	1.3
	6/9/2015	13.7	0.8	0.5 U	1.5
	6/16/2015	13.9	0.9	0.5 U	1.4
	6/23/2015	12.9	0.9	0.5 U	1.5
	6/30/2015	14.7	0.9	0.5 U	1.6
	7/7/2015	15.2	0.9	0.5	1.6
	7/14/2015	15.6	0.8	0.5 U	1.5
	7/21/2015	13.9	0.8	0.5 U	1.5
	7/28/2015	15.1	0.7	0.5 U	1.1
	8/4/2015	14.7	0.9	0.5	1.7
	8/11/2015	16.7	1.0	0.5	1.6
	8/18/2015	15.3	0.9	0.5 U	1.5
	8/25/2015	16.4	1.2	0.6	1.9
	9/1/2015	15.7	0.9	0.5	1.6
	9/8/2015	17.4	0.5	1.2	2.6
	9/15/2015	NA	1.1	0.5	1.7
	9/22/2015	NA	1.1	0.5	1.7
	9/29/2015	15.4	1.1	0.5	1.7
	10/6/2015	15.5	1.1	0.5	1.6
	10/13/2015	15.3	1.0	0.6	1.7

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/20/2015	**15.6**	**1.0**	**0.5**	**1.8**
	10/27/2015	**16.2**	**0.7**	0.5 U	**1.4**
	11/3/2015	**16.0**	**0.7**	0.5 U	**1.5**
	11/10/2015	**14.9**	**0.7**	0.5 U	**1.2**
	11/17/2015	**15.9**	**0.9**	0.5 U	**1.8**
	11/24/2015	**15.7**	**1.0**	0.5 U	**1.9**
	12/1/2015	**15.0**	**0.9**	**0.5**	**1.8**
	12/8/2015	**14.7**	**1.1**	**0.5**	**1.8**
	12/15/2015	**14.4**	**1.2**	**0.5**	**1.9**
	12/22/2015	**14.3**	**1.3**	**0.6**	**1.9**
	12/29/2015	**13.4**	**1.3**	**0.6**	**2.0**
	1/5/2016	**13.6**	**1.1**	**0.5**	0.5 U
	1/12/2016	**14.4**	**1.1**	0.5 U	**1.8**
	1/19/2016	**13.5**	**1.1**	**0.5**	**1.8**
	1/26/2016	**13.9**	**0.9**	**0.5**	**1.7**
	2/2/2016	**13.9**	**0.8**	**0.6**	**1.8**
	2/9/2016	**14.2**	**0.9**	0.5 U	**1.7**
	2/16/2016	**13.3**	**1.0**	0.5 U	**1.8**
	2/23/2016	**13.3**	**0.9**	0.5 U	**1.9**
	3/1/2016	**13.0**	**0.9**	**0.5**	**1.8**
	3/8/2016	**13.4**	**1.0**	0.5 U	**1.9**
	3/15/2016	**12.8**	**1.0**	**0.6**	**2.0**
	3/22/2016	**12.8**	**1.0**	**0.6**	**2.0**
	3/29/2016	**12.9**	**1.0**	**0.6**	**1.9**
	4/5/2016	**13.0**	**0.6**	0.5 U	**1.7**
	4/12/2016	**12.4**	**0.7**	0.5 U	**1.8**
	4/19/2016	**13.3**	**0.8**	0.5 U	**1.9**
	4/26/2016	**13.3**	**0.9**	0.5 U	**1.8**
	5/3/2016	**13.2**	**0.7**	0.5 U	**1.8**
	5/10/2016	**12.4**	**0.9**	**0.6**	**1.8**
	5/17/2016	**12.1**	**0.7**	**0.5**	**1.8**
	5/24/2016	**12.4**	**0.7**	**0.5**	**1.8**
	5/31/2016	**12.6**	**1.0**	**0.5**	**1.9**
	6/7/2016	**11.8**	**0.9**	**0.5**	**1.9**
	6/14/2016	**11.8**	**0.8**	**0.5**	**1.8**
	6/21/2016	**12.1**	**0.9**	0.5 U	**2.0**
	6/28/2016	**11.6**	**0.8**	0.5 U	**1.8**
	7/5/2016	**12.3**	**0.8**	**0.5**	**1.9**
	7/12/2016	**12.4**	**0.9**	**0.5**	**2.0**
	7/19/2016	**12.2**	**0.8**	**0.5**	**1.9**
	7/26/2016	**11.9**	**0.7**	0.5 U	**1.9**
	8/2/2016	**12.3**	**0.7**	0.5 U	**1.8**
	8/9/2016	**12.4**	**0.9**	**0.6**	**2.3**
	8/16/2016	**11.6**	**0.5 U**	0.5 U	**1.3**
	8/23/2016	**11.7**	**0.8**	**0.5**	**1.9**
	8/30/2016	**11.7**	**0.8**	**0.6**	**2**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/6/2016	12.2	1.0	0.6	2.1
	9/13/2016	11.4	0.9	0.6	2.1
	9/20/2016	11.9	0.9	0.6	2.2
	9/27/2016	11.2	0.8	0.5	1.8
	10/4/2016	11.5	0.8	0.6	2.1
	10/11/2016	11.2	0.8	0.6	2.2
	10/18/2016	11.2	0.8	0.5	1.9
	10/25/2016	11.1	0.8	0.5	1.9
	11/8/2016	10.9	0.6	0.5 U	1.4
	11/15/2016	11.1	0.6	0.5 U	1.5
	11/22/2016	10.8	0.6	0.5 U	1.4
	11/29/2016	11.7	0.9	0.5	1.9
	12/6/2016	11.6	1.0	0.6	2.1
	12/13/2016	11.3	1.0	0.6	2.1
	12/20/2016	11.4	1.0	0.6	2.1
	12/27/2016	11.7	1.1	0.6	2.2
	1/3/2017	10.6	0.9	0.5	2.0
	1/10/2017	11.2	0.8	0.6	2.0
	1/17/2017	11.2	0.9	0.5	2.1
	1/24/2017	11.0	0.9	0.6	2.1
	2/7/2017	10.9	0.9	0.6	2.2
	2/14/2017	10.7	0.7	0.6	2.0
	2/21/2017	11.6	0.8	0.5	1.9
	2/28/2017	11.4	0.7	0.5 U	1.9
	3/7/2017	12.2	0.7	0.6	1.9
	3/14/2017	10.0	0.6	0.6	1.9
	3/21/2017	10.0	0.8	0.6	2.1
	3/28/2017	8.5	0.8	0.6	2.1
	4/4/2017	11.4	0.6	0.5	2.0
	4/11/2017	9.7	0.6	0.6	2.0
	4/18/2017	10.3	0.7	0.5	1.9
	4/25/2017	10.6	0.8	0.6	2.1
	5/2/2017	10.5	0.7	0.6	2.2
	5/9/2017	10.3	0.7	0.6	2.1
	5/16/2017	10.4	0.7	0.6	2.1
	5/23/2017	10.5	0.9	0.6	2.3
	5/30/2017	10.3	0.6	0.5 U	1.6
	6/6/2017	11.0	0.6	0.5	2.2
	6/13/2017	10.8	0.7	0.5	2.1
	6/20/2017	10.3	0.8	0.5	2.0
	6/27/2017	10.6	0.8	0.6	2.2
	7/5/2017	9.6	2.1	0.5	2.0
	7/11/2017	9.7	0.9	0.6	2.2
	7/18/2017	9.8	0.9	0.6	2.3
	7/25/2017	9.9	0.8	0.6	2.1
	8/8/2017	10.7	0.7	0.5 U	2.1

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/15/2017	10.0	0.8	0.5 U	2.2
	8/22/2017	10.6	0.7	0.5	2.1
	8/29/2017	10.0	0.8	0.5	2.1
	9/5/2017	10.8	0.7	0.5 U	2.1
	9/12/2017	10.9	0.8	0.5	2.2
	9/26/2017	10.1	1.0	0.7	2.3
	10/3/2017	10.6	0.8	0.6	2.3
	10/10/2017	11.5	0.7	0.5 U	1.9
	10/17/2017	11.6	0.8	0.6	2.4
	10/24/2017	11.7	0.9	0.5	2.2
	2/6/2018	10.7	0.7	0.5 U	2.1
	2/13/2018	10.7	0.6	0.5	1.9
	2/20/2018	11.1	0.7	0.5	2.0
	2/27/2018	11.3	0.7	0.5 U	1.9
	3/6/2018	12.1	0.7	0.5	2.0
	3/13/2018	11.0	0.7	0.5 U	1.8
	3/20/2018	10.8	0.6	0.5	2.0
	3/27/2018	10.8	0.7	0.5 U	1.8
	4/3/2018	10.7	0.6	0.5 U	1.7
	4/9/2018	10.3	0.7	0.5 U	1.9
	6/19/2018	10.3	0.6	0.7	1.9
	6/26/2018	9.6	0.6	0.6	1.6
	7/3/2018	9.9	0.9	0.6	1.8
	7/10/2018	10.4	0.9	0.6	1.9
	7/17/2018	11.0	1.0	0.6	1.8
	7/24/2018	11.4	1.1	0.6	2.0
	7/31/2018	10.8	1.0	0.6	2.0
	8/7/2018	10.4	1.0	0.6	2.1
	8/14/2018	10.8	0.9	0.5	1.8
	8/21/2018	10.4	1.1	0.6	2.0
	8/28/2018	10.8	1.1	0.5	2.0
	9/4/2018	9.9	1.1	0.7	2.1
	9/11/2018	10.1	0.8	0.5	1.4
	9/18/2018	11.2	1.2	0.6	2.0
	9/25/2018	10.6	1.2	0.5	2.1
	10/2/2018	10.1	1.2	0.6	2.2
	10/9/2018	9.8	1.0	0.5	2.0
	10/15/2018	10.0	1.0	0.6	2.0
	10/23/2018	9.5	1.1	0.6	2.1
	10/30/2018	10.0	1.1	0.6	2.2
	11/6/2018	9.9	1.1	0.6	2.1
	11/13/2018	10.6	0.9	0.5	1.9
	11/20/2018	10.7	0.9	0.6	1.9
	11/27/2018	10.6	1.0	0.6	2.0
	12/4/2018	10.2	1.1	0.6	2.1
	12/11/2018	11.1	1.0	0.6	1.9

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/18/2018	10.4	0.9	0.5	1.9
	12/26/2018	10.2	0.9	0.5	1.9
	1/2/2019	9.5	1.0	0.5	2.0
	1/8/2019	9.8	1.0	0.5	2.0
	1/15/2019	9.0	0.9	0.5	1.8
	1/22/2019	8.4	0.8	0.5 U	1.6
	1/29/2019	8.8	0.9	0.5	1.9
	2/5/2019	8.5	0.9	0.6	1.9
	2/13/2019	8.1	1.0	0.6	1.9
	2/19/2019	7.8	1.0	0.5	1.9
	2/26/2019	7.9	1.0	0.6	2.0
	3/5/2019	8.0	1.0	0.5	2.0
	3/12/2019	7.3	0.7	0.5 U	1.5
	3/19/2019	7.1	0.6	0.5	1.3
	3/26/2019	6.7	0.6	0.6	1.3
	4/2/2019	7.5	0.6	0.6	1.4
	4/8/2019	7.3	0.7	0.5	1.6
	4/16/2019	6.6	0.6	0.6	1.6
	4/23/2019	8.8	0.8	0.5	1.7
	4/30/2019	7.1	0.7	0.5	1.6
	5/7/2019	6.9	0.8	0.5	1.6
	5/14/2019	7.2	0.9	0.6	1.7
	5/21/2019	7.2	0.8	0.5 U	1.6
	5/28/2019	7.7	0.9	0.5 U	1.7
	6/4/2019	7.0	0.9	0.5 U	1.6
	6/11/2019	7.0	0.8	0.5 U	1.5
	6/18/2019	7.0	0.8	0.5 U	1.6
	6/25/2019	7.2	0.8	0.5 U	1.6
	7/2/2019	7.5	0.7	0.5 U	1.4
	7/9/2019	7.5	0.8	0.5 U	1.4
	7/16/2019	7.9	0.9	0.6	1.7
	7/22/2019	7.4	0.8	0.5 U	1.3
	7/30/2019	8.4	0.8	0.5 U	1.5
	9/3/2019	8.6	0.8	0.5 U	1.4
	9/10/2019	8.8	0.7	0.5 U	1.2
	9/17/2019	8.5	1.0	0.5 U	1.6
	9/24/2019	8.7	0.8	0.5 U	1.4
	10/1/2019	7.9	0.8	0.5 U	1.5
	10/7/2019	NA	0.5 U	0.7	3.2
	10/8/2019	8.1	0.9	0.5 U	1.5
	10/15/2019	7.8	0.7	0.5 U	1.3
	10/21/2019	7.1	0.6	0.5 U	1.0
	10/29/2019	6.2	0.8	0.5 U	1.4
	11/5/2019	8.0	0.7	0.5 U	1.4
	11/12/2019	6.1	0.8	0.5 U	1.3
	11/19/2019	6.8	0.8	0.5 U	1.5

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	11/26/2019	7.9	0.8	0.5	1.6
	12/3/2019	9.1	0.7	0.5	1.5
	12/10/2019	7.3	0.8	0.5 U	1.5
	12/17/2019	6.9	0.8	0.6	1.6
	12/24/2019	7.2	0.9	0.5	1.5
	12/31/2019	7.4	0.8	0.5 U	1.3
	1/7/2020	8.1	0.8	0.5	1.4
	1/14/2020	7.6	0.8	0.5 U	1.4
	1/21/2020	8.3	0.8	0.5	1.4
	1/28/2020	7.0	0.8	0.5 U	1.4
	2/4/2020	8.5	0.8	0.5 U	1.5
	2/11/2020	7.6	0.8	0.5 U	1.4
	2/18/2020	9.5	0.8	0.5	1.3
	2/25/2020	8.1	0.9	0.5	1.4
	3/3/2020	10.2	1.0	0.5 U	1.3
	3/10/2020	8.5	0.9	0.5 U	1.2
	3/17/2020	6.2	1.0	0.5 U	1.3
	3/24/2020	8.3	1.0	0.5	1.3
	3/31/2020	7.8	1.0	0.5	1.3
	4/8/2020	7.7	0.8	0.5 U	0.9
	4/14/2020	7.1	0.8	0.5 U	0.9
	4/21/2020	7.1	1.0	0.5 U	1.3
	4/28/2020	7.7	0.9	0.5 U	1.0
	5/5/2020	7.4	1.0	0.5	1.1
	5/12/2020	7.9	1.0	0.5 U	0.5 U
	5/19/2020	7.5	0.9	0.5 U	0.9
	5/27/2020	7.4	1.0	0.5 U	1.0
	6/2/2020	7.8	1.1	0.5 U	1.1
	6/9/2020	7.8	1.1	0.5 U	1.1
	6/16/2020	8.6	1.1	0.5 U	1.1
	6/23/2020	7.3	1.1	0.5	1.1
	6/30/2020	7.6	1.1	0.5 U	1.2
	7/7/2020	8.0	1.1	0.5 U	1.0
	7/14/2020	7.9	1.2	0.5 U	1.0
	7/21/2020	8.2	1.1	0.5 U	1.0
	7/28/2020	8.5	1.2	0.5 U	1.1
	8/4/2020	8.5	1.3	0.5 U	1.0
	8/11/2020	8.9	1.1	0.5 U	1.0
	8/18/2020	8.0	1.2	0.5 U	1.1
	8/25/2020	9.6	1.2	0.5 U	1.1
	9/1/2020	7.5	1.0	0.5 U	1.0
	9/8/2020	8.2	1.0	0.5 U	1.1
	9/15/2020	8.6	1.1	0.5 U	1.0
	9/22/2020	8.0	1.1	0.5 U	1.0
	9/29/2020	8.9	1.0	0.5 U	1.0
	10/6/2020	8.5	1.0	0.5 U	0.9

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/14/2020	**9.3**	**1.1**	0.5 U	**1.0**
	10/20/2020	**7.9**	**1.3**	0.5 U	**1.1**
	10/27/2020	**9.5**	**1.2**	0.5 U	**1.1**
	11/3/2020	**8.0**	**1.3**	0.5 U	**1.0**
	11/10/2020	**8.5**	**1.4**	**0.6**	**1.1**
	11/17/2020	**8.4**	**1.4**	**0.5**	**1.2**
	11/24/2020	**7.5**	NA	NA	NA
	12/8/2020	**8.9**	**1.5**	**0.5**	**1.1**
	12/15/2020	**7.3**	**1.4**	**0.5**	**1.2**
	12/22/2020	**8.0**	**1.3**	**0.5**	**1.1**
	12/29/2020	**8.6**	**1.4**	**0.5**	**1.1**
	1/6/2021	**7.9**	**1.2**	0.5 U	**1.1**
	1/12/2021	**9.7**	**1.3**	**0.5**	**1.0**
	1/19/2021	**8.3**	**1.2**	0.5 U	**1.1**
	1/26/2021	**9.0**	NA	NA	NA
	2/2/2021	**9.0**	**1.0**	0.5 U	**0.9**
	2/9/2021	**7.7**	**1.4**	0.5 U	**1.2**
	2/16/2021	**9.3**	**1.3**	0.5 U	**1.1**
	2/23/2021	**7.3**	**1.2**	0.5 U	**1.1**
	3/2/2021	NA	**1.1**	0.5 U	**1.0**
	3/9/2021	**8.3**	**1.3**	0.5 U	**1.0**
	3/16/2021	**10.2**	**1.3**	**0.5**	**0.9**
	3/23/2021	**9.8**	**1.2**	0.5 U	**1.0**
	3/30/2021	**7.2**	**1.2**	0.5 U	**1.0**
	4/6/2021	**7.9**	**1.2**	0.5 U	**1.0**
	4/14/2021	**8.3**	**1.1**	0.5 U	**0.9**
	4/20/2021	**8.8**	**1.0**	0.5 U	**1.0**
	4/27/2021	**8.1**	**1.3**	0.5 U	**1.0**
	5/4/2021	**8.1**	**1.2**	0.5 U	**1.0**
	5/11/2021	**7.6**	**1.3**	0.5 U	**1.0**
	5/18/2021	**7.7**	**1.3**	0.5 U	**1.0**
	5/25/2021	**9.1**	**1.2**	0.5 U	**1.0**
PASADENA-CITY, WATER DEPT. VENTURA					
	1/1/1996	NA	**0.5 J**	NA U	**0.5 J**
	2/1/1996	NA	0.5 U	NA U	**0.5 J**
	3/1/1996	NA	0.5 U	0.5 U	0.5 U
	5/1/1996	NA	0.5 U	**0.6**	**0.5**
	6/1/1996	NA	0.5 U	**0.6**	**0.7**
	7/1/1996	NA	0.5 U	NA U	**0.6**
	8/1/1996	NA	0.5 U	NA	NA
	8/7/1996	NA	NA	**0.5**	**0.7**
	9/1/1996	NA	0.5 U	NA	NA
	9/4/1996	NA	NA	**0.6**	**0.8**
	10/1/1996	NA	0.5 U	NA	NA
	10/2/1996	NA	NA	**0.6**	**0.7**
	11/6/1996	NA	0.5 U	0.5 U	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/1/1996	NA	0.5 U	NA	NA
	12/5/1996	NA	NA	**0.7**	**0.8**
	1/1/1997	NA	0.5 U	NA U	NA
	1/8/1997	NA	NA	NA	**0.5**
	3/1/1997	NA	NA U	NA	NA
	3/3/1997	NA	NA	NA	**0.7**
	3/5/1997	NA	NA	**0.6**	**1.2**
	4/1/1997	NA	0.5 U	NA U	NA
	4/2/1997	NA	NA	NA	**0.5**
	5/1/1997	NA	0.5 U	NA U	0.5 U
	6/4/1997	NA	0.5 U	**0.7**	**1.0**
	6/9/1997	5.0 U	NA	NA	NA
	6/13/1997	5.0 U	NA	NA	NA
	6/19/1997	5.0 U	NA	NA	NA
	7/2/1997	NA	0.5 U	0.5 U	0.5 U
	7/3/1997	**5.0**	NA	NA	NA
	8/1/1997	NA	0.5 U	NA U	0.5 U
	8/15/1997	5.0 U	NA	NA	NA
	9/1/1997	NA	0.5 U	NA U	NA
	9/3/1997	NA	NA	NA	**0.7**
	9/17/1997	5.0 U	NA	NA	NA
	9/22/1997	NA	NA	NA	**0.6**
	10/1/1997	**4.0**	0.5 U	0.5 U	0.5 U
	11/1/1997	NA	0.5 U	NA U	NA
	11/5/1997	NA	NA	NA	**0.6**
	12/3/1997	NA	NA	NA	**0.9**
	12/18/1997	5.0 U	NA	NA	NA
	1/1/1998	NA	0.5 U	NA	NA
	1/6/1998	**4.0**	NA	**0.5**	**1.0**
	1/14/1998	**5.0**	NA	NA	NA
	1/16/1998	**4.0**	NA	NA	NA
	1/21/1998	**4.0**	NA	NA	NA
	1/28/1998	**5.5**	NA	NA	NA
	2/2/1998	**5.9**	NA	**0.5**	**0.8**
	2/3/1998	NA	0.5 U	**0.6**	**1.1**
	2/19/1998	**4.7**	NA	NA	**0.9**
	3/1/1998	NA	0.5 U	NA	NA
	3/3/1998	5.0 U	NA	NA	**0.6**
	3/11/1998	5.0 U	NA	**0.7**	**1.6**
	3/18/1998	**5.4**	NA	NA	NA
	3/25/1998	**4.9**	NA	NA	NA
	4/1/1998	**6.0**	NA	NA	**0.8**
	4/8/1998	**4.0**	NA	NA	NA
	4/13/1998	5.0 U	NA	NA	NA
	4/19/1998	**5.4**	NA	NA	NA
	4/23/1998	5.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/30/1998	5.0 U	NA	NA	NA
	5/1/1998	NA	0.5 U	NA	NA
	5/7/1998	5.0 U	NA	NA	NA
	5/27/1998	5.0 U	NA	NA	NA
	6/3/1998	5.0 U	NA	NA	NA
	6/10/1998	5.0 U	NA	NA	NA
	6/24/1998	5.0 U	NA	NA	NA
	7/1/1998	5.0 U	NA	NA	NA
	7/8/1998	**5.0**	NA	NA	NA
	7/15/1998	**5.0**	NA	NA	NA
	8/1/1998	4.0 U	0.5 U	**0.5**	**1.0**
	8/3/1998	**7.7**	NA	NA	NA
	8/7/1998	**6.0**	NA	NA	NA
	8/13/1998	**5.0**	NA	NA	NA
	8/19/1998	**5.0**	NA	NA	NA
	8/27/1998	**4.5**	NA	NA	NA
	9/1/1998	5.0 U	NA	NA	NA
	9/7/1998	4.0 U	NA	NA	NA
	9/8/1998	**6.0**	NA	NA	NA
	9/15/1998	**5.0**	NA	NA	NA
	9/23/1998	**5.0**	NA	NA	NA
	9/30/1998	5.0 U	NA	NA	NA
	10/1/1998	5.0 U	NA	NA	NA
	10/7/1998	NA	0.5 U	**0.5**	**1.2**
	10/8/1998	**5.9**	NA	NA	NA
	10/15/1998	5.0 U	NA	NA	NA
	10/23/1998	**5.3**	NA	NA	NA
	10/30/1998	**4.4**	NA	NA	NA
	11/1/1998	NA	0.5 U	**0.5**	**1.1**
	11/2/1998	**4.2**	NA	NA	NA
	11/9/1998	**4.5**	NA	NA	NA
	11/16/1998	**4.6**	NA	NA	NA
	11/23/1998	**5.3**	NA	NA	NA
	12/1/1998	**6.3**	NA	NA	NA
	12/8/1998	5.0 U	NA	NA	NA
	12/15/1998	5.0 U	NA	NA	NA
	12/22/1998	**4.2**	NA	NA	NA
	12/24/1998	**4.0**	NA	NA	NA
	12/29/1998	**5.5**	NA	NA	NA
	12/30/1998	5.0 U	NA	NA	NA
	1/1/1999	NA	0.5 U	**0.5**	**1.1**
	1/6/1999	**4.8**	NA	NA	NA
	1/13/1999	**5.7**	NA	NA	NA
	1/20/1999	5.0 U	NA	NA	NA
	1/27/1999	**5.1**	NA	NA	NA
	2/1/1999	NA	0.5 U	**0.6**	**1.1**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/3/1999	**6.2**	NA	NA	NA
	2/10/1999	**5.2**	NA	NA	NA
	3/4/1999	**2.9**	NA	NA	NA
	3/17/1999	5.0 U	NA	NA	NA
	5/1/1999	NA	0.5 U	**0.6**	**1.3**
	5/12/1999	**3.6**	NA	NA	NA
	5/18/1999	**2.7**	NA	NA	NA
	5/26/1999	**2.9**	NA	NA	NA
	6/1/1999	NA	0.5 U	**0.7**	**1.4**
	6/2/1999	**2.7**	NA	NA	NA
	6/9/1999	**5.2**	NA	NA	NA
	6/10/1999	5.0 U	NA	NA	NA
	6/16/1999	**3.4**	NA	NA	NA
	6/23/1999	**3.1**	NA	NA	NA
	6/30/1999	**3.6**	NA	NA	NA
	7/1/1999	NA	0.5 U	**0.6**	**1.1**
	7/7/1999	**3.7**	NA	NA	NA
	7/14/1999	5.0 U	NA	NA	NA
	7/21/1999	5.0 U	NA	NA	NA
	7/28/1999	5.0 U	NA	NA	NA
	8/4/1999	5.0 U	0.5 U	**0.7**	**1.0**
	8/9/1999	**3.6**	NA	NA	NA
	8/11/1999	**8.4**	NA	NA	NA
	8/12/1999	5.0 U	NA	NA	NA
	8/15/1999	5.0 U	NA	NA	NA
	8/18/1999	**3.5**	NA	NA	NA
	8/25/1999	**3.2**	NA	NA	NA
	8/31/1999	5.0 U	NA	NA	NA
	9/1/1999	5.0 U	NA	NA	NA
	9/8/1999	**8.3**	0.5 U	**0.7**	**1.1**
	9/15/1999	5.0 U	NA	NA	NA
	9/30/1999	**4.2**	NA	NA	NA
	10/11/1999	**5.0**	0.5 U	**0.6**	**0.9**
	11/10/1999	NA	0.5 U	**0.7**	**1.0**
	12/1/1999	NA	0.5 U	**0.9**	**1.2**
	1/1/2000	NA	0.5 U	**0.5**	**0.8**
	1/7/2000	4.0 U	NA	NA	NA
	1/13/2000	4.0 U	NA	NA	NA
	1/26/2000	5.0 U	NA	NA	NA
	2/2/2000	5.0 U	NA	NA	NA
	2/10/2000	5.0 U	NA	NA	NA
	2/18/2000	5.0 U	NA	NA	NA
	2/28/2000	5.0 U	NA	NA	NA
	3/2/2000	**4.0**	NA	NA	NA
	3/6/2000	NA	0.5 U	**1.0**	**1.0**
	3/16/2000	5.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/23/2000	5.0 U	NA	NA	NA
	3/29/2000	5.0 U	NA	NA	NA
	4/1/2000	4.0 U	NA	NA	NA
	4/7/2000	4.0 U	NA	NA	NA
	4/12/2000	NA	0.5 U	0.5 U	**0.6**
	4/13/2000	4.0 U	NA	NA	NA
	5/1/2000	**8.3**	NA	NA	NA
	5/10/2000	NA	0.5 U	0.5 U	**0.7**
	6/7/2000	NA	0.5 U	**1.0**	**1.0**
	6/8/2000	5.0 U	NA	NA	NA
	6/22/2000	5.0 U	NA	NA	NA
	7/6/2000	5.0 U	NA	NA	NA
	7/12/2000	NA	0.5 U	0.5 U	**1.0**
	8/1/2000	NA	0.5 U	0.5 U	0.5 U
	8/2/2000	**7.0**	NA	NA	NA
	8/10/2000	5.0 U	NA	NA	NA
	8/17/2000	**3.0**	NA	NA	NA
	8/23/2000	**4.0**	NA	NA	NA
	8/30/2000	**5.0**	NA	NA	NA
	9/1/2000	**4.5**	NA	NA	NA
	9/4/2000	NA	0.5 U	**1.0**	**1.0**
	9/7/2000	**4.0**	NA	NA	NA
	9/12/2000	**4.0**	NA	NA	NA
	9/21/2000	**4.0**	NA	NA	NA
	9/28/2000	**4.0**	NA	NA	NA
	10/4/2000	**5.0**	NA	NA	NA
	10/9/2000	NA	0.5 U	**0.5**	**0.7**
	10/11/2000	**6.3**	NA	NA	NA
	10/18/2000	**3.5**	NA	NA	NA
	10/25/2000	**3.5**	NA	NA	NA
	11/2/2000	**2.9**	NA	NA	NA
	11/6/2000	NA	0.5 U	**0.6**	**0.7**
	11/7/2000	**4.7**	NA	NA	NA
	11/15/2000	**3.8**	NA	NA	NA
	11/22/2000	**4.5**	NA	NA	NA
	11/30/2000	**5.2**	NA	NA	NA
	12/7/2000	**5.5**	NA	NA	NA
	12/12/2000	NA	0.5 U	**0.7**	**0.7**
	12/13/2000	**6.5**	NA	NA	NA
	12/21/2000	**5.2**	NA	NA	NA
	12/28/2000	**6.1**	NA	NA	NA
	1/2/2001	NA	0.5 U	**0.6**	**0.7**
	1/4/2001	**6.6**	NA	NA	NA
	1/23/2001	**6.8**	NA	NA	NA
	2/1/2001	**4.6**	NA	NA	NA
	2/7/2001	**4.1**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/13/2001	**4.0 J**	NA	NA	NA
	2/19/2001	**3.6 J**	NA	NA	NA
	5/1/2001	NA	0.5 U	**0.6**	**0.9**
	5/7/2001	**7.2**	NA	NA	NA
	5/22/2001	**7.0**	NA	NA	NA
	5/30/2001	5.0 U	NA	NA	NA
	6/1/2001	NA	0.5 U	**0.5**	**0.6**
	6/5/2001	**5.7**	NA	NA	NA
	6/13/2001	**5.7**	NA	NA	NA
	6/20/2001	**4.8**	NA	NA	NA
	6/26/2001	**4.2**	NA	NA	NA
	7/3/2001	**5.7**	NA	NA	NA
	7/11/2001	**5.0**	0.5 U	**0.5**	**0.7**
	7/18/2001	**5.8**	NA	NA	NA
	7/25/2001	**6.5**	NA	NA	NA
	8/1/2001	**5.5**	NA	NA	NA
	8/8/2001	**4.1**	NA	NA	NA
	8/15/2001	**5.6**	NA	NA	NA
	8/22/2001	**4.9**	NA	NA	NA
	8/29/2001	**4.9**	NA	NA	NA
	9/5/2001	**5.3**	NA	NA	NA
	9/12/2001	**5.5**	NA	NA	NA
	9/19/2001	**5.8**	NA	NA	NA
	9/27/2001	**5.7**	NA	NA	NA
	10/2/2001	NA	0.5 U	0.5 U	**0.5**
	10/3/2001	**6.1**	NA	NA	NA
	10/10/2001	**5.4**	NA	NA	NA
	10/17/2001	**5.3**	NA	NA	NA
	10/24/2001	**4.8**	NA	NA	NA
	10/31/2001	**5.4**	NA	NA	NA
	11/7/2001	**5.8**	NA	NA	NA
	11/13/2001	**5.1**	NA	NA	NA
	11/21/2001	**5.0**	NA	NA	NA
	11/29/2001	**5.0**	NA	NA	NA
	12/5/2001	**4.3**	NA	NA	NA
	12/12/2001	**4.8**	NA	NA	NA
	12/19/2001	**5.0**	NA	NA	NA
	12/26/2001	**4.8**	NA	NA	NA
	1/2/2002	**6.5**	NA	NA	NA
	1/9/2002	NA	0.5 U	**0.6**	**0.8**
	1/16/2002	**5.7**	NA	NA	NA
	4/24/2002	**5.6**	NA	NA	NA
	5/15/2002	**6.2**	NA	NA	NA
	6/5/2002	**6.3**	NA	NA	NA
	7/17/2002	NA	0.5 U	**0.9**	**0.7**
	8/14/2002	**5.4**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/18/2002	**7.1**	NA	NA	NA
	10/9/2002	NA	0.5 U	**0.6**	**0.6**
	10/11/2011	**5.9**	0.5 U	**0.9**	**2.7**
	10/18/2011	**4.5**	0.5 U	**0.9**	**2.4**
	10/25/2011	**5.1**	0.5 U	**1.0**	**2.4**
	11/1/2011	**5.4**	0.5 U	**1.0**	**2.5**
	11/8/2011	**4.7**	0.5 U	**0.9**	**2.2**
	11/15/2011	**4.4**	0.5 U	**1.0**	**2.5**
	11/22/2011	**5.1**	0.5 U	**0.9**	**2.6**
	11/29/2011	**5.5**	0.5 U	**0.9**	**2.5**
	12/6/2011	**5.4**	0.5 U	**0.8**	**2.4**
	12/13/2011	**5.2**	0.5 U	**0.9**	**2.4**
	12/20/2011	**5.4**	0.5 U	**0.9**	**2.5**
	12/27/2011	**4.8**	0.5 U	**0.9**	**2.4**
	1/3/2012	**4.6**	0.5 U	**0.8**	**2.2**
	1/10/2012	**5.5**	0.5 U	**0.8**	**2.3**
	1/17/2012	**4.9**	0.5 U	**0.9**	**2.4**
	1/24/2012	**5.2**	0.5 U	**0.8**	**2.4**
	1/31/2012	**4.6**	0.5 U	**0.9**	**2.5**
	2/7/2012	**4.6**	0.5 U	**0.8**	**2.6**
	2/15/2012	**4.5**	0.5 U	**0.9**	**2.4**
	2/21/2012	**4.3**	0.5 U	**1.0**	**2.3**
	2/28/2012	**4.4**	0.5 U	**0.7**	**2.1**
	3/6/2012	**4.7**	0.5 U	**1.0**	**2.2**
	3/13/2012	**4.7**	0.5 U	**1.1**	**2.6**
	3/20/2012	**5.3**	0.5 U	**0.8**	**2.2**
	3/27/2012	**5.0**	0.5 U	**0.9**	**2.7**
	4/12/2012	**5.2**	NA	NA	NA
	6/12/2012	**4.4**	0.5 U	**0.8**	**2.7**
	6/19/2012	**4.1**	0.5 U	**0.8**	**2.6**
	6/26/2012	**4.3**	0.5 U	**0.9**	**2.2**
	7/3/2012	**4.5**	0.5 U	**0.9**	**2.5**
	7/10/2012	**5.0**	0.5 U	**0.9**	**2.5**
	7/17/2012	**4.9**	0.5 U	**0.9**	**2.6**
	7/24/2012	**4.9**	0.5 U	**0.8**	**2.5**
	8/1/2012	**4.7**	0.5 U	**0.8**	**2.3**
	8/7/2012	**4.2**	0.5 U	**0.8**	**2.3**
	8/14/2012	**5.5**	0.5 U	**0.9**	**2.5**
	8/21/2012	**4.5**	0.5 U	**0.9**	**2.5**
	8/29/2012	**4.7**	0.5 U	**0.9**	**2.5**
	9/18/2012	**5.6**	0.5 U	**0.8**	**2.5**
	9/19/2012	**5.5**	NA	NA	NA
	9/25/2012	**5.6**	0.5 U	**0.9**	**2.6**
	10/30/2012	**5.7**	0.5 U	**1.0**	**3.6**
	1/29/2013	**5.1**	0.5 U	**1.1**	**4.3**
	4/10/2013	**5.6**	0.5 U	**1.0**	**4.2**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/14/2013	**5.9**	0.5 U	**0.8**	**4.2**
	9/10/2013	**5.5**	0.5 U	**1.0**	**4.6**
	11/19/2013	**4.2**	0.5 U	**1.0**	**4.4**
	12/19/2013	**4.6**	0.5 U	**1.0**	**4.5**
	2/18/2014	**5.6**	0.5 U	**1.0**	**4.3**
	2/25/2014	**4.8**	0.5 U	**1.0**	**4.4**
	3/11/2014	**5.7**	0.5 U	**1.1**	**4.4**
	3/18/2014	**6.1**	0.5 U	**1.0**	**4.2**
	3/25/2014	**7.7**	0.5 U	**1.0**	**4.4**
	4/1/2014	**7.8**	0.5 U	**0.9**	**4.0**
	4/8/2014	**6.3**	0.5 U	**0.9**	**4.2**
	4/15/2014	**5.7**	NA	NA	NA
	4/22/2014	NA	0.5 U	**1.0**	**4.6**
	4/29/2014	NA	0.5 U	**1.0**	**4.1**
	7/15/2014	**5.1**	0.5 U	**1.3**	**5.2**
	2/17/2015	**4.4**	0.5 U	**1.1**	**3.9**
	6/2/2015	**4.7**	0.5 U	**1.1**	**3.6**
	8/11/2015	**4.5**	0.5 U	**1.2**	**4.1**
	12/15/2015	**4.9**	0.5 U	**1.4**	**4.0**
	9/13/2016	**4.5**	0.5 U	**1.5**	**3.6**
	10/4/2016	**4.0**	0.5 U	**1.4**	**3.2**
	12/6/2016	**4.2**	0.5 U	**1.4**	**3.2**
	12/13/2016	**4.5**	0.5 U	**1.5**	**3.3**
	1/10/2017	**4.6**	0.5 U	**1.4**	**3.0**
	2/7/2017	4.0 U	0.5 U	**1.4**	**3.4**
	3/7/2017	4.0 U	0.5 U	**1.3**	**3.1**
	4/4/2017	4.0 U	0.5 U	**1.3**	**3.2**
	4/11/2017	4.0 U	0.5 U	**1.3**	**3.0**
	8/8/2017	**4.1**	0.5 **U**	**1.2**	**3.2**
	6/25/2018	**4.7**	0.5 U	**1.4**	**3.4**
	7/9/2018	**4.2**	0.5 U	**1.4**	**3.3**
	7/23/2018	**4.3**	0.5 U	**1.5**	**3.5**
	8/6/2018	**4.3**	0.5	**1.6**	**3.9**
	8/20/2018	**4.4**	0.5	**1.6**	**3.4**
	9/5/2018	4.0	0.5	**1.6**	**3.3**
	9/17/2018	**4.2**	0.5	**1.4**	**2.8**
	10/1/2018	**4.1**	0.5	**1.8**	**3.6**
	10/29/2018	**4.2**	0.5	**1.7**	**3.4**
	11/19/2018	**4.9**	0.5 U	**1.5**	**3.3**
	12/3/2018	**4.3**	0.5 U	**1.8**	**3.5**
	12/17/2018	**5.4**	0.5 U	**1.8**	**3.5**
	1/14/2019	**5.0**	0.5 U	**1.5**	**3.1**
	1/28/2019	**4.7**	0.5 U	**1.7**	**3.1**
	3/4/2019	4.0 U	0.5 U	**1.5**	**3.4**
	4/15/2019	**4.1**	0.5 U	**1.4**	**3.7**
	5/20/2019	4.0 U	0.5 U	**1.4**	**3.9**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/1/2019	**4.1**	0.5 U	**1.2**	**3.4**
	7/15/2019	**4.4**	0.5 U	**1.3**	**3.4**
	9/16/2019	**4.5**	0.5 U	**1.1**	**2.9**
	9/23/2019	**4.4**	0.5 U	**1.3**	**3.5**
	9/30/2019	NA	0.5 U	**1.3**	**3.3**
	10/14/2019	**4.9**	0.5 U	**1.1**	**3.2**
	10/28/2019	4.0 U	0.5 U	**1.3**	**3.2**
	11/18/2019	4.0 U	0.5 U	**1.4**	**3.3**
	12/2/2019	**4.4**	0.5 U	**1.4**	**3.7**
PASADENA-CITY, WATER DEPT. WELL 52					
	1/3/1996	NA	0.5 U	0.5 U	**3.9**
	3/7/1996	NA	0.5 U	0.5 U	**5.3**
	4/3/1996	NA	**0.5**	**0.2**	**4.5**
	5/1/1996	NA	0.5 U	0.5 U	**3.2**
	6/5/1996	NA	0.5 U	0.5 U	**3.3**
	7/2/1996	NA	0.5 U	0.5 U	**2.5**
	8/1/1996	NA	NA	NA U	NA
	8/7/1996	NA	**0.5**	NA	**3.6**
	9/1/1996	NA	NA	NA U	NA
	9/4/1996	NA	**0.7**	NA	**4.4**
	10/1/1996	NA	NA	NA U	NA
	10/2/1996	NA	**0.7**	NA	**4.7**
	1/16/1997	**26.0**	NA	NA	NA
	3/1/1997	NA	0.5 U	NA U	NA
	3/3/1997	NA	NA	NA	**5.8**
	3/5/1997	NA	NA	NA	**7.3**
	4/1/1997	NA	0.5 U	NA U	NA
	4/2/1997	NA	NA	NA	**4.1**
	5/1/1997	NA	0.5 U	NA U	NA
	5/7/1997	NA	NA	NA	**3.1**
	6/4/1997	NA	0.5 U	0.5 U	**4.6**
	6/9/1997	**6.0**	NA	NA	NA
	6/13/1997	**6.0**	NA	NA	NA
	6/19/1997	**7.0**	NA	NA	NA
	7/1/1997	NA	0.5 U	NA U	NA
	7/2/1997	NA	NA	NA	**3.4**
	7/3/1997	**15.0**	NA	NA	NA
	8/1/1997	NA	0.5 U	NA U	NA
	8/6/1997	**15.0**	NA	NA	**2.0**
	8/15/1997	**11.0**	NA	NA	NA
	9/1/1997	NA	NA	NA U	NA
	9/3/1997	NA	**0.8**	NA	**3.5**
	9/4/1997	**15.0**	NA	NA	NA
	9/10/1997	**16.0**	NA	NA	NA
	9/17/1997	**15.0**	NA	NA	NA
	9/20/1997	**15.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/22/1997	NA	**1.2**	NA	**4.3**
	9/30/1997	**16.0**	NA	NA	NA
	10/1/1997	**8.0**	**0.7**	NA U	**3.4**
	10/10/1997	**14.0**	NA	NA	NA
	10/20/1997	**16.0**	NA	NA	NA
	11/1/1997	**18.0**	NA	NA	NA
	11/5/1997	NA	**1.3**	0.5 U	**3.9**
	12/1/1997	**22.0**	NA	NA U	NA
	12/4/1997	**7.0**	NA	NA	NA
	12/8/1997	NA	**0.8**	NA	**5.8**
	12/14/1997	**7.0**	NA	NA	NA
	12/18/1997	**19.0**	NA	NA	NA
	12/24/1997	**22.0**	NA	NA	NA
	1/1/1998	**19.0**	NA	NA U	NA
	1/6/1998	**26.0**	**0.7**	NA	**4.7**
	1/7/1998	**22.0**	NA	NA	NA
	1/14/1998	**27.0**	NA	NA	NA
	1/16/1998	**26.0**	NA	NA	NA
	1/19/1998	**7.0**	NA	NA	NA
	1/21/1998	**7.0**	NA	NA	NA
	1/25/1998	**27.0**	NA	NA	NA
	1/28/1998	**31.3**	NA	NA	NA
	2/1/1998	**31.3**	NA	NA	NA
	2/3/1998	NA	**2.1**	0.5 U	**3.1**
	3/1/1998	**24.5**	NA	NA U	NA
	3/4/1998	**7.9**	**0.6**	NA	**5.3**
	3/7/1998	**7.9**	NA	NA	NA
	3/11/1998	**8.4**	**1.7**	NA	**4.5**
	3/13/1998	**8.4**	NA	NA	NA
	3/18/1998	**24.0**	NA	NA	NA
	3/19/1998	**24.0**	NA	NA	NA
	3/25/1998	**24.5**	NA	NA	NA
	4/1/1998	**25.7**	**1.0**	NA U	**3.2**
	4/7/1998	**25.7**	NA	NA	NA
	4/8/1998	**22.0**	NA	NA	NA
	4/13/1998	**22.0**	NA	NA	NA
	4/16/1998	**23.0**	NA	NA	NA
	4/19/1998	**23.0**	NA	NA	NA
	4/23/1998	**18.0**	NA	NA	NA
	4/30/1998	**15.0**	NA	NA	NA
	5/1/1998	**18.0**	NA	NA U	NA
	5/6/1998	NA	**1.3**	NA	**3.6**
	5/7/1998	**16.0**	NA	NA	NA
	5/13/1998	**17.0**	NA	NA	NA
	5/19/1998	**17.0**	NA	NA	NA
	5/25/1998	**16.0**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/27/1998	**16.0**	NA	NA	NA
	6/1/1998	**16.0**	NA	NA	0.5 U
	6/3/1998	**17.0**	NA	NA	NA
	6/7/1998	**17.0**	NA	NA	NA
	6/10/1998	**12.0**	NA	NA	NA
	6/13/1998	**12.0**	NA	NA	NA
	6/19/1998	**17.0**	NA	NA	NA
	6/24/1998	**15.0**	NA	NA	NA
	6/25/1998	**15.0**	NA	NA	NA
	7/1/1998	**13.0**	**1.3**	NA U	**3.1**
	7/7/1998	**19.0**	NA	NA	NA
	7/8/1998	**19.0**	NA	NA	NA
	7/13/1998	**22.0**	NA	NA	NA
	7/15/1998	**22.0**	NA	NA	NA
	7/19/1998	**22.0**	NA	NA	NA
	8/1/1998	**25.0**	**1.6**	NA U	**3.5**
	8/3/1998	**15.8**	NA	NA	NA
	8/7/1998	**24.0**	NA	NA	NA
	8/13/1998	**25.0**	NA	NA	NA
	8/19/1998	**25.0**	NA	NA	NA
	8/27/1998	**25.0**	NA	NA	NA
	9/1/1998	**15.0**	**1.6**	NA	**3.3**
	9/7/1998	**15.0**	NA	NA	NA
	9/8/1998	**22.0**	NA	NA	NA
	9/13/1998	**22.0**	NA	NA	NA
	9/15/1998	**23.0**	NA	NA	NA
	9/19/1998	**23.0**	NA	NA	NA
	9/23/1998	**28.0**	NA	NA	NA
	9/30/1998	**27.0**	NA	NA	NA
	10/1/1998	**27.0**	NA	NA	NA
	10/7/1998	**22.8**	**1.5**	0.5 U	**3.0**
	10/8/1998	**22.8**	NA	NA	NA
	10/13/1998	**25.7**	NA	NA	NA
	10/15/1998	**25.7**	NA	NA	NA
	10/19/1998	**22.6**	NA	NA	NA
	10/23/1998	**22.6**	NA	NA	NA
	10/25/1998	**16.8**	NA	NA	NA
	10/30/1998	**16.8**	NA	NA	NA
	11/1/1998	**21.6**	0.5 U	NA U	**2.7**
	11/2/1998	**21.6**	NA	NA	NA
	11/7/1998	**19.0**	NA	NA	NA
	11/9/1998	**19.0**	NA	NA	NA
	11/13/1998	**19.8**	NA	NA	NA
	11/16/1998	**19.8**	NA	NA	NA
	11/19/1998	**25.2**	NA	NA	NA
	11/23/1998	**25.2**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/1/1998	**25.3**	**2.3**	NA U	**3.7**
	12/8/1998	5.0 U	NA	NA	NA
	12/15/1998	5.0 U	NA	NA	NA
	12/19/1998	**16.0**	NA	NA	NA
	12/22/1998	**16.0**	NA	NA	NA
	12/29/1998	5.0 U	NA	NA	NA
	1/6/1999	5.0 U	NA	NA	NA
	1/7/1999	**27.9**	NA	NA	NA
	1/13/1999	**27.9**	NA	NA	NA
	1/19/1999	**25.3**	NA	NA	NA
	1/20/1999	**18.9**	NA	NA	NA
	1/27/1999	**25.3**	NA	NA	NA
	2/1/1999	NA	**2.1**	NA U	**3.1**
	2/3/1999	**25.3**	NA	NA	NA
	2/7/1999	**25.7**	NA	NA	NA
	2/10/1999	**25.7**	NA	NA	NA
	3/4/1999	**18.0**	NA	NA	NA
	3/17/1999	**18.6**	NA	NA	NA
	4/14/1999	**3.0 J**	NA	NA	NA
	5/1/1999	NA	**1.2**	NA U	**2.0**
	5/12/1999	**13.9**	NA	NA	NA
	5/18/1999	**18.4**	NA	NA	NA
	5/26/1999	**22.9**	NA	NA	NA
	6/1/1999	NA	**3.0**	**0.5**	**3.7**
	6/2/1999	**23.0**	NA	NA	NA
	6/9/1999	**26.4**	NA	NA	NA
	6/10/1999	**23.4**	NA	NA	NA
	6/16/1999	**27.3**	NA	NA	NA
	6/23/1999	**26.0**	NA	NA	NA
	6/30/1999	**17.2**	NA	NA	NA
	7/1/1999	**33.5**	**2.5**	NA U	**3.2**
	7/7/1999	**24.4**	NA	NA	NA
	7/14/1999	**23.5**	NA	NA	NA
	7/21/1999	5.0 U	NA	NA	NA
	7/28/1999	**27.3**	NA	NA	NA
	8/4/1999	NA	**2.3**	0.5 U	**3.4**
	8/9/1999	**24.8**	NA	NA	NA
	8/11/1999	**25.2**	NA	NA	NA
	8/12/1999	**24.3**	NA	NA	NA
	8/15/1999	**21.2**	NA	NA	NA
	8/18/1999	**21.0**	NA	NA	NA
	8/19/1999	**27.3**	NA	NA	NA
	8/25/1999	**23.3**	NA	NA	NA
	8/31/1999	**27.3**	NA	NA	NA
	9/1/1999	**19.6**	NA	NA	NA
	9/7/1999	**24.8**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/8/1999	**24.8**	**2.3**	**0.6**	**3.5**
	9/15/1999	**21.2**	NA	NA	NA
	9/25/1999	**24.6**	NA	NA	NA
	9/30/1999	**26.5**	NA	NA	NA
	10/1/1999	**23.4**	NA	NA	NA
	10/7/1999	**35.9**	NA	NA	NA
	10/11/1999	**22.5**	**1.9**	0.5 U	**2.9**
	10/13/1999	**26.1**	NA	NA	NA
	10/19/1999	**28.0**	NA	NA	NA
	11/1/1999	**24.7**	NA	NA	NA
	11/10/1999	NA	**2.3**	0.5 U	**3.2**
	11/13/1999	**24.0**	NA	NA	NA
	11/19/1999	**25.1**	NA	NA	NA
	12/1/1999	NA	**2.3**	**0.6**	**3.9**
	12/7/1999	**24.3**	NA	NA	NA
	12/13/1999	**29.1**	NA	NA	NA
	12/19/1999	**33.5**	NA	NA	NA
	12/25/1999	**24.3**	NA	NA	NA
	1/1/2000	**27.4**	**2.1**	NA U	**3.3**
	1/7/2000	**23.5**	NA	NA	NA
	1/13/2000	**21.5**	NA	NA	NA
	1/26/2000	**24.9**	NA	NA	NA
	2/2/2000	**22.6**	NA	NA	NA
	2/10/2000	NA	**2.0**	0.5 U	**3.0**
	2/18/2000	**25.7**	NA	NA	NA
	2/28/2000	**19.8**	NA	NA	NA
	3/2/2000	**35.0**	NA	NA	NA
	3/6/2000	NA	**2.0**	0.5 U	**3.0**
	3/7/2000	**26.9**	NA	NA	NA
	3/16/2000	**25.0**	NA	NA	NA
	3/23/2000	**19.0**	NA	NA	NA
	3/29/2000	**25.0**	NA	NA	NA
	4/1/2000	**21.7**	NA	NA	NA
	4/7/2000	**22.1**	NA	NA	NA
	4/12/2000	NA	**4.4**	0.5 U	**3.1**
	4/13/2000	**21.9**	NA	NA	NA
	4/19/2000	**27.0**	NA	NA	NA
	5/1/2000	**27.4**	NA	NA	NA
	5/7/2000	**29.8**	NA	NA	NA
	5/10/2000	NA	**3.2**	0.5 U	**3.3**
	6/7/2000	NA	**3.0**	**1.0**	**2.0**
	6/8/2000	**21.1**	NA	NA	NA
	6/14/2000	**22.7**	NA	NA	NA
	6/22/2000	**23.7**	NA	NA	NA
	7/6/2000	**16.5**	NA	NA	NA
	7/12/2000	**33.5**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/13/2000	**27.0**	NA	NA	NA
	7/19/2000	**38.8**	NA	NA	NA
	8/1/2000	**28.9**	**3.0**	0.5 U	**3.0**
	8/2/2000	**16.0**	NA	NA	NA
	8/7/2000	**28.5**	NA	NA	NA
	8/10/2000	5.0 U	NA	NA	NA
	8/13/2000	**25.6**	NA	NA	NA
	8/17/2000	**23.0**	NA	NA	NA
	8/19/2000	**19.6**	NA	NA	NA
	8/23/2000	**24.0**	NA	NA	NA
	8/24/2000	**24.0**	NA	NA	NA
	8/30/2000	**29.0**	NA	NA	NA
	9/1/2000	**28.9**	NA	NA	NA
	9/4/2000	NA	**2.0**	0.5 U	**3.0**
	9/7/2000	**29.0**	NA	NA	NA
	9/12/2000	**26.0**	NA	NA	NA
	9/21/2000	**25.0**	NA	NA	NA
	9/28/2000	**25.0**	NA	NA	NA
	10/4/2000	**35.3**	NA	NA	NA
	10/9/2000	NA	**2.8**	0.5 U	**3.4**
	10/11/2000	**27.1**	NA	NA	NA
	10/18/2000	**25.5**	NA	NA	NA
	10/25/2000	**23.1**	NA	NA	NA
	11/2/2000	**16.9**	NA	NA	NA
	11/6/2000	NA	**3.0**	0.5 U	**3.2**
	11/9/2000	**26.0**	NA	NA	NA
	11/15/2000	**22.7**	NA	NA	NA
	11/22/2000	**24.2**	NA	NA	NA
	11/30/2000	**27.1**	NA	NA	NA
	12/7/2000	**24.1**	NA	NA	NA
	12/12/2000	NA	0.5 U	**1.7**	**1.8**
	12/13/2000	**27.4**	NA	NA	NA
	12/21/2000	**23.0**	NA	NA	NA
	12/28/2000	**26.9**	NA	NA	NA
	1/2/2001	NA	**2.6**	**0.5**	**3.5**
	1/4/2001	**35.0**	NA	NA	NA
	1/23/2001	**24.4**	NA	NA	NA
	2/1/2001	**28.9**	NA	NA	NA
	2/7/2001	**28.5**	NA	NA	NA
	2/13/2001	**25.6**	NA	NA	NA
	2/19/2001	**19.6**	NA	NA	NA
	3/1/2001	NA	**1.9**	**2.9**	0.5 U
	3/14/2001	**17.3**	NA	NA	NA
	3/21/2001	**25.8**	NA	NA	NA
	3/29/2001	**19.8**	NA	NA	NA
	4/1/2001	NA	**3.2**	**0.7**	**3.6**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/4/2001	**26.7**	NA	NA	NA
	4/7/2001	**35.1**	NA	NA	NA
	5/1/2001	NA	**2.6**	NA U	**2.8**
	5/22/2001	**34.7**	NA	NA	NA
	5/30/2001	5.0 U	NA	NA	NA
	6/1/2001	NA	**2.6**	NA U	**2.6**
	6/5/2001	**34.9**	NA	NA	NA
	6/13/2001	**33.7**	NA	NA	NA
	6/20/2001	**33.3**	NA	NA	NA
	6/26/2001	**35.1**	NA	NA	NA
	7/3/2001	**31.4**	NA	NA	NA
	7/11/2001	**33.3**	**3.2**	0.5 U	**3.1**
	7/18/2001	**35.4**	NA	NA	NA
	7/25/2001	**27.0**	NA	NA	NA
	8/1/2001	5.0 U	NA	NA	NA
	8/8/2001	**24.1**	NA	NA	NA
	8/15/2001	**22.4**	NA	NA	NA
	8/22/2001	**22.6**	NA	NA	NA
	8/29/2001	**22.0**	NA	NA	NA
	9/5/2001	**23.7**	NA	NA	NA
	9/12/2001	**22.5**	**2.6**	0.5 U	**3.0**
	9/19/2001	**23.1**	NA	NA	NA
	9/27/2001	**26.4**	NA	NA	NA
	10/2/2001	NA	**1.7**	0.5 U	**1.9**
	10/3/2001	**27.5**	NA	NA	NA
	10/10/2001	**27.0**	NA	NA	NA
	10/17/2001	**22.5**	NA	NA	NA
	10/24/2001	**22.6**	NA	NA	NA
	10/31/2001	**25.0**	NA	NA	NA
	11/7/2001	NA	**1.7**	0.5 U	**1.9**
	11/13/2001	**22.7**	NA	NA	NA
	11/21/2001	**22.6**	NA	NA	NA
	11/29/2001	**22.4**	NA	NA	NA
	12/5/2001	NA	**1.8**	0.5 U	**2.8**
	12/12/2001	**21.6**	NA	NA	NA
	12/19/2001	**22.3**	NA	NA	NA
	12/26/2001	**25.8**	NA	NA	NA
	1/2/2002	**26.0**	NA	NA	NA
	1/9/2002	**23.2**	NA	NA	NA
	1/16/2002	**23.3**	NA	NA	NA
	4/24/2002	NA	**1.2**	**1.0**	**3.4**
	5/15/2002	NA	**1.6**	**0.9**	**3.0**
	6/1/2002	NA	**1.2**	**0.9**	**2.5**
	6/5/2002	**14.7**	**1.2**	**0.9**	**2.5**
	7/1/2002	NA	**0.7**	**1.0**	**2.5**
	7/2/2002	**11.9**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/17/2002	NA	**0.7**	**1.0**	**2.5**
	8/1/2002	NA	0.5 U	**1.0**	**2.5**
	8/2/2002	**12.4**	NA	NA	NA
	8/14/2002	**12.4**	NA	NA	NA
	9/1/2002	NA	**0.6**	**0.8**	**1.6**
	9/18/2002	**12.2**	NA	NA	NA
	10/9/2002	**15.5**	NA	NA	NA
	3/22/2011	**15.8**	0.5 U	**0.8**	**0.9**
	3/29/2011	**16.8**	0.5 U	**0.6**	**0.7**
	10/2/2012	**6.7**	0.5 U	0.5 U	**0.6**
	10/9/2012	**7.2**	0.5 U	0.5 U	**0.6**
	10/11/2012	**7.4**	NA	NA	NA
	10/17/2012	**6.9**	0.5 U	0.5 U	**0.6**
	10/23/2012	**7.9**	0.5 U	0.5 U	**0.6**
	10/30/2012	**6.8**	0.5 U	0.5 U	**0.7**
	11/6/2012	**8.6**	0.5 U	0.5 U	**0.8**
	11/13/2012	**7.6**	0.5 U	0.5 U	**0.8**
	11/20/2012	**7.5**	0.5 U	**0.5**	**0.9**
	11/27/2012	**7.2**	**3.8**	**0.5**	**1.0**
	12/4/2012	**7.6**	0.5 U	0.5 U	**0.9**
	12/11/2012	**9.7**	0.5 U	0.5 U	**0.9**
	12/18/2012	**7.3**	0.5 U	0.5 U	**1.0**
	12/24/2012	**7.9**	0.5 U	0.5 U	**1.1**
	1/2/2013	**8.4**	0.5 U	**0.5**	**1.2**
	1/8/2013	**7.2**	0.5 U	0.5 U	**1.1**
	1/15/2013	**7.5**	0.5 U	0.5 U	**1.0**
	1/22/2013	**8.2**	0.5 U	**0.5**	**1.5**
	2/13/2013	**8.2**	0.5 U	0.5 U	**1.3**
	2/19/2013	**9.5**	0.5 U	**0.5**	**1.3**
	2/26/2013	**8.4**	0.5 U	0.5 U	**1.3**
	3/5/2013	**7.5**	0.5 U	0.5 U	**1.2**
	3/12/2013	**6.5**	0.5 U	0.5 U	**1.3**
	3/19/2013	**11.4**	0.5 U	0.5 U	**1.3**
	3/26/2013	**6.3**	0.5 U	0.5 U	**1.4**
	4/2/2013	**9.7**	0.5 U	**0.5**	**1.4**
	4/10/2013	**15.1**	0.5 U	0.5 U	**1.4**
	8/14/2013	**7.5**	0.5 U	**0.8**	**4.2**
	9/10/2013	**8.5**	0.5 U	**0.7**	**2.4**
	9/17/2013	**7.7**	0.5 U	**0.6**	**2.2**
	9/24/2013	**6.9**	0.5 U	**0.6**	**2.2**
	11/5/2013	**6.8**	0.5 U	0.5 U	**1.7**
	11/13/2013	**6.5**	0.5 U	**0.6**	**2.1**
	11/19/2013	**6.3**	0.5 U	**0.7**	**2.1**
	11/26/2013	**5.8**	0.5 U	**0.6**	**2.1**
	12/3/2013	**6.3**	0.5 U	**0.6**	**2.0**
	12/10/2013	**6.0**	0.5 U	**0.6**	**2.1**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/17/2013	5.7	0.5 U	0.7	2.3
	12/24/2013	6.1	0.5 U	0.7	2.3
	12/31/2013	5.6	0.5 U	0.6	2.1
	2/11/2014	7.3	0.5 U	0.7	2.5
	2/18/2014	5.9	0.5 U	0.7	2.3
	2/25/2014	6.1	0.5 U	0.6	2.2
	3/11/2014	6.4	0.5 U	0.7	2.4
	3/18/2014	6.7	0.5 U	0.6	2.3
	3/25/2014	7.0	0.5 U	0.7	2.3
	4/1/2014	6.9	0.5 U	0.6	2.2
	4/8/2014	8.2	0.5 U	0.6	2.2
	4/15/2014	7.0	0.5 U	0.6	2.3
	4/22/2014	7.5	0.5 U	0.7	2.6
	4/29/2014	NA	0.5 U	0.7	2.6
	5/20/2014	5.5	0.5 U	0.6	3.1
	5/27/2014	4.5	0.5 U	0.7	2.7
	6/3/2014	5.2	0.5 U	0.6	2.7
	6/10/2014	5.1	0.5 U	0.7	3.0
	6/24/2014	NA	0.5 U	0.7	2.8
	7/1/2014	5.3	0.5 U	0.7	3.3
	7/8/2014	5.5	0.5 U	0.8	3.6
	7/15/2014	5.7	0.5 U	0.8	3.7
	7/22/2014	5.8	0.5 U	0.7	2.8
	7/29/2014	4.9	0.5 U	0.8	3.4
	8/12/2014	5.3	0.5 U	0.5 U	1.9
	8/19/2014	5.2	0.5 U	0.7	3.0
	8/26/2014	5.2	0.5 U	0.8	3.8
	9/2/2014	5.2	0.5 U	0.7	3.0
	11/25/2014	6.6	0.5 U	0.7	3.3
	2/10/2015	5.2	0.5 U	0.9	6.1
	5/19/2015	5.3	1.0	0.8	5.3
	8/11/2015	5.4	0.5 U	1.0	6.5
	11/17/2015	5.8	0.5 U	0.7	4.7
	2/29/2016	5.5	0.5 U	1.0	6.4
	3/1/2016	5.6	0.5 U	0.9	5.8
	3/29/2016	5.2	0.5 U	1.0	6.4
	8/2/2016	5.0	0.5 U	0.8	5.6
	4/2/2018	4.1	0.5 U	0.8	4.9
	7/2/2018	4.1	0.5 U	0.8	4.5
	7/16/2018	4.2	0.5 U	0.9	4.5
	7/30/2018	4.0 U	0.5 U	1.0	4.8
	8/13/2018	4.2	0.5	0.9	4.2
	8/27/2018	4.0	0.5	1.0	4.7
	9/10/2018	4.0	0.5	0.9	4.4
	9/24/2018	4.0	0.5	1.1	5.0
	10/8/2018	4.0	0.5	0.8	4.0

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/22/2018	4.0	0.5	**0.9**	**4.5**
	11/5/2018	**4.3**	0.5 U	**0.9**	**4.7**
	11/26/2018	**4.7**	0.5 U	**0.8**	**4.5**
	12/10/2018	**5.1**	0.5 U	**0.9**	**4.8**
	1/7/2019	**4.5**	0.5 U	**0.8**	**4.8**
	1/23/2019	**5.4**	0.5 U	**0.8**	**4.5**
	2/4/2019	**4.4**	0.5 U	**1.0**	**4.9**
	2/25/2019	**4.4**	0.5 U	**0.9**	**4.8**
	3/11/2019	**4.0**	0.5 U	**1.0**	**4.8**
	4/22/2019	4.0 U	0.5 U	**0.8**	**4.0**
	5/6/2019	4.0 U	0.5 U	**0.8**	**3.6**
	6/24/2019	4.0 U	0.5 U	**0.6**	**3.1**
	7/8/2019	4.0 U	0.5 U	**0.7**	**3.1**
	7/24/2019	4.0 U	0.5 U	**0.7**	**3.2**
	9/9/2019	**5.0**	0.5 U	**0.7**	**3.1**
	10/7/2019	4.0 U	0.5 U	**0.7**	**3.2**
	11/25/2019	**4.3**	0.5 U	**0.8**	**3.1**
	12/9/2019	4.0 U	0.5 U	**0.7**	**3.3**
	12/16/2019	4.0 U	0.5 U	**0.8**	**3.3**
	12/24/2019	4.0 U	0.5 U	**0.8**	**3.0**
	12/31/2019	4.0 U	0.5 U	**0.8**	**3.1**
	1/7/2020	4.0 U	0.5 U	**0.8**	**3.2**
	1/14/2020	4.0 U	0.5 U	**0.6**	**2.3**
	1/21/2020	4.0 U	0.5 U	**0.8**	**3.3**
	2/7/2020	4.0 U	0.5 U	0.5 U	**1.8**
	2/11/2020	4.0 U	0.5 U	**0.8**	**3.2**
	2/18/2020	4.0 U	0.5 U	**0.5**	**2.4**
	2/25/2020	**4.2**	0.5 U	**0.8**	**3.2**
	3/3/2020	**5.3**	0.5 U	**0.8**	**3.5**
	3/10/2020	4.0 U	0.5 U	**0.5**	**2.2**
	3/17/2020	**4.3**	0.5 U	**0.8**	**3.0**
	3/24/2020	**4.3**	0.5 U	**0.8**	**3.0**
	3/31/2020	4.0 U	0.5 U	**0.8**	**2.9**
	4/8/2020	4.0 U	0.5 U	**0.7**	**2.9**
	4/14/2020	**4.8**	0.5 U	**0.8**	**2.9**
	4/21/2020	**4.1**	0.5 U	**0.8**	**2.9**
	4/28/2020	4.0 U	0.5 U	**0.7**	**2.7**
	5/5/2020	4.0 U	0.5 U	**0.9**	**2.9**
	5/12/2020	4.0 U	0.5 U	**0.6**	**2.3**
	5/19/2020	4.0 U	0.5 U	**0.8**	**2.6**
	5/27/2020	4.0 U	0.5 U	**0.8**	**2.6**
	6/2/2020	4.0 U	0.5 U	**0.7**	**2.6**
	6/9/2020	**4.3**	0.5 U	**0.8**	**2.5**
	6/16/2020	4.0 U	0.5 U	**0.8**	**2.5**
	6/23/2020	4.0 U	0.5 U	**0.8**	**2.6**
	6/30/2020	4.0 U	0.5 U	**0.8**	**2.2**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/7/2020	4.0 U	0.5 U	**0.7**	**2.3**
	7/14/2020	4.0 U	0.5 U	**0.7**	**2.4**
	7/21/2020	4.0 U	0.5 U	**0.7**	**2.3**
	7/28/2020	4.0 U	0.5 U	**0.7**	**2.3**
	8/4/2020	4.0 U	0.5 U	**0.7**	**2.4**
	8/11/2020	4.0 U	0.5 U	**0.8**	**2.4**
	8/18/2020	4.0 U	0.5 U	**0.7**	**2.4**
	8/25/2020	**4.2**	0.5 U	**0.8**	**2.5**
	9/1/2020	4.0 U	0.5 U	**0.7**	**2.3**
	9/8/2020	4.0 U	0.5 U	**0.8**	**2.3**
	9/15/2020	4.0 U	0.5 U	**0.7**	**2.3**
	9/22/2020	4.0 U	0.5 U	**0.8**	**2.4**
	9/29/2020	4.0 U	0.5 U	**0.8**	**2.3**
	10/6/2020	4.0 U	0.5 U	**0.7**	**2.2**
	10/14/2020	4.0 U	0.5 U	**0.8**	**2.2**
	10/20/2020	4.0 U	0.5 U	**0.8**	**2.3**
	10/27/2020	**4.1**	0.5 U	**0.8**	**2.3**
	11/3/2020	4.0 U	0.5 U	**0.8**	**2.1**
	11/10/2020	4.0 U	0.5 U	**0.9**	**2.3**
	11/17/2020	4.0 U	0.5 U	**0.9**	**2.3**
	11/24/2020	4.0 U	NA	NA	NA
	12/8/2020	4.0 U	0.5 U	**0.8**	**2.4**
	12/15/2020	4.0 U	0.5 U	**0.9**	**2.6**
	12/22/2020	4.0 U	0.5 U	**0.9**	**2.4**
	12/29/2020	4.0 U	0.5 U	**0.9**	**2.5**
	1/6/2021	4.0 U	0.5 U	**0.9**	**2.3**
	1/12/2021	4.0 U	0.5 U	**0.9**	**2.4**
	1/19/2021	4.0 U	0.5 U	**0.8**	**2.4**
	1/26/2021	4.0 U	NA	NA	NA
	2/2/2021	4.0 U	0.5 U	**0.8**	**2.1**
	2/9/2021	4.0 U	0.5 U	**0.8**	**2.6**
	2/16/2021	4.0 U	0.5 U	**0.9**	**2.6**
	2/23/2021	4.0 U	0.5 U	**0.9**	**2.5**
	3/2/2021	NA	0.5 U	**0.7**	**2.0**
	3/9/2021	4.0 U	0.5 U	**0.9**	**2.2**
	3/16/2021	4.0 U	0.5 U	**0.9**	**2.2**
	3/23/2021	4.0 U	0.5 U	**0.9**	**2.1**
	3/30/2021	4.0 U	0.5 U	**0.8**	**2.2**
	4/6/2021	4.0 U	0.5 U	**0.9**	**2.3**
	4/14/2021	4.0 U	0.5 U	**0.8**	**2.0**
	4/20/2021	4.0 U	0.5 U	**0.8**	**2.0**
	4/27/2021	4.0 U	0.5 U	**0.8**	**2.1**
	5/4/2021	4.0 U	0.5 U	**0.8**	**2.2**
	5/11/2021	4.0 U	0.5 U	**0.9**	**2.2**
	5/18/2021	4.0 U	0.5 U	**0.8**	**2.0**
	5/25/2021	**4.1**	0.5 U	**0.9**	**2.3**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. WINDSOR					
	1/3/1996	NA	0.5 U	0.5 U	**0.7**
	3/7/1996	NA	0.5 U	0.5 U	0.5 U
	4/3/1996	NA	0.5 U	**0.7**	**0.9**
	4/16/1996	NA	0.5 U	**0.9**	**1.0**
	5/1/1996	NA	0.5 U	**0.8**	**0.8**
	6/5/1996	NA	0.5 U	**1.0**	**0.8**
	6/19/1996	NA	0.5 U	0.5 U	0.5 U
	7/2/1996	NA	0.5 U	0.5 U	0.5 U
	8/1/1996	NA	0.5 U	NA	NA
	8/7/1996	NA	NA	**0.8**	**0.8**
	9/1/1996	NA	0.5 U	NA	NA
	9/4/1996	NA	NA	**1.1**	**0.9**
	10/1/1996	NA	0.5 U	NA	NA
	10/2/1996	NA	NA	**1.0**	**0.9**
	11/6/1996	NA	0.5 U	0.5 U	0.5 U
	12/1/1996	NA	0.5 U	NA U	NA
	12/4/1996	NA	NA	NA	**0.8**
	1/1/1997	NA	0.5 U	NA	NA
	1/8/1997	NA	NA	**0.6**	**0.8**
	3/1/1997	NA	0.5 U	NA U	NA
	3/3/1997	NA	NA	NA	**0.8**
	3/5/1997	NA	NA	**1.0**	**1.2**
	4/1/1997	NA	0.5 U	NA	NA
	4/2/1997	NA	NA	**0.8**	**0.9**
	5/7/1997	NA	0.5 U	0.5 U	0.5 U
	6/1/1997	NA	0.5 U	NA	NA
	6/4/1997	NA	NA	**1.1**	**1.0**
	6/13/1997	5.0 U	NA	NA	NA
	6/19/1997	5.0 U	NA	NA	NA
	7/1/1997	NA	0.5 U	NA U	0.5 U
	7/3/1997	5.0 U	NA	NA	NA
	8/1/1997	NA	0.5 U	NA	0.5 U
	8/6/1997	NA	NA	**0.6**	NA
	9/3/1997	NA	NA	**1.0**	**0.7**
	9/17/1997	5.0 U	NA	NA	NA
	9/22/1997	NA	0.5 U	0.5 U	0.5 U
	10/1/1997	NA	0.5 U	**0.6**	0.5 U
	11/1/1997	NA	0.5 U	NA	NA
	11/5/1997	NA	NA	**0.8**	**0.6**
	12/1/1997	NA	0.5 U	NA	NA
	12/3/1997	NA	NA	**1.1**	**1.1**
	12/18/1997	5.0 U	NA	NA	NA
	12/24/1997	**4.0**	NA	NA	NA
	1/1/1998	NA	0.5 U	NA	NA
	1/6/1998	5.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/7/1998	NA	NA	**0.7**	**0.8**
	1/14/1998	5.0 U	NA	NA	NA
	1/16/1998	5.0 U	NA	NA	NA
	1/21/1998	5.0 U	NA	NA	NA
	2/3/1998	NA	0.5 U	**1.1**	**1.2**
	4/1/1998	NA	0.5 U	NA	0.5 U
	4/13/1998	5.0 U	NA	**0.7**	NA
	4/16/1998	5.0 U	NA	NA	NA
	4/23/1998	5.0 U	NA	NA	NA
	4/30/1998	5.0 U	NA	NA	NA
	5/1/1998	NA	0.5 U	NA	0.5 U
	5/7/1998	5.0 U	NA	NA	NA
	5/13/1998	5.0 U	NA	**1.1**	NA
	5/27/1998	5.0 U	NA	NA	NA
	6/1/1998	NA	0.5 U	NA	NA
	6/3/1998	5.0 U	NA	NA	NA
	6/10/1998	5.0 U	NA	NA	NA
	6/24/1998	5.0 U	NA	NA	NA
	7/1/1998	5.0 U	NA	NA	NA
	7/8/1998	5.0 U	NA	NA	NA
	7/15/1998	**3.0**	NA	NA	NA
	8/1/1998	NA	0.5 U	**1.0**	**0.7**
	8/3/1998	**15.7**	NA	NA	NA
	8/27/1998	**2.7**	NA	NA	NA
	9/1/1998	5.0 U	NA	NA	NA
	9/8/1998	5.0 U	NA	NA	NA
	9/15/1998	5.0 U	NA	NA	NA
	9/23/1998	5.0 U	NA	NA	NA
	9/30/1998	5.0 U	NA	NA	NA
	10/1/1998	5.0 U	NA	NA	NA
	10/7/1998	NA	0.5 U	**1.2**	**1.0**
	10/8/1998	5.0 U	NA	NA	NA
	10/15/1998	5.0 U	NA	NA	NA
	10/23/1998	5.0 U	NA	NA	NA
	10/30/1998	5.0 U	NA	NA	NA
	11/1/1998	NA	0.5 U	**1.0**	**1.0**
	11/2/1998	5.0 U	NA	NA	NA
	11/9/1998	5.0 U	NA	NA	NA
	11/16/1998	5.0 U	NA	NA	NA
	11/23/1998	5.0 U	NA	NA	NA
	12/1/1998	5.0 U	NA	NA	NA
	12/8/1998	5.0 U	NA	NA	NA
	12/15/1998	5.0 U	NA	NA	NA
	12/22/1998	5.0 U	NA	NA	NA
	12/29/1998	5.0 U	NA	NA	NA
	12/30/1998	5.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/1/1999	NA	0.5 U	**0.8**	**0.7**
	1/6/1999	5.0 U	NA	NA	NA
	1/13/1999	**4.3**	NA	NA	NA
	1/20/1999	5.0 U	NA	NA	NA
	1/27/1999	**4.1**	NA	NA	NA
	2/1/1999	NA	0.5 U	**1.1**	**1.2**
	2/3/1999	**5.6**	NA	NA	NA
	2/10/1999	5.0 U	NA	NA	NA
	3/4/1999	**2.6**	NA	NA	NA
	3/17/1999	5.0 U	NA	NA	NA
	5/1/1999	NA	0.5 U	**1.5**	**1.8**
	5/12/1999	**3.3**	NA	NA	NA
	5/18/1999	**2.6**	NA	NA	NA
	5/26/1999	**2.5**	NA	NA	NA
	6/1/1999	NA	0.5 U	**1.2**	**1.3**
	6/2/1999	**3.9**	NA	NA	NA
	6/9/1999	5.0 U	NA	NA	NA
	6/10/1999	5.0 U	NA	NA	NA
	6/16/1999	**2.8**	NA	NA	NA
	6/23/1999	**4.9**	NA	NA	NA
	6/30/1999	5.0 U	NA	NA	NA
	7/1/1999	4.0 U	0.5 U	**1.2**	**1.2**
	7/7/1999	**1.9**	NA	NA	NA
	7/14/1999	5.0 U	NA	NA	NA
	7/21/1999	5.0 U	NA	NA	NA
	7/28/1999	5.0 U	NA	NA	NA
	8/4/1999	5.0 U	0.5 U	**0.9**	**1.0**
	8/9/1999	**3.6**	NA	NA	NA
	8/11/1999	5.0 U	NA	NA	NA
	8/12/1999	5.0 U	NA	NA	NA
	8/15/1999	5.0 U	NA	NA	NA
	8/18/1999	5.0 U	NA	NA	NA
	8/25/1999	5.0 U	NA	NA	NA
	8/31/1999	5.0 U	NA	NA	NA
	9/1/1999	5.0 U	NA	NA	NA
	9/8/1999	5.0 U	0.5 U	**1.6**	**1.4**
	9/15/1999	5.0 U	NA	NA	NA
	9/25/1999	4.0 U	NA	NA	NA
	9/30/1999	5.0 U	NA	NA	NA
	10/1/1999	4.0 U	NA	NA	NA
	10/7/1999	4.0 U	NA	NA	NA
	10/11/1999	**2.9**	0.5 U	**1.2**	**1.1**
	10/19/1999	4.0 U	NA	NA	NA
	11/1/1999	4.0 U	NA	NA	NA
	11/7/1999	4.0 U	NA	NA	NA
	11/10/1999	NA	0.5 U	**1.3**	**1.3**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	11/13/1999	4.0 U	NA	NA	NA
	11/19/1999	4.0 U	NA	NA	NA
	12/1/1999	4.0 U	0.5 U	**1.8**	**1.7**
	12/7/1999	4.0 U	NA	NA	NA
	1/1/2000	NA	0.5 U	**1.3**	**1.3**
	1/26/2000	5.0 U	NA	NA	NA
	2/2/2000	5.0 U	NA	NA	NA
	2/10/2000	5.0 U	NA	NA	NA
	2/18/2000	5.0 U	NA	NA	NA
	2/28/2000	5.0 U	NA	NA	NA
	3/2/2000	5.0 U	NA	NA	NA
	3/6/2000	NA	0.5 U	**1.0**	**1.0**
	3/16/2000	5.0 U	NA	NA	NA
	3/23/2000	5.0 U	NA	NA	NA
	4/12/2000	NA	0.5 U	0.5 U	**0.6**
	5/1/2000	5.0 U	NA	NA	NA
	5/10/2000	NA	0.5 U	**1.3**	**1.3**
	6/7/2000	NA	0.5 U	**1.0**	**1.0**
	6/8/2000	5.0 U	NA	NA	NA
	6/14/2000	5.0 U	NA	NA	NA
	6/22/2000	5.0 U	NA	NA	NA
	7/6/2000	5.0 U	NA	NA	NA
	7/12/2000	**5.4**	0.5 U	**1.0**	**1.0**
	8/1/2000	NA	0.5 U	**1.0**	**1.0**
	8/2/2000	5.0 U	NA	NA	NA
	8/10/2000	5.0 U	NA	NA	NA
	8/17/2000	**4.0**	NA	NA	NA
	8/23/2000	5.0 U	NA	NA	NA
	8/30/2000	**4.0**	NA	NA	NA
	9/1/2000	5.0 U	NA	NA	NA
	9/4/2000	NA	0.5 U	**1.0**	**2.0**
	9/7/2000	**5.0**	NA	NA	NA
	9/12/2000	**3.0**	NA	NA	NA
	9/21/2000	**3.0**	NA	NA	NA
	9/28/2000	5.0 U	NA	NA	NA
	10/4/2000	**5.7**	NA	NA	NA
	10/9/2000	NA	0.5 U	**1.5**	**1.7**
	10/11/2000	**5.3**	NA	NA	NA
	10/18/2000	**3.5**	NA	NA	NA
	10/25/2000	**3.8**	NA	NA	NA
	11/2/2000	**3.9**	NA	NA	NA
	11/6/2000	NA	0.5 U	**1.5**	**1.7**
	11/9/2000	**4.9**	NA	NA	NA
	11/13/2000	**4.0**	NA	NA	NA
	11/22/2000	**4.5**	NA	NA	NA
	11/30/2000	**6.3**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/7/2000	**6.6**	NA	NA	NA
	12/12/2000	NA	**2.3**	**0.5**	**3.4**
	12/13/2000	**6.2**	NA	NA	NA
	12/21/2000	**5.6**	NA	NA	NA
	12/28/2000	**7.4**	NA	NA	NA
	1/2/2001	NA	0.5 U	**1.5**	**1.6**
	1/4/2001	**8.6**	NA	NA	NA
	1/23/2001	**5.2**	NA	NA	NA
	2/1/2001	4.0 U	NA	NA	NA
	2/7/2001	**4.9**	NA	NA	NA
	2/13/2001	**3.2 J**	NA	NA	NA
	2/19/2001	**3.6 J**	NA	NA	NA
	3/1/2001	NA	0.5 U	**1.4**	**1.8**
	3/14/2001	**6.0**	NA	NA	NA
	3/21/2001	**5.6**	NA	NA	NA
	3/29/2001	**4.9**	NA	NA	NA
	4/1/2001	NA	0.5 U	**1.6**	**1.9**
	4/4/2001	**5.9**	NA	NA	NA
	4/12/2001	**5.8**	NA	NA	NA
	4/18/2001	**5.5**	NA	NA	NA
	4/25/2001	**5.7**	NA	NA	NA
	5/1/2001	NA	0.5 U	**1.5**	**1.8**
	5/2/2001	**5.8**	NA	NA	NA
	5/9/2001	**6.5**	NA	NA	NA
	5/16/2001	**6.5**	NA	NA	NA
	5/22/2001	**5.7**	NA	NA	NA
	5/30/2001	**4.6**	NA	NA	NA
	6/1/2001	NA	0.5 U	**1.1**	**1.2**
	6/5/2001	**5.6**	NA	NA	NA
	6/13/2001	**4.7**	NA	NA	NA
	6/20/2001	**4.3**	NA	NA	NA
	6/26/2001	**3.7**	NA	NA	NA
	7/3/2001	**3.9**	NA	NA	NA
	7/11/2001	**5.9**	0.5 U	**1.2**	**1.4**
	7/18/2001	**5.5**	NA	NA	NA
	7/25/2001	**3.9**	NA	NA	NA
	8/1/2001	**4.8**	NA	NA	NA
	8/8/2001	**4.8**	NA	NA	NA
	8/15/2001	**4.4**	0.5 U	**1.2**	**1.5**
	8/22/2001	**4.8**	NA	NA	NA
	8/29/2001	**4.8**	NA	NA	NA
	9/5/2001	5.0 U	NA	NA	NA
	9/11/2001	NA	0.5 U	**1.2**	**1.5**
	9/12/2001	**5.2**	NA	NA	NA
	9/19/2001	5.0 U	NA	NA	NA
	9/27/2001	**6.4**	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/2/2001	NA	0.5 U	**1.1**	**1.0**
	10/3/2001	**4.5**	NA	NA	NA
	10/10/2001	**4.7**	NA	NA	NA
	10/17/2001	**4.6**	NA	NA	NA
	10/24/2001	**4.6**	NA	NA	NA
	10/31/2001	**4.9**	NA	NA	NA
	11/7/2001	**5.1**	NA	NA	NA
	11/13/2001	**4.0**	NA	NA	NA
	11/21/2001	**4.0**	NA	NA	NA
	11/29/2001	**4.8**	NA	NA	NA
	12/5/2001	**4.0**	NA	NA	NA
	12/12/2001	**4.2**	NA	NA	NA
	12/19/2001	**4.0**	NA	NA	NA
	12/26/2001	**4.0**	NA	NA	NA
	1/2/2002	**5.6**	NA	NA	NA
	1/9/2002	NA	0.5 U	**1.7**	**1.6**
	1/16/2002	**4.8**	NA	NA	NA
	4/24/2002	**5.8**	NA	NA	NA
	5/15/2002	**5.5**	NA	NA	NA
	6/5/2002	**5.7**	NA	NA	NA
	7/17/2002	**4.3**	0.5 U	**1.4**	**1.7**
	8/14/2002	NA	0.5 U	**1.3**	**1.4**
	9/18/2002	**5.4**	NA	NA	NA
	10/9/2002	**4.7**	NA	NA	NA
	7/9/2013	4.0 U	NA	NA	NA
	7/23/2013	NA	0.5 U	0.5 U	0.5 U
	5/26/2015	NA	0.5 U	**1.2**	**2.4**
	5/28/2015	4.0 U	0.5 U	**1.2**	**2.4**
RUBIO CANON LAND & WATER ASSOCIATION WELL 04					
	6/17/1997	**6.0**	NA	NA	NA
	6/24/1997	**4.0**	NA	NA	NA
	9/16/1997	**5.0**	NA	NA	NA
	6/1/1998	NA	NA	NA	0.5 U
	7/6/1998	NA	0.5 U	0.5 U	0.5 U
	7/26/1999	**5.1**	0.5 U	0.5 U	0.5 U
	4/24/2000	5.0 U	0.5 U	0.5 U	0.5 U
	7/3/2000	**5.3**	NA	NA	NA
	1/2/2001	5.0 U	NA	NA	NA
	1/29/2001	NA	0.5 U	0.5 U	0.5 U
	4/29/2002	**4.2**	NA	NA	NA
	7/1/2002	**4.4**	NA	NA	NA
	1/13/2003	5.0 U	0.5 U	0.5 U	0.5 U
	4/7/2003	4.0 U	NA	NA	NA
	7/8/2003	4.0 U	NA	NA	NA
	10/6/2003	**4.3**	NA	NA	NA
	1/20/2004	NA	0.5 U	0.5 U	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/5/2004	4.0 U	NA	NA	NA
	5/3/2004	4.0 U	NA	NA	NA
	6/1/2004	4.0 U	NA	NA	NA
	7/6/2004	4.0 U	NA	NA	NA
	8/2/2004	4.0 U	NA	NA	NA
	9/7/2004	4.0 U	NA	NA	NA
	10/4/2004	4.0 U	NA	NA	NA
	11/1/2004	**5.5**	NA	NA	NA
	12/6/2004	4.0 U	NA	NA	NA
	1/3/2005	4.0 U	NA	NA	NA
	1/18/2005	NA	0.5 U	0.5 U	0.5 U
	2/7/2005	4.0 U	NA	NA	NA
	3/7/2005	4.0 U	NA	NA	NA
	4/4/2005	4.0 U	NA	NA	NA
	5/2/2005	4.0 U	NA	NA	NA
	6/6/2005	4.0 U	NA	NA	NA
	7/5/2005	4.0 U	NA	NA	NA
	8/1/2005	4.0 U	NA	NA	NA
	9/6/2005	4.0 U	NA	NA	NA
	10/3/2005	**4.0**	NA	NA	NA
	11/7/2005	4.0 U	NA	NA	NA
	12/5/2005	4.0 U	NA	NA	NA
	1/3/2006	4.0 U	NA	NA	NA
	2/7/2006	4.0 U	NA	NA	NA
	3/6/2006	4.0 U	NA	NA	NA
	4/3/2006	4.0 U	NA	NA	NA
	5/1/2006	4.0 U	NA	NA	NA
	6/5/2006	4.0 U	NA	NA	NA
	7/3/2006	4.0 U	NA	NA	NA
	8/7/2006	4.0 U	NA	NA	NA
	9/5/2006	4.0 U	NA	NA	NA
	10/2/2006	4.0 U	NA	NA	NA
	11/6/2006	4.0 U	NA	NA	NA
	1/2/2007	4.0 U	NA	NA	NA
	2/5/2007	4.0 U	NA	NA	NA
	3/5/2007	4.0 U	NA	NA	NA
	3/12/2007	NA	0.5 U	0.5 U	0.5 U
	4/2/2007	4.0 U	NA	NA	NA
	5/7/2007	4.0 U	NA	NA	NA
	6/4/2007	4.0 U	NA	NA	NA
	8/6/2007	4.0 U	NA	NA	NA
	9/4/2007	4.0 U	NA	NA	NA
	10/1/2007	4.0 U	NA	NA	NA
	11/5/2007	4.0 U	NA	NA	NA
	12/3/2007	4.0 U	NA	NA	NA
	1/2/2008	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/14/2008	4.0 U	0.5 U	0.5 U	0.5 U
	2/5/2008	4.0 U	NA	NA	NA
	3/3/2008	4.0 U	NA	NA	NA
	4/7/2008	4.0 U	NA	NA	NA
	6/2/2008	4.0 U	NA	NA	NA
	9/2/2008	4.0 U	NA	NA	NA
	10/6/2008	4.0 U	NA	NA	NA
	11/24/2008	4.0 U	NA	NA	NA
	12/1/2008	4.0 U	NA	NA	NA
	12/8/2008	4.0 U	NA	NA	NA
	12/15/2008	4.0 U	NA	NA	NA
	12/22/2008	4.0 U	NA	NA	NA
	12/29/2008	4.0 U	NA	NA	NA
	1/5/2009	4.0 U	NA	NA	NA
	2/23/2009	4.0 U	NA	NA	NA
	3/2/2009	4.0 U	NA	NA	NA
	3/9/2009	4.0 U	NA	NA	NA
	3/16/2009	4.0 U	NA	NA	NA
	3/23/2009	4.0 U	NA	NA	NA
	3/30/2009	4.0 U	NA	NA	NA
	4/6/2009	4.0 U	NA	NA	NA
	4/13/2009	4.0 U	NA	NA	NA
	4/20/2009	4.0 U	NA	NA	NA
	4/27/2009	4.0 U	NA	NA	NA
	5/4/2009	4.0 U	NA	NA	NA
	5/5/2009	4.0 U	NA	NA	NA
	5/6/2009	4.0 U	NA	NA	NA
	5/7/2009	4.0 U	NA	NA	NA
	5/8/2009	4.0 U	NA	NA	NA
	5/9/2009	4.0 U	NA	NA	NA
	5/10/2009	4.0 U	NA	NA	NA
	5/11/2009	4.0 U	NA	NA	NA
	5/12/2009	4.0 U	NA	NA	NA
	5/13/2009	4.0 U	NA	NA	NA
	5/14/2009	4.0 U	NA	NA	NA
	5/15/2009	4.0 U	NA	NA	NA
	5/16/2009	4.0 U	NA	NA	NA
	5/17/2009	4.0 U	NA	NA	NA
	5/18/2009	4.0 U	NA	NA	NA
	5/19/2009	4.0 U	NA	NA	NA
	5/20/2009	4.0 U	NA	NA	NA
	5/21/2009	4.0 U	NA	NA	NA
	5/22/2009	4.0 U	NA	NA	NA
	5/23/2009	4.0 U	NA	NA	NA
	5/24/2009	4.0 U	NA	NA	NA
	5/25/2009	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/26/2009	4.0 U	NA	NA	NA
	5/27/2009	4.0 U	NA	NA	NA
	5/29/2009	4.0 U	NA	NA	NA
	5/30/2009	4.0 U	NA	NA	NA
	5/31/2009	4.0 U	NA	NA	NA
	6/1/2009	4.0 U	NA	NA	NA
	6/2/2009	4.0 U	NA	NA	NA
	6/3/2009	4.0 U	NA	NA	NA
	6/4/2009	4.0 U	NA	NA	NA
	6/5/2009	4.0 U	NA	NA	NA
	6/6/2009	4.0 U	NA	NA	NA
	6/7/2009	4.0 U	NA	NA	NA
	6/8/2009	4.0 U	NA	NA	NA
	6/9/2009	4.0 U	NA	NA	NA
	6/10/2009	4.0 U	NA	NA	NA
	6/11/2009	4.0 U	NA	NA	NA
	6/12/2009	4.0 U	NA	NA	NA
	6/15/2009	4.0 U	NA	NA	NA
	6/16/2009	4.0 U	NA	NA	NA
	6/17/2009	4.0 U	NA	NA	NA
	6/18/2009	4.0 U	NA	NA	NA
	6/19/2009	4.0 U	NA	NA	NA
	6/22/2009	4.0 U	NA	NA	NA
	6/23/2009	4.0 U	NA	NA	NA
	6/24/2009	4.0 U	NA	NA	NA
	6/25/2009	4.0 U	NA	NA	NA
	6/29/2009	4.0 U	NA	NA	NA
	7/6/2009	4.0 U	NA	NA	NA
	7/13/2009	4.0 U	NA	NA	NA
	7/20/2009	4.0 U	NA	NA	NA
	7/27/2009	4.0 U	NA	NA	NA
	8/3/2009	4.0 U	NA	NA	NA
	8/5/2009	4.0 U	NA	NA	NA
	8/10/2009	4.0 U	NA	NA	NA
	8/17/2009	4.0 U	NA	NA	NA
	8/24/2009	4.0 U	NA	NA	NA
	8/31/2009	4.0 U	NA	NA	NA
	9/8/2009	4.0 U	NA	NA	NA
	9/14/2009	4.0 U	NA	NA	NA
	9/21/2009	4.0 U	NA	NA	NA
	9/28/2009	4.0 U	NA	NA	NA
	10/5/2009	4.0 U	NA	NA	NA
	10/12/2009	4.0 U	NA	NA	NA
	11/2/2009	4.0 U	NA	NA	NA
	11/9/2009	4.0 U	NA	NA	NA
	11/16/2009	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/14/2009	4.0 U	NA	NA	NA
	12/21/2009	4.0 U	NA	NA	NA
	12/28/2009	4.0 U	NA	NA	NA
	1/4/2010	4.0 U	NA	NA	NA
	1/11/2010	4.0 U	NA	NA	NA
	2/8/2010	4.0 U	NA	NA	NA
	2/16/2010	4.0 U	NA	NA	NA
	2/22/2010	4.0 U	NA	NA	NA
	3/1/2010	4.0 U	NA	NA	NA
	3/8/2010	4.0 U	NA	NA	NA
	3/15/2010	4.0 U	NA	NA	NA
	3/22/2010	4.0 U	NA	NA	NA
	3/29/2010	4.0 U	NA	NA	NA
	4/5/2010	4.0 U	NA	NA	NA
	4/12/2010	4.0 U	NA	NA	NA
	4/19/2010	4.0 U	NA	NA	NA
	4/26/2010	4.0 U	NA	NA	NA
	6/1/2010	4.0 U	NA	NA	NA
	6/7/2010	4.0 U	NA	NA	NA
	6/14/2010	4.0 U	NA	NA	NA
	6/21/2010	4.0 U	NA	NA	NA
	6/28/2010	4.0 U	NA	NA	NA
	7/6/2010	4.0 U	NA	NA	NA
	7/12/2010	4.0 U	NA	NA	NA
	7/19/2010	4.0 U	NA	NA	NA
	7/26/2010	4.0 U	NA	NA	NA
	8/2/2010	4.0 U	NA	NA	NA
	8/9/2010	4.0 U	NA	NA	NA
	8/16/2010	4.0 U	NA	NA	NA
	8/23/2010	4.0 U	NA	NA	NA
	8/30/2010	4.0 U	NA	NA	NA
	9/7/2010	4.0 U	NA	NA	NA
	9/13/2010	4.0 U	NA	NA	NA
	9/20/2010	4.0 U	NA	NA	NA
	9/27/2010	4.0 U	NA	NA	NA
	10/4/2010	4.0 U	NA	NA	NA
	10/11/2010	4.0 U	NA	NA	NA
	10/18/2010	4.0 U	NA	NA	NA
	10/25/2010	4.0 U	NA	NA	NA
	11/15/2010	4.0 U	NA	NA	NA
	11/22/2010	4.0 U	NA	NA	NA
	11/29/2010	4.0 U	NA	NA	NA
	12/6/2010	4.0 U	NA	NA	NA
	12/13/2010	4.0 U	NA	NA	NA
	12/20/2010	4.0 U	NA	NA	NA
	12/27/2010	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/3/2011	4.0 U	NA	NA	NA
	2/7/2011	4.0 U	0.5 U	0.5 U	0.5 U
	2/14/2011	4.0 U	NA	NA	NA
	2/22/2011	4.0 U	NA	NA	NA
	3/14/2011	4.0 U	NA	NA	NA
	3/16/2011	4.0 U	NA	NA	NA
	3/21/2011	4.0 U	NA	NA	NA
	3/22/2011	4.0 U	NA	NA	NA
	3/23/2011	4.0 U	NA	NA	NA
	3/24/2011	4.0 U	NA	NA	NA
	3/28/2011	4.0 U	NA	NA	NA
	3/30/2011	4.0 U	NA	NA	NA
	4/4/2011	4.0 U	NA	NA	NA
	4/11/2011	4.0 U	NA	NA	NA
	4/18/2011	4.0 U	NA	NA	NA
	4/25/2011	4.0 U	NA	NA	NA
	5/23/2011	4.0 U	NA	NA	NA
	5/31/2011	4.0 U	NA	NA	NA
	6/6/2011	4.0 U	NA	NA	NA
	6/13/2011	4.0 U	NA	NA	NA
	6/20/2011	4.0 U	NA	NA	NA
	6/27/2011	4.0 U	NA	NA	NA
	7/5/2011	4.0 U	NA	NA	NA
	7/11/2011	4.0 U	NA	NA	NA
	7/18/2011	4.0 U	NA	NA	NA
	7/25/2011	4.0 U	NA	NA	NA
	8/1/2011	4.0 U	NA	NA	NA
	8/8/2011	4.0 U	NA	NA	NA
	8/15/2011	4.0 U	NA	NA	NA
	8/22/2011	4.0 U	NA	NA	NA
	8/29/2011	4.0 U	NA	NA	NA
	9/6/2011	4.0 U	NA	NA	NA
	9/12/2011	4.0 U	NA	NA	NA
	9/19/2011	4.0 U	NA	NA	NA
	10/3/2011	4.0 U	NA	NA	NA
	10/10/2011	4.0 U	0.5 U	0.5 U	0.5 U
	3/19/2012	4.0 U	0.5 U	0.5 U	0.5 U
	4/2/2012	4.0 U	NA	NA	NA
	4/9/2012	4.0 U	NA	NA	NA
	4/16/2012	4.0 U	NA	NA	NA
	4/23/2012	4.0 U	NA	NA	NA
	5/21/2012	4.0 U	NA	NA	NA
	5/29/2012	4.0 U	NA	NA	NA
	6/4/2012	4.0 U	NA	NA	NA
	6/11/2012	4.0 U	NA	NA	NA
	6/18/2012	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/25/2012	4.0 U	NA	NA	NA
	7/2/2012	4.0 U	NA	NA	NA
	7/9/2012	4.0 U	NA	NA	NA
	7/16/2012	4.0 U	NA	NA	NA
	7/23/2012	4.0 U	NA	NA	NA
	7/30/2012	4.0 U	NA	NA	NA
	8/6/2012	4.0 U	NA	NA	NA
	8/13/2012	4.0 U	NA	NA	NA
	8/20/2012	4.0 U	NA	NA	NA
	8/27/2012	4.0 U	NA	NA	NA
	9/17/2012	4.0 U	NA	NA	NA
	9/24/2012	4.0 U	NA	NA	NA
	10/15/2012	4.0 U	NA	NA	NA
	10/29/2012	4.0 U	NA	NA	NA
	11/5/2012	4.0 U	NA	NA	NA
	11/13/2012	4.0 U	NA	NA	NA
	11/19/2012	4.0 U	NA	NA	NA
	11/26/2012	4.0 U	NA	NA	NA
	12/3/2012	4.0 U	NA	NA	NA
	12/10/2012	4.0 U	NA	NA	NA
	12/17/2012	4.0 U	NA	NA	NA
	12/24/2012	4.0 U	NA	NA	NA
	12/31/2012	4.0 U	NA	NA	NA
	1/7/2013	4.0 U	NA	NA	NA
	1/14/2013	4.0 U	NA	NA	NA
	1/22/2013	4.0 U	NA	NA	NA
	1/28/2013	4.0 U	NA	NA	NA
	2/11/2013	4.0 U	NA	NA	NA
	2/19/2013	4.0 U	NA	NA	NA
	2/25/2013	4.0 U	NA	NA	NA
	3/4/2013	4.0 U	NA	NA	NA
	3/11/2013	4.0 U	NA	NA	NA
	3/18/2013	4.0 U	NA	NA	NA
	3/25/2013	4.0 U	NA	NA	NA
	4/1/2013	4.0 U	NA	NA	NA
	4/8/2013	4.0 U	NA	NA	NA
	4/15/2013	4.0 U	NA	NA	NA
	4/22/2013	4.0 U	NA	NA	NA
	5/13/2013	4.0 U	NA	NA	NA
	5/20/2013	4.0 U	NA	NA	NA
	5/28/2013	4.0 U	NA	NA	NA
	6/3/2013	4.0 U	NA	NA	NA
	6/10/2013	4.0 U	NA	NA	NA
	6/17/2013	4.0 U	NA	NA	NA
	6/24/2013	4.0 U	NA	NA	NA
	7/1/2013	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/8/2013	4.0 U	NA	NA	NA
	7/15/2013	4.0 U	NA	NA	NA
	7/22/2013	4.0 U	NA	NA	NA
	7/29/2013	4.0 U	NA	NA	NA
	8/5/2013	4.0 U	NA	NA	NA
	8/12/2013	4.0 U	NA	NA	NA
	8/19/2013	4.0 U	NA	NA	NA
	8/26/2013	4.0 U	NA	NA	NA
	9/3/2013	4.0 U	NA	NA	NA
	9/9/2013	4.0 U	NA	NA	NA
	9/16/2013	4.0 U	NA	NA	NA
	9/19/2013	4.0 U	NA	NA	NA
	9/23/2013	4.0 U	NA	NA	NA
	11/4/2013	4.0 U	NA	NA	NA
	11/12/2013	4.0 U	NA	NA	NA
	11/18/2013	4.0 U	NA	NA	NA
	11/25/2013	4.0 U	NA	NA	NA
	12/2/2013	4.0 U	NA	NA	NA
	12/9/2013	4.0 U	NA	NA	NA
	12/16/2013	4.0 U	NA	NA	NA
	12/23/2013	4.0 U	NA	NA	NA
	2/10/2014	4.0 U	NA	NA	NA
	2/18/2014	4.0 U	NA	NA	NA
	2/24/2014	4.0 U	NA	NA	NA
	3/3/2014	4.0 U	NA	NA	NA
	3/10/2014	4.0 U	NA	NA	NA
	3/17/2014	4.0 U	NA	NA	NA
	3/24/2014	4.0 U	NA	NA	NA
	3/31/2014	4.0 U	NA	NA	NA
	4/7/2014	4.0 U	NA	NA	NA
	4/14/2014	4.0 U	NA	NA	NA
	4/21/2014	4.0 U	NA	NA	NA
	4/28/2014	4.0 U	NA	NA	NA
	5/19/2014	4.0 U	NA	NA	NA
	5/27/2014	4.0 U	NA	NA	NA
	6/2/2014	4.0 U	NA	NA	NA
	6/9/2014	4.0 U	NA	NA	NA
	6/16/2014	4.0 U	NA	NA	NA
	6/23/2014	4.0 U	NA	NA	NA
	6/30/2014	4.0 U	NA	NA	NA
	7/7/2014	4.0 U	NA	NA	NA
	7/14/2014	4.0 U	NA	NA	NA
	7/21/2014	4.0 U	NA	NA	NA
	7/28/2014	4.0 U	NA	NA	NA
	8/11/2014	4.0 U	NA	NA	NA
	8/18/2014	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/25/2014	4.0 U	NA	NA	NA
	9/2/2014	4.0 U	NA	NA	NA
	9/8/2014	4.0 U	NA	NA	NA
	9/15/2014	4.0 U	NA	NA	NA
	9/22/2014	4.0 U	NA	NA	NA
	9/29/2014	4.0 U	NA	NA	NA
	10/6/2014	4.0 U	NA	NA	NA
	10/13/2014	4.0 U	NA	NA	NA
	10/20/2014	4.0 U	NA	NA	NA
	10/27/2014	4.0 U	NA	NA	NA
	12/1/2014	4.0 U	NA	NA	NA
	12/8/2014	4.0 U	NA	NA	NA
	12/15/2014	4.0 U	NA	NA	NA
	12/22/2014	4.0 U	NA	NA	NA
	12/29/2014	4.0 U	NA	NA	NA
	1/5/2015	4.0 U	NA	NA	NA
	1/12/2015	4.0 U	NA	NA	NA
	1/20/2015	4.0 U	NA	NA	NA
	1/26/2015	4.0 U	NA	NA	NA
	2/9/2015	4.0 U	NA	NA	NA
	2/17/2015	4.0 U	NA	NA	NA
	2/23/2015	4.0 U	NA	NA	NA
	3/2/2015	4.0 U	NA	NA	NA
	3/9/2015	4.0 U	NA	NA	NA
	3/16/2015	4.0 U	NA	NA	NA
	3/23/2015	4.0 U	NA	NA	NA
	3/30/2015	4.0 U	NA	NA	NA
	4/6/2015	4.0 U	NA	NA	NA
	4/13/2015	4.0 U	NA	NA	NA
	4/20/2015	4.0 U	NA	NA	NA
	4/27/2015	4.0 U	NA	NA	NA
	5/4/2015	4.0 U	NA	NA	NA
	5/11/2015	4.0 U	NA	NA	NA
	5/18/2015	4.0 U	NA	NA	NA
	5/26/2015	4.0 U	NA	NA	NA
	6/1/2015	4.0 U	NA	NA	NA
	6/8/2015	4.0 U	NA	NA	NA
	6/15/2015	4.0 U	NA	NA	NA
	6/22/2015	4.0 U	NA	NA	NA
	6/29/2015	4.0 U	NA	NA	NA
	7/6/2015	4.0 U	NA	NA	NA
	7/13/2015	4.0 U	NA	NA	NA
	7/20/2015	4.0 U	NA	NA	NA
	7/27/2015	4.0 U	NA	NA	NA
	8/3/2015	4.0 U	NA	NA	NA
	8/10/2015	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/17/2015	4.0 U	NA	NA	NA
	8/24/2015	4.0 U	NA	NA	NA
	8/31/2015	4.0 U	NA	NA	NA
	9/8/2015	4.0 U	NA	NA	NA
	9/14/2015	4.0 U	NA	NA	NA
	9/21/2015	4.0 U	NA	NA	NA
	9/28/2015	4.0 U	NA	NA	NA
	10/5/2015	4.0 U	NA	NA	NA
	10/12/2015	4.0 U	NA	NA	NA
	10/19/2015	4.0 U	NA	NA	NA
	10/26/2015	4.0 U	NA	NA	NA
	11/2/2015	4.0 U	NA	NA	NA
	11/9/2015	4.0 U	NA	NA	NA
	11/16/2015	4.0 U	NA	NA	NA
	11/23/2015	4.0 U	NA	NA	NA
	11/30/2015	4.0 U	NA	NA	NA
	12/7/2015	4.0 U	NA	NA	NA
	12/14/2015	4.0 U	NA	NA	NA
	12/21/2015	4.0 U	NA	NA	NA
	12/28/2015	4.0 U	NA	NA	NA
	1/4/2016	4.0 U	NA	NA	NA
	1/11/2016	4.0 U	NA	NA	NA
	1/19/2016	4.0 U	NA	NA	NA
	1/25/2016	4.0 U	NA	NA	NA
	2/1/2016	4.0 U	0.5 U	**1.9**	0.5 U
	2/8/2016	4.0 U	NA	NA	NA
	2/16/2016	4.0 U	NA	NA	NA
	2/22/2016	4.0 U	NA	NA	NA
	2/29/2016	4.0 U	NA	NA	NA
	3/7/2016	4.0 U	NA	NA	NA
	3/14/2016	4.0 U	NA	NA	NA
	3/21/2016	4.0 U	NA	NA	NA
	3/28/2016	4.0 U	NA	NA	NA
	4/4/2016	4.0 U	NA	NA	NA
	4/11/2016	4.0 U	NA	NA	NA
	4/18/2016	4.0 U	NA	NA	NA
	5/2/2016	4.0 U	NA	NA	NA
	5/9/2016	4.0 U	NA	NA	NA
	5/16/2016	4.0 U	NA	NA	NA
	5/23/2016	4.0 U	NA	NA	NA
	5/31/2016	4.0 U	NA	NA	NA
	6/6/2016	4.0 U	NA	NA	NA
	6/13/2016	4.0 U	NA	NA	NA
	6/20/2016	4.0 U	NA	NA	NA
	6/27/2016	4.0 U	NA	NA	NA
	7/5/2016	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/11/2016	4.0 U	NA	NA	NA
	7/18/2016	4.0 U	NA	NA	NA
	7/25/2016	4.0 U	NA	NA	NA
	8/1/2016	4.0 U	NA	NA	NA
	8/8/2016	4.0 U	NA	NA	NA
	8/15/2016	4.0 U	NA	NA	NA
	8/22/2016	4.0 U	NA	NA	NA
	8/29/2016	4.0 U	NA	NA	NA
	9/7/2016	4.0 U	NA	NA	NA
	9/12/2016	4.0 U	NA	NA	NA
	9/19/2016	4.0 U	NA	NA	NA
	9/26/2016	4.0 U	NA	NA	NA
	10/3/2016	4.0 U	NA	NA	NA
	10/10/2016	4.0 U	NA	NA	NA
	10/17/2016	4.0 U	NA	NA	NA
	10/24/2016	4.0 U	NA	NA	NA
	11/7/2016	4.0 U	NA	NA	NA
	11/14/2016	4.0 U	NA	NA	NA
	11/21/2016	4.0 U	NA	NA	NA
	11/28/2016	4.0 U	NA	NA	NA
	12/5/2016	4.0 U	NA	NA	NA
	12/12/2016	4.0 U	NA	NA	NA
	12/19/2016	4.0 U	NA	NA	NA
	12/27/2016	4.0 U	NA	**3.6**	NA
	1/3/2017	4.0 U	NA	NA	NA
	1/9/2017	4.0 U	NA	NA	NA
	1/10/2017	NA	NA	**2.6**	NA
	1/17/2017	4.0 U	NA	NA	NA
	1/23/2017	4.0 U	NA	NA	NA
	1/30/2017	4.0 U	NA	NA	NA
	2/6/2017	4.0 U	0.5 U	**2.6**	0.5 U
	2/13/2017	4.0 U	NA	NA	NA
	2/21/2017	4.0 U	NA	NA	NA
	2/27/2017	4.0 U	NA	NA	NA
	3/6/2017	4.0 U	NA	NA	NA
	3/13/2017	4.0 U	NA	NA	NA
	3/20/2017	4.0 U	NA	NA	NA
	3/27/2017	4.0 U	NA	NA	NA
	4/3/2017	4.0 U	NA	**2.3**	NA
	4/10/2017	4.0 U	NA	NA	NA
	4/17/2017	4.0 U	NA	NA	NA
	4/24/2017	4.0 U	NA	NA	NA
	5/8/2017	4.0 U	NA	NA	NA
	5/15/2017	4.0 U	NA	NA	NA
	5/22/2017	4.0 U	NA	NA	NA
	5/30/2017	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/5/2017	4.0 U	NA	NA	NA
	6/12/2017	4.0 U	NA	NA	NA
	6/19/2017	4.0 U	NA	NA	NA
	6/26/2017	4.0 U	NA	NA	NA
	7/5/2017	4.0 U	NA	**1.5**	NA
	7/10/2017	4.0 U	NA	NA	NA
	7/17/2017	4.0 U	NA	NA	NA
	7/24/2017	4.0 U	NA	NA	NA
	8/7/2017	4.0 U	NA	NA	NA
	8/14/2017	4.0 U	NA	NA	NA
	8/21/2017	4.0 U	NA	NA	NA
	8/28/2017	4.0 U	NA	NA	NA
	9/6/2017	4.0 U	NA	NA	NA
	9/11/2017	4.0 U	NA	NA	NA
	9/18/2017	4.0 U	NA	NA	NA
	9/25/2017	4.0 U	NA	NA	NA
	10/2/2017	4.0 U	NA	NA	NA
	10/10/2017	4.0 U	NA	**2.1**	NA
	10/17/2017	4.0 U	NA	NA	NA
	10/23/2017	4.0 U	NA	NA	NA
	2/5/2018	4.0 U	0.5 U	**1.3**	0.5 U
	2/12/2018	4.0 U	NA	NA	NA
	2/20/2018	4.0 U	NA	NA	NA
	2/26/2018	4.0 U	NA	NA	NA
	3/5/2018	4.0 U	NA	NA	NA
	3/12/2018	4.0 U	NA	NA	NA
	3/19/2018	4.0 U	NA	NA	NA
	3/26/2018	4.0 U	NA	NA	NA
	4/2/2018	4.0 U	NA	**1.3**	NA
	4/9/2018	4.0 U	NA	NA	NA
	4/16/2018	4.0 U	NA	NA	NA
	4/23/2018	4.0 U	NA	NA	NA
	4/30/2018	4.0 U	NA	NA	NA
	5/7/2018	4.0 U	NA	NA	NA
	5/14/2018	4.0 U	NA	NA	NA
	5/21/2018	4.0 U	NA	NA	NA
	5/29/2018	4.0 U	NA	NA	NA
	6/4/2018	4.0 U	NA	NA	NA
	6/11/2018	4.0 U	NA	NA	NA
	6/18/2018	4.0 U	NA	NA	NA
	6/25/2018	4.0 U	NA	NA	NA
	7/2/2018	4.0 U	NA	**3.7**	NA
	7/9/2018	4.0 U	NA	NA	NA
	7/16/2018	4.0 U	NA	NA	NA
	7/23/2018	4.0 U	NA	NA	NA
	7/30/2018	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/6/2018	4.0 U	NA	NA	NA
	8/13/2018	4.0 U	NA	NA	NA
	8/20/2018	4.0 U	NA	NA	NA
	8/27/2018	4.0 U	NA	NA	NA
	9/4/2018	4.0 U	NA	NA	NA
	9/10/2018	4.0 U	NA	NA	NA
	9/17/2018	4.0 U	NA	NA	NA
	9/24/2018	4.0 U	NA	NA	NA
	10/1/2018	4.0 U	NA	NA	NA
	10/8/2018	4.0 U	NA	**3.1**	NA
	10/17/2018	4.0 U	NA	NA	NA
	10/22/2018	4.0 U	NA	NA	NA
	10/29/2018	4.0 U	NA	NA	NA
	11/5/2018	4.0 U	NA	NA	NA
	11/13/2018	4.0 U	NA	NA	NA
	11/20/2018	4.0 U	NA	NA	NA
	11/26/2018	4.0 U	NA	NA	NA
	12/3/2018	4.0 U	NA	NA	NA
	12/10/2018	4.0 U	NA	NA	NA
	12/17/2018	4.0 U	NA	NA	NA
	12/26/2018	4.0 U	NA	NA	NA
	1/2/2019	4.0 U	NA	NA	NA
	1/8/2019	4.0 U	NA	**2.1**	NA
	1/14/2019	4.0 U	NA	NA	NA
	1/22/2019	4.0 U	NA	NA	NA
	1/28/2019	4.0 U	NA	NA	NA
	2/5/2019	4.0 U	0.5 U	**3.7**	0.5 U
	2/11/2019	4.0 U	NA	NA	NA
	2/19/2019	4.0 U	NA	NA	NA
	2/25/2019	4.0 U	NA	NA	NA
	3/4/2019	4.0 U	NA	NA	NA
	3/11/2019	4.0 U	NA	NA	NA
	3/18/2019	4.0 U	NA	NA	NA
	3/25/2019	4.0 U	NA	NA	NA
	4/2/2019	4.0 U	NA	**3.1**	NA
	4/8/2019	4.0 U	NA	NA	NA
	4/15/2019	4.0 U	NA	NA	NA
	4/22/2019	4.0 U	NA	NA	NA
	4/29/2019	4.0 U	NA	NA	NA
	5/6/2019	4.0 U	NA	NA	NA
	5/13/2019	4.0 U	NA	NA	NA
	5/20/2019	4.0 U	NA	NA	NA
	5/28/2019	4.0 U	NA	NA	NA
	6/3/2019	4.0 U	NA	NA	NA
	6/10/2019	4.0 U	NA	NA	NA
	6/17/2019	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/24/2019	4.0 U	NA	NA	NA
	7/1/2019	4.0 U	NA	NA	NA
	7/8/2019	4.0 U	NA	NA	NA
	7/15/2019	4.0 U	NA	**3.4**	NA
	7/22/2019	4.0 U	NA	NA	NA
	7/29/2019	4.0 U	NA	NA	NA
	8/5/2019	4.0 U	NA	NA	NA
	8/12/2019	4.0 U	NA	NA	NA
	8/19/2019	4.0 U	NA	NA	NA
	9/3/2019	4.0 U	NA	NA	NA
	9/9/2019	4.0 U	NA	NA	NA
	9/16/2019	4.0 U	NA	NA	NA
	9/23/2019	4.0 U	NA	NA	NA
	9/30/2019	4.0 U	NA	NA	NA
	10/7/2019	4.0 U	NA	**4.6**	NA
	10/14/2019	4.0 U	NA	NA	NA
	10/21/2019	4.0 U	NA	NA	NA
	10/28/2019	4.0 U	NA	NA	NA
	11/4/2019	4.0 U	NA	NA	NA
	11/12/2019	4.0 U	NA	NA	NA
	11/18/2019	4.0 U	NA	NA	NA
	11/25/2019	4.0 U	NA	NA	NA
	12/2/2019	4.0 U	NA	NA	NA
	12/9/2019	4.0 U	NA	NA	NA
	12/16/2019	4.0 U	NA	NA	NA
	12/23/2019	4.0 U	NA	NA	NA
	12/30/2019	4.0 U	NA	NA	NA
	1/6/2020	4.0 U	NA	**5.0**	NA
	1/13/2020	4.0 U	NA	NA	NA
	1/21/2020	4.0 U	NA	NA	NA
	1/27/2020	4.0 U	NA	NA	NA
	2/3/2020	NA	0.5 U	**4.3**	0.5 U
	2/4/2020	4.0 U	NA	NA	NA
	2/10/2020	4.0 U	NA	NA	NA
	2/18/2020	4.0 U	NA	NA	NA
	2/24/2020	4.0 U	NA	NA	NA
	3/2/2020	4.0 U	NA	NA	NA
	3/9/2020	4.0 U	NA	NA	NA
	3/16/2020	4.0 U	NA	NA	NA
	3/23/2020	4.0 U	NA	NA	NA
	3/30/2020	4.0 U	NA	NA	NA
	4/6/2020	4.0 U	NA	**2.0**	NA
	4/13/2020	4.0 U	NA	NA	NA
	4/20/2020	4.0 U	NA	NA	NA
	4/27/2020	4.0 U	NA	NA	NA
	5/4/2020	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/11/2020	4.0 U	NA	NA	NA
	5/18/2020	4.0 U	NA	NA	NA
	5/26/2020	4.0 U	NA	NA	NA
	6/1/2020	4.0 U	NA	NA	NA
	6/8/2020	4.0 U	NA	NA	NA
	6/15/2020	4.0 U	NA	NA	NA
	6/22/2020	4.0 U	NA	NA	NA
	6/29/2020	4.0 U	NA	NA	NA
	7/6/2020	4.0 U	NA	**4.3**	NA
	7/13/2020	4.0 U	NA	NA	NA
	7/20/2020	4.0 U	NA	NA	NA
	7/27/2020	4.0 U	NA	NA	NA
	8/3/2020	4.0 U	NA	NA	NA
	8/10/2020	4.0 U	NA	NA	NA
	8/17/2020	4.0 U	NA	NA	NA
	8/24/2020	4.0 U	NA	NA	NA
	8/31/2020	4.0 U	NA	NA	NA
	9/8/2020	4.0 U	NA	NA	NA
	9/14/2020	4.0 U	NA	NA	NA
	9/21/2020	4.0 U	NA	NA	NA
	9/28/2020	4.0 U	NA	NA	NA
	10/5/2020	4.0 U	NA	**6.4**	NA
	10/12/2020	4.0 U	NA	NA	NA
	10/19/2020	4.0 U	NA	NA	NA
	10/26/2020	4.0 U	NA	NA	NA
	11/2/2020	4.0 U	NA	NA	NA
	11/9/2020	4.0 U	NA	NA	NA
	11/16/2020	4.0 U	NA	NA	NA
	11/23/2020	4.0 U	NA	NA	NA
	11/30/2020	4.0 U	NA	NA	NA
	12/14/2020	4.0 U	NA	NA	NA
	12/21/2020	4.0 U	NA	NA	NA
	12/28/2020	4.0 U	NA	NA	NA
	1/4/2021	4.0 U	NA	**7.7**	NA
	1/11/2021	4.0 U	NA	NA	NA
	1/19/2021	4.0 U	NA	**12.0**	NA
	1/25/2021	4.0 U	NA	NA	NA
	1/27/2021	NA	NA	**9.3**	NA
	2/1/2021	4.0 U	NA	NA	NA
	2/8/2021	4.0 U	0.5 U	**6.6**	0.5 U
	2/16/2021	4.0 U	NA	NA	NA
	2/22/2021	4.0 U	NA	NA	NA
	3/1/2021	4.0 U	NA	**7.1**	NA
	3/8/2021	4.0 U	NA	NA	NA
	3/15/2021	4.0 U	NA	NA	NA
	3/22/2021	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/29/2021	4.0 U	NA	NA	NA
	4/5/2021	4.0 U	NA	NA	NA
	4/12/2021	4.0 U	NA	**4.5**	NA
	4/19/2021	4.0 U	NA	NA	NA
	4/26/2021	4.0 U	NA	NA	NA
	5/3/2021	4.0 U	NA	NA	NA
	5/10/2021	4.0 U	NA	NA	NA
	5/17/2021	4.0 U	NA	NA	NA
	5/24/2021	4.0 U	NA	NA	NA
RUBIO CANON LAND & WATER ASSOCIATION WELL 07					
	3/4/1996	NA	NA	NA	0.5 U
	3/25/1996	NA	NA	**2.6**	**1.4**
	6/3/1996	NA	NA	NA	0.5 U
	6/4/1996	NA	NA	**2.1**	**1.5**
	6/17/1996	NA	NA	**2.7**	**1.3**
	8/30/1996	NA	0.5 U	0.5 U	0.5 U
	9/3/1996	NA	NA	NA	0.5 U
	9/24/1996	NA	NA	**2.1**	**1.3**
	10/28/1996	NA	NA	**2.1**	**1.5**
	12/2/1996	NA	NA	NA	0.5 U
	12/16/1996	NA	NA	**1.3**	**0.8**
	3/3/1997	NA	NA	NA	0.5 U
	6/2/1997	NA	NA	NA	0.5 U
	6/17/1997	5.0 U	NA	NA	NA
	6/24/1997	5.0 U	NA	NA	NA
	7/10/1997	5.0 U	NA	NA	NA
	8/20/1997	5.0 U	NA	NA	NA
	9/2/1997	NA	NA	NA	0.5 U
	9/3/1997	NA	0.5 U	0.5 U	0.5 U
	9/16/1997	5.0 U	NA	NA	NA
	9/29/1997	NA	NA	**2.1**	**2.4**
	11/25/1997	5.0 U	NA	NA	NA
	12/1/1997	NA	NA	NA	0.5 U
	12/4/1997	NA	NA	**1.4**	**0.6**
	12/10/1997	5.0 U	NA	NA	NA
	1/12/1998	NA	NA	**3.3**	**2.8**
	2/9/1998	NA	0.5 U	NA	NA
	2/11/1998	5.0 U	NA	NA	NA
	2/25/1998	5.0 U	NA	NA	**1.4**
	3/2/1998	NA	NA	NA	0.5 U
	3/23/1998	NA	0.5 U	**1.7**	**1.3**
	6/1/1998	NA	NA	NA	0.5 U
	6/23/1998	NA	NA	**2.4**	**1.9**
	7/6/1998	NA	0.5 U	0.5 U	0.5 U
	8/13/1998	NA	0.5 U	0.5 U	0.5 U
	8/25/1998	NA	NA	**2.5**	**1.9**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/1/1998	NA	NA	NA	0.5 U
	9/22/1998	NA	NA	**2.3**	**1.9**
	12/7/1998	NA	NA	NA	0.5 U
	12/14/1998	NA	NA	**3.2**	**2.5**
	2/26/1999	NA	NA	NA	0.5 U
	3/1/1999	NA	NA	NA	0.5 U
	3/22/1999	NA	0.5 U	**2.5**	**1.6**
	6/1/1999	NA	NA	NA	0.5 U
	6/14/1999	NA	NA	**2.5**	**1.3**
	7/26/1999	5.0 U	0.5 U	0.5 U	0.5 U
	9/7/1999	NA	NA	NA	0.5 U
	9/23/1999	NA	0.5 U	0.5 U	0.5 U
	9/27/1999	5.0 U	NA	**2.4**	**1.8**
	12/1/1999	5.0 U	NA	NA	NA
	12/6/1999	NA	NA	NA	0.5 U
	12/7/1999	5.0 U	NA	NA	NA
	3/6/2000	NA	NA	NA	0.5 U
	3/14/2000	5.0 U	NA	NA	NA
	3/21/2000	5.0 U	0.5 U	**3.9**	**1.8**
	4/10/2000	NA	NA	**3.4**	NA
	5/22/2000	NA	NA	**2.2**	NA
	6/5/2000	NA	NA	NA	0.5 U
	6/13/2000	5.0 U	NA	NA	NA
	6/19/2000	NA	NA	**3.0**	**2.0**
	7/3/2000	5.0 U	NA	NA	NA
	7/24/2000	NA	NA	**2.0**	NA
	8/28/2000	NA	NA	**2.5**	NA
	9/5/2000	5.0 U	0.5 U	0.5 U	0.5 U
	9/11/2000	NA	NA	NA	0.5 U
	9/25/2000	NA	NA	**3.3**	**2.5**
	10/2/2000	5.0 U	NA	NA	NA
	10/23/2000	NA	NA	**3.1**	NA
	11/27/2000	NA	NA	**2.1**	NA
	12/4/2000	NA	NA	NA	0.5 U
	12/11/2000	NA	NA	**2.7**	**2.0**
	1/2/2001	5.0 U	NA	NA	NA
	1/22/2001	NA	NA	**3.2**	NA
	1/29/2001	NA	0.5 U	0.5 U	0.5 U
	2/20/2001	NA	NA	**2.0**	NA
	3/5/2001	NA	NA	NA	0.5 U
	3/19/2001	NA	0.5 U	**4.9**	**2.8**
	4/23/2001	NA	NA	**4.5**	NA
	5/21/2001	NA	NA	**4.2**	NA
	6/4/2001	NA	NA	NA	0.5 U
	6/18/2001	NA	0.5 U	**3.5**	**2.2**
	7/6/2001	NA	NA	NA	**1.4**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/8/2001	NA	NA	NA	**2.9**
	8/20/2001	NA	NA	**3.2**	NA
	9/4/2001	NA	NA	NA	0.5 U
	9/17/2001	NA	NA	**2.8**	**2.4**
	10/22/2001	NA	NA	**3.2**	NA
	11/19/2001	NA	NA	**3.6**	NA
	12/3/2001	NA	NA	NA	0.5 U
	1/28/2002	NA	0.5 U	0.5 U	0.5 U
	3/4/2002	NA	0.5 U	0.5 U	0.5 U
	3/6/2002	NA	0.5 U	**5.6**	**2.6**
	3/25/2002	NA	NA	**4.9**	**2.8**
	4/22/2002	NA	NA	**4.4**	NA
	4/29/2002	4.0 U	NA	NA	NA
	5/21/2002	NA	0.5 U	**3.5**	**1.6**
	6/3/2002	NA	NA	NA	0.5 U
	6/17/2002	NA	NA	**3.9**	**2.0**
	7/1/2002	4.0 U	NA	NA	NA
	7/22/2002	NA	NA	**4.2**	NA
	8/20/2002	NA	NA	**4.5**	NA
	9/3/2002	NA	NA	NA	0.5 U
	9/16/2002	**4.4**	0.5 U	**4.6**	**1.8**
	9/30/2002	**5.0**	NA	NA	NA
	10/1/2002	**4.3**	NA	NA	NA
	10/7/2002	4.0 U	NA	NA	NA
	10/18/2002	NA	NA	NA	**6.3**
	10/21/2002	NA	NA	**4.7**	NA
	10/22/2002	NA	NA	NA	**7.0**
	10/23/2002	NA	NA	NA	**4.8**
	11/6/2002	5.0 U	NA	NA	NA
	11/11/2002	NA	NA	NA	**5.1**
	11/13/2002	NA	NA	NA	**4.1**
	11/18/2002	NA	NA	**4.1**	NA
	12/2/2002	NA	NA	NA	0.5 U
	12/3/2002	5.0 U	NA	NA	NA
	12/10/2002	5.0 U	NA	NA	NA
	1/13/2003	5.0 U	0.5 U	0.5 U	0.5 U
	4/7/2003	4.0 U	NA	NA	NA
	10/6/2003	4.0 U	NA	NA	NA
	10/20/2003	NA	NA	NA	0.5 U
	1/20/2004	NA	0.5 U	0.5 U	0.5 U
	4/5/2004	4.0 U	NA	NA	NA
	5/3/2004	4.0 U	NA	NA	NA
	6/1/2004	4.0 U	NA	NA	NA
	7/6/2004	4.0 U	NA	NA	NA
	8/2/2004	4.0 U	NA	NA	NA
	9/7/2004	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	10/4/2004	4.0 U	NA	NA	NA
	11/1/2004	4.0 U	NA	NA	NA
	12/6/2004	4.0 U	NA	NA	NA
	1/3/2005	4.0 U	NA	NA	NA
	1/18/2005	NA	0.5 U	**0.5**	0.5 U
	2/7/2005	4.0 U	NA	NA	NA
	3/7/2005	4.0 U	NA	NA	NA
	4/4/2005	4.0 U	NA	0.5 U	NA
	5/2/2005	4.0 U	NA	NA	NA
	6/6/2005	4.0 U	NA	NA	NA
	7/5/2005	4.0 U	NA	0.5 U	NA
	8/1/2005	4.0 U	NA	NA	NA
	9/6/2005	4.0 U	NA	NA	NA
	10/3/2005	4.0 U	NA	NA	NA
	11/7/2005	4.0 U	NA	NA	NA
	12/5/2005	4.0 U	NA	NA	NA
	1/3/2006	4.0 U	NA	NA	NA
	1/9/2006	NA	NA	0.5 U	NA
	2/6/2006	4.0 U	NA	NA	NA
	3/6/2006	4.0 U	NA	NA	NA
	4/3/2006	4.0 U	NA	NA	NA
	4/6/2006	NA	NA	0.5 U	NA
	5/1/2006	4.0 U	NA	NA	NA
	6/5/2006	4.0 U	NA	NA	NA
	7/3/2006	4.0 U	NA	0.5 U	NA
	8/7/2006	4.0 U	NA	NA	NA
	9/5/2006	4.0 U	NA	NA	NA
	10/2/2006	4.0 U	NA	0.5 U	NA
	11/6/2006	4.0 U	NA	NA	NA
	1/2/2007	4.0 U	NA	NA	NA
	1/8/2007	NA	NA	0.5 U	NA
	2/5/2007	4.0 U	NA	NA	NA
	3/5/2007	4.0 U	NA	NA	NA
	3/12/2007	NA	0.5 U	0.5 U	0.5 U
	4/2/2007	4.0 U	NA	NA	NA
	5/7/2007	4.0 U	NA	NA	NA
	6/4/2007	4.0 U	NA	NA	NA
	8/6/2007	4.0 U	NA	NA	NA
	9/4/2007	4.0 U	NA	NA	NA
	10/1/2007	4.0 U	NA	0.5 U	NA
	11/5/2007	4.0 U	NA	NA	NA
	12/3/2007	4.0 U	NA	NA	NA
	1/2/2008	4.0 U	NA	0.5 U	NA
	1/5/2008	4.0 U	NA	NA	NA
	1/14/2008	4.0 U	0.5 U	0.5 U	0.5 U
	2/5/2008	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/3/2008	4.0 U	NA	NA	NA
	4/7/2008	4.0 U	NA	0.5 U	NA
	6/2/2008	4.0 U	NA	NA	NA
	9/2/2008	4.0 U	NA	NA	NA
	10/6/2008	4.0 U	NA	0.5 U	NA
	11/24/2008	4.0 U	NA	NA	NA
	12/1/2008	4.0 U	NA	NA	NA
	12/8/2008	4.0 U	NA	NA	NA
	12/15/2008	4.0 U	NA	NA	NA
	12/22/2008	4.0 U	NA	NA	NA
	12/29/2008	4.0 U	NA	NA	NA
	2/23/2009	4.0 U	NA	NA	NA
	3/2/2009	4.0 U	NA	**0.7**	NA
	3/9/2009	4.0 U	NA	NA	NA
	3/16/2009	4.0 U	NA	NA	NA
	3/23/2009	4.0 U	NA	NA	NA
	3/30/2009	4.0 U	NA	NA	NA
	4/6/2009	4.0 U	NA	NA	NA
	4/8/2009	NA	NA	**0.6**	NA
	4/13/2009	4.0 U	NA	NA	NA
	4/20/2009	4.0 U	NA	NA	NA
	4/27/2009	4.0 U	NA	NA	NA
	5/4/2009	4.0 U	NA	NA	NA
	5/5/2009	4.0 U	NA	NA	NA
	5/6/2009	4.0 U	NA	NA	NA
	5/7/2009	4.0 U	NA	NA	NA
	5/8/2009	4.0 U	NA	NA	NA
	5/9/2009	4.0 U	NA	NA	NA
	5/10/2009	4.0 U	NA	NA	NA
	5/11/2009	4.0 U	NA	NA	NA
	5/12/2009	4.0 U	NA	NA	NA
	5/13/2009	4.0 U	NA	NA	NA
	5/14/2009	4.0 U	NA	NA	NA
	5/15/2009	4.0 U	NA	NA	NA
	5/16/2009	4.0 U	NA	NA	NA
	5/17/2009	4.0 U	NA	NA	NA
	5/18/2009	4.0 U	NA	NA	NA
	5/19/2009	4.0 U	NA	NA	NA
	5/20/2009	4.0 U	NA	NA	NA
	5/21/2009	4.0 U	NA	NA	NA
	5/22/2009	4.0 U	NA	NA	NA
	5/23/2009	4.0 U	NA	NA	NA
	5/24/2009	4.0 U	NA	NA	NA
	5/25/2009	4.0 U	NA	NA	NA
	5/26/2009	4.0 U	NA	NA	NA
	5/27/2009	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/29/2009	4.0 U	NA	NA	NA
	5/30/2009	4.0 U	NA	NA	NA
	5/31/2009	4.0 U	NA	NA	NA
	6/1/2009	4.0 U	NA	NA	NA
	6/2/2009	4.0 U	NA	NA	NA
	6/3/2009	4.0 U	NA	NA	NA
	6/4/2009	4.0 U	NA	NA	NA
	6/5/2009	4.0 U	NA	NA	NA
	6/6/2009	4.0 U	NA	NA	NA
	6/7/2009	4.0 U	NA	NA	NA
	6/8/2009	4.0 U	NA	NA	NA
	6/9/2009	4.0 U	NA	NA	NA
	6/10/2009	4.0 U	NA	NA	NA
	6/11/2009	4.0 U	NA	NA	NA
	6/12/2009	4.0 U	NA	NA	NA
	6/15/2009	4.0 U	NA	NA	NA
	6/16/2009	4.0 U	NA	NA	NA
	6/17/2009	4.0 U	NA	NA	NA
	6/18/2009	4.0 U	NA	NA	NA
	6/19/2009	4.0 U	NA	NA	NA
	6/22/2009	4.0 U	NA	NA	NA
	6/23/2009	4.0 U	NA	NA	NA
	6/24/2009	4.0 U	NA	NA	NA
	6/25/2009	4.0 U	NA	NA	NA
	6/29/2009	4.0 U	NA	NA	NA
	7/6/2009	4.0 U	NA	0.5 U	NA
	7/13/2009	4.0 U	NA	NA	NA
	7/20/2009	4.0 U	NA	NA	NA
	7/27/2009	4.0 U	NA	NA	NA
	8/3/2009	4.0 U	NA	0.5 U	NA
	8/5/2009	4.0 U	NA	NA	NA
	8/10/2009	4.0 U	NA	NA	NA
	8/17/2009	4.0 U	NA	NA	NA
	8/24/2009	4.0 U	NA	NA	NA
	8/31/2009	4.0 U	NA	NA	NA
	9/8/2009	4.0 U	NA	0.5 U	NA
	9/14/2009	4.0 U	NA	NA	NA
	9/21/2009	4.0 U	NA	NA	NA
	9/28/2009	4.0 U	NA	NA	NA
	10/5/2009	4.0 U	NA	0.5 U	NA
	10/12/2009	4.0 U	NA	NA	NA
	10/19/2009	4.0 U	NA	NA	NA
	10/26/2009	4.0 U	NA	NA	NA
	11/2/2009	4.0 U	NA	0.5 U	NA
	11/9/2009	4.0 U	NA	NA	NA
	11/16/2009	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/14/2009	4.0 U	NA	NA	NA
	12/21/2009	4.0 U	NA	NA	NA
	12/28/2009	4.0 U	NA	NA	NA
	1/4/2010	4.0 U	NA	**0.7**	NA
	1/11/2010	4.0 U	NA	NA	NA
	2/8/2010	4.0 U	NA	**0.9**	NA
	2/16/2010	4.0 U	NA	NA	NA
	2/22/2010	4.0 U	NA	NA	NA
	3/1/2010	4.0 U	NA	**0.9**	NA
	3/8/2010	4.0 U	NA	NA	NA
	3/15/2010	4.0 U	NA	NA	NA
	3/22/2010	4.0 U	NA	NA	NA
	3/29/2010	4.0 U	NA	NA	NA
	4/5/2010	4.0 U	NA	**0.7**	NA
	4/12/2010	4.0 U	NA	NA	NA
	4/19/2010	4.0 U	NA	NA	NA
	4/26/2010	4.0 U	NA	NA	NA
	5/24/2010	4.0 U	NA	NA	NA
	6/1/2010	4.0 U	NA	0.5 U	NA
	6/7/2010	4.0 U	NA	NA	NA
	6/14/2010	4.0 U	NA	NA	NA
	6/21/2010	4.0 U	NA	NA	NA
	6/28/2010	4.0 U	NA	NA	NA
	7/6/2010	4.0 U	NA	0.5 U	NA
	7/12/2010	4.0 U	NA	NA	NA
	7/19/2010	4.0 U	NA	NA	NA
	7/26/2010	4.0 U	NA	NA	NA
	8/2/2010	4.0 U	NA	0.5 U	NA
	8/9/2010	4.0 U	NA	NA	NA
	8/16/2010	4.0 U	NA	NA	NA
	8/23/2010	4.0 U	NA	NA	NA
	8/30/2010	4.0 U	NA	NA	NA
	9/7/2010	4.0 U	NA	0.5 U	NA
	9/13/2010	4.0 U	NA	NA	NA
	9/20/2010	4.0 U	NA	NA	NA
	9/27/2010	4.0 U	NA	NA	NA
	10/4/2010	4.0 U	NA	0.5 U	NA
	10/11/2010	4.0 U	NA	NA	NA
	10/18/2010	4.0 U	NA	NA	NA
	10/25/2010	4.0 U	NA	NA	NA
	11/15/2010	4.0 U	NA	NA	NA
	11/22/2010	4.0 U	NA	NA	NA
	11/29/2010	4.0 U	NA	NA	NA
	12/6/2010	4.0 U	NA	0.5 U	NA
	12/13/2010	4.0 U	NA	NA	NA
	12/20/2010	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/27/2010	4.0 U	NA	NA	NA
	1/3/2011	4.0 U	NA	**0.8**	NA
	2/7/2011	4.0 U	0.5 U	**0.8**	**0.5**
	2/14/2011	4.0 U	NA	NA	NA
	2/22/2011	4.0 U	NA	NA	NA
	3/14/2011	4.0 U	NA	NA	NA
	3/16/2011	4.0 U	NA	NA	NA
	3/21/2011	4.0 U	NA	NA	NA
	3/22/2011	4.0 U	NA	NA	NA
	3/23/2011	4.0 U	NA	NA	NA
	3/24/2011	4.0 U	NA	NA	NA
	3/28/2011	4.0 U	NA	NA	NA
	3/30/2011	4.0 U	NA	NA	NA
	4/4/2011	4.0 U	NA	**0.6**	NA
	4/11/2011	4.0 U	NA	NA	NA
	4/18/2011	4.0 U	NA	NA	NA
	4/25/2011	4.0 U	NA	NA	NA
	5/23/2011	4.0 U	NA	NA	NA
	5/31/2011	4.0 U	NA	NA	NA
	6/6/2011	4.0 U	NA	NA	NA
	6/13/2011	4.0 U	NA	NA	NA
	6/20/2011	4.0 U	NA	NA	NA
	6/27/2011	4.0 U	NA	NA	NA
	7/5/2011	4.0 U	NA	0.5 U	NA
	7/11/2011	4.0 U	NA	NA	NA
	7/18/2011	4.0 U	NA	NA	NA
	7/25/2011	4.0 U	NA	NA	NA
	8/1/2011	4.0 U	NA	NA	NA
	8/8/2011	4.0 U	NA	NA	NA
	8/15/2011	4.0 U	NA	NA	NA
	8/22/2011	4.0 U	NA	NA	NA
	8/29/2011	4.0 U	NA	NA	NA
	9/6/2011	4.0 U	NA	NA	NA
	9/12/2011	4.0 U	NA	NA	NA
	9/19/2011	4.0 U	NA	NA	NA
	9/26/2011	4.0 U	NA	NA	NA
	10/3/2011	4.0 U	NA	0.5 U	NA
	10/10/2011	4.0 U	0.5 U	0.5 U	0.5 U
	10/17/2011	4.0 U	NA	NA	NA
	10/24/2011	4.0 U	NA	NA	NA
	10/31/2011	4.0 U	NA	NA	NA
	11/7/2011	4.0 U	NA	NA	NA
	11/14/2011	4.0 U	NA	NA	NA
	11/21/2011	4.0 U	NA	NA	NA
	11/28/2011	4.0 U	NA	NA	NA
	12/5/2011	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/12/2011	4.0 U	NA	NA	NA
	12/19/2011	4.0 U	NA	NA	NA
	12/27/2011	4.0 U	NA	NA	NA
	1/3/2012	4.0 U	NA	0.5 U	NA
	1/9/2012	4.0 U	NA	NA	NA
	1/17/2012	4.0 U	NA	NA	NA
	1/23/2012	4.0 U	NA	NA	NA
	1/30/2012	4.0 U	NA	NA	NA
	2/6/2012	4.0 U	0.5 U	0.5 U	0.5 U
	2/13/2012	4.0 U	NA	NA	NA
	2/21/2012	4.0 U	NA	NA	NA
	2/27/2012	4.0 U	NA	NA	NA
	3/5/2012	4.0 U	NA	NA	NA
	3/12/2012	4.0 U	NA	NA	NA
	3/19/2012	4.0 U	NA	NA	NA
	3/26/2012	4.0 U	NA	NA	NA
	4/2/2012	4.0 U	NA	0.5 U	NA
	4/9/2012	4.0 U	NA	NA	NA
	4/16/2012	4.0 U	NA	NA	NA
	4/23/2012	4.0 U	NA	NA	NA
	5/21/2012	4.0 U	NA	NA	NA
	5/29/2012	4.0 U	NA	NA	NA
	6/4/2012	4.0 U	NA	NA	NA
	6/11/2012	4.0 U	NA	NA	NA
	6/18/2012	4.0 U	NA	NA	NA
	6/25/2012	4.0 U	NA	NA	NA
	7/2/2012	4.0 U	NA	0.5 U	NA
	7/9/2012	4.0 U	NA	NA	NA
	7/16/2012	4.0 U	NA	NA	NA
	7/23/2012	4.0 U	NA	NA	NA
	7/30/2012	4.0 U	NA	NA	NA
	8/6/2012	4.0 U	NA	NA	NA
	8/13/2012	4.0 U	NA	NA	NA
	8/20/2012	4.0 U	NA	NA	NA
	8/27/2012	4.0 U	NA	NA	NA
	9/17/2012	4.0 U	NA	NA	NA
	9/24/2012	4.0 U	NA	NA	NA
	10/15/2012	4.0 U	NA	NA	NA
	10/29/2012	4.0 U	NA	NA	NA
	11/5/2012	4.0 U	NA	NA	NA
	11/13/2012	4.0 U	NA	NA	NA
	11/19/2012	4.0 U	NA	NA	NA
	11/26/2012	4.0 U	NA	NA	NA
	12/3/2012	4.0 U	NA	NA	NA
	12/10/2012	4.0 U	NA	NA	NA
	12/17/2012	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/24/2012	4.0 U	NA	NA	NA
	12/31/2012	4.0 U	NA	NA	NA
	1/7/2013	4.0 U	NA	0.5 U	NA
	1/14/2013	4.0 U	NA	NA	NA
	1/22/2013	4.0 U	NA	NA	NA
	1/28/2013	4.0 U	NA	NA	NA
	2/11/2013	4.0 U	NA	NA	NA
	2/19/2013	4.0 U	NA	NA	NA
	2/25/2013	4.0 U	NA	NA	NA
	3/4/2013	4.0 U	NA	NA	NA
	3/11/2013	4.0 U	NA	NA	NA
	3/18/2013	4.0 U	NA	NA	NA
	3/25/2013	4.0 U	NA	NA	NA
	4/1/2013	4.0 U	NA	0.5 U	NA
	4/8/2013	4.0 U	NA	NA	NA
	4/15/2013	4.0 U	NA	NA	NA
	4/22/2013	4.0 U	NA	NA	NA
	5/28/2013	4.0 U	NA	NA	NA
	6/3/2013	4.0 U	NA	NA	NA
	6/10/2013	4.0 U	NA	NA	NA
	6/17/2013	4.0 U	NA	NA	NA
	6/24/2013	4.0 U	NA	NA	NA
	7/1/2013	4.0 U	NA	**0.5**	NA
	7/8/2013	4.0 U	NA	NA	NA
	7/15/2013	4.0 U	NA	NA	NA
	7/22/2013	4.0 U	NA	NA	NA
	7/29/2013	4.0 U	NA	NA	NA
	8/5/2013	4.0 U	NA	NA	NA
	8/12/2013	4.0 U	NA	NA	NA
	8/19/2013	4.0 U	NA	NA	NA
	8/26/2013	4.0 U	NA	NA	NA
	9/3/2013	4.0 U	NA	NA	NA
	9/9/2013	4.0 U	NA	NA	NA
	9/16/2013	4.0 U	NA	NA	NA
	9/19/2013	4.0 U	NA	NA	NA
	9/23/2013	4.0 U	NA	NA	NA
	2/10/2014	4.0 U	NA	NA	NA
	2/18/2014	4.0 U	NA	NA	NA
	2/24/2014	4.0 U	NA	NA	NA
	3/3/2014	4.0 U	NA	NA	NA
	3/10/2014	4.0 U	NA	NA	NA
	3/17/2014	4.0 U	NA	NA	NA
	3/24/2014	4.0 U	NA	NA	NA
	3/31/2014	4.0 U	NA	NA	NA
	4/7/2014	4.0 U	NA	0.5 U	NA
	4/14/2014	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/21/2014	4.0 U	NA	NA	NA
	4/28/2014	4.0 U	NA	NA	NA
	5/19/2014	4.0 U	NA	NA	NA
	5/27/2014	4.0 U	NA	NA	NA
	6/2/2014	4.0 U	NA	NA	NA
	6/9/2014	4.0 U	NA	NA	NA
	6/16/2014	4.0 U	NA	NA	NA
	6/23/2014	4.0 U	NA	NA	NA
	6/30/2014	4.0 U	NA	NA	NA
	7/7/2014	4.0 U	NA	**0.6**	NA
	7/14/2014	4.0 U	NA	NA	NA
	7/21/2014	4.0 U	NA	NA	NA
	7/28/2014	4.0 U	NA	NA	NA
	8/11/2014	4.0 U	NA	NA	NA
	8/18/2014	4.0 U	NA	NA	NA
	8/25/2014	4.0 U	NA	NA	NA
	9/2/2014	4.0 U	NA	NA	NA
	9/8/2014	4.0 U	NA	NA	NA
	9/15/2014	4.0 U	NA	NA	NA
	9/22/2014	4.0 U	NA	NA	NA
	9/29/2014	4.0 U	NA	NA	NA
	10/6/2014	4.0 U	NA	0.5 U	NA
	10/13/2014	4.0 U	NA	NA	NA
	10/20/2014	4.0 U	NA	NA	NA
	10/27/2014	4.0 U	NA	NA	NA
	12/1/2014	4.0 U	NA	NA	NA
	12/8/2014	4.0 U	NA	NA	NA
	12/15/2014	4.0 U	NA	NA	NA
	12/22/2014	4.0 U	NA	NA	NA
	12/29/2014	4.0 U	NA	NA	NA
	1/5/2015	4.0 U	NA	**0.5**	NA
	1/12/2015	4.0 U	NA	NA	NA
	1/20/2015	4.0 U	NA	NA	NA
	1/26/2015	4.0 U	NA	NA	NA
	2/9/2015	4.0 U	NA	NA	NA
	2/17/2015	4.0 U	NA	NA	NA
	2/23/2015	4.0 U	NA	NA	NA
	3/2/2015	4.0 U	NA	NA	NA
	3/9/2015	4.0 U	NA	NA	NA
	3/16/2015	4.0 U	NA	NA	NA
	3/23/2015	4.0 U	NA	NA	NA
	3/30/2015	4.0 U	NA	NA	NA
	4/6/2015	4.0 U	NA	**0.5**	NA
	4/13/2015	4.0 U	NA	NA	NA
	4/20/2015	4.0 U	NA	NA	NA
	4/27/2015	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/4/2015	4.0 U	NA	NA	NA
	5/11/2015	4.0 U	NA	NA	NA
	5/18/2015	4.0 U	NA	NA	NA
	5/26/2015	4.0 U	NA	NA	NA
	6/1/2015	4.0 U	NA	NA	NA
	6/8/2015	4.0 U	NA	NA	NA
	6/15/2015	4.0 U	NA	NA	NA
	6/22/2015	4.0 U	NA	NA	NA
	6/29/2015	4.0 U	NA	NA	NA
	7/6/2015	4.0 U	NA	0.5 U	NA
	7/13/2015	4.0 U	NA	NA	NA
	7/20/2015	4.0 U	NA	NA	NA
	7/27/2015	4.0 U	NA	NA	NA
	8/3/2015	4.0 U	NA	NA	NA
	8/10/2015	4.0 U	NA	NA	NA
	8/17/2015	4.0 U	NA	NA	NA
	8/24/2015	4.0 U	NA	NA	NA
	8/31/2015	4.0 U	NA	NA	NA
	9/8/2015	4.0 U	NA	NA	NA
	9/14/2015	4.0 U	NA	NA	NA
	9/21/2015	4.0 U	NA	NA	NA
	9/28/2015	4.0 U	NA	NA	NA
	10/5/2015	4.0 U	NA	NA	NA
	10/12/2015	4.0 U	NA	NA	NA
	10/19/2015	4.0 U	NA	**0.6**	NA
	10/26/2015	4.0 U	NA	NA	NA
	11/2/2015	4.0 U	NA	NA	NA
	11/9/2015	4.0 U	NA	NA	NA
	11/16/2015	4.0 U	NA	NA	NA
	11/23/2015	4.0 U	NA	NA	NA
	11/30/2015	4.0 U	NA	NA	NA
	12/7/2015	4.0 U	NA	NA	NA
	12/14/2015	4.0 U	NA	NA	NA
	12/21/2015	4.0 U	NA	NA	NA
	12/28/2015	4.0 U	NA	NA	NA
	1/4/2016	4.0 U	NA	0.5 U	NA
	1/11/2016	4.0 U	NA	NA	NA
	1/19/2016	4.0 U	NA	NA	NA
	1/25/2016	4.0 U	NA	NA	NA
	2/1/2016	4.0 U	0.5 U	0.5 U	0.5 U
	2/8/2016	4.0 U	NA	NA	NA
	2/16/2016	4.0 U	NA	NA	NA
	2/22/2016	4.0 U	NA	NA	NA
	2/29/2016	4.0 U	NA	NA	NA
	3/7/2016	4.0 U	NA	NA	NA
	3/14/2016	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/21/2016	4.0 U	NA	NA	NA
	3/28/2016	4.0 U	NA	NA	NA
	4/4/2016	4.0 U	NA	**0.6**	NA
	4/11/2016	4.0 U	NA	NA	NA
	4/18/2016	4.0 U	NA	NA	NA
	4/25/2016	4.0 U	NA	NA	NA
	5/2/2016	4.0 U	NA	NA	NA
	5/9/2016	4.0 U	NA	NA	NA
	5/16/2016	4.0 U	NA	NA	NA
	5/23/2016	4.0 U	NA	NA	NA
	5/31/2016	4.0 U	NA	NA	NA
	6/6/2016	4.0 U	NA	NA	NA
	6/13/2016	4.0 U	NA	NA	NA
	6/20/2016	4.0 U	NA	NA	NA
	6/27/2016	4.0 U	NA	NA	NA
	7/5/2016	4.0 U	NA	**0.6**	NA
	7/11/2016	4.0 U	NA	NA	NA
	7/18/2016	4.0 U	NA	NA	NA
	7/25/2016	4.0 U	NA	NA	NA
	8/1/2016	4.0 U	NA	NA	NA
	8/8/2016	4.0 U	NA	NA	NA
	8/15/2016	4.0 U	NA	NA	NA
	8/22/2016	4.0 U	NA	NA	NA
	8/29/2016	4.0 U	NA	NA	NA
	9/7/2016	4.0 U	NA	NA	NA
	9/12/2016	4.0 U	NA	NA	NA
	9/19/2016	4.0 U	NA	NA	NA
	9/26/2016	4.0 U	NA	NA	NA
	10/3/2016	4.0 U	NA	**0.6**	NA
	10/10/2016	4.0 U	NA	NA	NA
	10/17/2016	4.0 U	NA	NA	NA
	10/24/2016	4.0 U	NA	NA	NA
	11/7/2016	4.0 U	NA	NA	NA
	11/14/2016	4.0 U	NA	NA	NA
	11/21/2016	4.0 U	NA	NA	NA
	11/28/2016	4.0 U	NA	NA	NA
	12/5/2016	4.0 U	NA	NA	NA
	12/12/2016	4.0 U	NA	NA	NA
	12/19/2016	4.0 U	NA	NA	NA
	12/27/2016	4.0 U	NA	NA	NA
	1/3/2017	4.0 U	NA	NA	NA
	1/9/2017	4.0 U	NA	NA	NA
	1/10/2017	NA	NA	0.5 U	NA
	1/17/2017	4.0 U	NA	NA	NA
	1/23/2017	4.0 U	NA	NA	NA
	1/30/2017	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	2/6/2017	4.0 U	0.5 U	**0.6**	0.5 U
	2/13/2017	4.0 U	NA	NA	NA
	2/21/2017	4.0 U	NA	NA	NA
	2/27/2017	4.0 U	NA	NA	NA
	3/6/2017	4.0 U	NA	NA	NA
	3/13/2017	4.0 U	NA	NA	NA
	3/20/2017	4.0 U	NA	NA	NA
	3/27/2017	4.0 U	NA	NA	NA
	4/3/2017	4.0 U	NA	**0.8**	NA
	4/10/2017	4.0 U	NA	NA	NA
	4/17/2017	4.0 U	NA	NA	NA
	4/24/2017	4.0 U	NA	NA	NA
	5/8/2017	4.0 U	NA	NA	NA
	5/15/2017	4.0 U	NA	NA	NA
	5/22/2017	4.0 U	NA	NA	NA
	5/30/2017	4.0 U	NA	NA	NA
	6/5/2017	4.0 U	NA	NA	NA
	6/12/2017	4.0 U	NA	NA	NA
	6/19/2017	4.0 U	NA	NA	NA
	6/26/2017	4.0 U	NA	NA	NA
	7/5/2017	4.0 U	NA	0.5 U	NA
	7/10/2017	4.0 U	NA	NA	NA
	7/17/2017	4.0 U	NA	NA	NA
	7/24/2017	4.0 U	NA	NA	NA
	8/7/2017	4.0 U	NA	NA	NA
	8/14/2017	4.0 U	NA	NA	NA
	8/21/2017	4.0 U	NA	NA	NA
	8/28/2017	4.0 U	NA	NA	NA
	9/6/2017	4.0 U	NA	NA	NA
	9/11/2017	4.0 U	NA	NA	NA
	9/18/2017	4.0 U	NA	NA	NA
	9/25/2017	4.0 U	NA	NA	NA
	10/2/2017	4.0 U	NA	NA	NA
	10/10/2017	4.0 U	NA	**0.6**	NA
	10/17/2017	4.0 U	NA	NA	NA
	10/23/2017	4.0 U	NA	NA	NA
	2/5/2018	4.0 U	0.5 U	**0.5**	0.5 U
	2/12/2018	4.0 U	NA	NA	NA
	2/20/2018	4.0 U	NA	NA	NA
	2/26/2018	4.0 U	NA	NA	NA
	3/5/2018	4.0 U	NA	NA	NA
	3/12/2018	4.0 U	NA	NA	NA
	3/19/2018	4.0 U	NA	NA	NA
	3/26/2018	4.0 U	NA	NA	NA
	4/2/2018	4.0 U	NA	**0.6**	NA
	4/9/2018	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	4/16/2018	4.0 U	NA	NA	NA
	4/23/2018	4.0 U	NA	NA	NA
	4/30/2018	4.0 U	NA	NA	NA
	5/7/2018	4.0 U	NA	NA	NA
	5/14/2018	4.0 U	NA	NA	NA
	5/21/2018	4.0 U	NA	NA	NA
	5/29/2018	4.0 U	NA	NA	NA
	6/4/2018	4.0 U	NA	NA	NA
	6/11/2018	4.0 U	NA	NA	NA
	6/18/2018	4.0 U	NA	NA	NA
	6/25/2018	4.0 U	NA	NA	NA
	7/2/2018	4.0 U	NA	**0.7**	NA
	7/9/2018	4.0 U	NA	NA	NA
	7/16/2018	4.0 U	NA	NA	NA
	7/23/2018	4.0 U	NA	NA	NA
	7/30/2018	4.0 U	NA	NA	NA
	8/6/2018	4.0 U	NA	NA	NA
	8/13/2018	4.0 U	NA	NA	NA
	8/20/2018	4.0 U	NA	NA	NA
	8/27/2018	4.0 U	NA	NA	NA
	9/4/2018	4.0 U	NA	NA	NA
	9/10/2018	4.0 U	NA	NA	NA
	9/17/2018	4.0 U	NA	NA	NA
	9/24/2018	4.0 U	NA	NA	NA
	10/1/2018	4.0 U	NA	NA	NA
	10/8/2018	4.0 U	NA	**0.5**	NA
	10/17/2018	4.0 U	NA	NA	NA
	10/22/2018	4.0 U	NA	NA	NA
	10/29/2018	4.0 U	NA	NA	NA
	11/5/2018	4.0 U	NA	NA	NA
	11/13/2018	4.0 U	NA	NA	NA
	11/20/2018	4.0 U	NA	NA	NA
	11/26/2018	4.0 U	NA	NA	NA
	12/3/2018	4.0 U	NA	NA	NA
	12/10/2018	4.0 U	NA	NA	NA
	12/17/2018	4.0 U	NA	NA	NA
	12/26/2018	4.0 U	NA	NA	NA
	1/2/2019	4.0 U	NA	NA	NA
	1/8/2019	4.0 U	NA	**0.6**	NA
	1/14/2019	4.0 U	NA	NA	NA
	1/22/2019	4.0 U	NA	NA	NA
	1/28/2019	4.0 U	NA	NA	NA
	2/5/2019	4.0 U	0.5 U	**0.5**	0.5 U
	2/11/2019	4.0 U	NA	NA	NA
	2/19/2019	4.0 U	NA	NA	NA
	2/25/2019	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	3/4/2019	4.0 U	NA	NA	NA
	3/11/2019	4.0 U	NA	NA	NA
	3/18/2019	4.0 U	NA	NA	NA
	3/25/2019	4.0 U	NA	NA	NA
	4/2/2019	4.0 U	NA	**0.7**	NA
	4/8/2019	4.0 U	NA	NA	NA
	4/15/2019	4.0 U	NA	NA	NA
	4/22/2019	4.0 U	NA	NA	NA
	4/29/2019	4.0 U	NA	NA	NA
	5/6/2019	4.0 U	NA	NA	NA
	5/13/2019	4.0 U	NA	NA	NA
	5/20/2019	4.0 U	NA	NA	NA
	5/28/2019	4.0 U	NA	NA	NA
	6/3/2019	4.0 U	NA	NA	NA
	6/10/2019	4.0 U	NA	NA	NA
	6/17/2019	4.0 U	NA	NA	NA
	6/24/2019	4.0 U	NA	NA	NA
	7/1/2019	4.0 U	NA	NA	NA
	7/8/2019	4.0 U	NA	NA	NA
	7/15/2019	4.0 U	NA	**0.6**	NA
	7/22/2019	4.0 U	NA	NA	NA
	7/29/2019	4.0 U	NA	NA	NA
	8/5/2019	4.0 U	NA	NA	NA
	8/12/2019	4.0 U	NA	NA	NA
	8/19/2019	4.0 U	NA	NA	NA
	9/3/2019	4.0 U	NA	NA	NA
	9/9/2019	4.0 U	NA	NA	NA
	9/16/2019	4.0 U	NA	NA	NA
	9/23/2019	4.0 U	NA	NA	NA
	9/30/2019	4.0 U	NA	NA	NA
	10/7/2019	4.0 U	NA	**0.7**	NA
	10/14/2019	4.0 U	NA	NA	NA
	10/21/2019	4.0 U	NA	NA	NA
	10/28/2019	4.0 U	NA	NA	NA
	11/4/2019	4.0 U	NA	NA	NA
	11/12/2019	4.0 U	NA	NA	NA
	11/18/2019	4.0 U	NA	NA	NA
	11/25/2019	4.0 U	NA	NA	NA
	12/2/2019	4.0 U	NA	NA	NA
	12/9/2019	4.0 U	NA	NA	NA
	12/16/2019	4.0 U	NA	NA	NA
	12/23/2019	4.0 U	NA	NA	NA
	12/30/2019	4.0 U	NA	NA	NA
	1/6/2020	4.0 U	NA	**0.8**	NA
	1/13/2020	4.0 U	NA	NA	NA
	1/21/2020	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	1/27/2020	4.0 U	NA	NA	NA
	2/3/2020	NA	0.5 U	**0.6**	0.5 U
	2/4/2020	4.0 U	NA	NA	NA
	2/10/2020	4.0 U	NA	NA	NA
	2/18/2020	4.0 U	NA	NA	NA
	2/24/2020	4.0 U	NA	NA	NA
	3/2/2020	4.0 U	NA	NA	NA
	3/9/2020	4.0 U	NA	NA	NA
	3/16/2020	4.0 U	NA	NA	NA
	3/23/2020	4.0 U	NA	NA	NA
	3/30/2020	4.0 U	NA	NA	NA
	4/6/2020	4.0 U	NA	0.5 U	NA
	4/13/2020	4.0 U	NA	NA	NA
	4/20/2020	4.0 U	NA	NA	NA
	4/27/2020	4.0 U	NA	NA	NA
	5/4/2020	4.0 U	NA	NA	NA
	5/11/2020	4.0 U	NA	NA	NA
	5/18/2020	4.0 U	NA	NA	NA
	5/26/2020	4.0 U	NA	NA	NA
	6/1/2020	4.0 U	NA	NA	NA
	6/8/2020	4.0 U	NA	NA	NA
	6/15/2020	4.0 U	NA	NA	NA
	6/22/2020	4.0 U	NA	NA	NA
	6/29/2020	4.0 U	NA	NA	NA
	7/6/2020	4.0 U	NA	**0.7**	NA
	7/13/2020	4.0 U	NA	NA	NA
	7/20/2020	4.0 U	NA	NA	NA
	7/27/2020	4.0 U	NA	NA	NA
	8/3/2020	4.0 U	NA	NA	NA
	8/10/2020	4.0 U	NA	NA	NA
	8/17/2020	4.0 U	NA	NA	NA
	8/24/2020	4.0 U	NA	NA	NA
	8/31/2020	4.0 U	NA	NA	NA
	9/8/2020	4.0 U	NA	NA	NA
	9/14/2020	4.0 U	NA	NA	NA
	9/21/2020	4.0 U	NA	NA	NA
	9/28/2020	4.0 U	NA	NA	NA
	10/5/2020	4.0 U	NA	**0.7**	NA
	10/12/2020	4.0 U	NA	NA	NA
	10/19/2020	4.0 U	NA	**0.7**	NA
	10/26/2020	4.0 U	NA	NA	NA
	11/2/2020	4.0 U	NA	NA	NA
	11/9/2020	4.0 U	NA	NA	NA
	11/16/2020	4.0 U	NA	NA	NA
	11/23/2020	4.0 U	NA	NA	NA
	11/30/2020	4.0 U	NA	NA	NA

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	12/7/2020	4.0 U	NA	NA	NA
	12/14/2020	4.0 U	NA	NA	NA
	12/21/2020	4.0 U	NA	NA	NA
	12/28/2020	4.0 U	NA	NA	NA
	1/4/2021	4.0 U	NA	**0.8**	NA
	1/11/2021	4.0 U	NA	NA	NA
	1/19/2021	4.0 U	NA	NA	NA
	1/25/2021	4.0 U	NA	NA	NA
VALLEY WATER CO. WELL 01					
	5/1/1996	NA	0.5 U	**10.0**	0.5 U
	6/5/1996	NA	0.5 U	**54.0**	**3.4**
	7/9/1996	NA	0.5 U	**73.9**	**4.8**
	8/19/1996	NA	0.5 U	**52.5**	**4.5**
	11/18/1996	NA	0.5 U	0.5 U	0.5 U
	5/12/1997	NA	0.5 U	**27.5**	**2.3**
	6/10/1997	NA	0.5 U	**31.0**	**2.9**
	6/17/1997	**5.0**	NA	NA	NA
	6/24/1997	5.0 U	NA	NA	NA
	7/7/1997	NA	0.5 U	**38.0**	**3.5**
	8/11/1997	NA	0.5 U	NA	NA
	9/16/1997	5.0 U	NA	NA	NA
	4/30/1998	5.0 U	NA	NA	NA
	5/4/1998	NA	0.5 U	**10.1**	**0.5**
	6/1/1998	NA	0.5 U	**8.7**	**0.8**
	7/6/1998	NA	0.5 U	**7.8**	**1.1**
	8/3/1998	NA	0.5 U	**13.0**	**1.2**
	9/1/1998	NA	0.5 U	**9.9**	**1.4**
	10/5/1998	NA	0.5 U	**10.0**	**1.8**
	5/3/1999	NA	0.5 U	**2.8**	0.5 U
	7/8/1999	**5.9**	NA	NA	NA
	8/2/1999	**5.2**	0.5 U	**10.0**	**1.4**
	9/7/1999	5.0 U	0.5 U	**8.7**	**1.7**
	10/4/1999	NA	0.5 U	**8.7**	**1.3**
	12/6/1999	**6.4**	NA	NA	NA
	3/9/2000	5.0 U	NA	NA	NA
	5/1/2000	NA	0.5 U	**3.2**	0.5 U
	6/5/2000	5.0 U	0.5 U	**4.8**	**0.7**
	7/5/2000	**5.5**	0.5 U	**5.8**	**1.0**
	8/1/2000	NA	0.5 U	**7.4**	**1.4**
	9/5/2000	5.0 U	NA	NA	NA
	10/2/2000	NA	0.5 U	**12.0**	**2.0**
	12/5/2000	5.0 U	NA	NA	NA
	3/13/2001	5.0 U	NA	NA	NA
	5/1/2001	5.0 U	0.5 U	**1.3**	0.5 U
	6/4/2001	NA	0.5 U	**4.2**	**0.8**
	7/2/2001	NA	0.5 U	**4.1**	**0.9**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/6/2001	NA	0.5 U	**4.7**	**1.1**
	9/4/2001	NA	0.5 U	**6.2**	**1.9**
	10/1/2001	**5.5**	0.5 U	**7.0**	**2.2**
	5/1/2002	NA	0.5 U	0.5 U	0.5 U
	6/3/2002	NA	0.5 U	**2.7**	0.5 U
	8/5/2002	NA	0.5 U	**3.9**	**0.9**
	9/3/2002	NA	0.5 U	**3.8**	**1.1**
	9/6/2002	**4.2**	NA	NA	NA
	10/2/2002	NA	0.5 U	**4.1**	**1.2**
	5/5/2003	NA	0.5 U	**1.6**	0.5 U
	6/12/2003	NA	0.5 U	**3.4**	**0.6**
	7/14/2003	NA	0.5 U	**3.4**	**0.6**
	8/18/2003	NA	0.5 U	**3.1**	**0.6**
	9/2/2003	NA	0.5 U	**4.3**	**1.4**
	10/6/2003	NA	0.5 U	**3.8**	**1.4**
	5/6/2004	NA	0.5 U	0.5 U	0.5 U
	6/8/2004	NA	0.5 U	**1.5**	0.5 U
	7/7/2004	NA	0.5 U	**1.5**	**0.5**
	8/19/2004	NA	0.5 U	**2.1**	**1.1**
	9/7/2004	NA	0.5 U	**3.6**	**1.0**
	10/4/2004	NA	0.5 U	**3.4**	**1.2**
	3/3/2005	NA	0.5 U	0.5 U	0.5 U
	5/19/2005	NA	0.5 U	**0.7**	0.5 U
	6/6/2005	NA	0.5 U	**0.8**	0.5 U
	7/6/2005	NA	0.5 U	**1.6**	0.5 U
	8/9/2005	NA	0.5 U	**1.6**	**0.5**
	9/6/2005	NA	0.5 U	**2.5**	**0.6**
	10/4/2005	NA	0.5 U	**2.7**	**0.7**
	6/14/2006	NA	0.5 U	**1.0**	0.5 U
	7/5/2006	NA	0.5 U	**1.5**	0.5 U
	8/3/2006	NA	0.5 U	**2.2**	0.5 U
	9/6/2006	NA	0.5 U	**3.1**	**0.5**
	10/2/2006	NA	0.5 U	**4.3**	**0.8**
	5/8/2007	NA	0.5 U	**1.3**	0.5 U
	6/4/2007	NA	0.5 U	**2.5**	**0.6**
	8/2/2007	NA	0.5 U	**3.3**	**0.6**
	9/4/2007	NA	0.5 U	**4.8**	**0.8**
	11/5/2007	NA	**0.5**	**4.3**	**1.0**
	1/8/2008	4.0 U	NA	NA	NA
	5/1/2008	4.0 U	NA	NA	NA
	6/10/2008	4.0 U	0.5 U	**2.4**	**0.9**
	7/7/2008	NA	0.5 U	**2.7**	**0.8**
	8/5/2008	NA	NA	**3.4**	**1.0**
	9/2/2008	**4.1**	**0.5**	**3.1**	**0.9**
	10/7/2008	**4.0**	**0.5**	**2.6**	**1.0**
	5/18/2009	NA	0.5 U	**1.4**	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/1/2009	4.0 U	NA	NA	NA
	6/9/2009	**4.0**	0.5 U	**1.6**	**1.1**
	7/7/2009	4.0 U	0.5 U	**1.9**	**1.0**
	8/4/2009	**4.4**	0.5 U	**2.2**	**1.1**
	9/8/2009	**4.2**	0.5 U	**2.7**	**1.2**
	10/5/2009	**4.1**	NA	NA	NA
	10/26/2009	NA	0.5 U	**2.2**	**1.2**
	11/3/2009	4.0 U	0.5 U	**1.6**	**1.0**
	6/2/2010	**4.9**	0.5 U	**2.4**	**1.3**
	7/6/2010	4.0 U	NA	NA	NA
	7/7/2010	NA	0.5 U	**2.2**	**1.2**
	8/3/2010	**5.3**	0.5 U	**2.0**	**1.2**
	9/7/2010	**4.1**	NA	NA	NA
	9/9/2010	NA	0.5 U	**2.1**	**1.5**
	10/7/2010	4.0 U	0.5 U	**2.0**	**1.6**
	5/11/2011	**4.9**	NA	NA	NA
	6/3/2011	4.0 U	0.5 U	**2.0**	**0.6**
	7/6/2011	4.0 U	0.5 U	**2.2**	**1.0**
	8/3/2011	4.0 U	0.5 U	**1.9**	**0.6**
	5/23/2012	4.0 U	0.5 U	**2.2**	**0.6**
	6/7/2012	4.0 U	0.5 U	**2.4**	**1.2**
	7/2/2012	**4.2**	NA	NA	NA
	7/5/2012	NA	0.5 U	**2.4**	**1.3**
	8/2/2012	4.0 U	0.5 U	**1.8**	**1.3**
	10/2/2012	**4.3**	0.5 U	**1.9**	**1.4**
	11/8/2012	**4.1**	0.5 U	**2.1**	**1.6**
	5/7/2013	NA	0.5 U	**1.6**	0.5 U
	6/3/2013	4.0 U	NA	NA	NA
	6/10/2013	NA	0.5 U	**1.5**	**1.1**
	7/2/2013	**4.5**	0.5 U	**2.2**	**1.2**
	8/6/2013	4.0 U	0.5 U	0.5 U	0.5 U
	9/3/2013	**5.2**	0.5 U	**1.8**	**1.3**
	10/3/2013	4.0 U	0.5 U	**1.8**	**1.5**
	5/7/2014	NA	0.5 U	**2.6**	0.5 U
	6/4/2014	4.0 U	0.5 U	**2.5**	0.5 U
	7/2/2014	4.0 U	0.5 U	**2.1**	**1.4**
	9/3/2014	**4.1**	**0.5**	**1.5**	**1.6**
	4/6/2015	**5.0**	NA	NA	NA
	4/10/2015	NA	0.5 U	**1.4**	**2.0**
	5/7/2015	**4.5**	NA	NA	NA
	6/1/2015	**4.3**	0.5 U	**1.1**	**0.8**
	7/1/2015	4.0 U	0.5 U	**1.0**	**0.8**
	8/4/2015	**4.2**	0.5 U	**1.1**	**1.6**
	10/5/2015	**4.1**	0.5 U	**1.5**	**1.7**
	11/2/2015	**4.3**	0.5 U	**1.2**	**1.6**
	5/13/2016	4.0 U	0.5 U	**1.0**	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/1/2016	4.0 U	0.5 U	**1.5**	**0.7**
	8/3/2016	4.0 U	0.5 U	**1.1**	**1.4**
	10/4/2016	4.0 U	NA	NA	NA
	10/18/2016	NA	0.5 U	**1.9**	**2.1**
	11/8/2016	**4.1**	NA	NA	NA
	5/2/2017	4.0 U	NA	NA	NA
	5/17/2017	NA	0.5 U	**1.4**	**1.0**
	6/2/2017	NA	0.5 U	**1.4**	**1.8**
	7/11/2017	4.0 U	0.5 U	**1.2**	**1.5**
	8/2/2017	4.0 U	0.5 U	**0.7**	**0.9**
	9/6/2017	4.0 U	NA	NA	NA
	9/28/2017	NA	0.5 U	**0.7**	**0.9**
	10/3/2017	4.0 U	0.5 U	**0.6**	**0.7**
	3/12/2018	4.0 U	0.5 U	0.5 U	**0.6**
	5/2/2018	4.0 U	0.5 U	**0.8**	**1.0**
	6/5/2018	4.0 U	0.5 U	**0.9**	**1.1**
	7/3/2018	4.0 U	0.5 U	**1.1**	**1.4**
	8/1/2018	4.0 U	0.5 U	**1.1**	**1.3**
	9/4/2018	4.0 U	0.5 U	**1.3**	**1.6**
	10/3/2018	4.0 U	0.5 U	**1.2**	**1.6**
	11/6/2018	**4.6**	0.5 U	**1.0**	**1.2**
	5/7/2019	4.0 U	0.5 U	**0.9**	**1.2**
	6/4/2019	4.0 U	0.5 U	**1.1**	**1.3**
	7/2/2019	4.0 U	0.5 U	**1.1**	**1.3**
	9/3/2019	4.0 U	0.5 U	**0.9**	**1.2**
	10/2/2019	4.0 U	0.5 U	**1.1**	**1.4**
	6/3/2020	4.0 U	0.5 U	**1.3**	**1.6**
	7/1/2020	4.0 U	NA	NA	NA
	7/2/2020	NA	0.5 U	**1.2**	**1.5**
	8/4/2020	4.0 U	0.5 U	**1.0**	**1.3**
	9/9/2020	4.0 U	0.5 U	**0.9**	**1.0**
	10/5/2020	4.0 U	0.5 U	**0.8**	**1.2**
	5/5/2021	4.0 U	0.5 U	**0.8**	**1.2**
	6/2/2021	NA	0.5 U	0.5 U	**0.7**
VALLEY WATER CO. WELL 02					
	5/6/1996	NA	0.5 U	0.5 U	0.5 U
	6/3/1996	NA	0.5 U	**3.2**	0.5 U
	7/1/1996	NA	0.5 U	**4.1**	0.5 U
	8/5/1996	NA	0.5 U	**4.7**	**0.6**
	9/3/1996	NA	0.5 U	**8.5**	**0.8**
	10/1/1996	NA	0.5 U	**9.3**	**0.8**
	5/5/1997	NA	0.5 U	**4.5**	0.5 U
	6/17/1997	**4.0**	NA	NA	NA
	6/24/1997	5.0 U	NA	NA	NA
	7/1/1997	NA	0.5 U	**7.6**	**0.7**
	8/4/1997	NA	0.5 U	**8.4**	**0.9**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	9/2/1997	NA	0.5 U	**9.1**	**1.0**
	9/16/1997	5.0 U	NA	NA	NA
	4/30/1998	5.0 U	NA	NA	NA
	5/6/1998	NA	0.5 U	0.5 U	0.5 U
	6/1/1998	NA	0.5 U	**4.0**	0.5 U
	7/6/1998	NA	0.5 U	**7.0**	**0.5**
	8/3/1998	NA	0.5 U	**9.2**	**0.5**
	9/1/1998	NA	0.5 U	**7.7**	**0.5**
	5/3/1999	NA	0.5 U	0.5 U	0.5 U
	6/1/1999	NA	0.5 U	**5.4**	0.5 U
	7/8/1999	**7.4**	NA	NA	NA
	8/2/1999	**5.9**	0.5 U	**9.6**	**0.8**
	9/7/1999	5.0 U	0.5 U	**7.6**	**0.8**
	12/6/1999	5.0 U	NA	NA	NA
	3/9/2000	5.0 U	NA	NA	NA
	5/1/2000	NA	0.5 U	**3.6**	0.5 U
	6/5/2000	**6.2**	0.5 U	**6.4**	**0.6**
	7/5/2000	5.0 U	0.5 U	**7.3**	**0.6**
	8/1/2000	NA	0.5 U	**8.3**	**0.8**
	9/5/2000	**5.0**	NA	NA	NA
	9/7/2000	NA	0.5 U	**5.0**	**1.0**
	12/5/2000	5.0 U	NA	NA	NA
	3/13/2001	5.0 U	NA	NA	NA
	5/1/2001	5.0 U	0.5 U	0.5 U	0.5 U
	6/4/2001	NA	0.5 U	**10.0**	**0.7**
	7/2/2001	NA	0.5 U	**7.7**	**0.6**
	8/6/2001	NA	0.5 U	**8.4**	**0.7**
	10/1/2001	**6.4**	0.5 U	**11.0**	**0.8**
	4/23/2002	4.0 U	NA	NA	NA
	5/6/2002	NA	0.5 U	0.5 U	0.5 U
	6/3/2002	NA	0.5 U	0.5 U	0.5 U
	7/1/2002	NA	0.5 U	0.5 U	0.5 U
	8/5/2002	NA	0.5 U	0.5 U	0.5 U
	5/5/2003	NA	0.5 U	**8.7**	**0.6**
	6/12/2003	NA	0.5 U	**9.0**	**0.8**
	7/14/2003	NA	0.5 U	0.5 U	0.5 U
	8/18/2003	NA	0.5 U	**3.4**	0.5 U
	9/18/2003	NA	0.5 U	0.5 U	0.5 U
	5/6/2004	NA	0.5 U	0.5 U	0.5 U
	6/8/2004	NA	0.5 U	0.5 U	0.5 U
	7/7/2004	NA	0.5 U	0.5 U	0.5 U
	8/19/2004	NA	0.5 U	0.5 U	0.5 U
	3/9/2005	NA	0.5 U	0.5 U	0.5 U
	5/19/2005	NA	0.5 U	0.5 U	0.5 U
	6/6/2005	NA	0.5 U	0.5 U	0.5 U
	7/6/2005	NA	0.5 U	0.5 U	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/9/2005	NA	0.5 U	0.5 U	0.5 U
	6/14/2006	NA	0.5 U	0.5 U	0.5 U
	7/5/2006	NA	0.5 U	0.5 U	0.5 U
	8/3/2006	NA	0.5 U	0.5 U	0.5 U
	9/6/2006	NA	0.5 U	**6.0**	0.5 U
	12/7/2006	NA	0.5 U	0.5 U	0.5 U
	5/8/2007	NA	0.5 U	**2.6**	0.5 U
	6/4/2007	NA	0.5 U	**4.1**	**0.5**
	8/2/2007	NA	0.5 U	**3.8**	**0.5**
	1/8/2008	**5.5**	NA	NA	NA
	6/10/2008	4.0 U	0.5 U	**4.0**	**0.5**
	7/7/2008	NA	0.5 U	**3.8**	0.5 U
	8/5/2008	NA	**0.5**	**4.6**	**0.6**
	10/15/2008	**4.0**	**0.5**	**3.3**	**0.5**
	3/10/2009	4.0 U	0.5 U	0.5 U	0.5 U
	5/18/2009	NA	0.5 U	**4.3**	**0.7**
	6/9/2009	**4.7**	0.5 U	**3.9**	**0.6**
	7/7/2009	4.0 U	0.5 U	**4.2**	**0.6**
	8/4/2009	**4.5**	0.5 U	**4.2**	**0.6**
	6/2/2010	**4.5**	0.5 U	**5.3**	**0.8**
	7/7/2010	**4.4**	0.5 U	**5.5**	**0.7**
	7/15/2010	**4.7**	NA	NA	NA
	8/3/2010	**5.4**	0.5 U	**3.6**	**0.7**
	9/7/2010	**4.4**	NA	NA	NA
	9/9/2010	NA	0.5 U	**2.8**	**0.7**
	10/7/2010	**4.4**	0.5 U	**4.3**	**0.6**
	3/18/2011	4.0 U	0.5 U	0.5 U	0.5 U
	5/11/2011	4.0 U	NA	NA	NA
	6/3/2011	4.0 U	0.5 U	**4.0**	**0.5**
	7/6/2011	4.0 U	0.5 U	**5.9**	**0.7**
	8/3/2011	4.0 U	0.5 U	**4.8**	**0.6**
	9/6/2011	NA	0.5 U	**2.4**	**0.9**
	9/9/2011	**4.2**	NA	NA	NA
	10/3/2011	**4.5**	0.5 U	**2.1**	**1.1**
	11/1/2011	**5.1**	0.5 U	**2.0**	**1.0**
	5/23/2012	**4.1**	0.5 U	**4.7**	**0.7**
	6/7/2012	**4.0**	0.5 U	**5.6**	**0.7**
	7/5/2012	4.0 U	0.5 U	**4.7**	**0.6**
	8/2/2012	4.0 U	0.5 U	**4.4**	**0.6**
	2/13/2013	**4.0**	**0.5**	**0.5**	**0.5**
	5/7/2013	NA	0.5 U	**3.8**	**0.5**
	6/10/2013	4.0 U	0.5 U	**3.4**	**0.5**
	7/2/2013	**4.1**	0.5 U	**4.3**	**0.6**
	8/6/2013	4.0 U	0.5 U	0.5 U	0.5 U
	9/3/2013	**5.3**	0.5 U	**2.2**	**0.8**
	10/3/2013	4.0 U	0.5 U	**1.5**	**0.9**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	5/7/2014	NA	0.5 U	**3.1**	**0.9**
	6/4/2014	**4.4**	0.5 U	**2.0**	**1.1**
	7/2/2014	**4.4**	0.5 U	**1.9**	**1.2**
	9/3/2014	**4.4**	**0.5**	**1.5**	**1.1**
	10/7/2014	4.0 U	0.5 U	**1.5**	**1.4**
	6/1/2015	**4.4**	0.5 U	**1.8**	**0.7**
	8/4/2015	4.0 U	0.5 U	**2.0**	0.5 U
	10/5/2015	**4.2**	0.5 U	**1.6**	**0.7**
	11/2/2015	**4.5**	0.5 U	**1.1**	**0.8**
	3/1/2016	4.0 U	0.5 U	0.5 U	0.5 U
	5/13/2016	4.0 U	0.5 U	**1.1**	0.5 U
	5/17/2016	NA	0.5 U	**1.6**	0.5 U
	6/1/2016	4.0 U	0.5 U	**0.8**	**0.7**
	8/3/2016	4.0 U	0.5 U	**0.9**	**0.8**
	10/4/2016	4.0 U	NA	NA	NA
	10/18/2016	NA	0.5 U	**0.8**	**0.8**
	11/8/2016	4.0 U	NA	NA	NA
	5/2/2017	4.0 U	NA	NA	NA
	5/17/2017	NA	0.5 U	**0.8**	**0.6**
	6/2/2017	NA	0.5 U	**0.8**	**0.7**
	7/11/2017	4.0 U	0.5 U	**0.8**	**0.8**
	9/6/2017	4.0 U	NA	NA	NA
	9/28/2017	NA	0.5 U	**0.7**	**0.9**
	10/3/2017	4.0 U	0.5 U	**0.6**	**0.7**
	3/12/2018	4.0 U	0.5 U	0.5 U	0.5 U
	5/2/2018	4.0 U	0.5 U	0.5 U	0.5 U
	6/5/2018	4.0 U	0.5 U	**0.5**	0.5 U
	7/3/2018	4.0 U	0.5 U	**0.6**	**0.7**
	8/1/2018	4.0 U	0.5 U	**0.6**	**0.7**
	9/4/2018	**4.0**	0.5 U	**0.6**	**0.7**
	10/3/2018	**4.2**	0.5 U	**0.6**	**0.8**
	11/6/2018	4.0 U	0.5 U	**0.5**	**0.7**
	5/7/2019	4.0 U	0.5 U	**0.6**	0.5 U
	6/4/2019	4.0 U	0.5 U	**0.8**	**0.8**
	7/2/2019	4.0 U	0.5 U	**0.8**	**0.7**
	9/3/2019	4.0 U	0.5 U	0.5 U	**0.6**
	10/2/2019	4.0 U	0.5 U	**0.5**	**0.7**
	5/7/2020	4.0 U	0.5 U	0.5 U	0.5 U
	6/3/2020	4.0 U	0.5 U	**0.6**	**0.8**
	7/1/2020	4.0 U	NA	NA	NA
	7/2/2020	NA	0.5 U	**0.8**	**0.9**
	8/4/2020	4.0 U	0.5 U	**0.6**	**0.8**
	9/9/2020	4.0 U	0.5 U	0.5 U	**0.6**
	10/5/2020	**4.0**	0.5 U	**0.6**	**0.7**
	5/5/2021	4.0 U	0.5 U	**0.8**	**0.8**
	6/2/2021	NA	0.5 U	0.5 U	**0.6**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
VALLEY WATER CO. WELL 03					
	5/6/1996	NA	0.5 U	**2.6**	0.5 U
	6/5/1996	NA	0.5 U	**2.0**	0.5 U
	7/9/1996	NA	0.5 U	**2.1**	0.5 U
	8/6/1996	NA	0.5 U	**1.8**	0.5 U
	9/3/1996	NA	0.5 U	**1.0**	0.5 U
	10/1/1996	NA	0.5 U	**1.0**	0.5 U
	5/5/1997	NA	0.5 U	0.5 U	0.5 U
	6/17/1997	5.0 U	NA	NA	NA
	6/24/1997	5.0 U	NA	NA	NA
	7/1/1997	NA	0.5 U	**1.1**	0.5 U
	8/4/1997	NA	0.5 U	**1.0**	0.5 U
	9/2/1997	NA	0.5 U	**1.0**	0.5 U
	9/16/1997	5.0 U	NA	NA	NA
	4/30/1998	5.0 U	NA	NA	NA
	5/6/1998	NA	0.5 U	**3.8**	0.5 U
	6/1/1998	NA	0.5 U	**2.9**	0.5 U
	7/6/1998	NA	0.5 U	**2.1**	0.5 U
	8/3/1998	NA	0.5 U	**2.3**	0.5 U
	9/1/1998	NA	0.5 U	**1.7**	0.5 U
	5/3/1999	NA	0.5 U	**1.7**	0.5 U
	6/1/1999	NA	0.5 U	**4.3**	**0.6**
	7/6/1999	NA	0.5 U	**2.8**	**0.5**
	7/8/1999	**7.3**	NA	NA	NA
	8/2/1999	**5.4**	0.5 U	**3.1**	**0.6**
	9/7/1999	**6.5**	0.5 U	**2.4**	0.5 U
	12/6/1999	**6.7**	NA	NA	NA
	3/9/2000	5.0 U	NA	NA	NA
	5/1/2000	NA	0.5 U	**3.5**	0.5 U
	6/5/2000	5.0 U	0.5 U	**1.4**	0.5 U
	7/5/2000	**5.2**	0.5 U	**2.4**	**0.6**
	8/1/2000	NA	0.5 U	**2.6**	**0.7**
	9/5/2000	**6.0**	NA	NA	NA
	12/5/2000	5.0 U	NA	NA	NA
	3/13/2001	**4.1**	NA	NA	NA
	5/1/2001	**5.1**	0.5 U	**2.4**	0.5 U
	6/4/2001	NA	0.5 U	**3.4**	**0.6**
	7/2/2001	NA	0.5 U	**2.5**	0.5 U
	8/6/2001	NA	0.5 U	**2.0**	0.5 U
	10/1/2001	**6.0**	0.5 U	**2.6**	**0.6**
	4/23/2002	4.0 U	NA	NA	NA
	5/6/2002	NA	0.5 U	**5.1**	**0.5**
	6/3/2002	NA	0.5 U	**6.0**	**0.7**
	8/5/2002	NA	0.5 U	**4.0**	**0.5**
	5/5/2003	NA	0.5 U	**4.4**	**0.6**
	7/14/2003	NA	0.5 U	**2.6**	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/18/2003	NA	0.5 U	**1.6**	0.5 U
	5/6/2004	NA	0.5 U	**1.1**	0.5 U
	6/8/2004	NA	0.5 U	**2.9**	0.5 U
	7/7/2004	NA	0.5 U	**2.2**	0.5 U
	8/19/2004	NA	0.5 U	**2.8**	**0.9**
	3/9/2005	NA	0.5 U	0.5 U	0.5 U
	6/6/2005	NA	0.5 U	0.5 U	0.5 U
	7/6/2005	NA	0.5 U	0.5 U	0.5 U
	6/14/2006	NA	0.5 U	**2.1**	0.5 U
	7/5/2006	NA	0.5 U	**2.1**	**0.5**
	8/3/2006	NA	0.5 U	0.5 U	0.5 U
	9/6/2006	NA	0.5 U	**2.5**	**0.6**
	5/8/2007	NA	0.5 U	**1.9**	**0.6**
	6/4/2007	NA	0.5 U	**1.9**	**0.6**
	8/2/2007	NA	0.5 U	**1.5**	**0.6**
	1/8/2008	**4.9**	NA	NA	NA
	6/10/2008	**4.3**	0.5 U	**1.6**	**0.7**
	7/7/2008	NA	0.5 U	**1.7**	**0.6**
	8/5/2008	NA	**0.5**	**1.7**	**0.8**
	5/18/2009	NA	0.5 U	**2.2**	**1.2**
	6/9/2009	**5.4**	0.5 U	**1.9**	**1.0**
	7/7/2009	**4.7**	0.5 U	**1.7**	**0.9**
	8/4/2009	**5.4**	0.5 U	**1.7**	**0.9**
	6/2/2010	**5.6**	0.5 U	**2.1**	**0.9**
	7/7/2010	**4.8**	0.5 U	**2.2**	**0.8**
	8/3/2010	**5.6**	0.5 U	**1.7**	**0.6**
	9/7/2010	4.0 U	NA	NA	NA
	5/11/2011	**4.6**	NA	NA	NA
	6/3/2011	4.0 U	0.5 U	**1.4**	**0.6**
	7/6/2011	4.0 U	0.5 U	**1.6**	**0.6**
	8/3/2011	4.0 U	0.5 U	**1.1**	0.5 U
	5/23/2012	**4.7**	0.5 U	**1.9**	**1.0**
	6/7/2012	**4.7**	0.5 U	**2.2**	**0.9**
	7/5/2012	**4.6**	0.5 U	**1.6**	**0.9**
	8/2/2012	**4.6**	0.5 U	**1.5**	**1.0**
	5/7/2013	NA	0.5 U	**1.5**	**1.1**
	6/10/2013	**4.2**	0.5 U	**1.2**	**1.1**
	7/2/2013	**4.9**	0.5 U	**1.6**	**1.2**
	8/6/2013	4.0 U	0.5 U	0.5 U	0.5 U
	9/3/2013	**4.1**	NA	NA	NA
	5/7/2014	NA	0.5 U	**1.8**	**1.1**
	6/4/2014	**4.7**	0.5 U	**1.4**	**1.0**
	7/2/2014	**4.8**	0.5 U	**1.5**	**1.0**
	9/3/2014	**4.7**	NA	NA	NA
	6/1/2015	**4.8**	0.5 U	**1.0**	**1.0**
	7/1/2015	**4.3**	0.5 U	**0.9**	**1.0**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/4/2015	**4.0**	0.5 U	**1.0**	**0.9**
	5/13/2016	4.0 U	0.5 U	**1.1**	**0.9**
	6/1/2016	4.0 U	0.5 U	**1.0**	**0.8**
	8/3/2016	4.0 U	0.5 U	**1.4**	**0.8**
	11/8/2016	**4.2**	NA	NA	NA
	5/2/2017	4.0 U	NA	NA	NA
	5/17/2017	NA	0.5 U	**1.2**	0.7
	6/2/2017	NA	0.5 U	**0.5**	0.5 U
	7/13/2017	4.0 U	0.5 U	0.5 U	0.5 U
	8/2/2017	4.0 U	0.5 U	0.5 U	0.5 U
	8/8/2017	NA	0.5 U	0.5 U	0.5 U
	9/6/2017	4.0 U	NA	NA	NA
	5/2/2018	**4.4**	0.5 U	**1.2**	**0.7**
	6/5/2018	4.0 U	0.5 U	**0.5**	0.5 U
	7/3/2018	4.0 U	0.5 U	**1.0**	0.5 U
	7/3/2018	4.0 U	0.5 U	**1.0**	0.5 U
	8/1/2018	4.0 U	0.5 U	**1.0**	0.5 U
	10/3/2018	**5.2**	NA	NA	NA
	5/7/2019	4.0 U	0.5 U	**0.7**	0.5 U
	6/4/2019	4.0 U	0.5 U	**0.6**	0.5 U
	7/2/2019	4.0 U	0.5 U	0.5 U	0.5 U
	9/3/2019	4.0 U	NA	NA	NA
	5/7/2020	4.0 U	0.5 U	**1.2**	**0.6**
	6/3/2020	4.0 U	0.5 U	**1.0**	0.5 U
	7/2/2020	4.0 U	0.5 U	**0.8**	0.5 U
	8/4/2020	4.0 U	0.5 U	**0.9**	0.5 U
VALLEY WATER CO. WELL 04					
	5/6/1996	NA	0.5 U	0.5 U	0.5 U
	6/3/1996	NA	0.5 U	**10.5**	**1.2**
	7/1/1996	NA	0.5 U	**15.4**	**1.8**
	8/5/1996	NA	0.5 U	**16.2**	**3.6**
	9/16/1996	NA	0.5 U	**17.0**	**2.7**
	5/12/1997	NA	0.5 U	**15.8**	**1.7**
	6/10/1997	NA	0.5 U	**18.7**	**2.3**
	6/17/1997	**5.0**	NA	NA	NA
	6/24/1997	5.0 U	NA	NA	NA
	7/7/1997	NA	0.5 U	**22.6**	**2.6**
	9/16/1997	5.0 U	NA	NA	NA
	4/30/1998	5.0 U	NA	NA	NA
	5/4/1998	NA	0.5 U	**1.1**	0.5 U
	6/1/1998	NA	0.5 U	**3.7**	0.5 U
	7/6/1998	NA	0.5 U	**5.4**	**0.5**
	8/3/1998	NA	0.5 U	**6.9**	0.5 U
	9/1/1998	NA	0.5 U	**5.5**	**0.5**
	10/5/1998	NA	0.5 U	**4.3**	**0.5**
	5/3/1999	NA	0.5 U	0.5 U	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	6/1/1999	NA	0.5 U	**2.5**	0.5 U
	7/8/1999	**8.0**	NA	NA	NA
	8/2/1999	**6.1**	0.5 U	**5.2**	0.5 U
	9/7/1999	**5.3**	0.5 U	**4.3**	**0.6**
	10/6/1999	NA	0.5 U	**5.2**	**0.5**
	12/6/1999	5.0 U	NA	NA	NA
	3/9/2000	5.0 U	NA	NA	NA
	5/1/2000	NA	0.5 U	**2.0**	0.5 U
	6/5/2000	NA	0.5 U	**2.7**	0.5 U
	7/5/2000	5.0 U	0.5 U	**3.1**	0.5 U
	8/1/2000	NA	0.5 U	**3.9**	**0.6**
	9/5/2000	5.0 U	NA	NA	NA
	10/2/2000	NA	0.5 U	**3.0**	**1.0**
	12/5/2000	5.0 U	NA	NA	NA
	5/1/2001	**4.6**	0.5 U	**0.8**	0.5 U
	6/4/2001	NA	0.5 U	**4.0**	**0.5**
	7/2/2001	NA	0.5 U	**3.9**	0.5 U
	8/6/2001	NA	0.5 U	**4.3**	**0.6**
	9/4/2001	NA	0.5 U	**4.5**	**0.7**
	10/1/2001	**6.5**	0.5 U	**5.4**	**0.8**
	5/1/2002	NA	0.5 U	0.5 U	0.5 U
	6/3/2002	NA	0.5 U	**1.0**	0.5 U
	7/1/2002	NA	0.5 U	**1.3**	0.5 U
	8/5/2002	NA	0.5 U	**1.4**	0.5 U
	9/3/2002	NA	0.5 U	**1.7**	0.5 U
	9/6/2002	4.0 U	NA	NA	NA
	10/2/2002	NA	0.5 U	**1.5**	0.5 U
	5/5/2003	NA	0.5 U	**3.7**	0.5 U
	6/12/2003	NA	0.5 U	**3.7**	**0.6**
	7/14/2003	NA	0.5 U	**1.8**	0.5 U
	8/18/2003	NA	0.5 U	**1.6**	0.5 U
	9/2/2003	NA	0.5 U	**1.6**	0.5 U
	5/6/2004	NA	0.5 U	0.5 U	0.5 U
	6/8/2004	NA	0.5 U	**0.6**	0.5 U
	7/7/2004	NA	0.5 U	**0.7**	0.5 U
	8/19/2004	NA	0.5 U	**1.0**	**0.5**
	9/7/2004	NA	0.5 U	**2.3**	**0.6**
	3/3/2005	NA	0.5 U	0.5 U	0.5 U
	5/19/2005	NA	0.5 U	0.5 U	0.5 U
	6/6/2005	NA	0.5 U	0.5 U	0.5 U
	7/6/2005	NA	0.5 U	**0.5**	0.5 U
	8/9/2005	NA	0.5 U	0.5 U	0.5 U
	9/6/2005	NA	0.5 U	**0.7**	0.5 U
	10/4/2005	NA	0.5 U	**0.8**	0.5 U
	6/14/2006	NA	0.5 U	**1.0**	0.5 U
	7/5/2006	NA	0.5 U	**0.8**	0.5 U

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	8/3/2006	NA	0.5 U	**1.7**	**0.6**
	9/6/2006	NA	0.5 U	**2.2**	**0.7**
	10/2/2006	NA	0.5 U	**1.3**	**0.7**
	12/7/2006	NA	0.5 U	0.5 U	0.5 U
	5/8/2007	NA	0.5 U	**1.0**	0.5 U
	6/4/2007	NA	0.5 U	**1.6**	**0.8**
	8/2/2007	NA	0.5 U	**1.9**	**1.1**
	9/4/2007	NA	0.5 U	**2.3**	**1.1**
	1/8/2008	**4.6**	NA	NA	NA
	6/10/2008	4.0 U	0.5 U	**2.1**	**0.7**
	7/7/2008	NA	0.5 U	**2.3**	**1.0**
	8/5/2008	NA	**0.5**	**1.8**	**1.3**
	9/2/2008	**4.2**	**0.5**	**1.8**	**1.0**
	10/7/2008	**4.0**	**0.5**	**1.9**	**1.1**
	5/18/2009	NA	0.5 U	**1.6**	**1.0**
	6/9/2009	4.0 U	0.5 U	**1.6**	**0.6**
	7/7/2009	**4.0**	0.5 U	**2.2**	**0.7**
	8/4/2009	**4.3**	0.5 U	**2.2**	**1.2**
	9/8/2009	**4.4**	0.5 U	**2.4**	**1.4**
	10/5/2009	**4.4**	NA	NA	NA
	10/26/2009	NA	0.5 U	**2.2**	**1.1**
	6/2/2010	**5.3**	0.5 U	**2.1**	**1.2**
	7/6/2010	**4.0**	NA	NA	NA
	7/7/2010	NA	0.5 U	**2.4**	**1.1**
	12/6/2010	NA	0.5 U	**2.2**	**2.6**
	5/11/2011	4.0 U	NA	NA	NA
	6/3/2011	4.0 U	0.5 U	**1.5**	**1.4**
	7/6/2011	4.0 U	0.5 U	**1.7**	**1.5**
	8/3/2011	4.0 U	0.5 U	**1.8**	**1.5**
	5/23/2012	**4.5**	0.5 U	**1.6**	**2.4**
	6/7/2012	**4.3**	0.5 U	**2.0**	**1.8**
	7/2/2012	**4.5**	NA	NA	NA
	7/5/2012	NA	0.5 U	**1.8**	**1.5**
	8/2/2012	**4.4**	0.5 U	**2.0**	**1.6**
	10/2/2012	**4.9**	0.5 U	**1.8**	**1.5**
	5/7/2013	NA	0.5 U	**1.3**	**1.7**
	6/3/2013	4.0 U	NA	NA	NA
	6/10/2013	NA	0.5 U	**1.4**	**1.3**
	7/2/2013	**4.1**	0.5 U	**2.0**	**1.5**
	8/6/2013	4.0 U	0.5 U	0.5 U	0.5 U
	9/3/2013	4.6 U	NA	NA	NA
	5/7/2014	NA	0.5 U	**1.5**	**2.0**
	6/4/2014	**4.0**	0.5 U	**1.3**	**2.1**
	7/2/2014	4.0 U	0.5 U	**1.5**	**1.2**
	9/3/2014	**4.0**	NA	NA	NA
	6/1/2015	**4.7**	0.5 U	**0.7**	**1.5**

Purveyor, Well Name	Sample Date	Perchlorate	Carbon tetrachloride	PCE	TCE
	7/1/2015	**4.0**	0.5 U	**0.8**	**1.2**
	8/4/2015	4.0 U	0.5 U	**0.7**	**1.1**
	4/4/2016	4.0 U	0.5 U	**0.6**	**0.6**
	5/4/2016	4.0 U	0.5 U	**0.7**	**0.9**
	5/13/2016	NA	0.5 U	**0.6**	**0.9**
	6/1/2016	4.0 U	0.5 U	**0.9**	**1.4**
	8/3/2016	4.0 U	0.5 U	**0.9**	**0.8**
	11/8/2016	**4.3**	NA	NA	NA
	5/2/2017	4.0 U	NA	NA	NA
	5/17/2017	NA	0.5 U	**0.9**	**0.9**
	6/2/2017	NA	0.5 U	**0.9**	**0.7**
	7/11/2017	4.0 U	0.5 U	**1.0**	**0.8**
	8/2/2017	4.0 U	0.5 U	**1.3**	**1.2**
	9/6/2017	4.0 U	NA	NA	NA
	5/2/2018	**4.8**	0.5 U	**1.2**	**0.9**
	6/5/2018	4.0 U	0.5 U	**1.2**	**1.1**
	7/3/2018	4.0 U	0.5 U	**1.4**	**1.4**
	7/3/2018	4.0 U	0.5 U	**1.4**	**1.4**
	8/1/2018	4.0 U	0.5 U	**1.3**	**1.3**
	10/3/2018	4.0 U	NA	NA	NA
	5/7/2019	4.0 U	0.5 U	**0.7**	0.5 U
	6/4/2019	4.0 U	0.5 U	**1.0**	**0.9**
	9/3/2019	4.0 U	0.5 U	**1.5**	**1.3**
	10/2/2019	4.0 U	0.5 U	**1.2**	**1.4**
	5/7/2020	4.0 U	0.5 U	**2.0**	**1.5**
	6/3/2020	4.0 U	0.5 U	**2.2**	**1.8**
	7/2/2020	4.0 U	0.5 U	**2.2**	**1.6**
	8/4/2020	4.0 U	0.5 U	**1.6**	**1.4**
Analyte concentration exceeds the standard for:					
CA MCL		6.0	0.5	5.0	5.0
EPA REGION IX MCL		NE	5.0	5.0	5.0

Notes

NA	Not analyzed
NE	Not established
Source	State Water Resources Control Board (Division of Drinking Water) Water Quality Index Database
J	Analyte concentration is an estimated value
U	Analyte was analyzed for but not detected at or above the stated limit