


ATTACHMENT 6: TIME SERIES PLOTS


MW-1 Carbon Tetrachloride Concentrations from 1996 to Oct/Nov 2021



— CA MCL — PQL —◆— MW-1

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-1 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-1

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-1 Tetrachloroethene (PCE) Concentrations from 1996 to Oct/Nov 2021



— CA MCL - - - PQL ◆ MW-1

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-1 Trichloroethene (TCE) Concentrations from 1996 to Oct/Nov 2021



— CA MCL - - - PQL ◆ MW-1

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-3 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



—◆— CA MCL
 - - - PQL
 —◆— MW-3-Screen-1
 —◆— MW-3-Screen-2
—◆— MW-3-Screen-3
 —◆— MW-3-Screen-4
 —◆— MW-3-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-3 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL —◆— MW-3-Screen-1 —◆— MW-3-Screen-2
—◆— MW-3-Screen-3 —◆— MW-3-Screen-4 —◆— MW-3-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-3 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



—◆— CA MCL
 - - - PQL
 —◆— MW-3-Screen-1
 —◆— MW-3-Screen-2
—◆— MW-3-Screen-3
 —◆— MW-3-Screen-4
 —◆— MW-3-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-3 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



— CA MCL
 - - - PQL
 —◆— MW-3-Screen-1
 —◆— MW-3-Screen-2
—◆— MW-3-Screen-3
 —◆— MW-3-Screen-4
 —◆— MW-3-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-4 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



—◆ CA MCL
 - - -◆ PQL
 —◆ MW-4
 —◆ MW-4-Screen-1
—◆ MW-4-Screen-2
 —◆ MW-4-Screen-3
 —◆ MW-4-Screen-4
 —◆ MW-4-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L

MW-4 Perchlorate Concentrations from 1997 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-4 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL
- - PQL
- ◆ MW-4
- ◆ MW-4-Screen-1
- ◆ MW-4-Screen-2
- ◆ MW-4-Screen-3
- ◆ MW-4-Screen-4
- ◆ MW-4-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-4 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



- CA MCL
- - PQL
- ◆ MW-4
- ◆ MW-4-Screen-1
- ◆ MW-4-Screen-2
- ◆ MW-4-Screen-3
- ◆ MW-4-Screen-4
- ◆ MW-4-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-5 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-5 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-5 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-5


Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L

MW-5 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-6 Carbon Tetrachloride Concentrations from 1996 to Jun 2020



— CA MCL — PQL —◆— MW-6

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-6 Perchlorate Concentrations from 1997 to Jun 2020



— CA MCL - - - PQL ◆ MW-6

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-6 Tetrachloroethene (PCE) Concentrations from 1996 to Jun 2020



— CA MCL - - - PQL ◆ MW-6

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-6 Trichloroethene (TCE) Concentrations from 1996 to Jun 2020



— CA MCL - - - PQL ◆ MW-6

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-7 Carbon Tetrachloride Concentrations from 1996 to August 2020



— CA MCL — PQL — MW-7

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-7 Perchlorate Concentrations from 1997 to August 2020



— CA MCL - - PQL ◆ MW-7

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-7 Tetrachloroethene (PCE) Concentrations from 1996 to August 2020



— CA MCL - - - PQL ◆ MW-7

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-7 Trichloroethene (TCE) Concentrations from 1996 to August 2020



— CA MCL - - - PQL ◆ MW-7

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-8 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-8

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-8 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-8

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-8 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



— CA MCL — PQL —◆— MW-8

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-8 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-8

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-9 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



— CA MCL — PQL —◆— MW-9

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-9 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-9

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-9 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



— CA MCL — PQL —◆— MW-9

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-9 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-9

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-10 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



— CA MCL — PQL —◆— MW-10

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-10 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-10

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-10 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-10

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-10 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-10

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L



MW-11 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



—◆— CA MCL
 —◆— PQL
 —◆— MW-11-Screen-1
 —◆— MW-11-Screen-2
—◆— MW-11-Screen-3
 —◆— MW-11-Screen-4
 —◆— MW-11-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L

MW-11 Perchlorate Concentrations from 1997 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L



MW-11 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL —◆— MW-11-Screen-1 —◆— MW-11-Screen-2
—◆— MW-11-Screen-3 —◆— MW-11-Screen-4 —◆— MW-11-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L

MW-11 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-12 Carbon Tetrachloride Concentrations from 1996 to Oct/Nov 2021



—◆— CA MCL
 - - - PQL
 —◆— MW-12-Screen-1
 —◆— MW-12-Screen-2
—◆— MW-12-Screen-3
 —◆— MW-12-Screen-4
 —◆— MW-12-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-12 Perchlorate Concentrations from 1997 to Oct/Nov 2021



- CA MCL - - - PQL ◆ MW-12-Screen-1 ◆ MW-12-Screen-2
- ◆ MW-12-Screen-3 ◆ MW-12-Screen-4 ◆ MW-12-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-12 Tetrachloroethene (PCE) Concentrations from 1996 to Oct/Nov 2021



- CA MCL - - - PQL —◆— MW-12-Screen-1 —◆— MW-12-Screen-2
- ◆— MW-12-Screen-3 —◆— MW-12-Screen-4 —◆— MW-12-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-12 Trichloroethene (TCE) Concentrations from 1996 to Oct/Nov 2021



—◆— CA MCL
 - - - PQL
 —◆— MW-12-Screen-1
 —◆— MW-12-Screen-2
—◆— MW-12-Screen-3
 —◆— MW-12-Screen-4
 —◆— MW-12-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-13 Carbon Tetrachloride Concentrations from 1996 to Jun 2020



— CA MCL — PQL — MW-13

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-13 Perchlorate Concentrations from 1997 to Jun 2020



— CA MCL - - - PQL ◆ MW-13

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-13 Tetrachloroethene (PCE) Concentrations from 1996 to Jun 2020



— CA MCL — PQL — MW-13

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-13 Trichloroethene (TCE) Concentrations from 1996 to Jun 2020



— CA MCL - - - PQL ◆ MW-13

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L



MW-14 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



—◆— CA MCL
 - - - PQL
 —◆— MW-14-Screen-1
 —◆— MW-14-Screen-2
—◆— MW-14-Screen-3
 —◆— MW-14-Screen-4
 —◆— MW-14-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L

MW-14 Perchlorate Concentrations from 1997 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L



MW-14 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-14-Screen-1 —◆— MW-14-Screen-2
- ◆— MW-14-Screen-3 —◆— MW-14-Screen-4 —◆— MW-14-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L

MW-14 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-15 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-15

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-15 Perchlorate Concentrations from 1997 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-15

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-15 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - PQL ◆ MW-15

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-15 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-15

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-16 Carbon Tetrachloride Concentrations from 1996 to Jun 2020



— CA MCL — PQL — MW-16

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-16 Perchlorate Concentrations from 1997 to Jun 2020



— CA MCL — PQL —◆— MW-16

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-16 Tetrachloroethene (PCE) Concentrations from 1996 to Jun 2020



— CA MCL - - - PQL ◆ MW-16

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-16 Trichloroethene (TCE) Concentrations from 1996 to Jun 2020



— CA MCL - - - PQL ◆ MW-16

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-17 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-17-Screen-1 —◆— MW-17-Screen-2
- ◆— MW-17-Screen-3 —◆— MW-17-Screen-4 —◆— MW-17-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-17 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL
- - PQL
- ◆ MW-17-Screen-1
- ◆ MW-17-Screen-2
- ◆ MW-17-Screen-3
- ◆ MW-17-Screen-4
- ◆ MW-17-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-17 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-17-Screen-1 ◆ MW-17-Screen-2
- ◆ MW-17-Screen-3 ◆ MW-17-Screen-4 ◆ MW-17-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-17 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-17-Screen-1 ◆ MW-17-Screen-2
- ◆ MW-17-Screen-3 ◆ MW-17-Screen-4 ◆ MW-17-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-18 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



- CA MCL — PQL —◆ MW-18-Screen-1 —◆ MW-18-Screen-2
- ◆ MW-18-Screen-3 —◆ MW-18-Screen-4 —◆ MW-18-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-18 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-18-Screen-1 —◆— MW-18-Screen-2
- ◆— MW-18-Screen-3 —◆— MW-18-Screen-4 —◆— MW-18-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-18 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-18-Screen-1 —◆— MW-18-Screen-2
- ◆— MW-18-Screen-3 —◆— MW-18-Screen-4 —◆— MW-18-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-18 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-18-Screen-1 —◆— MW-18-Screen-2
- ◆— MW-18-Screen-3 —◆— MW-18-Screen-4 —◆— MW-18-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-19 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-19-Screen-1 —◆— MW-19-Screen-2
- ◆— MW-19-Screen-3 —◆— MW-19-Screen-4 —◆— MW-19-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-19 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-19-Screen-1 ◆ MW-19-Screen-2
- ◆ MW-19-Screen-3 ◆ MW-19-Screen-4 ◆ MW-19-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-19 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-19-Screen-1 ◆ MW-19-Screen-2
- ◆ MW-19-Screen-3 ◆ MW-19-Screen-4 ◆ MW-19-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-19 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-19-Screen-1 —◆— MW-19-Screen-2
- ◆— MW-19-Screen-3 —◆— MW-19-Screen-4 —◆— MW-19-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-20 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



—◆— CA MCL
 - - - PQL
 —◆— MW-20-Screen-1
 —◆— MW-20-Screen-2
—◆— MW-20-Screen-3
 —◆— MW-20-Screen-4
 —◆— MW-20-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-20 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-20-Screen-1 —◆— MW-20-Screen-2
- ◆— MW-20-Screen-3 —◆— MW-20-Screen-4 —◆— MW-20-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-20 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-20-Screen-1 —◆— MW-20-Screen-2
- ◆— MW-20-Screen-3 —◆— MW-20-Screen-4 —◆— MW-20-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-20 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-20-Screen-1 —◆— MW-20-Screen-2
- ◆— MW-20-Screen-3 —◆— MW-20-Screen-4 —◆— MW-20-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-21 Carbon Tetrachloride Concentrations from 1996 to Apr/May 2022



—◆— CA MCL
 - - -◆- - - PQL
 —◆— MW-21-Screen-1
 —◆— MW-21-Screen-2
—◆— MW-21-Screen-3
 —◆— MW-21-Screen-4
 —◆— MW-21-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-21 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-21-Screen-1 ◆ MW-21-Screen-2
- ◆ MW-21-Screen-3 ◆ MW-21-Screen-4 ◆ MW-21-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L



MW-21 Tetrachloroethene (PCE) Concentrations from 1996 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-21-Screen-1 ◆ MW-21-Screen-2
- ◆ MW-21-Screen-3 ◆ MW-21-Screen-4 ◆ MW-21-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L

MW-21 Trichloroethene (TCE) Concentrations from 1996 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-22 Carbon Tetrachloride Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-22-Screen-1 —◆— MW-22-Screen-2
- ◆— MW-22-Screen-3 —◆— MW-22-Screen-4 —◆— MW-22-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-22 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL — PQL —◆ MW-22-Screen-1 —◆ MW-22-Screen-2
- ◆ MW-22-Screen-3 —◆ MW-22-Screen-4 —◆ MW-22-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-22 Tetrachloroethene (PCE) Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-22-Screen-1 —◆— MW-22-Screen-2
- ◆— MW-22-Screen-3 —◆— MW-22-Screen-4 —◆— MW-22-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-22 Trichloroethene (TCE) Concentrations from 1997 to Apr/May 2022



—◆— CA MCL
 - - -◆- - - PQL
 —◆— MW-22-Screen-1
 —◆— MW-22-Screen-2
—◆— MW-22-Screen-3
 —◆— MW-22-Screen-4
 —◆— MW-22-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-23 Carbon Tetrachloride Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-23-Screen-1 —◆— MW-23-Screen-2
- ◆— MW-23-Screen-3 —◆— MW-23-Screen-4 —◆— MW-23-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-23 Perchlorate Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-23-Screen-1 —◆— MW-23-Screen-2
- ◆— MW-23-Screen-3 —◆— MW-23-Screen-4 —◆— MW-23-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-23 Tetrachloroethene (PCE) Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-23-Screen-1 —◆— MW-23-Screen-2
- ◆— MW-23-Screen-3 —◆— MW-23-Screen-4 —◆— MW-23-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-23 Trichloroethene (TCE) Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-23-Screen-1 ◆ MW-23-Screen-2
- ◆ MW-23-Screen-3 ◆ MW-23-Screen-4 ◆ MW-23-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-24 Carbon Tetrachloride Concentrations from 1997 to Apr/May 2022



— CA MCL — PQL ◆ MW-24-Screen-1 ◆ MW-24-Screen-2
◆ MW-24-Screen-3 ◆ MW-24-Screen-4 ◆ MW-24-Screen-5


Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L

MW-24 Perchlorate Concentrations from 1997 to Apr/May 2022



Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-24 Tetrachloroethene (PCE) Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-24-Screen-1 —◆— MW-24-Screen-2
- ◆— MW-24-Screen-3 —◆— MW-24-Screen-4 —◆— MW-24-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-24 Trichloroethene (TCE) Concentrations from 1997 to Apr/May 2022



- CA MCL - - - PQL ◆ MW-24-Screen-1 ◆ MW-24-Screen-2
- ◆ MW-24-Screen-3 ◆ MW-24-Screen-4 ◆ MW-24-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-25 Carbon Tetrachloride Concentrations from 2005 to Apr/May 2022



— CA MCL - - - PQL —◆— MW-25-Screen-1 —◆— MW-25-Screen-2
—◆— MW-25-Screen-3 —◆— MW-25-Screen-4 —◆— MW-25-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-25 Perchlorate Concentrations from 2005 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-25-Screen-1 ◆ MW-25-Screen-2
◆ MW-25-Screen-3 ◆ MW-25-Screen-4 ◆ MW-25-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-25 Tetrachloroethene (PCE) Concentrations from 2005 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-25-Screen-1 —◆— MW-25-Screen-2
- ◆— MW-25-Screen-3 —◆— MW-25-Screen-4 —◆— MW-25-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L


MW-25 Trichloroethene (TCE) Concentrations from 2005 to Apr/May 2022



- CA MCL - - - PQL —◆— MW-25-Screen-1 —◆— MW-25-Screen-2
- ◆— MW-25-Screen-3 —◆— MW-25-Screen-4 —◆— MW-25-Screen-5

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L


MW-26 Carbon Tetrachloride Concentrations from 2005 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-26-Screen-1 ◆ MW-26-Screen-2

Reg Limit Type	Parameter Name	Reg Limit	Units
CA MCL	Carbon Tetrachloride	0.5	µg/L
PQL	Carbon Tetrachloride	0.5	µg/L


MW-26 Perchlorate Concentrations from 2005 to Apr/May 2022



— CA MCL - - - PQL ◆ MW-26-Screen-1 ◆ MW-26-Screen-2

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Perchlorate	4	µg/L
CA MCL	Perchlorate	6	µg/L


MW-26 Tetrachloroethene (PCE) Concentrations from 2005 to Apr/May 2022



— CA MCL — PQL — MW-26-Screen-1 — MW-26-Screen-2

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Tetrachloroethene (PCE)	0.5	µg/L
CA MCL	Tetrachloroethene (PCE)	5	µg/L

MW-26 Trichloroethene (TCE) Concentrations from 2005 to Apr/May 2022



— CA MCL — PQL — MW-26-Screen-1 — MW-26-Screen-2

Reg Limit Type	Parameter Name	Reg Limit	Units
PQL	Trichloroethene (TCE)	0.5	µg/L
CA MCL	Trichloroethene (TCE)	5	µg/L