

APPENDIX I

Cement Delivery Tickets

CONTROL NUMBER

THIS IS NOT A TICKET NO.
1135485

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

conductor casing ①
Accepted 11/8/24

PLANT 14 DATE 11/08/24 CUSTOMER NO: 15210 SOLD TO: LAYNE CHRISTENSEN COMPANY MAP PAGE 535F5 TICKET NO. 1135485
TX CD DELIVERY ADDRESS & INSTRUCTIONS 91953-OR
911 VENTURA ST ALTADENA (262)246-4646 LAST TKS
EXPLORER RD INTO 14 8"SL
Job Phone : (760)275-0039 PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. 945 METER READING 800.00 TRUCK LIC NO. NEED
LOAD NO. 1 SLUMP 6.00 TRUCK 2065 DRIVER 39 COLLIER, TONY WELL CAPPING
TO JOB _____ DRUM REVS: _____ Job-site Cylinder Test: Yes TIME ON JOB 12:00 MIN. CHECK # _____
ON JOB _____ Water added on job at _____ STAND BY _____ MIN. CHECK AMOUNT BY _____
START POUR _____ Customer's request: _____ gals to Full Ld. RATE OF X \$ _____ PER MIN. CASH AMOUNT BY _____
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ _____ PLANT MGR SIG _____
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. OVERTIME CHARGE _____
ARRIVE PLANT _____ YDS _____ ADJ. Meter 4 min. per yd. unloading time allowed.
Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# _____ SIGNATURE _____ TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
8.00	8.00	24.00	RRM20006	10.3SK SAND/CEM.GROUTYD3			

H2O ALLOWED 504.0GAL
H2O BATCHED 335.5GAL
MOISTURE H2O 74.0GAL
MAX ADD H2O 94.5GAL
CEMENT 7740.0LB
W SAND 18120.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS
BALANCE
SUB
TOTAL
STAND BY
CHARGE



SCAN FOR LOCATIONS

TOTAL

UOM CONVERSION CV=YARDS3 #=POUNDS GL=GALLONS PO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

AGREED TO AND RECEIVED BY CUSTOMER

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600

CONTROL NUMBER

THIS IS NOT A TICKET NO.
1135490

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

Conductor casing (2)
Accepted 11/8/24

PLANT DATE CUSTOMER NO. SOLD TO: MAP PAGE TICKET NO.
14 11/08/24 15210 LAYNE CHRISTENSEN COMPANY 535F5 1135490
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO. / JOB OR LOT #

911 VENTURA ST 91953-OR
EXPLORER RD ALTADENA (262)246-4646 LAST TKS 2065
Job Phone : (760)275-0039 INTO 14 8"SL
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. METER READING TIME TYPED TRUCK LIC NO.
945 800.00 13:51 65763V1
LOAD NO. SLUMP TRUCK DRIVER

2 6.00 1708 9439 GALINDO, WALTER WELL CAPPING
TO JOB 17:11 Job-site Cylinder Test: Yes TIME ON JOB 13:00 MIN. CHECK # _____
ON JOB 14:28 Water added on job at STAND BY _____ MIN. CHECK AMOUNT BY _____
START POUR _____ (10) gals to Full Ld. RATE OF X \$ _____ PER MIN. CASH AMOUNT BY _____
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ _____ PLANT MGR SIG _____
LEAVE JOB _____ Y N 800 ADJ. Meter 4 min. per yd. unloading time allowed.
Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT _____ YDS _____ Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP/# 9470 SIGNATURE _____ TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
8.00	16.00	24.00	RRM20006	10.3SK SAND/CEM.GROUTYD3			

H2O ALLOWED 504.0GAL
H2O BATCHED 399.5GAL
MOISTURE H2O 74.0GAL
MAX ADD H2O 30.5GAL
CEMENT 7780.0LB
W SAND 16060.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS BALANCE
SUB TOTAL
STAND BY CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

TOTAL

CONTROL NUMBER

THIS IS NOT A TICKET NO.
1135495

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

Conductor casing (3)
Accepted 11/8/24

PLANT 14 DATE 11/08/24 CUSTOMER NO: 15210 SOLD TO: LAYNE CHRISTENSEN COMPANY MAP PAGE 535F5 TICKET NO. 1135495
TX CD DELIVERY ADDRESS & INSTRUCTIONS

911 VENTURA ST 91953-OR
EXPLORER RD ALTADENA (262)246-4646 LAST TKS 1708
Job Phone : (760)275-0039 INTO 14 8"SL 2065
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. 945 METER READING 800.00 TIME TYPED 15:30 TRUCK LIC NO. 2070BV3
LOAD NO. 3 SLUMP 6.00 TRUCK 2295 DRIVER 4099 LEWIS, ERNEST WELL CAPPING

TO JOB 1537 DRUM REVS: 80 Job-site Cylinder Test: Yes TIME ON JOB 12:00 MIN. CHECK # _____
ON JOB 1545 Water added on job at STAND BY _____ MIN. CHECK AMOUNT BY _____
START POUR 1550 _____ gals to Full Ld. RATE OF X \$ _____ PER MIN. CASH AMOUNT BY _____
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ _____ PLANT MGR SIG _____
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. OVERTIME CHARGE _____
ADJ. Meter 4 min. per yd. unloading time allowed.
Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT _____ YDS _____ Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# 4099 SIGNATURE _____ TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
8.00	24.00	32.00	RRM20006	10.3SK SAND/CEM.GROUTYD3			

H2O ALLOWED 504.OGAL
H2O BATCHED 396.OGAL
MOISTURE H2O 74.OGAL
MAX ADD H2O 34.OGAL
CEMENT 7765.0LB
W SAND 18040.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS BALANCE
SUB TOTAL
STAND BY CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

TOTAL

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL
NUMBER

THIS IS NOT A TICKET NO.

1135496

ROBERTSON'S

Phone 800/834-7557 San Diego 800/870-1220
www.rmmca.com
OPEN 7 DAYS

Conductor Casing (4)
Accepted 11/8/24

PLANT DATE CUSTOMER NO. SOLD TO: MAP PAGE TICKET NO.
14 11/08/24 15210 LAYNE CHRISTENSEN COMPANY 535F5 1135496
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO. / JOB OR LOT #

911 VENTURA ST 91953-OR
EXPLORER RD ALTADENA (262)246-4646 LAST TKS 2295
Job Phone : (760)275-0039 INTO 14 8"SL 1708
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. METER READING TIME TYPED TRUCK LIC NO.
LOAD NO. 945 800.00 TRUCK 15:52 87284G2 DRIVER
4 5.00 1971 10062 HOUSE, MAHMOUD WELL CAPPING
TO JOB 1600 DRUM REVS Job-site Cylinder Test: YES START 12:00 TIME ON JOB MIN. CHECK #
ON JOB 1630 120 Water added on job at STAND BY MIN. CHECK AMOUNT BY
START POUR _____ gals to Full Ld. RATE OF X \$ PER MIN. CASH AMOUNT BY
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ OVERTIME CHARGE PLANT MGR SIG
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. 4 min. per yd. unloading time allowed.
ARRIVE PLANT _____ YDS Additional unloading time charged at current hourly truck rate.

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# SIGNATURE TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
8.00	32.00	32.00	RM20006	10.0SK SAND/CEM GROUTYD?			

H2O ALLOWED 504.0GAL
H2O BATCHED 321.5GAL
MOISTURE H2O 74.0GAL
MAX ADD H2O 108.5GAL
CEMENT 7775.0LB
W SAND 16080.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS
BALANCE
SUB
TOTAL
STAND BY
CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN
FOR
LOCATIONS

TOTAL

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER 1135498

ROBERTSON'S
 Phone 800/834-7557 San Diego 800/870-1220
 www.rrmca.com
 OPEN 7 DAYS

Conductor casing (5)
 Accepted 11/8/24

PLANT DATE CUSTOMER NO. SOLD TO: MAP PAGE TICKET NO.
 14 11/08/24 15210 LAYNE CHRISTENSEN COMPANY 535F5 1135498
 TX CD DELIVERY ADDRESS & INSTRUCTIONS
 911 VENTURA ST 91953-OR
 EXPLORER RD ALTADENA (282)248-4648 LAST TKS 1971
 Job Phone : (760)275-0039 INTO 14 2295
 PLT# 14 PASADENA
 1420 N LINCOLN AVE

ORDER NO. METER READING TIME TYPED TRUCK LIC NO.
 945 800.00 16:32 29894J2
 LOAD NO. SLUMP TRUCK DRIVER
 5 6.00 2177 9675 GUERRERO, CARLOS WELL CAPPING
 TO JOB _____ Job-site Cylinder Test: Yes TIME ON JOB _____ MIN. CHECK # _____
 ON JOB _____ Water added on job at _____ STAND BY _____ MIN. CHECK AMOUNT BY _____
 Customer's request: _____ RATE OF X \$ _____ PER MIN. CASH AMOUNT BY _____
 START POUR _____ gals to Full Ld. _____
 FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. _____
 LEAVE JOB _____ Y N _____ gals to 1/3 Ld. _____
 ADJ. Meter _____
 \$ _____ OVERTIME CHARGE PLANT MGR SIG _____
 4 min. per yd. unloading time allowed.
 Additional unloading time charged at current hourly truck rate.
 ARRIVE PLANT _____ YDS _____ Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP/# _____ SIGNATURE _____ TERMS AND CONDITIONS OF SALE
 Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2% per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
10.00	42.00	42.00	RRM20098	10.38K SAND/CEM.GROUTYD3			

H2O ALLOWED 630.0GAL
 H2O BATCHED 424.0GAL
 MOISTURE H2O 93.0GAL
 MAX ADD H2O 113.0GAL
 CEMENT 9655.0LB
 W SAND 20160.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE
 THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S WEIGHMASTER

Manuel Rivera
 BY DEPUTY

TAX
 PREVIOUS BALANCE
 SUB TOTAL
 STAND BY CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS



SCAN FOR LOCATIONS TOTAL

CONCRETE DELIVERY TICKET
 PO BOX 3600 CORONA, CA 92878-3600

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER

THIS IS NOT A TICKET NO.
1135500**ROBERTSON'S**
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYSConductor Casiro 6
Accepted 11/9/24PLANT DATE CUSTOMER NO. SOLD TO: MAP PAGE TICKET NO.
14 11/09/24 15210 LAYNE CHRISTENSEN COMPANY 535F5 1135500
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO. / JOB OR LOT #911 VENTURA ST
EXPLORER RD
Job Phone : (760)275-0039

ALTADENA (262)246-4646 LAST TKS

PLT# 14 PASADENA
1420 N LINCOLN AVEORDER NO. METER READING TIME TYPED TRUCK LIC NO.
373 1200.00 6:49 87284G2
LOAD NO. SLUMP TRUCK DRIVER
1 6.00 1971 10062 HOUSE, MAHMOUD WELL CAPPING
TO JOB _____ JOB SITE _____ JOB START Yes TIME ON JOB _____ MIN. CHECK # _____
ON JOB _____ WATER ADDED ON JOB AT _____ STAND BY _____ MIN. CHECK AMOUNT BY _____
START POUR _____ gals to Full Ld. RATE OF X \$ _____ PER MIN. CASH AMOUNT BY _____
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ _____ PLANT MGR SIG _____
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. \$ _____ OVERTIME CHARGE _____
ARRIVE PLANT _____ YDS _____ ADJ. Meter 4 min. per yd. unloading time allowed.
Additional unloading time charged at current hourly truck rate.
Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP/# SIGNATURE

TERMS AND CONDITIONS OF SALE

Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
10.00	10.00	16.00	RRM20006	10.3SK SAND/CEM.GROUTYDS			

H2O ALLOWED	630.0GAL
H2O BATCHED	446.5GAL
MOISTURE H2O	92.0GAL
MAX ADD H2O	91.5GAL
CEMENT	9680.0LB
W SAND	20060.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Manual Rivera

BY DEPUTY

TAX

PREVIOUS
BALANCESUB
TOTALSTAND BY
CHARGE

TOTAL

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600SCAN
FOR
LOCATIONS

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER

1157296

ROBERTSON'S

Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

Conductor Casing ⑦
Accepted 11/9/24

PLANT 13 DATE 11/09/24 CUSTOMER NO 15210 SOLD TO LAYNE CHRISTENSEN COMPANY MAP PAGE 535F5 TICKET NO 1157296

TX CD DELIVERY ADDRESS & INSTRUCTIONS 911 VENTURA ST EXPLORER RD Job Phone : (760)275-0039 ALTADENA (262)246-4648 LAST TKS 1971

PLT# 13 IRWINDALE
13631 LIVEOAK LANE.

ORDER NO. 373 METER READING 1200.00 TIME TYPED 7:02 TRUCK LIC NO. 59355U1 INTO PLANT 14

LOAD NO. 2 SLUMP 6.00 TRUCK 1685 DRIVER 9648 CASTRO, CHRISTIAN WELL CAPPING

TO JOB 07:15 DRUM REVS. 151 Job-site Cylinder Test. Yes JOB START : 7:00

ON JOB 07:50 Water added on job at Customer's request: TIME ON JOB MIN. CHECK #

START POUR _____ gals to Full Ld. RATE OF X \$ PER MIN. CASH AMOUNT BY

FINISH POUR _____ RETURN CONG _____ gals to 2/3 Ld. PLANT MGR SIG

LEAVE JOB _____ Y N ADJ. Meter \$ OVERTIME CHARGE 4 min. per yd. unloading time allowed. Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT _____ YDS _____ Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP# 9648 SIGNATURE *[Signature]*

TERMS AND CONDITIONS OF SALE

Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of the described material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
8.00	16.00	16.00	RRM20006	10.3SK SAND/CEM.GROUTYD3			

H2O ALLOWED 378.0GAL
H2O BATCHED 294.0GAL
MOISTURE H2O 55.0GAL
MAX ADD H2O 29.0GAL
CEMENT 5850.0LB
W SAND 12080.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S WEIGHMASTER

Larry Sandoval

BY DEPUTY

TAX

PREVIOUS BALANCE

SUB TOTAL

STAND BY CHARGE

TOTAL

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER

THIS IS NOT A TICKET NO.
1135501

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

Conductor casing
Accepted 11/9/24 (8)

PLANT DATE CUSTOMER NO. SOLD TO MAP PAGE TICKET NO.
14 11/09/24 15210 LAYNE CHRISTENSEN COMPANY 535F5 1135501
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO. / JOB OR LOT #
911 VENTURA ST 91953-OR
EXPLORER RD ALTADENA (262)246-4646 LAST TKS 1685
Job Phone : (760)275-0039 1971

PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. METER READING TIME TYPED TRUCK LIC NO.
LOAD NO. 373 1200.00 8:12 87284G2
SLOMP TRUCK DRIVER
3 6.00 1971 10062 HOUSE MAHMOUD WELL CAPPING
TO JOB Job-site Cylinder Test: Yes TIME ON JOB 7:00 MIN. CHECK #
ON JOB Water added on job at STAND BY MIN. CHECK AMOUNT BY
Customer's request: RATE OF X \$ PER MIN. CASH AMOUNT BY
START POUR gals to Full Ld. \$ PLANT MGR SIG
FINISH POUR RETURN CONC gals to 2/3 Ld. OVERTIME CHARGE
LEAVE JOB Y N ADJ. Meter 4 min. per yd. unloading time allowed.
Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT YDS Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP/# SIGNATURE TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
4.00	20.00	20.00	RRM20008	10.3SK SAND/CEM.GROUTYDS			

H2O ALLOWED 252.0GAL
H2O BATCHED 205.5GAL
MOISTURE H2O 37.0GAL
MAX ADD H2O 9.5GAL
CEMENT 3870.0LB
W SAND 8060.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS BALANCE
SUB TOTAL
STAND BY CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS



SCAN FOR LOCATIONS TOTAL

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER 1094502

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

PLANT DATE CUSTOMER NO. SOLD TO MAP PAGE TICKET NO.
14 03/24/25 15210 LAYNE CHRISTENSEN COMPANY 535P5 1094502
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO / JOB OR LOT #

EXPLORER RD & VENTURA ST 91953-OR
ALTADENA (262)246-4646 LAST TKS
Job Phone : (760)275-0039 INTO 14 1200 MAX
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. METER READING TIME TYPED TRUCK LIC NO.
570 1200.00 6:46 10712U3
LOAD NO SLUMP TRUCK DRIVER
1 6.00 2265 7302 SHORT DUANE CAISSONS
TO JOB 0700 DRUM REVS Job-site Cylinder Test: STAR Yes TIME ON JOB 7:00 MIN CHECK #
ON JOB 0707 100 Water added on job at STAND BY MIN CHECK AMOUNT BY
START POUR _____ gals to Full Ld. RATE OF X \$ PER MIN CASH AMOUNT BY
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ OVERTIME CHARGE PLANT MGR SIG _____
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. 4 min per yd. unloading time allowed.
ADJ. Meter Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT YDS _____ Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# 7302 SIGNATURE _____ TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2% per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
6.00	6.00	6.00	RRM20006	10.38K SAND/CEM.GROUTYD3			

H2O ALLOWED 378.0GAL
H2O BATCHED 250.5GAL
MOISTURE H2O 55.0GAL
MAX ADD H2O 63.5GAL
CEMENT 5830.0LB
W. SAND 12100.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Manuel Rivera
BY DEPUTY

TAX
PREVIOUS
BALANCE
SUB
TOTAL
STAND BY
CHARGE

UOM CONVERSION CY-YARDS3 #-POUNDS GL-GALLONS FO-OUNCES CU-METERS3 KG-KILOGRAM L-LITERS ML-MILLILITERS



SCAN FOR LOCATIONS

TOTAL

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER 0961420

ROBERTSON'S Phone 800/834-7557 San Diego 800/870-1220 www.rrmca.com OPEN 7 DAYS

DATE 03/24/25 CUSTOMER NO 15210 SOLD TO LAYNE CHRISTENSEN COMPANY MAP PAGE 535F5 TICKET NO 961420

DELIVERY ADDRESS & INSTRUCTIONS EXPLOER RD & VENTURA ST ALTADENA (262)246-4646 LAST TKS

Job Phone : (760)275-0039 CUST WILL MEET @ X ST PLT# 13 IRWINDALE 13631 LIVEOAK LANE.

METER READING 1200.00 TIME TYPED 13:48 TRUCK LIC NO 24944L1

DRUM REVS 6.00 JOB-site Cylinder Test: B S [] Yes TIME ON JOB 15:00

Water added on job at Customer's request: RATE OF X \$ PER MIN CASH [] AMOUNT BY

ADJ. Meter Additional water added to this concrete will reduce its strength Any water added exceeding the design water is at customer's own risk

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

TERMS AND CONDITIONS OF SALE Customer agrees that the described material has been chosen solely by Customer without Robertson's direction...

LD QTY 10.00 CUM QTY 10.00 ORD QTY 20.00 PROD CODE ARM20006 MIX AND COMMODITY 10.3SK SAND/CEM.GROUTYD3

H2O ALLOWED 630.0GAL H2O BATCHED 343.0GAL MOISTURE H2O 69.0GAL MAX ADD H2O 218.0GAL CEMENT 9670.0LB W SAND 19960.0LB

Handwritten signature of Lionel Hunt

DEL. CHARGE

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster...

ROBERTSON'S WEIGHMASTER

Lionel Hunt

BY DEPUTY

TAX PREVIOUS BALANCE SUB TOTAL STAND BY CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER 0961421

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

PLANT 13 DATE 03/24/25 CUSTOMER NO. 15210 SOLD TO LAYNE CHRISTENSEN COMPANY MAP PAGE 535F5 TICKET NO. 961421

TX CD DELIVERY ADDRESS & INSTRUCTIONS EXPLORER RD & VENTURA ST ALTADENA (262)246-4646 LAST TKS 1412
Job Phone : (760)275-0039 CUST WILL MEET @ X ST
PLT# 13 IRWINDALE 13631 LIVEOAK LANE.

ORDER NO 152 METER READING 1200.00 TIME TYPED 14:27 TRUCK LIC NO NEED
LOAD NO 2 SLUMP 6.00 TRUCK 2042 DRIVER 9791 BENAVIDEZ, JESUS CAISSONS
TO JOB 1450 DRUM REVS 150 Job-site Cylinder Test -Yes TIME ON JOB MIN CHECK #
ON JOB 1840 Water added on job at Customer's request: STAND BY MIN CHECK AMOUNT BY
START POUR gals to Full Ld. RATE OF X \$ PER MIN CASH AMOUNT BY
FINISH POUR RETURN CONC gals to 2/3 Ld. \$ OVERTIME CHARGE PLANT MGR SIG
LEAVE JOB Y N 1200 ADJ. Meter 4 min. per yd. unloading time allowed
Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT YDS Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# 9991 SIGNATURE [Signature] TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location, and discharge/placement of material on the job site, including the on-site direct on of Robertson's vehicles to the designated location. Customer's review and approval the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party, arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized; and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. Color Disclaimer Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY CUM QTY ORD QTY PROD CODE MIX AND COMMODITY UOM UNIT PR AMT
10.00 20.00 20.00 RRM20006 10.35K SAND/CEM.GROUTYD3

H2O ALLOWED 630.0GAL
H2O BATCHED 325.0GAL
MOISTURE H2O 69.0GAL
MAX ADD H2O 236.0GAL
CEMENT 9750.0LB
W SAND 19840.0LB

[Signature]
DEL. CHARGE

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S WEIGHMASTER

Lionel Hunt

BY DEPUTY

TAX
PREVIOUS BALANCE
SUB TOTAL
STAND BY CHARGE

UOM CONVERSION CY-YARDS3 #-POUNDS GL-GALLONS FO-OUNCES CU-METERS3 KG-KILOGRAM L-LITERS ML-MILLILITERS

AGREED TO AND RECEIVED BY CUSTOMER

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

TOTAL

CONTROL NUMBER 1094515

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

PLANT 14 DATE 03/25/25 CUSTOMER NO. 15210 SOLD TO LAYNE CHRISTENSEN COMPANY MAP PAGE 535F5 TICKET NO. 1094515
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO. / JOB OR LOT #

EXPLORER RD & VENTURA ST 91953-OR
ALTADENA (262)248-4646 LAST TRS
Job Phone : (760)275-0039 INTO 14 CUST WILL MEET DRIVER @ X ST
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. 139 METER READING 1200.00 TIME TYPED 6:49 TRUCK LIC NO. 10712U3
LOAD NO. 1 METER READING 6.00 TRUCK 2265 DRIVER 7302 SHORT DUANE
TO JOB 0658 DRUM REVS 106 Job-site Cylinder Test STA Yes 7:00
ON JOB 0710 Water added on job at Customer's request: STANDBY CHECK #
START POUR _____ gals to Full Ld. RATE OF X \$ PER MIN. CASH AMOUNT BY
FINISH POUR _____ gals to 2/3 Ld. \$ OVERTIME CHARGE PLANT MGR SIG
LEAVE JOB _____ gals to 1/3 Ld. 4 min. per yd. unloading time allowed.
ARRIVE PLANT _____ YDS. Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# 7302 SIGNATURE _____ TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. Color Disclaimer Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
10.00	10.00	20.00	RRM20008	10.8SK SAND/CEM.GROUTYDS			

H2O ALLOWED 630.0GAL
H2O BATCHED 424.5GAL
MOISTURE H2O 92.0GAL
MAX ADD H2O 113.5GAL
CEMENT 9685.0LBM R
W SAND 28120.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS BALANCE
SUB TOTAL
STANDBY CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER 1094517

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

PLANT DATE CUSTOMER NO. SOLD TO MAP PAGE TICKET NO.
14 03/25/25 15210 LAYNE CHRISTENSEN COMPANY 535F5 1094517
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO / JOB OR LOT #

EXPLORER RD & VENTURA ST 91953-OR
ALTADENA (262)246-4646 LAST TRK 2265
Job Phone : (760)275-0039 INTO 14 CUST WILL MEET DRIVER @ X ST
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO METER READING TIME TYPED TRUCK LIC NO.
139 1200.00 7:42 60063U1
LOAD NO. SLUMP TRUCK DRIVER
2 6.00 1870 10062 HOUSE, MAHMOUD CAISSONS
TO JOB _____ DRUM REVS _____ Job-site Cylinder Test Yes TIME ON JOB _____ MIN CHECK # _____
ON JOB _____ Water added on job at _____ STAND BY _____ MIN CHECK AMOUNT BY
START POUR _____ gals to Full Ld. RATE OF X \$ _____ PER MIN CASH AMOUNT BY
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ _____ PLANT MGR SIG _____
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. ADJ. Meter _____
ARRIVE PLANT _____ YDS _____ Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.

Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.
EMP/# _____ SIGNATURE _____

TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized, and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2 % per month on any amounts owed to Robertson's for more than thirty (30) days. **Color Disclaimer** Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY CUM QTY ORD QTY PROD CODE MIX AND COMMODITY UOM UNIT PR AMT
10.00 20.00 20.00 RRM20006 10.3SK SAND/CEM.GROUTYDS

H2O ALLOWED 630.0GAL
H2O BATCHED 491.0GAL
MOISTURE H2O 92.0GAL
MAX ADD H2O 47.0GAL
CEMENT 9735.0LB
W SAND 20100.0LB

DEL. CHARGE

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S WEIGHMASTER

Manuel Rivera

BY DEPUTY

TAX
PREVIOUS BALANCE
SUB TOTAL
STAND BY CHARGE

UOM CONVERSION CY-YARDS3 #-POUNDS GL=GALLONS FO-OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS



SCAN FOR LOCATIONS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600

AGREED TO AND RECEIVED BY CUSTOMER

CONTROL NUMBER 1094518

ROBERTSON'S
Phone 800/834-7557 San Diego 800/870-1220
www.rrmca.com
OPEN 7 DAYS

PLANT DATE CUSTOMER NO. SOLD TO MAP PAGE TICKET NO.
14 03/25/25 15210 LAYNE CHRISTENSEN COMPANY 535F5 1094518
TX CD DELIVERY ADDRESS & INSTRUCTIONS CUSTOMER PO. / JOB OR LOT #

EXPLORER RD & VENTURA ST 91953-OR
ALTADENA (262)246-4646 LAST TKS 1670
Job Phone : (760)275-0039 INTO 14 CUST WILL MEET DRIVER @ X 2265
PLT# 14 PASADENA
1420 N LINCOLN AVE

ORDER NO. METER READING TIME TYPED TRUCK LIC NO.
139 1200.00 8:47 10712U3
LOAD NO. SLUMP TRUCK DRIVER
3 6.00 2265 7302 SHORT DUANE CAISSONS
TO JOB 0905 DRUM REVS. 108 Job-site Cylinder Test: Yes No 7:00
ON JOB 0905 Water added on job at _____ MIN. CHECK # _____
Customer's request: _____ STAND BY _____ MIN. CHECK AMOUNT BY _____
START POUR _____ gals to Full Ld. RATE OF X \$ _____ PER MIN. CASH AMOUNT BY _____
FINISH POUR _____ RETURN CONC _____ gals to 2/3 Ld. \$ _____ PLANT MGR SIG _____
LEAVE JOB _____ Y N _____ gals to 1/3 Ld. S OVERTIME CHARGE _____
4 min. per yd. unloading time allowed.
Additional unloading time charged at current hourly truck rate.

ARRIVE PLANT YDS Additional water added to this concrete will reduce its strength. Any water added exceeding the design water is at customer's own risk.
Signature certifying under penalty of perjury that the information contained in this written time record is true and correct.

EMP.# 7302 SIGNATURE [Signature] TERMS AND CONDITIONS OF SALE
Customer agrees that the described material has been chosen solely by Customer without Robertson's direction, or review of any plans or specifications relating to the project(s) where the material is to be used. Customer further agrees that it shall be solely responsible for the delivery location and discharge/placement of material on the job site, including the on-site direction of Robertson's vehicles to the designated location. Customer's review and approval of the described material shall be evidenced by Customer's signature and/or placement of the described material on the job site. In consideration of the above, Customer releases and agrees to defend, indemnify and hold Robertson's and its employees and agents harmless from any and all losses, damages, liabilities, costs and claims asserted by Customer or any third party arising from (i) material being inappropriate, incompatible, improper or inconsistent with plans and specifications, or with the ground soils or conditions on the land where the material is utilized; and (ii) the movement of Robertson's vehicles upon or about the delivery location. Solely to the extent Customer fails to timely pay for the described materials, in the event Robertson's retains the services of an attorney, Customer agrees to pay such reasonable attorney's fees incurred by Robertson's in furtherance of such collection efforts. Robertson's and Customer disclaim attorney's fees arising from any other context. Customer agrees to pay a time price differential of 1 1/2% per month on any amounts owed to Robertson's for more than thirty (30) days. Color Disclaimer Due to irregularities and/or inconsistency of materials Robertson's is not responsible for the results of any concrete where the coloring agent has been added at the request of the customer, either at our plant or on the job site.

LD QTY	CUM QTY	ORD QTY	PROD CODE	MIX AND COMMODITY	UOM	UNIT PR	AMT
3.00	23.00	23.00	RRM20006	10.3SK SAND/CEM.GROUTYDS			

H2O ALLOWED 189.0GAL
H2O BATCHED 92.5GAL
MOISTURE H2O 27.0GAL
MAX ADD H2O 79.5GAL
CEMENT 2900.0LB
W SAND 6000.0LB

[Signature]

DEL. CHARGE

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

ROBERTSON'S
WEIGHMASTER

Mmanuel Rivera

BY DEPUTY

TAX
PREVIOUS
BALANCE
SUB
TOTAL
STAND BY
CHARGE

UOM CONVERSION CY=YARDS3 #=POUNDS GL=GALLONS FO=OUNCES CU=METERS3 KG=KILOGRAM L=LITERS ML=MILLILITERS

CONCRETE DELIVERY TICKET
PO BOX 3600 CORONA, CA 92878-3600



SCAN FOR LOCATIONS

TOTAL

AGREED TO AND RECEIVED BY CUSTOMER

APPENDIX J

IDW Management

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Dean Poe
American Integrated Services
1351 Walter Street
Ventura, California 93003

Generated 2/24/2025 4:57:18 PM

JOB DESCRIPTION

Lane Drilling Pasadena

JOB NUMBER

570-216767-1

Eurofins Calscience

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

Authorization



Generated
2/24/2025 4:57:18 PM

Authorized for release by
Erick Ovalle, Project Manager
Erick.Ovalle@et.eurofinsus.com
(657)210-6331



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	24
Lab Chronicle	26
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	31

Definitions/Glossary

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: American Integrated Services
Project: Lane Drilling Pasadena

Job ID: 570-216767-1

Job ID: 570-216767-1

Eurofins Calscience

Job Narrative 570-216767-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 2/5/2025 6:15 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.5°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B_DRO: Due to the matrix, the initial volume(s) used for the following sample deviated from the standard procedure: Drilling Mud (570-216767-1). The reporting limits (RLs) have been adjusted proportionately. Initial volume changed from 10g to 1g

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience

Detection Summary

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Client Sample ID: Drilling Mud

Lab Sample ID: 570-216767-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Carbon disulfide	0.73	J	9.8	0.39	ug/Kg	1		8260B	Total/NA
Barium	15.3		2.96	0.140	mg/Kg	5		6010B	Total/NA
Chromium	2.30		0.985	0.183	mg/Kg	5		6010B	Total/NA
Cobalt	0.936	J	0.985	0.203	mg/Kg	5		6010B	Total/NA
Copper	2.80		1.97	0.944	mg/Kg	5		6010B	Total/NA
Lead	1.50	J	1.97	0.403	mg/Kg	5		6010B	Total/NA
Nickel	1.16	J	1.97	0.357	mg/Kg	5		6010B	Total/NA
Vanadium	4.22		0.985	0.166	mg/Kg	5		6010B	Total/NA
Zinc	6.95		4.93	1.14	mg/Kg	5		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Client Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.98	0.29	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1,1-Trichloroethane	ND		0.98	0.23	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.53	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.8	0.45	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1,2-Trichloroethane	ND		0.98	0.46	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1-Dichloroethane	ND		0.98	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1-Dichloroethene	ND		0.98	0.26	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,1-Dichloropropene	ND		2.0	0.38	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2,3-Trichlorobenzene	ND		2.0	0.37	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2,3-Trichloropropane	ND		2.0	0.41	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2,4-Trichlorobenzene	ND		2.0	0.40	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2,4-Trimethylbenzene	ND		2.0	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2-Dibromo-3-Chloropropane	ND		9.8	3.3	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2-Dibromoethane	ND		0.98	0.20	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2-Dichlorobenzene	ND		0.98	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2-Dichloroethane	ND		0.98	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,2-Dichloropropane	ND		0.98	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,3,5-Trimethylbenzene	ND		2.0	0.26	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,3-Dichlorobenzene	ND		0.98	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,3-Dichloropropane	ND		0.98	0.29	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
1,4-Dichlorobenzene	ND		0.98	0.30	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
2,2-Dichloropropane	ND		4.9	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
2-Butanone	ND		20	4.4	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
2-Chlorotoluene	ND		0.98	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
2-Hexanone	ND		20	3.0	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
4-Chlorotoluene	ND		0.98	0.24	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
4-Methyl-2-pentanone	ND		20	2.9	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Acetone	ND		20	9.6	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Benzene	ND		0.98	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Bromobenzene	ND		0.98	0.20	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Bromochloromethane	ND		2.0	0.44	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Bromodichloromethane	ND		0.98	0.32	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Bromoform	ND		4.9	1.3	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Bromomethane	ND		20	6.4	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
cis-1,2-Dichloroethene	ND		0.98	0.33	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
cis-1,3-Dichloropropene	ND		0.98	0.34	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Carbon disulfide	0.73	J	9.8	0.39	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Carbon tetrachloride	ND		0.98	0.29	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Chlorobenzene	ND		0.98	0.26	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Chloroethane	ND		2.0	0.73	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Chloroform	ND		0.98	0.58	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Chloromethane	ND		20	1.5	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Dibromomethane	ND		0.98	0.30	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Dichlorodifluoromethane	ND		2.0	0.44	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Ethylbenzene	ND		0.98	0.20	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Isopropylbenzene	ND		0.98	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Methylene Chloride	ND		9.8	3.1	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.18	ug/Kg		02/06/25 14:06	02/07/25 00:46	1

Eurofins Calscience

Client Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		9.8	3.8	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
n-Butylbenzene	ND		0.98	0.21	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
N-Propylbenzene	ND		2.0	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
o-Xylene	ND		0.98	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
m,p-Xylene	ND		2.0	0.46	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
p-Isopropyltoluene	ND		0.98	0.28	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
sec-Butylbenzene	ND		0.98	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Styrene	ND		0.98	0.31	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
trans-1,2-Dichloroethene	ND		0.98	0.29	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
trans-1,3-Dichloropropene	ND		2.0	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
tert-Butylbenzene	ND		0.98	0.25	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Tetrachloroethene	ND		0.98	0.22	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Toluene	ND		0.98	0.26	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Trichloroethene	ND		2.0	0.38	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Trichlorofluoromethane	ND		9.8	0.27	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Vinyl acetate	ND		9.8	3.8	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Vinyl chloride	ND		0.98	0.37	ug/Kg		02/06/25 14:06	02/07/25 00:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>1,2-Dichloroethane-d4 (Surr)</i>	106		32 - 179				02/06/25 14:06	02/07/25 00:46	1
<i>4-Bromofluorobenzene (Surr)</i>	100		80 - 120				02/06/25 14:06	02/07/25 00:46	1
<i>Dibromofluoromethane (Surr)</i>	104		58 - 147				02/06/25 14:06	02/07/25 00:46	1
<i>Toluene-d8 (Surr)</i>	97		80 - 120				02/06/25 14:06	02/07/25 00:46	1

Client Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: SW846 8015B - Gasoline Range Organics - (GC)

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>MDL</u>	<u>Unit</u>	<u>D</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
Gasoline Range Organics (C4-C12)	ND		0.099	0.044	mg/Kg		02/13/25 13:55	02/14/25 00:12	1

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
4-Bromofluorobenzene (Surr)	58		42 - 126	02/13/25 13:55	02/14/25 00:12	1

Client Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) - RA

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C6 as C6	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C7 as C7	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C8 as C8	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C9-C10	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C11-C12	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C13-C14	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C15-C16	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C17-C18	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C19-C20	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C21-C22	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C23-C24	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C25-C28	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C29-C32	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C33-C36	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C37-C40	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C41-C44	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
C6-C44	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
Diesel Range Organics [C10-C28]	ND		46	42	mg/Kg		02/12/25 14:20	02/23/25 15:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	105		60 - 138				02/12/25 14:20	02/23/25 15:59	1

Client Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: SW846 6010B - Metals (ICP)

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		9.85	2.81	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Arsenic	ND		2.96	1.37	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Barium	15.3		2.96	0.140	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Beryllium	ND		0.493	0.0680	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Cadmium	ND		0.493	0.162	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Chromium	2.30		0.985	0.183	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Cobalt	0.936	J	0.985	0.203	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Copper	2.80		1.97	0.944	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Lead	1.50	J	1.97	0.403	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Molybdenum	ND		1.97	0.507	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Nickel	1.16	J	1.97	0.357	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Selenium	ND		2.96	1.20	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Silver	ND		1.48	0.142	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Thallium	ND		9.85	2.07	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Vanadium	4.22		0.985	0.166	mg/Kg		02/11/25 06:53	02/12/25 04:22	5
Zinc	6.95		4.93	1.14	mg/Kg		02/11/25 06:53	02/12/25 04:22	5

Client Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: SW846 7471A - Mercury (CVAA)

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0786	0.0217	mg/Kg		02/07/25 08:36	02/07/25 15:20	1

Surrogate Summary

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (32-179)	BFB (80-120)	DBFM (58-147)	TOL (80-120)
570-216767-1	Drilling Mud	106	100	104	97
LCS 570-530800/1-A	Lab Control Sample	100	101	100	101
LCSD 570-530800/2-A	Lab Control Sample Dup	98	99	100	100
MB 570-530800/5-A	Method Blank	104	100	100	101

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (42-126)
570-216767-1	Drilling Mud	58
LCS 570-533567/1-A	Lab Control Sample	99
LCSD 570-533567/2-A	Lab Control Sample Dup	98
MB 570-533567/3-A	Method Blank	72
MB 570-533567/4-A	Method Blank	72

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-138)
570-216767-1 - RA	Drilling Mud	105
LCS 570-533096/2-A	Lab Control Sample	94
LCSD 570-533096/3-A	Lab Control Sample Dup	94
MB 570-533096/1-A	Method Blank	95

Surrogate Legend

OTCSN = n-Octacosane (Surr)

QC Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-530800/5-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 530800

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		1.0	0.29	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1,1-Trichloroethane	ND		1.0	0.23	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1,2,2-Tetrachloroethane	ND		2.0	0.54	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	0.46	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1,2-Trichloroethane	ND		1.0	0.46	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1-Dichloroethane	ND		1.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1-Dichloroethene	ND		1.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,1-Dichloropropene	ND		2.0	0.39	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2,3-Trichlorobenzene	ND		2.0	0.38	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2,3-Trichloropropane	ND		2.0	0.42	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2,4-Trichlorobenzene	ND		2.0	0.41	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2,4-Trimethylbenzene	ND		2.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2-Dibromo-3-Chloropropane	ND		10	3.3	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2-Dibromoethane	ND		1.0	0.21	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2-Dichlorobenzene	ND		1.0	0.25	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2-Dichloroethane	ND		1.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,2-Dichloropropane	ND		1.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,3,5-Trimethylbenzene	ND		2.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,3-Dichlorobenzene	ND		1.0	0.25	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,3-Dichloropropane	ND		1.0	0.30	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
1,4-Dichlorobenzene	ND		1.0	0.31	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
2,2-Dichloropropane	ND		5.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
2-Butanone	ND		20	4.5	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
2-Chlorotoluene	ND		1.0	0.25	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
2-Hexanone	ND		20	3.1	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
4-Chlorotoluene	ND		1.0	0.24	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
4-Methyl-2-pentanone	ND		20	2.9	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Acetone	ND		20	9.8	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Benzene	ND		1.0	0.26	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Bromobenzene	ND		1.0	0.21	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Bromochloromethane	ND		2.0	0.44	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Bromodichloromethane	ND		1.0	0.33	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Bromoform	ND		5.0	1.3	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Bromomethane	ND		20	6.6	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
cis-1,2-Dichloroethene	ND		1.0	0.34	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
cis-1,3-Dichloropropene	ND		1.0	0.35	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Carbon disulfide	ND		10	0.40	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Carbon tetrachloride	ND		1.0	0.30	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Chlorobenzene	ND		1.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Chloroethane	ND		2.0	0.74	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Chloroform	ND		1.0	0.59	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Chloromethane	ND		20	1.5	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Dibromochloromethane	ND		2.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Dibromomethane	ND		1.0	0.31	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Dichlorodifluoromethane	ND		2.0	0.45	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Ethylbenzene	ND		1.0	0.21	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Isopropylbenzene	ND		1.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Methylene Chloride	ND		10	3.1	ug/Kg		02/06/25 14:06	02/06/25 21:47	1

Eurofins Calscience

QC Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-530800/5-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 530800

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl-t-Butyl Ether (MTBE)	ND		2.0	0.19	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Naphthalene	ND		10	3.9	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
n-Butylbenzene	ND		1.0	0.21	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
N-Propylbenzene	ND		2.0	0.26	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
o-Xylene	ND		1.0	0.26	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
m,p-Xylene	ND		2.0	0.47	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
p-Isopropyltoluene	ND		1.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
sec-Butylbenzene	ND		1.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Styrene	ND		1.0	0.32	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
trans-1,2-Dichloroethene	ND		1.0	0.30	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
trans-1,3-Dichloropropene	ND		2.0	0.28	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
tert-Butylbenzene	ND		1.0	0.25	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Tetrachloroethene	ND		1.0	0.22	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Toluene	ND		1.0	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Trichloroethene	ND		2.0	0.39	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Trichlorofluoromethane	ND		10	0.27	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Vinyl acetate	ND		10	3.9	ug/Kg		02/06/25 14:06	02/06/25 21:47	1
Vinyl chloride	ND		1.0	0.38	ug/Kg		02/06/25 14:06	02/06/25 21:47	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		32 - 179	02/06/25 14:06	02/06/25 21:47	1
4-Bromofluorobenzene (Surr)	100		80 - 120	02/06/25 14:06	02/06/25 21:47	1
Dibromofluoromethane (Surr)	100		58 - 147	02/06/25 14:06	02/06/25 21:47	1
Toluene-d8 (Surr)	101		80 - 120	02/06/25 14:06	02/06/25 21:47	1

Lab Sample ID: LCS 570-530800/1-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 530800

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1,1,1,2-Tetrachloroethane	50.0	53.60		ug/Kg		107	80 - 125
1,1,1-Trichloroethane	50.0	51.92		ug/Kg		104	78 - 130
1,1,2,2-Tetrachloroethane	50.0	54.32		ug/Kg		109	80 - 124
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	54.34		ug/Kg		109	73 - 130
1,1,2-Trichloroethane	50.0	53.01		ug/Kg		106	80 - 123
1,1-Dichloroethane	50.0	50.45		ug/Kg		101	79 - 124
1,1-Dichloroethene	50.0	54.19		ug/Kg		108	74 - 132
1,1-Dichloropropene	50.0	51.90		ug/Kg		104	78 - 130
1,2,3-Trichlorobenzene	50.0	58.56		ug/Kg		117	80 - 123
1,2,3-Trichloropropane	50.0	52.86		ug/Kg		106	79 - 120
1,2,4-Trichlorobenzene	50.0	57.21		ug/Kg		114	80 - 125
1,2,4-Trimethylbenzene	50.0	51.69		ug/Kg		103	80 - 124
1,2-Dibromo-3-Chloropropane	50.0	53.31		ug/Kg		107	67 - 120
1,2-Dibromoethane	50.0	52.21		ug/Kg		104	80 - 120
1,2-Dichlorobenzene	50.0	56.22		ug/Kg		112	80 - 120
1,2-Dichloroethane	50.0	53.53		ug/Kg		107	77 - 120
1,2-Dichloropropane	50.0	50.60		ug/Kg		101	80 - 126
1,3,5-Trimethylbenzene	50.0	53.18		ug/Kg		106	80 - 121

Eurofins Calscience

QC Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-530800/1-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 530800

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,3-Dichlorobenzene	50.0	54.64		ug/Kg		109	80 - 120
1,3-Dichloropropane	50.0	52.13		ug/Kg		104	80 - 120
1,4-Dichlorobenzene	50.0	53.78		ug/Kg		108	80 - 120
2,2-Dichloropropane	50.0	47.52		ug/Kg		95	73 - 135
2-Butanone	50.0	52.64		ug/Kg		105	67 - 136
2-Chlorotoluene	50.0	52.29		ug/Kg		105	80 - 120
2-Hexanone	50.0	52.27		ug/Kg		105	70 - 137
4-Chlorotoluene	50.0	54.25		ug/Kg		108	80 - 121
4-Methyl-2-pentanone	50.0	50.33		ug/Kg		101	74 - 124
Acetone	50.0	55.56		ug/Kg		111	61 - 142
Benzene	50.0	52.45		ug/Kg		105	80 - 120
Bromobenzene	50.0	53.82		ug/Kg		108	80 - 120
Bromochloromethane	50.0	52.87		ug/Kg		106	80 - 120
Bromodichloromethane	50.0	53.53		ug/Kg		107	80 - 125
Bromoform	50.0	52.19		ug/Kg		104	74 - 138
Bromomethane	50.0	44.83		ug/Kg		90	58 - 136
cis-1,2-Dichloroethene	50.0	52.85		ug/Kg		106	80 - 124
cis-1,3-Dichloropropene	50.0	52.19		ug/Kg		104	80 - 123
Carbon disulfide	50.0	49.90		ug/Kg		100	68 - 128
Carbon tetrachloride	50.0	50.65		ug/Kg		101	75 - 140
Chlorobenzene	50.0	52.37		ug/Kg		105	80 - 120
Chloroethane	50.0	55.10		ug/Kg		110	76 - 137
Chloroform	50.0	50.12		ug/Kg		100	80 - 121
Chloromethane	50.0	39.80		ug/Kg		80	74 - 133
Dibromochloromethane	50.0	50.39		ug/Kg		101	80 - 132
Dibromomethane	50.0	53.47		ug/Kg		107	80 - 120
Dichlorodifluoromethane	50.0	44.28		ug/Kg		89	63 - 146
Ethylbenzene	50.0	52.08		ug/Kg		104	80 - 120
Isopropylbenzene	50.0	50.28		ug/Kg		101	80 - 122
Methylene Chloride	50.0	48.39		ug/Kg		97	74 - 120
Methyl-t-Butyl Ether (MTBE)	50.0	45.32		ug/Kg		91	79 - 123
Naphthalene	50.0	53.22		ug/Kg		106	79 - 121
n-Butylbenzene	50.0	51.86		ug/Kg		104	79 - 131
N-Propylbenzene	50.0	51.88		ug/Kg		104	80 - 122
o-Xylene	50.0	53.09		ug/Kg		106	80 - 120
m,p-Xylene	100	108.8		ug/Kg		109	80 - 120
p-Isopropyltoluene	50.0	51.61		ug/Kg		103	80 - 126
sec-Butylbenzene	50.0	53.95		ug/Kg		108	80 - 125
Styrene	50.0	50.54		ug/Kg		101	80 - 120
trans-1,2-Dichloroethene	50.0	58.81		ug/Kg		118	75 - 123
trans-1,3-Dichloropropene	50.0	51.55		ug/Kg		103	80 - 124
tert-Butylbenzene	50.0	51.70		ug/Kg		103	80 - 124
Tetrachloroethene	50.0	49.83		ug/Kg		100	80 - 122
Toluene	50.0	52.29		ug/Kg		105	80 - 120
Trichloroethene	50.0	53.35		ug/Kg		107	80 - 127
Trichlorofluoromethane	50.0	53.19		ug/Kg		106	70 - 144
Vinyl acetate	50.0	46.56		ug/Kg		93	71 - 125
Vinyl chloride	50.0	50.97		ug/Kg		102	79 - 133

QC Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-530800/1-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 530800

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		32 - 179
4-Bromofluorobenzene (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	100		58 - 147
Toluene-d8 (Surr)	101		80 - 120

Lab Sample ID: LCSD 570-530800/2-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 530800

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
1,1,1,2-Tetrachloroethane	50.0	51.36		ug/Kg		103	80 - 125	4	20	
1,1,1-Trichloroethane	50.0	52.56		ug/Kg		105	78 - 130	1	20	
1,1,2,2-Tetrachloroethane	50.0	48.12		ug/Kg		96	80 - 124	12	20	
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	49.73		ug/Kg		99	73 - 130	9	20	
1,1,2-Trichloroethane	50.0	50.47		ug/Kg		101	80 - 123	5	20	
1,1-Dichloroethane	50.0	52.23		ug/Kg		104	79 - 124	3	20	
1,1-Dichloroethene	50.0	49.60		ug/Kg		99	74 - 132	9	20	
1,1-Dichloropropene	50.0	54.29		ug/Kg		109	78 - 130	4	20	
1,2,3-Trichlorobenzene	50.0	53.03		ug/Kg		106	80 - 123	10	20	
1,2,3-Trichloropropane	50.0	48.67		ug/Kg		97	79 - 120	8	20	
1,2,4-Trichlorobenzene	50.0	53.59		ug/Kg		107	80 - 125	7	20	
1,2,4-Trimethylbenzene	50.0	50.05		ug/Kg		100	80 - 124	3	20	
1,2-Dibromo-3-Chloropropane	50.0	48.11		ug/Kg		96	67 - 120	10	20	
1,2-Dibromoethane	50.0	51.32		ug/Kg		103	80 - 120	2	20	
1,2-Dichlorobenzene	50.0	50.60		ug/Kg		101	80 - 120	11	20	
1,2-Dichloroethane	50.0	56.05		ug/Kg		112	77 - 120	5	20	
1,2-Dichloropropane	50.0	49.98		ug/Kg		100	80 - 126	1	20	
1,3,5-Trimethylbenzene	50.0	52.23		ug/Kg		104	80 - 121	2	20	
1,3-Dichlorobenzene	50.0	51.76		ug/Kg		104	80 - 120	5	20	
1,3-Dichloropropane	50.0	49.60		ug/Kg		99	80 - 120	5	20	
1,4-Dichlorobenzene	50.0	50.33		ug/Kg		101	80 - 120	7	20	
2,2-Dichloropropane	50.0	48.86		ug/Kg		98	73 - 135	3	20	
2-Butanone	50.0	50.05		ug/Kg		100	67 - 136	5	20	
2-Chlorotoluene	50.0	51.06		ug/Kg		102	80 - 120	2	20	
2-Hexanone	50.0	46.70		ug/Kg		93	70 - 137	11	20	
4-Chlorotoluene	50.0	52.40		ug/Kg		105	80 - 121	3	20	
4-Methyl-2-pentanone	50.0	47.23		ug/Kg		94	74 - 124	6	20	
Acetone	50.0	46.52		ug/Kg		93	61 - 142	18	23	
Benzene	50.0	59.76		ug/Kg		120	80 - 120	13	20	
Bromobenzene	50.0	51.04		ug/Kg		102	80 - 120	5	20	
Bromochloromethane	50.0	52.78		ug/Kg		106	80 - 120	0	20	
Bromodichloromethane	50.0	51.28		ug/Kg		103	80 - 125	4	20	
Bromoform	50.0	48.45		ug/Kg		97	74 - 138	7	20	
Bromomethane	50.0	40.62		ug/Kg		81	58 - 136	10	20	
cis-1,2-Dichloroethene	50.0	52.65		ug/Kg		105	80 - 124	0	20	
cis-1,3-Dichloropropene	50.0	52.65		ug/Kg		105	80 - 123	1	20	
Carbon disulfide	50.0	46.62		ug/Kg		93	68 - 128	7	20	
Carbon tetrachloride	50.0	50.93		ug/Kg		102	75 - 140	1	20	

Eurofins Calscience

QC Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-530800/2-A
Matrix: Solid
Analysis Batch: 530846

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 530800

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorobenzene	50.0	50.98		ug/Kg		102	80 - 120	3	20
Chloroethane	50.0	50.42		ug/Kg		101	76 - 137	9	20
Chloroform	50.0	49.94		ug/Kg		100	80 - 121	0	20
Chloromethane	50.0	37.38		ug/Kg		75	74 - 133	6	20
Dibromochloromethane	50.0	48.24		ug/Kg		96	80 - 132	4	20
Dibromomethane	50.0	50.43		ug/Kg		101	80 - 120	6	20
Dichlorodifluoromethane	50.0	41.94		ug/Kg		84	63 - 146	5	20
Ethylbenzene	50.0	52.03		ug/Kg		104	80 - 120	0	20
Isopropylbenzene	50.0	50.00		ug/Kg		100	80 - 122	1	20
Methylene Chloride	50.0	50.45		ug/Kg		101	74 - 120	4	20
Methyl-t-Butyl Ether (MTBE)	50.0	41.58		ug/Kg		83	79 - 123	9	20
Naphthalene	50.0	47.33		ug/Kg		95	79 - 121	12	20
n-Butylbenzene	50.0	51.88		ug/Kg		104	79 - 131	0	20
N-Propylbenzene	50.0	51.65		ug/Kg		103	80 - 122	0	20
o-Xylene	50.0	52.36		ug/Kg		105	80 - 120	1	20
m,p-Xylene	100	107.0		ug/Kg		107	80 - 120	2	20
p-Isopropyltoluene	50.0	50.68		ug/Kg		101	80 - 126	2	20
sec-Butylbenzene	50.0	53.15		ug/Kg		106	80 - 125	1	20
Styrene	50.0	49.00		ug/Kg		98	80 - 120	3	20
trans-1,2-Dichloroethene	50.0	52.60		ug/Kg		105	75 - 123	11	20
trans-1,3-Dichloropropene	50.0	49.22		ug/Kg		98	80 - 124	5	20
tert-Butylbenzene	50.0	50.22		ug/Kg		100	80 - 124	3	20
Tetrachloroethene	50.0	51.38		ug/Kg		103	80 - 122	3	20
Toluene	50.0	51.36		ug/Kg		103	80 - 120	2	20
Trichloroethene	50.0	52.84		ug/Kg		106	80 - 127	1	20
Trichlorofluoromethane	50.0	49.68		ug/Kg		99	70 - 144	7	20
Vinyl acetate	50.0	47.97		ug/Kg		96	71 - 125	3	20
Vinyl chloride	50.0	45.99		ug/Kg		92	79 - 133	10	20

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
1,2-Dichloroethane-d4 (Surr)	98		32 - 179
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	100		58 - 147
Toluene-d8 (Surr)	100		80 - 120

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-533567/3-A
Matrix: Solid
Analysis Batch: 533552

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 533567

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.099	0.044	mg/Kg		02/13/25 13:55	02/13/25 15:07	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	72		42 - 126	02/13/25 13:55	02/13/25 15:07	1

Eurolins Calscience

QC Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: MB 570-533567/4-A
Matrix: Solid
Analysis Batch: 533552

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 533567

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (C4-C12)	ND		4.0	1.8	mg/Kg		02/13/25 13:55	02/13/25 15:32	20
Surrogate	MB	MB	Limits			D	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	72		42 - 126				02/13/25 13:55	02/13/25 15:32	20

Lab Sample ID: LCS 570-533567/1-A
Matrix: Solid
Analysis Batch: 533552

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 533567

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
								Gasoline Range Organics (C4-C13)
Surrogate	LCS	LCS	Limits			D	%Rec	%Rec Limits
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	99		42 - 126					

Lab Sample ID: LCSD 570-533567/2-A
Matrix: Solid
Analysis Batch: 533552

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 533567

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit	
										Gasoline Range Organics (C4-C13)
Surrogate	LCSD	LCSD	Limits			D	%Rec	%Rec Limits	RPD	Limit
	%Recovery	Qualifier								
4-Bromofluorobenzene (Surr)	98		42 - 126							

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 570-533096/1-A
Matrix: Solid
Analysis Batch: 533505

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 533096

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
C6 as C6	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C7 as C7	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C8 as C8	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C9-C10	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C11-C12	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C13-C14	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C15-C16	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C17-C18	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C19-C20	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C21-C22	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C23-C24	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C25-C28	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C29-C32	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C33-C36	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1

Eurolins Calscience

QC Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 570-533096/1-A
Matrix: Solid
Analysis Batch: 533505

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 533096

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
C37-C40	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C41-C44	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
C6-C44	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1
Diesel Range Organics [C10-C28]	ND		5.0	4.6	mg/Kg		02/12/25 14:20	02/13/25 15:35	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
n-Octacosane (Surr)	95		60 - 138	02/12/25 14:20	02/13/25 15:35	1

Lab Sample ID: LCS 570-533096/2-A
Matrix: Solid
Analysis Batch: 533505

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 533096

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Diesel Range Organics [C10-C28]	400	430.0		mg/Kg		107	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
n-Octacosane (Surr)	94		60 - 138

Lab Sample ID: LCSD 570-533096/3-A
Matrix: Solid
Analysis Batch: 533505

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 533096

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	Limits	RPD	Limit
		Result	Qualifier						
Diesel Range Organics [C10-C28]	400	443.3		mg/Kg		111	70 - 130	3	20

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
n-Octacosane (Surr)	94		60 - 138

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-532308/1-A ^5
Matrix: Solid
Analysis Batch: 532894

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 532308

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	ND		10.1	2.87	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Arsenic	ND		3.02	1.40	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Barium	ND		3.02	0.143	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Beryllium	ND		0.503	0.0693	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Cadmium	ND		0.503	0.165	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Chromium	ND		1.01	0.187	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Cobalt	ND		1.01	0.207	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Copper	ND		2.01	0.963	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Lead	ND		2.01	0.411	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Molybdenum	ND		2.01	0.518	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Nickel	ND		2.01	0.364	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Selenium	ND		3.02	1.23	mg/Kg		02/11/25 06:53	02/12/25 04:17	5

Eurofins Calscience

QC Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 570-532308/1-A ^5
Matrix: Solid
Analysis Batch: 532894

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 532308

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	ND		1.51	0.145	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Thallium	ND		10.1	2.12	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Vanadium	ND		1.01	0.169	mg/Kg		02/11/25 06:53	02/12/25 04:17	5
Zinc	ND		5.03	1.16	mg/Kg		02/11/25 06:53	02/12/25 04:17	5

Lab Sample ID: LCS 570-532308/2-A ^5
Matrix: Solid
Analysis Batch: 532894

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 532308

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	50.3	51.60		mg/Kg		103	80 - 120
Arsenic	50.3	50.39		mg/Kg		100	80 - 120
Barium	50.3	50.84		mg/Kg		101	80 - 120
Beryllium	50.3	50.28		mg/Kg		100	80 - 120
Cadmium	50.3	51.06		mg/Kg		102	80 - 120
Chromium	50.3	51.01		mg/Kg		102	80 - 120
Cobalt	50.3	51.60		mg/Kg		103	80 - 120
Copper	50.3	51.57		mg/Kg		103	80 - 120
Lead	50.3	50.89		mg/Kg		101	80 - 120
Molybdenum	50.3	51.13		mg/Kg		102	80 - 120
Nickel	50.3	51.39		mg/Kg		102	80 - 120
Selenium	50.3	48.52		mg/Kg		97	80 - 120
Silver	25.1	25.34		mg/Kg		101	80 - 120
Thallium	50.3	48.47		mg/Kg		96	80 - 120
Vanadium	50.3	50.18		mg/Kg		100	80 - 120
Zinc	50.3	50.60		mg/Kg		101	80 - 120

Lab Sample ID: LCSD 570-532308/3-A ^5
Matrix: Solid
Analysis Batch: 532894

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 532308

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	50.3	51.58		mg/Kg		103	80 - 120	0	20
Arsenic	50.3	49.82		mg/Kg		99	80 - 120	1	20
Barium	50.3	50.28		mg/Kg		100	80 - 120	1	20
Beryllium	50.3	49.91		mg/Kg		99	80 - 120	1	20
Cadmium	50.3	50.16		mg/Kg		100	80 - 120	2	20
Chromium	50.3	50.38		mg/Kg		100	80 - 120	1	20
Cobalt	50.3	50.36		mg/Kg		100	80 - 120	2	20
Copper	50.3	51.12		mg/Kg		102	80 - 120	1	20
Lead	50.3	50.68		mg/Kg		101	80 - 120	0	20
Molybdenum	50.3	50.84		mg/Kg		101	80 - 120	1	20
Nickel	50.3	51.32		mg/Kg		102	80 - 120	0	20
Selenium	50.3	47.61		mg/Kg		95	80 - 120	2	20
Silver	25.1	25.09		mg/Kg		100	80 - 120	1	20
Thallium	50.3	48.47		mg/Kg		96	80 - 120	0	20
Vanadium	50.3	49.75		mg/Kg		99	80 - 120	1	20
Zinc	50.3	50.43		mg/Kg		100	80 - 120	0	20

Eurofins Calscience

QC Sample Results

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 570-216767-1 MS
Matrix: Solid
Analysis Batch: 532894

Client Sample ID: Drilling Mud
Prep Type: Total/NA
Prep Batch: 532308

Analyte	Sample	Sample Qualifier	Spike Added	MS	MS	Unit	D	%Rec	Limits	%Rec
	Result			Result	Qualifier					
Antimony	ND		49.3	44.86		mg/Kg		91	75 - 125	
Arsenic	ND		49.3	51.38		mg/Kg		104	75 - 125	
Barium	15.3		49.3	64.42		mg/Kg		100	75 - 125	
Beryllium	ND		49.3	51.63		mg/Kg		105	75 - 125	
Cadmium	ND		49.3	51.17		mg/Kg		104	75 - 125	
Chromium	2.30		49.3	53.74		mg/Kg		104	75 - 125	
Cobalt	0.936	J	49.3	52.07		mg/Kg		104	75 - 125	
Copper	2.80		49.3	55.12		mg/Kg		106	75 - 125	
Lead	1.50	J	49.3	51.92		mg/Kg		102	75 - 125	
Molybdenum	ND		49.3	51.34		mg/Kg		104	75 - 125	
Nickel	1.16	J	49.3	52.65		mg/Kg		105	75 - 125	
Selenium	ND		49.3	49.64		mg/Kg		101	75 - 125	
Silver	ND		24.6	25.86		mg/Kg		105	75 - 125	
Thallium	ND		49.3	48.67		mg/Kg		99	75 - 125	
Vanadium	4.22		49.3	54.69		mg/Kg		102	75 - 125	
Zinc	6.95		49.3	56.71		mg/Kg		101	75 - 125	

Lab Sample ID: 570-216767-1 MSD
Matrix: Solid
Analysis Batch: 532894

Client Sample ID: Drilling Mud
Prep Type: Total/NA
Prep Batch: 532308

Analyte	Sample	Sample Qualifier	Spike Added	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result			Result	Qualifier						
Antimony	ND		49.5	44.85		mg/Kg		91	75 - 125	0	20
Arsenic	ND		49.5	51.13		mg/Kg		103	75 - 125	0	20
Barium	15.3		49.5	65.57		mg/Kg		102	75 - 125	2	20
Beryllium	ND		49.5	50.87		mg/Kg		103	75 - 125	1	20
Cadmium	ND		49.5	50.25		mg/Kg		102	75 - 125	2	20
Chromium	2.30		49.5	53.11		mg/Kg		103	75 - 125	1	20
Cobalt	0.936	J	49.5	51.52		mg/Kg		102	75 - 125	1	20
Copper	2.80		49.5	54.90		mg/Kg		105	75 - 125	0	20
Lead	1.50	J	49.5	51.37		mg/Kg		101	75 - 125	1	20
Molybdenum	ND		49.5	51.23		mg/Kg		103	75 - 125	0	20
Nickel	1.16	J	49.5	51.42		mg/Kg		102	75 - 125	2	20
Selenium	ND		49.5	49.62		mg/Kg		100	75 - 125	0	20
Silver	ND		24.8	25.46		mg/Kg		103	75 - 125	2	20
Thallium	ND		49.5	48.19		mg/Kg		97	75 - 125	1	20
Vanadium	4.22		49.5	54.46		mg/Kg		101	75 - 125	0	20
Zinc	6.95		49.5	56.46		mg/Kg		100	75 - 125	0	20

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 570-531130/1-A
Matrix: Solid
Analysis Batch: 531280

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 531130

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
	Result	Qualifier								
Mercury	ND		0.0817	0.0225	mg/Kg		02/07/25 08:36	02/07/25 12:23	1	

QC Sample Results

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method: 7471A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 570-531130/2-A
Matrix: Solid
Analysis Batch: 531280

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 531130

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.426	0.3442		mg/Kg		81	80 - 120

Lab Sample ID: LCSD 570-531130/3-A
Matrix: Solid
Analysis Batch: 531280

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 531130

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.385	0.3375		mg/Kg		88	80 - 120	2	10

QC Association Summary

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

GC/MS VOA

Prep Batch: 530800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	5030C	
MB 570-530800/5-A	Method Blank	Total/NA	Solid	5030C	
LCS 570-530800/1-A	Lab Control Sample	Total/NA	Solid	5030C	
LCSD 570-530800/2-A	Lab Control Sample Dup	Total/NA	Solid	5030C	

Analysis Batch: 530846

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	8260B	530800
MB 570-530800/5-A	Method Blank	Total/NA	Solid	8260B	530800
LCS 570-530800/1-A	Lab Control Sample	Total/NA	Solid	8260B	530800
LCSD 570-530800/2-A	Lab Control Sample Dup	Total/NA	Solid	8260B	530800

GC VOA

Analysis Batch: 533552

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	8015B	533567
MB 570-533567/3-A	Method Blank	Total/NA	Solid	8015B	533567
MB 570-533567/4-A	Method Blank	Total/NA	Solid	8015B	533567
LCS 570-533567/1-A	Lab Control Sample	Total/NA	Solid	8015B	533567
LCSD 570-533567/2-A	Lab Control Sample Dup	Total/NA	Solid	8015B	533567

Prep Batch: 533567

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	5030C	
MB 570-533567/3-A	Method Blank	Total/NA	Solid	5030C	
MB 570-533567/4-A	Method Blank	Total/NA	Solid	5030C	
LCS 570-533567/1-A	Lab Control Sample	Total/NA	Solid	5030C	
LCSD 570-533567/2-A	Lab Control Sample Dup	Total/NA	Solid	5030C	

GC Semi VOA

Prep Batch: 533096

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1 - RA	Drilling Mud	Total/NA	Solid	3550C	
MB 570-533096/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 570-533096/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 570-533096/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	

Analysis Batch: 533505

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-533096/1-A	Method Blank	Total/NA	Solid	8015B	533096
LCS 570-533096/2-A	Lab Control Sample	Total/NA	Solid	8015B	533096
LCSD 570-533096/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B	533096

Analysis Batch: 537125

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1 - RA	Drilling Mud	Total/NA	Solid	8015B	533096

QC Association Summary

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Metals

Prep Batch: 531130

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	7471A	
MB 570-531130/1-A	Method Blank	Total/NA	Solid	7471A	
LCS 570-531130/2-A	Lab Control Sample	Total/NA	Solid	7471A	
LCSD 570-531130/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	

Analysis Batch: 531280

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-531130/1-A	Method Blank	Total/NA	Solid	7471A	531130
LCS 570-531130/2-A	Lab Control Sample	Total/NA	Solid	7471A	531130
LCSD 570-531130/3-A	Lab Control Sample Dup	Total/NA	Solid	7471A	531130

Analysis Batch: 531440

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	7471A	531130

Prep Batch: 532308

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	3050B	
MB 570-532308/1-A ^5	Method Blank	Total/NA	Solid	3050B	
LCS 570-532308/2-A ^5	Lab Control Sample	Total/NA	Solid	3050B	
LCSD 570-532308/3-A ^5	Lab Control Sample Dup	Total/NA	Solid	3050B	
570-216767-1 MS	Drilling Mud	Total/NA	Solid	3050B	
570-216767-1 MSD	Drilling Mud	Total/NA	Solid	3050B	

Analysis Batch: 532894

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-216767-1	Drilling Mud	Total/NA	Solid	6010B	532308
MB 570-532308/1-A ^5	Method Blank	Total/NA	Solid	6010B	532308
LCS 570-532308/2-A ^5	Lab Control Sample	Total/NA	Solid	6010B	532308
LCSD 570-532308/3-A ^5	Lab Control Sample Dup	Total/NA	Solid	6010B	532308
570-216767-1 MS	Drilling Mud	Total/NA	Solid	6010B	532308
570-216767-1 MSD	Drilling Mud	Total/NA	Solid	6010B	532308

Lab Chronicle

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Client Sample ID: Drilling Mud
Date Collected: 02/05/25 08:00
Date Received: 02/05/25 18:15

Lab Sample ID: 570-216767-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.10 g	5 mL	530800	02/06/25 14:06	NR	EET CAL 4
Total/NA	Analysis	8260B		1	5 g	5 mL	530846	02/07/25 00:46	NR	EET CAL 4
Instrument ID: GCMSCC										
Total/NA	Prep	5030C			5.06 g	5 mL	533567	02/13/25 13:55	A9VE	EET CAL 4
Total/NA	Analysis	8015B		1	5 g	5 mL	533552	02/14/25 00:12	A9VE	EET CAL 4
Instrument ID: GC56										
Total/NA	Prep	3550C	RA		1.08 g	10 mL	533096	02/12/25 14:20	S4NC	EET CAL 4
Total/NA	Analysis	8015B	RA	1	10 mL	10 mL	537125	02/23/25 15:59	E5RH	EET CAL 4
Instrument ID: GC48										
Total/NA	Prep	3050B			2.03 g	50 mL	532308	02/11/25 06:53	GYR8	EET CAL 4
Total/NA	Analysis	6010B		5			532894	02/12/25 04:22	VZ0K	EET CAL 4
Instrument ID: ICP11										
Total/NA	Prep	7471A			0.53 g	50 mL	531130	02/07/25 08:36	VCN7	EET CAL 4
Total/NA	Analysis	7471A		1			531440	02/07/25 15:20	BG9Y	EET CAL 4
Instrument ID: HG8										

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: American Integrated Services
 Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date																																																												
California	State	3082	07-31-25																																																												
<p>The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.</p> <table border="1"> <thead> <tr> <th>Analysis Method</th> <th>Prep Method</th> <th>Matrix</th> <th>Analyte</th> </tr> </thead> <tbody> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>1,1,2-Trichloro-1,2,2-trifluoroethane</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>1,1-Dichloropropene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>1,2,3-Trichlorobenzene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>1,2,4-Trimethylbenzene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>1,3,5-Trimethylbenzene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>1,3-Dichloropropane</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>2,2-Dichloropropane</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>2-Butanone</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>2-Chlorotoluene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>2-Hexanone</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>Acetone</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>Isopropylbenzene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>p-Isopropyltoluene</td> </tr> <tr> <td>8260B</td> <td>5030C</td> <td>Solid</td> <td>Vinyl acetate</td> </tr> </tbody> </table>				Analysis Method	Prep Method	Matrix	Analyte	8260B	5030C	Solid	1,1,2-Trichloro-1,2,2-trifluoroethane	8260B	5030C	Solid	1,1-Dichloropropene	8260B	5030C	Solid	1,2,3-Trichlorobenzene	8260B	5030C	Solid	1,2,4-Trimethylbenzene	8260B	5030C	Solid	1,3,5-Trimethylbenzene	8260B	5030C	Solid	1,3-Dichloropropane	8260B	5030C	Solid	2,2-Dichloropropane	8260B	5030C	Solid	2-Butanone	8260B	5030C	Solid	2-Chlorotoluene	8260B	5030C	Solid	2-Hexanone	8260B	5030C	Solid	Acetone	8260B	5030C	Solid	Isopropylbenzene	8260B	5030C	Solid	p-Isopropyltoluene	8260B	5030C	Solid	Vinyl acetate
Analysis Method	Prep Method	Matrix	Analyte																																																												
8260B	5030C	Solid	1,1,2-Trichloro-1,2,2-trifluoroethane																																																												
8260B	5030C	Solid	1,1-Dichloropropene																																																												
8260B	5030C	Solid	1,2,3-Trichlorobenzene																																																												
8260B	5030C	Solid	1,2,4-Trimethylbenzene																																																												
8260B	5030C	Solid	1,3,5-Trimethylbenzene																																																												
8260B	5030C	Solid	1,3-Dichloropropane																																																												
8260B	5030C	Solid	2,2-Dichloropropane																																																												
8260B	5030C	Solid	2-Butanone																																																												
8260B	5030C	Solid	2-Chlorotoluene																																																												
8260B	5030C	Solid	2-Hexanone																																																												
8260B	5030C	Solid	Acetone																																																												
8260B	5030C	Solid	Isopropylbenzene																																																												
8260B	5030C	Solid	p-Isopropyltoluene																																																												
8260B	5030C	Solid	Vinyl acetate																																																												
Oregon	NELAP	4175	02-02-26																																																												

Method Summary

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET CAL 4
8015B	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC)	SW846	EET CAL 4
6010B	Metals (ICP)	SW846	EET CAL 4
7471A	Mercury (CVAA)	SW846	EET CAL 4
3050B	Preparation, Metals	SW846	EET CAL 4
3550C	Ultrasonic Extraction	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
7471A	Preparation, Mercury	SW846	EET CAL 4

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: American Integrated Services
Project/Site: Lane Drilling Pasadena

Job ID: 570-216767-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
570-216767-1	Drilling Mud	Solid	02/05/25 08:00	02/05/25 18:15

Login Sample Receipt Checklist

Client: American Integrated Services

Job Number: 570-216767-1

Login Number: 216767

List Source: Eurofins Calscience

List Number: 1

Creator: Ovalle, Erick

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

**American Integrated Services, Inc**

PO Box 92316 Long Beach, CA 90809
 Office (310) 522-1168 24 Hour Emergency Line (888) 423-6060
 www.americanintegrated.com

Ticket # TWO-007608
Contract #
Customer PO
Charge Code

TRANSPORTATION DAILY WORK REPORT

Driver Name
Alejandro Tapia

Project #
44317

Task #

Date
04/03/2025

Customer Name

LAYNE CHRISTENSEN COMPANY
 W229 N1433 WESTWOOD DR, STE 100
 WAUKESHA, WI 53186

Job Site Information

Layne Christensen Company
 34.200252, -118.165792
 Pasadena

AIS Project Manager

Dean Poe
 dpoe@americanintegrated.com
AIS PCS Email Address
 mortiz@americanintegrated.com

Equipment Information

Equipment Information	Tractor/Truck	Trailer
120BBL Vacuum Truck & Trailer	572	319-T

Bin Liners**Number of Bin Liners****Tarps****Disposal Manifest & TSD Site**

Manifest #	TSD Information	Quantity	UOM	Notes
0606859				

Time Log & Description

Start	Stop	Description
04:00	05:30	From Ventura drove to AIS Wilmington yard.
05:30	07:00	Pre-trip 120BBL vacuum truck , drove to Pasadena, Layne Explorer well drill site.
07:00	09:00	When arrived to site communicated with onsite contact assisted crew vacuum drilling mud as crew washed out mid pit , than pumped out liquid out of mud open top frac tank .
09:00	13:00	Drove to Maitri once onsite waited in line of trucks , once load was accepted offloaded load and washed out .
13:00	14:30	Drove to Wilmington refuel than returned to AIS yard.
14:30	15:00	Safety Post-Trip and Vehicle Inspection
15:00	17:30	Returned to Ventura

Additional Notes & Comments

Reporting Time
04:00

Ending Time
17:30

Total Time
13.50

Deductible Time (in hours)
1.0

Net Time
12.50

Alejandro Tapia



American Integrated Services, Inc

PO Box 92316 Long Beach, CA 90809
Office (310) 522-1168 24 Hour Emergency Line (888) 423-6060
www.americanintegrated.com

Ticket #

TWO-007608

Contract #

Customer PO

Charge Code

TRANSPORTATION DAILY WORK REPORT

Waste Tracking Documents

169-BLC-O 5 11977 (Rev. 9/09)

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number: NOT REQUIRED

2. Page 1 of 1

3. Emergency Response Phone: 888-423-6060

4. Waste Tracking Number: 0606859

5. Generator's Name and Mailing Address: Pasadena Water & Power, 100 N. Garfield Ave., Pasadena CA 91001
Generator's Phone: 760 275-0039

Generator's Site Address (if different than mailing address): AIS Victor Oleveda, Pasadena Water & Power, 858 W. Alhambra Drive, Pasadena, CA 91001

6. Transporter 1 Company Name: American Integrated Services, Inc. U.S. EPA ID Number: CARD00148338

7. Transporter 2 Company Name: U.S. EPA ID Number: Not Required

8. Designated Facility Name and Site Address: Metall Road Recycling, 24850 Metall Road, Corona CA 92683
Facility's Phone: Not Required

8. Waste Shipping Name and Description	10. Containers		11. Total Quantity	12. Unit Wt./Vol.
	No.	Type		
1. Non-Hazardous Waste, Liquid (Drilling Mud)	001	TT	3200	G
2.				
3.				
4.				

13. Special Handling Instructions and Additional Information: Wear appropriate PPE while handling. Weights or volumes are approximate. AIS Project #44317

14. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/certified, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's Operator's Printed/Typed Name: Johnny Ausserl
Signature: [Signature] Month: 4 Day: 3 Year: 25

15. International Shipments: Import to U.S. Export from U.S. U.S. to U.S. Date leaving U.S.: [Blank]

16. Transporter's Acknowledgment of Receipt of Materials: Transporter 1 Printed/Typed Name: Alex Tapia
Signature: [Signature] Month: 7 Day: 3 Year: 25

17. Discrepancy: Quantity Type Residue Partial Rejection Full Rejection

17a. Discrepancy Indication Space: Manifest Reference Number: U.S. EPA ID Number: [Blank]

17b. Alternate Facility (or Generator): Facility's Phone: U.S. EPA ID Number: [Blank]

17c. Signature of Alternate Facility (or Generator): Month: Day: Year: [Blank]

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in item 17c. Printed/Typed Name: Signature: Month: Day: Year: [Blank]

DESIGNATED FACILITY TO GENERATOR



American Integrated Services, Inc

PO Box 92316 Long Beach, CA 90809
Office (310) 522-1168 24 Hour Emergency Line (888) 423-6060
www.americanintegrated.com

Ticket #



TWO-007608

Contract #

Customer PO

Charge Code

TRANSPORTATION DAILY WORK REPORT

MRR MAITRI ROAD RECYCLING		Ticket Confirmation		3 Apr 2025, 11:36 AM	
24980 Maitri Rd. Corona, CA 92883 Ph: 310-784-2900				NON-SALE	
		10125250930252		LOAD RECYCLED	
AMERICAN INTEGRATED SERVICES		Truck		Driver	
0113059 P.O. BOX 92316 LONG BEACH, CA - 90809 USA		Code AIS572 Type Tanker License Plate		Name ALEX TAPIA License D2196487 State CA	
Summary		PO 44317		Point of Origin 898 W ALTADENA DR	
Subtotal N/A		Area 1 - Clean A/C		City PASADENA	
Tax N/A		Material Type GRAVL		County Los Angeles	
Total Price N/A		Job No Job Selected		State CA	
		Residence A - Commercial		Zip 91199	
Product		Quantity		Unit Price	
				Total	
STD Standard Landfill Material		1.00 EA		N/A	
AQMFL Air Quality Mitigation Fee Land		1.00 EA		N/A	
ENVFL Environmental Fee Landfill		1.00 EA		N/A	
FSFL Fuel Surcharge Fee		1.00 EA		N/A	
Total				N/A	
Signature					
					
Driver					
Terms					

Damage to Bins



SB INDUSTRIAL VACUUM SERVICES INC

P.O. Box 310097 Fontana, CA 92331
(562) 824-3845 • Fax (909) 823-0826

Date: 4/8/25

Work Order Number: **48865**

Customer Name: AMERICAN INTEGRATED SERVICES			Bill To:		
Address: 34.200252, -118.165792			Address:		
City: PASADENA	State: CA	Zip: 91001	City:	State:	Zip:
Site Contact		PO # 44317	Requested By		

Unit Number: 516/VT-103 Starting Mileage: _____ Ending Mileage: _____ Total: _____

Pre-Trip/Start Time: 4 AM	Depart From: SB YARD 1	Arrive At: SB YARD 2
Time: 4:30 AM	Time: 4:30 AM	Time: 4:45 AM
Depart From: SB YARD 2	Arrive At: PASADENA	Time: 7:30 AM
Time: 5:30 AM	Time: 10:30 AM	Time: 1:00 pm
Depart From: PASADENA	Arrive At: CORONA	Time: 3:30 pm
Time: 2:06 pm	Time:	Time:
Depart From:	Post Trip/Stop	Time:
Time:	Time:	Time:

Work Completed (Scope of work): _____ Total Trip Time: _____

Detailed Notes: _____

Misc. / Equipment: _____

Material: NON HAZ DRILLING WATER Quantity: 5000 GAL. Gallons Yards Tons
 Manifest No: _____ Bin #: VT-103 Placards: Yes No Class: TT
 Disposal Site: MAHRI RECYCLING Wash Out: Yes No Driver's Name: [Signature]

TERMS: Net Cash Due and payable in full 30 days after the date of invoices, delinquent after 35 days, and subject to C.O.D. after 45 days, a LATE CHARGE of 1-1/2 % per month shall be applied to all delinquent accounts Failure to pay shall allow SB Environmental Logistics, to charge all the cost of collection, including reasonable attorney fees and commissions whether incurred prejudgment or post judgement.
 It is Generator's responsibility to correctly identify chemical composition. If material is rejected by disposal site, generator agrees to pay all testing & transportation charges.

Please Print Name: Maria Manca
 Signed By: [Signature] Date: 04-08-25

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number

2. Page 1 of 1

3. Emergency Response Phone

4. Waste Tracking Number

LAYNE

5. Generator's Name and Mailing Address

LAYNE PASADENA EXPLORER WELL T&D
34.200252-118.165792
PASADENA CA 91001

Generator's Site Address (if different than mailing address)

Generator's Site Address (if different than mailing address)

Generator's Phone: 760 275-0039

6. Transporter 1 Company Name

SB INDUSTRIAL VACUUM SERVICES

U.S. EPA ID Number

CAL000466492

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

MAITRI ROAD RECYCLING
24980 MAITRI RD.
CORONA CA 92883

U.S. EPA ID Number

Facility's Phone: 310 523-2555

CAL000460525

9. Waste Shipping Name and Description

10. Containers

No.

Type

11. Total Quantity

12. Unit Wt./Vol.

1. NON-HAZARDOUS WASTE, DRILLING MUD

001

TT

5,000

G

13. Special Handling Instructions and Additional Information

- 1) PO# (BILL TO AMERICAN INTEGRATED SERVICES) 44317
- 2) USE PROPER PPE
- 3) IN THE EVENT OF EMERGENCY - CALL SB INDUSTRIAL VACUUM (909) 559-0916

VAC - TRUCK

516 / VT - 103

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offeor's Printed/Typed Name

Mario Mancina

Signature

Mario Mancina

Month Day Year

04 | 08 | 25

15. International Shipments

Import to U.S.

Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

OTHO TOWER

Signature

[Signature]

Month Day Year

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

GENERATOR

INT'L

TRANSPORTER

DESIGNATED FACILITY



Ticket Confirmation

8 Apr 2025, 1:11 PM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250980380

NON-SALE

Table with columns: AMERICAN INTEGRATED SERVICES, Truck, Driver. Includes details like 0113059, P O BOX 92316, LONG BEACH, CA - 90809, USA, Code SBUV516, Type Tanker, License Y8969389, State CA.

Summary table with columns: Summary, PO, Area, Material Type, Job, Residence, Point of Origin, City, County, State, Zip. Includes values like 44317, 3 - Mud, MUD, No Job Selected, A - Commercial, LAYNE, PASADENA, Los Angeles, CA, 91199.

Main product table with columns: Product, Quantity, Unit Price, Total. Lists items like STD Standard Landfill Material, AQMF L Air Quality Mitigation Fee Lan, ENVF L Environmental Fee Landfill, FSF L Fuel Surcharge Fee, and a Total row.

Signature section with a handwritten signature.

Driver

Terms section containing a disclaimer in English and Spanish regarding hazardous materials and groundwater contamination.

**NON-NEGOTIABLE BILL-OF-LADING
AND TRANSPORTATION AGREEMENT**

BILL NO.

PRINCIPAL CARRIER

AIS / GIOSAND ENVIR

DATE 3-31-25

B - 1865443
JOB # 44317
BROKER #
TRUCK # 03626N2
TRAILER # SUPER10
CA # 574770

ADDRESS

CITY/STATE/ZIP

PH.

UNDERLYING CARRIER (IF ANY)

ABD TRUCKING

ADDRESS

PH.

SHIPPER

AMERICAN INTEGRATED

RECEIVER

MAITRI

ADDRESS

ADDRESS

24980 MAITERI RD

CITY/STATE/ZIP

HAHAMONGIA PA

CITY/STATE/ZIP

CORONA CA

POINT OF ORIGIN

POINT OF DESTINATION

EQUIPMENT TYPE

- SUPER TAG
- END DUMP
- FLAT BED
- 10-WHEELER
- TRANSFER
- SIDE DUMP
- MIXER
- SUPER-10
- DBL BOTTOMS
- TRUCK & PUP
- SWEEPER
- STRONG ARM
- SEMI-BOTTOM
- WATER TRUCK
- OTHER SUPER10

HOURLY TONNAGE PER LOAD

RATE @ \$ _____

TAG NO.	WEIGHT	COMMODITY	LOADING		UNLOADING		STANDBY TIME	BREAKDOWN OR REASON FOR DELAY
			ARRIVE	DEPART	ARRIVE	DEPART		
1								
2	#27							
3	10125250900095			OFF		ON		
4				5.00		5.00		
5								
6								
7								
8								
9	#29							
10	10125250900377							
11								
12								
13								
14								
15								

REPORTING TIME 5:45	ENDING TIME 3:45	TOTAL TIME 10	DEDUCTIBLE TIME <i>(Signature)</i>	NET TIME 10	TOTAL TONS	ACCESSORIAL OTHER
START DRIVING TIME LAST TRIP	ARRIVAL TIME AT DUMP LAST TRIP	END LOADING LAST TRIP	RUNNING TIME LAST TRIP	SUBJECT TO TERMS AND CONDITIONS ON REVERSE SIDE		TOTAL CHARGES

ABD TRUCKING
DRIVER SIGNATURE

SHIPPER/RECEIVER (AGENT OR DEBITOR) SIGNATURE

ORIGINAL

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number NOT REQUIRED 2. Page 1 of 1 3. Emergency Response Phone 888-423-6060 4. Waste Tracking Number 0595892

5. Generator's Name and Mailing Address Pasadena Well N Arroyo Blvd Alhambra CA 91001 Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name ABO TRUCKING U.S. EPA ID Number

7. Transporter 2 Company Name U.S. EPA ID Number

8. Designated Facility Name and Site Address Main Road Recycling 24890 Main Road Corona CA 92853 U.S. EPA ID Number Not Required Facility's Phone:

Table with 5 columns: 9. Waste Shipping Name and Description, 10. Containers (No., Type), 11. Total Quantity, 12. Unit Wt./Vol. Row 1: Non-Hazardous Waste Liquid, (Drilling Cutting), 001 DT, 00012, Y

13. Special Handling Instructions and Additional Information Wear proper PPE while handling. Weights or volumes are approximate. AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offlor's Printed/Typed Name Mario Manacia Signature Mario M Month Day Year 03 31 25

15. International Shipments [] Import to U.S. [] Export from U.S. Port of entry/exit: Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Luis BAUDERRAMA Signature Month Day Year 3 31 25 Transporter 2 Printed/Typed Name Signature Month Day Year

17. Discrepancy 17a. Discrepancy Indication Space [] Quantity [] Type [] Residue [] Partial Rejection [] Full Rejection Manifest Reference Number:

17b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone:

17c. Signature of Alternate Facility (or Generator) Month Day Year

18. Designated Facility Owner or Operator. Certification of receipt of materials covered by the manifest except as noted in Item 17a Printed/Typed Name Jake Signature Month Day Year 3 28 25

GENERATOR

INT'L

TRANSPORTER

DISCREPANCY

DESIGNATED FACILITY



24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900

Ticket Confirmation

31 Mar 2025, 8:01 AM



10125250900095

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code **ABD19**
Type **Super-10**
License Plate **03626N2**

Driver

Name **LUIS BALDERRAMA**
License **D3764224**
State **CA**

Summary

Subtotal **N/A**
Tax **N/A**
Total Price **N/A**

PO **44317**
Area **1 - Clean A/C**
Material Type **CRETE**
Job **No Job Selected**
Residence **A - Commercial**

Point of Origin **ARROYO**
City **ALTADENA**
County **Los Angeles**
State **CA**
Zip **91003**

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

Driver

Terms

I, the undersigned, certify that to the best of his/her knowledge, this load does not contain hazardous materials, as defined by the Department of Transportation, that pose a significant threat to groundwater. In the event that the undersigned becomes aware of such a threat, the undersigned agrees to promptly remove the load from the site.
 Yo, el suscrito, certifico bajo su mejor conocimiento que esta carga no contiene contaminantes peligrosos que representen una amenaza significativa a las aguas subterráneas. Si la suscrito se vuelve consciente de tal amenaza, el suscrito se compromete a quitar rápidamente la carga del sitio.

29

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number
NOT REQUIRED

2. Page 1 of 1

3. Emergency Response Phone
888-423-6060

4. Waste Tracking Number
0595894

5. Generator's Name and Mailing Address
Pasadena Well
N Arroyo Blvd
Altadena CA 91001
Generator's Phone:

Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name
ABD TRUCKING

U.S. EPA ID Number

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address
Maitri Road Recycling
24690 Maitri Road
Corona CA 92883
Facility's Phone:

U.S. EPA ID Number
Not Required

9. Waste Shipping Name and Description	10. Containers		11. Total Quantity	12. Unit Wt./Vol.
	No.	Type		
1. Non-Hazardous Waste Liquid, (Drilling Cutting)	001	DT	00012	Y
2.				
3.				
4.				

13. Special Handling Instructions and Additional Information
Wear proper PPE while handling. Weights or volumes are approximate.
AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offor's Printed/Typed Name: Mario Mancina
Signature: [Signature]
Month: 03 Day: 31 Year: 25

15. International Shipments Import to U.S. Export from U.S.
Port of entry/exit: _____
Date leaving U.S.: _____

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Luis BALDEBRANNA
Signature: [Signature]
Month: 3 Day: 31 Year: 25
Transporter 2 Printed/Typed Name: _____
Signature: _____
Month: _____ Day: _____ Year: _____

17. Discrepancy
17a. Discrepancy Indication Space Quantity Type Residue Partial Rejection Full Rejection
Manifest Reference Number: _____

17b. Alternate Facility (or Generator) _____
U.S. EPA ID Number _____
Facility's Phone: _____

17c. Signature of Alternate Facility (or Generator) _____
Month: _____ Day: _____ Year: _____

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name _____ Signature _____
Month: _____ Day: _____ Year: _____

GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY



Ticket Confirmation

31 Mar 2025, 12:38 PM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250900377

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code ABD19
Type Super-10
License Plate 03626N2

Driver

Name LUIS BALDERRAMA
License D3764224
State CA

Summary

Subtotal N/A
Tax N/A
Total Price N/A

PO 44317
Area 1 - Clean A/C
Material Type CRETE
Job No Job Selected
Residence A - Commercial

Point of Origin ARROYO
City ALTADENA
County Los Angeles
State CA
Zip 91003

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

Driver

Terms

... certifies that to the best of his/her knowledge, this load does not contain...
... represent a significant threat to groundwater. In the event...
... the undersigned agrees to promptly remove the load from the...
... que esta a carga no contiene...
... que representan una amenaza significativa a las aguas subterráneas. Si la...
... el suscrito acuerda de quitar rápidamente la carga del proyecto...

NON-NEGOTIABLE BILL-OF-LADING AND TRANSPORTATION AGREEMENT

BILL NO.

PRINCIPAL CARRIER

AIS/Giosand

DATE

03/31/25

B-1163593

JOB #

44317

ADDRESS

BROKER #

AIS/GIOSAND

CITY/STATE/ZIP

PH.

TRUCK #

5

UNDERLYING CARRIER (IF ANY)

Abraham B Trucking

TRAILER #

78995L3

ADDRESS

PH.

CA #

497215

SHIPPER

American Integrated Services

RECEIVER

ADDRESS

N Arroyo Blvd

ADDRESS

24980 Maitri Rd

CITY/STATE/ZIP

Altadena CA 91109

CITY/STATE/ZIP

Corona CA 92883

POINT OF ORIGIN

POINT OF DESTINATION

DUMP

EQUIPMENT TYPE

- SUPER TAG
- END DUMP
- FLAT BED
- 10-WHEELER
- TRANSFER
- SIDE DUMP
- MIXER
- SUPER-10
- DBL BOTTOMS
- TRUCK & PUP
- SWEEPER
- STRONG ARM
- SEMI-BOTTOM
- WATER TRUCK
- OTHER

HOURLY TONNAGE PER LOAD

RATE @ \$

TAG NO.	WEIGHT	COMMODITY	LOADING		UNLOADING		STANDBY TIME	BREAKDOWN OR REASON FOR DELAY
			ARRIVE	DEPART	ARRIVE	DEPART		
<i>1</i>	<i>10125250900122</i>	<i>Dirt</i>						
<i>2</i>	<i>10125250900385</i>	<i>Dirt</i>						
<i>3</i>								
<i>4</i>								
<i>5</i>	<i>ON</i>	<i>OFF</i>						
<i>6</i>	<i>4:50</i>	<i>4:50</i>						
<i>7</i>								
<i>8</i>								
<i>9</i>								
<i>10</i>								
<i>11</i>								
<i>12</i>								
<i>13</i>								
<i>14</i>								
<i>15</i>								

2 Loads

REPORTING TIME <i>6:00 AM</i>	ENDING TIME <i>3 PM</i>	TOTAL TIME	DEDUCTIBLE TIME	NET TIME <i>9 hrs</i>	TOTAL TONS	ACCESSORIAL OTHER
START DRIVING TIME LAST TRIP	ARRIVAL TIME AT DUMP LAST TRIP	END LOADING LAST TRIP	RUNNING TIME LAST TRIP	SUBJECT TO TERMS AND CONDITIONS ON REVERSE SIDE		TOTAL CHARGES

M Antonio Lopez
DRIVER SIGNATURE

ORIGINAL
SHIPPER/RECEIVER (AGENT OR DEBITOR) SIGNATURE

30

NON-HAZARDOUS
WASTE MANIFEST

1. Generator ID Number
NOT REQUIRED

2. Page 1 of 1
3. Emergency Response Phone
888-423-6060

4. Waste Tracking Number
0595895

5. Generator's Name and Mailing Address

Pasadena West
N Arroyo Blvd
Alhambra CA 91001

Generator's Site Address (if different than mailing address)

Generator's Phone:

6. Transporter 1 Company Name

Abraham B Trucking

U.S. EPA ID Number

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Maitri Road Recycling
24890 Maitri Road
Corona CA 92683

U.S. EPA ID Number

Facility's Phone:

Not Required

9. Waste Shipping Name and Description

10. Containers

11. Total Quantity

12. Unit Wt./Vol.

No.

Type

1. Non-Hazardous Waste Liquid, (Drilling Cutting)

001

DT

00012

Y

13. Special Handling Instructions and Additional Information

Wear proper PPE while handling. Weights or volumes are approximate.

AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offoror's Printed/Typed Name

Signature

Mario Mancica

Mario M

Month Day Year
03 31 25

15. International Shipments

Import to U.S.

Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

M. Antonio Lopez

Month Day Year
03 31 25

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

17b. Alternate Facility (or Generator)

Manifest Reference Number:

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year



Ticket Confirmation

31 Mar 2025, 8:34 AM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250900122

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code ABT5
Type Super-10
License Plate 78995L3

Driver

Name ABRAHAM
BARAJASZARAT
License F5236475
State CA

Summary

Subtotal N/A
Tax N/A
Total Price N/A

PO 44317
Area 1 - Clean A/C
Material Type GRAVL
Job No Job Selected
Residence A - Commercial

Point of Origin ARROYO
City ALTADENA
County Los Angeles
State CA
Zip 91003

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

AB

Driver

Terms

I left 9:00 AM

NON-HAZARDOUS WASTE MANIFEST 1. Generator ID Number NOT REQUIRED 2. Page 1 of 1 3. Emergency Response Phone 888-428-6050 4. Waste Tracking Number 0595893

5. Generator's Name and Mailing Address: Pasadena Well, N Arroyo Blvd, Alhambra CA 91001
 Generator's Site Address (if different than mailing address):
 Generator's Phone:

6. Transporter 1 Company Name: Abraham B Trucking U.S. EPA ID Number
 7. Transporter 2 Company Name: U.S. EPA ID Number

8. Designated Facility Name and Site Address: Maltri Road Recycling, 24890 Maltri Road, Corona CA 92683 U.S. EPA ID Number
 Facility's Phone: Not Required

9. Waste Shipping Name and Description	10. Containers		11. Total Quantity	12. Unit Wt./Vol.
	No.	Type		
1. Non-Hazardous Waste Liquid, (Drilling Cutting)	001	DT	00012	Y
2.				
3.				
4.				

13. Special Handling Instructions and Additional Information:
 Wear proper PPE while handling. Weights or volumes are approximate.
 AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offoror's Printed/Typed Name: Mario Mancina Signature: [Signature] Month: 03 Day: 31 Year: 25

15. International Shipments: Import to U.S. Export from U.S. Port of entry/exit: Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials
 Transporter Signature (for exports only):
 Transporter 1 Printed/Typed Name: M. Antonio Lopez Signature: [Signature] Month: 03 Day: 31 Year: 25

Transporter 2 Printed/Typed Name: Signature: Month: Day: Year:

17. Discrepancy
 17a. Discrepancy Indication Space: Quantity Type Residue Partial Rejection Full Rejection
 Manifest Reference Number:

17b. Alternate Facility (or Generator): U.S. EPA ID Number
 Facility's Phone:

17c. Signature of Alternate Facility (or Generator): Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
 Printed/Typed Name: Signature: Month: Day: Year:

GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY



24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900

Ticket Confirmation

31 Mar 2025, 12:43 PM



10125250900385

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code **ABT5**
Type **Super-10**
License Plate **78995L3**

Driver

Name **ABRAHAM BARAJASZARAT**
License **F5236475**
State **CA**

Summary

Subtotal **N/A**
Tax **N/A**
Total Price **N/A**

PO **44317**
Area **1 - Clean A/C**
Material Type **GRAVL**
Job **No Job Selected**
Residence **A - Commercial**

Point of Origin **ARROYO**
City **ALTADENA**
County **Los Angeles**
State **CA**
Zip **91003**

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

AB

Driver

Terms

The undersigned certifies that to the best of his/her knowledge, this load does not contain hazardous materials at levels that are hazardous or represent a significant threat to groundwater. In the event a leak or spill occurs that is unacceptable, the undersigned agrees to promptly remove the load from the facility to the satisfaction of the property owner. *1:10 PM*

El suscrito declara bajo su mejor conocimiento que esta carga no contiene contaminantes peligrosos o que representan una amenaza significativa a las aguas subterráneas. Si la ciudad o el propietario determina ser inaceptable, el suscrito acuerda de quitar rápidamente la carga del propietario.

I Left

**TRAILER BILL-OF-LADING
TRANSPORTATION AGREEMENT**

BILL NO.

PRINCIPAL CARRIER

ALS/Giosand

DATE

04/01/25

B-1163594

ADDRESS

CITY/STATE/ZIP

PH.

JOB #

44317

BROKER #

ALS/Giosand

TRUCK #

5

TRAILER #

78995L3

CA #

497215

UNDERLYING CARRIER (IF ANY)

Abraham B Trucking

ADDRESS

PH.

SHIPPER

American integrated services

ADDRESS

N Arroyo Blvd

CITY/STATE/ZIP

Attadena CA 91109

RECEIVER

ADDRESS

24980 Martini Rd

CITY/STATE/ZIP

Corona CA 92883

POINT OF ORIGIN

POINT OF DESTINATION

DUMP

EQUIPMENT TYPE

- SUPER TAG
- END DUMP
- FLAT BED
- 10-WHEELER
- TRANSFER
- SIDE DUMP
- MIXER
- SUPER-10
- DBL BOTTOMS
- TRUCK & PUP
- SWEEPER
- STRONG ARM
- SEMI-BOTTOM
- WATER TRUCK
- OTHER

HOURLY TONNAGE PER LOAD

RATE @ \$

TAG NO.	WEIGHT	COMMODITY	LOADING		UNLOADING		STANDBY TIME	BREAKDOWN OR REASON FOR DELAY
			ARRIVE	DEPART	ARRIVE	DEPART		
<i>10125250910130</i>	<i>910130</i>	<i>Dirt</i>						
<i>10125250910297</i>	<i>910297</i>	<i>Dirt</i>						
3								
4								
5								
6	<i>4.50</i>							
7								
8								
9								
10								
11								
12								
13								
14								
15								

REPORTING TIME <i>6:00am</i>	ENDING TIME <i>9:00</i>	TOTAL TIME <i>0</i>	DEDUCTIBLE TIME	NET TIME	TOTAL TONS	ACCESSORIAL OTHER
START DRIVING TIME LAST TRIP	ARRIVAL TIME AT DUMP LAST TRIP	END LOADING LAST TRIP	RUNNING TIME LAST TRIP	SUBJECT TO TERMS AND CONDITIONS ON REVERSE SIDE		TOTAL CHARGES

M Antonio Lopez
DRIVER SIGNATURE

[Signature]
SHIPPER/RECEIVER (AGENT OR DEBITOR) SIGNATURE

ORIGINAL

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number
NOT REQUIRED

2. Page 1 of
1

3. Emergency Response Phone
888-423-6060

4. Waste Tracking Number
0595899

5. Generator's Name and Mailing Address

Pasadena Well
N Arroyo Blvd
Alhambra CA 91001

Generator's Site Address (if different than mailing address)

Generator's Phone:

6. Transporter 1 Company Name

Abraham B Trucking

U.S. EPA ID Number

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Main Road Recycling
24890 Main Road
Corona CA 92883

U.S. EPA ID Number

Facility's Phone:

Not Required

9. Waste Shipping Name and Description

10. Containers

No.

Type

11. Total Quantity

12. Unit Wt./Vol.

1. Non-Hazardous Waste Liquid, (Drilling Cutting)

0 0 1

DT

00012

Y

13. Special Handling Instructions and Additional Information

Wear proper PPE while handling. Weights or volumes are approximate.

AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Officer's Printed/Typed Name

Mario Mancina

Signature

Mario M

Month Day Year

04 01 25

15. International Shipments

Import to U.S.

Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

M. Antonio Lopez

Signature

M Antonio

Month Day Year

04 01 25

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

GENERATOR

INT'L

TRANSPORTER

DESIGNATED FACILITY



Ticket Confirmation

1 Apr 2025, 12:38 PM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250910297

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code ABT5
Type Super-10
License Plate 78995L3

Driver

Name ABRAHAM
BARAJASZARAT
License F5236475
State CA

Summary

Subtotal N/A
Tax N/A
Total Price N/A

PO 44317
Area 1 - Clean A/C
Material Type GRAVL
Job No Job Selected
Residence A - Commercial

Point of Origin N ARROYO
City ALTADENA
County Los Angeles
State CA
Zip 91003

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

[Signature area with faint markings]

Driver

Terms

As represented and certified that to the best of his/her knowledge, this load does not contain any hazardous materials that are hazardous or represent a significant threat to groundwater. In the event this load is determined to be hazardous, the undersigned agrees to promptly remove the load from the property. If the load is determined to be hazardous, the undersigned agrees to promptly remove the load from the property. Si la carga es determinada como peligrosa, el suscrito acuerda de quitar rapidamente la carga del propiedad.

I Left 1:10 PM

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number NOT REQUIRED 2. Page 1 of 1 3. Emergency Response Phone 888-423-6060 4. Waste Tracking Number 0595897

5. Generator's Name and Mailing Address Pasadena Well N Arroyo Blvd Altadena CA 91001 Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name Abraham B Trucking U.S. EPA ID Number

7. Transporter 2 Company Name U.S. EPA ID Number

8. Designated Facility Name and Site Address Maitri Road Recycling 24600 Maitri Road Corona CA 92683 U.S. EPA ID Number Not Required Facility's Phone:

Table with 5 columns: 9. Waste Shipping Name and Description, 10. Containers (No., Type), 11. Total Quantity, 12. Unit Wt./Vol. Row 1: Non-Hazardous Waste Liquid, (Drilling Cutting), 001, DT, 00012, Y

13. Special Handling Instructions and Additional Information Wear proper PPE while handling. Weights or volumes are approximate. AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offero's Printed/Typed Name Mario Mancía Signature [Signature] Month Day Year 04 01 25

15. International Shipments [] Import to U.S. [] Export from U.S. Port of entry/exit: Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name M. Antonio Lopez Signature [Signature] Month Day Year 04 01 25

Transporter 2 Printed/Typed Name Signature Month Day Year

17. Discrepancy 17a. Discrepancy Indication Space [] Quantity [] Type [] Residue [] Partial Rejection [] Full Rejection

Manifest Reference Number: U.S. EPA ID Number

17b. Alternate Facility (or Generator) Facility's Phone:

17c. Signature of Alternate Facility (or Generator) Month Day Year

18. Designated Facility Owner or Operator. Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name Signature Month Day Year

GENERATOR TRANSPORTER INT'L TRANSPORTER DESIGNATED FACILITY



24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900

Ticket Confirmation

1 Apr 2025, 8:12 AM



10125250910130

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code **ABT5**
Type **Super-10**
License Plate **78995L3**

Driver

Name **ABRAHAM BARAJASZARAT**
License **F5236475**
State **CA**

Summary

Subtotal **N/A**
Tax **N/A**
Total Price **N/A**

PO **44317**
Area **1 - Clean A/C**
Material Type **GRAVL**
Job **No Job Selected**
Residence **A - Commercial**

Point of Origin **N ARROYO**
City **ALTADENA**
County **Los Angeles**
State **CA**
Zip **91003**

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

AB

Driver

Terms

I warrant that to the best of his/her knowledge, this load does not contain any hazardous materials or other materials that pose a significant threat to groundwater. In the event a spill or leak occurs, the driver agrees to promptly remove the load from the facility.

8:45AM I Left

P.O. BOX 92316 LONG BEACH, CA. 90809
Office 310-522-1168 Fax 310-522-1182
24 Hour Emergency Hotline 888-423-6060

TRANSPORTATION WORK ORDER

CUSTOMER NAME: AIS / Giosand		JOB # 44317	DATE: 4/1/25
JOBSITE: Haha mongha park		CONTACT: RA Fa	
ADDRESS: Haha mongha park		CUSTOMER P.O.:	
CITY: ALTadena, CA			
EQUIPMENT: <input type="checkbox"/> LOWBOY <input type="checkbox"/> ROLL - OFF <input type="checkbox"/> BOX VAN <input type="checkbox"/> VAC TRUCK <input type="checkbox"/> STAKE BED <input checked="" type="checkbox"/> Super toy		TRUCK # 20/ TRAILER #	Manifest# : Disposal Location: maithi CORONA, CA
Bin #:	Pickup / Deliver ✓	Return / Destination ✓	BIN LINERS: <input type="checkbox"/> USED How many <input type="checkbox"/> NOT USED
OFF	ON		
5:30 - 6:15 .50	6:15 TO 8:45 2.75		
8:45 - 10:15 2.25	10P - 1P 3.-		
1P - 3P 3.-			
4.75	5.75		Tarps: <input type="checkbox"/> Yes <input type="checkbox"/> No
On Site	DESCRIPTION		
Start	Stop		
		① SOIL # 10125250910129 - 8:45am	
		② SOIL # 10125250910276 - 12:30pm	
		③ SOIL # 1012525092004pre Load 4/1/25 dump on 4/2/25	
REPORTING TIME 5:30 am	ENDING TIME 4:00	TOTAL TIME 10:50	DEDUCTIBLE TIME <u> </u> NET TIME 10.50

X William Selazar
DRIVER

X [Signature]
CUSTOMER SIGNATURE

31

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number

NOT REQUIRED

2. Page 1 of 1

3. Emergency Response Phone

888-423-6060

4. Waste Tracking Number

0595896

5. Generator's Name and Mailing Address

Pasadena Well
N Arroyo Blvd
Alhambra CA 91001

Generator's Site Address (if different than mailing address)

Generator's Phone:

6. Transporter 1 Company Name

Giosand Transportation

U.S. EPA ID Number

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Malini Road Recycling
24890 Malini Road
Corona CA 92883

U.S. EPA ID Number

Facility's Phone:

Not Required

9. Waste Shipping Name and Description

10. Containers

11. Total Quantity

12. Unit Wt./Vol.

1. Non-Hazardous Waste Liquid, (Drilling Cutting)

No.

Type

001

DT

00012

Y

2.

3.

4.

13. Special Handling Instructions and Additional Information

Wear proper PPE while handling. Weights or volumes are approximate.
AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offor's Printed/Typed Name

Mario Mancira

Signature

Mario Mancira

Month Day Year

4 01 25

15. International Shipments

Import to U.S.

Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

William Salazar

Signature

William Salazar

Month Day Year

4 01 25

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

GENERATOR

INT'L

TRANSPORTER

DESIGNATED FACILITY



Ticket Confirmation

1 Apr 2025, 8:10 AM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250910129

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code GIOSAND201
Type Super-10
License Plate XP77651

Driver

Name WILLIAM SALAZAR
License D9195200
State CA

Summary

Subtotal N/A
Tax N/A
Total Price N/A

PO 44317
Area 1 - Clean A/C
Material Type GRAVL
Job No Job Selected
Residence A - Commercial

Point of Origin N ARROYO BLVD
City ALTADENA
County Los Angeles
State CA
Zip 91003

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

Driver

Terms

4.96 10.50

I hereby warrant that, to the best of my knowledge, this load does not contain any hazardous materials or represent a significant threat to groundwater. In the event it is determined to be unacceptable, the undersigned agrees to promptly remove the load from the facility. I certifico bajo su mejor conocimiento que esta carga no contiene cualquier material peligroso o representa una amenaza significativa a las aguas subterráneas. En caso de que se determine que no es aceptable, el suscrito acepta retirar la carga de la instalación.

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number
NOT REQUIRED

2. Page 1 of 1

3. Emergency Response Phone
888-423-6060

4. Waste Tracking Number
0595898

5. Generator's Name and Mailing Address
Pasadena Well
N Arroyo Blvd
Alhambra CA 91001
Generator's Site Address (if different than mailing address)

6. Transporter 1 Company Name
Giosand Transportation
U.S. EPA ID Number

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
Maitri Road Recycling
24690 Maitri Road
Corona CA 92863
Facility's Phone:
Not Required
U.S. EPA ID Number

9. Waste Shipping Name and Description	10. Containers		11. Total Quantity	12. Unit Wt./Vol.
	No.	Type		
1. Non-Hazardous Waste Liquid, (Drilling Cutting)	001	DT	00012	Y
2.				
3.				
4.				

13. Special Handling Instructions and Additional Information
Wear proper PPE while handling. Weights or volumes are approximate.
AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offoror's Printed/Typed Name: Mario Mancia
Signature: [Signature]
Month: 4, Day: 01, Year: 25

15. International Shipments
 Import to U.S. Export from U.S.
Port of entry/exit:
Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: William Salazar
Signature: [Signature]
Month: 4, Day: 01, Year: 25

Transporter 2 Printed/Typed Name:
Signature:
Month: Day: Year:

17. Discrepancy

17a. Discrepancy Indication Space
 Quantity Type Residue Partial Rejection Full Rejection

17b. Alternate Facility (or Generator)
Manifest Reference Number:
U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)
Month: Day: Year:

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name: Signature: Month: Day: Year:

GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY



Ticket Confirmation

1 Apr 2025, 11:56 AM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250910276

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code GIOSAND201
Type Super-10
License Plate XP77651

Driver

Name WILLIAM SALAZAR
License D9195200
State CA

Summary

Subtotal N/A
Tax N/A
Total Price N/A

PO 44317
Area 1 - Clean A/C
Material Type GRAVL
Job No Job Selected
Residence A - Commercial

Point of Origin N ARROYO BLVD
City ALTADENA
County Los Angeles
State CA
Zip 91003

Table with 4 columns: Product, Quantity, Unit Price, Total. Rows include STD (Standard Landfill Material), AQMF L (Air Quality Mitigation Fee Lan), ENVF L (Environmental Fee Landfill), FSF L (Fuel Surcharge Fee), and a Total row.

Signature

Handwritten signature

Driver

Terms

Small text block containing terms and conditions, including a disclaimer about hazardous waste and groundwater contamination.

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number

NOT REQUIRED

2. Page 1 of 1

3. Emergency Response Phone

888-423-6060

4. Waste Tracking Number

0595900

5. Generator's Name and Mailing Address

Generator's Site Address (if different than mailing address)

Pasadena Well
N Arroyo Blvd
Pasadena CA 91001

Generator's Phone:

U.S. EPA ID Number

6. Transporter 1 Company Name

Giosand transportation

U.S. EPA ID Number

7. Transporter 2 Company Name

8. Designated Facility Name and Site Address

U.S. EPA ID Number

Matri Road Recycling
24890 Matri Road
Corona CA 92883

Facility's Phone:

Not Required

9. Waste Shipping Name and Description

10. Containers

11. Total Quantity

12. Unit Wt./Vol.

No. Type

1. Non-Hazardous Waste Liquid, (Drilling Cutting)

0 0 1

DT

00012

Y

13. Special Handling Instructions and Additional Information

Wear proper PPE while handling. Weights or volumes are approximate.
AIS Job# 44317

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offieror's Printed/Typed Name

Signature

Month Day Year

Johnny Aussenant

4 1 25

15. International Shipments

Import to U.S.

Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

William Salazar

4 1 25

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

GENERATOR

INT'L

TRANSPORTER


DESIGNATED FACILITY



Ticket Confirmation

2 Apr 2025, 6:13 AM

24980 Maitri Rd,
Corona, CA 92883
Ph: 310-784-2900



10125250920040

NON-SALE

LOAD RECYCLED

AMERICAN INTEGRATED SERVICES

0113059
P O BOX 92316
LONG BEACH, CA - 90809
USA

Truck

Code GIOSAND201
Type Super-10
License Plate XP77651

Driver

Name WILLIAM SALAZAR
License D9195200
State CA

Summary

Subtotal N/A
Tax N/A
Total Price N/A

PO 44317
Area 1 - Clean A/C
Material Type GRAVL
Job No Job Selected
Residence A - Commercial

Point of Origin N ARROYO BLVD
City ALTADENA
County Los Angeles
State CA
Zip 91003

Product	Quantity	Unit Price	Total
STD Standard Landfill Material	1.00 EA	N/A	N/A
AQMF L Air Quality Mitigation Fee Lan	1.00 EA	N/A	N/A
ENVF L Environmental Fee Landfill	1.00 EA	N/A	N/A
FSF L Fuel Surcharge Fee	1.00 EA	N/A	N/A
Total			N/A

Signature

Driver

Terms

I hereby certify that to the best of my/her knowledge, this load does not contain any hazardous materials that are known to represent a significant threat to groundwater. In the event it is determined to be unacceptable, the undersigned agrees to promptly remove the load from the site. I hereby certify that, to the best of my/her knowledge, this load does not contain any hazardous materials that are known to represent a significant threat to groundwater. Si la carga es determinada ser inaceptable, el suscrito acepta a retirar rapidamente la carga del sitio.